## Primary Tumor Location as a Prognostic Factor in Meta

Journal of the National Cancer Institute 107, DOI: 10.1093/jnci/dju427

Citation Report

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Molecular and pathological characterization of the EZH2 rs3757441 single nucleotide polymorphism in colorectal cancer. BMC Cancer, 2015, 15, 874.   | 1.1 | 10        |
| 2  | Metastatic Colorectal Cancer: Review of Diagnosis and Treatment Options. Jurnalul De Chirurgie, 2015, 10, .   | 0.0 | 4         |
| 3  | RE: Primary Tumor Location as a Prognostic Factor in Metastatic Colorectal Cancer. Journal of the<br>National Cancer Institute, 2015, 107, djv207.  | 3.0 | 3         |
| 5  | Performance characteristics of next-generation sequencing in clinical mutation detection of colorectal cancers. Modern Pathology, 2015, 28, 1390-1399.  | 2.9 | 53        |
| 6  | Rectal and colon cancer: Not just a different anatomic site. Cancer Treatment Reviews, 2015, 41, 671-679.   | 3.4 | 239       |
| 7  | How to Identify the Right Patients for the Right Treatment in Metastatic Colorectal Cancer (mCRC).<br>Current Colorectal Cancer Reports, 2015, 11, 151-159.   | 1.0 | 2         |
| 8  | RE: Primary Tumor Location as a Prognostic Factor in Metastatic Colorectal Cancer. Journal of the<br>National Cancer Institute, 2015, 107, djv203.  | 3.0 | 10        |
| 9  | Advances in targeted and immunobased therapies for colorectal cancer in the genomic era.<br>OncoTargets and Therapy, 2016, 9, 1899.   | 1.0 | 44        |
| 10 | Differential Radiographic Appearance ofBRAFV600E–Mutant Metastatic Colorectal Cancer in Patients<br>Matched by Primary Tumor Location. Journal of the National Comprehensive Cancer Network: JNCCN,<br>2016, 14, 1536-1543.     | 2.3 | 17        |
| 11 | Novel therapeutics in metastatic colorectal cancer: molecular insights and pharmacogenomic implications. Expert Review of Clinical Pharmacology, 2016, 9, 1091-1108.  | 1.3 | 9         |
| 12 | PTEN mRNA expression is less pronounced in left- than right-sided colon cancer: a retrospective observational study. BMC Cancer, 2016, 16, 366.   | 1.1 | 18        |
| 13 | Location of Primary Tumor and Benefit From Anti-Epidermal Growth Factor Receptor Monoclonal<br>Antibodies in Patients With <i>RAS</i> and <i>BRAF</i> Wild-Type Metastatic Colorectal Cancer.<br>Oncologist, 2016, 21, 988-994. | 1.9 | 94        |
| 14 | The prognostic implications of primary colorectal tumor location on recurrence and overall survival in patients undergoing resection for colorectal liver metastasis. Journal of Surgical Oncology, 2016, 114, 803-809.         | 0.8 | 73        |
| 15 | Ongoing Adjuvant/Neoadjuvant Trials in Resectable Metastatic Colorectal Cancer. Current<br>Colorectal Cancer Reports, 2016, 12, 303-313.  | 1.0 | 0         |
| 16 | Does tumor side represent a relevant factor for prognosis and treatment decision in metastatic colorectal cancer?. Colorectal Cancer, 2016, 5, 91-93.   | 0.8 | 1         |
| 17 | Association of CpG island methylator phenotype and EREG/AREG methylation and expression in colorectal cancer. British Journal of Cancer, 2016, 114, 1352-1361.  | 2.9 | 81        |
| 18 | Tumor-Infiltrating Lymphocytes, Crohn's-Like Lymphoid Reaction, and Survival From Colorectal<br>Cancer. Journal of the National Cancer Institute, 2016, 108, .  | 3.0 | 162       |
| 19 | Association between mRNA expression of chemotherapy-related genes and clinicopathological features in colorectal cancer: A large-scale population analysis. International Journal of Molecular Medicine, 2016, 37, 319-328      | 1.8 | 12        |

| #  | Article  | IF    | CITATIONS |
|----|--|-------|-----------|
| 20 | Impact of Primary Tumor Site on Bevacizumab Efficacy in Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2016, 15, e9-e15.  | 1.0   | 45        |
| 21 | The Worse Prognosis of Right-Sided Compared with Left-Sided Colon Cancers: a Systematic Review and Meta-analysis. Journal of Gastrointestinal Surgery, 2016, 20, 648-655.  | 0.9   | 209       |
| 22 | Glycolysis gene expression analysis and selective metabolic advantage in the clinical progression of colorectal cancer. Pharmacogenomics Journal, 2017, 17, 258-264.   | 0.9   | 79        |
| 23 | First-line therapy for mCRC — the influence of primary tumour location on the therapeutic algorithm.<br>Nature Reviews Clinical Oncology, 2017, 14, 113-113.   | 12.5  | 35        |
| 24 | Colorectal cancer statistics, 2017. Ca-A Cancer Journal for Clinicians, 2017, 67, 177-193.   | 157.7 | 3,300     |
| 25 | What roles do colon stem cells and gap junctions play in the left and right location of origin of colorectal cancers?. Journal of Cell Communication and Signaling, 2017, 11, 79-87.   | 1.8   | 8         |
| 26 | Embryonic origin of primary colon cancer predicts survival in patients undergoing ablation for colorectal liver metastases. European Journal of Surgical Oncology, 2017, 43, 1040-1049.  | 0.5   | 18        |
| 27 | Prognostic and predictive value of primary tumour side in patients with RAS wild-type metastatic colorectal cancer treated with chemotherapy and EGFR directed antibodies in six randomized trials. Annals of Oncology, 2017, 28, 1713-1729. | 0.6   | 654       |
| 28 | Primary tumor sidedness has an impact on prognosis and treatment outcome in metastatic colorectal cancer: results from two randomized first-line panitumumab studies. Annals of Oncology, 2017, 28, 1862-1868.                               | 0.6   | 174       |
| 29 | The relevance of primary tumour location in patients with metastatic colorectal cancer: A meta-analysis of first-line clinical trials. European Journal of Cancer, 2017, 70, 87-98.  | 1.3   | 436       |
| 30 | The role of primary tumour sidedness, EGFR gene copy number and EGFR promoter methylation in<br>RAS/BRAF wild-type colorectal cancer patients receiving irinotecan/cetuximab. British Journal of<br>Cancer, 2017, 117, 315-321.              | 2.9   | 19        |
| 31 | Right Versus Left Colon Cancer Biology: Integrating the Consensus Molecular Subtypes. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 411-419.  | 2.3   | 261       |
| 32 | Impact of cap-assisted colonoscopy on detection of proximal colon adenomas: systematic review and meta-analysis. Gastrointestinal Endoscopy, 2017, 86, 274-281.e3.   | 0.5   | 31        |
| 33 | From tumour heterogeneity to advances in precision treatment of colorectal cancer. Nature Reviews<br>Clinical Oncology, 2017, 14, 235-246.   | 12.5  | 466       |
| 34 | Current and future biomarkers in the treatment of colorectal cancer. Acta Clinica Belgica, 2017, 72, 103-115.  | 0.5   | 30        |
| 35 | Investigating the poor outcomes ofBRAF-mutant advanced colorectal cancer: analysis from 2530 patients in randomised clinical trials. Annals of Oncology, 2017, 28, 562-568.  | 0.6   | 132       |
| 36 | Clinicopathological Features and Predictive Factors for Colorectal Cancer Outcome in the Kingdom of Saudi Arabia. Oncology, 2017, 92, 75-86.   | 0.9   | 16        |
| 37 | Survival and Prognostic Factors for Metachronous Peritoneal Metastasis in Patients with Colon Cancer. Annals of Surgical Oncology, 2017, 24, 1269-1280.  | 0.7   | 52        |

|    | Сітатіс  | n Report |           |
|----|--|----------|-----------|
| #  | Article  | IF       | CITATIONS |
| 39 | KRAS mutation and primary tumor location do not affect efficacy of bevacizumab-containing chemotherapy in stagae IV colorectal cancer patients. Scientific Reports, 2017, 7, 14368.  | 1.6      | 13        |
| 40 | Nerve/Glial Antigen 2: A Novel Target for Anti-Tumor Therapy in Colorectal Cancer. Digestion, 2017, 96, 60-66.   | 1.2      | 2         |
| 41 | Precision Oncology: Present Status and Perspectives. Current Clinical Pathology, 2017, , 7-26.   | 0.0      | 0         |
| 42 | Recent developments in the treatment of metastatic colorectal cancer. Therapeutic Advances in<br>Medical Oncology, 2017, 9, 551-564.   | 1.4      | 82        |
| 43 | Understanding the role of primary tumour localisation in colorectal cancer treatment and outcomes. European Journal of Cancer, 2017, 84, 69-80.  | 1.3      | 212       |
| 44 | <i>KRAS</i> Testing, Tumor Location, and Survival in Patients With Stage IV Colorectal Cancer: SEER 2010–2013. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 1484-1493.   | 2.3      | 39        |
| 45 | Effect of primary tumor location and tumor size on the response to radiotherapy for liver metastases from colorectal cancer. Oncology Letters, 2017, 14, 453-460.  | 0.8      | 24        |
| 46 | Prognostic Survival Associated With Left-Sided vs Right-Sided Colon Cancer. JAMA Oncology, 2017, 3, 211.   | 3.4      | 544       |
| 47 | CXCR4 polymorphism predicts progression-free survival in metastatic colorectal cancer patients treated with first-line bevacizumab-based chemotherapy. Pharmacogenomics Journal, 2017, 17, 543-550.  | 0.9      | 11        |
| 48 | Prognostic and Predictive Relevance of Primary Tumor Location in Patients With <i>RAS </i> Wild-Type<br>Metastatic Colorectal Cancer. JAMA Oncology, 2017, 3, 194.   | 3.4      | 555       |
| 49 | Prognostic Impact of Primary Tumor Location on Clinical Outcomes of Metastatic Colorectal Cancer<br>Treated With Cetuximab Plus Oxaliplatin-Based Chemotherapy: A Subgroup Analysis of the JACCRO<br>CC-05/06 Trials. Clinical Colorectal Cancer, 2017, 16, e171-e180. | 1.0      | 40        |
| 51 | Primary Tumor Location as a Predictive Factor for First-line Bevacizumab Effectiveness in Metastatic<br>Colorectal Cancer Patients. Journal of Cancer, 2017, 8, 388-394.   | 1.2      | 24        |
| 52 | Current and future biomarkers in colorectal cancer. Annals of Gastroenterology, 2017, 30, 613-621.   | 0.4      | 88        |
| 53 | Right- vs. Left-Sided Metastatic Colorectal Cancer: Differences in Tumor Biology and Bevacizumab<br>Efficacy. International Journal of Molecular Sciences, 2017, 18, 1240.   | 1.8      | 38        |
| 54 | The Predictive Effect of Primary Tumour Location in the Treatment of Metastatic Colorectal Cancer: A<br>Canadian Consensus Statement. Current Oncology, 2017, 24, 390-400.   | 0.9      | 8         |
| 55 | A relationship to survival is seen by combining the factors of mismatch repair status, tumor location and age of onset in colorectal cancer patients. PLoS ONE, 2017, 12, e0172799.  | 1.1      | 16        |
| 56 | Is There a Sex Effect in Colon Cancer? Disease Characteristics, Management, and Outcomes in Routine<br>Clinical Practice. Current Oncology, 2017, 24, 15-23.   | 0.9      | 23        |
| 57 | Comparative molecular analyses of left-sided colon, right-sided colon, and rectal cancers.<br>Oncotarget, 2017, 8, 86356-86368.  | 0.8      | 147       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 58 | Clinical Calculator for Early Mortality in Metastatic Colorectal Cancer: An Analysis of Patients From 28 Clinical Trials in the Aide et Recherche en Cancérologie Digestive Database. Journal of Clinical Oncology, 2017, 35, 1929-1937.             | 0.8 | 37        |
| 59 | Expression analysis of microRNA as prognostic biomarkers in colorectal cancer. Oncotarget, 2017, 8, 52403-52412.   | 0.8 | 49        |
| 60 | Comprehensive genomic sequencing detects important genetic differences between right-sided and left-sided colorectal cancer. Oncotarget, 2017, 8, 93567-93579.   | 0.8 | 26        |
| 61 | Difference between right-sided and left-sided colorectal cancers: from embryology to molecular subtype. Expert Review of Anticancer Therapy, 2018, 18, 351-358.  | 1.1 | 60        |
| 63 | Combinations of Bevacizumab and Erlotinib Show Activity in Colorectal Cancer Independent of <i>RAS</i> Status. Clinical Cancer Research, 2018, 24, 2548-2558.  | 3.2 | 14        |
| 64 | The impact of primary tumour location in patients undergoing hepatic resection for colorectal liver metastasis. European Journal of Surgical Oncology, 2018, 44, 771-777.  | 0.5 | 36        |
| 65 | Impact of Right-sided Primary Tumor Location Among Patients With Oligometastatic Colorectal<br>Cancer Treated With Stereotactic Body Radiotherapy. American Journal of Clinical Oncology: Cancer<br>Clinical Trials, 2018, 41, 1172-1175.            | 0.6 | 0         |
| 66 | What Chemotherapy to Recommend in Metastatic Patients?. , 2018, , 339-348.   |     | 0         |
| 67 | Biomarkers in colorectal liver metastases. British Journal of Surgery, 2018, 105, 618-627.   | 0.1 | 59        |
| 68 | The best strategy for RAS wild-type metastatic colorectal cancer patients in first-line treatment: A classic and Bayesian meta-analysis. Critical Reviews in Oncology/Hematology, 2018, 125, 69-77.  | 2.0 | 17        |
| 69 | The relationship between right-sided tumour location, tumour microenvironment, systemic<br>inflammation, adjuvant therapy and survival in patients undergoing surgery for colon and rectal<br>cancer. British Journal of Cancer, 2018, 118, 705-712. | 2.9 | 46        |
| 70 | The role of tumor angiogenesis as a therapeutic target in colorectal cancer. Expert Review of Anticancer Therapy, 2018, 18, 251-266.   | 1.1 | 41        |
| 71 | Perioperative dynamics and significance of plasma-free amino acid profiles in colorectal cancer. BMC<br>Surgery, 2018, 18, 11.   | 0.6 | 8         |
| 72 | UGT1A polymorphisms associated with worse outcome in colorectal cancer patients treated with irinotecan-based chemotherapy. Cancer Chemotherapy and Pharmacology, 2018, 82, 87-98.   | 1.1 | 12        |
| 73 | D-dimer predicts postoperative recurrence and prognosis in patients with liver metastasis of colorectal cancer. International Journal of Clinical Oncology, 2018, 23, 689-697.   | 1.0 | 26        |
| 74 | The prognostic implications of primary tumor location on recurrence in early-stage colorectal cancer with no associated risk factors. International Journal of Colorectal Disease, 2018, 33, 719-726.  | 1.0 | 9         |
| 75 | Clinical Trials and Progress in Metastatic Colon Cancer. Surgical Oncology Clinics of North America, 2018, 27, 349-365.  | 0.6 | 64        |
| 76 | Clinicopathological Associations of K-RAS and N-RAS Mutations in Indonesian Colorectal Cancer Cohort. Journal of Gastrointestinal Cancer, 2018, 49, 124-131.   | 0.6 | 10        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 77 | Impact of Primary Tumor Location on Postoperative Recurrence and Subsequent Prognosis in Nonmetastatic Colon Cancers. Annals of Surgery, 2018, 267, 917-921.   | 2.1 | 39        |
| 78 | Embryonic Origin of Primary Colon Cancer Predicts Pathologic Response and Survival in Patients<br>Undergoing Resection for Colon Cancer Liver Metastases. Annals of Surgery, 2018, 267, 514-520.   | 2.1 | 59        |
| 79 | Association of Primary Tumor Site With Mortality in Patients Receiving Bevacizumab and Cetuximab for Metastatic Colorectal Cancer. JAMA Surgery, 2018, 153, 60.  | 2.2 | 37        |
| 80 | DNA methylation aberrancies delineate clinically distinct subsets of colorectal cancer and provide novel targets for epigenetic therapies. Oncogene, 2018, 37, 566-577.  | 2.6 | 65        |
| 81 | Classifying Colorectal Cancer by Tumor Location Rather than Sidedness Highlights a Continuum in<br>Mutation Profiles and Consensus Molecular Subtypes. Clinical Cancer Research, 2018, 24, 1062-1072.  | 3.2 | 225       |
| 82 | Colorectal Cancers Developed from Proximal and Distal Tumor Location Belong to theÂDistinct<br>Genetic Entity and Show Different Oncologic Behavior. Current Human Cell Research and<br>Applications, 2018, , 81-91.   | 0.1 | 0         |
| 83 | Primary Tumor Location and Survival in the General Population With Metastatic Colorectal Cancer.<br>Clinical Colorectal Cancer, 2018, 17, e201-e206.   | 1.0 | 17        |
| 84 | The predictive value of primary tumor location in patients with metastatic colorectal cancer: A systematic review. Critical Reviews in Oncology/Hematology, 2018, 121, 1-10.   | 2.0 | 45        |
| 85 | Differences in overall survival and mutation prevalence between right- and left-sided colorectal adenocarcinoma. Journal of Gastrointestinal Oncology, 2018, 9, 778-784.   | 0.6 | 13        |
| 86 | Impact of primary tumor location as a predictive factor in patients suffering from colorectal cancer<br>treated with cytotoxic anticancer agents based on the collagen gel droplet‑embedded drug sensitivity<br>test. Oncology Letters, 2019, 17, 1842-1850. | 0.8 | 6         |
| 87 | Prognostic effect of sidedness in early stage versus advanced colon cancer. Health Science Reports, 2018, 1, e54.  | 0.6 | 11        |
| 88 | Recent advances in understanding colorectal cancer. F1000Research, 2018, 7, 1528.  | 0.8 | 14        |
| 89 | Plasma metabolomic profiling distinguishes right-sided from left-sided colon cancer. Clinica Chimica<br>Acta, 2018, 487, 357-362.  | 0.5 | 17        |
| 90 | DNA mismatch repair and CD133-marked cancer stem cells in colorectal carcinoma. PeerJ, 2018, 6, e5530.   | 0.9 | 7         |
| 91 | Primary tumor location in stage III colon cancer has prognostic impact on subsequent liver metastasis. Journal of Surgical Oncology, 2018, 118, 1301-1310.   | 0.8 | 10        |
| 92 | Sequential therapy with bevacizumab and EGFR inhibitors for metastatic colorectal carcinoma: a national registry-based analysis. Cancer Management and Research, 2019, Volume 11, 359-368.   | 0.9 | 8         |
| 93 | Impact of primary tumour location on efficacy of bevacizumab plus chemotherapy in metastatic colorectal cancer. British Journal of Cancer, 2018, 119, 1451-1455.   | 2.9 | 19        |
| 94 | Molecular characterization and biomarker identification in colorectal cancer: Toward realization of the precision medicine dream. Cancer Management and Research, 2018, Volume 10, 5895-5908.  | 0.9 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 95  | Clinicopathological differences and survival outcomes with first-line therapy in patients with<br>left-sided colon cancer and rectal cancer: Pooled analysis of 2879 patients from AGITG (MAX), COIN,<br>FOCUS2, OPUS, CRYSTALÂand COIN-B trials in the ARCAD database. European Journal of Cancer, 2018, 103,<br>205-213. | 1.3 | 13        |
| 96  | Difference Between Left-Sided and Right-Sided Colorectal Cancer: A Focused Review of Literature.<br>Gastroenterology Research, 2018, 11, 264-273.  | 0.4 | 294       |
| 97  | Different Anatomical Subsites of Colon Cancer and Mortality: A Population-Based Study.<br>Gastroenterology Research and Practice, 2018, 2018, 1-9.   | 0.7 | 11        |
| 98  | What Is the Best Systemic Therapy for Left-sided RAS Wild-type Metastatic Colorectal Cancer?. Current<br>Colorectal Cancer Reports, 2018, 14, 175-183.   | 1.0 | 0         |
| 99  | To resect or not to resect: The hamletic dilemma of primary tumor resection in patients with<br>asymptomatic stage IV colorectal cancer. Critical Reviews in Oncology/Hematology, 2018, 132, 154-160.  | 2.0 | 5         |
| 100 | Impact of Delayed Addition of Anti-EGFR Monoclonal Antibodies on the Outcome of First-Line Therapy<br>in Metastatic Colorectal Cancer Patients: a Retrospective Registry-Based Analysis. Targeted Oncology,<br>2018, 13, 735-743.  | 1.7 | 6         |
| 101 | Precision medicine in cholangiocarcinoma. Translational Gastroenterology and Hepatology, 2018, 3, 40-40.   | 1.5 | 61        |
| 102 | Primary tumor sidedness is an independent prognostic marker for survival in metastatic colorectal cancer: Results from a large retrospective cohort with mutational analysis. Cancer Medicine, 2018, 7, 2934-2942.   | 1.3 | 21        |
| 103 | Clinicopathological and molecular differences between right-sided and left-sided colorectal cancer in Japanese patients. Japanese Journal of Clinical Oncology, 2018, 48, 609-618.   | 0.6 | 40        |
| 104 | Differences between carcinoma of the cecum and ascending colon: Evidence based on clinical and embryological data. International Journal of Oncology, 2018, 53, 87-98.   | 1.4 | 5         |
| 105 | Colorectal Cancer: Why Does Side Matter?. Drugs, 2018, 78, 789-798.  | 4.9 | 41        |
| 106 | Individualized predictive signatures for 5â€fluorouracilâ€based chemotherapy in right―and leftâ€sided<br>colon cancer. Cancer Science, 2018, 109, 1939-1948.   | 1.7 | 13        |
| 107 | Phase II study of panitumumab combined with capecitabine and oxaliplatin as first-line treatment in metastatic colorectal cancer patients: clinical results including extended tumor genotyping. Medical Oncology, 2018, 35, 101.  | 1.2 | 6         |
| 108 | Primary Tumor Location in Colorectal Cancer: Comparison of Right- and Left-Sided Colorectal Cancer<br>Characteristics for the Interventional Radiologist. CardioVascular and Interventional Radiology,<br>2018, 41, 1819-1825.   | 0.9 | 6         |
| 109 | Clinical Significance of BRAF Non-V600E Mutations in Colorectal Cancer: A Retrospective Study of<br>Two Institutions. Journal of Surgical Research, 2018, 232, 72-81.  | 0.8 | 19        |
| 110 | Immune Landscape of Colorectal Cancer Tumor Microenvironment from Different Primary Tumor<br>Location. Frontiers in Immunology, 2018, 9, 1578.   | 2.2 | 143       |
| 111 | Impact of primary tumour location and RAS/BRAF mutational status in metastatic colorectal cancer<br>treated with first-line regimens containing oxaliplatin and bevacizumab: Prognostic factors from the<br>AIO KRK0207 first-line and maintenance therapy trial. European Journal of Cancer, 2018, 101, 105-113.          | 1.3 | 19        |
| 112 | Identification of genomic expression differences between right-sided and left-sided colon cancer based on bioinformatics analysis. OncoTargets and Therapy, 2018, Volume 11, 609-618.  | 1.0 | 14        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 113 | Calcitriol Supplementation Causes Decreases in Tumorigenic Proteins and Different Proteomic and Metabolomic Signatures in Right versus Left-Sided Colon Cancer. Metabolites, 2018, 8, 5.  | 1.3 | 7         |
| 114 | Relationships between tumour response and primary tumour location, and predictors of long-term survival, in patients with RAS wild-type metastatic colorectal cancer receiving first-line panitumumab therapy: retrospective analyses of the PRIME and PEAK clinical trials. British Journal of Cancer, 2018, 119. 303-312. | 2.9 | 29        |
| 115 | TRIPLETE: a randomised phase III study of modified FOLFOXIRI plus panitumumab versus mFOLFOX6 plus panitumumab as initial therapy for patients with unresectable RAS and BRAF wild-type metastatic colorectal cancer. ESMO Open, 2018, 3, e000403.  | 2.0 | 20        |
| 116 | Genomic alterations accompanying tumour evolution in colorectal cancer: tracking the differences between primary tumours and synchronous liver metastases by whole-exome sequencing. BMC Cancer, 2018, 18, 752.   | 1.1 | 29        |
| 117 | The effect of epidural analgesia on cancer progression in patients with stage IV colorectal cancer after primary tumor resection: A retrospective cohort study. PLoS ONE, 2018, 13, e0200893.   | 1.1 | 19        |
| 118 | First-line molecular therapies in the treatment of metastatic colorectal cancer – a literature-based review of phases II and III trials. Innovative Surgical Sciences, 2018, 3, 85-86.  | 0.4 | 6         |
| 119 | Molecular Variances Between Right- and Left-sided Colon Cancers. Current Colorectal Cancer<br>Reports, 2018, 14, 152-158.   | 1.0 | 5         |
| 120 | Impact of the Localization of the Primary Tumor and RAS/BRAF Mutational Status on Maintenance<br>Strategies After First-line Oxaliplatin, Fluoropyrimidine, and Bevacizumab in Metastatic Colorectal<br>Cancer: Results From the AIO 0207 Trial. Clinical Colorectal Cancer, 2018, 17, e733-e739.                           | 1.0 | 7         |
| 121 | Impact of Patient Age on Molecular Alterations of Left-Sided Colorectal Tumors. Oncologist, 2019, 24, 319-326.  | 1.9 | 29        |
| 122 | Comprehensive characterization of RAS mutations in colon and rectal cancers in old and young patients. Nature Communications, 2019, 10, 3722.   | 5.8 | 131       |
| 123 | ASO Author Reflections: Prognostic Impact of Primary Tumor Sidedness for Unresectable Stage IV<br>Colorectal Cancer. Annals of Surgical Oncology, 2019, 26, 666-667.  | 0.7 | 1         |
| 124 | Impact of Primary Tumour Location and Early Tumour Shrinkage on Outcomes in Patients with RAS<br>Wild-Type Metastatic Colorectal Cancer Following First-Line FOLFIRI Plus Panitumumab. Drugs in R and<br>D, 2019, 19, 267-275.  | 1.1 | 4         |
| 126 | Predictive Biomarkers for Monoclonal Antibody Therapies Targeting EGFR (Cetuximab, Panitumumab) in the Treatment of Metastatic Colorectal Cancer. , 2019, , .   |     | 2         |
| 127 | Neurexophilin and PCâ€esterase domain family member 4 ( NXPE4 ) and prostate androgenâ€regulated<br>mucinâ€like protein 1 ( PARM1 ) as prognostic biomarkers for colorectal cancer. Journal of Cellular<br>Biochemistry, 2019, 120, 18041-18052.  | 1.2 | 13        |
| 128 | Clinicopathological features and phenotypic classification of de novoâ€ŧype colorectal carcinomas<br>differ from those of colorectal carcinomas derived from flat adenomas. Pathology International,<br>2019, 69, 331-340.  | 0.6 | 10        |
| 129 | Primary Tumor Sidedness Predicts Bevacizumab Benefit in Metastatic Colorectal Cancer Patients.<br>Frontiers in Oncology, 2019, 9, 723.  | 1.3 | 13        |
| 130 | Correlation of Tumor Location to Clinical Outcomes in Colorectal Cancer: A Single-institution Retrospective Analysis. Anticancer Research, 2019, 39, 4917-4924.   | 0.5 | 6         |
| 131 | The Predictive Role of Primary Tumour Sidedness in Metastatic Colorectal Cancer Treated With Targeted Agents. Anticancer Research, 2019, 39, 5645-5652.   | 0.5 | 9         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 132 | Appraisal of Prognostic Interaction between Sidedness and Mucinous Histology in Colon Cancer: A<br>Population-Based Study Using Inverse Probability Propensity Score Weighting. Journal of Cancer, 2019,<br>10, 388-396.   | 1.2 | 4         |
| 133 | A qualitative transcriptional signature for predicting microsatellite instability status of right-sided<br>Colon Cancer. BMC Genomics, 2019, 20, 769.  | 1.2 | 5         |
| 134 | Prognostic impact of K-RAS mutational status and primary tumor location in patients undergoing resection for colorectal cancer liver metastases: an update. Future Oncology, 2019, 15, 3149-3157.  | 1.1 | 8         |
| 135 | Validation of diagnosis codes to identify side of colon in an electronic health record registry. BMC<br>Medical Research Methodology, 2019, 19, 177.   | 1.4 | 16        |
| 136 | Sex-Related Differences in Impact on Safety of Pharmacogenetic Profile for Colon Cancer Patients<br>Treated with FOLFOX-4 or XELOX Adjuvant Chemotherapy. Scientific Reports, 2019, 9, 11527.  | 1.6 | 13        |
| 137 | Integrating Biomarkers and Targeted Therapy Into Colorectal Cancer Management. American Society of<br>Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2019, 39,<br>207-215.   | 1.8 | 17        |
| 138 | Systemic Therapy for Advanced and Metastatic Colon Cancer. Korean journal of gastroenterology =<br>Taehan Sohwagi Hakhoe chi, The, 2019, 73, 202.  | 0.2 | 1         |
| 139 | The Clinical Significance of Microsatellite Instability in Patients with Right-sided Colorectal Cancer.<br>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The, 2019, 73, 159.   | 0.2 | 3         |
| 140 | Impact of Consensus Molecular Subtype on Survival in Patients With Metastatic Colorectal Cancer:<br>Results From CALGB/SWOG 80405 (Alliance). Journal of Clinical Oncology, 2019, 37, 1876-1885.   | 0.8 | 169       |
| 141 | Primary Tumor Sidedness is Predictive of Survival in Colon Cancer Patients Treated with<br>Cytoreductive Surgery With or Without Hyperthermic Intraperitoneal Chemotherapy: A US HIPEC<br>Collaborative Study. Annals of Surgical Oncology, 2019, 26, 2234-2240. | 0.7 | 16        |
| 142 | Pertuzumab plus trastuzumab for HER2-amplified metastatic colorectal cancer (MyPathway): an<br>updated report from a multicentre, open-label, phase 2a, multiple basket study. Lancet Oncology, The,<br>2019, 20, 518-530.                                       | 5.1 | 362       |
| 143 | Does Primary Tumor Side Matter in Patients with Metastatic Colon Cancer Treated with Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy?. Annals of Surgical Oncology, 2019, 26, 1421-1427.   | 0.7 | 18        |
| 144 | Colon Cancer Sidedness, Presentation, and Survival at Different Stages. Journal of Oncology, 2019, 2019, 1-12.   | 0.6 | 43        |
| 145 | Lack of Benefit From Anti-EGFR Treatment in RAS and BRAF Wild-type Metastatic Colorectal Cancer<br>With Mucinous Histology or Mucinous Component. Clinical Colorectal Cancer, 2019, 18, 116-124.   | 1.0 | 7         |
| 146 | Impact of laterality and mucinous histology on relapse-free and overall survival in a registry-based colon cancer series. Scientific Reports, 2019, 9, 3668.   | 1.6 | 7         |
| 147 | Clinical characteristics and prognosis of different primary tumor location in colorectal cancer: a population-based cohort study. Clinical and Translational Oncology, 2019, 21, 1524-1531.  | 1.2 | 32        |
| 148 | Targeting EGFR and RAS/RAF Signaling in the Treatment of Metastatic Colorectal Cancer: From Current Treatment Strategies to Future Perspectives. Drugs, 2019, 79, 633-645.   | 4.9 | 32        |
| 149 | Update on systemic therapy for colorectal cancer: biologics take sides. Translational Gastroenterology and Hepatology, 2019, 4, 9-9.   | 1.5 | 22        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 150 | Benefit from anti-EGFRs in RAS and BRAF wild-type metastatic transverse colon cancer: a clinical and molecular proof of concept study. ESMO Open, 2019, 4, e000489.  | 2.0 | 14        |
| 151 | Prognostic Value of Primary Tumor Sidedness for Unresectable Stage IV Colorectal Cancer: A<br>Retrospective Study. Annals of Surgical Oncology, 2019, 26, 1358-1365.   | 0.7 | 27        |
| 152 | The Developing Story of Predictive Biomarkers in Colorectal Cancer. Journal of Personalized Medicine, 2019, 9, 12.   | 1.1 | 111       |
| 153 | Selective Internal Radiation Therapy in the Multidisciplinary Management of Liver Metastases From<br>Colorectal Carcinoma. Seminars in Nuclear Medicine, 2019, 49, 182-188.  | 2.5 | 7         |
| 154 | Firstâ€line therapy for metastatic colorectal cancer: Current perspectives and future directions.<br>Asia-Pacific Journal of Clinical Oncology, 2019, 15, 3-14.  | 0.7 | 4         |
| 155 | Right versus left sided metastatic colorectal cancer: Teasing out clinicopathologic drivers of disparity in survival. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 136-143.  | 0.7 | 12        |
| 156 | Phase II Randomized Trial of Sequential or Concurrent FOLFOXIRI-Bevacizumab Versus<br>FOLFOX-Bevacizumab for Metastatic Colorectal Cancer (STEAM). Oncologist, 2019, 24, 921-932.  | 1.9 | 51        |
| 157 | Another Chapter of the Right Versus Left Story : Is Primary Tumor Location a Prognostic Feature in RAS Mutant Metastatic Colorectal Cancer?. Oncologist, 2019, 24, e77-e79.  | 1.9 | 3         |
| 158 | Serum extracellular vesicles contain SPARC and LRG1 as biomarkers of colon cancer and differ by tumour primary location. EBioMedicine, 2019, 50, 211-223.  | 2.7 | 51        |
| 159 | Impact of primary tumor location in patients with RAS wild-type metastatic colon cancer treated with<br>first-line chemotherapy plus anti-EGFR or anti-VEGF monoclonal antibodies: a retrospective<br>multicenter study. Journal of Cancer, 2019, 10, 5926-5934.                   | 1.2 | 24        |
| 160 | Adjuvant Chemotherapy Versus Observation Following Resection for Patients With Nonmetastatic<br>Poorly Differentiated Colorectal Neuroendocrine Carcinomas. Annals of Surgery, 2021, 274, e126-e133.   | 2.1 | 19        |
| 161 | Long-term survival of an elderly female with metastatic colon cancer after treated with capecitabine monotherapy. Medicine (United States), 2019, 98, e14326.  | 0.4 | 5         |
| 162 | MicroRNA-488 inhibits progression of colorectal cancer via inhibition of the mitogen-activated<br>protein kinase pathway by targeting claudin-2. American Journal of Physiology - Cell Physiology, 2019,<br>316, C33-C47.  | 2.1 | 30        |
| 163 | The location of the primary colon cancer has no impact on outcomes in patients undergoing cytoreductive surgery for peritoneal metastasis. Surgery, 2019, 165, 476-484.  | 1.0 | 11        |
| 164 | Survival comparison of right and left side nonâ€small cell lung cancer in stage l–IIIA patients: A<br>Surveillance Epidemiology and End Results (SEER) analysis. Thoracic Cancer, 2019, 10, 459-471.   | 0.8 | 14        |
| 165 | mFOLFOX6 plus bevacizumab to treat liver-only metastases of colorectal cancer that are unsuitable<br>for upfront resection (TRICC0808): a multicenter phase II trial comprising the final analysis for<br>survival. International Journal of Clinical Oncology, 2019, 24, 516-525. | 1.0 | 18        |
| 166 | CD44v6 engages in colorectal cancer progression. Cell Death and Disease, 2019, 10, 30.   | 2.7 | 85        |
| 167 | Impact of treatment modality on clinical outcome in metastatic colorectal cancer patients stratified by metastatic sites. Postgraduate Medicine, 2019, 131, 163-170.   | 0.9 | 4         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 168 | Right or Left Primary Site of Colorectal Cancer: Outcomes From the Molecular Analysis of the AGITG MAX Trial. Clinical Colorectal Cancer, 2019, 18, 141-148.   | 1.0  | 19        |
| 169 | Biomarker analysis beyond angiogenesis: RAS/RAF mutation status, tumour sidedness, and second-line<br>ramucirumab efficacy in patients with metastatic colorectal carcinoma from RAISE—a global phase III<br>study. Annals of Oncology, 2019, 30, 124-131. | 0.6  | 52        |
| 170 | Prognostic Effect of Tumor Sidedness in Colorectal Cancer: A SEER-Based Analysis. Clinical<br>Colorectal Cancer, 2019, 18, e104-e116.  | 1.0  | 34        |
| 171 | CT-guided percutaneous radiofrequency ablation for lung metastases from colorectal cancer.<br>International Journal of Clinical Oncology, 2019, 24, 288-295.   | 1.0  | 27        |
| 172 | Primary Tumor Resection for Stage IV Colorectal Cancer in the Era of Targeted Chemotherapy. Journal of Gastrointestinal Surgery, 2019, 23, 2144-2150.  | 0.9  | 18        |
| 173 | Implication of primary tumor location for the indication of preoperative chemotherapy in patients with colorectal liver metastases. Hpb, 2019, 21, 405-412.  | 0.1  | 13        |
| 174 | Deleterious Effect of RAS and Evolutionary High-risk TP53 Double Mutation in Colorectal Liver<br>Metastases. Annals of Surgery, 2019, 269, 917-923.  | 2.1  | 121       |
| 175 | Clinical and prognostic differences between surgically resected right-sided and left-sided colorectal cancer. Surgery Today, 2020, 50, 267-274.  | 0.7  | 14        |
| 176 | Biomarker-guided therapy for colorectal cancer: strength in complexity. Nature Reviews Clinical Oncology, 2020, 17, 11-32.   | 12.5 | 195       |
| 177 | Colorectal Cancer Metastases to Brain or Bone and the Relationship to Primary Tumor Location: a<br>Population-Based Study. Journal of Gastrointestinal Surgery, 2020, 24, 1833-1842.   | 0.9  | 32        |
| 178 | Molecular characterization of a large unselected cohort of metastatic colorectal cancers in<br>relation to primary tumor location, rare metastatic sites and prognosis. Acta Oncológica, 2020, 59,<br>417-426.   | 0.8  | 22        |
| 179 | Prevalence of RAS and BRAF mutations in metastatic colorectal cancer patients by tumor sidedness: A systematic review and metaâ€analysis. Cancer Medicine, 2020, 9, 1044-1057.   | 1.3  | 72        |
| 180 | Incidence and prognosis of pulmonary metastasis in colorectal cancer: a population-based study.<br>International Journal of Colorectal Disease, 2020, 35, 223-232.   | 1.0  | 15        |
| 181 | Utilisation of Adjuvant Chemotherapy and 5-Year Survival Analysis of Prospectively Recorded Cohort<br>Data for Older Adults Versus Younger Adults with Resected Primary Colon Cancer. Journal of<br>Gastrointestinal Cancer, 2020, 51, 988-997.            | 0.6  | 0         |
| 182 | The Impact of Primary Tumor Location in Synchronous Metastatic Colorectal Cancer: Differences in Metastatic Sites and Survival. Annals of Surgical Oncology, 2020, 27, 1580-1588.  | 0.7  | 38        |
| 183 | Verifying the M1c category of CRC: analysis of the data from a Japanese multi-institutional database.<br>International Journal of Colorectal Disease, 2020, 35, 125-131.   | 1.0  | 7         |
|     |  |      |           |
| 184 | Primary tumour location is an important prognostic factor in colorectal cancer liver metastases following radiofrequency ablation. Clinical Radiology, 2020, 75, 961.e1-961.e9.  | 0.5  | 2         |

| #   | Article   | IF    | CITATIONS |
|-----|---|-------|-----------|
| 186 | Metabolic Parameters as Predictors for Progression Free and Overall Survival of Patients with Metastatic Colorectal Cancer. Pathology and Oncology Research, 2020, 26, 2683-2691.   | 0.9   | 6         |
| 187 | Current therapy of advanced colorectal cancer according to RAS/RAF mutational status. Cancer and<br>Metastasis Reviews, 2020, 39, 1143-1157.  | 2.7   | 19        |
| 188 | A Qualitative Transcriptional Signature for Predicting CpG Island Methylator Phenotype Status of the Right-Sided Colon Cancer. Frontiers in Genetics, 2020, 11, 971.  | 1.1   | 0         |
| 189 | Prognostic Factors Involved in the Epithelial–Mesenchymal Transition Process in Colorectal Cancer<br>Have a Preponderant Role in Oxidative Stress: A Systematic Review and Meta-Analysis. Cancers, 2020, 12,<br>3330.                       | 1.7   | 5         |
| 190 | Immunogenic cell death pathway polymorphisms for predicting oxaliplatin efficacy in metastatic colorectal cancer. , 2020, 8, e001714.   |       | 23        |
| 191 | Clinical impact of primary tumour location, early tumour shrinkage, and depth of response in the treatment of metastatic colorectal cancer with first-line chemotherapy plus cetuximab or bevacizumab. Scientific Reports, 2020, 10, 19815. | 1.6   | 7         |
| 192 | Distant Metastasis in Colorectal Cancer Patients—Do We Have New Predicting Clinicopathological<br>and Molecular Biomarkers? A Comprehensive Review. International Journal of Molecular Sciences,<br>2020, 21, 5255.                         | 1.8   | 38        |
| 193 | Evaluation of Prognostic Factors for Survival in Transverse Colon Cancer. Cancers, 2020, 12, 2457.  | 1.7   | 3         |
| 194 | Immune Adaptation of Colorectal Cancer Stem Cells and Their Interaction With the Tumor Microenvironment. Frontiers in Oncology, 2020, 10, 588542.   | 1.3   | 15        |
| 195 | Predictive and Prognostic Factors of Synchronous Colorectal Lung-Limited Metastasis.<br>Gastroenterology Research and Practice, 2020, 2020, 1-11.   | 0.7   | 7         |
| 196 | Primary tumor location affects recurrence-free survival for patients with colorectal liver<br>metastases after hepatectomy: a propensity score matching analysis. World Journal of Surgical<br>Oncology, 2020, 18, 98.                      | 0.8   | 2         |
| 197 | The treatment paradigm of right-sided metastatic colon cancer: harboring BRAF mutation makes the difference. International Journal of Colorectal Disease, 2020, 35, 1513-1527.  | 1.0   | 7         |
| 198 | Quality of Colonoscopy: A Comparison Between Gastroenterologists and Nongastroenterologists.<br>Diseases of the Colon and Rectum, 2020, 63, 980-987.  | 0.7   | 12        |
| 199 | Sex Differences in Colon Cancer Metabolism Reveal A Novel Subphenotype. Scientific Reports, 2020, 10,<br>4905.  | 1.6   | 41        |
| 200 | Colorectal cancer statistics, 2020. Ca-A Cancer Journal for Clinicians, 2020, 70, 145-164.  | 157.7 | 3,302     |
| 201 | Role of Genetic Ancestry in 1,002 Brazilian Colorectal Cancer Patients From Barretos Cancer Hospital.<br>Frontiers in Oncology, 2020, 10, 145.  | 1.3   | 12        |
| 202 | Tumor Tissue-Specific Biomarkers of Colorectal Cancer by Anatomic Location and Stage. Metabolites, 2020, 10, 257.   | 1.3   | 16        |
| 203 | Clinicopathologic characteristics of resectable colorectal cancer with mismatch repair protein defects in Chinese population. Medicine (United States), 2020, 99, e20554.   | 0.4   | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 204 | A populationâ€based study on the prognostic impact of primary tumor sidedness in patients with peritoneal metastases from colon cancer. Cancer Medicine, 2020, 9, 5851-5859.  | 1.3 | 10        |
| 205 | Effect of Tumor Location on Clinicopathological and Molecular Markers in Colorectal Cancer in Eastern China Patients: An Analysis of 2,356 Cases. Frontiers in Genetics, 2020, 11, 96.                                    | 1.1 | 18        |
| 206 | Cost-Effectiveness Analysis of First-Line FOLFIRI Combined With Cetuximab or Bevacizumab in Patients<br>With RAS Wild-Type Left-Sided Metastatic Colorectal Cancer. Cancer Control, 2020, 27,<br>107327482090227.         | 0.7 | 8         |
| 207 | Microbiome in Colorectal Cancer: How to Get from Meta-omics to Mechanism?. Trends in Microbiology, 2020, 28, 401-423.   | 3.5 | 135       |
| 208 | Immunogenomic pathways associated with cytotoxic lymphocyte infiltration and survival in colorectal cancer. BMC Cancer, 2020, 20, 124.  | 1.1 | 8         |
| 209 | Colorectal Cancer Modeling with Organoids: Discriminating between Oncogenic RAS and BRAF<br>Variants. Trends in Cancer, 2020, 6, 111-129.   | 3.8 | 9         |
| 210 | Using machine learning to construct nomograms for patients with metastatic colon cancer.<br>Colorectal Disease, 2020, 22, 914-922.  | 0.7 | 7         |
| 211 | An Exon Signature to Estimate the Tumor Mutational Burden of Right-sided Colon Cancer Patients.<br>Journal of Cancer, 2020, 11, 883-892.  | 1.2 | 5         |
| 212 | Tumor Sidedness Is Associated with Survival in Patients with Synchronous Colorectal Peritoneal Carcinomatosis. Oncology, 2020, 98, 230-236.   | 0.9 | 3         |
| 213 | Prognostic and Predictive Molecular Biomarkers for Colorectal Cancer: Updates and Challenges.<br>Cancers, 2020, 12, 319.  | 1.7 | 141       |
| 214 | Surgery on primary tumor shows survival benefit in selected stage IV colon cancer patients: A real-world study based on SEER database. Journal of Cancer, 2020, 11, 3567-3579.  | 1.2 | 12        |
| 215 | Understanding the Prognostic Value of Primary Tumor Location and KRAS in Metastatic Colorectal<br>Cancer: A Post Hoc Analysis of the OPTIMOX3 DREAM Phase III Study. Clinical Colorectal Cancer, 2020,<br>19, 200-208.e1. | 1.0 | 7         |
| 216 | The prognostic relevance of primary tumor sidedness to surgical treatment for recurrent colon cancer. Surgery Today, 2021, 51, 94-100.  | 0.7 | 4         |
| 217 | Informing metastatic colorectal cancer patients by quantifying multiple scenarios for survival time based on realâ€life data. International Journal of Cancer, 2021, 148, 296-306.  | 2.3 | 27        |
| 218 | Tumor Sidedness, Recurrence, and Survival After Curative Resection of Localized Colon Cancer.<br>Clinical Colorectal Cancer, 2021, 20, e53-e60.   | 1.0 | 24        |
| 219 | Impact of Primary Tumor Location on Survival After Curative Resection in Patients with Colon<br>Cancer: A Metaâ€Analysis of Propensity Scoreâ€Matching Studies. Oncologist, 2021, 26, 196-207.                            | 1.9 | 3         |
| 220 | Impact of Primary Tumor Laterality on Adjuvant Hepatic Artery Infusion Pump Chemotherapy in<br>Resected Colon Cancer Liver Metastases: Analysis of 487 Patients. Annals of Surgical Oncology, 2021,<br>28, 3685-3694.     | 0.7 | 3         |
| 221 | The Role of <b><i>Fusobacterium nucleatum</i></b> in Colorectal<br>Carcinogenesis. Pathobiology, 2021, 88, 127-140.   | 1.9 | 15        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 222 | FOLFOXIRI-Bevacizumab or FOLFOX-Panitumumab in Patients with Left-Sided <i>RAS/BRAF</i> Wild-Type<br>Metastatic Colorectal Cancer: A Propensity Score-Based Analysis. Oncologist, 2021, 26, 302-309.  | 1.9 | 9         |
| 223 | A phase II study of FOLFOXIRI plus bevacizumab as initial chemotherapy for patients with untreated metastatic colorectal cancer: TRICC1414 (BeTRI). International Journal of Clinical Oncology, 2021, 26, 399-408.                                      | 1.0 | 5         |
| 224 | The Prognostic Impact of Primary Tumor Site Differs According to the KRAS Mutational Status. Annals of Surgery, 2021, 273, 1165-1172.   | 2.1 | 33        |
| 225 | Die Rolle von zytoreduktiver Chirurgie und HIPEC beim Kolonkarzinom. , 2021, , 451-464.   |     | 0         |
| 226 | Impact of Colon Cancer Location on the Prognostic Significance of Nutritional Indexes and<br>Inflammatory Markers. In Vivo, 2021, 35, 1261-1269.  | 0.6 | 7         |
| 227 | The rise of proximal colorectal cancer: a trend analysis of subsite specific primary colorectal cancer in the SEER database. Annals of Gastroenterology, 2021, 34, 559-567.   | 0.4 | 6         |
| 228 | Clinical Significance of a Novel Tumor Progression-Associated Immune Signature in Colorectal Adenocarcinoma. Frontiers in Cell and Developmental Biology, 2021, 9, 625212.  | 1.8 | 4         |
| 229 | Is the Effect of Tumor Localization on Prognosis Compatible with Real-life Data in Metastatic Colon<br>Cancer? Single-Center Experience: A Retrospective Analysis. Journal of Gastrointestinal Cancer, 2021, ,<br>1.                                    | 0.6 | 0         |
| 230 | A Comparison of Tramadol and Pethidine Analgesia on the Duration of Labour. Disease and Diagnosis, 2021, 10, 1-6.   | 0.1 | 0         |
| 231 | Microsatellite Instability and KRAS Mutation in Stage IV Colorectal Cancer: Prevalence, Geographic<br>Discrepancies, and Outcomes From the National Cancer Database. Journal of the National<br>Comprehensive Cancer Network: JNCCN, 2021, 19, 307-318. | 2.3 | 17        |
| 232 | Colon Cancer, Version 2.2021, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 329-359.  | 2.3 | 758       |
| 233 | Prognosis of Patients after Oophorectomy for Ovarian Metastases from Colorectal Cancer. Japanese<br>Journal of Gastroenterological Surgery, 2021, 54, 245-252.  | 0.0 | 0         |
| 234 | Association between cigarette smoking and colorectal cancer sidedness: A multi-center big-data platform-based analysis. Journal of Translational Medicine, 2021, 19, 150.   | 1.8 | 10        |
| 235 | Prognostic nomograms for predicting overall survival and cause-specific survival of signet ring cell carcinoma in colorectal cancer patients. World Journal of Clinical Cases, 2021, 9, 2503-2518.  | 0.3 | 4         |
| 236 | Primary tumor resection improves prognosis of unresectable carcinomas of the transverse colon<br>including flexures with liver metastasis: a preliminary population-based analysis. BMC Cancer, 2021, 21,<br>503.                                       | 1.1 | 1         |
| 237 | Colon cancer survival differs from right side to left side and lymph node harvest number matter. BMC<br>Public Health, 2021, 21, 906.   | 1.2 | 30        |
| 238 | Explainable artificial intelligence in high-throughput drug repositioning for subgroup stratifications with interventionable potential. Journal of Biomedical Informatics, 2021, 118, 103792.   | 2.5 | 10        |
| 239 | Prognostic and Predictive Impact of Primary Tumor Sidedness for Previously Untreated Advanced Colorectal Cancer. Journal of the National Cancer Institute, 2021, 113, 1705-1713.  | 3.0 | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 240 | The efficacy of anti-EGFR therapy in treating metastatic colorectal cancer differs between the middle/low rectum and the left-sided colon. British Journal of Cancer, 2021, 125, 816-825.  | 2.9 | 7         |
| 241 | Genetic and biological hallmarks of colorectal cancer. Genes and Development, 2021, 35, 787-820.   | 2.7 | 159       |
| 242 | Treatment sequencing of metastatic colorectal cancer based on primary tumor location. Seminars in Oncology, 2021, 48, 119-129.   | 0.8 | 4         |
| 243 | Clinical Impact of Primary Tumor Location in Metastatic Colorectal Cancer Patients Under Later-Line<br>Regorafenib or Trifluridine/Tipiracil Treatment. Frontiers in Oncology, 2021, 11, 688709.   | 1.3 | 5         |
| 244 | Laparoscopic approach for T4 colon cancer can be associated with poor prognosis in right-sided T4b tumours. European Journal of Surgical Oncology, 2021, 47, 1645-1650.  | 0.5 | 3         |
| 245 | Comparative analysis of clonal evolution among patients with right- and left-sided colon and rectal cancer. IScience, 2021, 24, 102718.  | 1.9 | 9         |
| 246 | PLA2G4A promotes right-sided colorectal cancer progression by inducing CD39+γδTreg polarization. JCl<br>Insight, 2021, 6, .  | 2.3 | 26        |
| 247 | The Genes Encoding Small Leucine-Rich Proteoglycans Undergo Differential Expression Alterations in Colorectal Cancer, Depending on Tumor Location. Cells, 2021, 10, 2002.  | 1.8 | 2         |
| 248 | Clinicopathological and Molecular Characteristics of Early-Onset Stage III Colon Adenocarcinoma:<br>An Analysis of the ACCENT Database. Journal of the National Cancer Institute, 2021, 113, 1693-1704.                                    | 3.0 | 25        |
| 249 | Influence of first line chemotherapy strategy depending on primary tumor location in metastatic colorectal cancer. Journal of Gastrointestinal Oncology, 2021, 12, 1509-1517.  | 0.6 | 3         |
| 250 | Yttrium-90 Hepatic Radioembolization for Advanced Chemorefractory Metastatic Colorectal Cancer:<br>Survival Outcomes Based on Right- Versus Left-Sided Primary Tumor Location. American Journal of<br>Roentgenology, 2021, 217, 1141-1152. | 1.0 | 3         |
| 251 | Editorial Comment: Primary Tumor Location Is a Significant Prognostic Factor of Survival After 90Y<br>Radioembolization for Metastatic Colorectal Cancer. American Journal of Roentgenology, 2021, 217,<br>12-12.                          | 1.0 | 0         |
| 252 | Local Recurrence Outcomes of Colorectal Cancer Oligometastases Treated With Stereotactic<br>Ablative Radiotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2021, 44, 559-564.                                       | 0.6 | 6         |
| 253 | The Validity of a New Edition of Classification for Ovarian Metastasis from Colorectal Cancer.<br>Journal of the Anus, Rectum and Colon, 2021, 5, 40-45.   | 0.4 | 2         |
| 254 | Effect of epidural analgesia on cancer prognosis after colon cancer resection: a single-centre cohort study in Taiwan. BMJ Open, 2020, 10, e036577.  | 0.8 | 6         |
| 255 | Tumour location and efficacy of first-line EGFR inhibitors in wild-type metastatic colorectal cancer:<br>retrospective analyses of two phase II randomised Spanish TTD trials. ESMO Open, 2019, 4, e000599.                                | 2.0 | 11        |
| 256 | Chemotherapy plus bevacizumab as an optimal first-line therapeutic treatment for patients with right-sided metastatic colon cancer: a meta-analysis of first-line clinical trials. ESMO Open, 2020, 5, e000605.                            | 2.0 | 18        |
| 257 | Extracellular Vesicle-Transported Long Non-Coding RNA (LncRNA) X Inactive-Specific Transcript (XIST) in Serum is a Potential Novel Biomarker for Colorectal Cancer Diagnosis. Medical Science Monitor, 2020, 26, e924448.                  | 0.5 | 12        |

ARTICLE IF CITATIONS Characteristics of Differently Located Colorectal Cancers Support Proximal and Distal 258 55 1.1 Classification: A Population-Based Study of 57,847 Patients. PLoS ONE, 2016, 11, e0167540. Does primary tumor location impact the prognosis of colorectal liver metastases patients after 259 0.8 microwave ablation? - Lessons from 10 years' experience. Oncotarget, 2017, 8, 100791-100800. Exploring the effect of primary tumor sidedness on therapeutic efficacy across treatment lines in patients with metastatic colorectal cancer: analysis of FIRE-3 (AIOKRKÓ306). Oncotarget, 2017, 8, 260 0.8 41 105749-105760. Comparison of survival and clinicopathologic features in colorectal cancer among African American, Caucasian, and Chinese patients treated in the United States: Results from the surveillance epidemiology and end results (SEER) database. Oncotarget, 2015, 6, 33935-33943. Colorectal cancer genomics and designing rational trials. Annals of Translational Medicine, 2018, 6, 262 0.7 19 159-159. Hyperuricemia at The Time Of Diagnosis is a Factor for Poor Prognosis in Patients With Stage II and III Colorectal Cancer (Uric Acid and Colorectal Cancer). Asian Pacific Journal of Cancer Prevention, 2017, 18, 485-490. Predictive effects of bilirubin on response of colorectal cancer to irinotecan-based chemotherapy. 264 1.4 8 World Journal of Gastroenterology, 2016, 22, 4250. RNF43 mutation is associated with aggressive tumor biology along with BRAF V600E mutation in 1.2 right-sided colorectal cancer. Oncology Reports, 2020, 43, 1853-1862. The impact of primary tumor location in patients with metastatic colorectal cancer: a Korean Cancer 266 0.7 20 Study Group CO12-04 study. Korean Journal of Internal Medicine, 2019, 34, 165-177. Right versus left-sided colon cancer: Is it time to consider these as different diseases?. AIMS Medical 0.2 Science, 2018, 5, 303-315. Survival Benefit of Palliative Primary Tumor Resection Based on Tumor Location in Patients with Metastatic Colorectal Cancer: A Single-center Retrospective Study. Korean journal of 268 3 0.2 gastroenterology = Taehan Sohwagi Hakhoe chi, The, 2020, 76, 17-27. Clinical-Pathological Characteristics of Colorectal Carcinoma and Factors Influence 2-Years Survival among Patients Attending Ocean Road Cancer Institute Dar es Salaam Tanzania. Open Journal of Gastroenterology, 2019, 09, 59-72. 0.1 Effect of primary tumor side on survival outcomes in metastatic colorectal cancer patients after 270 0.8 3 hepatic arterial infusion chemotherapy. World Journal of Gastrointestinal Oncology, 2018, 10, 431-438. Primary tumor location and survival in colorectal cancer: A retrospective cohort study. World 271 0.8 Journal of Gastrointestinal Oncology, 2020, 12, 405-423. Survival in Young-Onset Metastatic Colorectal Cancer: Findings From Cancer and Leukemia Group B 272 3.0 24 (Alliance)/SWOG 80405. Journal of the National Cancer Institute, 2022, 114, 427-435. National trends in hospitalizations among patients with colorectal cancer in the United States. Baylor University Medical Center Proceedings, 2022, 35, 153-155. Pharmacoeconomic evaluation of the effectiveness of therapy for metastatic colorectal cancer. 274 0.4 0 Farmakoekonomika, 2021, 14, 291-298. A Possible Distinct Molecular Subtype (Quintuple-Wildtype) of Metastatic Colorectal Cancer in First-Line Anti-EGFR Therapy with Cetuximab Plus FOLFIRI  $\hat{a} \in$  Palliative Precision Therapy and a Multidisciplinary Treatment Approach: Interim Analysis of the IVOPAK II Trial with Early Results. Oncology 2021

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 276 | Clinicoepidemiological Study and Survival Analysis of Right versus Left Sided Colon Cancer Patients.<br>The Egyptian Journal of Hospital Medicine, 2017, 69, 1723-1737.   | 0.0 | 0         |
| 277 | Pharmacoeconomic evaluation of the use of targeted therapy and chemotherapy in the first- and second-line therapies for metastatic colorectal cancer. Meditsinskiy Sovet, 2018, , 50-55.                                      | 0.1 | 4         |
| 278 | Multidisciplinary Treatment of Liver Metastasis from Colorectal Cancer to Create Novel Evidences.<br>Japanese Journal of Gastroenterological Surgery, 2019, 52, 390-403.  | 0.0 | 0         |
| 279 | Targeting Strategies for Glucose Metabolic Pathways and T Cells in Colorectal Cancer. Current<br>Cancer Drug Targets, 2019, 19, 534-550.  | 0.8 | 1         |
| 280 | Systemic Therapy for Colorectal Cancer Liver Metastases: Sorting Through the Options. , 2020, , 185-203.  |     | 0         |
| 281 | Clinicopathological Study of Resected Liver Metastasis from the View of the Colon Cancer Location,<br>Right or Left Sidedness. Nihon Daicho Komonbyo Gakkai Zasshi, 2020, 73, 151-156.  | 0.1 | 0         |
| 282 | Prognosis of distal pancreatic cancers controlled by stage. Experimental and Therapeutic Medicine, 2020, 20, 1091-1097.   | 0.8 | 8         |
| 283 | Factors associated with the survival of colorectal cancer in Mexico. Intestinal Research, 2020, 18, 315-324.  | 1.0 | 8         |
| 284 | The Effect of Tumor Sideness and Mutational Status on First Line Treatment Response and Survival in<br>The Patients with Metastatic Colorectal Cancer. UHOD - Uluslararasi Hematoloji-Onkoloji Dergisi,<br>2020, 30, 197-206. | 0.1 | 0         |
| 285 | PREMIUM: A French prospective multicenter observational study of factors impacting on efficacy and compliance to cetuximab treatment in first-line KRAS wild-type metastatic colorectal cancer. PLoS ONE, 2020, 15, e0243997. | 1.1 | 0         |
| 288 | IMPACT OF KRAS MUTATIONS IN CLINICAL FEATURES IN COLORECTAL CANCER. Arquivos Brasileiros De<br>Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery, 2020, 33, e1524.   | 0.5 | 6         |
| 289 | Short- and long-term outcomes of laparoscopic segmental left colectomy for splenic flexure colon cancer: comparison with propensity score matching. Annals of Surgical Treatment and Research, 2021, 101, 274.                | 0.4 | 1         |
| 290 | Clinical Impact of Primary Tumor Site in Stage IV Colorectal Cancer: A Statewide Cohort Study.<br>Anticancer Research, 2021, 41, 5693-5702.   | 0.5 | 3         |
| 293 | ESMO World Congress on Gastrointestinal Cancer. P and T, 2017, 42, 586-589.   | 1.0 | 0         |
| 294 | Patients with RAS wild-type right-sided unresectable liver-confined mCRC also benefit from cetuximab plus chemotherapy in first-line treatment. American Journal of Cancer Research, 2018, 8, 2337-2345.                      | 1.4 | 5         |
| 295 | Synchronous and metachronous colorectal liver metastases: impact of primary tumor location on patterns of recurrence and survival after hepatic resection. Acta Biomedica, 2020, 92, e2021061.                                | 0.2 | 0         |
| 296 | Immunotherapy in microsatellite instability metastatic colorectal cancer: Current status and future perspectives. Journal of Clinical and Translational Research, 2021, 7, 511-522.   | 0.3 | 5         |
| 297 | Identification of Gene Co-Expression Networks Associated with Consensus Molecular Subtype-1 of Colorectal Cancer. Cancers, 2021, 13, 5824.  | 1.7 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 299 | <i>TP53</i> Gain-of-Function and Non–Gain-of-Function Mutations Are Differentially Associated With<br>Sidedness-Dependent Prognosis in Metastatic Colorectal Cancer. Journal of Clinical Oncology, 2022,<br>40, 171-179. | 0.8 | 33        |
| 301 | Improvement in colorectal cancer outcomes over time is limited to patients with left-sided disease.<br>Journal of Cancer Research and Clinical Oncology, 2022, 148, 3007-3014.   | 1.2 | 2         |
| 302 | Is precision medicine for colorectal liver metastases still a utopia? New perspectives by modern<br>biomarkers, radiomics, and artificial intelligence. World Journal of Gastroenterology, 2022, 28,<br>608-623.         | 1.4 | 9         |
| 303 | Comparison of Resected Malignant Tumors of the Right- and Left-Sided Colon—Is There a Difference?.<br>Indian Journal of Surgery, 0, , 1.   | 0.2 | 2         |
| 304 | Current Perspectives on the Importance of Pathological Features in Prognostication and Guidance of Adjuvant Chemotherapy in Colon Cancer. Current Oncology, 2022, 29, 1370-1389.   | 0.9 | 2         |
| 305 | Liquid Biopsy and Artificial Intelligence as Tools to Detect Signatures of Colorectal Malignancies: A<br>Modern Approach in Patient's Stratification. Frontiers in Oncology, 2022, 12, 856575.                           | 1.3 | 13        |
| 306 | Chemoprevention for Colorectal Cancers: Are Chemopreventive Effects Different Between Left and Right Sided Colorectal Cancers?. Digestive Diseases and Sciences, 2022, , 1.  | 1.1 | 3         |
| 307 | Comprehensive characterization of PTEN mutational profile in a series of 34,129 colorectal cancers.<br>Nature Communications, 2022, 13, 1618.  | 5.8 | 23        |
| 308 | Diabetes and Risks of Right-Sided and Left-Sided Colon Cancer: A Meta-Analysis of Prospective Cohorts.<br>Frontiers in Oncology, 2022, 12, 737330.   | 1.3 | 6         |
| 309 | Pathological Features and Prognostication in Colorectal Cancer. Current Oncology, 2021, 28, 5356-5383.   | 0.9 | 48        |
| 310 | Serum-based measurements of stromal activation through ADAM12 associate with poor prognosis in colorectal cancer. BMC Cancer, 2022, 22, 394.   | 1.1 | 7         |
| 320 | Comprehensive genetic characterization of rectal cancer in a large cohort of Japanese patients:<br>differences according to tumor location. Journal of Gastroenterology, 2022, 57, 476-485.                              | 2.3 | 2         |
| 322 | Personalizing first-line treatment in advanced colorectal cancer: Present status and future perspectives Journal of Clinical and Translational Research, 2021, 7, 771-785.   | 0.3 | 1         |
| 323 | Intratumoral density of regulatory T cells is a predictor of host immune response and chemotherapy response in colorectal cancer American Journal of Cancer Research, 2022, 12, 490-503.                                 | 1.4 | 0         |
| 324 | Genomic Landscape of Primary Tumor Site and Clinical Outcome for Patients with Metastatic<br>Colorectal Cancer Receiving Standard-of-Care Chemotherapy. Targeted Oncology, 2022, , 1.                                    | 1.7 | 1         |
| 325 | Interobserver Variability in CT-based Morphologic Tumor Response Assessment of Colorectal Liver<br>Metastases. Radiology Imaging Cancer, 2022, 4, e210105.   | 0.7 | 3         |
| 326 | Associations of Complete Blood Count Parameters with Disease-Free Survival in Right- and Left-Sided Colorectal Cancer Patients. Journal of Personalized Medicine, 2022, 12, 816.   | 1.1 | 4         |
| 327 | Proteomic Profiling and Biomarker Discovery in Colorectal Liver Metastases. International Journal of Molecular Sciences, 2022, 23, 6091.   | 1.8 | 6         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 328 | Benefit from upfront FOLFOXIRI and bevacizumab in BRAFV600E-mutated metastatic colorectal cancer patients: does primary tumour location matter?. British Journal of Cancer, 2022, 127, 957-967.  | 2.9 | 6         |
| 329 | Blood-Cell-Based Inflammatory Markers as a Useful Tool for Early Diagnosis in Colorectal Cancer.<br>Frontiers in Medicine, 0, 9, .   | 1.2 | 10        |
| 330 | Upfront Modified Fluorouracil, Leucovorin, Oxaliplatin, and Irinotecan Plus Panitumumab Versus<br>Fluorouracil, Leucovorin, and Oxaliplatin Plus Panitumumab for Patients With <i>RAS/BRAF</i> Wild-Type Metastatic Colorectal Cancer: The Phase III TRIPLETE Study by GONO. Journal of Clinical<br>Oncology, 2022, 40, 2878-2888. | 0.8 | 24        |
| 331 | Development of an Accessible Gene Expression Bioinformatics Pipeline to Study Driver Mutations of Colorectal Cancer. ATLA Alternatives To Laboratory Animals, 2022, 50, 282-292.   | 0.7 | 6         |
| 332 | Racial Disparities in Colorectal Cancer Care for Black Patients: Barriers and Solutions. American<br>Surgeon, 2022, 88, 2823-2830.   | 0.4 | 3         |
| 333 | Epidemiology and risk factors for metastatic colorectal disease. , 2023, , 1-17.   |     | 0         |
| 334 | Identifying the tumor location-associated candidate genes in development of new drugs for colorectal cancer using machine-learning-based approach. Medical and Biological Engineering and Computing, 0, , .  | 1.6 | 0         |
| 335 | Nomograms predicting cancer-specific survival for stage IV colorectal cancer with synchronous lung metastases. Scientific Reports, 2022, 12, .   | 1.6 | 3         |
| 336 | Embryologic Origin of the Primary Tumor and RAS Status Predict Survival after Resection of Colorectal Liver Metastases. Medicina (Lithuania), 2022, 58, 1100.  | 0.8 | 0         |
| 337 | Primary tumor location and survival among metastatic colorectal cancer patients treated with<br>systemic chemotherapy and biologic therapies: Retrospective analysis. Cancer Treatment and Research<br>Communications, 2022, 33, 100632.   | 0.7 | 0         |
| 339 | Endoscopic polypectomy for malignant polyps: Should tumor location (right versus left side) guide clinical decisions?. Surgery, 2023, 173, 674-680.  | 1.0 | 0         |
| 340 | Timeâ€varying prognostic value of primary tumor sidedness in metastatic colorectal cancer: a<br>populationâ€based study and metaâ€analysis. International Journal of Cancer, 0, , .  | 2.3 | 2         |
| 341 | The prognostic impact of BMI on colorectal cancer is stratified by tumor location. Frontiers in Oncology, 0, 12, .   | 1.3 | 1         |
| 342 | Initial Systemic Chemotherapy for Metastatic Colorectal Cancer. , 2022, , 279-286.   |     | 0         |
| 343 | Current Targeted Therapy for Metastatic Colorectal Cancer. International Journal of Molecular<br>Sciences, 2023, 24, 1702.   | 1.8 | 22        |
| 344 | New developments in targeted therapy for metastatic colorectal cancer. Therapeutic Advances in<br>Medical Oncology, 2023, 15, 175883592211485.   | 1.4 | 8         |
| 345 | <i>NPY</i> Methylated ctDNA is a Promising Biomarker for Treatment Response Monitoring in<br>Metastatic Colorectal Cancer. Clinical Cancer Research, 2023, 29, 1741-1750.  | 3.2 | 2         |
| 346 | Upfront Surgery versus Neoadjuvant Perioperative Chemotherapy for Resectable Colorectal Liver<br>Metastases: A Machine-Learning Decision Tree to Identify the Best Potential Candidates under a<br>Parenchyma-Sparing Policy. Cancers, 2023, 15, 613.  | 1.7 | 5         |

| #   | Article   | IF    | CITATIONS |
|-----|---|-------|-----------|
| 347 | Association of Circulating Tumor Cells and Tumor Molecular Profile With Clinical Outcomes in<br>Patients With Previously Untreated Metastatic Colorectal Cancer: A Pooled Analysis of the Phase III<br>VISNÚ-1 and Phase II VISNÚ-2 Randomized Trials. Clinical Colorectal Cancer, 2023, 22, 222-230. | 1.0   | 1         |
| 348 | Colorectal cancer statistics, 2023. Ca-A Cancer Journal for Clinicians, 2023, 73, 233-254.  | 157.7 | 400       |
| 349 | Validation of algorithms to identify colorectal cancer patients from administrative claims data of a<br>Japanese hospital. BMC Health Services Research, 2023, 23, .  | 0.9   | 1         |
| 350 | A Belgian Population-Based Study Reveals Subgroups of Right-sided Colorectal Cancer with a Better<br>Prognosis Compared to Left-sided Cancer. Oncologist, 2023, 28, e331-e340.  | 1.9   | 1         |
| 360 | Biomarkers in Colon Cancer Metastasis. , 2023, , 1-23.  |       | 0         |

20