

CITATION REPORT

List of articles citing

Flexible thermoelectric materials and device optimization for wearable energy harvesting

DOI: 10.1039/c5tc01644d

Journal of Materials Chemistry C, 2015, 3, 10362-10374.

Source: <https://exaly.com/paper-pdf/61989155/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
458	Flexible Piezoelectric Energy Harvesting from Mouse Click Motions. <i>Sensors</i> , 2016 , 16,	3.8	31
457	Monitoring of Vital Signs with Flexible and Wearable Medical Devices. 2016 , 28, 4373-95		735
456	Temperature dependence of the electrode potential of a cobalt-based redox couple in ionic liquid electrolytes for thermal energy harvesting. 2016 , 190, 205-18		29
455	Designing thermoelectric generators for self-powered wearable electronics. 2016 , 9, 2099-2113		202
454	Measuring methods for thermoelectric properties of one-dimensional nanostructural materials. 2016 , 6, 48933-48961		12
453	Flexible thermoelectric foil for wearable energy harvesting. <i>Nano Energy</i> , 2016 , 30, 840-845	17.1	80
452	Thermal and stress analyses in thermoelectric generator with tapered and rectangular pin configurations. 2016 , 114, 52-63		34
451	Simultaneously enhanced electrical conductivity and Seebeck coefficient in Poly (3,4-ethylenedioxythiophene) films treated with hydroiodic acid. 2016 , 220, 585-590		23
450	Metal-organic frameworks for thermoelectric energy-conversion applications. 2016 , 41, 877-882		20
449	Power generation modeling for a wearable thermoelectric energy harvester with practical limitations. <i>Applied Energy</i> , 2016 , 183, 218-228	10.7	43
448	Minority carrier blocking to enhance the thermoelectric figure of merit in narrow-band-gap semiconductors. 2016 , 93,		68
447	Organic thermoelectric materials for energy harvesting and temperature control. 2016 , 1,		685
446	High-performance flexible energy storage and harvesting system for wearable electronics. 2016 , 6, 26122		146
445	High-performance shape-engineerable thermoelectric painting. 2016 , 7, 13403		93
444	High-performance and flexible thermoelectric films by screen printing solution-processed nanoplate crystals. 2016 , 6, 33135		104
443	Wearable Biofuel Cells: A Review. 2016 , 28, 1188-1200		126
442	Modeling, experiments and optimization of an on-pipe thermoelectric generator. 2016 , 122, 298-309		31

441	Non-epitaxial pulsed laser deposition of Ag ₂ Se thermoelectric thin films for near-room temperature applications. 2016 , 42, 12490-12495		17
440	Enhanced thermoelectric performance of P-type Bi ₂ Sb ₂ Te ₃ nanowires with pulsed laser assisted electrochemical deposition. 2016 , 9, 386-396		5
439	Engineering electrical transport at the interface of conjugated carbon structures to improve thermoelectric properties of their composites. 2016 , 97, 487-495		20
438	Micro/nanostructured surfaces for self-powered and multifunctional electronic skins. 2016 , 4, 2999-3018		90
437	Morphology and electrical properties of inkjet-printed palladium/palladium oxide. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1893-1902	7.1	5
436	Review Micro and Nano-Engineering Enabled New Generation of Thermoelectric Generator Devices and Applications. 2017 , 6, N3036-N3044		46
435	Preparation and properties of PEDOT:PSS/Te nanorod composite films for flexible thermoelectric power generator. 2017 , 125, 519-525		112
434	Self-powered multifunctional UV and IR photodetector as an artificial electronic eye. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1436-1442	7.1	33
433	Flexible Thermoelectric ZnO/Organic Superlattices on Cotton Textile Substrates by ALD/MLD. 2017 , 3, 1600459		37
432	Human and environmental analysis of wearable thermal energy harvesting. 2017 , 143, 218-226		34
431	Notably enhanced thermoelectric properties of lamellar polypyrrole by doping with naphthalene sulfonic acid. 2017 , 7, 20192-20200		21
430	Flexible, highly sensitive pressure sensor with a wide range based on graphene-silk network structure. 2017 , 110, 123508		93
429	Design and Experimental Investigation of Thermoelectric Generators for Wearable Applications. 2017 , 2, 1600292		22
428	Metallic junction thermoelectric device simulations. 2017 ,		
427	Simultaneously improved electrical properties of crystalline YbAl ₃ thin films prepared by co-sputtering technique. 2017 , 7, 17271-17278		0
426	3D bioprinting of soft materials-based regenerative vascular structures and tissues. 2017 , 123, 279-291		46
425	Morphology controls the thermoelectric power factor of a doped semiconducting polymer. 2017 , 3, e1700434		207
424	Tuning the Seebeck effect in C-based hybrid thermoelectric devices through temperature-dependent surface polarization and thermally-modulated interface dipoles. 2017 , 19, 14793-14805		5

423	Synergistic Impacts of Electrolyte Adsorption on the Thermoelectric Properties of Single-Walled Carbon Nanotubes. 2017 , 13, 1700804		21
422	A flexible carbon electrode based on traditional cotton woven fabrics with excellent capacitance. 2017 , 52, 9773-9779		21
421	Recent advances in organic polymer thermoelectric composites. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 4350-4360	7.1	185
420	Atomic Layer Deposition of Thermoelectric Materials. 2017 , 259-274		
419	A Solution Processable High-Performance Thermoelectric Copper Selenide Thin Film. 2017 , 29, 1606662		67
418	Thermoelectric properties of composite films prepared with benzodithiophene derivatives and carbon nanotubes. <i>Composites Science and Technology</i> , 2017 , 145, 40-45	8.6	35
417	Thermoelectric characteristics of glass fibers coated with ZnO and Al-doped ZnO. 2017 , 96, 246-249		9
416	Origin of unusual thermoelectric transport behaviors in carbon nanotube filled polymer composites after solvent/acid treatments. 2017 , 45, 182-189		56
415	Development of air-stable n-type single-walled carbon nanotubes by doping with 2-(2-methoxyphenyl)-1,3-dimethyl-2,3-dihydro-1H-benzo[d]imidazole and their thermoelectric properties. 2017 , 225, 76-80		45
414	A solution-processed TiS ₂ /organic hybrid superlattice film towards flexible thermoelectric devices. 2017 , 5, 564-570		104
413	Enhanced thermoelectric properties of flexible Cu ₂ Se (x 10.25) NW/polyvinylidene fluoride composite films fabricated via simple mechanical pressing. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 763-769	7.1	35
412	A novel glass-fiber-aided cold-press method for fabrication of n-type Ag ₂ Te nanowires thermoelectric film on flexible copy-paper substrate. 2017 , 5, 24740-24748		52
411	Polymer/carbon nanotube composite materials for flexible thermoelectric power generator. <i>Composites Science and Technology</i> , 2017 , 153, 71-83	8.6	67
410	Interconnect patterns for printed organic thermoelectric devices with large fill factors. 2017 , 122, 124507		18
409	Printed, metallic thermoelectric generators integrated with pipe insulation for powering wireless sensors. <i>Applied Energy</i> , 2017 , 208, 758-765	10.7	47
408	Ultrahigh thermoelectric power factor in flexible hybrid inorganic-organic superlattice. 2017 , 8, 1024		109
407	Mat-like flexible thermoelectric system based on rigid inorganic bulk materials. 2017 , 50, 494006		21
406	Bulk Doping of Millimeter-Thick Conjugated Polymer Foams for Plastic Thermoelectrics. 2017 , 27, 1704183		28

405	Highly stretchable organic thermoelectrics with an enhanced power factor due to extended localization length. 2017 , 50, 367-375		15
404	High-Performance Screen-Printed Thermoelectric Films on Fabrics. 2017 , 7, 7317		71
403	Wearable solar thermoelectric generator driven by unprecedentedly high temperature difference. <i>Nano Energy</i> , 2017 , 40, 663-672	17.1	66
402	Flexible unipolar thermoelectric devices based on patterned poly[Kx(Ni-ethylenetetra-thiolate)] thin films. 2017 , 1, 2111-2116		21
401	Enhanced thermoelectric properties of screen-printed Bi _{0.5} Sb _{1.5} Te ₃ and Bi ₂ Te _{2.7} Se _{0.3} thick films using a post annealing process with mechanical pressure. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8559-8565	7.1	33
400	Designing hybrid architectures for advanced thermoelectric materials. 2017 , 1, 2457-2473		30
399	Conjugated-Backbone Effect of Organic Small Molecules for n-Type Thermoelectric Materials with ZT over 0.2. 2017 , 139, 13013-13023		156
398	Polymer - Carbon nanotube composites for thermoelectric applications. 2017 ,		5
397	Nanostructural Tailoring to Induce Flexibility in Thermoelectric CaCoO Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 25308-25316	9.5	51
396	Highly conductive PEDOT:PSS treated by sodium dodecyl sulfate for stretchable fabric heaters. 2017 , 7, 5888-5897		83
395	Large-scale integration of flexible materials into rolled and corrugated thermoelectric modules. 2017 , 134,		32
394	Material Optimization for a High Power Thermoelectric Generator in Wearable Applications. 2017 , 7, 1015		8
393	Synthesis of Functionalized Multi-wall Carbon Nanotubes/polyaniline Composite by Physical Mixing and Evaluation of its Thermoelectric Performance. 2017 , 1, 201-206		1
392	Wearable sweat sensors. 2018 , 1, 160-171		588
391	Functionalized Cellulose for Water Purification, Antimicrobial Applications, and Sensors. 2018 , 28, 1800409		134
390	New evaluation parameter for wearable thermoelectric generators. 2018 , 123, 145110		5
389	Enhancement of reproducibility and reliability in a high-performance flexible thermoelectric generator using screen-printed materials. <i>Nano Energy</i> , 2018 , 46, 39-44	17.1	42
388	Conjugated Polymers for Flexible Energy Harvesting and Storage. 2018 , 30, e1704261		117

387	Strategic Design and Fabrication of Nerve Guidance Conduits for Peripheral Nerve Regeneration. 2018 , 13, e1700635		88
386	Structural design of a flexible thermoelectric power generator for wearable applications. <i>Applied Energy</i> , 2018 , 214, 131-138	10.7	119
385	Thermoelectric effects in solid-state polyelectrolytes. 2018 , 54, 231-236		40
384	Simplified human thermoregulatory model for designing wearable thermoelectric devices. 2018 , 51, 055401		17
383	Cellulose Fiber-Based Hierarchical Porous Bismuth Telluride for High-Performance Flexible and Tailorable Thermoelectrics. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 1743-1751	9.5	56
382	Thermoelectric Devices: A Review of Devices, Architectures, and Contact Optimization. 2018 , 3, 1700256		151
381	3D printing of shape-conformable thermoelectric materials using all-inorganic Bi ₂ Te ₃ -based inks. 2018 , 3, 301-309		157
380	Bendable thermoelectric generators composed of p- and n-type silver chalcogenide nanoparticle thin films. <i>Nano Energy</i> , 2018 , 49, 333-337	17.1	17
379	Wet-spinning and post-treatment of CNT/PEDOT:PSS composites for use in organic fiber-based thermoelectric generators. 2018 , 133, 293-299		86
378	Materials and approaches for on-body energy harvesting. 2018 , 43, 206-213		22
377	Fiber-Based Thermoelectric Generators: Materials, Device Structures, Fabrication, Characterization, and Applications. 2018 , 8, 1700524		79
376	A review on heat and mechanical energy harvesting from human [Principles, prototypes and perspectives. 2018 , 82, 3582-3609		100
375	Photoinduced charge-carrier modulation of inkjet-printed carbon nanotubes via poly(vinyl acetate) doping and dedoping for thermoelectric generators. 2018 , 691, 219-223		6
374	Characteristics and parametric analysis of a novel flexible ink-based thermoelectric generator for human body sensor. 2018 , 156, 655-665		33
373	High Performance Thermoelectric Materials: Progress and Their Applications. 2018 , 8, 1701797		371
372	Simultaneous improvement of performance and stability in PEDOT:PSS/Boritol composite based flexible thermoelectric modules by novel design and fabrication process. 2018 , 26, 61-65		14
371	Energy harvesting from a piezoelectric slipper during walking. 2018 , 29, 1456-1463		12
370	Design and Simulation of a Novel Thermoelectric Micro-Device with Electrodeposited Bi-Te Alloys. 2018 , 281, 788-794		

369	Thermoelectric fibers from well-dispersed carbon nanotube/poly(vinylidene fluoride) pastes for fiber-based thermoelectric generators. 2018 , 10, 19766-19773		54
368	Design of flexible thermoelectric generator as human body sensor. <i>Materials Today: Proceedings</i> , 2018 , 5, 10338-10346	1.4	12
367	Design and Fabrication of a Thermoelectric Generator Based on BiTe Legs to power Wearable Device. 2018 , 73, 1760-1763		1
366	Preparation and Thermoelectric Properties of Graphite/poly(3,4-ethyenedioxythiophene) Nanocomposites. 2018 , 11, 2849		9
365	Micro-thermoelectric devices with large output power fabricated on a multi-channel glass template. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 125002	2	6
364	Orbital-Engineering-Based Screening of π -Conjugated d Transition-Metal Coordination Polymers for High-Performance n-Type Thermoelectric Applications. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35306-35315	9.5	22
363	Integrated microthermoelectric coolers with rapid response time and high device reliability. 2018 , 1, 555-561		41
362	Carbon Nanotube-Based Organic Thermoelectric Materials for Energy Harvesting. 2018 , 10,		51
361	Compliant and stretchable thermoelectric coils for energy harvesting in miniature flexible devices. 2018 , 4, eaa05849		147
360	Radiant heat recovery by thermoelectric generators: A theoretical case-study on hot steel casting. 2018 , 175, 327-336		9
359	Coaxial struts and microfractured structures of compressible thermoelectric foams for self-powered pressure sensors. 2018 , 10, 18370-18377		14
358	Thermoelectric Inorganic SiGe Film Synthesized on Flexible Plastic Substrate. 2018 ,		17
357	Enhanced thermoelectric properties of flexible aerosol-jet printed carbon nanotube-based nanocomposites. 2018 , 6, 096101		23
356	Thermoelectric polymer-matrix structural and nonstructural composite materials. 2018 , 1, 61-65		6
355	Fully Printed Organic-Inorganic Nanocomposites for Flexible Thermoelectric Applications. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 19580-19587	9.5	72
354	Role of surfactant on thermoelectric behaviors of organic-inorganic composites. 2018 , 123, 205106		18
353	Thermal-to-Electrical Energy Conversion Cell with Solid-State-Derived Ti ₂ Sn-Organic Composite Operated without Temperature Difference. 2018 , 215, 1800084		
352	Micro-thermoelectric generators based on through glass pillars with high output voltage enabled by large temperature difference. <i>Applied Energy</i> , 2018 , 225, 600-610	10.7	27

351	Synthesis of bismuth telluride nanotubes and their simulated thermal properties. 2018 , 122, 587-595		6
350	The theoretical performance evaluation of hybrid PV-TEG system. 2018 , 173, 450-460		57
349	Initial stages of delamination of the aluminum film from silicon wafer. 2018 , 124, 1		2
348	Flexible thermoelectric materials and devices. 2018 , 12, 366-388		286
347	Recent advances in conducting poly(3,4-ethylenedioxythiophene):polystyrene sulfonate hybrids for thermoelectric applications. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 8858-8873	7.1	65
346	Flexible Thermoelectric Materials and Devices. 2018 , 425-457		1
345	Printing and Folding: A Solution for High-Throughput Processing of Organic Thin-Film Thermoelectric Devices. <i>Sensors</i> , 2018 , 18,	3.8	15
344	Flexible and Transparent Organic-Inorganic Hybrid Thermoelectric Modules. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 26687-26693	9.5	22
343	Highly robust and flexible n-type thermoelectric film based on AgTe nanoshuttle/polyvinylidene fluoride hybrids. 2018 , 10, 14830-14834		32
342	An effective thermal treatment strategy for thermoelectric performance enhancement in PANI/Te nanorod hybrid film. 2018 , 229, 293-296		13
341	Flexible n-Type Tungsten Carbide/Poly(lactic Acid) Thermoelectric Composites Fabricated by Additive Manufacturing. 2018 , 8, 25		20
340	Organic p-type thermoelectric module supported by photolithographic mold: a working hypothesis of sticky thermoelectric materials. 2018 , 19, 517-525		13
339	Fundamental and progress of Bi ₂ Te ₃ -based thermoelectric materials. 2018 , 27, 048403		68
338	Drastic Improvement of Air Stability in an n-Type Doped Naphthalene-Diimide Polymer by Thionation. 2018 , 1, 4626-4634		26
337	Polyethenetetrathiolate or polytetrathiooxalate? Improved synthesis, a comparative analysis of a prominent thermoelectric polymer and implications to the charge transport mechanism. 2018 , 9, 4543-4555		12
336	High power output from body heat harvesting based on flexible thermoelectric system with low thermal contact resistance. 2018 , 51, 365501		27
335	Organic Flexible Electronics. 2018 , 2, 1800070		106
334	Multifunctional structural design of graphene thermoelectrics by Bayesian optimization. 2018 , 4, eaar4192		75

333	Carbon Nanotube-Based Thermoelectric Devices. 2019 , 551-560		1
332	High Performance and Flexible Polyvinylpyrrolidone/Ag/AgTe Ternary Composite Film for Thermoelectric Power Generator. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 33254-33262	9.5	28
331	Energy Scavenging and Powering E-Skin Functional Devices. 2019 , 107, 2118-2136		18
330	Enhanced Thermoelectric Performance of As-Grown Suspended Graphene Nanoribbons. 2019 , 13, 9182-9189		26
329	Thermoelectric cooler and thermoelectric generator devices: A review of present and potential applications, modeling and materials. 2019 , 186, 115849		155
328	Air-Stable n-Type Single-Walled Carbon Nanotubes Doped with Benzimidazole Derivatives for Thermoelectric Conversion and Their Air-Stable Mechanism. 2019 , 2, 4703-4710		28
327	Flexible polymer/multi-walled carbon nanotube composite films for thermoelectric generators. 2019 ,		
326	3D Conformal Printing and Photonic Sintering of High-Performance Flexible Thermoelectric Films Using 2D Nanoplates. 2019 , 29, 1901930		49
325	Transition-Metal-Nitride-Based Thin Films as Novel Thermoelectric Materials. 2019 , 121-138		1
324	Thermoelectric properties of amorphous ZnOxNy thin films at room temperature. 2019 , 114, 193903		11
323	Thermoelectric Materials Strategies for Improving Device Performance and Its Medical Applications. 2019 , 1, 37		8
322	Flexible thermoelectric films with high power factor made of non-oxidized graphene flakes. 2019 , 6, 045019		28
321	Liquid Metal Supercooling for Low-Temperature Thermoelectric Wearables. 2019 , 29, 1906098		79
320	Enhanced thermoelectric properties of semiconducting carbon nanotube films by UV/ozone treatment. 2019 , 126, 135108		6
319	Electrical Energy Harvesting from Arm Skin Heat using Flexible Thermoelectric Devices. 2019 , 1259, 012001		
318	Giant power factors in p- and n-type large-area graphene films on a flexible plastic substrate. 2019 , 3,		25
317	Application-Based Production and Testing of a Core-Sheath Fiber Strain Sensor for Wearable Electronics: Feasibility Study of Using the Sensors in Measuring Tri-Axial Trunk Motion Angles. <i>Sensors</i> , 2019 , 19,	3.8	12
316	WaistonBelt X: A Belt-Type Wearable Device with Sensing and Intervention Toward Health Behavior Change. <i>Sensors</i> , 2019 , 19,	3.8	5

315	Self-Powered Portable Electronic Reader for Point-of-Care Amperometric Measurements. <i>Sensors</i> , 2019 , 19,	3.8	4
314	Solving the Thermoelectric Trade-Off Problem with Metallic Carbon Nanotubes. 2019 , 19, 7370-7376		33
313	Solution-Processed Carbon Nanotube Buckypapers for Foldable Thermoelectric Generators. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 35675-35682	9.5	19
312	Analytical Optimization of the Design of Film-Laminated Thermoelectric Power Generators. 2019 , 48, 7312-7319		4
311	High power output based on watch-strap-shaped body heat harvester using bulk thermoelectric materials. 2019 , 187, 115935		21
310	Low temperature gradient thermoelectric generator: Modelling and experimental verification. <i>Applied Energy</i> , 2019 , 255, 113786	10.7	17
309	Bio-inspired, nitrogen doped CNT-graphene hybrid with amphiphilic properties as a porous current collector for lithium-ion batteries. 2019 , 145, 677-689		19
308	Printed Flexible Thermoelectric Device Based on Hybrid BiTe/PVA Composites. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 8969-8981	9.5	30
307	Thermoelectric properties of sorted semiconducting single-walled carbon nanotube sheets. 2019 , 20, 97-104		14
306	Synthesis of freestanding PEDOT:PSS/PVA@Ag NPs nanofiber film for high-performance flexible thermoelectric generator. 2019 , 167, 102-108		31
305	Rapid Stoichiometry Control in Cu ₂ Se Thin Films for Room-Temperature Power Factor Improvement. 2019 , 2, 1517-1525		18
304	Transport properties of 3D printed polymer nanocomposites for potential thermoelectric applications. 2019 , 125, 1		9
303	Flexible thermoelectric modules based on ALD-grown ZnO on different substrates. 2019 , 37, 020906		8
302	A Type Thermoelectric Generator Wrapped with Doped Single-walled Carbon Nanotube Sheets. 2019 , 4, 147-153		3
301	Soluble Telluride-Based Molecular Precursor for Solution-Processed High-Performance Thermoelectrics. 2019 , 2, 4582-4589		8
300	Flexible Thermoelectric Module Using Bi-Te and Sb-Te Thin Films for Temperature Sensors. 2019 , 48, 5464-5470		7
299	Flexible Thermoelectric Materials and Generators: Challenges and Innovations. 2019 , 31, e1807916		255
298	A Fully-Flexible Solution-Processed Autonomous Glucose Indicator. 2019 , 9, 6931		13

297	Atomic Layer Deposition of Inorganic Thin Films on 3D Polymer Nanonetworks. 2019 , 9, 1990	20
296	Effect of real working environment/formation of oxide phase on thermoelectric properties of flexible Sb ₂ Te ₃ films. 2019 , 45, 15860-15865	3
295	Flexible heatsink based on a phase-change material for a wearable thermoelectric generator. 2019 , 179, 12-18	40
294	Wearable thermoelectrics for personalized thermoregulation. 2019 , 5, eaaw0536	154
293	Survey of energy scavenging for wearable and implantable devices. 2019 , 178, 33-49	58
292	High-Performance Flexible Thermoelectric Devices Based on All-Inorganic Hybrid Films for Harvesting Low-Grade Heat. 2019 , 29, 1900304	66
291	Flexible Bi ₂ Te ₃ -based alloy nanosheet/PEDOT:PSS thermoelectric power generators. 2019 , 3, 1328-1334	29
290	Tunneling-Limited Thermoelectric Transport in Carbon Nanotube Networks Embedded in Poly(dimethylsiloxane) Elastomer. 2019 , 2, 2419-2426	17
289	Thermoelectrics of Nanowires. 2019 , 119, 9260-9302	64
288	80 °C synthesis of thermoelectric nanocrystalline Ge film on flexible plastic substrate by Zn-induced layer exchange. 2019 , 12, 055501	9
287	High thermoelectric power-factor composites based on flexible three-dimensional graphene and polyaniline. 2019 , 11, 6552-6560	33
286	Donor-doped ZnO thin films on mica for fully-inorganic flexible thermoelectrics. 2019 , 7, 239-243	18
285	In situ polymerization of polypyrrole on cotton fabrics as flexible electrothermal materials. 2019 , 14, 155892501982744	13
284	High-performance flexible Bi ₂ Te ₃ films based wearable thermoelectric generator for energy harvesting. 2019 , 175, 292-299	53
283	Enhanced thermoelectric performance in single-crystal-like semiconducting flexible GaAs films. 2019 , 7, 031104	2
282	Development of Thermoelectric Conversion Materials Using Carbon Nanotube Sheets. 2019 , 92, 400-408	35
281	Scalable free-standing polypyrrole films for wrist-band type flexible thermoelectric power generator. 2019 , 176, 853-860	18
280	A Textile-Integrated Polymer Thermoelectric Generator for Body Heat Harvesting. 2019 , 4, 1800708	51

279	Advances in n-Type Organic Thermoelectric Materials and Devices. 2019 , 5, 1800825	81
278	Progress and Perspective: Soft Thermoelectric Materials for Wearable and Internet-of-Things Applications. 2019 , 5, 1800823	38
277	Thermoelectric properties of dispersant-free semiconducting single-walled carbon nanotubes sorted by a flavin extraction method. 2019 , 55, 2636-2639	8
276	Rheological design of 3D printable all-inorganic inks using BiSbTe-based thermoelectric materials. 2019 , 63, 291-304	16
275	High performance n-type AgSe film on nylon membrane for flexible thermoelectric power generator. 2019 , 10, 841	165
274	Molecular Level Insight into Enhanced n-Type Transport in Solution-Printed Hybrid Thermoelectrics. 2019 , 9, 1803469	11
273	MICROSIZE ENERGY SOURCES FOR IMPLANTABLE AND WEARABLE MEDICAL DEVICES. 2019 , 14, 511-522	1
272	Enhanced Humid Reliability of Organic Thermoelectrics via Crosslinking with Glycerol. 2019 , 9,	2
271	Recent advances of n-type low-cost PbSe-based thermoelectric materials. 2019 , 4, 100029	6
270	Power Factor of One Molecule Thick Films and Length Dependence. 2019 , 5, 1975-1982	23
269	Novel Thermoelectric Materials and Device Design Concepts. 2019 ,	4
268	Tunable magnetoresistance and thermopower in interconnected NiCr and CoCr nanowire networks. 2019 , 115, 242402	8
267	Ink Processing for Thermoelectric Materials and Power-Generating Devices. 2019 , 31, e1804930	27
266	Highly Sensitive, Low Voltage Operation, and Low Power Consumption Resistive Strain Sensors Based on Vertically Oriented Graphene Nanosheets. 2019 , 4, 1800572	9
265	Solid state generators and energy harvesters for waste heat recovery and thermal energy harvesting. 2019 , 9, 235-247	23
264	Flexible layer-structured BiTe thermoelectric on a carbon nanotube scaffold. 2019 , 18, 62-68	188
263	The Investigation of the Seebeck Effect of the Poly(3,4-Ethylenedioxythiophene)-Tosylate with the Various Concentrations of an Oxidant. 2018 , 11,	7
262	In-situ synthesis of flexible hybrid composite films for improved thermoelectric performance. 2019 , 357, 547-558	19

261	Thermal Transport in Conductive PolymerBased Materials. 2020 , 30, 1904704		60
260	Advanced materials of printed wearables for physiological parameter monitoring. <i>Materials Today</i> , 2020 , 32, 147-177	21.8	59
259	Thermoelectric generators for wearable body heat harvesting: Material and device concurrent optimization. <i>Nano Energy</i> , 2020 , 67, 104265	17.1	36
258	Macroscopically aligned carbon nanotubes for flexible and high-temperature electronics, optoelectronics, and thermoelectrics. 2020 , 53, 063001		8
257	Green Biocomposites for Thermoelectric Wearable Applications. 2020 , 30, 1907301		43
256	Colloidal metal oxides in electronics and optoelectronics. 2020 , 203-246		3
255	Conformal organicInorganic semiconductor composites for flexible thermoelectrics. 2020 , 13, 511-518		36
254	ReviewEnergy Autonomous Wearable Sensors for Smart Healthcare: A Review. 2020 , 167, 037516		44
253	High-Performance, Wearable Thermoelectric Generator Based on a Highly Aligned Carbon Nanotube Sheet. 2020 , 3, 1199-1206		20
252	Flexible Thermoelectric Devices of Ultrahigh Power Factor by Scalable Printing and Interface Engineering. 2020 , 30, 1905796		50
251	Thermoelectric properties of PEDOT: PSS and acid-treated SWCNT composite films. 2020 , 23, 100867		10
250	Review of wearable thermoelectric energy harvesting: From body temperature to electronic systems. <i>Applied Energy</i> , 2020 , 258, 114069	10.7	173
249	2D Materials for Large-Area Flexible Thermoelectric Devices. 2020 , 10, 1902842		72
248	Thermoelectric Flexible Silver Selenide Films: Compositional and Length Optimization. 2020 , 23, 100753		22
247	Wearable triboelectric nanogenerators for biomechanical energy harvesting. <i>Nano Energy</i> , 2020 , 77, 105303	17.1	114
246	Size- and Temperature-Dependent Suppression of Phonon Thermal Conductivity in Carbon Nanotube Thermoelectric Films. 2020 , 6, 2000746		8
245	High-Performance Flexible Bismuth Telluride Thin Film from Solution Processed Colloidal Nanoplates. 2020 , 5, 2000600		17
244	Challenges in Resource-Constrained IoT Devices: Energy and Communication as Critical Success Factors for Future IoT Deployment. <i>Sensors</i> , 2020 , 20,	3.8	16

243	Composite films of poly(3,4-ethylenedioxythiophene) polystyrene sulfonate incorporated with carbon nanotube sheet for improved power factor in thermoelectric conversion. 2020 , 25, 101568		5
242	Enhanced photocurrent via ferro-pyro-phototronic effect in ferroelectric BaTiO ₃ materials for a self-powered flexible photodetector system. <i>Nano Energy</i> , 2020 , 77, 105152	17.1	14
241	Ink-Based Additive Nanomanufacturing of Functional Materials for Human-Integrated Smart Wearables. 2020 , 2, 2000117		9
240	Recent progress on PEDOT:PSS based polymer blends and composites for flexible electronics and thermoelectric devices. 2020 , 4, 3130-3152		48
239	Decoupling phonon and carrier scattering at carbon nanotube/Bi ₂ Te ₃ interfaces for improved thermoelectric performance. 2020 , 170, 191-198		9
238	Variable Rigidity Module with a Flexible Thermoelectric Device for Bidirectional Temperature Control. 2021 , 8, 662-672		4
237	Innovative design of bismuth-telluride-based thermoelectric micro-generators with high output power. 2020 , 13, 3579-3591		19
236	A polymer-based textile thermoelectric generator for wearable energy harvesting. 2020 , 480, 228836		37
235	Wearable multi-sensing double-chain thermoelectric generator. 2020 , 6, 68		29
234	Metal Island Structure as a Power Booster for High-Performance Triboelectric Nanogenerators. 2020 , 5, 2000650		2
233	A Flexible and Infrared-Transparent Bi ₂ Te ₃ -Carbon Nanotube Thermoelectric Hybrid for both Active and Passive Cooling. 2020 , 2, 3008-3016		5
232	Stretchable and Transparent Ionogels with High Thermoelectric Properties. 2020 , 30, 2004699		47
231	Electric-current-induced thermal stress around a non-circular rigid inclusion in a two-dimensional nonlinear thermoelectric material. 2020 , 231, 4603-4619		1
230	Conical Microstructure Flexible High-Sensitivity Sensing Unit Adopting Chemical Corrosion. <i>Sensors</i> , 2020 , 20,	3.8	0
229	Transparent flexible thin-film p-n junction thermoelectric module. 2020 , 4,		16
228	Self-Powered Wearable IoT Devices for Health and Activity Monitoring. 2020 , 13, 145-269		1
227	Wearable Biosensors for Body Computing. 2020 , 31, 2008087		22
226	Fully Printed Flexible Heat Flow Sensors and their Utilization toward Heat Generation Monitoring for People and Machineries. 2020 , 6, 2000691		2

225	Inkjet-Printed Wearable Nanosystems for Self-Powered Technologies. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000015	4.6	24
224	Enhanced Output Performance of All-Solution-Processed Organic Thermoelectrics: Spray Printing and Interface Engineering. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 26250-26257	9.5	4
223	Facile preparation of air-stable n-type thermoelectric single-wall carbon nanotube films with anionic surfactants. 2020 , 10, 8104		10
222	Advancing Flexible Thermoelectric Devices with Polymer Composites. 2020 , 5, 2000049		39
221	Hybrid energy cells based on triboelectric nanogenerator: From principle to system. <i>Nano Energy</i> , 2020 , 75, 104980	17.1	39
220	Planar-type thermally chargeable supercapacitor without an effective heat sink and performance variations with layer thickness and operation conditions. <i>Applied Energy</i> , 2020 , 268, 114975	10.7	5
219	A fully self-powered wearable monitoring system with systematically optimized flexible thermoelectric generator. <i>Applied Energy</i> , 2020 , 271, 115250	10.7	37
218	Enhanced Thermoelectric Performance in Black Phosphorus Nanotubes by Band Modulation through Tailoring Nanotube Chirality. 2020 , 16, e2001820		10
217	High-performance, air-stable, n-type thermoelectric films from a water-dispersed nickel-ethenetetrathiolate complex and ethylene glycol. 2020 , 8, 12319-12322		2
216	A New Design of a Thin-Film Thermoelectric Device Based on Multilayer-Structure Module. 2020 , 10,		4
215	Enhanced Thermoelectric Characteristics of Ag ₂ Se Nanoparticle Thin Films by Embedding Silicon Nanowires. 2020 , 13, 3072		0
214	Smart Textile-Based Personal Thermal Comfort Systems: Current Status and Potential Solutions. 2020 , 5, 1901155		34
213	Charge transfer complex-doped single-walled carbon nanotubes with reduced correlations between electrical conductivity and Seebeck coefficient for flexible thermoelectric generators. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 4827-4835	7.1	15
212	Review Flexible and Stretchable Electrochemical Sensing Systems: Materials, Energy Sources, and Integrations. 2020 , 167, 037573		43
211	Large-scalable fabrication of improved BiTe-based flexible thermoelectric modules using a semiconductor manufacturing process. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, 046504	1.4	
210	Smart Textiles for Electricity Generation. 2020 , 120, 3668-3720		349
209	Soft and Stretchable Thermoelectric Generators Enabled by Liquid Metal Elastomer Composites. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 17921-17928	9.5	69
208	Bi ₂ Te ₃ /CoFe ₂ O ₄ nanocomposite: Role of magnetic filler on thermoelectric properties. 2020 , 116, 103902		0

207	Recent advances in printable thermoelectric devices: materials, printing techniques, and applications.. 2020 , 10, 8421-8434		30
206	Thermoelectric Properties of Semiconducting Polymers. 2020 , 50, 551-574		15
205	Observation of Energy-Dependent Carrier Scattering in Conducting Polymer Nanowire Blends for Enhanced Thermoelectric Performance. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 34451-34461	9.5	7
204	Hybrid Thermoelectrics. 2020 , 50, 319-344		5
203	Highly Integrable Thermoelectric Fiber. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 33297-33304	9.5	26
202	A Comprehensive Review of Strategies and Approaches for Enhancing the Performance of Thermoelectric Module. 2020 , 13, 3142		16
201	Flexible 3D Porous MoS ₂ /CNTs Architectures with ZT of 0.17 at Room Temperature for Wearable Thermoelectric Applications. 2020 , 30, 2002508		15
200	Determining absolute Seebeck coefficients from relative thermopower measurements of thin films and nanostructures. 2020 , 127, 085101		5
199	High thermoelectric performance of post mechanical treated carbon nanotube films with polystyrene binder. 2020 , 116, 081902		5
198	Flexible ternary carbon black/Bi ₂ Te ₃ based alloy/polylactic acid thermoelectric composites fabricated by additive manufacturing. <i>Journal of Materiomics</i> , 2020 , 6, 293-299	6.7	14
197	Thermoelectric properties of a semicrystalline polymer doped beyond the insulator-to-metal transition by electrolyte gating. 2020 , 6, eaay8065		40
196	Manufacturing routes toward flexible and smart energy harvesters and sensors based on functional nanomaterials. 2020 , 381-437		1
195	Improved thermoelectric performance of flexible p-type SiGe films by B-doped Al-induced layer exchange. 2020 , 53, 075105		6
194	Flexible Thermoelectrics and Thermoelectric Textiles. 2020 , 49-66		3
193	All-Polymer Conducting Fibers and 3D Prints via Melt Processing and Templated Polymerization. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 8713-8721	9.5	16
192	High-Performance Thermoelectric Generators for Field Deployments. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 10389-10401	9.5	13
191	Influence of the annealing temperature on the formation of Mo ₁₇ O ₄₇ and MoO ₃ nanoparticles and their Photocatalytic performances for the degradation of MB dye. 2020 , 31, 7378-7388		3
190	Flexible and high performance of n-type thermoelectric PVDF composite film induced by nickel nanowires. 2020 , 188, 108496		15


189	Ultrahigh Performance of n-Type AgSe Films for Flexible Thermoelectric Power Generators. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 9646-9655	9.5	57
188	Sticky thermoelectric materials for flexible thermoelectric modules to capture low temperature waste heat. 2020 , 5, 481-487		1
187	Dielectric properties of Ag/paper-based metamaterial with sandwich-structure forward low dielectric loss in megahertz frequency range. 2020 , 31, 4245-4252		2
186	Optimizing the Structural, Electrical and Thermoelectric Properties of Antimony Telluride Thin Films Deposited on Aluminum Nitride-coated Stainless Steel Foil. 2020 , 10, 6978		2
185	In-situ resonant band engineering of solution-processed semiconductors generates high performance n-type thermoelectric nano-inks. 2020 , 11, 2069		12
184	Experimental analysis of flexible thermoelectric generators used for self-powered devices. 2020 , 200, 117544		8
183	Responsive Nanomaterials for Sustainable Applications. 2020 ,		1
182	Leveraging Sequential Doping of Semiconducting Polymers to Enable Functionally Graded Materials for Organic Thermoelectrics. 2020 , 53, 2882-2892		13
181	Applications of Smart Textiles in Post-Stroke Rehabilitation. <i>Sensors</i> , 2020 , 20,	3.8	5
180	Elastic thermoelectric sponge for pressure-induced enhancement of power generation. <i>Nano Energy</i> , 2020 , 74, 104824	17.1	8
179	Two-Dimensional Thermal Haptic Module Based on a Flexible Thermoelectric Device. 2020 , 7, 736-742		6
178	Self-charging wearables for continuous health monitoring. <i>Nano Energy</i> , 2021 , 79, 105419	17.1	25
177	Ultrahigh performance polyvinylpyrrolidone/Ag ₂ Se composite thermoelectric film for flexible energy harvesting. <i>Nano Energy</i> , 2021 , 80, 105488	17.1	33
176	Recent developments in flexible thermoelectrics: From materials to devices. 2021 , 137, 110448		29
175	Enhanced thermoelectric properties of screen-printed Bi ₂ Sb ₂ Te films on flexible substrate by electrical sintering process. 2021 , 259, 124006		3
174	Biomechanical energy harvesting with piezoelectric materials. 2021 , 209-247		2
173	Facile preparation of poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate)/Ag ₂ Te nanorod composite films for flexible thermoelectric generator. <i>Journal of Materiomics</i> , 2021 , 7, 302-309	6.7	7
172	Review of Liquid-Based Systems to Recover Low-Grade Waste Heat for Electrical Energy Generation. 2021 , 35, 161-175		13

171	The tactics of thermoelectric scaffolds with its advancements in engineering applications. 2021 , 60, 1-24	2
170	Research Progress of Cu ₂ Se Thin Film Thermoelectric Properties. 2021 , 0-0	2
169	Hybrid dual-function thermal energy harvesting and storage technologies: towards self-chargeable flexible/wearable devices. 2021 , 50, 9983-10013	3
168	Achievements and Prospects of Thermoelectric and Hybrid Energy Harvesters for Wearable Electronic Applications. 2021 , 3-40	1
167	Emerging beyond-graphene elemental 2D materials for energy and catalysis applications. 2021 , 50, 10983-11031	3
166	Printed flexible thermoelectric materials and devices. 2021 , 9, 19439-19464	6
165	Towards Modeling Thermoelectric Properties of Anisotropic Polycrystalline Materials. <i>SSRN Electronic Journal</i> ,	1
164	Evaluation of Thermoelectric Performance of Bi ₂ Te ₃ Films as a Function of Temperature Increase Rate during Heat Treatment. 2021 , 11, 38	6
163	Lightweight wearable thermoelectric cooler with rationally designed flexible heatsink consisting of phase-change material/graphite/silicone elastomer. 2021 , 9, 15696-15703	7
162	Advances in the applications of thermoelectric materials. 2021 , 313-337	
161	Progress of hybrid nanocomposite materials for thermoelectric applications. 2021 , 2, 1927-1956	10
160	Power generation for wearable systems. 2021 , 14, 2114-2157	66
159	High thermoelectric efficiency in electrodeposited silver selenide films: from Pourbaix diagram to a flexible thermoelectric module. 2021 , 5, 4597-4605	1
158	Thickness-dependent thermoelectric properties of Si _{1-x} Gex films formed by Al-induced layer exchange. 2021 , 129, 015303	4
157	One-dimensionality of thermoelectric properties of semiconducting nanomaterials. 2021 , 5,	0
156	Thermoelectrics. 2021 , 327-350	0
155	Paper Thermoelectrics by a Solvent-Free Drawing Method of All Carbon-Based Materials. 2021 , 6, 5019-5026	3
154	High-Pressure Rapid Preparation of High-Performance Binary Silver Sulfide Thermoelectric Materials. 2021 , 4, 1610-1618	6

153	Origins of Enhanced Thermoelectric Transport in Free-Standing PEDOT Nanowires Film Modulated with Ionic Liquid. 2021 , 4, 4070-4080	5
152	Wireless and Wearable Biomarker Analysis. 2021 , 523-545	
151	Analysis of the Experimental Integration of Thermoelectric Generators in Photovoltaic-Thermal Hybrid Panels. 2021 , 11, 2915	1
150	The Future of Neuroscience: Flexible and Wireless Implantable Neural Electronics. 2021 , 8, 2002693	12
149	Improved Electrical, Thermal, and Thermoelectric Properties Through Sample-to-Sample Fluctuations in Near-Percolation Threshold Composite Materials. 2021 , 4, 2000284	4
148	Structural Design Optimization of Micro-Thermoelectric Generator for Wearable Biomedical Devices. 2021 , 14, 2339	6
147	Carbon nanotube thermoelectric devices by direct printing: Toward wearable energy converters. 2021 , 118, 173901	4
146	Doping-Induced Viscoelasticity in PbTe Thermoelectric Inks for 3D Printing of Power-Generating Tubes. 2021 , 11, 2100190	7
145	Sustainable wearable energy storage devices self-charged by human-body bioenergy. 2021 , 1, 285-302	15
144	Embedding Aligned Graphene Oxides in Polyelectrolytes to Facilitate Thermo-Diffusion of Protons for High Ionic Thermoelectric Figure-of-Merit. 2021 , 31, 2011016	12
143	A Review on Flexible Thermoelectric Technology: Material, Device, and Applications. 2021 , 42, 1	4
142	Recent Developments in Flexible Thermoelectric Devices. 2021 , 1, 2100005	18
141	Recent Progress in Designing Thermoelectric Metal-Organic Frameworks. 2021 , 17, e2100505	10
140	Thermoelectric Materials for Textile Applications. 2021 , 26,	4
139	Promising Development of Thin Film and Flexible Thermoelectric Devices. 2021 , 16, 392-400	1
138	A wearable real-time power supply with a Mg ₃ Bi ₂ -based thermoelectric module. 2021 , 2, 100412	8
137	Review on the operation of wearable sensors through body heat harvesting based on thermoelectric devices. 2021 , 118, 200501	6
136	Enhancement of p-type thermoelectric power factor by low-temperature calcination in carbon nanotube thermoelectric films containing cyclodextrin polymer and Pd. 2021 , 118, 243904	5

135	Emerging Indoor Photovoltaic Technologies for Sustainable Internet of Things. 2021 , 11, 2100698		27
134	Facile preparation of flexible all organic PEDOT:PSS/methyl cellulose thermoelectric composite film by a screen printing process. 2021 , 276, 116752		3
133	Micromechanics-based theoretical prediction for thermoelectric properties of anisotropic composites and porous media. 2021 , 165, 106918		2
132	3D-Printed Wearable Electrochemical Energy Devices. 2103092		9
131	Heat source free water floating carbon nanotube thermoelectric generators. 2021 , 11, 14707		0
130	Thin-Film Thermoelectric Generators Comprising Molybdenum-Based MXenes pn Modules. 2100590		1
129	Device Optimization and Large-Scale Roll-to-Roll Manufacturability of Flexible Thin-Film Thermoelectric Generators. <i>Energy Technology</i> , 2021 , 9, 2001008	3.5	2
128	Novel Stacking Design of a Flexible Thin-Film Thermoelectric Generator with a Metal/Insulator/Semiconductor Architecture. 2100201		
127	Design and Optimization of Flexible Thermoelectric Coolers for Wearable Applications. 2021 , 10, 081006		1
126	Energy Harvesting Schemes for Wearable Devices. 2021 , 138, 153888		7
125	Self-Standing and Flexible Thermoelectric Nanofiber Mat of an n-Type Conjugated Polymer. 2021 , 3, 3641-3647		2
124	Conducting polymer-based flexible thermoelectric materials and devices: From mechanisms to applications. 2021 , 121, 100840		47
123	Energy conversion performance optimization and strength evaluation of a wearable thermoelectric generator made of a thermoelectric layer on a flexible substrate. 2021 , 229, 120694		8
122	Thermoelectric Properties of ex-situ PTH/PEDOT Composites. 2021 , 21, 783-791		1
121	Performance analysis and design optimization of a compact thermoelectric generator with T-Shaped configuration. 2021 , 229, 120652		4
120	A Review on Fundamentals, Design and Optimization to High ZT of Thermoelectric Materials for Application to Thermoelectric Technology. 2021 , 50, 6037-6059		2
119	Engineering Faceted Nanoporosity by Reactions in Thin-Film Oxide Multilayers in Crystallographically Layered Calcium Cobaltate for Thermoelectrics. 2021 , 4, 9904-9911		2
118	Wearable Thermoelectric Materials and Devices for Self-Powered Electronic Systems. 2021 , 33, e2102990		49

117	Self-powered skin electronics for energy harvesting and healthcare monitoring. 2021 , 21, 100786	13
116	Ionic thermoelectric materials and devices. 2021 , 61, 88-103	21
115	High-performance PEDOT:PSS-based thermoelectric composites. 2021 , 27, 100877	9
114	Recent advances in flexible thermoelectric films and devices. <i>Nano Energy</i> , 2021 , 89, 106309	17.1 14
113	Insulating polymers for flexible thermoelectric composites: A multi-perspective review. 2021 , 28, 100914	4
112	Enhanced thermoelectric composite performance from mesoporous carbon additives in a commercial Bi _{0.5} Sb _{1.5} Te ₃ matrix. 2021 , 94, 175-182	7
111	Investigation of the Electrical Contact to the Thermoelectric Legs Fabricated by Screen-printing Method. 2021 ,	
110	Demonstration of a thermoelectric device using electric double-layer gating: Simultaneous control of the thermoelectric properties of p-type and n-type carbon nanotubes. 2021 , 129, 045101	1
109	Effect of Crystalline Microstructure Evolution on Thermoelectric Performance of PEDOT : PSS Films. 2021 , 2021, 1-10	8
108	Conformable on-skin devices for thermo-electro-tactile stimulation: materials, design, and fabrication. 2021 , 2, 1787-1820	4
107	Thermodynamic Routes to Ultralow Thermal Conductivity and High Thermoelectric Performance. 2020 , 32, e1906457	40
106	Preparation and thermoelectric properties of flexible SWCNT/PEDOT:PSS composite film. 2020 , 261, 116318	19
105	Emerging 2D Organic-Inorganic Heterojunctions. 2020 , 1, 100166	9
104	Charge and thermoelectric transport mechanism in donor-acceptor copolymer films. 2020 , 2,	3
103	Emerging Devices Based on Two-Dimensional Monolayer Materials for Energy Harvesting. 2019 , 2019, 7367828	20
102	Flexible Thermoelectric Device Using Thick Films for Energy Harvesting from the Human Body. 2017 , 54, 518-524	5
101	Wearable Assistive Robotics: A Perspective on Current Challenges and Future Trends. <i>Sensors</i> , 2021 , 21,	3.8 3
100	Carbon-Based Nanomaterials and Sensing Tools for Wearable Health Monitoring Devices. 2100572	4

99	Durable n-type carbon nanotubes double-doped with 1,8-diazabicyclo[5.4.0]undec-7-ene and polyamidoamine dendrimers. 2021 , 120, 108656		1
98	Modeling and Optimization of Thermoelectric Modules for Radiant Heat Recovery. 2019 , 297-324		
97	CHAPTER 1:Introduction. 2019 , 1-20		
96	 2020 , 14, 3-14		
95	Electrodeposition of Tin Selenide from Oxalate-Based Aqueous Solution. 2020 , 167, 162502		0
94	Textiles in soft robots: Current progress and future trends. 2022 , 196, 113690		6
93	Thermo-Responsive Nanomaterials for Thermoelectric Generation. 2020 , 269-293		
92	Thermal transport in organic semiconductors. 2021 , 130, 170902		5
91	Electrochemical Preparation and Regulation of Flexible Polypyrrole Film toward Enhanced Thermoelectric Performance.		1
90	Organic-based flexible thermoelectric generators: From materials to devices. <i>Nano Energy</i> , 2022 , 92, 106774	17.1	11
89	Organic Devices: Fabrication, Applications, and Challenges. 2022 , 51, 447		2
88	High-performance flexible thermoelectric modules based on high crystal quality printed TiS/hexylamine. 2021 , 22, 907-916		1
87	Improvement of thermoelectric properties of flexible Bi ₂ Te ₃ thin films in bent states during sputtering deposition and post-thermal annealing. 2021 , 898, 162889		2
86	Thermoelectric Characteristics of InAs Nanowire Networks Directly Grown on Flexible Plastic Substrates.		1
85	High-temperature Bi ₂ Te ₃ thermoelectric generator fabricated using Cu nanoparticle paste bonding. 2021 , 896, 163060		2
84	Ultraflexible and High-Thermoelectric-Performance Sulfur-Doped AgSe Film on Nylon for Power Generators.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	2
83	Atomistic insights into dynamic growth of pentacene thin films on metal surfaces functionalized with self-assembled monolayers. 2022 , 579, 152203		2
82	Flexible Thermoelectric Generator Based on Polycrystalline SiGe Thin Films.. <i>Materials</i> , 2022 , 15,	3.5	1

81	Green Route for Fabrication of Water-Treatable Thermoelectric Generators. 2022 , 2022, 1-12	2
80	Conductive Polymers for Flexible Thermoelectric Systems. 2022 , 41-79	0
79	High-k dielectric screen-printed inks for mechanical energy harvesting devices. 2022 , 3, 1780-1790	1
78	Flexible and Foldable Films of SWCNT Thermoelectric Composites and an S-Shape Thermoelectric Generator with a Vertical Temperature Gradient.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5 1
77	Printing thermoelectric inks toward next-generation energy and thermal devices. 2021 ,	6
76	Hetero-interfaced films composed of solvothermally synthesized Bi ₂ Te ₃ nanoplates covered with electrodeposited Bi ₂ Se ₃ layers. 2022 , 741, 139032	1
75	Cu-ion-induced n- to p-type switching in organic thermoelectric polyazacycloalkane/carbon nanotubes. 2022 , 3, 373-380	0
74	Electronic structure and thermal conductance of the MASnI/BiTe interface: a first-principles study.. 2022 , 12, 217	0
73	Quasi-solid conductive gels with high thermoelectric properties and high mechanical stretchability consisting of a low cost and green deep eutectic solvent.	2
72	High thermoelectric performance in flexible TiS ₂ /organic superlattices. 2022 , 130, 211-218	2
71	Flexible thermoelectric films based on interconnected magnetic nanowire networks. 2022 , 55, 223001	1
70	Wearable Multi-Functional Sensing Technology for Healthcare Smart Detection.. 2022 , 13,	2
69	Additive manufacturing of ceramic materials for energy applications: Road map and opportunities. 2022 ,	5
68	Soft Organic Thermoelectric Materials: Principles, Current State of the Art and Applications.. 2021 , e2104922	9
67	Bulk and Nanocomposite Thermoelectrics: Synthesis, Properties, and Applications. 2022 , 959-1016	
66	Smart textiles through bio-inspired innovation. 2022 , 291-335	
65	Attacks and Countermeasures in IoT Based Smart Healthcare Applications. 2022 , 67-90	5
64	Probing the evolution of conductivity and structural changes in vapor-F4TCNQ doped P3HT.	

63	Liquid-based electrochemical systems for the conversion of heat to electricity. 2022 , 109-140		
62	Seamless design of thermoelectric modules from single-walled carbon nanotubes. <i>Journal of Materials Chemistry C</i> ,	7.1	0
61	Flexible Thermoelectric Paper and Its Thermoelectric Generator from Bacterial Cellulose/Ag ₂ Se Nanocomposites. 2022 , 5, 3489-3501		1
60	2D Materials for Wearable Energy Harvesting. 2101623		1
59	A Review on Doped/Composite Bismuth Chalcogenide Compounds for Thermoelectric Device Applications: Various Synthesis Techniques and Challenges. 2022 , 51, 2014-2042		0
58	From Thermoelectric Powder Directly to Thermoelectric Generators: Flexible Bi ₂ Te ₃ Films on Polymer Sheets Prepared by the Powder Aerosol Deposition Method at Room Temperature. <i>Energy Technology</i> , 2101091	3.5	
57	Towards modeling thermoelectric properties of anisotropic polycrystalline materials. <i>Acta Materialia</i> , 2022 , 228, 117743	8.4	
56	A novel electromagnetic energy harvester based on the bending of the sole. <i>Applied Energy</i> , 2022 , 314, 119000	10.7	0
55	Highly stretchable three-dimensional thermoelectric fabrics exploiting woven structure deformability and passivation-induced fiber elasticity. <i>Nano Energy</i> , 2022 , 97, 107143	17.1	2
54	Simultaneous Realization of Flexibility and Ultrahigh Normalized Power Density in a Heatsink-Free Thermoelectric Generator via Fine Thermal Regulation.. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	1
53	Excellent Thermoelectric Performance from In Situ Reaction between Co Nanoparticles and BiSbTe Flexible Films. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	3
52	Challenges of Existing Flexible Sensors for Energy Harvesting. <i>Smart Sensors, Measurement and Instrumentation</i> , 2022 , 211-228	0.3	
51	Experimental Study of Thermally Regenerative Electrochemical Cycles Using Different Types of Supercapacitors to Harvest Energy from Low-Grade Heat. <i>SSRN Electronic Journal</i> ,	1	
50	High-Power-Density Wearable Thermoelectric Generators for Human Body Heat Harvesting.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	2
49	An Automatic Numerical Approach to Optimize Flexible Serpentine Structure Design. <i>Flexible and Printed Electronics</i> ,	3.1	
48	Highly Efficient Flexible n-Type Thermoelectric Films Formed by Encapsulation of Bi ₂ Se ₃ -MWCNT Hybrid Networks in Polyvinyl Alcohol. <i>Advanced Materials Interfaces</i> , 2200318	4.6	1
47	A flexible and smart shape memory alloy composite sheet based on efficient and bidirectional thermal management. <i>International Journal of Smart and Nano Materials</i> , 1-15	3.6	
46	Fabrication of free-standing flexible and highly efficient carbon nanotube film/PEDOT: PSS thermoelectric composites. <i>Journal of Materiomics</i> , 2022 ,	6.7	1

45	Growth and characterization of crystalline Bi ₂ Se ₃ thin films on flexible metal foils by magnetron sputtering system. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	
44	A Multifunctional Battery-Free Bluetooth Low Energy Wireless Sensor Node Remotely Powered by Electromagnetic Wireless Power Transfer in Far-Field. <i>Sensors</i> , 2022 , 22, 4054	3.8	3
43	Positive Seebeck coefficient of niobium-doped MoS ₂ film deposited by sputtering and activated by sulfur vapor annealing. <i>Japanese Journal of Applied Physics</i> ,	1.4	
42	Microstructure Evolution in Plastic Deformed Bismuth Telluride for the Enhancement of Thermoelectric Properties. <i>Materials</i> , 2022 , 15, 4204	3.5	
41	Engineering thermoelectric and mechanical properties by nanoporosity in calcium cobaltate films from reactions of Ca(OH) ₂ /Co ₃ O ₄ multilayers. <i>Nanoscale Advances</i> ,	5.1	0
40	Pushing thermoelectric generators toward energy harvesting from the human body: Challenges and strategies. <i>Materials Today</i> , 2022 ,	21.8	1
39	Self-powered wearable sensors design considerations. <i>Journal of Micromechanics and Microengineering</i> , 2022 , 32, 083002	2	
38	Flexible thermoelectric device with excellent durability towards self-powered light intensity detection. <i>Composites Science and Technology</i> , 2022 , 227, 109616	8.6	0
37	A comprehensive analytical model for thermoelectric body heat harvesting incorporating the impact of human metabolism and physical activity. 2022 , 324, 119738		0
36	Modeling heat transfer in humans for body heat harvesting and personal thermal management. 2022 , 323, 119609		0
35	Advances in the design and assembly of flexible thermoelectric device. 2023 , 131, 101003		9
34	High-Throughput Manufacturing of Flexible Thermoelectric Generators for Low- to Medium-Temperature Applications Based on Nano-Silver Bonding. 2022 , 69, 5760-5765		0
33	Promising transparent and flexible thermoelectric modules based on p-type CuI thin films: A review. 2022 , 8, 11607-11637		0
32	A study on thermally regenerative electrochemical cycles using various supercapacitors. 2022 , 217, 119200		0
31	Acceptor-acceptor-type Organoboron Conjugated Polymers: Effect of Backbone Configuration on Thermoelectric Performance.		0
30	Adaptable and Wearable Thermocell Based on Stretchable Hydrogel for Body Heat Harvesting. 2201542		1
29	Design and Short-step Synthesis of Conjugated Networks toward n-Type Semiconducting Materials. 2022 , 80, 930-940		0
28	Inorganic-Based Printed Thermoelectric Materials and Devices. 2200980		0

- 27 Achieving metal-like malleability and ductility in Ag₂Te₁-S inorganic thermoelectric semiconductors with high mobility. **2022**, 3, 100341 2
- 26 High performance Ag₂Se film starting from a one-pot method for flexible thermoelectric Generator. 2
- 25 Thermoelectric Energy Harvesters and Applications. **2023**, 127-154 0
- 24 Out-of-plane transient thermal conductivity measurements for bulk semiconducting conjugated polymers using fast scanning calorimetry. 0
- 23 Redox-active polyimides for energy conversion and storage: from synthesis to application. **2022**, 59, 153-169 1
- 22 A Body-Wide RF Energy Harvester Based on Textile Surface Plasmonic Antenna Array for Wearable Wireless Power Transmission. **2022**, 1-1 1
- 21 High Thermoelectric Performance in Polycrystalline GeSiSn Ternary Alloy Thin Films. **2022**, 14, 54848-54854 0
- 20 Review of the Intelligent Sensor-Memory-Control Fusion Systems. 2200034 0
- 19 Morphological Ordering of the Organic Layer for High-Performance Hybrid Thermoelectrics. 0
- 18 Enhancement Effect of the C60 Derivative on the Thermoelectric Properties of n-Type Single-Walled Carbon Nanotube-Based Films. **2022**, 14, 54969-54980 0
- 17 Anisotropy engineering in solution-derived nanostructured Bi₂Te₃ thin films for high-performance flexible thermoelectric devices. **2023**, 458, 141450 0
- 16 Advances in flexible hydrogels for light-thermal-electricity energy conversion and storage. **2023**, 60, 106618 0
- 15 Operando X-ray scattering study of segmented thermoelectric Zn₄Sb₃. 0
- 14 Enhanced thermoelectric power factor of Se-doped SnS nanostructures for flexible thermoelectric applications. **2023**, 34, 0
- 13 Pressure induced bands convergence and strength enhancement in thermoelectric semiconductor SnSe. **2023**, 947, 169687 0
- 12 Optimizing printed thermoelectric generators with geometry and processibility limitations. **2023**, 279, 116776 0
- 11 Organic thermoelectric generators: working principles, materials, and fabrication techniques. **2023**, 59, 3160-3174 0
- 10 High-Performance Stretchable Thermoelectric Generator for Self-Powered Wearable Electronics. 2206397 0

- 9 Solution-processed flexible n-type S-doped Ag₂Se thermoelectric generators for near-ambient-temperature energy harvest **2023**, 33, 101266 ○
- 8 Long-Alkyl-Chain Phosphonium Surfactant Molecular Wrapping to Block Oxygen Impurities in n-Type Carbon Nanotubes for Thermoelectric Applications. **2023**, 1, 894-900 ○
- 7 Fabrication of a Silicon Elastomer-Based Self-Powered Flexible Triboelectric Sensor for Wearable Energy Harvesting and Biomedical Applications. **2023**, 5, 1750-1760 ○
- 6 Geometry Optimization for Miniaturized Thermoelectric Generators. **2023**, 8, 9364-9370 ○
- 5 Robust, Flexible Thermoelectric Film for Energy Harvesting by a Simple and Eco-Friendly Method. **2023**, 15, 13144-13154 ○
- 4 Recent Advances in Nanomaterials Used for Wearable Electronics. **2023**, 14, 603 ○
- 3 Best thermoelectric efficiency of ever-explored materials. **2023**, 26, 106494 ○
- 2 Flexible Thermoelectrics Based on Plastic Inorganic Semiconductors. ○
- 1 Recent Advances, Properties, Fabrication and Opportunities in Two-Dimensional Materials for their Potential Sustainable Applications. **2023**, 102780 ○