

Levulinic acid production from renewable waste resources: remedies, advancements and applications

Renewable and Sustainable Energy Reviews

51, 548-565

DOI: [10.1016/j.rser.2015.06.032](https://doi.org/10.1016/j.rser.2015.06.032)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Hydrothermal Conversion of Giant Reed to Furfural and Levulinic Acid: Optimization of the Process under Microwave Irradiation and Investigation of Distinctive Agronomic Parameters. <i>Molecules</i> , 2015, 20, 21232-21253. | 1.7 | 51 |
| 2 | Support Screening Studies on the Hydrogenation of Levulinic Acid to $\hat{\text{I}}^3$ -Valerolactone in Water Using Ru Catalysts. <i>Catalysts</i> , 2016, 6, 131. | 1.6 | 31 |
| 3 | New Frontiers in the Catalytic Synthesis of Levulinic Acid: From Sugars to Raw and Waste Biomass as Starting Feedstock. <i>Catalysts</i> , 2016, 6, 196. | 1.6 | 180 |
| 4 | Solid Molecular Phosphine Catalysts for Formic Acid Decomposition in the Biorefinery. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5597-5601. | 7.2 | 44 |
| 5 | Molekulare Phosphan-€Feststoffkatalysatoren zur Ameisens-€urezersetzung in der Bioraffinerie. <i>Angewandte Chemie</i> , 2016, 128, 5687-5691. | 1.6 | 12 |
| 6 | Novel integrated mechanical biological chemical treatment (MBCT) systems for the production of levulinic acid from fraction of municipal solid waste: A comprehensive techno-economic analysis. <i>Bioresource Technology</i> , 2016, 215, 131-143. | 4.8 | 61 |
| 7 | The effect of pretreatment on methanesulfonic acid-catalyzed hydrolysis of bagasse to levulinic acid, formic acid, and furfural. <i>RSC Advances</i> , 2016, 6, 74525-74535. | 1.7 | 31 |
| 8 | Reaction mechanism of aqueous-phase conversion of $\hat{\text{I}}^3$ -valerolactone (GVL) over a Ru/C catalyst. <i>Journal of Energy Chemistry</i> , 2016, 25, 1008-1014. | 7.1 | 15 |
| 9 | Catalytic Conversion of Carbohydrates to Levulinate Ester over Heteropolyanion-€Based Ionic Liquids. <i>ChemSusChem</i> , 2016, 9, 3307-3316. | 3.6 | 46 |
| 10 | Levulinic Acid Biorefineries: New Challenges for Efficient Utilization of Biomass. <i>ChemSusChem</i> , 2016, 9, 562-582. | 3.6 | 520 |
| 11 | Direct conversion of biomass components to the biofuel methyl levulinate catalyzed by acid-base bifunctional zirconia-zeolites. <i>Applied Catalysis B: Environmental</i> , 2017, 200, 182-191. | 10.8 | 124 |
| 12 | Evaluation of OrganoCat process as a pretreatment during bioconversion of rice straw. <i>Industrial Crops and Products</i> , 2017, 99, 7-18. | 2.5 | 28 |
| 13 | Recent advances in catalytic transformation of biomass-derived 5-hydroxymethylfurfural into the innovative fuels and chemicals. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 74, 230-257. | 8.2 | 308 |
| 14 | Eco-friendly Method for Efficient Conversion of Cellulose into Levulinic Acid in Pure Water with Cellulase-Mimetic Solid Acid Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2421-2427. | 3.2 | 98 |
| 15 | Levulinic acid production integrated into a sugarcane bagasse based biorefinery using thermal-enzymatic pretreatment. <i>Industrial Crops and Products</i> , 2017, 99, 172-178. | 2.5 | 48 |
| 16 | Iridium-€Catalyzed Reductive Amination of Levulinic Acid to Pyrrolidinones under H_2 in Water. <i>Chinese Journal of Chemistry</i> , 2017, 35, 581-585. | 2.6 | 33 |
| 17 | Phase equilibrium measurements and thermodynamic modelling for the systems involving valeric acid, ethanol, ethyl valerate and water plus CO ₂ . <i>Journal of Chemical Thermodynamics</i> , 2017, 112, 240-248. | 1.0 | 8 |
| 18 | Role of ion-€exchange resins as catalyst in the reaction-€network of transformation of biomass into biofuels. <i>Journal of Chemical Technology and Biotechnology</i> , 2017, 92, 2775-2786. | 1.6 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Levulinic Acid from Biomass: Synthesis and Applications. <i>Biofuels and Biorefineries</i> , 2017, , 143-169. | 0.5 | 22 |
| 20 | Electrochemistry for the Generation of Renewable Chemicals: One-Pot Electrochemical Deoxygenation of Xylose to Valerolactone. <i>ChemSusChem</i> , 2017, 10, 2015-2022. | 3.6 | 12 |
| 21 | Liquid-liquid equilibrium of ternary systems comprising ethyl valerate(1), water(2), ethanol(3) and valeric acid(4). <i>Journal of Chemical Thermodynamics</i> , 2017, 111, 185-190. | 1.0 | 9 |
| 22 | Chemoselective Synthesis of Dithioacetals from Bio-Aldehydes with Zeolites under Ambient and Solvent-free Conditions. <i>ChemCatChem</i> , 2017, 9, 1097-1104. | 1.8 | 16 |
| 23 | A Bipyridine-Based Conjugated Microporous Polymer for the Ir-Catalyzed Dehydrogenation of Formic Acid. <i>ACS Catalysis</i> , 2017, 7, 8413-8419. | 5.5 | 37 |
| 24 | Assessment of alkaline peroxide-assisted wet air oxidation pretreatment for rice straw and its effect on enzymatic hydrolysis. <i>Cellulose</i> , 2017, 24, 4885-4898. | 2.4 | 21 |
| 25 | Continuous synthesis of ethyl levulinate over Cerium exchanged phosphotungstic acid anchored on commercially silica gel pellets catalyst. <i>Molecular Catalysis</i> , 2017, 439, 180-185. | 1.0 | 33 |
| 26 | Valorization of cellulosic food waste into levulinic acid catalyzed by heterogeneous Brønsted acids: Temperature and solvent effects. <i>Chemical Engineering Journal</i> , 2017, 327, 328-335. | 6.6 | 99 |
| 27 | A review of biochar-based catalysts for chemical synthesis, biofuel production, and pollution control. <i>Bioresource Technology</i> , 2017, 246, 254-270. | 4.8 | 398 |
| 28 | Levulinic acid production by two-step acid-catalyzed treatment of <i>Quercus mongolica</i> using dilute sulfuric acid. <i>Bioresource Technology</i> , 2017, 225, 183-190. | 4.8 | 53 |
| 29 | Chemicals from biomass: technological <i>versus</i> environmental feasibility. A review. <i>Biofuels, Bioproducts and Biorefining</i> , 2017, 11, 195-214. | 1.9 | 126 |
| 30 | Design of a wheat straw supply chain network in Lower Saxony, Germany through optimization. <i>Computer Aided Chemical Engineering</i> , 2017, , 871-876. | 0.3 | 5 |
| 31 | Production of furfural from palm oil empty fruit bunches: kinetic model comparison. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 65, 012042. | 0.2 | 8 |
| 32 | Characterization of coffee (<i>Coffea arabica</i>) husk lignin and degradation products obtained after oxygen and alkali addition. <i>Bioresource Technology</i> , 2018, 257, 172-180. | 4.8 | 41 |
| 33 | Highly Efficient Conversion of Xylose Residues to Levulinic Acid over FeCl ₃ Catalyst in Green Salt Solutions. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3154-3161. | 3.2 | 49 |
| 34 | Catalytic conversion of glucose into levulinic and formic acids using aqueous Brønsted acid. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 63, 48-56. | 2.9 | 31 |
| 35 | Catalytic Advances in the Production and Application of Biomass-Derived 2,5-Dihydroxymethylfuran. <i>ACS Catalysis</i> , 2018, 8, 2959-2980. | 5.5 | 210 |
| 36 | Cyclopentadienyl-Ru(II)-Pyridylamine Complexes: Synthesis, X-ray Structure, and Application in Catalytic Transformation of Bio-Derived Furans to Levulinic Acid and Diketones in Water. <i>Inorganic Chemistry</i> , 2018, 57, 4777-4787. | 1.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A decision support platform for a bio-based supply chain: Application to the region of Lower Saxony and Bremen (Germany).. Computers and Chemical Engineering, 2018, 115, 233-242. | 2.0 | 14 |
| 38 | Valorization of Chitosan as Food Waste of Aquatic Organisms into 5-Hydroxymethylfurfural by Sulfamic Acid-Catalyzed Conversion Process. Energy Technology, 2018, 6, 1747-1754. | 1.8 | 19 |
| 39 | Concentrated Levulinic Acid Production from Sugar Cane Molasses. Energy & Fuels, 2018, 32, 3526-3531. | 2.5 | 19 |
| 40 | Efficient conversion of glucosamine to levulinic acid in a sulfamic acid-catalyzed hydrothermal reaction. RSC Advances, 2018, 8, 3198-3205. | 1.7 | 21 |
| 41 | Production of levulinic acid from glucosamine using zirconium oxychloride. Journal of Industrial and Engineering Chemistry, 2018, 61, 119-123. | 2.9 | 22 |
| 42 | Transdisciplinarity and the food energy and water nexus: Ecological modernization and supply chain sustainability perspectives. Resources, Conservation and Recycling, 2018, 133, 309-319. | 5.3 | 75 |
| 43 | Thermo-chemical conversion for production of levulinic and formic acids from glucosamine. Fuel Processing Technology, 2018, 172, 115-124. | 3.7 | 31 |
| 44 | Improved levulinic acid production from agri-residue biomass in biphasic solvent system through synergistic catalytic effect of acid and products. Bioresource Technology, 2018, 251, 143-150. | 4.8 | 41 |
| 45 | Optimization of hydrothermal conversion of bamboo (<i>Phyllostachys aureosulcata</i>) to levulinic acid via response surface methodology. Journal of Environmental Management, 2018, 219, 95-102. | 3.8 | 21 |
| 46 | Selective conversion of chitosan to levulinic acid catalysed by acidic ionic liquid: Intriguing NH ₂ effect in comparison with cellulose. Carbohydrate Polymers, 2018, 195, 267-274. | 5.1 | 41 |
| 47 | Kinetics study of levulinic acid production from corncobs by tin tetrachloride as catalyst. Bioresource Technology, 2018, 260, 150-156. | 4.8 | 30 |
| 48 | A microwave-assisted process for the in-situ production of 5-hydroxymethylfurfural and furfural from lignocellulosic polysaccharides in a biphasic reaction system. Journal of Cleaner Production, 2018, 187, 1014-1024. | 4.6 | 68 |
| 49 | Conversion of Biomass and Its Derivatives to Levulinic Acid and Levulinate Esters via Ionic Liquids. Industrial & Engineering Chemistry Research, 2018, 57, 4749-4766. | 1.8 | 69 |
| 50 | Hydrothermal carbonization of unwanted biomass materials: Effect of process temperature and retention time on hydrochar and liquid fraction. Journal of the Energy Institute, 2018, 91, 786-796. | 2.7 | 79 |
| 51 | Comparative evaluation of OrganoCat and selected advanced oxidation processes as pretreatment to enhance cellulose accessibility of rice straw. Journal of Environmental Chemical Engineering, 2018, 6, 3673-3680. | 3.3 | 8 |
| 52 | Review of direct chemical and biochemical transformations of starch. Carbohydrate Polymers, 2018, 181, 460-476. | 5.1 | 56 |
| 53 | Valorization of lignocellulosic fibres of paper waste into levulinic acid using solid and aqueous Brønsted acid. Bioresource Technology, 2018, 247, 387-394. | 4.8 | 55 |
| 54 | Hydrolytic pre-treatment methods for enhanced biobutanol production from agro-industrial wastes. Bioresource Technology, 2018, 249, 673-683. | 4.8 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Making Levulinic Acid and Ethyl Levulinate Economically Viable: A Worldwide Technoeconomic and Environmental Assessment of Possible Routes. <i>Energy Technology</i> , 2018, 6, 613-639. | 1.8 | 88 |
| 56 | Direct conversion of lignocellulose to levulinic acid catalyzed by ionic liquid. <i>Carbohydrate Polymers</i> , 2018, 181, 778-784. | 5.1 | 78 |
| 57 | Catalytic Conversion of Carbohydrates to Initial Platform Chemicals: Chemistry and Sustainability. <i>Chemical Reviews</i> , 2018, 118, 505-613. | 23.0 | 898 |
| 58 | Intensified 5-Hydroxymethylfurfural Production from Biomass Components over Aluminum-Based Mixed-Acid Catalyst in Co-Solvent Medium. <i>ChemistrySelect</i> , 2018, 3, 13391-13399. | 0.7 | 14 |
| 59 | Prediction of Thermodynamic Properties of Levulinic Acid via Molecular Simulation Techniques. <i>ACS Omega</i> , 2018, 3, 18877-18884. | 1.6 | 10 |
| 60 | Preparation of Novel Aromatic-Aliphatic Poly(ketone ester)s through Condensation of Biomass-Derived Monomers. <i>ChemCatChem</i> , 2018, 10, 5377-5381. | 1.8 | 7 |
| 61 | Valorization of galactose into levulinic acid via acid catalysis. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 2232-2240. | 1.2 | 9 |
| 62 | Evaluation of Separate and Simultaneous Kinetic Parameters for Levulinic Acid and Furfural Production from Pretreated Palm Oil Empty Fruit Bunches. <i>International Journal of Chemical Engineering</i> , 2018, 2018, 1-12. | 1.4 | 24 |
| 63 | Catalytic Hydrogenation of Levulinic Acid into Gamma-Valerolactone Over Ni/HZSM-5 Catalysts. <i>Catalysis Surveys From Asia</i> , 2018, 22, 129-135. | 1.0 | 18 |
| 64 | Enhanced hydrogen selectivity from catalytic decomposition of formic acid over FeZnInr nanocatalyst at room temperature. <i>Research on Chemical Intermediates</i> , 2018, 44, 6787-6802. | 1.3 | 11 |
| 65 | Kinetic study on oil palm biomass conversion to levulinic acid via indium trichloride-ionic liquids. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018, 164, 012007. | 0.2 | 3 |
| 66 | Vapor-liquid and liquid-liquid equilibrium modeling of systems involving ethanol, water, and ethyl valerate (valeric acid) using the PC-SAFT equation of state. <i>Fluid Phase Equilibria</i> , 2018, 474, 92-99. | 1.4 | 4 |
| 67 | Conversion of biomass components to methyl levulinate over an ultra-high performance fiber catalyst in impellers of the agitation system. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 65, 264-271. | 2.9 | 13 |
| 68 | Valorization of chitosan into levulinic acid by hydrothermal catalytic conversion with methanesulfonic acid. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 1290-1296. | 1.2 | 20 |
| 69 | Crystalline niobium phosphates with water-tolerant and adjustable Lewis acid sites for the production of lactic acid from triose sugars. <i>Sustainable Energy and Fuels</i> , 2018, 2, 1530-1541. | 2.5 | 26 |
| 70 | Linear and macrocyclic water soluble polyacylhydrazones and their utilisation in coatings. <i>Progress in Organic Coatings</i> , 2018, 121, 38-44. | 1.9 | 4 |
| 71 | Technoeconomic assessment of carboxylic acids, furfural, and pellet production in a pine sawdust biorefinery. <i>Biofuels, Bioproducts and Biorefining</i> , 2018, 12, 997-1012. | 1.9 | 30 |
| 72 | Experimental and Mathematical Simulation of Noncompetitive and Competitive Adsorption Dynamic of Formic Acid-Levulinic Acid-5-Hydroxymethylfurfural from Single, Binary, and Ternary Systems in a Fixed-Bed Column of SY-01 Resin. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 8518-8528. | 1.8 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Microwave-assisted one-pot conversion of agro-industrial wastes into levulinic acid: An alternate approach. <i>Bioresource Technology</i> , 2018, 265, 471-479. | 4.8 | 26 |
| 74 | From lignocellulosic biomass to levulinic acid: A review on acid-catalyzed hydrolysis. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 94, 340-362. | 8.2 | 407 |
| 75 | Conversion of Lignocellulosic Biomass Into Platform Chemicals for Biobased Polyurethane Application. <i>Advances in Bioenergy</i> , 2018, 3, 161-213. | 0.5 | 51 |
| 76 | The Biorefinery Approach. , 2019, , 1383-1412. | | 1 |
| 77 | Catalytic Production of Levulinic Acid (LA) from Actual Biomass. <i>Molecules</i> , 2019, 24, 2760. | 1.7 | 76 |
| 78 | Insights into the levulinate-based ionic liquid class: synthesis, cellulose dissolution evaluation and ecotoxicity assessment. <i>New Journal of Chemistry</i> , 2019, 43, 13010-13019. | 1.4 | 32 |
| 79 | Production of levulinic acid from glucose in sulfolane/water mixtures. <i>Chemical Engineering Research and Design</i> , 2019, 148, 291-297. | 2.7 | 25 |
| 80 | Production of biofuel precursors and value-added chemicals from hydrolysates resulting from hydrothermal processing of biomass: A review. <i>Biomass and Bioenergy</i> , 2019, 130, 105397. | 2.9 | 62 |
| 81 | Microwave-Assisted One-Step Conversion of Wood Wastes into Levulinic Acid. <i>Catalysts</i> , 2019, 9, 753. | 1.6 | 8 |
| 82 | Renewable sources: applications in personal care formulations. <i>International Journal of Cosmetic Science</i> , 2019, 41, 517-525. | 1.2 | 28 |
| 83 | Extraction of Carboxylic Acids from Aqueous Solutions by Using [BMim][NTf ₂] and Salting-out Agents. <i>Journal of Chemical & Engineering Data</i> , 2019, 64, 4717-4723. | 1.0 | 2 |
| 84 | Straightforward synthesis of calcium levulinate from biomass-derived levulinic acid and calcium carbonate in egg-shells. <i>Materials Today: Proceedings</i> , 2019, 17, 77-84. | 0.9 | 6 |
| 85 | Catalytic Upgrading of Renewable Levulinic Acid to Levulinate Esters Using Perchloric Acid Decorated Nanoporous Silica Gels. <i>ChemistrySelect</i> , 2019, 4, 1403-1409. | 0.7 | 43 |
| 86 | Catalytic hydrolysis of cellulose to levulinic acid by partly replacing sulfuric acid with Nafion [®] NR50 catalyst. <i>Biomass Conversion and Biorefinery</i> , 2019, 9, 609-616. | 2.9 | 7 |
| 87 | Synthesis and Characterization of Zirconia Supported Silicotungstic Acid for Ethyl Levulinate Production. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 16045-16054. | 1.8 | 22 |
| 88 | Renewable routes to monomeric precursors of nylon 66 and nylon 6 from food waste. <i>Journal of Cleaner Production</i> , 2019, 227, 624-633. | 4.6 | 50 |
| 89 | Valorization of paper and pulp waste: Opportunities and prospects of biorefinery. , 2019, , 623-656. | | 6 |
| 90 | Catalytic synthesis of chloroacetates with thermoregulated ionic liquids based on vanadium-substituted polyoxometalate. <i>RSC Advances</i> , 2019, 9, 8404-8410. | 1.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Levulinic acid synthesis from Indonesian sugarcane bagasse using two-step acid catalyzed treatment. AIP Conference Proceedings, 2019, , . | 0.3 | 3 |
| 92 | Synthesis of a novel category of pseudo-peptides using an Ugi three-component reaction of levulinic acid as bifunctional substrate, amines, and amino acid-based isocyanides. Beilstein Journal of Organic Chemistry, 2019, 15, 852-857. | 1.3 | 7 |
| 93 | Synergistic Effect of Different Species in Stannic Chloride Solution on the Production of Levulinic Acid from Biomass. ACS Sustainable Chemistry and Engineering, 2019, 7, 5176-5183. | 3.2 | 40 |
| 94 | Levulinate amidinium protic ionic liquids (PILs) as suitable media for the dissolution and levulination of cellulose. New Journal of Chemistry, 2019, 43, 4554-4561. | 1.4 | 36 |
| 95 | Balanced distribution of Brønsted acidic sites and Lewis acidic sites for highly selective conversion of xylose into levulinic acid/ester over Zr-beta catalysts. Green Chemistry, 2019, 21, 6634-6645. | 4.6 | 63 |
| 96 | Catalytic conversion of furfuryl alcohol to n-hexyl levulinate using modified dendritic fibrous nanosilica. Chemical Engineering Journal, 2019, 361, 450-460. | 6.6 | 22 |
| 97 | Recent advances for sustainable production of levulinic acid in ionic liquids from biomass: Current scenario, opportunities and challenges. Renewable and Sustainable Energy Reviews, 2019, 102, 266-284. | 8.2 | 69 |
| 98 | Valorisation of Biomass Derived Furfural and Levulinic Acid by Highly Efficient Pd@ND Catalyst. Energy Technology, 2019, 7, 269-276. | 1.8 | 12 |
| 99 | Production of 5-hydroxymethylfurfural and levulinic acid from lignocellulosic biomass and catalytic upgradation. Industrial Crops and Products, 2019, 130, 184-197. | 2.5 | 205 |
| 100 | HReO4 as highly efficient and selective catalyst for the conversion of carbohydrates into value added chemicals. Molecular Catalysis, 2019, 465, 87-94. | 1.0 | 30 |
| 101 | Thermodynamic analysis, experimental and kinetic modeling of levulinic acid esterification with ethanol at supercritical conditions. Fuel, 2020, 260, 116376. | 3.4 | 11 |
| 102 | Sulfated Zirconia with Different Crystal Phases for the Production of Ethyl Levulinate and 5-Hydroxymethylfurfural. Energy Technology, 2020, 8, 1900951. | 1.8 | 15 |
| 103 | Hot water-promoted catalyst-free reductive cycloamination of (bio-)keto acids with HCOONH4 toward cyclic amides. Journal of Supercritical Fluids, 2020, 157, 104698. | 1.6 | 12 |
| 104 | Pretreatment of agroindustry waste by ozonolysis for synthesis of biorefinery products. , 2020, , 303-336. | | 7 |
| 105 | Effect of grafting solvent in the optimisation of Sba-15 acidity for levulinic acid production. Catalysis Today, 2020, 345, 183-189. | 2.2 | 13 |
| 106 | Catalytic routes for the conversion of lignocellulosic biomass to aviation fuel range hydrocarbons. Renewable and Sustainable Energy Reviews, 2020, 120, 109612. | 8.2 | 97 |
| 107 | Direct Production of Levulinic Acid in One Pot from Hemp Hurd by Dilute Acid in Ionic Liquids. Energy & Fuels, 2020, 34, 1764-1772. | 2.5 | 23 |
| 108 | The challenge of converting biomass polysaccharides into levulinic acid through heterogeneous catalytic processes. Biofuels, Bioproducts and Biorefining, 2020, 14, 417-445. | 1.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Discovery of the RAFT/MADIX Process: Mechanistic Insights and Polymer Chemistry Implications. <i>Macromolecules</i> , 2020, 53, 8144-8159. | 2.2 | 36 |
| 110 | Production of Levulinic Acid from Cellulose and Cellulosic Biomass in Different Catalytic Systems. <i>Catalysts</i> , 2020, 10, 1006. | 1.6 | 33 |
| 111 | A comprehensive experimental study on the production of key platform chemicals from raw biomass. <i>Fuel</i> , 2020, 280, 118674. | 3.4 | 8 |
| 112 | Sulfated attapulgite for catalyzing the conversion of furfuryl alcohol to ethyl levulinate: Impacts of sulfonation on structural transformation and evolution of acidic sites on the catalyst. <i>Renewable Energy</i> , 2020, 162, 1576-1586. | 4.3 | 16 |
| 113 | Recovery of yttrium and europium from spent fluorescent lamps using pure levulinic acid and the deep eutectic solvent levulinic acidâ€“choline chloride. <i>RSC Advances</i> , 2020, 10, 28879-28890. | 1.7 | 33 |
| 114 | The performance of 1,3-dipropyl-2-(2-propoxyphenyl)-4,5-diphenylimidazolium iodide based ionic liquid for biomass conversion into levulinic acid and formic acid. <i>Bioresource Technology</i> , 2020, 315, 123864. | 4.8 | 33 |
| 115 | Co-Oligomers of Renewable and â€œInertâ€•2-MeTHF and Propylene Oxide for Use in Bio-Based Adhesives. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 13467-13480. | 3.2 | 6 |
| 116 | Direct Alcoholysis of Carbohydrate Precursors and Real Cellulosic Biomasses to Alkyl Levulinates: A Critical Review. <i>Catalysts</i> , 2020, 10, 1221. | 1.6 | 29 |
| 117 | New Intensification Strategies for the Direct Conversion of Real Biomass into Platform and Fine Chemicals: What Are the Main Improvable Key Aspects?. <i>Catalysts</i> , 2020, 10, 961. | 1.6 | 16 |
| 118 | Electrocatalytic Hydrogenation of Biomass-Derived Organics: A Review. <i>Chemical Reviews</i> , 2020, 120, 11370-11419. | 23.0 | 185 |
| 119 | Conversion of delignified stem sorghum bicolor into levulinic acid using micro and mesoporous ZSM-5 catalysts. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 902, 012050. | 0.3 | 0 |
| 120 | Separation of Levulinic Acid by Reaction with Tri- <i>n</i> -butylphosphate Diluted in Nontoxic Solvents. <i>Journal of Chemical & Engineering Data</i> , 2020, 65, 3002-3007. | 1.0 | 13 |
| 121 | Process Design and Technoeconomic Assessment of the Extraction of Levulinic Acid from Biomass Hydrolysate Using <i>n</i> -Butyl Acetate, Hexane, and 2-Methyltetrahydrofuran. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 11031-11041. | 1.8 | 11 |
| 122 | A new nano-catalyst for sawdust hydrolysis. <i>Applied Catalysis A: General</i> , 2020, 602, 117686. | 2.2 | 3 |
| 123 | Poly(4-ketovalerolactone) from Levulinic Acid: Synthesis and Hydrolytic Degradation. <i>Macromolecules</i> , 2020, 53, 4952-4959. | 2.2 | 9 |
| 124 | Valorization of thermochemical conversion of lipid-extracted microalgae to levulinic acid. <i>Bioresource Technology</i> , 2020, 313, 123684. | 4.8 | 23 |
| 125 | Conversion of biomass to chemicals using ionic liquids. , 2020, , 1-30. | | 3 |
| 126 | Production of C-14 Levulinate Ester from Glucose Fermentation Liquors Catalyzed by Acidic Ionic Liquids in a Solvent-Free Self-Biphasic System. <i>ACS Omega</i> , 2020, 5, 4828-4835. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | An energy-saving re-use strategy for the treatment of lignocellulosic biomass applied to the production of levulinic acid. <i>Journal of Cleaner Production</i> , 2020, 257, 120549. | 4.6 | 13 |
| 128 | An integrated effluent free process for the production of 5-hydroxymethyl furfural (HMF), levulinic acid (LA) and KNS-ML from aqueous seaweed extract. <i>Carbohydrate Research</i> , 2020, 490, 107953. | 1.1 | 14 |
| 129 | Sulfated TiO ₂ nanosheets catalyzing conversion of biomass derivatives: influences of the sulfation on distribution of Brønsted and Lewis acidic sites. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 1337-1347. | 1.6 | 17 |
| 130 | Kinetic investigation of dilute acid hydrolysis of hardwood pulp for microcrystalline cellulose production. <i>Carbohydrate Research</i> , 2020, 488, 107910. | 1.1 | 15 |
| 131 | New Eco-Friendly Xanthate-Based Flotation Agents. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 350. | 0.8 | 6 |
| 132 | Designing Biomass Rice Husk Silica as an Efficient Catalyst for the Synthesis of Biofuel Additive n-Butyl Levulinate. <i>Bioenergy Research</i> , 2020, 13, 746-756. | 2.2 | 10 |
| 133 | Challenges to Levulinic Acid and Humins Valuation in the Sugarcane Bagasse Biorefinery Concept. <i>Bioenergy Research</i> , 2020, 13, 757-774. | 2.2 | 21 |
| 134 | High surface area biochar from <i>Sargassum tenerrimum</i> as potential catalyst support for selective phenol hydrogenation. <i>Environmental Research</i> , 2020, 186, 109533. | 3.7 | 49 |
| 135 | Inexpensive and tuneable protic ionic liquids based on sulfuric acid for the biphasic synthesis of alkyl levulinates. <i>Journal of Molecular Liquids</i> , 2020, 308, 113166. | 2.3 | 19 |
| 136 | Valorization of Sugarcane Bagasse to a Platform Chemical (Levulinic Acid) Catalysed by 1-Butyl-2,3-dimethylimidazolium Tetrafluoroborate ([BMIm][BF ₄]). <i>Waste and Biomass Valorization</i> , 2021, 12, 199-209. | 1.8 | 8 |
| 137 | Sustainable production of fuels and chemicals from biomass over niobium based catalysts: A review. <i>Catalysis Today</i> , 2021, 374, 61-76. | 2.2 | 30 |
| 138 | Valorization of textile waste hydrolysate for hydrogen gas and levulinic acid production. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 4992-4997. | 3.8 | 6 |
| 139 | Pretreatment methods for an effective conversion of oil palm biomass into sugars and high-value chemicals. <i>Biomass and Bioenergy</i> , 2021, 144, 105901. | 2.9 | 34 |
| 140 | Thermochemical conversion of defatted microalgae <i>Scenedesmus obliquus</i> into levulinic and formic acids. <i>Fuel</i> , 2021, 283, 118907. | 3.4 | 20 |
| 141 | Niobium based macromolecule preparation and its potential application in biomass derived levulinic acid esterification. <i>Inorganic Chemistry Communication</i> , 2021, 123, 108302. | 1.8 | 6 |
| 142 | Optimization of Levulinic Acid Production from Depithed Sugarcane Bagasse in 1-Ethyl-3-methylimidazolium hydrogen sulfate [EMIm][HSO ₄]. <i>Waste and Biomass Valorization</i> , 2021, 12, 3179-3191. | 1.8 | 8 |
| 143 | Levulinic Acid- and Furan-Based Multifunctional Materials: Opportunities and Challenges. , 2021, , 291-343. | | 0 |
| 144 | Solid Acid-Catalyzed Esterification of Levulinic Acid for Production of Value-Added Chemicals. , 2021, , 345-382. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Choline chloride-promoted efficient solvent-free hydrogenation of biomass-derived levulinic acid to β -valerolactone over Ru/C. <i>Green Chemistry</i> , 2021, 23, 1983-1988. | 4.6 | 18 |
| 146 | Evaluation of Xylooligosaccharides Production for a Specific Degree of Polymerization by Liquid Hot Water Treatment of Tropical Hardwood. <i>Foods</i> , 2021, 10, 463. | 1.9 | 13 |
| 147 | Recent advances in the production and value addition of selected hydrophobic analogs of biomass-derived 5-(hydroxymethyl)furfural. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 2571-2593. | 2.9 | 17 |
| 148 | Novel Intensified Alternatives for Purification of Levulinic Acid Recovered from Lignocellulosic Biomass. <i>Processes</i> , 2021, 9, 490. | 1.3 | 5 |
| 149 | Metabolic engineering of <i>Saccharomyces cerevisiae</i> for the production of top value chemicals from biorefinery carbohydrates. <i>Biotechnology Advances</i> , 2021, 47, 107697. | 6.0 | 67 |
| 150 | Prospecting Biochemical Pathways to Implement Microbe-Based Production of the New-to-Nature Platform Chemical Levulinic Acid. <i>ACS Synthetic Biology</i> , 2021, 10, 724-736. | 1.9 | 13 |
| 151 | Techno-economics of lignocellulose biorefineries at South African sugar mills using the biofine process to co-produce levulinic acid, furfural and electricity along with gamma valeractone. <i>Biomass and Bioenergy</i> , 2021, 146, 106008. | 2.9 | 17 |
| 152 | Nitrogen-doped graphene supported Ni as an efficient and stable catalyst for levulinic acid hydrogenation. <i>Nanotechnology</i> , 2021, , . | 1.3 | 0 |
| 153 | Statistical optimization of levulinic acid and formic acid production from lipid-extracted residue of <i>Chlorella vulgaris</i> . <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105142. | 3.3 | 21 |
| 154 | Platform chemicals production from lipid-extracted <i>Chlorella vulgaris</i> through an eco-friendly catalyst. <i>Korean Journal of Chemical Engineering</i> , 2021, 38, 997-1005. | 1.2 | 6 |
| 155 | Recent Advances in the Value Addition of Biomass-Derived Levulinic Acid: A Review Focusing on its Chemical Reactivity Patterns. <i>ChemCatChem</i> , 2021, 13, 3202-3222. | 1.8 | 41 |
| 156 | Preparation of energy platform chemicals by hydrothermal conversion of citrus peel. <i>Energy Science and Engineering</i> , 2021, 9, 1033-1041. | 1.9 | 4 |
| 157 | Efficient direct conversion of lignocellulosic biomass into biobased platform chemicals in ionic liquid-water medium. <i>Renewable Energy</i> , 2021, 169, 1051-1057. | 4.3 | 26 |
| 158 | Solubility Temperature Dependence of Bio-Based Levulinic Acid, Furfural, and Hydroxymethylfurfural in Water, Nonpolar, Polar Aprotic and Protic Solvents. <i>Processes</i> , 2021, 9, 924. | 1.3 | 18 |
| 159 | Hydrothermal conversion of microalgae <i>Chlorella</i> sp. into 5-hydroxymethylfurfural and levulinic acid by metal sulfate catalyst. <i>Biomass and Bioenergy</i> , 2021, 148, 106053. | 2.9 | 18 |
| 160 | Conversion of Xylose to Furfural Catalyzed by Carbon-Based Solid Acid Prepared from Pectin. <i>Energy & Fuels</i> , 2021, 35, 9961-9969. | 2.5 | 23 |
| 161 | Conversion of levulinic acid to valuable chemicals: a review. <i>Journal of Chemical Technology and Biotechnology</i> , 2021, 96, 3009-3024. | 1.6 | 29 |
| 162 | Esterification of levulinic acid to ethyl levulinate: optimization of process conditions using commercial levulinic acid and extension to the use of levulinic acid derived from depithed sugarcane bagasse. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 3113-3122. | 2.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Study of pequi peel pyrolysis: Thermal decomposition analysis and product characterization. <i>Biomass and Bioenergy</i> , 2021, 149, 106095. | 2.9 | 7 |
| 164 | From Waste to Value—Direct Utilization of β -Angelica Lactone as a Nonconventional Irreversible Acylating Agent in a Chromatography-Free Lipase-Catalyzed KR Approach toward <i>sec</i> -Alcohols. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 10276-10290. | 3.2 | 4 |
| 165 | A review on biomass-derived levulinic acid for application in drug synthesis. <i>Critical Reviews in Biotechnology</i> , 2022, 42, 220-253. | 5.1 | 12 |
| 166 | Methanesulfonic acid-mediated conversion of microalgae <i>Scenedesmus obliquus</i> biomass into levulinic acid. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 104, 85-85. | 2.9 | 2 |
| 167 | Preparation of Alkyl Levulinates from Xylose Over Modified Bifunctional Mesoporous Zirconium Phosphate Catalysts. <i>Catalysis Letters</i> , 0, , 1. | 1.4 | 1 |
| 168 | Valorization of microalgae into 5-hydroxymethylfurfural by two-step conversion with ferric sulfate. <i>Journal of Environmental Management</i> , 2021, 293, 112919. | 3.8 | 10 |
| 169 | Sulfated ordinary clay for acid-catalyzed conversion of biomass derivatives: Impacts of abundance and types of acidic sites on catalytic performance. <i>Journal of Solid State Chemistry</i> , 2021, 301, 122302. | 1.4 | 1 |
| 170 | Sustainable Exploitation of Residual <i>Cynara cardunculus</i> L. to Levulinic Acid and <i>n</i> -Butyl Levulinate. <i>Catalysts</i> , 2021, 11, 1082. | 1.6 | 11 |
| 171 | Less severe reaction conditions to produce levulinic acid with reduced humins formation at the expense of lower biomass conversion: Is it economically feasible?. <i>Fuel Communications</i> , 2021, 9, 100029. | 2.0 | 4 |
| 172 | A review on solid acid catalysis for sustainable production of levulinic acid and levulinate esters from biomass derivatives. <i>Bioresource Technology</i> , 2021, 342, 125977. | 4.8 | 47 |
| 173 | Optimization and green metrics analysis of the liquid-phase synthesis of <i>sec</i> -butyl levulinate by esterification of levulinic acid with 1-butene over ion-exchange resins. <i>Fuel Processing Technology</i> , 2021, 220, 106893. | 3.7 | 10 |
| 174 | Synthesis of bio-based 2-thiothiophenes. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2021, 379, 20200350. | 1.6 | 0 |
| 175 | Dissolution pretreatment of cellulose by using levulinic acid-based protic ionic liquids towards enhanced enzymatic hydrolysis. <i>Carbohydrate Polymers</i> , 2021, 269, 118271. | 5.1 | 32 |
| 176 | Direct conversion of cellulose to levulinic acid using SO ₃ H-functionalized ionic liquids containing halogen-anions. <i>Journal of Molecular Liquids</i> , 2021, 339, 117278. | 2.3 | 13 |
| 177 | Production of long-chain hydrocarbon biofuels from biomass-derived platform chemicals: Catalytic approaches and challenges. , 2022, , 327-354. | | 2 |
| 178 | Levulinic acid. , 2022, , 127-146. | | 0 |
| 179 | 2-MeTHF. , 2021, , 75-98. | | 2 |
| 180 | Polyvinyl alcohol modification with sustainable ketones. <i>Polymer Chemistry</i> , 2021, 12, 4961-4973. | 1.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | Earth-abundant 3d-transition-metal catalysts for lignocellulosic biomass conversion. <i>Chemical Society Reviews</i> , 2021, 50, 6042-6093. | 18.7 | 104 |
| 182 | Other Drop-In Liquid Biofuels. <i>Green Energy and Technology</i> , 2019, , 405-450. | 0.4 | 2 |
| 183 | Contribution to the production and use of biomass-derived solvents – a review. <i>Acta Innovations</i> , 2020, , 29-56. | 0.4 | 21 |
| 184 | The Biorefinery Approach. , 2018, , 1-30. | | 2 |
| 185 | Production of Liquid Biofuels from Biomass. <i>Green Energy and Technology</i> , 2019, , 1-33. | 0.4 | 1 |
| 186 | Feasibility of the Conversion of Sugarcane Molasses to Levulinic Acid: Reaction Optimization and Techno-Economic Analysis. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 15646-15657. | 1.8 | 6 |
| 187 | Levulinic acid: perspectives of its biobased production and most promising derivatives. , 2022, , 387-414. | | 5 |
| 188 | Production of chemicals from marine biomass catalysed by acidic ionic liquids. <i>Green Chemistry</i> , 2021, 23, 9800-9814. | 4.6 | 13 |
| 189 | Glucose to Levulinic acid, a versatile building block chemical. <i>AIP Conference Proceedings</i> , 2020, , . | 0.3 | 6 |
| 190 | A review of thermal catalytic and electrochemical hydrogenation approaches for converting biomass-derived compounds to high-value chemicals and fuels. <i>Fuel Processing Technology</i> , 2022, 226, 107097. | 3.7 | 38 |
| 191 | Biofuels and bioproducts from industrial hemp. <i>Advances in Bioenergy</i> , 2021, 6, 301-338. | 0.5 | 4 |
| 192 | Nanocrystalline rhenium-doped TiO ₂ : an efficient catalyst in the one-pot conversion of carbohydrates into levulinic acid. The synergistic effect between Brønsted and Lewis acid sites. <i>Catalysis Science and Technology</i> , 2022, 12, 167-180. | 2.1 | 4 |
| 193 | Insights into cascade and sequential one-pot pathways for reductive amination of aldehydes paired with bio-derived levulinic acid to <i>N</i> -substituted pyrrolidones using molecular hydrogen. <i>Reaction Chemistry and Engineering</i> , 2022, 7, 1005-1013. | 1.9 | 4 |
| 194 | Biobased Protic Ionic Liquids as Sustainable Solvents for Wool Keratin/Cellulose Simultaneous Dissolution: Solution Properties and Compositing Membrane Preparation. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 2158-2168. | 3.2 | 14 |
| 195 | Production of levulinic acid and alkyl levulinates: a process insight. <i>Green Chemistry</i> , 2022, 24, 614-646. | 4.6 | 84 |
| 196 | Integrated bio-based processes for the production of industrially important chemicals. , 2022, , 163-187. | | 1 |
| 197 | Subcritical Water Hydrolysis of Sweet Sorghum (<i>Sorghum Bicolor</i> L Moench) Bagasse Pretreated with Ionic Liquid ([Bmin]Cl) for Enhance Bioproducts and Sugar Production. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 198 | The production of levulinic acid and formic acid from red macroalga <i>Kappaphycus alvarezii</i> using methanesulfonic acid. <i>Bioresource Technology Reports</i> , 2022, 17, 100954. | 1.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Defining the Macromolecules of Tomorrow through Synergistic Sustainable Polymer Research. <i>Chemical Reviews</i> , 2022, 122, 6322-6373. | 23.0 | 99 |
| 200 | Esters as a potential renewable fuel: A review of the combustion characteristics. <i>Fuel Processing Technology</i> , 2022, 229, 107185. | 3.7 | 20 |
| 201 | Potential of Canola Feedstocks for Fermentable Sugars Production by Subcritical Water Hydrolysis. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 203 | Recent advances in the chemical valorization of cellulose and its derivatives into ester compounds. <i>Green Chemistry</i> , 2022, 24, 3895-3921. | 4.6 | 15 |
| 204 | Elucidating the thermal decomposition mechanism and pyrolysis characteristics of biorefinery-derived humins from sugarcane bagasse and rice husk. <i>Bioenergy Research</i> , 2022, 15, 2026-2044. | 2.2 | 2 |
| 205 | Propylsulfonic Acid-Functionalized Mesostructured Natural Rubber/Silica Nanocomposites as Promising Hydrophobic Solid Catalysts for Alkyl Levulinate Synthesis. <i>Nanomaterials</i> , 2022, 12, 604. | 1.9 | 9 |
| 207 | Kinetic Study of Levulinic Acid from <i>Spirulina platensis</i> Residue. <i>Applied Biochemistry and Biotechnology</i> , 2022, , 1. | 1.4 | 3 |
| 208 | Effect of Rhenium on the Catalytic Activity of Activated Carbon-Supported Nickel Applied in the Hydrogenation of Furfural and Levulinic Acid. <i>Topics in Catalysis</i> , 0, , . | 1.3 | 3 |
| 209 | Catalytic wet air oxidation of d-glucose by perovskite type oxides (Fe, Co, Mn) for the synthesis of value-added chemicals. <i>Carbohydrate Research</i> , 2022, 514, 108529. | 1.1 | 8 |
| 210 | Defatted rice bran pretreated with deep eutectic solvents and sequential use as feedstock for subcritical water hydrolysis. <i>Bioresource Technology</i> , 2022, 351, 127063. | 4.8 | 13 |
| 211 | Techno-economic evaluation of a biorefinery to produce $\hat{1}^3$ -valerolactone (GVL), 2-methyltetrahydrofuran (2-MTHF) and 5-hydroxymethylfurfural (5-HMF) from spruce. <i>Renewable Energy</i> , 2022, 190, 396-407. | 4.3 | 16 |
| 212 | Pursuing efficient systems for glucose transformation to levulinic acid: Homogeneous vs. heterogeneous catalysts and the effect of their co-action. <i>Fuel</i> , 2022, 318, 123712. | 3.4 | 10 |
| 213 | Recent advances in the conversion of lignocellulosic biomass and its degraded products to levulinic acid: A synergy of Brønsted-Lowry acid and Lewis acid. <i>Industrial Crops and Products</i> , 2022, 181, 114778. | 2.5 | 14 |
| 214 | Levulinic Acid Production from Macroalgae: Production and Promising Potential in Industry. <i>Sustainability</i> , 2021, 13, 13919. | 1.6 | 5 |
| 215 | Use of heterogeneous catalysis in sustainable biofuel production. <i>ChemistrySelect</i> , 2022, , . | 0.7 | 1 |
| 216 | SOME RECENT DEVELOPMENTS IN VALORIZATION OF CHITOSAN TO A VALUABLE PLATFORM CHEMICAL 5-HYDROXYMETHYLFURFURAL (5-HMF): A SHORT REVIEW. <i>Catalysis in Green Chemistry and Engineering</i> , 2022, 5, 1-18. | 0.2 | 1 |
| 217 | Pretreatment of Corn Stover by Levulinic Acid-Based Protic Ionic Liquids for Enhanced Enzymatic Hydrolysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 7134-7148. | 3.2 | 8 |
| 218 | Furfural production from biomass residues: Current technologies, challenges and future prospects. <i>Biomass and Bioenergy</i> , 2022, 161, 106458. | 2.9 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 219 | Experimental and Kinetic Modeling of Galactose Valorization to Levulinic Acid. <i>Bulletin of Chemical Reaction Engineering and Catalysis</i> , 2022, 17, 451-465. | 0.5 | 1 |
| 220 | Electrodeposition synthesis of free-standing metal/carbon felts electrodes for electrocatalytic hydrogenation of levulinic acid. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 22763-22774. | 3.8 | 6 |
| 221 | Bioprocessing of biowaste derived from food supply chain side-streams for extraction of value added bioproducts through biorefinery approach. <i>Food and Chemical Toxicology</i> , 2022, 165, 113184. | 1.8 | 6 |
| 222 | Recent advances on solid acid catalytic systems for production of 5-Hydroxymethylfurfural from biomass derivatives. <i>Fuel Processing Technology</i> , 2022, 234, 107338. | 3.7 | 25 |
| 223 | Vapor-Liquid Equilibrium (VLE) Curve for Furfural Purification from Oil Palm Empty Fruit Bunch Hydrolysate Solution with the UNIQUAC Model. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 1034, 012048. | 0.2 | 0 |
| 224 | Kinetic Study on the Sulfuric Acid-Catalyzed Conversion of Galactose to Levulinic Acid in Water. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 9178-9191. | 1.8 | 2 |
| 225 | Potential of canola feedstocks for fermentable sugars production by subcritical water hydrolysis. <i>Biomass and Bioenergy</i> , 2022, 162, 106505. | 2.9 | 5 |
| 226 | Levulinic acid: a potent green chemical in sustainable agriculture. , 2022, , 179-218. | | 1 |
| 227 | Understanding the impact of different pretreatment methods on the conversion of <i>Casuarina equisetifolia</i> biomass to 5-hydroxymethylfurfural and their energy cost assessment. <i>Industrial Crops and Products</i> , 2022, 186, 115275. | 2.5 | 4 |
| 228 | Modular Routes to 1,3-Dithian-2-ones and 1,2-Dithiolanes. <i>Organic Letters</i> , 0, , . | 2.4 | 2 |
| 229 | Investigation of solvent-free esterification of levulinic acid in the presence of tin(IV) complexes. <i>Molecular Catalysis</i> , 2022, 528, 112499. | 1.0 | 2 |
| 230 | Valorization of lipid-extracted spent coffee grounds: The synthesis of levulinic acid by thermochemical process. <i>Industrial Crops and Products</i> , 2022, 187, 115410. | 2.5 | 5 |
| 231 | A Convergent Approach to 1,3-Dithiolan-2-ones and an Unexpected Synthesis of Lactones. <i>Organic Letters</i> , 2022, 24, 5245-5248. | 2.4 | 2 |
| 232 | Synthesis of ethyl levulinate from furfuryl alcohol using waste yeast/sulfonic acid heterogeneous catalyst system. <i>Chemical Papers</i> , 2022, 76, 7535-7544. | 1.0 | 1 |
| 233 | Valorization of dairy by-products: Optimized synthesis of 5-hydroxymethylfurfural and levulinic acid from lactose and whey. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108413. | 3.3 | 2 |
| 234 | Effect of levulinic acid on production of polyhydroxyalkanoates from food waste by <i>Haloferax mediterranei</i> . <i>Environmental Research</i> , 2022, 214, 114001. | 3.7 | 11 |
| 235 | Modeling of sugarcane bagasse conversion to levulinic acid using response surface methodology (RSM), artificial neural networks (ANN), and fuzzy inference system (FIS): A comparative evaluation. <i>Fuel</i> , 2022, 329, 125409. | 3.4 | 10 |
| 236 | Introducing mesopore and regulating Al distribution for improving catalytic performances of ZSM-5 in furfuryl alcohol to levulinic acid. <i>Fuel</i> , 2022, 329, 125213. | 3.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 237 | Synthesis of energy rich fuel additive from biomass derived levulinic acid and furfuryl alcohol using novel tin-exchanged heteropoly acid supported on titania nanotubes as catalyst. <i>Fuel</i> , 2023, 331, 125700. | 3.4 | 12 |
| 238 | Micro/mesoporous LTL derived materials for catalytic transfer hydrogenation and acid reactions of bio-based levulinic acid and furanics. <i>Frontiers in Chemistry</i> , 0, 10, . | 1.8 | 1 |
| 239 | Advances in Biomass-Based Levulinic Acid Production. <i>Waste and Biomass Valorization</i> , 2023, 14, 1-22. | 1.8 | 7 |
| 240 | Aqueous conversion of monosaccharides to furans: were we wrong all along to use catalysts?. <i>Green Chemistry</i> , 2022, 24, 8523-8537. | 4.6 | 1 |
| 241 | The potency of HPLC-DAD and LC-MS/MS combined with ion chromatography for detection/purification of levulinic acid and bio-compounds from acid hydrolysis of OPEFB. <i>RSC Advances</i> , 2022, 12, 28638-28646. | 1.7 | 0 |
| 242 | A review of the methods for levulinic acid separation and extraction. <i>Biomass Conversion and Biorefinery</i> , 0, , . | 2.9 | 6 |
| 243 | Selective Conversion of Glucose to Levulinic Acid Catalyzed by HPAs/MOF-5 in a Hydrophilic Eutectic Solvent System. <i>Energy & Fuels</i> , 2022, 36, 14994-15003. | 2.5 | 2 |
| 245 | Sulphonic Acid-Functionalized Polymeric Ionic Liquids Catalyzed Conversion of Carbohydrates into Levulinic Acid in One-Pot Reaction. <i>ChemCatChem</i> , 2023, 15, . | 1.8 | 2 |
| 246 | Closing carbon and nitrogen cycles and addressing a critical global challenge: From seafood waste to sustainable chemicals. <i>Journal of Cleaner Production</i> , 2023, 388, 135931. | 4.6 | 2 |
| 247 | Analysis of hybrid separation schemes for levulinic acid separation by process intensification and assessment of thermophysical properties impact. <i>Separation and Purification Technology</i> , 2023, 310, 123166. | 3.9 | 6 |
| 248 | A Genetically Encoded Biosensor for the Detection of Levulinic Acid. <i>Journal of Microbiology and Biotechnology</i> , 2023, , . | 0.9 | 0 |
| 249 | State-of-the-Art Technologies for Production of Biochemicals from Lignocellulosic Biomass. , 2023, , 111-150. | | 0 |
| 250 | Recent advances, perspectives and challenges on levulinic acid production from residual biomass. <i>Biofuels, Bioproducts and Biorefining</i> , 2023, 17, 1068-1084. | 1.9 | 6 |
| 251 | Some Insights into the Use of Heterogeneous Copper Catalysts in the Hydroprocessing of Levulinic Acid. <i>Catalysts</i> , 2023, 13, 697. | 1.6 | 2 |
| 252 | Statistical approach for optimization of levulinic acid production from orange peel as agricultural waste. <i>Biofuels, Bioproducts and Biorefining</i> , 0, , . | 1.9 | 0 |
| 253 | Construction of electron-deficient zirconium sites for the efficient catalytic transfer hydrogenation of levulinic acid. <i>Fuel Processing Technology</i> , 2023, 247, 107777. | 3.7 | 1 |
| 262 | Comprehensive review on effective conversion of lignocellulosic biomass to levulinic acid. <i>Biomass Conversion and Biorefinery</i> , 0, , . | 2.9 | 1 |
| 264 | Organic Residues Valorization For Value-added Chemicals Production. , 2023, , 112-146. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 268 | Extraction, Isolation, Purification, and Potential Application of Xylose and Xylooligosaccharides from Lignocellulosic Biomass. Green Energy and Technology, 2024, , 229-267. | 0.4 | 0 |