Ropivacaine: a new local anaesthetic agent in maxillofacial surgery

DOI: 10.1016/j.bjoms.2015.02.021
British Journal of Oral and Maxillofacial Surgery, 2015, 53, 451-4.

#	Paper	IF	Citations
27	The Effectiveness of Ropivacaine and Mepivacaine in the Postoperative Pain after Third Lower Molar Surgery. *International Journal of Medical Sciences*, **2015**, 12, 862-6	3.7	11
26	Efficacy and safety of 1% ropivacaine for postoperative analgesia after lower third molar surgery: a prospective, randomized, double-blinded clinical study. *Clinical Oral Investigations*, **2017**, 21, 779-785	4.2	14
25	Synthesis, biological evaluation, and molecular docking of ropivacaine analogs as local anesthetic agents. *Medicinal Chemistry Research*, **2018**, 27, 954-965	2.2	2
24	Efficacy of dental local anesthetics: A review. *Journal of Dental Anesthesia and Pain Medicine*, **2018**, 18, 319-332	1.3	7
23	A randomized anesthethic potency comparison between ropivacaine and bupivacaine on the perioperative regional anesthesia in lower third molar surgery. *Journal of Cranio-Maxillo-Facial Surgery*, **2019**, 47, 1652-1660	3.6	8
22	Is 0.75% ropivacaine more efficacious than 2% lignocaine with 1:80,000 epinephrine for IANB in surgical extraction of impacted lower third molar?. *Oral and Maxillofacial Surgery*, **2019**, 23, 225-231	1.6	12
21	Ropivacaine versus placebo on postoperative analgesia and chronic pain following third molar extraction: A Prospective Randomized Controlled Study. *Journal of Stomatology, Oral and Maxillofacial Surgery*, **2020**, 121, 113-117	1.7	3
20	Local anaesthesia for surgical extraction of mandibular third molars: a systematic review and network meta-analysis. *Clinical Oral Investigations*, **2020**, 24, 3781-3800	4.2	2
19	A Comparative Study Evaluating the Efficacy of Lignocaine and Dexmedetomidine with Lignocaine and Adrenaline in Third Molar Surgery. *Journal of Maxillofacial and Oral Surgery*, **2020**, 1	0.9	
18	Which is the most suitable local anaesthetic when inferior nerve blocks are used for impacted mandibular third molar extraction? A network meta-analysis. *International Journal of Oral and Maxillofacial Surgery*, **2020**, 49, 1497-1507	2.9	5
17	Effectiveness of anesthetic solutions for pain control in lower third molar extraction surgeries: a systematic review of randomized clinical trials with network meta-analysis. *Clinical Oral Investigations*, **2021**, 25, 1-22	4.2	0
16	Effect of epinephrine on the distribution of ropivacaine and lidocaine using radioactive isotopes in rat maxilla and pulp. *Odontology / the Society of the Nippon Dental University*, **2021**, 109, 168-173	3.6	
15	Local anesthesia in oral and maxillofacial surgery: A review of current opinion. *Journal of Dental Sciences*, **2021**, 16, 1055-1065	2.5	4
14	Comparative Analysis of the Anesthetic Efficacy of 0.5% Ropivacaine Versus 2% Lignocaine Hydrochloride with Adrenaline (1:80,000) for Inferior Alveolar Nerve Block in Surgical Removal of Impacted Mandibular Third Molars. *Journal of Maxillofacial and Oral Surgery*, **2021**, 20, 234-239	0.9	
13	Comparison of clinical efficacy of ropivacaine and lignocaine with adrenaline for implant surgery anesthesia: a split-mouth randomized controlled clinical trial. *Journal of Dental Anesthesia and Pain Medicine*, **2021**, 21, 337-344	1.3	1
12	Evaluation of the Efficacy of Regional Anesthesia and Intramuscular Diclofenac in the Management of Postoperative Pain: A Comparative Study. *Journal of Pharmacy and Bioallied Sciences*, **2021**, 13, S473-S475	1.1	
11	Efficacy of a conventional inferior alveolar nerve block compared to the Vazirani-Akinosi and Gow-Gates techniques for mandibular anesthesia. *Scientific Dental Journal*, **2021**, 5, 20	0.1	

10	Percutaneous Radiofrequency Hip Joint Denervation.		
9	A meta-analysis on the efficacy of the ropivacaine infiltration in comparison with other dental anesthetics. *Clinical Oral Investigations*, **2021**, 25, 6779-6790	4.2	1
8	Comparison of anaesthetic efficacy of ropivacaine (0.75% & 0.5%) with 2% lignocaine with adrenaline (1:200000) in surgical extraction of bilateral mandibular 3 molars using IANB:a prospective, randomized, single blind study. *Journal of Oral Biology and Craniofacial Research*, **2021**, 11, 263-268	2.6	1
7	The role of local anaesthesia in intra-operative pain management in dental practice. *BDJ*, **2021**, 22, 24-35	0	2
6	Twin Mixed Local Anesthesia in Third Molar Surgery - Randomized Controlled Trial. *Journal of Oral and Maxillofacial Surgery*, **2021**,	1.8	1
5	A convenient and highly enantioselective synthesis of (S)-2-pipecolic acid: an efficient access to caine anesthetics. *Synthetic Communications*, 1-6	1.7	0
4	Anesthesia and pain management. **2020**, 22-43.e1		2
3	Clinical efficacy of 0.75% ropivacaine vs. 2% lignocaine hydrochloride with adrenaline (1:80,000) in patients undergoing removal of bilateral maxillary third molars: a randomized controlled trial. *Journal of Dental Anesthesia and Pain Medicine*, **2021**, 21, 451-459	1.3	
2	Analysis of efficacy of adding dexamethasone to ropivacaine in oral surgery. *Acta Stomatologica Naissi*, **2017**, 33, 1754-1762	0.1	0
1	The Comparative Evaluation of the Anesthetic Efficacy of 4% Articaine With 1:100,000 Adrenaline and 0.75% Ropivacaine for Inferior Alveolar Nerve Block in the Extraction of Impacted Lower Third Molar. **2022**,		0