Comparison of Physical Impairment, Functional, and Ps of Reinjury/Lack of Confidence and Return-to-Sport Sta

American Journal of Sports Medicine 43, 345-353 DOI: 10.1177/0363546514559707

Citation Report

#	Article	IF	CITATIONS
1	An evidence-based review of hip-focused neuromuscular exercise interventions to address dynamic lower extremity valgus. Open Access Journal of Sports Medicine, 2015, 6, 291.	0.6	48
2	Anterior Cruciate Ligament Reconstruction—Not Exactly a One-Way Ticket Back to the Preinjury Level. Sports Health, 2015, 7, 224-230.	1.3	137
3	What is the evidence to support a psychological component to rehabilitation programs after anterior cruciate ligament reconstruction?. Current Orthopaedic Practice, 2016, 27, 263-268.	0.1	13
4	Satisfaction With Knee Function After Primary Anterior Cruciate Ligament Reconstruction Is Associated With Self-Efficacy, Quality of Life, and Returning to the Preinjury Physical Activity. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1631-1638.e3.	1.3	73
5	What's New in Sports Medicine. Journal of Bone and Joint Surgery - Series A, 2016, 98, 693-699.	1.4	0
6	Quantifying Quadriceps Muscle Strength in Patients With ACL Injury, Focal Cartilage Lesions, and Degenerative Meniscus Tears. Orthopaedic Journal of Sports Medicine, 2016, 4, 232596711666771.	0.8	23
7	Establishing clinically meaningful severity levels for the Tampa Scale for Kinesiophobia (TSKâ€13). European Journal of Pain, 2016, 20, 701-710.	1.4	63
8	Low- Versus High-Intensity Plyometric Exercise During Rehabilitation After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2016, 44, 609-617.	1.9	39
9	Activity preferences, lifestyle modifications and re-injury fears influence longer-term quality of life in people with knee symptoms following anterior cruciate ligament reconstruction: a qualitative study. Journal of Physiotherapy, 2016, 62, 103-110.	0.7	67
10	Use of Objective Neurocognitive Measures to Assess the Psychological States that Influence Return to Sport Following Injury. Sports Medicine, 2016, 46, 299-303.	3.1	21
11	A novel patient-reported outcome measure for anterior cruciate ligament injury: evaluating the reliability, validity, and responsiveness of Japanese anterior cruciate ligament questionnaire 25. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 2973-2982.	2.3	14
12	Individualizing the Return to Sports After Anterior Cruciate Ligament Reconstruction. Operative Techniques in Orthopaedics, 2017, 27, 70-78.	0.2	10
13	Criterion-Based Approach for Rehabilitation After ACL Reconstruction. , 2017, , 513-525.		0
14	Return to play after hamstring injuries in football (soccer): a worldwide Delphi procedure regarding definition, medical criteria and decision-making. British Journal of Sports Medicine, 2017, 51, 1583-1591.	3.1	99
15	Orthopedic Interface Repair Strategies Based on Native Structural and Mechanical Features of the Multiscale Enthesis. ACS Biomaterials Science and Engineering, 2017, 3, 2633-2643.	2.6	11
16	Young Athletes After Anterior Cruciate Ligament Reconstruction Cleared for Sports Participation: How Many Actually Meet Recommended Return-to-Sport Criteria Cutoffs?. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 1-27.	1.7	93
17	Fear of movement in patients after anterior cruciate ligament reconstruction. Physiotherapy Practice and Research, 2017, 38, 113-120.	0.1	2
18	Longitudinal changes in knee muscles isokinetic strength and dynamic performance in patients following reconstruction of the anterior cruciate ligament. Isokinetics and Exercise Science, 2017, 25, 249-257.	0.2	1

#	Article	IF	CITATIONS
19	International Olympic Committee consensus statement on pain management in elite athletes. British Journal of Sports Medicine, 2017, 51, 1245-1258.	3.1	113
20	Post-operative rehabilitation of anterior cruciate ligament reconstruction in the skeletally immature child: a systematic review of the literature. Physical Therapy Reviews, 2017, 22, 153-168.	0.3	3
21	Return to Sports After Multiple Trauma. Clinical Journal of Sport Medicine, 2017, 27, 481-486.	0.9	9
22	Restoration of confidence and perception of coaches following sports injury. Cogent Psychology, 2017, 4, 1312047.	0.6	0
23	Psychological factors are important to return to pre-injury sport activity after anterior cruciate ligament reconstruction: expect and motivate to satisfy. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1375-1384.	2.3	123
24	Fear of Reinjury in Athletes. Sports Health, 2017, 9, 162-167.	1.3	117
25	The Utility of Objective Strength and Functional Performance to Predict Subjective Outcomes After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711774475.	0.8	23
26	Negative psychological responses of injury and rehabilitation adherence effects on return to play in competitive athletes: a systematic review and meta-analysis. Open Access Journal of Sports Medicine, 2017, Volume 8, 27-32.	0.6	36
27	Decision to Return to Sport After Anterior Cruciate Ligament Reconstruction, Part I: A Qualitative Investigation of Psychosocial Factors. Journal of Athletic Training, 2018, 53, 452-463.	0.9	69
28	Preoperative KOOS and SF-36 Scores Are Associated With the Development of Symptomatic Knee Osteoarthritis at 7 Years After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2018, 46, 869-875.	1.9	17
29	Self-Reported Fear Predicts Functional Performance and Second ACL Injury After ACL Reconstruction and Return to Sport: A Pilot Study. Sports Health, 2018, 10, 228-233.	1.3	179
30	Editorial Commentary: Prognosticators for Outcomes After Anterior Cruciate Ligament Reconstruction…Time to Beat a Different Dead Horse?. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 231-232.	1.3	0
31	Clinical Outcomes, Return to Sports, and Patient Satisfaction After Anterior Cruciate Ligament Reconstruction in Young and Middle-Aged Patients in an Asian Population—A 2-Year Follow-up Study. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 1054-1059.	1.3	19
32	Factors Associated With Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2018, 46, 1545-1550.	1.9	151
33	Criteria for return to running after anterior cruciate ligament reconstruction: a scoping review. British Journal of Sports Medicine, 2018, 52, 1437-1444.	3.1	97
34	Greater fear of reinjury is related to stiffened jump-landing biomechanics and muscle activation in women after ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3682-3689.	2.3	59
35	Factors Affecting Subjective and Objective Outcomes and Return to Play in Anterior Cruciate Ligament Reconstruction: A Retrospective Cohort Study. Joints, 2018, 06, 023-032.	1.5	34
36	Return to pivoting sport after ACL reconstruction: association with osteoarthritis and knee function at the 15-year follow-up. British Journal of Sports Medicine, 2018, 52, 1199-1204.	3.1	36

#	Article	IF	CITATIONS
37	What's New in Pediatric and Adolescent Anterior Cruciate Ligament Injuries?. Journal of Pediatric Orthopaedics, 2018, 38, 185-192.	0.6	27
38	College Athletes With Ankle Sprain History Exhibit Greater Fear-Avoidance Beliefs. Journal of Sport Rehabilitation, 2018, 27, 419-423.	0.4	25
39	Do psychosocial interventions improve rehabilitation outcomes after anterior cruciate ligament reconstruction? A systematic review. Clinical Rehabilitation, 2018, 32, 287-298.	1.0	52
40	The role of anatomic ACL reconstruction in ACL revision surgery. Annals of Joint, 0, 3, 103-103.	1.0	1
41	Management of Pain in Elite Athletes: Identified Gaps in Knowledge and Future Research Directions. Clinical Journal of Sport Medicine, 2018, 28, 485-489.	0.9	22
42	Patient Characteristics and Predictors of Return to Sport at 12 Months After Anterior Cruciate Ligament Reconstruction: The Importance of Patient Age and Postoperative Rehabilitation. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711879757.	0.8	48
43	The ACL: Anatomy, Biomechanics, Mechanisms of Injury, and the Gender Disparity. , 2018, , 3-32.		2
44	Gender Differences in Muscular Protection of the Knee. , 2018, , 119-131.		1
45	Promotion of ACL Intervention Training Worldwide. , 2018, , 609-623.		0
46	Role of Isokinetic Testing and Training After ACL Injury and Reconstruction. , 2018, , 567-588.		7
47	Determination of Neuromuscular Function Before Return to Sports After ACL Reconstruction: Can We Reduce the Risk of Reinjury?. , 2018, , 589-606.		0
48	Ready or Not. American Journal of Sports Medicine, 2018, 46, 1542-1544.	1.9	2
49	Rehabilitation Practice Patterns Following Anterior Cruciate Ligament Reconstruction: A Survey of Physical Therapists. Journal of Orthopaedic and Sports Physical Therapy, 2018, 48, 801-811.	1.7	67
50	Criteria for Return to Play After Anterior Cruciate Ligament Reconstruction. , 2018, , 480-484.e2.		0
51	Psychological Predictors of Anterior Cruciate Ligament Recovery Outcomes. , 2018, , 498-500.e2.		0
52	Association between kinesiophobia and walking gait characteristics in physically active individuals with anterior cruciate ligament reconstruction. Gait and Posture, 2018, 64, 220-225.	0.6	15
53	Psychological Readiness to Return to Sport Is Associated With Knee Kinematic Asymmetry During Gait Following Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2018, 48, 968-973.	1.7	36
54	Effect of dual task on gait asymmetry in patients after anterior cruciate ligament reconstruction. Scientific Reports, 2018, 8, 12057.	1.6	8

#	Article	lF	CITATIONS
55	Single-leg vertical jump test as a functional test after anterior cruciate ligament reconstruction. Knee, 2018, 25, 1016-1026.	0.8	42
56	Psychological and Functional Readiness for Sport Following Advanced Group Training in Patients With Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2018, 48, 864-872.	1.7	35
57	Fear avoidance and self-efficacy at 4Âweeks after ACL reconstruction are associated with early impairment resolution and readiness for advanced rehabilitation. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 397-404.	2.3	37
58	The relationships between kinesiophobia and clinical outcomes after ACL reconstruction differ by self-reported physical activity engagement. Physical Therapy in Sport, 2019, 40, 1-9.	0.8	26
59	Translation and cultural adaptation of Lithuanian version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. PLoS ONE, 2019, 14, e0219593.	1.1	11
60	Impact of combination of therapeutic exercise and psychological intervention for a patient with first-time traumatic shoulder dislocation. Journal of Physical Therapy Science, 2019, 31, 850-854.	0.2	6
61	Reproducibility, responsiveness and validation of the Tampa Scale for Kinesiophobia in patients with ACL injuries. Health and Quality of Life Outcomes, 2019, 17, 150.	1.0	25
62	Preliminary Study of Fear of Re-Injury following Sport-Related Concussion in High School Athletes. Developmental Neuropsychology, 2019, 44, 443-451.	1.0	23
63	Team Approach: Treatment of Injuries in the Female Athlete. JBJS Reviews, 2019, 7, e7-e7.	0.8	10
64	Learned Helplessness After Anterior Cruciate Ligament Reconstruction: An Altered Neurocognitive State?. Sports Medicine, 2019, 49, 647-657.	3.1	14
65	How Much Do Psychological Factors Affect Lack of Return to Play After Anterior Cruciate Ligament Reconstruction? A Systematic Review. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711984531.	0.8	110
66	The association of psychological readiness to return to sport after anterior cruciate ligament reconstruction and hip and knee landing kinematics. Clinical Biomechanics, 2019, 68, 104-108.	0.5	19
67	Anterior Cruciate Ligament Reconstruction Rehabilitation Clinical Practice Patterns: A Survey of the PRiSM Society. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711983904.	0.8	30
68	Professional Footballers' Association Counselors' Perceptions of the Role Long-Term Injury Plays in Mental Health Issues Presented by Current and Former Players. Journal of Clinical Sport Psychology, 2019, 13, 451-468.	0.6	9
69	Knee Function, Strength, and Resumption of Preinjury Sports Participation in Young Athletes Following Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2019, 49, 145-153.	1.7	55
70	Male and Female Adolescent Athletes' Readiness to Return to Sport After Anterior Cruciate Ligament Injury and Reconstruction. Clinical Journal of Sport Medicine, 2021, 31, 383-387.	0.9	16
71	Optimal cutoff score for patient-reported outcome measures after anterior cruciate ligament reconstruction using load–displacement curve analysis. Journal of Orthopaedic Surgery, 2019, 27, 230949901988758.	0.4	1
72	Systematic Selection of Key Logistic Regression Variables for Risk Prediction Analyses: A Five-Factor Maximum Model. Clinical Journal of Sport Medicine, 2019, 29, 78-85.	0.9	30

#	Article	IF	CITATIONS
73	Effect of Graft Type on Thigh Circumference, Knee Range of Motion, and Lower-Extremity Strength in Pediatric and Adolescent Males Following Anterior Cruciate Ligament Reconstruction. Journal of Sport Rehabilitation, 2020, 29, 555-562.	0.4	8
74	Pain perception and coping strategies influence early outcomes following knee surgery in athletes. Journal of Science and Medicine in Sport, 2020, 23, 100-104.	0.6	7
75	A review of the psychological support mechanisms available for long-term injured footballers in the UK throughout their rehabilitation. Science and Medicine in Football, 2020, 4, 22-29.	1.0	11
76	Importance of functional performance and psychological readiness for return to preinjury level of sports 1 year after ACL reconstruction in competitive athletes. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2203-2212.	2.3	58
77	Fear Avoidance Beliefs in College Athletes with a History of Ankle Sprain. International Journal of Sports Medicine, 2020, 41, 128-133.	0.8	15
78	Timing of anterior cruciate ligament reconstruction and preoperative pain are important predictors for postoperative kinesiophobia. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2502-2510.	2.3	21
79	Japanese Orthopaedic Association (JOA) clinical practice guidelines on the management of anterior cruciate ligament injury – Secondary publication. Journal of Orthopaedic Science, 2020, 25, 6-45.	0.5	31
80	Predictors of Pain, Function, and Change in Patellofemoral Pain. American Journal of Sports Medicine, 2020, 48, 351-358.	1.9	16
81	No Relationship Between Strength and Power Scores and Anterior Cruciate Ligament Return to Sport After Injury Scale 9 Months After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2020, 48, 78-84.	1.9	40
82	The Gap Between Subjective Return to Sports and Subjective Athletic Performance Intensity After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712094740.	0.8	10
83	The relationship between ACL reconstruction and meniscal repair: quality of life, sports return, and meniscal failure rate—2- to 12-year follow-up. Journal of Orthopaedic Surgery and Research, 2020, 15, 361.	0.9	18
84	Changes in motor-flexibility following anterior cruciate ligament reconstruction as measured by means of a leg-amplitude differentiation task with haptic and visual feedback. Clinical Biomechanics, 2020, 80, 105186.	0.5	1
85	Preoperative quadriceps strength as a predictor of return to sports after anterior cruciate ligament reconstruction in competitive athletes. Physical Therapy in Sport, 2020, 45, 7-13.	0.8	3
86	High Levels of Kinesiophobia at Discharge from the Hospital May Negatively Affect the Short-Term Functional Outcome of Patients Who Have Undergone Knee Replacement Surgery. Journal of Clinical Medicine, 2020, 9, 738.	1.0	16
87	Psychological Readiness to Return to Sport Following Anterior Cruciate Ligament Reconstruction. JBJS Reviews, 2020, 8, e0110-e0110.	0.8	11
88	Passing return to sports tests after ACL reconstruction is associated with greater likelihood for return to sport but fail to identify second injury risk. Knee, 2020, 27, 949-957.	0.8	55
89	Psychological, social and contextual factors across recovery stages following a sport-related knee injury: a scoping review. British Journal of Sports Medicine, 2020, 54, 1149-1156.	3.1	86
90	Effects of Autograft Types on Muscle Strength and Functional Capacity in Patients Having Anterior Cruciate Ligament Reconstruction: A Randomized Controlled Trial. Sports Medicine, 2020, 50, 1393-1403.	3.1	25

#	Article	IF	CITATIONS
91	Poorer dynamic postural stability in patients with anterior cruciate ligament rupture combined with lateral meniscus tear than in those with medial meniscus tear. Knee Surgery and Related Research, 2020, 32, 8.	1.8	8
92	The Japanese version of the anterior cruciate ligament-return to sport after injury (ACL-RSI) scale has acceptable validity and reliability. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2519-2525.	2.3	25
93	Injury-Related Fears During the Return-to-Sport Phase of ACL Reconstruction Rehabilitation. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712090938.	0.8	25
94	Patient expectations and perceived social support related to return to sport after anterior cruciate ligament reconstruction in adolescent athletes. Physical Therapy in Sport, 2021, 47, 72-77.	0.8	8
95	High kinesiophobia and pain catastrophizing in people with articular cartilage defects in the knee and associations with knee function. Knee, 2021, 28, 17-24.	0.8	5
96	The Utilization of the Theory of Planned Behavior and Self-Determination Theory to Improve Physical Activity Following Anterior Cruciate Ligament Reconstruction. International Journal of Athletic Therapy and Training, 2022, 27, 25-30.	0.1	0
98	Rehabilitation and Return to Sports After Anterior Cruciate Ligament Reconstruction. , 2021, , 133-147.		0
99	Targeted Application of Motor Learning Theory to Leverage Youth Neuroplasticity for Enhanced Injury-Resistance and Exercise Performance: OPTIMAL PREP. Journal of Science in Sport and Exercise, 2021, 3, 17-36.	0.4	11
100	The Influence of Mode-of-Injury on Psychological Readiness for Return-To-Sport Following Anterior Cruciate Ligament Reconstruction: A Matched-Controlled Study. International Journal of Sports Physical Therapy, 2021, 16, 177-184.	0.5	5
101	Association between Kinesiophobia and Gait Asymmetry after ACL Reconstruction: Implications for Prevention of Reinjury. International Journal of Environmental Research and Public Health, 2021, 18, 3264.	1.2	19
102	Single-leg hop can result in higher limb symmetry index than isokinetic strength and single-leg vertical jump following anterior cruciate ligament reconstruction. Knee, 2021, 29, 160-166.	0.8	12
103	The Relationship Between Injury-Related Fear and Visuomotor Reaction Time in Individuals With a History of Anterior Cruciate Ligament Reconstruction. Journal of Sport Rehabilitation, 2021, 30, 353-359.	0.4	6
104	Single-leg hop distance normalized to body height is associated with the return to sports after anterior cruciate ligament reconstruction. Journal of Experimental Orthopaedics, 2021, 8, 26.	0.8	5
105	Test Batteries After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. Sports Health, 2022, 14, 205-215.	1.3	15
106	Correlations between isokinetic knee torques and single-leg hop distances in three directions in patients after ACL reconstruction. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 38.	0.7	2
107	Athletic identity and sport commitment in athletes after anterior cruciate ligament reconstruction who have returned to sports at their pre-injury level of competition. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 37.	0.7	17
108	Return to preinjury sports after anterior cruciate ligament reconstruction is predicted by five independent factors. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 84-92.	2.3	14
109	Anatomic all-epiphyseal ACL reconstruction with "inside-out―femoral tunnel placement in immature patients yields high return to sport rates and functional outcome scores a minimum of 24Âmonths	2.3	5

ARTICLE IF CITATIONS Advanced training enhances readiness to return to sport after anterior cruciate ligament 110 1.2 8 reconstruction. Journal of Orthopaedic Research, 2022, 40, 191-199. Confidence, ability to meet return to sport criteria, and second ACL injury risk associations after 1.2 ACLâ€reconstruction. Journal of Orthopaedic Research, 2022, 40, 182-190. Knee performance and self-efficacy trajectory curves after ACL reconstruction: A longitudinal study. 112 0.8 6 Physical Therapy in Sport, 2021, 49, 157-163. Strength normalized to muscle volume rather than body weight is more accurate for assessing knee strength following anterior cruciate ligament reconstruction. Isokinetics and Exercise Science, 2021, 0.2 , 1-7. Does verbal encouragement change dynamic balance? The effect of verbal encouragement on Star 114 Excursion Balance Test performance in chronic ankle Instability. Brazilian Journal of Physical Therapy, 1.1 8 2021, 25, 617-622. Psychosocial factors 3â€months after anterior cruciate ligament reconstruction predict 6â€month subjective and objective knee outcomes. Journal of Orthopaedic Research, 2022, 40, 231-238. 1.2 Association Between Fear of Pain and Sports-Related Concussion Recovery in a Pediatric Population. 116 0.9 4 Clinical Journal of Sport Medicine, 2022, 32, 369-375. The effect of fear of reinjury on joint power distribution during a drop countermovement jump two years after an Achilles tendon rupture. Translational Sports Medicine, 2021, 4, 667-674. Composite psychosocial risk based on the fear avoidance model in patients undergoing anterior 118 0.8 4 cruciate ligament reconstruction: Cluster-based analysis. Physical Therapy in Sport, 2021, 50, 217-225. Femoral Nerve Blockade Does Not Lead to Subjective Functional Deficits After Anterior Cruciate 0.4 Ligament Reconstruction. Military Medicine, 2021, , . Characteristics of landing impact in athletes who have not returned to sports at the pre-injury competition level after anterior cruciate ligament reconstruction. Asia-Pacific Journal of Sports 120 0.4 1 Medicine, Arthroscopy, Rehabilitation and Technology, 2021, 25, 47-52. The Effects of Eccentric and Plyometric Training Programs and Their Combination on Stability and the Functional Performance in the Post-ACL-Surgical Rehabilitation Period of Elite Female Athletes. Frontiers in Physiology, 2021, 12, 688385. 1.3 Comparison of Different Functional Tests for Leg Power and Normative Bilateral Asymmetry Index in 122 0.6 3 Healthy Collegiate Athletes. Open Access Journal of Sports Medicine, 2021, Volume 12, 119-128. Retrospective experiences of individuals two decades after anterior cruciate ligament injury – a process of re-orientation towards acceptance. Disability and Rehabilitation, 2022, 44, 6267-6276. Psychological and Social Components of Recovery Following Anterior Cruciate Ligament 124 Reconstruction in Young Athletes: A Narrative Review. International Journal of Environmental 1.2 12 Research and Public Health, 2021, 18, 9267. Subjective and Objective Assessments of Knee Function., 2021, , 29-40. Common Symptom, Psychological, and Psychosocial Barriers to Return to Sport., 2019, 25-35. 126 1 Correlations of Single-Leg Performance Tests to Patient-Reported Outcomes After Primary Anterior Cruciate Ligament Reconstruction. Clinical Journal of Sport Medicine, 2021, 31, e265-e270.

#	Article	IF	CITATIONS
128	Influence of Patient Demographics and Surgical Characteristics on Pass Rates of Return-to-Activity Tests in Anterior Cruciate Ligament–Reconstructed Patients Before Physician Clearance. Clinical Journal of Sport Medicine, 2020, Publish Ahead of Print, e354-e362.	0.9	10
129	Fear-Avoidance Beliefs and Health-Related Quality of Life in Post-ACL Reconstruction and Healthy Athletes: A Case–Control Study. Journal of Sport Rehabilitation, 2020, 29, 772-776.	0.4	10
130	Reintroduction of Running After Anterior Cruciate Ligament Reconstruction With a Hamstrings Graft: Can We Predict Short-Term Success?. Journal of Athletic Training, 2022, 57, 540-546.	0.9	3
131	Deactivation of the dorsal anterior cingulate cortex indicated low postoperative sports levels in presurgical patients with chronic ankle instability. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 121.	0.7	2
132	Association of the Psychological Response to the ACL-SPORTS Training Program and Self-reported Function at 2 Years After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2021, 49, 3495-3501.	1.9	5
133	Measures of Cognition and Affect. , 2016, , 1-31.		0
134	Functional Performance Deficits Exist in Female NAIA Collegiate Athletes With History of Anterior Cruciate Ligament Reconstruction. Athletic Training & Sports Health Care, 2016, 8, 216-221.	0.4	0
135	ACL Risk of Reinjury: When Is It Safe to Return (Time or Criteria). , 2017, , 581-592.		1
136	Using Psychological Predictors to Influence Patient Outcomes. Athletic Training & Sports Health Care, 2018, 10, 7-9.	0.4	0
137	Identification and Management of Psychosocial Issues in the Athlete for Return to Sport. , 2019, , 563-573.		0
138	Validated Questionnaires to Measure Return to Sport and Psychological Factors. , 2019, , 543-561.		1
139	Advantages and Potential Consequences of Return to Sport After ACL Reconstruction: Quality of Life, Reinjury Rates, and Knee Osteoarthritis. , 2019, , 3-23.		2
140	Neurocognitive Testing. , 2019, , 529-540.		0
141	Psychological Aspects in Return to Sport Following ACL Reconstruction. , 2020, , 1005-1013.		0
142	Psychological Aspect of Rehabilitation and Return to Sport Following Lower Limb Injuries. Montenegrin Journal of Sports Science and Medicine, 2020, 9, 59-64.	0.3	7
143	Satisfaction with playing pre-injury sports 1Âyear after anterior cruciate ligament reconstruction using a hamstring autograft. Knee, 2021, 33, 282-289.	0.8	5
144	Psychological Patient-reported outcome measure after anterior cruciate ligament reconstruction: Evaluation of subcategory in ACL-Return to Sport after Injury (ACL-RSI) scale. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 103141.	0.9	10
145	Considerations for late stage acl rehabilitation and return to sport to limit re-injury risk and maximize athletic performance. International Journal of Sports Physical Therapy, 2015, 10, 256-71.	0.5	31

#	Article	IF	CITATIONS
146	STRENGTH & FUNCTIONAL ASSESSMENT OF HEALTHY HIGH SCHOOL FOOTBALL PLAYERS: ANALYSIS OF SKILLED AND NON-SKILLED POSITIONS. International Journal of Sports Physical Therapy, 2015, 10, 850-7.	0.5	3
147	Association between Functional Performance and Return to Performance in High-Impact Sports after Lower Extremity Injury: A Systematic Review. Journal of Sports Science and Medicine, 2020, 19, 564-576.	0.7	4
148	FUNCTIONAL MEASURES DO NOT DIFFER IN LATE STAGE REHABILITATION AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ACCORDING TO MECHANISM OF INJURY. International Journal of Sports Physical Therapy, 2020, 15, 744-754.	0.5	0
149	Preparación psicológica para la reincorporación deportiva tras cirugÃa reconstructiva del ligamento cruzado anterior en el deportista aficionado. Revista Española De CirugÃa Ortopédica Y TraumatologÃa, 2022, 66, 113-120.	0.1	0
150	The effect of kinesiophobia on functional outcomes following anterior cruciate ligament reconstruction surgery: an integrated literature review. Disability and Rehabilitation, 2021, , 1-12.	0.9	0
151	Association Between Knee Moments During Stair Navigation and Participant-Related Factors in Individuals With Anterior Cruciate Ligament Reconstruction: A Cross-Sectional Study. Journal of Sport Rehabilitation, 2022, 31, 174-180.	0.4	3
152	Relationship Between Isokinetic Knee Strength and Single-Leg Drop Jump Performance 9 Months After ACL Reconstruction. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712110638.	0.8	3
153	Quadriceps strength is an early indicator of return to competitive sports 1Âyear after anterior cruciate ligament reconstruction in adult amateur athletes. European Journal of Orthopaedic Surgery and Traumatology, 2023, 33, 361-366.	0.6	1
154	Arabic Version of the Short Anterior Cruciate Ligament–Return to Sport After Injury Scale: Translation, Cross-cultural Adaptation, and Validation. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712110665.	0.8	6
155	FUNCTIONAL MEASURES DO NOT DIFFER IN LATE STAGE REHABILITATION AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ACCORDING TO MECHANISM OF INJURY. International Journal of Sports Physical Therapy, 2020, 15, 744-754.	0.5	1
156	Rehabilitation Using a Systematic and Holistic Approach for the Injured Athlete Returning to Sport. Arthroscopy, Sports Medicine, and Rehabilitation, 2022, 4, e215-e219.	0.8	1
157	Psychological Readiness to Return to Sport at 6 Months Is Higher After Bridge-Enhanced ACL Restoration Than Autograft ACL Reconstruction: Results of a Prospective Randomized Clinical Trial. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712110705.	0.8	8
158	The "Top 10―Psychosocial Factors Affecting Orthopaedic Outcomes. JBJS Journal of Orthopaedics for Physician Assistants, 2022, 10, .	0.0	1
159	Emotion mapping: Exploring creative methods to understand the psychology of long-term injury. Methodological Innovations, 2022, 15, 16-28.	0.5	2
160	[Translated article] Psychological readiness to return to sports after anterior cruciate ligament reconstruction in amateur sport. Revista Española De CirugÃa Ortopédica Y TraumatologÃa, 2022, 66, T113-T120.	0.1	0
161	Rehabilitation After Anterior Cruciate Ligament Injury: Review of Current Literature and Recommendations. Current Reviews in Musculoskeletal Medicine, 2022, 15, 170-179.	1.3	15
162	Preoperative predictors for a successful return to sport following anterior cruciate ligament reconstruction (ACLR): a protocol for a systematic review and meta-analysis. BMJ Open, 2021, 11, e048295.	0.8	2
163	Functional Rehabilitation and Return to Play After Arthroscopic Surgical Stabilization for Anterior Shoulder Instability. Sports Health, 2022, 14, 733-739.	1.3	6

#	Article	IF	CITATIONS
164	Fear of Movement and Reinjury in Sports Medicine: Relevance for Rehabilitation and Return to Sport. Physical Therapy, 2022, 102, .	1.1	18
166	Association between landing biomechanics, knee pain, and kinesiophobia in athletes following anterior cruciate ligament reconstruction: A crossâ€sectional study. PM and R, 2022, , .	0.9	3
167	Comparison of Healing Effect Between Fibrin Gel Complex Bone Morphological Protein and Reconstituted Bone Xenograft After Reconstruction of Sports Ligament Injury. Journal of Biomaterials and Tissue Engineering, 2022, 12, 1642-1646.	0.0	0
168	Patients Who Return to Sport After Primary Anterior Cruciate Ligament Reconstruction Have Significantly Higher Psychological Readiness: A Systematic Review and Meta-analysis of 3744 Patients. American Journal of Sports Medicine, 2023, 51, 2774-2783.	1.9	15
169	Return to Sports After Anterior Cruciate Ligament Reconstruction: Validity and Reliability of the SPORTS Score at 6 and 12 Months. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210984.	0.8	3
170	Association Between Knee Extension Strength at 3 and 6ÂMonths After Anterior Cruciate Ligament Reconstruction. Journal of Sport Rehabilitation, 2023, 32, 76-84.	0.4	2
171	Kinesiophobia, Knee Self-Efficacy, and Fear Avoidance Beliefs in People with ACL Injury: A Systematic Review and Meta-Analysis. Sports Medicine, 2022, 52, 3001-3019.	3.1	17
172	Perceived Kinesiophobia and Its Association with Return to Sports Activity Following Anterior Cruciate Ligament Reconstruction Surgery: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 10776.	1.2	6
173	Psychological readiness to return to sports practice and risk of recurrence: Case studies. Frontiers in Psychology, 0, 13, .	1.1	3
175	Post-injury fear-avoidance and confidence in readiness to return to sport in Irish collegiate athletes. Journal of Sports Sciences, 2022, 40, 1973-1980.	1.0	1
176	Coping Skills in Children: An Introduction to the Biopsychosocial Model of Pain Control as a Tool to Improve Postoperative Outcomes. , 2021, 3, 211.		4
177	Psychological readiness of elite rugby players at return to play after severe knee injury. African Journal for Physical Activity and Health Sciences, 2022, 28, 185-202.	0.0	0
179	Pain Early After Anterior Cruciate Ligament Reconstruction is Associated With 6-Month Loading Mechanics During Running. Sports Health, 0, , 194173812211394.	1.3	1
180	Fear of reinjury following primary anterior cruciate ligament reconstruction: a systematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 2299-2314.	2.3	9
181	The relationship between drop vertical jump actionâ€observation brain activity and kinesiophobia after anterior cruciate ligament reconstruction: A crossâ€sectional fMRI study. Brain and Behavior, 2023, 13, .	1.0	4
182	Return-to-Sport Criteria After Anterior Cruciate Ligament Reconstruction Fail to Identify the Risk of Second Anterior Cruciate Ligament Injury. Journal of Athletic Training, 2022, 57, 937-945.	0.9	4
183	Adding A Structured Educational Session to the Rehabilitation Program of Soccer Players Following Anterior Cruciate Ligament Reconstruction: A Feasibility Study. International Journal of Sports Physical Therapy, 2023, 18, .	0.5	1
184	Criteria Used to Determine Unrestricted Return to Activity After ACL Reconstruction in Pediatric and Adolescent Patients: A Systematic Review. Orthopaedic Journal of Sports Medicine, 2023, 11, 232596712311545.	0.8	1

#	Article	IF	CITATIONS
185	Relationship Between Quadriceps Strength and Knee Joint Power During Jumping After ACLR. Orthopaedic Journal of Sports Medicine, 2023, 11, 232596712311509.	0.8	1