

Ultra-stretchable and skin-mountable strain sensors using nanocomposites

Nanotechnology

26, 375501

DOI: [10.1088/0957-4484/26/37/375501](https://doi.org/10.1088/0957-4484/26/37/375501)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Nanotextured Polymer Substrate for Flexible and Mechanically Robust Metal Electrodes by Nanoimprint Lithography. ACS Applied Materials & Interfaces, 2015, 7, 25171-25179.	4.0	14
2	Soft Pneumatic Bending Actuator with Integrated Carbon Nanotube Displacement Sensor. Robotics, 2016, 5, 7.	2.1	36
3	Development of an Integrated Evaluation System for a Stretchable Strain Sensor. Sensors, 2016, 16, 1114.	2.1	8
4	Stretchable, Skin-Mountable, and Wearable Strain Sensors and Their Potential Applications: A Review. Advanced Functional Materials, 2016, 26, 1678-1698.	7.8	2,340
5	Flexible and Stretchable Strain Sensing Actuator for Wearable Soft Robotic Applications. Advanced Materials Technologies, 2016, 1, 1600018.	3.0	188
6	Wearable tactile sensor based on flexible microfluidics. Lab on A Chip, 2016, 16, 3244-3250.	3.1	99
7	A highly stretchable strain sensor based on a graphene/silver nanoparticle synergic conductive network and a sandwich structure. Journal of Materials Chemistry C, 2016, 4, 4304-4311.	2.7	207
8	Nanomaterials-Based Skin-Like Electronics for the Unconscious and Continuous Monitoring of Body Status. Microsystems and Nanosystems, 2016, , 227-254.	0.1	1
9	Printing of CNT/silicone rubber for a wearable flexible stretch sensor. Proceedings of SPIE, 2016, , .	0.8	1
10	Skin-mountable stretch sensor for wearable health monitoring. Nanoscale, 2016, 8, 17295-17303.	2.8	97
11	A wearable, highly stable, strain and bending sensor based on high aspect ratio graphite nanobelts. Nanotechnology, 2016, 27, 375501.	1.3	29
12	A stretchable sensor platform based on simple and scalable lift-off micropatterning of metal nanowire network. RSC Advances, 2016, 6, 74418-74425.	1.7	13
13	Sheath-Core Graphite/Silk Fiber Made by Dry-Meyer-Rod-Coating for Wearable Strain Sensors. ACS Applied Materials & Interfaces, 2016, 8, 20894-20899.	4.0	196
14	Sensor evaluation for soft robotic hand rehabilitation devices. , 2016, , .		4
15	Emergence of microfluidic wearable technologies. Lab on A Chip, 2016, 16, 4082-4090.	3.1	89
16	Revisit to three-dimensional percolation theory: Accurate analysis for highly stretchable conductive composite materials. Scientific Reports, 2016, 6, 34632.	1.6	25
17	Electromechanical Behavior of Chemically Reduced Graphene Oxide and Multi-walled Carbon Nanotube Hybrid Material. Nanoscale Research Letters, 2016, 11, 4.	3.1	35
18	Modeling and Development of a Flexible Carbon Black-Based Capacitive Strain Sensor. IEEE Sensors Journal, 2016, 16, 3059-3067.	2.4	35

#	ARTICLE	IF	CITATIONS
19	Parallel Microcracks-based Ultrasensitive and Highly Stretchable Strain Sensors. ACS Applied Materials & Interfaces, 2016, 8, 5618-5626.	4.0	267
20	Multi-Element Strain Gauge Modules for Soft Sensory Skins. IEEE Sensors Journal, 2016, 16, 2607-2616.	2.4	17
21	Nickel Nanoparticles Entangled in Carbon Nanotubes: Novel Ink for Nanotube Printing. ACS Applied Materials & Interfaces, 2016, 8, 1589-1593.	4.0	27
22	Highly sensitive and stable flexible pressure sensors with micro-structured electrodes. Journal of Alloys and Compounds, 2017, 699, 824-831.	2.8	49
23	Conductive polymer nanocomposites: a critical review of modern advanced devices. Journal of Materials Chemistry C, 2017, 5, 1569-1585.	2.7	231
24	Soft Nanocomposite Based Multi-point, Multi-directional Strain Mapping Sensor Using Anisotropic Electrical Impedance Tomography. Scientific Reports, 2017, 7, 39837.	1.6	90
25	Materials and devices for transparent stretchable electronics. Journal of Materials Chemistry C, 2017, 5, 2202-2222.	2.7	118
26	Recent advances in wearable tactile sensors: Materials, sensing mechanisms, and device performance. Materials Science and Engineering Reports, 2017, 115, 1-37.	14.8	557
27	Inkjet printing wearable electronic devices. Journal of Materials Chemistry C, 2017, 5, 2971-2993.	2.7	415
28	Design of an optical soft sensor for measuring fingertip force and contact recognition. International Journal of Control, Automation and Systems, 2017, 15, 16-24.	1.6	19
29	Novel Electrically Conductive Porous PDMS/Carbon Nanofiber Composites for Deformable Strain Sensors and Conductors. ACS Applied Materials & Interfaces, 2017, 9, 14207-14215.	4.0	239
30	Three-Dimensional Continuous Conductive Nanostructure for Highly Sensitive and Stretchable Strain Sensor. ACS Applied Materials & Interfaces, 2017, 9, 17369-17378.	4.0	114
31	Strain sensing of printed carbon nanotube sensors on polyurethane substrate with spray deposition modeling. Composites Communications, 2017, 3, 1-6.	3.3	76
32	Wearable bio-instrument for detecting body movement based on strain gauges. , 2017, , .		3
33	3D printable composite dough for stretchable, ultrasensitive and body-patchable strain sensors. Nanoscale, 2017, 9, 11035-11046.	2.8	75
34	Bioinspired Composite Microfibers for Skin Adhesion and Signal Amplification of Wearable Sensors. Advanced Materials, 2017, 29, 1701353.	11.1	208
35	From wheat bran derived carbonaceous materials to a highly stretchable and durable strain sensor. RSC Advances, 2017, 7, 22619-22626.	1.7	21
36	Extraordinarily Stretchable All-Carbon Collaborative Nanoarchitectures for Epidermal Sensors. Advanced Materials, 2017, 29, 1606411.	11.1	194

#	ARTICLE	IF	CITATIONS
37	A highly stretchable and robust non-fluorinated superhydrophobic surface. <i>Journal of Materials Chemistry A</i> , 2017, 5, 16273-16280.	5.2	89
38	Oneâ€Dimensional Nanomaterials for Soft Electronics. <i>Advanced Electronic Materials</i> , 2017, 3, 1600314.	2.6	271
39	Highly sensitive microfluidic strain sensors with low hysteresis using a binary mixture of ionic liquid and ethylene glycol. <i>Sensors and Actuators A: Physical</i> , 2017, 254, 1-8.	2.0	25
40	Highly Stretchable, Hysteresis-Free Ionic Liquid-Based Strain Sensor for Precise Human Motion Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 1770-1780.	4.0	331
41	Piezoresistive performance characterization of strain sensitive multi-walled carbon nanotube-epoxy nanocomposites. <i>Sensors and Actuators A: Physical</i> , 2017, 254, 61-68.	2.0	106
42	Recent Progress of Selfâ€Powered Sensing Systems for Wearable Electronics. <i>Small</i> , 2017, 13, 1701791.	5.2	223
43	A super stretchable and sensitive strain sensor based on a carbon nanocoil network fabricated by a simple peeling-off approach. <i>Nanoscale</i> , 2017, 9, 16404-16411.	2.8	48
44	<i>50th Anniversary Perspective</i>: Solid-State Multistimuli, Multiresponsive Polymeric Materials. <i>Macromolecules</i> , 2017, 50, 8845-8870.	2.2	117
45	Low-cost highly sensitive strain sensors for wearable electronics. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10571-10577.	2.7	21
46	Stretchable Dual-Capacitor Multi-Sensor for Touch-Curvature-Pressure-Strain Sensing. <i>Scientific Reports</i> , 2017, 7, 10854.	1.6	37
47	Fabrication of piezoresistive based pressure sensor via purified and functionalized CNTs/PDMS nanocomposite: Toward development of haptic sensors. <i>Sensors and Actuators A: Physical</i> , 2017, 266, 158-165.	2.0	31
48	Advanced carbon materials for flexible and wearable sensors. <i>Science China Materials</i> , 2017, 60, 1026-1062.	3.5	170
49	A Biâ€Sheath Fiber Sensor for Giant Tensile and Torsional Displacements. <i>Advanced Functional Materials</i> , 2017, 27, 1702134.	7.8	100
50	Transparent, Flexible Strain Sensor Based on a Solution-Processed Carbon Nanotube Network. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 26279-26285.	4.0	134
51	Attachable Pulse Sensors Integrated with Inorganic Optoelectronic Devices for Monitoring Heart Rates at Various Body Locations. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 25700-25705.	4.0	36
52	Human skin interactive self-powered wearable piezoelectric bio-e-skin by electrospun poly-<sc>l</sc>-lactic acid nanofibers for non-invasive physiological signal monitoring. <i>Journal of Materials Chemistry B</i> , 2017, 5, 7352-7359.	2.9	104
53	Facile Fabrication of Porous Conductive Thermoplastic Polyurethane Nanocomposite Films via Solution Casting. <i>Scientific Reports</i> , 2017, 7, 17470.	1.6	33
54	Omni-Purpose Stretchable Strain Sensor Based on a Highly Dense Nanocracking Structure for Whole-Body Motion Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 41712-41721.	4.0	83

#	ARTICLE	IF	CITATIONS
55	Enhanced sensing of gas molecules by a 99.9% semiconducting carbon nanotube-based field-effect transistor sensor. Applied Physics Letters, 2017, 111, .	1.5	20
56	A flexible and self-formed sandwich structure strain sensor based on AgNW decorated electrospun fibrous mats with excellent sensing capability and good oxidation inhibition properties. Journal of Materials Chemistry C, 2017, 5, 7035-7042.	2.7	100
57	Carbonized Cotton Fabric for High-Performance Wearable Strain Sensors. Advanced Functional Materials, 2017, 27, 1604795.	7.8	383
58	Highly sensitive flexible tactile sensors based on microstructured multiwall carbon nanotube arrays. Scripta Materialia, 2017, 129, 61-64.	2.6	60
59	Highly stretchable strain sensor based on SWCNTs/CB synergistic conductive network for wearable human-activity monitoring and recognition. Smart Materials and Structures, 2017, 26, 095017.	1.8	110
60	Materials and structure engineering in wearable monitor: Highly stretchable strain sensor developed by structured SWCNTs/CB networks. , 2017, , .		0
61	Whisker-like sensors with soft resistive follicles. , 2017, , .		6
62	Helical-Shaped Graphene Tubular Spring Formed Within Microchannel for Wearable Strain Sensor With Wide Dynamic Range. , 2017, 1, 1-4.		13
63	A printable and flexible conductive polymer composite with sandwich structure for stretchable conductor and strain sensor applications. , 2017, , .		2
64	Highly flexible and stretchable optical strain sensing for human motion detection. Optica, 2017, 4, 1285.	4.8	143
65	Characterizing the Conductivity and Enhancing the Piezoresistivity of Carbon Nanotube-Polymeric Thin Films. Materials, 2017, 10, 724.	1.3	5
66	Quantification of a Low-Cost Stretchable Conductive Sensor Using an Expansion/Contraction Simulator Machine: A Step towards Validation of a Noninvasive Cardiac and Respiration Monitoring Prototype. Machines, 2017, 5, 22.	1.2	6
67	Soft Smart Garments for Lower Limb Joint Position Analysis. Sensors, 2017, 17, 2314.	2.1	75
68	Micromechanical Analysis of Soft Tactile Sensors. Frontiers in Materials, 2017, 4, .	1.2	0
69	Mechanisms and Materials of Flexible and Stretchable Skin Sensors. Micromachines, 2017, 8, 69.	1.4	46
70	Ultrathin epidermal strain sensor based on an elastomer nanosheet with an inkjet-printed conductive polymer. Applied Physics Express, 2017, 10, 087201.	1.1	38
71	Reinforced standing multi-walled carbon nanotube film for stretchable strain sensor. , 2017, , .		0
72	Stress Loading Detection Method Using the FBG Sensor for Smart Textile. Journal of Fiber Science and Technology, 2017, 73, 276-283.	0.2	14

#	ARTICLE	IF	CITATIONS
74	Use of Deep Learning for Characterization of Microfluidic Soft Sensors. <i>IEEE Robotics and Automation Letters</i> , 2018, 3, 873-880.	3.3	101
75	Dispenser printing of piezo-resistive nanocomposite on woven elastic fabric and hysteresis compensation for skin-mountable stretch sensing. <i>Smart Materials and Structures</i> , 2018, 27, 025017.	1.8	16
76	Piezoresistive strain sensor array using polydimethylsiloxane-based conducting nanocomposites for electronic skin application. <i>Sensor Review</i> , 2018, 38, 494-500.	1.0	24
77	Through-Layer Buckle Wavelength-Gradient Design for the Coupling of High Sensitivity and Stretchability in a Single Strain Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 9653-9662.	4.0	29
78	Kirigami enhances film adhesion. <i>Soft Matter</i> , 2018, 14, 2515-2525.	1.2	74
79	Vertical CNTs Ecoflex nanofins for highly linear broad-range-detection wearable strain sensors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5132-5139.	2.7	63
80	Controllable synthesis of nickel nanowires and its application in high sensitivity, stretchable strain sensor for body motion sensing. <i>Journal of Materials Chemistry C</i> , 2018, 6, 4737-4745.	2.7	61
81	Efficient surface functionalization of vertically-aligned carbon nanotube arrays using an atmospheric pressure plasma jet system. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2018, 26, 116-122.	1.0	8
82	Strain induced graphite/PDMS sensors for biomedical applications. <i>Sensors and Actuators A: Physical</i> , 2018, 271, 257-269.	2.0	87
83	Highly stretchable strain sensor based on polyurethane substrate using hydrogen bond-assisted laminated structure for monitoring of tiny human motions. <i>Smart Materials and Structures</i> , 2018, 27, 035013.	1.8	47
84	Small-scale soft-bodied robot with multimodal locomotion. <i>Nature</i> , 2018, 554, 81-85.	13.7	1,520
85	Highly sensitive and selective multidimensional resistive strain sensors based on a stiffness-variant stretchable substrate. <i>Nanoscale</i> , 2018, 10, 5105-5113.	2.8	67
86	Ultrastretchable Strain Sensors Using Carbon Black-Filled Elastomer Composites and Comparison of Capacitive Versus Resistive Sensors. <i>Advanced Materials Technologies</i> , 2018, 3, 1700284.	3.0	219
87	2D end-to-end carbon nanotube conductive networks in polymer nanocomposites: a conceptual design to dramatically enhance the sensitivities of strain sensors. <i>Nanoscale</i> , 2018, 10, 2191-2198.	2.8	83
88	Recent Advances in Wearable Transdermal Delivery Systems. <i>Advanced Materials</i> , 2018, 30, 1704530.	11.1	151
89	Highly Adaptable and Biocompatible Octopus-Like Adhesive Patches with Meniscus-Controlled Unfoldable 3D Microtips for Underwater Surface and Hairy Skin. <i>Advanced Science</i> , 2018, 5, 1800100.	5.6	105
90	A Wearable Detector for Simultaneous Finger Joint Motion Measurement. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018, 12, 644-654.	2.7	45
91	Aerobic Biodegradation of Aromatic Aliphatic Copolyester Induced by Bacteria Obtained from Different Environments. <i>Journal of Polymers and the Environment</i> , 2018, 26, 680-690.	2.4	5

#	ARTICLE	IF	CITATIONS
92	Synthesis, Characterization, and Applications of Carbon Nanotubes Functionalized with Magnetic Nanoparticles. , 2018, , 37-57.		5
93	Flexible electrically resistive-type strain sensors based on reduced graphene oxide-decorated electrospun polymer fibrous mats for human motion monitoring. Carbon, 2018, 126, 360-371.	5.4	367
94	Wearable sensors: modalities, challenges, and prospects. Lab on A Chip, 2018, 18, 217-248.	3.1	778
95	Nanomaterial-Enabled Wearable Sensors for Healthcare. Advanced Healthcare Materials, 2018, 7, 1700889.	3.9	412
96	Shell-binary nanoparticle materials with variable electrical and electro-mechanical properties. Nanoscale, 2018, 10, 992-1003.	2.8	13
97	Fabrication of a Highly Sensitive Stretchable Strain Sensor Utilizing a Microfibrous Membrane and a Cracking Structure on Conducting Polymer. Macromolecular Materials and Engineering, 2018, 303, 1700389.	1.7	22
98	Flexible strain sensors based on CNTs/PDMS nanocomposite. , 2018, , .		3
99	Synthesis of polyvinyl alcohol (PVA) infiltrated MWCNTs buckypaper for strain sensing application. Scientific Reports, 2018, 8, 17295.	1.6	59
100	Overview of finger friction and tactile perception. Biosurface and Biotribology, 2018, 4, 99-111.	0.6	10
101	Soft Robotic Finger with Integrated Stretchable Strain Sensor. , 2018, , .		13
102	A Liquid Metal Based Super-Stretchable Strain Sensor. , 2018, , .		4
103	Acid-Interface Engineering of Carbon Nanotube/Elastomers with Enhanced Sensitivity for Stretchable Strain Sensors. ACS Applied Materials & Interfaces, 2018, 10, 37760-37766.	4.0	83
104	Ultrasensitive and Stretchable Strain Sensors Based on Mazelike Vertical Graphene Network. ACS Applied Materials & Interfaces, 2018, 10, 36312-36322.	4.0	116
105	Embedded large strain sensors with graphene-carbon black-silicone rubber composites. Sensors and Actuators A: Physical, 2018, 282, 206-214.	2.0	42
106	Highly stretchable and fatigue resistant hydrogels with low Young's modulus as transparent and flexible strain sensors. Journal of Materials Chemistry C, 2018, 6, 11193-11201.	2.7	70
107	A Flexible Tactile Sensor Based on Porous Graphene Sponge for Tiny Force Measurement. , 2018, , .		0
108	Compliant multi-layer tactile sensing for enhanced identification of human touch. Smart Materials and Structures, 2018, 27, 125009.	1.8	11
109	Development of a Waterproof Crack-Based Stretchable Strain Sensor Based on PDMS Shielding. Sensors, 2018, 18, 1171.	2.1	33

#	ARTICLE	IF	CITATIONS
110	Ultrastretchable Multilayered Fiber with a Hollow-Monolith Structure for High-Performance Strain Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 34592-34603.	4.0	81
111	Making a Bilateral Compression/Tension Sensor by Pre-Stretching Open-Crack Networks in Carbon Nanotube Papers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33507-33515.	4.0	39
112	Crack-enhanced mechanosensitivity of cost-effective piezoresistive flexible strain sensors suitable for motion detection. <i>Smart Materials and Structures</i> , 2018, 27, 105049.	1.8	17
113	Highly Stretchable Multifunctional Wearable Devices Based on Conductive Cotton and Wool Fabrics. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 20845-20853.	4.0	128
114	Self-Powered Sensing Paper Actuators Based on Graphene-Carbon Nanotube Hybrid Films. <i>Advanced Science</i> , 2018, 5, 1800239.	5.6	147
115	Wearable strain sensors based on electrically conductive natural fiber yarns. <i>Materials and Design</i> , 2018, 154, 217-227.	3.3	76
116	Graphene-Polymer Nanocomposite-Based Redox-Induced Electricity for Flexible Self-Powered Strain Sensors. <i>Advanced Energy Materials</i> , 2018, 8, 1800961.	10.2	88
117	Self-Assembled Nanorod Structures on Nanofibers for Textile Electrochemical Capacitor Electrodes with Intrinsic Tactile Sensing Capabilities. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 19037-19046.	4.0	22
118	Aligned flexible conductive fibrous networks for highly sensitive, ultrastretchable and wearable strain sensors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6575-6583.	2.7	77
119	Ultra-stretchable and highly sensitive strain sensor based on gradient structure carbon nanotubes. <i>Nanoscale</i> , 2018, 10, 13599-13606.	2.8	80
120	Laser-Enabled Processing of Stretchable Electronics on a Hydrolytically Degradable Hydrogel. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800231.	3.9	26
121	Highly sensitive wearable strain sensor based on ultra-violet/ozone cracked carbon nanotube/elastomer. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	34
122	Stretchable and Degradable Semiconducting Block Copolymers. <i>Macromolecules</i> , 2018, 51, 5944-5949.	2.2	68
123	An interlocked flexible piezoresistive sensor with 3D micropyramidal structures for electronic skin applications. <i>Soft Matter</i> , 2018, 14, 6912-6920.	1.2	29
124	Wearable Sensors for Upper Limb Monitoring. , 2018, , 113-134.		5
125	Human Pulse Diagnosis for Medical Assessments Using a Wearable Piezoelectret Sensing System. <i>Advanced Functional Materials</i> , 2018, 28, 1803413.	7.8	151
126	Fabrication Approaches to Interconnect Based Devices for Stretchable Electronics: A Review. <i>Materials</i> , 2018, 11, 375.	1.3	28
127	3D Printing Technologies for Flexible Tactile Sensors toward Wearable Electronics and Electronic Skin. <i>Polymers</i> , 2018, 10, 629.	2.0	183

#	ARTICLE	IF	CITATIONS
128	Inverse Piezoresistive Nanocomposite Sensors for Identifying Human Sitting Posture. <i>Sensors</i> , 2018, 18, 1745.	2.1	14
129	Flexible, Stretchable Sensors for Wearable Health Monitoring: Sensing Mechanisms, Materials, Fabrication Strategies and Features. <i>Sensors</i> , 2018, 18, 645.	2.1	258
130	Strain and damage self-sensing of basalt fiber reinforced polymer laminates fabricated with carbon nanofibers/epoxy composites under tension. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 113, 40-52.	3.8	55
131	Piezoresistive pressure sensor based on carbon nanotubes/epoxy composite under cyclic loading. , 2018, , .		6
132	Superior piezoresistive strain sensing behaviors of carbon nanotubes in one-dimensional polymer fiber structure. <i>Carbon</i> , 2018, 140, 1-9.	5.4	104
133	Fabrication of Highly Stretchable, Washable, Wearable, Water-Repellent Strain Sensors with Multi-Stimuli Sensing Ability. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31655-31663.	4.0	82
134	3D Printing of Highly Stretchable Strain Sensors Based on Carbon Nanotube Nanocomposites. <i>Advanced Engineering Materials</i> , 2018, 20, 1800425.	1.6	96
135	Properties and mechanisms of self-sensing carbon nanofibers/epoxy composites for structural health monitoring. <i>Composite Structures</i> , 2018, 200, 669-678.	3.1	84
136	Multiscale nanowire-microfluidic hybrid strain sensors with high sensitivity and stretchability. <i>Npj Flexible Electronics</i> , 2018, 2, .	5.1	64
137	Resistive pressure sensor for high-sensitivity e-skin based on porous sponge dip-coated CB/MWCNTs/SR conductive composites. <i>Materials Research Express</i> , 2018, 5, 065701.	0.8	23
138	Facile fabrication and performance of robust polymer/carbon nanotube coated spandex fibers for strain sensing. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 112, 186-196.	3.8	66
139	High-Performance Strain Sensors Based on Spirally Structured Composites with Carbon Black, Chitin Nanocrystals, and Natural Rubber. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10595-10605.	3.2	42
140	Piezoresistive thermoplastic polyurethane nanocomposites with carbon nanostructures. <i>Carbon</i> , 2018, 139, 52-58.	5.4	113
141	Highly stretchable and ultrathin nanopaper composites for epidermal strain sensors. <i>Nanotechnology</i> , 2018, 29, 355304.	1.3	56
142	Recent developments in bio-monitoring via advanced polymer nanocomposite-based wearable strain sensors. <i>Biosensors and Bioelectronics</i> , 2019, 123, 167-177.	5.3	274
143	A water-resilient carbon nanotube based strain sensor for monitoring structural integrity. <i>Journal of Materials Chemistry A</i> , 2019, 7, 19996-20005.	5.2	36
144	Three-dimensional out-of-plane geometric engineering of thin films for stretchable electronics: a brief review. <i>Thin Solid Films</i> , 2019, 688, 137435.	0.8	15
145	Direct Patterning of a Carbon Nanotube Thin Layer on a Stretchable Substrate. <i>Micromachines</i> , 2019, 10, 530.	1.4	7

#	ARTICLE	IF	CITATIONS
146	Wearable sensors based on colloidal nanocrystals. <i>Nano Convergence</i> , 2019, 6, 10.	6.3	43
147	Stretchable and Resilient Conductive Films on Polydimethylsiloxane from Reactive Polymer-Single-Walled Carbon Nanotube Complexes for Wearable Electronics. <i>ACS Applied Nano Materials</i> , 2019, 2, 4968-4973.	2.4	7
148	Flexible and Stretchable Electronic Skin with High Durability and Shock Resistance via Embedded 3D Printing Technology for Human Activity Monitoring and Personal Healthcare. <i>Advanced Materials Technologies</i> , 2019, 4, 1900315.	3.0	64
149	Highly stretchable and sensitive liquid-type strain sensor based on a porous elastic rope/elastomer matrix composite structure. <i>Composites Science and Technology</i> , 2019, 182, 107707.	3.8	12
150	Stretchable and sensitive sensor based on carbon nanotubes/polymer composite with serpentine shapes via molding technique. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2019, 30, 1227-1241.	1.9	11
151	Flexible and highly sensitive pressure sensors based on microcrack arrays inspired by scorpions. <i>RSC Advances</i> , 2019, 9, 22740-22748.	1.7	16
152	Wearable sensors for monitoring the internal and external workload of the athlete. <i>Npj Digital Medicine</i> , 2019, 2, 71.	5.7	150
153	Mechanocombinatorially Screening Sensitivity of Stretchable Strain Sensors. <i>Advanced Materials</i> , 2019, 31, e1903130.	11.1	82
154	Development of a Biosensor Based on Graphene for Detection of Physiological Signals*. , 2019, 2019, 1131-1134.		0
155	A Highly Stretchable, Sensitive Strain Sensor Based on the Dry Printing Method. <i>Nano</i> , 2019, 14, 1950117.	0.5	3
156	Electronic Skin: Recent Progress and Future Prospects for Skin-Attachable Devices for Health Monitoring, Robotics, and Prosthetics. <i>Advanced Materials</i> , 2019, 31, e1904765.	11.1	936
157	Flexible and Stretchable Self-Powered Multi-Sensors Based on the N-Type Thermoelectric Response of Polyurethane/Na _x (Ni _n) Composites. <i>Advanced Electronic Materials</i> , 2019, 5, 1900582.	2.6	28
158	Omnidirectional Strain-Independent Organic Transistors Integrated onto an Elastomer Template with a Spontaneously Formed Fingerprint-Mimicking Microtopography. <i>Advanced Electronic Materials</i> , 2019, 5, 1900441.	2.6	9
159	A simple and cost-effective method for improving the sensitivity of flexible strain sensors based on conductive polymer composites. <i>Sensors and Actuators A: Physical</i> , 2019, 298, 111608.	2.0	23
160	Syringe-Injectable, Self-Expandable, and Ultraconformable Magnetic Ultrathin Films. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 41770-41779.	4.0	10
161	Inspiration from Daily Goods: A Low-Cost, Facilely Fabricated, and Environment-Friendly Strain Sensor Based on Common Carbon Ink and Elastic Core-Spun Yarn. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 17474-17481.	3.2	76
162	Practical and Durable Flexible Strain Sensors Based on Conductive Carbon Black and Silicone Blends for Large Scale Motion Monitoring Applications. <i>Sensors</i> , 2019, 19, 4553.	2.1	15
163	An ultra-stretchable, highly sensitive and biocompatible capacitive strain sensor from an ionic nanocomposite for on-skin monitoring. <i>Nanoscale</i> , 2019, 11, 1570-1578.	2.8	137

#	ARTICLE	IF	CITATIONS
164	Design and applications of stretchable and self-healable conductors for soft electronics. <i>Nano Convergence</i> , 2019, 6, 25.	6.3	83
165	Cellular Graphene: Fabrication, Mechanical Properties, and Strain-Sensing Applications. <i>Matter</i> , 2019, 1, 1148-1202.	5.0	46
166	Direct Patterning of Carbon Nanotube via Stamp Contact Printing Process for Stretchable and Sensitive Sensing Devices. <i>Nano-Micro Letters</i> , 2019, 11, 92.	14.4	56
167	Development of a Highly Stretchable Strain Sensor Based on Patterned and Rolled Carbon Nanotubes. , 2019, , .		2
168	Monolithic Solder-On Nanoporous Si-Cu Contacts for Stretchable Silicone Composite Sensors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 47577-47586.	4.0	8
169	Ultracompliant Carbon Nanotube Direct Bladder Device. <i>Advanced Healthcare Materials</i> , 2019, 8, e1900477.	3.9	18
170	Carbon Nanotubes for Mechanical Sensor Applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1900584.	0.8	12
171	Two-Sided Topological Architecture on a Monolithic Flexible Substrate for Ultrasensitive Strain Sensors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 43543-43552.	4.0	27
172	Development of a transparent and stretchable strain sensor based on the dry printing method. <i>Materials Research Express</i> , 2019, 6, 115029.	0.8	1
173	A Flexible and Multipurpose Piezoresistive Strain Sensor Based on Carbonized Phenol Formaldehyde Foam for Human Motion Monitoring. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1900492.	1.7	13
174	Ultralightweight and 3D Squeezable Graphene-Polydimethylsiloxane Composite Foams as Piezoresistive Sensors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35201-35211.	4.0	96
175	An overview of stretchable strain sensors from conductive polymer nanocomposites. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11710-11730.	2.7	315
176	Direct Laser Writing of Functional Strain Sensors in Polyimide Tubes. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2914-2923.	2.0	14
177	Ultra-robust wide-range pressure sensor with fast response based on polyurethane foam doubly coated with conformal silicone rubber and CNT/TPU nanocomposites islands. <i>Composites Part B: Engineering</i> , 2019, 177, 107364.	5.9	82
178	Soft and Stretchable Polymeric Optical Waveguide-Based Sensors for Wearable and Biomedical Applications. <i>Sensors</i> , 2019, 19, 3771.	2.1	60
179	Highly Stretchable, Directionally Oriented Carbon Nanotube/PDMS Conductive Films with Enhanced Sensitivity as Wearable Strain Sensors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 39560-39573.	4.0	75
180	Shear-pressure multimodal sensor based on flexible cylindrical pillar array and flat structured carbon nanocomposites with simple fabrication process. <i>Composites Science and Technology</i> , 2019, 184, 107841.	3.8	10
181	Investigation of strain sensing mechanisms on ultra-thin carbon nanotube networks with different densities. <i>Carbon</i> , 2019, 155, 421-431.	5.4	16

#	ARTICLE	IF	CITATIONS
182	Piezoresistive behaviour of graphene nanoplatelet (GNP)/PMMA spray coated sensors on a polymer matrix composite beam. EXPRESS Polymer Letters, 2019, 13, 1018-1025.	1.1	20
183	Sensitivity-Tunable Strain Sensors Based on Carbon Nanotube@Carbon Nanocoil Hybrid Networks. ACS Applied Materials & Interfaces, 2019, 11, 38160-38168.	4.0	28
184	Ultrasensitive, flexible, and low-cost nanoporous piezoresistive composites for tactile pressure sensing. Nanoscale, 2019, 11, 2779-2786.	2.8	72
185	Poly(vinyl alcohol)-Mediated Graphene Aerogels with Tailorable Architectures and Advanced Properties for Anisotropic Sensing. Journal of Physical Chemistry C, 2019, 123, 3781-3789.	1.5	23
186	A comparative study on vulcanization behavior of acrylonitrile-butadiene rubber reinforced with graphene oxide and reduced graphene oxide as fillers. Polymer Testing, 2019, 76, 127-137.	2.3	40
187	Fabrication and characterization of porous CNF/PDMS nanocomposites for sensing applications. Applied Nanoscience (Switzerland), 2019, 9, 1309-1317.	1.6	22
188	Significant Stretchability Enhancement of a Crack-Based Strain Sensor Combined with High Sensitivity and Superior Durability for Motion Monitoring. ACS Applied Materials & Interfaces, 2019, 11, 7405-7414.	4.0	243
189	A sunlight self-healable transparent strain sensor with high sensitivity and durability based on a silver nanowire/polyurethane composite film. Journal of Materials Chemistry A, 2019, 7, 2315-2325.	5.2	86
190	Monolithic 3D printing of embeddable and highly stretchable strain sensors using conductive ionogels. Nanotechnology, 2019, 30, 364002.	1.3	11
191	Extremely Stretchable and Self-Healable Electrical Skin with Mechanical Adaptability, an Ultrawide Linear Response Range, and Excellent Temperature Tolerance. ACS Applied Materials & Interfaces, 2019, 11, 24639-24647.	4.0	67
192	Nano-Cracked Strain Sensor with High Sensitivity and Linearity by Controlling the Crack Arrangement. Sensors, 2019, 19, 2834.	2.1	26
193	Wearable System Based on Flexible FBG for Respiratory and Cardiac Monitoring. IEEE Sensors Journal, 2019, 19, 7391-7398.	2.4	147
194	Fabrication of a conductive composite structure with enhanced stretchability using direct-write 3D printing. Materials Research Express, 2019, 6, 085319.	0.8	1
195	Highly stretchable and sensitive strain sensors based on single-walled carbon nanotube-coated nylon textile. Korean Journal of Chemical Engineering, 2019, 36, 800-806.	1.2	15
196	A bioinspired multi-functional wearable sensor with an integrated light-induced actuator based on an asymmetric graphene composite film. Journal of Materials Chemistry C, 2019, 7, 6879-6888.	2.7	42
197	Simulation of electrical conductivity for nanoparticles and nanotubes composite sensor according to geometrical properties of nanomaterials. Composites Part B: Engineering, 2019, 174, 107003.	5.9	9
198	A Flexible Piezoelectret Actuator/Sensor Patch for Mechanical Human-Machine Interfaces. ACS Nano, 2019, 13, 7107-7116.	7.3	137
199	Multi-material 3D printing of a soft pressure sensor. Additive Manufacturing, 2019, 28, 629-638.	1.7	58

#	ARTICLE	IF	CITATIONS
200	Sensitivity control of carbon nanotube-based piezoresistive sensors by drain-induced barrier thinning. <i>Sensors and Actuators A: Physical</i> , 2019, 295, 288-295.	2.0	8
201	Highly sensitive natural rubber/pristine graphene strain sensor prepared by a simple method. <i>Composites Part B: Engineering</i> , 2019, 171, 138-145.	5.9	64
202	EcoFlex Sponge with Ultrahigh Oil Absorption Capacity. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 20037-20044.	4.0	26
203	Highly Sensitive, Stretchable Strain Sensor Based on Ag@COOH-Functionalized CNTs for Stroke and Pronunciation Recognition. <i>Advanced Electronic Materials</i> , 2019, 5, 1900227.	2.6	31
204	Ecoflex-Passivated Graphene-Yarn Composite for a Highly Conductive and Stretchable Strain Sensor. <i>Journal of Nanoscience and Nanotechnology</i> , 2019, 19, 6690-6695.	0.9	17
205	Ultrastretchable Conductive Polymer Complex as a Strain Sensor with a Repeatable Autonomous Self-Healing Ability. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 20453-20464.	4.0	98
206	Highly conductive 1D-2D composite film for skin-mountable strain sensor and stretchable triboelectric nanogenerator. <i>Nano Energy</i> , 2019, 62, 319-328.	8.2	93
207	Ultrasensitive embedded sensor for composite joints based on a highly aligned carbon nanotube web. <i>Carbon</i> , 2019, 149, 380-389.	5.4	30
208	Liquid Metal-Elastomer Soft Composites with Independently Controllable and Highly Tunable Droplet Size and Volume Loading. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 17873-17883.	4.0	119
209	Self-Healing, Adhesive, and Highly Stretchable Ionogel as a Strain Sensor for Extremely Large Deformation. <i>Small</i> , 2019, 15, e1804651.	5.2	180
210	Materials and Design Strategies of Stretchable Electrodes for Electronic Skin and its Applications. <i>Proceedings of the IEEE</i> , 2019, 107, 2185-2197.	16.4	55
212	Flexible Molybdenum Disulfide (MoS ₂) Atomic Layers for Wearable Electronics and Optoelectronics. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 11061-11105.	4.0	277
213	1-D polymer ternary composites: Understanding materials interaction, percolation behaviors and mechanism toward ultra-high stretchable and super-sensitive strain sensors. <i>Science China Materials</i> , 2019, 62, 995-1004.	3.5	22
214	Highly Stretchable Strain Sensors Comprising Double Network Hydrogels Fabricated by Microfluidic Devices. <i>Advanced Materials Technologies</i> , 2019, 4, 1800739.	3.0	46
215	Ultra-sensitive flexible strain sensor based on graphene nanocrystallite carbon film with wrinkle structures. <i>Carbon</i> , 2019, 147, 227-235.	5.4	77
216	Elastomer Composites with a Tailored Interface Network toward Tunable Piezoresistivity: Effect of Elastomer Particle Size. <i>ACS Applied Polymer Materials</i> , 2019, 1, 714-721.	2.0	22
217	A Versatile Approach for Direct Patterning of Liquid Metal Using Magnetic Field. <i>Advanced Functional Materials</i> , 2019, 29, 1901370.	7.8	123
218	A Sprayed Graphene Pattern-Based Flexible Strain Sensor with High Sensitivity and Fast Response. <i>Sensors</i> , 2019, 19, 1077.	2.1	22

#	ARTICLE	IF	CITATIONS
219	Highly Sensitive, Ultrastretchable Strain Sensors Prepared by Pumping Hybrid Fillers of Carbon Nanotubes/Cellulose Nanocrystal into Electrospun Polyurethane Membranes. ACS Applied Materials & Interfaces, 2019, 11, 12968-12977.	4.0	122
220	Recent Developments in Printing Flexible and Wearable Sensing Electronics for Healthcare Applications. Sensors, 2019, 19, 1230.	2.1	151
221	An Extremely Inexpensive, Simple, and Flexible Carbon Fiber Electrode for Tunable Elastomeric Piezo-Resistive Sensors and Devices Realized by LSTM RNN. ACS Applied Materials & Interfaces, 2019, 11, 11910-11919.	4.0	13
222	Detection of Physiological Signals Based on Graphene Using a Simple and Low-Cost Method. Sensors, 2019, 19, 1656.	2.1	9
223	Buckled carbon nanotube network thin-film fabricated using chemically swelled elastomer substrates. Nanotechnology, 2019, 30, 285501.	1.3	4
224	Graphite-Polydimethylsiloxane Sensor. Smart Sensors, Measurement and Instrumentation, 2019, , 169-192.	0.4	0
225	A Path Beyond Metal and Silicon: Polymer/Nanomaterial Composites for Stretchable Strain Sensors. Advanced Functional Materials, 2019, 29, 1806306.	7.8	147
226	Highly Sensitive, Stretchable Chopped Carbon Fiber/Silicon Rubber Based Sensors for Human Joint Motion Detection. Fibers and Polymers, 2019, 20, 35-44.	1.1	18
227	Biomimetic strain sensors based on patterned polydimethylsiloxane and Ir nanoparticles decorated multi-walled carbon nanotubes. Sensors and Actuators A: Physical, 2019, 289, 57-64.	2.0	19
228	Investigation of Lightweight and Flexible Carbon Nanofiber/Poly Dimethylsiloxane Nanocomposite Sponge for Piezoresistive Sensor Application. Advanced Engineering Materials, 2019, 21, 1801068.	1.6	47
229	An efficient PEDOT-coated textile for wearable thermoelectric generators and strain sensors. Journal of Materials Chemistry C, 2019, 7, 3496-3502.	2.7	95
230	Ultrasensitive Strain Sensor Based on Separation of Overlapped Carbon Nanotubes. Small, 2019, 15, e1805120.	5.2	144
231	Strain Sensors with a High Sensitivity and a Wide Sensing Range Based on a $\text{Ti}_3\text{C}_2\text{T}_x$ (MXene) Nanoparticle@Nanosheet Hybrid Network. Advanced Functional Materials, 2019, 29, 1807882.	7.8	187
232	Development of A Microfluidic Based Stretchable Sensor. , 2019, , .		0
233	Femtosecond Laser Fabricated Elastomeric Superhydrophobic Surface with Stretching-Enhanced Water Repellency. Nanoscale Research Letters, 2019, 14, 333.	3.1	27
234	Bladder Inflation Stretch Test Method for Reliability Characterization of Wearable Electronics. , 2019, , .		5
235	Recent advances in lithographic fabrication of micro-/nanostructured polydimethylsiloxanes and their soft electronic applications. Journal of Semiconductors, 2019, 40, 111605.	2.0	26
236	Digitally printed stretchable electronics: a review. Journal of Materials Chemistry C, 2019, 7, 14035-14068.	2.7	93

#	ARTICLE	IF	CITATIONS
237	A Low-Cost Strain Gauge Displacement Sensor Fabricated via Shadow Mask Printing. <i>Sensors</i> , 2019, 19, 4713.	2.1	16
238	The Combination of Soft Microfingers and Wearable Interface Device for Haptic Teleoperation Robot System. , 2019, , .		4
239	Highly stretchable, rapid-response strain sensor based on SWCNTs/CB nanocomposites coated on rubber/latex polymer for human motion tracking. <i>Sensor Review</i> , 2019, 39, 233-245.	1.0	13
240	Single chamber multiple degree-of-freedom soft pneumatic actuator enabled by adjustable stiffness layers. <i>Smart Materials and Structures</i> , 2019, 28, 035012.	1.8	22
241	Heterogeneous Strain Distribution of Elastomer Substrates To Enhance the Sensitivity of Stretchable Strain Sensors. <i>Accounts of Chemical Research</i> , 2019, 52, 82-90.	7.6	52
242	Highly stretchable and transparent dielectric gels for high sensitivity tactile sensors. <i>Smart Materials and Structures</i> , 2019, 28, 024003.	1.8	10
243	Stretchable and patchable composite electrode with trimethylolpropane formal acrylate-based polymer. <i>Composites Part B: Engineering</i> , 2019, 163, 185-192.	5.9	28
244	Direct printing of highly sensitive, stretchable, and durable strain sensor based on silver nanoparticles/multi-walled carbon nanotubes composites. <i>Composites Part B: Engineering</i> , 2019, 161, 395-401.	5.9	99
245	Skin-Like, Dynamically Stretchable, Planar Supercapacitors with Buckled Carbon Nanotube/Mn ²⁺ /Mo Mixed Oxide Electrodes and Air-Stable Organic Electrolyte. <i>ACS Nano</i> , 2019, 13, 855-866.	7.3	81
246	Non-Invasive Flexible and Stretchable Wearable Sensors With Nano-Based Enhancement for Chronic Disease Care. <i>IEEE Reviews in Biomedical Engineering</i> , 2019, 12, 34-71.	13.1	52
247	Highly stretchable and wearable strain sensors using conductive wool yarns with controllable sensitivity. <i>Sensors and Actuators A: Physical</i> , 2019, 285, 142-148.	2.0	35
248	Characterization of Elastic Polymer-Based Smart Insole and a Simple Foot Plantar Pressure Visualization Method Using 16 Electrodes. <i>Sensors</i> , 2019, 19, 44.	2.1	23
249	Intrinsically stretchable multi-functional fiber with energy harvesting and strain sensing capability. <i>Nano Energy</i> , 2019, 55, 348-353.	8.2	86
250	Highly stretchable sensors for wearable biomedical applications. <i>Journal of Materials Science</i> , 2019, 54, 5187-5223.	1.7	49
251	Highly stretchable and durable strain sensor based on carbon nanotubes decorated thermoplastic polyurethane fibrous network with aligned wave-like structure. <i>Chemical Engineering Journal</i> , 2019, 360, 762-777.	6.6	190
252	Stretchable strain sensor facily fabricated based on multi-wall carbon nanotube composites with excellent performance. <i>Journal of Materials Science</i> , 2019, 54, 2170-2180.	1.7	60
253	Stretchable e-Skin Patch for Gesture Recognition on the Back of the Hand. <i>IEEE Transactions on Industrial Electronics</i> , 2020, 67, 647-657.	5.2	32
254	Stretchable and transparent supercapacitors based on extremely long MnO ₂ /Au nanofiber networks. <i>Chemical Engineering Journal</i> , 2020, 382, 122798.	6.6	39

#	ARTICLE	IF	CITATIONS
255	Ionic Tactile Sensors for Emerging Human-Computer Interactive Technologies: A Review of Recent Progress. <i>Advanced Functional Materials</i> , 2020, 30, 1904532.	7.8	122
256	Electrical impedance analysis of carbon nanotube/epoxy nanocomposite-based piezoresistive strain sensors under uniaxial cyclic static tensile loading. <i>Journal of Composite Materials</i> , 2020, 54, 845-855.	1.2	19
257	Highly sensitive and stretchable strain sensors based on chopped carbon fibers sandwiched between silicone rubber layers for human motion detections. <i>Journal of Composite Materials</i> , 2020, 54, 423-434.	1.2	19
258	Flexible Hybrid Sensors for Health Monitoring: Materials and Mechanisms to Render Wearability. <i>Advanced Materials</i> , 2020, 32, e1902133.	11.1	232
259	Flexible electronics based on one-dimensional and two-dimensional hybrid nanomaterials. <i>Information Materials</i> , 2020, 2, 33-56.	8.5	81
260	Highly stable soft strain sensor based on Gly-KCl filled sinusoidal fluidic channel for wearable and water-proof robotic applications. <i>Smart Materials and Structures</i> , 2020, 29, 025011.	1.8	35
261	Graphene-based wearable piezoresistive physical sensors. <i>Materials Today</i> , 2020, 36, 158-179.	8.3	262
262	Fabrication of a Bending-Insensitive In-Plane Strain Sensor from a Reversible Cross-Linker-Functionalized Silicone Polymer. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 6516-6524.	4.0	16
263	A review of electronic skin: soft electronics and sensors for human health. <i>Journal of Materials Chemistry B</i> , 2020, 8, 852-862.	2.9	125
264	Highly Conductive PVA/Ag Coating by Aqueous in Situ Reduction and Its Stretchable Structure for Strain Sensor. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1427-1435.	4.0	36
265	Wearable Strain Sensors Using Light Transmittance Change of Carbon Nanotube-Embedded Elastomers with Microcracks. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10908-10917.	4.0	64
266	Recent progress on flexible and stretchable piezoresistive strain sensors: From design to application. <i>Progress in Materials Science</i> , 2020, 114, 100617.	16.0	267
267	Synergistic effects of hybrid conductive nanofillers on the performance of 3D printed highly elastic strain sensors. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 129, 105730.	3.8	102
268	All-Fiber Structured Electronic Skin with High Elasticity and Breathability. <i>Advanced Functional Materials</i> , 2020, 30, 1908411.	7.8	170
269	Strain sensor for full-scale motion monitoring based on self-assembled PDMS/MWCNTs layers. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 095405.	1.3	15
270	Strain-Induced Band-Gap Tuning of 2D SnSSe Flakes for Application in Flexible Sensors. <i>Advanced Materials Technologies</i> , 2020, 5, 1900853.	3.0	21
271	The effect of barium titanate ceramic loading on the stress relaxation behavior of barium titanate-silicone elastomer composites. <i>Polymer Engineering and Science</i> , 2020, 60, 3086-3094.	1.5	14
272	Facile Fabrication of 3D Porous Sponges Coated with Synergistic Carbon Black/Multiwalled Carbon Nanotubes for Tactile Sensing Applications. <i>Nanomaterials</i> , 2020, 10, 1941.	1.9	22

#	ARTICLE	IF	CITATIONS
273	Flexible Ti3C2Tx MXene/ink human wearable strain sensors with high sensitivity and a wide sensing range. <i>Sensors and Actuators A: Physical</i> , 2020, 315, 112304.	2.0	27
274	Handwriting flexible electronics: Tools, materials and emerging applications. <i>Journal of Science: Advanced Materials and Devices</i> , 2020, 5, 451-467.	1.5	7
275	Development and study of low-cost VACNT/PDMS stretchable and resistive strain sensor. <i>Sensors and Actuators A: Physical</i> , 2020, 315, 112358.	2.0	7
276	Investigation on the Coupling Effect Induced by Bilayer Structure of Thin Au Film and Graphene Nanoplates for Strain Gauge. , 2020, , .		0
277	Breathing process monitoring with a biaxially oriented polypropylene film based fiber Fabryâ€“Perot sensor. <i>Optics Communications</i> , 2020, 475, 126292.	1.0	11
278	A review on fabrication, characterization and implementation of wearable strain sensors. <i>Sensors and Actuators A: Physical</i> , 2020, 315, 112355.	2.0	79
279	A Skinâ€“inspired Substrate with Spaghettiâ€“like Multiâ€“nanofiber Network of Stiff and Elastic Components for Stretchable Electronics. <i>Advanced Functional Materials</i> , 2020, 30, 2003540.	7.8	25
280	Microdome-Induced Strain Localization for Biaxial Strain Decoupling toward Stretchable and Wearable Human Motion Detection. <i>Langmuir</i> , 2020, 36, 8939-8946.	1.6	26
281	Enhancement of linearity range of stretchable ultrasensitive metal crack strain sensor <i>via</i> superaligned carbon nanotube-based strain engineering. <i>Materials Horizons</i> , 2020, 7, 2662-2672.	6.4	54
282	Highly Sensitive, Low Hysteretic and Flexible Strain Sensor Based on Ecoflex-AgNWs- MWCNTs Flexible Composite Materials. <i>IEEE Sensors Journal</i> , 2020, 20, 14118-14125.	2.4	29
283	Stretchable Sensor Made of MWCNT/ZnO Nanohybrid Particles in PDMS. <i>Advanced Materials Technologies</i> , 2020, 5, 2000229.	3.0	14
284	Electron Transport through a Coordination Junction Formed by Carboxy Thiophenols and Bivalent Metal Ions. <i>Journal of Physical Chemistry C</i> , 2020, 124, 21137-21146.	1.5	4
285	High-output bending motion of a soft inflatable microactuator with an actuation conversion mechanism. <i>Scientific Reports</i> , 2020, 10, 12038.	1.6	5
286	Recent Advances of Carbon-Based Flexible Strain Sensors in Physiological Signal Monitoring. <i>ACS Applied Electronic Materials</i> , 2020, 2, 2282-2300.	2.0	64
287	Highly stretchable sensing array for independent detection of pressure and strain exploiting structural and resistive control. <i>Scientific Reports</i> , 2020, 10, 12666.	1.6	31
288	Flexible Ecoflexâ„®/Graphene Nanoplatelet Foams for Highly Sensitive Low-Pressure Sensors. <i>Sensors</i> , 2020, 20, 4406.	2.1	22
289	Stretchable Nanocomposite Sensors, Nanomembrane Interconnectors, and Wireless Electronics toward Feedbackâ€“Loop Control of a Soft Earthworm Robot. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 43388-43397.	4.0	35
290	A highly stretchable and intrinsically self-healing strain sensor produced by 3D printing. <i>Virtual and Physical Prototyping</i> , 2020, 15, 520-531.	5.3	41

#	ARTICLE	IF	CITATIONS
291	Nanocomposite hydrogel-based strain and pressure sensors: a review. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18605-18623.	5.2	230
292	Biocompatible and Highly Stretchable PVA/AgNWs Hydrogel Strain Sensors for Human Motion Detection. <i>Advanced Materials Technologies</i> , 2020, 5, 2000426.	3.0	83
293	3D Printed Silicone Meniscus Implants: Influence of the 3D Printing Process on Properties of Silicone Implants. <i>Polymers</i> , 2020, 12, 2136.	2.0	31
294	Wrinkle-Enabled Highly Stretchable Strain Sensors for Wide-Range Health Monitoring with a Big Data Cloud Platform. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 43009-43017.	4.0	60
295	Flexible Piezoelectric Transducers for Energy Harvesting and Sensing from Human Kinematics. <i>ACS Applied Electronic Materials</i> , 2020, 2, 3346-3357.	2.0	43
296	M13 Bacteriophage-Assisted Morphological Engineering of Crack-Based Sensors for Highly Sensitive and Wide Linear Range Strain Sensing. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 45590-45601.	4.0	16
297	3D printed high-performance flexible strain sensors based on carbon nanotube and graphene nanoplatelet filled polymer composites. <i>Journal of Materials Science</i> , 2020, 55, 15769-15786.	1.7	51
298	Self-Healing Ti ₃ C ₂ MXene/PDMS Supramolecular Elastomers Based on Small Biomolecules Modification for Wearable Sensors. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 45306-45314.	4.0	104
299	A Fully Inkjet-Printed Strain Sensor Based on Carbon Nanotubes. <i>Coatings</i> , 2020, 10, 792.	1.2	23
300	Experimental Investigation and Modeling of the Dynamic Resistance Response of Carbon Particle-Filled Polymers. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 2000361.	1.7	23
301	Machine learning-enabled multiplexed microfluidic sensors. <i>Biomicrofluidics</i> , 2020, 14, 061506.	1.2	29
302	Vibration monitoring based on flexible multi-walled carbon nanotube/polydimethylsiloxane film sensor and the application on motion signal acquisition. <i>Nanotechnology</i> , 2020, 31, 335504.	1.3	23
303	Protein Gel Phase Transition: Toward Superiorly Transparent and Hysteresis-Free Wearable Electronics. <i>Advanced Functional Materials</i> , 2020, 30, 1910080.	7.8	30
304	Single and bundled carbon nanofibers as ultralightweight and flexible piezoresistive sensors. <i>Npj Flexible Electronics</i> , 2020, 4, .	5.1	30
305	Meso-Reconstruction of Wool Keratin 3D Molecular Springs for Tunable Ultra-Sensitive and Highly Recovery Strain Sensors. <i>Small</i> , 2020, 16, e2000128.	5.2	33
306	Wearable Skin Sensors and Their Challenges: A Review of Transdermal, Optical, and Mechanical Sensors. <i>Biosensors</i> , 2020, 10, 56.	2.3	52
307	Effect of carbonyl iron powder incorporation on the piezoresistive sensing characteristics of CNT-based polymeric sensor. <i>Composite Structures</i> , 2020, 244, 112260.	3.1	37
308	Highly stretchable strain sensors based on polypyrrole-silicone rubber composites for human motion detection. <i>Sensors and Actuators A: Physical</i> , 2020, 312, 112131.	2.0	26

#	ARTICLE	IF	CITATIONS
309	Printed, Soft, Nanostructured Strain Sensors for Monitoring of Structural Health and Human Physiology. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 25020-25030.	4.0	62
310	A strain localization directed crack control strategy for designing MXene-based customizable sensitivity and sensing range strain sensors for full-range human motion monitoring. <i>Nano Energy</i> , 2020, 74, 104814.	8.2	77
311	Three dimensional core-shell structured liquid metal/elastomer composite via coaxial direct ink writing for electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 136, 105957.	3.8	46
312	Adjustable electronic and optical properties of BlueP/MoS ₂ van der Waals heterostructure by external strain: a first-principles study. <i>Nanotechnology</i> , 2020, 31, 375706.	1.3	11
313	Wireless, Flexible, Ion-Selective Electrode System for Selective and Repeatable Detection of Sodium. <i>Sensors</i> , 2020, 20, 3297.	2.1	22
314	Wearable and Stretchable Strain Sensors: Materials, Sensing Mechanisms, and Applications. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000039.	3.3	327
315	Sim-To-Real Transfer Learning Approach for Tracking Multi-DOF Ankle Motions Using Soft Strain Sensors. <i>IEEE Robotics and Automation Letters</i> , 2020, 5, 3525-3532.	3.3	9
316	Highly stretchable and sensitive strain sensors based on carbon nanotube-elastomer nanocomposites: the effect of environmental factors on strain sensing performance. <i>Journal of Materials Chemistry C</i> , 2020, 8, 6185-6195.	2.7	60
317	A comprehensive thermo-viscoelastic experimental investigation of Ecoflex polymer. <i>Polymer Testing</i> , 2020, 86, 106478.	2.3	59
318	An additively manufactured silicone polymer: Thermo-viscoelastic experimental study and computational modelling. <i>Additive Manufacturing</i> , 2020, 35, 101395.	1.7	15
319	Piezoresistive Elastomer-Based Composite Strain Sensors and Their Applications. <i>ACS Applied Electronic Materials</i> , 2020, 2, 1826-1842.	2.0	69
320	Research of Binary and Ternary Composites Based on Selected Aliphatic or Aliphatic-Aromatic Polymers, 5CB or SWCN toward Biodegradable Electrodes. <i>Materials</i> , 2020, 13, 2480.	1.3	7
321	Stretchable and calibratable graphene sensors for accurate strain measurement. <i>Materials Advances</i> , 2020, 1, 235-243.	2.6	22
322	Making something out of nothing: Enhanced flaw tolerance and rupture resistance in elastomer-void composites. <i>Extreme Mechanics Letters</i> , 2020, 40, 100845.	2.0	3
323	Development of ultrastretchable and skin attachable nanocomposites for human motion monitoring via embedded 3D printing. <i>Composites Part B: Engineering</i> , 2020, 200, 108224.	5.9	34
324	Printed Flexible Strain Sensor Array for Bendable Interactive Surface. <i>Advanced Functional Materials</i> , 2020, 30, 2003214.	7.8	69
325	Stretchable Skin-Like Cooling/Heating Device for Reconstruction of Artificial Thermal Sensation in Virtual Reality. <i>Advanced Functional Materials</i> , 2020, 30, 1909171.	7.8	71
326	Liquid-State Optoelectronics Using Liquid Metal. <i>Advanced Electronic Materials</i> , 2020, 6, 1901135.	2.6	14

#	ARTICLE	IF	CITATIONS
327	Sustainable manufacturing of sensors onto soft systems using self-coagulating conductive Pickering emulsions. <i>Science Robotics</i> , 2020, 5, .	9.9	50
328	Textile-Based Inductive Soft Strain Sensors for Fast Frequency Movement and Their Application in Wearable Devices Measuring Multiaxial Hip Joint Angles during Running. <i>Advanced Intelligent Systems</i> , 2020, 2, 1900165.	3.3	26
329	Ecoflex polymer of different Shore hardnesses: Experimental investigations and constitutive modelling. <i>Mechanics of Materials</i> , 2020, 144, 103366.	1.7	49
330	Flexible Piezoresistive Sensors based on Conducting Polymer-coated Fabric Applied to Human Physiological Signals Monitoring. <i>Journal of Bionic Engineering</i> , 2020, 17, 55-63.	2.7	33
331	Elastomer based force sensor fabricated by 3D additive manufacturing. <i>AIP Advances</i> , 2020, 10, 015017.	0.6	12
332	Wearable strain sensor based on highly conductive carbon nanotube/polyurethane composite fibers. <i>Nanotechnology</i> , 2020, 31, 205701.	1.3	20
333	A superhydrophobic fluorinated PDMS composite as a wearable strain sensor with excellent mechanical robustness and liquid impalement resistance. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3509-3516.	5.2	128
334	Highly Sensitive and Stretchable Carbon Nanotube/Fluoroelastomer Nanocomposite with a Double-Percolated Network for Wearable Electronics. <i>Advanced Electronic Materials</i> , 2020, 6, 1901067.	2.6	41
335	Ultraflexible and transparent electroluminescent skin for real-time and super-resolution imaging of pressure distribution. <i>Nature Communications</i> , 2020, 11, 663.	5.8	104
336	Nanoparticle orientation distribution analysis and design for polymeric piezoresistive sensors. <i>Sensors and Actuators A: Physical</i> , 2020, 303, 111851.	2.0	7
337	A computational exploration of the effect of alignment and aspect ratio on alternating current conductivity in carbon nanofiber-modified epoxy. <i>Journal of Intelligent Material Systems and Structures</i> , 2020, 31, 756-770.	1.4	14
338	Review-Recent Progress in Flexible and Stretchable Piezoresistive Sensors and Their Applications. <i>Journal of the Electrochemical Society</i> , 2020, 167, 037561.	1.3	105
339	Liquid metal circuit based magnetoresistive strain sensor with discriminating magnetic and mechanical sensitivity. <i>Sensors and Actuators B: Chemical</i> , 2020, 314, 128095.	4.0	59
340	A flexible strain sensor based on CNTs/PDMS microspheres for human motion detection. <i>Sensors and Actuators A: Physical</i> , 2020, 306, 111959.	2.0	66
341	Metallic Sandwiched-Aerogel Hybrids Enabling Flexible and Stretchable Intelligent Sensor. <i>Nano Letters</i> , 2020, 20, 3449-3458.	4.5	87
342	Bioinspired, High-Sensitivity Mechanical Sensors Realized with Hexagonal Microcolumnar Arrays Coated with Ultrasonic-Sprayed Single-Walled Carbon Nanotubes. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 18813-18822.	4.0	29
343	A high gauge-factor wearable strain sensor array via 3D printed mold fabrication and size optimization of silver-coated carbon nanotubes. <i>Nanotechnology</i> , 2020, 31, 305501.	1.3	14
344	Integrated Resistive-Capacitive Strain Sensors Based on Polymer-Nanoparticle Composites. <i>ACS Applied Nano Materials</i> , 2020, 3, 4357-4366.	2.4	17

#	ARTICLE	IF	CITATIONS
345	Water-Borne Fabrication of Stretchable and Durable Microfibers for High-Performance Underwater Strain Sensors. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 20965-20972.	4.0	19
346	Invisible Silver Nanomesh Skin Electrode via Mechanical Press Welding. <i>Nanomaterials</i> , 2020, 10, 633.	1.9	14
347	A Soft Material Flow Sensor for Micro Air Vehicles. <i>Soft Robotics</i> , 2021, 8, 119-127.	4.6	7
348	Flexible Capacitive Curvature Sensor with One-Time Calibration for Amphibious Gait Monitoring. <i>Soft Robotics</i> , 2021, 8, 164-174.	4.6	21
349	Flexible, self-powered and multi-functional strain sensors comprising a hybrid of carbon nanocoils and conducting polymers. <i>Chemical Engineering Journal</i> , 2021, 404, 126064.	6.6	71
350	Material innovation and mechanics design for substrates and encapsulation of flexible electronics: a review. <i>Materials Horizons</i> , 2021, 8, 383-400.	6.4	91
351	Constructing conductive titanium carbide nanosheet (MXene) network on polyurethane/polyacrylonitrile fibre framework for flexible strain sensor. <i>Journal of Colloid and Interface Science</i> , 2021, 584, 1-10.	5.0	86
352	Recent advances in fabricating durable superhydrophobic surfaces: a review in the aspects of structures and materials. <i>Materials Chemistry Frontiers</i> , 2021, 5, 1655-1682.	3.2	94
353	Coco Stretch: Strain Sensors Based on Natural Coconut Oil and Carbon Black Filled Elastomers. <i>Advanced Materials Technologies</i> , 2021, 6, 2000780.	3.0	13
354	Nanocrack-based strain sensors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 754-772.	2.7	37
355	Magnetic Actuation Methods in Bio/Soft Robotics. <i>Advanced Functional Materials</i> , 2021, 31, 2005137.	7.8	126
356	Rapid Fabrication Method for Soft Devices Using Off-the-shelf Conductive and Dielectric Acrylic Elastomers. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000173.	3.3	6
357	Artificial Skin Perception. <i>Advanced Materials</i> , 2021, 33, e2003014.	11.1	203
358	From wearables to implantables—clinical drive and technical challenges. , 2021, , 29-84.		8
359	A highly conductive self-assembled multilayer graphene nanosheet film for electronic tattoos in the applications of human electrophysiology and strain sensing. <i>Nanoscale</i> , 2021, 13, 10798-10806.	2.8	14
360	Flexible Capacitive Pressure Sensor Based on Laser-Induced Graphene and Polydimethylsiloxane Foam. <i>IEEE Sensors Journal</i> , 2021, 21, 12048-12056.	2.4	25
361	Polymer-based electro-active smart composites as stretchable strain sensors. , 2021, , 291-320.		0
362	Ultra-sensitive flexible sandwich structural strain sensors based on a silver nanowire supported PDMS/PVDF electrospun membrane substrate. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2752-2762.	2.7	41

#	ARTICLE	IF	CITATIONS
363	Facile Synthesis of Sprayed CNTs Layer-Embedded Stretchable Sensors with Controllable Sensitivity. <i>Polymers</i> , 2021, 13, 311.	2.0	13
364	High deformation multifunctional composites. , 2021, , 317-350.		1
365	A review on structures, materials and applications of stretchable electrodes. <i>Frontiers of Materials Science</i> , 2021, 15, 54-78.	1.1	10
366	Manufacturing Technology of Nanocomposite Material From Carbon Nanotubes in a Polymer Matrix for Biological Tissues Strain Gauges. , 2021, , .		0
367	Facile fabrication and low-temperature bonding of Cu@Snâ€“Bi coreâ€“shell particles for conductive pastes. <i>RSC Advances</i> , 2021, 11, 26408-26414.	1.7	1
368	Stretchable and Ultrasensitive Intelligent Sensors for Wireless Humanâ€“Machine Manipulation. <i>Advanced Functional Materials</i> , 2021, 31, 2009466.	7.8	41
369	Ultraâ€“Sensitive and Stretchable Ionic Skins for Highâ€“Precision Motion Monitoring. <i>Advanced Functional Materials</i> , 2021, 31, 2010199.	7.8	60
370	Ultrasensitive Wearable Strain Sensors based on a VACNT/PDMS Thin Film for a Wide Range of Human Motion Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 8871-8879.	4.0	55
372	An Ultra-Stretchable and Highly Sensitive Photoelectric Effect-Based Strain Sensor: Implementation and Applications. <i>IEEE Sensors Journal</i> , 2021, 21, 4365-4376.	2.4	16
373	Flexible Sensors Based on Organicâ€“Inorganic Hybrid Materials. <i>Advanced Materials Technologies</i> , 2021, 6, 2000889.	3.0	43
374	Piezoresistive sensor fiber composites based on silicone elastomers for the monitoring of the position of a robot arm. <i>Sensors and Actuators A: Physical</i> , 2021, 318, 112433.	2.0	43
375	Mechanoluminescence Rebrightening the Prospects of Stress Sensing: A Review. <i>Advanced Materials</i> , 2021, 33, e2005925.	11.1	181
376	Graphene nanoplatelet, multiwall carbon nanotube, and hybrid multiwall carbon nanotubeâ€“graphene nanoplatelet epoxy nanocomposites as strain sensing coatings. <i>Journal of Reinforced Plastics and Composites</i> , 2021, 40, 632-643.	1.6	28
377	Comparison of the Dielectric Properties of EcoflexÂ® with L,D-Poly(Lactic Acid) or Polycaprolactone in the Presence of SWCN or 5CB. <i>Materials</i> , 2021, 14, 1719.	1.3	9
378	Wearable Strain Sensors Based on a Porous Polydimethylsiloxane Hybrid with Carbon Nanotubes and Graphene. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 15572-15583.	4.0	118
379	Highâ€“Performance Stretchable Strain Sensor Based on Ag Nanoparticles Sandwiched between Two 3Dâ€“Printed Polyurethane Fibrous Textiles. <i>Advanced Electronic Materials</i> , 2021, 7, 2001242.	2.6	18
380	Highly Flexible, Stretchable, and Self-Powered Strain-Temperature Dual Sensor Based on Free-Standing PEDOT:PSS/Carbon Nanocoilsâ€“Poly(vinyl) Alcohol Films. <i>ACS Sensors</i> , 2021, 6, 1120-1128.	4.0	40
381	Capacitive sensor measurement rate improves by pre-stretching. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
382	Manufacturing and characterization of novel silicone/natural fabric/ graphene-based functional composites for human body motion sensing. <i>Polymer Composites</i> , 2021, 42, 3493-3507.	2.3	5
383	Recent Progress in Flexible Tactile Sensors for Human-Interactive Systems: From Sensors to Advanced Applications. <i>Advanced Materials</i> , 2021, 33, e2005902.	11.1	216
384	A Three-Dimensional Printable Liquid Metal-Like Ag Nanoparticle Ink for Making a Super-Stretchable and Highly Cyclic Durable Strain Sensor. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 18021-18032.	4.0	17
385	Printable Conductive Putty for Frequency- and Rate-Independent, High-Performance Strain Sensors. <i>Small</i> , 2021, 17, e2006542.	5.2	16
386	Wearable human-machine interface based on the self-healing strain sensors array for control interface of unmanned aerial vehicle. <i>Sensors and Actuators A: Physical</i> , 2021, 321, 112583.	2.0	21
387	25 Years of Light-Emitting Electrochemical Cells: A Flexible and Stretchable Perspective. <i>Advanced Materials</i> , 2021, 33, e2006863.	11.1	44
388	A Robust Wearable Point-of-Care CNT-Based Strain Sensor for Wirelessly Monitoring Throat-Related Illnesses. <i>Advanced Functional Materials</i> , 2021, 31, 2103375.	7.8	67
389	Effects of Binder and Substrate Materials on the Performance and Reliability of Stretchable Nanocomposite Strain Sensors. <i>Journal of Nanoscience and Nanotechnology</i> , 2021, 21, 2969-2979.	0.9	2
390	High-Performance Auxetic Bilayer Conductive Mesh-Based Multi-Material Integrated Stretchable Strain Sensors. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 23038-23048.	4.0	25
391	Intelligent Soft Surgical Robots for Next-Generation Minimally Invasive Surgery. <i>Advanced Intelligent Systems</i> , 2021, 3, 2100011.	3.3	55
392	Stimuli-Responsive Electrospun Piezoelectric Mats of Ethylene-co-vinyl Acetate-Millable Polyurethane-Nanohydroxyapatite Composites. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 24106-24116.	4.0	7
393	Acarid Suction Cup-Inspired Rapid and Tunable Magnetic Adhesion. <i>Advanced Materials Technologies</i> , 2021, 6, 2100004.	3.0	10
394	High-Output Force Electrohydraulic Actuator Powered by Induced Interfacial Charges. <i>Advanced Intelligent Systems</i> , 2021, 3, 2100006.	3.3	4
395	Stretchable Strain Sensor with Controllable Negative Resistance Sensitivity Coefficient Based on Patterned Carbon Nanotubes/Silicone Rubber Composites. <i>Micromachines</i> , 2021, 12, 716.	1.4	4
396	Wearable system for elbow angles estimation based on a polymer encapsulated conductive textile. , 2021, , .		1
397	Advances in organic thermoelectric materials and devices for smart applications. <i>SmartMat</i> , 2021, 2, 426-445.	6.4	62
398	Ready-to-wear strain sensing gloves for human motion sensing. <i>IScience</i> , 2021, 24, 102525.	1.9	10
399	Highly stretchable and sensitive strain sensor based on silver nanowires/carbon nanotubes on hair band for human motion detection. <i>Progress in Natural Science: Materials International</i> , 2021, 31, 379-386.	1.8	13

#	ARTICLE	IF	CITATIONS
400	High-Performance Foam-Shaped Strain Sensor Based on Carbon Nanotubes and Ti ₃ C ₂ T _x MXene for the Monitoring of Human Activities. ACS Nano, 2021, 15, 9690-9700.	7.3	191
401	Kirigami Strain Sensing on Balloon Catheters with Temporary Tattoo Paper. , 2021, , .		2
402	Microfluidic preparation of highly stretchable natural rubber microfiber containing CNT/PEDOT:PSS hybrid for fabric-sewable wearable strain sensor. Composites Science and Technology, 2021, 210, 108811.	3.8	43
403	Soft Bio-Integrated Multifunctional Devices Using an Intrinsically Stretchable Conducting Nanomembrane. Applied Sciences (Switzerland), 2021, 11, 6562.	1.3	6
404	Flexible strain sensors: from devices to array integration. Flexible and Printed Electronics, 2021, 6, 043002.	1.5	4
405	Highly sensitive gas sensing platforms based on field effect Transistor-A review. Analytica Chimica Acta, 2021, 1172, 338575.	2.6	26
406	A Flexible Strain Sensor Based on Embedded Ionic Liquid. Sensors, 2021, 21, 5760.	2.1	14
407	In Situ Formation of Ag Nanoparticles for Fiber Strain Sensors: Toward Textile-Based Wearable Applications. ACS Applied Materials & Interfaces, 2021, 13, 39868-39879.	4.0	26
408	Copolymer composition tailored carbon nanotube network breakdown and piezoresistivity of ethylene-vinyl acetate electroconductive composites. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 270, 115194.	1.7	1
409	Strain Sensing by Electrical Capacitive Variation: From Stretchable Materials to Electronic Interfaces. Advanced Electronic Materials, 2021, 7, 2100190.	2.6	17
410	A Hybrid Microstructure Piezoresistive Sensor with Machine Learning Approach for Gesture Recognition. Applied Sciences (Switzerland), 2021, 11, 7264.	1.3	4
411	Tuning the piezoresistive strain sensing behavior of poly(vinylidene fluoride)â€“CNT composites: The role of polymerâ€“CNT interface and composite processing technique. Journal of Applied Polymer Science, 2022, 139, 51516.	1.3	7
412	Ion-Conducting, Supramolecular Crosslinked Elastomer with a Wide Linear Range of Strain Resistances. ACS Applied Polymer Materials, 2021, 3, 5012-5021.	2.0	9
413	A Surface-Confined Gradient Conductive Network Strategy for Transparent Strain Sensors toward Full-Range Monitoring. ACS Applied Materials & Interfaces, 2021, 13, 43806-43819.	4.0	2
414	On the stress recovery behaviour of Ecoflex silicone rubbers. International Journal of Mechanical Sciences, 2021, 206, 106624.	3.6	36
415	Biomimetic flexible strain sensor with high linearity using double conducting layers. Composites Science and Technology, 2021, 213, 108908.	3.8	29
416	Self-Sensing McKibben Artificial Muscles Embedded With Dielectric Elastomer Sensor. IEEE Robotics and Automation Letters, 2021, 6, 6274-6280.	3.3	16
417	Development and Characteristics of Multipurpose Transparent Polyurethane Film. Journal of Nanoscience and Nanotechnology, 2021, 21, 5222-5228.	0.9	2

#	ARTICLE	IF	CITATIONS
418	Wearable sign language translation system using strain sensors. <i>Sensors and Actuators A: Physical</i> , 2021, 331, 113010.	2.0	10
419	Fabrication of ultra-high working range strain sensor using carboxyl CNTs coated electrospun TPU assisted with dopamine. <i>Applied Surface Science</i> , 2021, 566, 150705.	3.1	49
420	Dynamic thermoelectromechanical characterization of carbon nanotube nanocomposite strain sensors. <i>Sensors and Actuators A: Physical</i> , 2021, 332, 113122.	2.0	13
421	A Sub-Micron-Thick stretchable adhesive layer for the lamination of arbitrary elastomeric substrates with enhanced adhesion stability. <i>Chemical Engineering Journal</i> , 2022, 429, 132250.	6.6	10
422	MWCNT enabled smart textiles based flexible and wearable sensor for human motion and humidity monitoring. <i>Cellulose</i> , 2021, 28, 2505-2520.	2.4	26
423	Nanotechnology-enabled polymer-based flexible electronics and their potential applications. , 2021, , 321-340.		1
424	Highly Stretchable Strain Sensor and Detecting System for Monitoring of Bladder Volume. , 2021, , .		1
425	Continuum Robot Proprioception: The Ionic Liquid Approach. <i>IEEE Transactions on Robotics</i> , 2022, 38, 526-535.	7.3	9
426	Self-powered ultrasensitive and highly stretchable temperatureâ€‘strain sensing composite yarns. <i>Materials Horizons</i> , 2021, 8, 2513-2519.	6.4	21
427	Carbon Nanotube Four-Terminal Devices for Pressure Sensing Applications. <i>Smart Innovation, Systems and Technologies</i> , 2019, , 199-207.	0.5	1
428	Mechanical Sensing for Lower Limb Soft Exoskeletons: Recent Progress and Challenges. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1170, 69-85.	0.8	2
429	A stretchable petal patterned strain sensor comprising Ir nanoparticles-modified multi-walled carbon nanotubes for human-motion detection. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 505402.	1.3	6
431	Wearable piezoresistive strain sensor based on graphene-coated three-dimensional micro-porous PDMS sponge. <i>Micro and Nano Systems Letters</i> , 2019, 7, .	1.7	28
432	A Review of Printable Flexible and Stretchable Tactile Sensors. <i>Research</i> , 2019, 2019, 3018568.	2.8	100
433	Trends in Epidermal Stretchable Electronics for Noninvasive Long-term Healthcare Applications. <i>International Journal of Automation and Smart Technology</i> , 2017, 7, 37-52.	0.4	10
434	Carbonâ€‘Based Nanomaterials and Sensing Tools for Wearable Health Monitoring Devices. <i>Advanced Materials Technologies</i> , 2022, 7, 2100572.	3.0	38
435	First principles study on modulating electronic and optical properties with h-BN intercalation in AlN/MoS ₂ heterostructure. <i>Nanotechnology</i> , 2022, 33, 035708.	1.3	5
436	Electrospun bundled carbon nanofibers for skin-inspired tactile sensing, proprioception and gesture tracking applications. <i>Npj Flexible Electronics</i> , 2021, 5, .	5.1	37

#	ARTICLE	IF	CITATIONS
437	Highly stretchable and sensitive self-powered sensors based on the N-Type thermoelectric effect of polyurethane/Nax(Ni-ett)n/graphene oxide composites. Composites Communications, 2021, 28, 100952.	3.3	14
438	Experimental and theoretical analysis of integrated circuit (IC) chips on flexible substrates subjected to bending. Journal of Applied Physics, 2017, 122, .	1.1	2
439	Layers of Composite Nanomaterials as Prototype of a Tensoresistor Sensor. Springer Proceedings in Physics, 2019, , 523-535.	0.1	1
440	A novel flexible wireless pressure sensor for diagnosis of the osteofascial compartment syndrome. , 2019, , .		0
441	Self-supported Materials for Flexible/Stretchable Sensors. Engineering Materials, 2020, , 269-296.	0.3	0
442	Wearable Devices for Monitoring Work related Musculoskeletal and Gait Disorders. , 2020, , .		1
443	3D Printed Robotic Hand with Embedded Touch Sensors. , 2020, , .		12
444	Print-and-Spray Electromechanical Metamaterials. Soft Robotics, 2021, , .	4.6	0
445	Flexible Pressure Sensor with Micro-Structure Arrays Based on PDMS and PEDOT:PSS/PUD&CNTs Composite Film with 3D Printing. Materials, 2021, 14, 6499.	1.3	14
446	Graphene-Based Multifunctional Textile for Sensing and Actuating. ACS Nano, 2021, 15, 17738-17747.	7.3	57
447	Wearable Antenna Materials. Advances in Mechatronics and Mechanical Engineering, 2020, , 139-162.	1.0	0
448	Electrically conductive and piezoresistive polymer nanocomposites using multiwalled carbon nanotubes in a flexible copolyester: Spectroscopic, morphological, mechanical and electrical properties. Nano Structures Nano Objects, 2022, 29, 100806.	1.9	14
449	A bioinspired three-dimensional integrated e-skin for multiple mechanical stimuli recognition. Nano Energy, 2022, 92, 106777.	8.2	25
450	A DIY Fabrication Approach of Stretchable Sensors Using Carbon Nano Tube Powder for Wearable Device. Frontiers in Robotics and AI, 2021, 8, 773056.	2.0	8
451	Flexible and Stable Carbon Nanotube Film Strain Sensors with Self-Derived Integrated Electrodes. ACS Applied Materials & Interfaces, 2021, 13, 55600-55610.	4.0	8
452	Flexible Pressure Sensor Based on a Thermally Induced Wrinkled Graphene Sandwich Structure. IEEE Sensors Journal, 2022, 22, 3040-3051.	2.4	12
453	Stiffness and toughness of soft, liquid reinforced composites. Journal of the Mechanics and Physics of Solids, 2022, 159, 104714.	2.3	5
454	Modified MXene-doped conductive organosilicon elastomer with high-stretchable, toughness, and self-healable for strain sensors. Composite Structures, 2022, 282, 115071.	3.1	14

#	ARTICLE	IF	CITATIONS
455	Flexible large e-skin array based on patterned laser-induced graphene for tactile perception. <i>Sensors and Actuators A: Physical</i> , 2022, 334, 113308.	2.0	16
456	Copper wire based electrical contacts for direct interfacing of stretchable sensors. , 2020, , .		2
457	Carbon nanotube/glycerol embedded low cost flexible sensor for large deflection sensing of continuum manipulators. <i>Measurement Science and Technology</i> , 2022, 33, 045107.	1.4	2
458	Skin-Inspired Flexible and Stretchable Electrospun Carbon Nanofiber Sensors for Neuromorphic Sensing. <i>ACS Applied Electronic Materials</i> , 2022, 4, 308-315.	2.0	11
459	Flexible Strain Sensors for Wearable Hand Gesture Recognition: From Devices to Systems. <i>Advanced Intelligent Systems</i> , 2022, 4, .	3.3	38
460	A Practical Strain Sensor Based on Ecoflex/Overlapping Graphene/Ecoflex Sandwich Structures for Vocal Fold Vibration and Body Motion Monitoring. <i>Frontiers in Sensors</i> , 2022, 2, .	1.7	3
461	Characterization of Circumference and Internal Pressure of a Penis by Using Stretchable Capacitive Sensors and a Penis Dummy for Diagnosing Erectile Dysfunction. <i>International Journal of Precision Engineering and Manufacturing</i> , 2022, 23, 195-204.	1.1	2
462	CNT/Graphite/SBS Conductive Fibers for Strain Sensing in Wearable Telerehabilitation Devices. <i>Sensors</i> , 2022, 22, 800.	2.1	7
463	Evaluation of (CNT@CIP)-Embedded Magneto-Resistive Sensor Based on Carbon Nanotube and Carbonyl Iron Powder Polymer Composites. <i>Polymers</i> , 2022, 14, 542.	2.0	14
464	Piezoresistive 3D grapheneâ€“PDMS spongy pressure sensors for IoT enabled wearables and smart products. <i>Flexible and Printed Electronics</i> , 2022, 7, 015004.	1.5	11
465	Enhanced stretchability and robustness towards flexible ionotronics via double-network structure and ion-dipole interactions. <i>Chemical Engineering Journal</i> , 2022, 434, 134752.	6.6	29
466	Highly Stretchable and Sensitive Strain Sensor based on Ionogel/Ag Synergistic Conductive Network. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	9
467	High conductivity thermoelectric insulation composite silicone rubber prepared by carbon nanotubes and silicon carbide composite filler. <i>Polymer Composites</i> , 2022, 43, 2139-2149.	2.3	9
468	Demonstration of durable electronic textiles via mechanically assisted highly adhesive printing of carbon nanotube-polymer composites on commercial fabrics. <i>Journal of Industrial and Engineering Chemistry</i> , 2022, 108, 508-513.	2.9	4
469	A Skinâ€“Like and Highly Stretchable Optical Fiber Sensor with the Hybrid Coding of Wavelengthâ€“Light Intensity. <i>Advanced Intelligent Systems</i> , 2022, 4, .	3.3	19
470	Cellulose based flexible and wearable sensors for health monitoring. <i>Materials Advances</i> , 2022, 3, 3766-3783.	2.6	15
471	Highly Stretchable, Robust, and Conductive Lab-Synthesized Pedot:Pss Conductive Polymer/Hydroxyethyl Cellulose Films for On-Skin Health-Monitoring Devices. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
472	Highly stretchable and sensitive strain sensors with ginkgo-like sandwich architectures. <i>Nanoscale Advances</i> , 2022, 4, 1681-1693.	2.2	6

#	ARTICLE	IF	CITATIONS
473	A self-healing, recyclable and conductive gelatin/nanofibrillated cellulose/Fe ³⁺ hydrogel based on multi-dynamic interactions for a multifunctional strain sensor. <i>Materials Horizons</i> , 2022, 9, 1412-1421.	6.4	53
474	Electromechanically Durable Graphene Oxide-Embedded Elastomer via Simultaneous Corporation of Siloxane/Polyol Based on the Dual Secondary Bond Architecture. <i>ACS Applied Polymer Materials</i> , 2022, 4, 2614-2625.	2.0	2
475	Multifunctional Polyurethane Composite Foam with Outstanding Anti-impact Capacity for Soft Body Armors. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 13778-13789.	4.0	39
476	Electrical Stability and Piezoresistive Sensing Performance of High Strain-Range Ultra-Stretchable CNT-Embedded Sensors. <i>Polymers</i> , 2022, 14, 1366.	2.0	13
477	Accurate Prediction of Knee Angles during Open-Chain Rehabilitation Exercises Using a Wearable Array of Nanocomposite Stretch Sensors. <i>Sensors</i> , 2022, 22, 2499.	2.1	6
478	The status and perspectives of nanostructured materials and fabrication processes for wearable piezoresistive sensors. <i>Microsystem Technologies</i> , 2022, 28, 1561-1580.	1.2	12
479	Selective Patterning of Conductive Elastomers Embedded With Silver Powders and Carbon Nanotubes for Stretchable Electronics. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 4983-4990.	3.3	2
480	Strategies for body-conformable electronics. <i>Matter</i> , 2022, 5, 1104-1136.	5.0	90
481	Dielectric, structural and mechanical properties of thermally aged biaxially oriented polymeric substrates for flexible electronics. <i>Polymer Degradation and Stability</i> , 2022, 199, 109906.	2.7	4
482	Tensile strain and damage self-sensing of flax FRP laminates using carbon nanofiber conductive network coupled with acoustic emission. <i>Composite Structures</i> , 2022, 290, 115549.	3.1	11
483	Highly stretchable, robust, and conductive lab-synthesized PEDOT:PSS conductive polymer/hydroxyethyl cellulose films for on-skin health-monitoring devices. <i>Organic Electronics</i> , 2022, 105, 106499.	1.4	9
484	Printable Strain Sensors with Viscosity-Adjustable Ionic Liquids for Motion Monitoring. , 2021, 2021, 6806-6809.		0
485	Data-Driven Modeling and Characterization of Carbon Nanotube Nanocomposite Strain Sensors for Human Health Monitoring Applications. , 2021, , .		0
486	Highly Stretchable and Sensitive Single-Walled Carbon Nanotube-Based Sensor Decorated on a Polyether Ester Urethane Substrate by a Low Hydrothermal Process. <i>ACS Omega</i> , 2021, 6, 34866-34875.	1.6	2
487	Cost-Effective Fabrication of Transparent Strain Sensors via Micro-Scale 3D Printing and Imprinting. <i>Nanomaterials</i> , 2022, 12, 120.	1.9	13
488	Novel pressure sensors based on polymer film with surface microstructures. , 2021, , .		0
489	A Stretchable Strain Sensor Based on CNTs/GR for Human Motion Monitoring. <i>Nano</i> , 2021, 16, .	0.5	1
490	Proximity-field nanopatterning for high-performance chemical and mechanical sensor applications based on 3D nanostructures. <i>Applied Physics Reviews</i> , 2022, 9, .	5.5	10

#	ARTICLE	IF	CITATIONS
491	An elastomeric composite with tunable thermal and mechanical properties via liquid metal-flake graphite multiphase fillers. <i>International Journal of Modern Physics B</i> , 2022, 36, .	1.0	2
492	Multifunctional Textile Electronic with Sensing, Energy Storing, and Electrothermal Heating Capabilities. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 22497-22509.	4.0	11
493	Multi-Layered Carbon-Black/Elastomer-Composite-Based Shielded Stretchable Capacitive Sensors for the Underactuated Robotic Hand. <i>Robotics</i> , 2022, 11, 58.	2.1	5
494	Stretchable inkjet-printed electronics on mechanically compliant island-bridge architectures covalently bonded to elastomeric substrates. <i>Flexible and Printed Electronics</i> , 2022, 7, 025007.	1.5	2
495	A flexible dual-mode pressure sensor with ultra-high sensitivity based on BTO@MWCNTs core-shell nanofibers. <i>Composites Science and Technology</i> , 2022, 224, 109478.	3.8	27
496	Soft and flexible large-strain piezoresistive sensors: On implementing proprioception, object classification and curvature estimation systems in adaptive, human-like robot hands. <i>Sensors and Actuators A: Physical</i> , 2022, 341, 113609.	2.0	9
497	MWCNTs/PDMS composite enabled printed flexible omnidirectional strain sensors for wearable electronics. <i>Composites Science and Technology</i> , 2022, 226, 109518.	3.8	42
498	Measurement of Pulsating Flow Using a Self-Attachable Flexible Strain Sensor Based on Adhesive PDMS and CNT. <i>Chemosensors</i> , 2022, 10, 187.	1.8	4
499	3D-Printing-Assisted Extraluminal Anti-Reflux Diodes for Preventing Vesicoureteral Reflux through Double-J Stents. <i>International Journal of Bioprinting</i> , 2022, 8, 549.	1.7	2
500	Evaluation of conductivity and piezo-impedance response of VACNTs/PDMS nanocomposite-based strain sensors under small deformations. <i>Sensors and Actuators A: Physical</i> , 2022, , 113626.	2.0	0
501	Silicone-Textile Composite Resistive Strain Sensors for Human Motion-Related Parameters. <i>Sensors</i> , 2022, 22, 3954.	2.1	9
502	Nanomaterials and printing techniques for 2D and 3D soft electronics. <i>Nano Futures</i> , 0, , .	1.0	1
503	Breathable and Wearable Strain Sensors Based on Synergistic Conductive Carbon Nanotubes/Cotton Fabrics for Multi-directional Motion Detection. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 25753-25762.	4.0	44
504	Tough, transparent, biocompatible and stretchable thermoplastic copolymer with high stability and processability for soft electronics. <i>Materials Today</i> , 2022, 57, 43-56.	8.3	16
505	Flexible strain sensing percolation networks towards complicated wearable microclimate and multi-direction mechanical inputs. <i>Nano Energy</i> , 2022, 99, 107444.	8.2	22
506	Intrinsically Stretchable, Efficient Organic Solar Cells Achieved by High Molecular Weight, Electro-Active Polymer Acceptor Additives. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	45
507	Ultra-High Gauge Factor Strain Sensor with Wide-Range Stretchability. <i>Advanced Intelligent Systems</i> , 2022, 4, .	3.3	13
508	A sensitive and flexible interdigitated capacitive strain gauge based on carbon nanofiber/PANI/silicone rubber nanocomposite for body motion monitoring. <i>Materials Research Express</i> , 2022, 9, 065605.	0.8	7

#	ARTICLE	IF	CITATIONS
509	Design of a Smart Conducting Nanocomposite with an Extended Strain Sensing Range by Conjugating Hybrid Structures. <i>Polymers</i> , 2022, 14, 2551.	2.0	2
510	Material Design and Device Fabrication Strategies for Stretchable Organic Solar Cells. <i>Advanced Materials</i> , 2022, 34, .	11.1	67
511	Neuro-inspired electronic skin for robots. <i>Science Robotics</i> , 2022, 7, .	9.9	80
512	Effects of large bending deformation on the electromechanical performance of a soft capacitor. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 405301.	1.3	2
513	Programmable CRISPR-Cas9 microneedle patch for long-term capture and real-time monitoring of universal cell-free DNA. <i>Nature Communications</i> , 2022, 13, .	5.8	47
514	Modeling Electrical Resistance Behavior of Soft and Flexible Piezoresistive Sensors Based on Carbon-Black/Silicone Elastomer Composites. <i>Sensing and Imaging</i> , 2022, 23, .	1.0	4
515	Easy-Scalable Flexible Sensors Made of Carbon Nanotube-Doped Polydimethylsiloxane: Analysis of Manufacturing Conditions and Proof of Concept. <i>Sensors</i> , 2022, 22, 5147.	2.1	8
516	Carbon Nanotube Coated Fibrous Tubes for Highly Stretchable Strain Sensors Having High Linearity. <i>Nanomaterials</i> , 2022, 12, 2458.	1.9	6
517	Accounting for Viscoelasticity When Interpreting Nano-Composite High-Deflection Strain Gauges. <i>Sensors</i> , 2022, 22, 5239.	2.1	1
518	EGaIn-Silicone-based highly stretchable and flexible strain sensor for real-time two joint robotic motion monitoring. <i>Sensors and Actuators A: Physical</i> , 2022, 342, 113659.	2.0	12
519	Measuring the interfacial bonding strength between soft composite material membranes using blister test. <i>Materials Chemistry and Physics</i> , 2022, 290, 126534.	2.0	2
520	Fabrication method of flexible strain sensors with CNTs and solvents. <i>Sensors and Actuators A: Physical</i> , 2022, 345, 113775.	2.0	14
521	Materials for Wearable Sensors. , 2022, 2, .		0
522	Three-Dimensional Printed Carbon Black/PDMS Composite Flexible Strain Sensor for Human Motion Monitoring. <i>Micromachines</i> , 2022, 13, 1247.	1.4	8
523	Recent Advances in Stretchable and Wearable Capacitive Electrophysiological Sensors for Long-Term Health Monitoring. <i>Biosensors</i> , 2022, 12, 630.	2.3	26
524	Dynamic Responses and High-Energy Vibration Analysis of Flexible Resonant Curved Microbeam on a Soft Substrate. <i>Journal of Vibration Engineering and Technologies</i> , 2023, 11, 977-995.	1.3	1
525	Flexible assembled tactile sensor with freely integration design. <i>Smart Materials and Structures</i> , 2022, 31, 105013.	1.8	4
526	Highly conductive, stretchable, durable, breathable electrodes based on electrospun polyurethane mats superficially decorated with carbon nanotubes for multifunctional wearable electronics. <i>Chemical Engineering Journal</i> , 2023, 451, 138549.	6.6	66

#	ARTICLE	IF	CITATIONS
527	Geometrical and electrical modulation of cracked metal films based on metal nanowire/elastomer composites for high-performance wearable strain sensing. <i>Composites Science and Technology</i> , 2022, 230, 109738.	3.8	5
528	Segregated structures induced linear mechanoelectrical responses to low strains for elastomer/CNTs composites. <i>Composites Science and Technology</i> , 2022, 230, 109752.	3.8	7
529	Programming mechanoluminescent behaviors of 3D printed cellular structures. <i>Nano Energy</i> , 2022, 103, 107825.	8.2	11
530	Styrene-ethylene-butadiene-styrene copolymer/carbon nanotubes composite fiber based strain sensor with wide sensing range and high linearity for human motion detection. <i>Journal of Industrial Textiles</i> , 2022, 52, 152808372211219.	1.1	0
531	A Carbon Black/Polyvinyl Alcohol-Based Composite Thin Film Sensor Integrating Strain and Humidity Sensing Using the Droplet Deposition Method. <i>Crystals</i> , 2022, 12, 1316.	1.0	4
532	Carbon Nanotube-Based Strain Sensors: Structures, Fabrication, and Applications. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	29
533	Review of Flexible Piezoresistive Strain Sensors in Civil Structural Health Monitoring. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 9750.	1.3	11
535	Ply-hierarchical coiled yarns for two extreme applications: Strain sensors and elastic supercapacitor electrodes. <i>Sensors and Actuators B: Chemical</i> , 2022, 373, 132775.	4.0	4
536	Graphene e-tattoos for unobstructive ambulatory electrodermal activity sensing on the palm enabled by heterogeneous serpentine ribbons. <i>Nature Communications</i> , 2022, 13, .	5.8	29
537	An Elastic and Damage-Tolerant Dry Epidermal Patch with Robust Skin Adhesion for Bioelectronic Interfacing. <i>ACS Nano</i> , 2022, 16, 18608-18620.	7.3	14
538	High-Sensitive Wearable Strain Sensors Based on the Carbon Nanotubes@Porous Soft Silicone Elastomer with Excellent Stretchability, Durability, and Biocompatibility. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 51373-51383.	4.0	4
539	Recent Advances in Materials, Designs and Applications of Skin Electronics. <i>IEEE Open Journal of Nanotechnology</i> , 2023, 4, 55-70.	0.9	3
540	Highly stretchable strain sensors with improved sensitivity enabled by a hybrid of carbon nanotube and graphene. <i>Micro and Nano Systems Letters</i> , 2022, 10, .	1.7	5
542	Highly Sensitive Silver-Microlayer Thin Film on a pp-PFM-Modified PDMS Strain Sensor as a Versatile Tool for Stretchable Electronics Applications. <i>Advanced Electronic Materials</i> , 2023, 9, .	2.6	3
543	Internally Structured Conductive Composite for Reliable Stretchable Electronics. <i>Advanced Electronic Materials</i> , 0, , 2201021.	2.6	1
544	Hierarchically Oriented Jellyfish-Like Gold Nanowires Film for Elastronics. <i>Advanced Functional Materials</i> , 0, , 2209760.	7.8	1
545	Force Sensor Based on FBG Embedded in Silicone Rubber. <i>IEEE Sensors Journal</i> , 2023, 23, 1172-1178.	2.4	8
546	The synergistic effect of topography and stiffness as a crack engineering strategy for stretchable electronics. <i>Journal of Materials Chemistry C</i> , 2023, 11, 497-512.	2.7	1

#	ARTICLE	IF	CITATIONS
547	An Inkjet-Printed Piezoresistive Bidirectional Flow Sensor. , 2022, , .		0
548	A Comprehensive Study on EMI Shielding Performance of Carbon Nanomaterials-Embedded CFRP or CFRP Composites. <i>Polymers</i> , 2022, 14, 5224.	2.0	3
549	Wearable Carbon Nanotubeâ€”Spandex Textile Yarns for Knee Flexion Monitoring. , 2023, 2, .		5
550	Acrylonitrile butadiene styrene â€” carbon nanotubes nanocomposites for 3D printing of health monitoring components. <i>Journal of Reinforced Plastics and Composites</i> , 2023, 42, 857-870.	1.6	3
551	The time and temperature dependences of the stress recovery of Ecoflex polymer. <i>International Journal of Non-Linear Mechanics</i> , 2023, 149, 104338.	1.4	7
552	Development of conductive materials and conductive networks for flexible force sensors. <i>Chemical Engineering Journal</i> , 2023, 455, 140763.	6.6	8
553	Development of WS ₂ /MXene (Ti ₃ C ₂ T _x) nanohybrid based multi-functional textronic sensor for non-invasive personal healthcare monitoring. <i>Flexible and Printed Electronics</i> , 2023, 8, 015001.	1.5	4
554	Self-Monitoring Performance of 3D-Printed Poly-Ether-Ether-Ketone Carbon Nanotube Composites. <i>Polymers</i> , 2023, 15, 8.	2.0	4
555	OD to 2D carbon-based materials in flexible strain sensors: recent advances and perspectives. <i>2D Materials</i> , 2023, 10, 022002.	2.0	7
556	Polymer-based wearable nano-composite sensors: a review. <i>International Journal of Polymer Analysis and Characterization</i> , 2023, 28, 156-191.	0.9	2
557	Strain rate, temperature and deformation state effect on Ecoflex 00-50 silicone mechanical behaviour. <i>Mechanics of Materials</i> , 2023, 178, 104560.	1.7	6
558	Human body stimuli-responsive flexible polyurethane electrospun composite fibers-based piezoelectric nanogenerators. <i>Journal of Materials Science</i> , 2023, 58, 317-336.	1.7	6
559	Study of a Mixed Conductive Layer Fabricated by Ion Implantation and Distribution Theory. <i>Polymers</i> , 2023, 15, 270.	2.0	0
560	A review of wearable carbon-based sensors for strain detection: fabrication methods, properties, and mechanisms. <i>Textile Reseach Journal</i> , 2023, 93, 2918-2940.	1.1	5
561	Wearable strain sensors: state-of-the-art and future applications. <i>Materials Advances</i> , 2023, 4, 1444-1459.	2.6	7
562	Films of Biological Nanomaterials as a Prototype of a Tactile Sensor. <i>Springer Proceedings in Materials</i> , 2023, , 490-499.	0.1	0
563	Polymer nanocomposites for biomedical applications. , 2023, , 379-394.		1
564	Polymer composites for strain sensors. , 2023, , 381-404.		0

#	ARTICLE	IF	CITATIONS
565	Performance Deficiency Improvement of CNT-Based Strain Sensors by Magnetic-Induced Patterning. ACS Applied Materials & Interfaces, 2023, 15, 5774-5786.	4.0	5
566	Stretchable Strain Sensor with Small but Sufficient Adhesion to Skin. Sensors, 2023, 23, 1774.	2.1	2
567	Oriented Ti3C2Tx MXene-doped silk fibroin/hyaluronic acid hydrogels for sensitive compression strain monitoring with a wide resilience range and high cycling stability. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2023, 665, 131221.	2.3	2
568	Parametric analysis of multi-material soft sensor structures for enhanced strain sensitivity. Extreme Mechanics Letters, 2023, 60, 101983.	2.0	2
569	Ferrofluid electromagnetic actuators for high-fidelity haptic feedback. Sensors and Actuators A: Physical, 2023, 355, 114252.	2.0	1
570	Soft Mechanosensing via 3D Printing: A review. Advanced Intelligent Systems, 2023, 5, .	3.3	3
571	Highly stretchable strain sensors based on graphene nanoplatelet-doped ecoflex for biomedical purposes. Sensors and Actuators A: Physical, 2023, 353, 114249.	2.0	9
572	Flexible multifunctional TPU strain sensors with improved sensitivity and wide sensing range based on MXene/AgNWs. Journal of Materials Science: Materials in Electronics, 2023, 34, .	1.1	4
573	A study of the interactions of carbon based fillers in acrylonitrile butadiene rubber matrix for high deformation sensor applications. Journal of Reinforced Plastics and Composites, 0, , 073168442211456.	1.6	1
574	Flexible and Stretchable Organic Electrochemical Transistors for Physiological Sensing Devices. Advanced Materials, 2023, 35, .	11.1	27
575	Additive Manufacturing of Stretchable Polyurethane/Graphene/Multiwalled Carbon Nanotube-Based Conducting Polymers for Strain Sensing. ACS Applied Nano Materials, 2023, 6, 4522-4531.	2.4	7
576	Fast on/off controlling of electrohydrodynamic printing based on AC oscillation induced voltage. Scientific Reports, 2023, 13, .	1.6	4
577	A flexible strain sensor based on MXene/AgNW composite film with extremely high sensitivity and low strain range for real-time health monitoring and thermal management. Journal Physics D: Applied Physics, 2023, 56, 195401.	1.3	1
578	Strain and Pressure Sensors Based on MWCNT/PDMS for Human Motion/Perception Detection. Polymers, 2023, 15, 1386.	2.0	8
579	Superstretchable and Linear-Response Strain Sensors With Carbon Nanotubes Ultrasonically Assembled on Silicone Rubber Film. IEEE Sensors Journal, 2023, 23, 8268-8276.	2.4	5
580	Flexible Strain Sensor Enabled by Carbon Nanotubes-Decorated Electrospun TPU Membrane for Human Motion Monitoring. Advanced Materials Interfaces, 2023, 10, .	1.9	9
581	Cross-Talk Signal Free Recyclable Thermoplastic Polyurethane/Graphene-Based Strain and Pressure Sensor for Monitoring Human Motions. ACS Applied Materials & Interfaces, 2023, 15, 17279-17292.	4.0	14
582	Advances in graphene-based flexible and wearable strain sensors. Chemical Engineering Journal, 2023, 464, 142576.	6.6	52

#	ARTICLE	IF	CITATIONS
583	Review on Electrospun Conductive Polymer Composites Strain Sensors. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	11
584	Skin-Like Strain Sensors Based on Multiwalled Carbon Nanotube/Polydimethylsiloxane Composite Films. <i>ACS Applied Nano Materials</i> , 2023, 6, 6550-6558.	2.4	5
585	Interdiffused thermoplastic urethane-PEDOT:PSS bilayers with superior adhesion properties for high-performance and intrinsically-stretchable organic solar cells. <i>Journal of Materials Chemistry A</i> , 2023, 11, 12846-12855.	5.2	1
586	Highly stretchable strain sensors based on Marangoni self-assemblies of graphene and its hybrids with other 2D materials. <i>Nanotechnology</i> , 0, , .	1.3	2
587	Carboxymethylcellulose reinforced, double-network hydrogel-based strain sensor with superior sensing stability for long-term monitoring. <i>International Journal of Biological Macromolecules</i> , 2023, 241, 124536.	3.6	5
606	Flex-Structural Embedded Flexible Strain Sensor via 3D Printing. <i>Lecture Notes in Mechanical Engineering</i> , 2023, , 403-410.	0.3	0
613	Design, Fabrication, and Characterisation of a Novel Piezoimpedal Tactile Sensor for use in Soft-Prosthetic Devices. , 2023, , .		0
622	Nano-Carbon Based Sensors for Structural Health Monitoring of Smart Bio-Composites. <i>Nanoscale</i> , 0, , .	2.8	0
627	Mechanics and electrochemistry in nature-inspired functional batteries: fundamentals, configurations and devices. <i>Energy and Environmental Science</i> , 2024, 17, 974-1006.	15.6	0
641	Recent advancements in bioreceptors and materials for biosensors. , 2024, , 163-202.		0
646	Development of Kirigami-Based Strain Sensors Printed on Medical Dressing for On-Skin Monitoring. <i>IFMBE Proceedings</i> , 2024, , 65-72.	0.2	0