

Prevalence, risk factors and disability associated with fa
low- and middle-income countries: results from the WH
adult health (SAGE)

BMC Medicine

13, 147

DOI: [10.1186/s12916-015-0390-8](https://doi.org/10.1186/s12916-015-0390-8)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Health and ageing in Nairobi's informal settlements-evidence from the International Network for the Demographic Evaluation of Populations and Their Health (INDEPTH): a cross sectional study. BMC Public Health, 2015, 15, 1231.	2.9	15
2	Analysis of Android Device-Based Solutions for Fall Detection. Sensors, 2015, 15, 17827-17894.	3.8	64
3	Unintentional fall-related mortality in the elderly: comparing patterns in two countries with different demographic structure. BMJ Open, 2015, 5, e008672.	1.9	24
4	Visual Acuity and Falls in South Korea: Korean National Health and Nutrition Examination Survey 2008-2012. Journal of Korean Ophthalmological Society, 2016, 57, 1451.	0.2	4
5	Body mass index, falls, and injurious falls among U.S. adults: Findings from the 2014 Behavioral Risk Factor Surveillance System. Preventive Medicine, 2016, 91, 217-223.	3.4	31
6	Association Between Obesity and Falls Among Korean Adults. Medicine (United States), 2016, 95, e3130.	1.0	22
7	The interrelationship between balance, Tai Chi and depression in Latino older adults. Aging Clinical and Experimental Research, 2017, 29, 395-401.	2.9	7
8	Exposure to ambient PM 2.5 associated with overall and domain-specific disability among adults in six low- and middle-income countries. Environment International, 2017, 104, 69-75.	10.0	40
9	Usual Alcohol Consumption and Risks for Nonfatal Fall Injuries in the United States: Results From the 2004-2013 National Health Interview Survey. Substance Use and Misuse, 2017, 52, 1120-1132.	1.4	28
10	Risk factors for unintentional injuries among the rural elderly: a county-based cross-sectional survey. Scientific Reports, 2017, 7, 12533.	3.3	11
11	World Health Organization disability assessment schedule 2.0: An international systematic review. Disability and Rehabilitation, 2017, 39, 2347-2380.	1.8	253
12	Measuring Community Integration in Persons With Limb Trauma and Amputation: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2017, 98, 561-580.e8.	0.9	23
13	Neuromuscular contributions to the age-related reduction in muscle power: Mechanisms and potential role of high velocity power training. Ageing Research Reviews, 2017, 35, 147-154.	10.9	81
14	Activities-specific balance confidence scale for predicting future falls in Indian older adults. Clinical Interventions in Aging, 2017, Volume 12, 645-651.	2.9	24
15	Epidemiology of Fall Injury in Rural Bangladesh. International Journal of Environmental Research and Public Health, 2017, 14, 900.	2.6	19
16	Depression and Risk of Unintentional Injury in Rural Communities-A Longitudinal Analysis of the Australian Rural Mental Health Study. International Journal of Environmental Research and Public Health, 2017, 14, 1080.	2.6	9
17	Rural older people had lower mortality after accidental falls than non-rural older people. Clinical Interventions in Aging, 2017, Volume 12, 97-102.	2.9	6
18	Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. PLoS ONE, 2017, 12, e0186992.	2.5	28

#	ARTICLE	IF	CITATIONS
19	Prevalence of disability and associated factors in Dabat Health and Demographic Surveillance System site, northwest Ethiopia. <i>BMC Public Health</i> , 2017, 17, 762.	2.9	14
20	Prevalência e fatores associados às quedas em idosos de Esta- do-RS: estudo transversal de base populacional. <i>Cadernos Saude Coletiva</i> , 2017, 25, 436-442.	0.6	3
21	Effect of square stepping exercise for older adults to prevent fall and injury related to fall: systematic review and meta-analysis of current evidences. <i>Journal of Exercise Rehabilitation</i> , 2017, 13, 23-29.	1.0	21
22	Association of sleep problems and sleep duration with self-rated health and grip strength among older adults in India and China: results from the study on global aging and adult health (SAGE). <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 697-707.	1.6	20
23	Accidental injuries among older adults: An incidence study. <i>International Emergency Nursing</i> , 2018, 40, 12-17.	1.5	7
24	Physical activity correlates in people with mild cognitive impairment: findings from six low- and middle-income countries. <i>Public Health</i> , 2018, 156, 15-25.	2.9	11
25	Period prevalence, risk factors and consequent injuries of falling among the Saudi elderly living in Riyadh, Saudi Arabia: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019063.	1.9	42
26	Correlates of Physical Activity Among Middle-Aged and Older Adults With Hazardous Drinking Habits in Six Low- and Middle-Income Countries. <i>Journal of Aging and Physical Activity</i> , 2018, 26, 589-598.	1.0	5
27	The risk of falling among older adults in long-term care: screening by the Morse Fall Scale. <i>Kontakt</i> , 2018, 20, e1111-e1119.	0.2	7
28	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. <i>Psychiatry Research</i> , 2018, 261, 406-413.	3.3	8
29	Falls in Hospitalized Children With Neurodevelopmental Conditions: A Cross-sectional, Correlational Study. <i>Rehabilitation Nursing</i> , 2018, 43, 335-342.	0.5	5
30	A mixed methods evaluation of yoga as a fall prevention strategy for older people in India. <i>Pilot and Feasibility Studies</i> , 2018, 4, 74.	1.2	9
31	Correlates of physical activity among depressed older people in six low-income and middle-income countries: A community-based cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e314-e322.	2.7	15
32	Long-term exposure to ambient PM2.5 associated with fall-related injury in six low- and middle-income countries. <i>Environmental Pollution</i> , 2018, 237, 961-967.	7.5	15
33	Physical Trauma and Its Consequences in Rural and Semi-Urban Regions of Low and Middle Income Countries. , 2018, , .		1
34	A scoping review of biopsychosocial risk factors and co-morbidities for common spinal disorders. <i>PLoS ONE</i> , 2018, 13, e0197987.	2.5	59
35	Prevalence and Risk Factors Associated with Injurious Falls among Community-Dwelling Older Adults in Indonesia. <i>Current Gerontology and Geriatrics Research</i> , 2018, 2018, 1-8.	1.6	25
36	The Global Spine Care Initiative: public health and prevention interventions for common spine disorders in low- and middle-income communities. <i>European Spine Journal</i> , 2018, 27, 838-850.	2.2	30

#	ARTICLE	IF	CITATIONS
37	Chiropractic in Global Health and wellbeing: a white paper describing the public health agenda of the World Federation of Chiropractic. <i>Chiropractic & Manual Therapies</i> , 2018, 26, 26.	1.5	10
38	Severe Fear of Falling Is Associated With Cognitive Decline in Older Adults: A 3-Year Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1540-1547.	2.5	20
39	Prevalence and risk factors associated with non-traffic related injury in the older population in Ghana: Wave 2 of the WHO Study on Global AGEing and adult health (SAGE). <i>Preventive Medicine Reports</i> , 2019, 15, 100934.	1.8	5
40	Future hospital service utilisation in older adults living in long-term residential aged care or the community hospitalised with a fall-related injury. <i>Osteoporosis International</i> , 2019, 30, 1995-2008.	3.1	7
41	The effect of medial longitudinal arch height and medial longitudinal arch-support insoles on postural balance in perimenopausal women. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 755-760.	0.9	5
42	Population ageing and injurious falls among one million elderly people who used emergency medical services from 2010 to 2017 in Beijing, China: a longitudinal observational study. <i>BMJ Open</i> , 2019, 9, e028292.	1.9	12
43	Addressing the Linkages between Gender and Transport in Low- and Middle-Income Countries. <i>Sustainability</i> , 2019, 11, 4555.	3.2	32
44	Falls among community-dwelling older adults in Ethiopia; A preliminary cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0221875.	2.5	19
45	UP-Fall Detection Dataset: A Multimodal Approach. <i>Sensors</i> , 2019, 19, 1988.	3.8	189
46	Prevalence and Associated Risk Factors of Falls among Rural Community-Dwelling Older People: A Cross-Sectional Study from Southern Sri Lanka. <i>Current Gerontology and Geriatrics Research</i> , 2019, 1-10.	1.6	8
47	Inflammatory Biomarkers, Depressive Symptoms and Falls Among the elderly in Panama. <i>Current Aging Science</i> , 2019, 11, 236-241.	1.2	11
48	National and Global Rural Health Crisis: Spatial Injustice. <i>SpringerBriefs in Public Health</i> , 2019, , 1-15.	0.2	0
49	Factors associated with environmental barriers of people with disabilities in Mexico. <i>Revista De Saude Publica</i> , 2019, 53, 27.	1.7	6
50	Falls prevention among older adults at a Nursing home in a northern suburban of Perth in Western Australia. <i>Geriatric Care</i> , 2019, 5, .	0.2	0
51	Environmental interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 0, , .	2.8	23
52	Socioeconomic and clinical risk factors of hip fracture among the elderly: a case-control study. <i>British Journal of Health Care Management</i> , 2019, 25, 1-16.	0.2	1
53	A multicenter observational study on the distribution of orthopaedic fracture types across 17 low- and middle-income countries. <i>OTA International the Open Access Journal of Orthopaedic Trauma</i> , 2019, 2, e026.	1.0	10
54	Tai Chi for improving balance and reducing falls. <i>Medicine (United States)</i> , 2019, 98, e15225.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Is the aquatic thermal environment a suitable place for providing rehabilitative treatment for person with Parkinson's disease? A retrospective study. <i>International Journal of Biometeorology</i> , 2019, 63, 13-18.	3.0	18
56	Correlates of sedentary behavior among community-dwelling adults with anxiety in six low- and middle-income countries. <i>Psychiatry Research</i> , 2019, 273, 501-508.	3.3	7
57	Population ageing and disability among tribal elderly in West Bengal, India. <i>Asian Ethnicity</i> , 2019, 20, 269-282.	0.9	0
59	Implementation of the Stopping Elderly Accidents, Deaths, and Injuries Initiative in Primary Care: An Outcome Evaluation. <i>Gerontologist</i> , 2019, 59, 1182-1191.	3.9	44
60	Physical function tests predict incident falls: A prospective study of 2969 men in the Swedish Osteoporotic Fractures in Men study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 436-441.	2.3	24
61	Clinical assessment of Persian translation of Fullerton Advanced Balance Scale in community-dwelling older adults. <i>Disability and Rehabilitation</i> , 2020, 42, 567-573.	1.8	5
62	Assessment of factors that increase risk of falling in older women by four different clinical methods. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 483-490.	2.9	24
63	Injury and depression among 212 039 individuals in 40 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e32.	3.9	2
64	Peripheral Nerve Impairment and Recurrent Falls Among Women: Results From the Study of Women's Health Across the Nation. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 2020-2027.	3.6	1
65	Culturally Safe Falls Prevention Program for Inuvialuit Elders in Inuvik, Northwest Territories, Canada: Considerations for Development and Implementation. <i>Canadian Journal on Aging</i> , 2020, 39, 190-205.	1.1	6
66	Midlife falls are associated with increased risk of mortality in women: Findings from the National Health and Nutrition Examination Survey III. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104206.	3.0	2
67	Systematic causality mapping of factors leading to accidental falls of older adults. <i>Public Health in Practice</i> , 2020, 1, 100045.	1.5	3
68	Evaluation of convolutional neural networks for the classification of falls from heterogeneous thermal vision sensors. <i>International Journal of Distributed Sensor Networks</i> , 2020, 16, 155014772092048.	2.2	6
69	Incidence and risk factors for falls among community-dwelling elderly subjects on a 1-year follow-up: a prospective cohort study from Ernakulam, Kerala, India. <i>BMJ Open</i> , 2020, 10, e033691.	1.9	10
70	Severity Levels of Disability Among Older Adults in Low- and Middle-Income Countries: Results From the Study on Global Ageing and Adult Health (SAGE). <i>Frontiers in Medicine</i> , 2020, 7, 562963.	2.6	13
71	Prevalence and risk factors of falls among community-dwelling older people: results from three consecutive waves of the national health interview survey in Taiwan. <i>BMC Geriatrics</i> , 2020, 20, 529.	2.7	24
72	Factors Associated With Falls Among Urban-Dwellers Aged 55 Years and Over in the Malaysian Elders Longitudinal Research (MELoR) Study. <i>Frontiers in Public Health</i> , 2020, 8, 506238.	2.7	3
73	Mechanisms of accidental fall injuries and involved injury factors: a registry-based study. <i>Injury Epidemiology</i> , 2020, 7, 8.	1.8	3

#	ARTICLE	IF	CITATIONS
74	Perceptions of Family Physicians About Fall Risk Screening, Fall Risk Assessment, and Referral Practices for Fall Prevention in Malaysia. <i>Topics in Geriatric Rehabilitation</i> , 2020, 36, 38-43.	0.4	2
75	Trends in Fatal and Nonfatal Injuries Among Older Americans, 2004–2017. <i>American Journal of Preventive Medicine</i> , 2020, 59, 3-11.	3.0	18
76	Prevalence and Determinants of Self-Reported Injuries among Community-Dwelling Older Adults in the Philippines: A 10-Year Pooled Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4372.	2.6	9
77	Factors included in adult fall risk assessment tools (FRATs): a systematic review. <i>Ageing and Society</i> , 2021, 41, 2558-2582.	1.7	4
78	Raising and stabilization phase of the sit-to-stand movement better discriminate healthy elderly adults from young subjects: a pilot cross-sectional study. <i>Archives of Physiotherapy</i> , 2020, 10, 7.	1.8	10
79	Individual and Environmental Factors Associated with Recurrent Falls in Elderly Patients Hospitalized after Falls. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2441.	2.6	9
80	Comparison of health service use trajectories of residential aged care residents reviewed by a hospital avoidance program versus usual care. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104293.	3.0	2
81	Improving early detection of infection in nursing home residents in South Africa. <i>International Journal of Africa Nursing Sciences</i> , 2021, 14, 100288.	0.6	0
82	Injuries as Global Health Risk Factor. , 2021, , 823-854.		0
83	Risk factors of falls and the gender differences in older adults with diabetes at outpatient clinics. <i>Journal of Advanced Nursing</i> , 2021, 77, 2718-2727.	3.3	4
84	Injury Related to Fall and Its Predictors among Medically Diagnosed Adults with Visual Impairment in Ethiopia: An Observational Cross-Sectional Study. <i>Advances in Orthopedics</i> , 2021, 2021, 1-10.	1.0	1
85	Balance Strategy Exercise versus Lower Limb-ROM Exercise for Reducing the Risk of Falls among Older People. <i>Nurse Media Journal of Nursing</i> , 2021, 11, 114-123.	0.5	2
86	Sex differences and factors associated with disability among Ghana's workforce: a nationally stratified cross-sectional study. <i>BMJ Open</i> , 2021, 11, e044246.	1.9	3
87	Adapting World Health Organization Disability Assessment Schedule 2.0 for Nepal. <i>BMC Psychology</i> , 2021, 9, 45.	2.1	4
88	Mild cognitive impairment is associated with fall-related injury among adults aged ≥65 years in low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 146, 111222.	2.8	13
89	Prevalence and Factors Associated with Falls among Older Outpatients. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4041.	2.6	22
90	Functional difficulties and toileting among older adults in Ghana: evidence from the World Health Organization Study on global AGEing and adult health (SAGE) Ghana Wave 1. <i>Ageing and Society</i> , 2023, 43, 53-75.	1.7	10
91	Quality of Life and Associated Factors Among Male Wheelchair Handball Athletes. <i>Perceptual and Motor Skills</i> , 2021, 128, 1623-1639.	1.3	2

#	ARTICLE	IF	CITATIONS
92	Sarcopenia and fall-related injury among older adults in five low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 147, 111262.	2.8	20
93	Association of Frailty Status with Risk of Fall among Middle-Aged and Older Adults in China: A Nationally Representative Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 985-992.	3.3	13
94	Urban-Rural Dimension of Falls and Associated Risk Factors among Community-Dwelling Older Adults in West Java, Indonesia. <i>Journal of Aging Research</i> , 2021, 2021, 1-8.	0.9	4
95	Depressive Symptoms in Older African Immigrants with Mobility Limitations: A Descriptive Study. <i>Clinical Gerontologist</i> , 2023, 46, 14-26.	2.2	2
96	Combined association of multiple chronic diseases and social isolation with the functional disability after stroke in elderly patients: a multicenter cross-sectional study in China. <i>BMC Geriatrics</i> , 2021, 21, 495.	2.7	6
97	Association between food insecurity and fall-related injury among adults aged ≥65 years in low- and middle-income countries: The role of mental health conditions. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104438.	3.0	7
98	Sex Differences in Modifiable Fall Risk Factors. <i>Journal for Nurse Practitioners</i> , 2021, 17, 1098-1102.	0.8	2
99	Evaluation of senescent cells in intervertebral discs by lipofuscin staining. <i>Mechanisms of Ageing and Development</i> , 2021, 199, 111564.	4.6	9
100	Risk Factors Associated with Fall Awareness, Falls, and Quality of Life Among Ethnic Minority Older Adults in Upper Northern Thailand. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 1777-1788.	2.9	8
102	Quedas acidentais em mulheres de meia-idade. <i>Revista De Saude Publica</i> , 2020, 54, 141.	1.7	4
103	Relationship between body mass index and falls in middle-aged adults. <i>Korean Journal of Health Education and Promotion</i> , 2019, 36, 1-13.	0.6	2
104	Discriminative and Predictive Ability of Physical Performance Measures in Identifying Fall Risk among Older Adults. <i>Sains Malaysiana</i> , 2018, 47, 2769-2776.	0.5	7
105	Women and stroke patients are more at risk for fall- related injury among older persons. <i>Universa Medicina</i> , 2016, 35, 10.	0.2	2
106	The Physical Activity and Fall Risk Among Iranian Older Male Adults. <i>Open Nursing Journal</i> , 2020, 14, 159-167.	0.4	4
107	The concurrent validity and reliability of the Leg Motion system for measuring ankle dorsiflexion range of motion in older adults. <i>PeerJ</i> , 2017, 5, e2820.	2.0	30
108	Cognitive frailty is a robust predictor of falls, injuries, and disability among community-dwelling older adults. <i>BMC Geriatrics</i> , 2021, 21, 593.	2.7	40
109	Body mass index categories and anxiety symptoms among adults aged ≥50 years from low and middle income countries. <i>Wiener Klinische Wochenschrift</i> , 2021, , 1.	1.9	1
110	Pagyvenusi ir senėjimo įvertinimo rizikos veiksniai ir jų įtaka griuvimams. <i>Health Sciences</i> , 2015, 25, 56-60.		1

#	ARTICLE	IF	CITATIONS
111	Estudio de correlatos: valoración de la flexión dorsal de tobillo en población anciana. European Journal of Podiatry / Revista Europea De Podología, 2016, 1, 8-13.	0.0	1
113	Understanding Fall-Risk Factors for Inuvialuit Elders in Inuvik, Northwest Territories, Canada. Arctic, 2019, 72, 13-27.	0.4	0
114	Prologue to Ageing Research. , 2020, , 1-15.		0
115	Urogeriatrisches Syndrom: Sturz. , 2020, , 115-124.		0
116	Environmental Interventions to Prevent Falls at Home and in the Community. , 2021, , 360-377.		3
118	Prevalence and risk factors associated with falls among community-dwelling and institutionalized older adults in Indonesia. Malaysian Family Physician, 2020, 15, 30-38.	0.6	4
119	Menopausal Symptoms, Postural Balance, and Functional Mobility in Middle-Aged Postmenopausal Women. Diagnostics, 2021, 11, 2178.	2.6	1
120	Effect of local somatosensory stimulus on postural sway during sit-to-stand movement in the elderly. BMC Musculoskeletal Disorders, 2021, 22, 731.	1.9	1
121	Medical falls among older adults in Latin American cities. Revista De Salud Publica, 2020, 22, 1-6.	0.1	0
122	Prediction of human behavior with synthetic data. , 2021, , .		2
123	Novel Zr-Rich Alloys of Ternary Ti-Zr-Nb System with Large Superelastic Recovery Strain. Metals, 2022, 12, 185.	2.3	3
124	Association between daily activities and fall in older adults: an analysis of longitudinal ageing study in India (2017-18). BMC Geriatrics, 2022, 22, 203.	2.7	13
125	Global, regional, and national burden of diseases and injuries for adults 70 years and older: systematic analysis for the Global Burden of Disease 2019 Study. BMJ, The, 2022, 376, e068208.	6.0	73
126	Prevalence and risk factors of fall-related injury among older adults in India: evidence from a cross-sectional observational study. BMC Public Health, 2022, 22, 550.	2.9	11
127	Producing Synthetic Dataset for Human Fall Detection in AR/VR Environments. Applied Sciences (Switzerland), 2021, 11, 11938.	2.5	3
128	Fall Guardian: An Intelligent Fall Detection and Monitoring System for Elderly. , 2021, , .		3
130	Anticholinergics and falls in older adults. Expert Review of Clinical Pharmacology, 2022, 15, 285-294.	3.1	2
132	H�PERTANS�F YA�ZLILARDA D��ZME R�SK�N�N BEL�RLENMES�. Saglik Bilimleri Dergisi, 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
133	Prevalence and Risk Factors for Fall among Rural Elderly: A County-Based Cross-Sectional Survey. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-8.	1.7	2
134	Prospective Association between Multimorbidity and Falls and Its Mediators: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Clinical Medicine</i> , 2022, 11, 4470.	2.4	7
135	Body pain and functional disability predict falls in Chinese older adults: a population-based cohort study. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2515-2523.	2.9	1
136	Cross-sectional associations of physical frailty with fall, multiple falls and fall-injury among older Indian adults: Findings from LASI, 2018. <i>PLoS ONE</i> , 2022, 17, e0272669.	2.5	6
137	The Predictive Validity and Clinical Application of Stopping Elderly Accidents, Deaths & Injuries (STEADI) for Fall Risk Screening. <i>Advances in Geriatric Medicine and Research</i> , 0, , .	0.6	1
138	Medical and social aspects of falls in older age groups with visual impairment. <i>Zdravookhranenie Rossiiskoi Federatsii / Ministerstvo Zdravookhraneniia RSFSR</i> , 2022, 66, 308-312.	0.4	0
139	A Review on Fall Detection in Smart Home for Elderly and Disabled People. <i>Journal of Advanced Computational Intelligence and Intelligent Informatics</i> , 2022, 26, 747-757.	0.9	3
140	Multimorbidity and its socio-economic associations in community-dwelling older adults in rural Tanzania; a cross-sectional study. <i>BMC Public Health</i> , 2022, 22, .	2.9	3
141	Fear of falling and associated factors among older adults in Southeast Asia: a systematic review. <i>Public Health</i> , 2023, 222, 215-228.	2.9	9
142	Design for Inclusion and Aged Population in Transportation and Human-Automation Interaction. <i>Automation, Collaboration, and E-services</i> , 2023, , 91-110.	0.5	0
143	Cross-sectional study on prevalence and risk factors for falls among the elderly in communities of Guangdong province, China. <i>BMJ Open</i> , 2022, 12, e062257.	1.9	4
144	What is the relationship between falls, functional limitations, and depressive symptoms among Chinese older adults? The role of living alone. <i>Maturitas</i> , 2023, 168, 78-83.	2.4	2
145	Prevalence of Falls among Older Adults in Africa : A Meta-Analysis. <i>International Journal of Scientific Research in Science and Technology</i> , 2022, , 262-269.	0.1	0
146	Association of walking pace and fall-related injury among Chinese older adults: Data from the SAGE survey. <i>Complementary Therapies in Clinical Practice</i> , 2023, 50, 101710.	1.7	2
147	Characterizing fall risk factors in Belgian older adults through machine learning: a data-driven approach. <i>BMC Public Health</i> , 2022, 22, .	2.9	2
148	Reliability of the 44-question Home Fall Hazard Assessment Tool and personal characteristics associated with home hazards among the Thai elderly. <i>F1000Research</i> , 0, 12, 8.	1.6	0
149	Mediation of pain in the association of sleep problems with falls among older adults in India. <i>Scientific Reports</i> , 2023, 13, .	3.3	4
150	Balance and Fall Risk Assessment in Community-Dwelling Older Adults after Recovery from COVID-19: A Cross-Sectional Study. <i>Sports</i> , 2023, 11, 28.	1.7	2

#	ARTICLE	IF	CITATIONS
151	The implementation of a community-centered first aid education program for older adultsâ€”community health workers perceived barriers. <i>BMC Health Services Research</i> , 2023, 23, .	2.2	1
152	Reliability of the 44-question Home Fall Hazard Assessment Tool and personal characteristics associated with home hazards among the Thai elderly. <i>F1000Research</i> , 0, 12, 8.	1.6	0
153	Association of Cardiovascular Disease and Physical Activity Phenotypes with Falls among Midlife and Older Adults: 2018 Behavioral Risk Factor Surveillance System. <i>American Journal of Health Education</i> , 2023, 54, 109-118.	0.6	0
154	Positive Self-perceptions of Aging Increase Physical Resilience to Facilitate Social Re-engagement of Older Adults Who Fall: Analysis Based on Health and Retirement Study Data. <i>Archives of Physical Medicine and Rehabilitation</i> , 2023, 104, 1253-1259.	0.9	2
155	Environmental interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2023, 2023, .	2.8	17
156	Older People Trip, Some Fallâ€”A Program to Decrease Seniors' Fall Risk. <i>Strength and Conditioning Journal</i> , 2023, Publish Ahead of Print, .	1.4	0
157	EstratÃ©gias para prevenÃ§Ã£o de quedas no ambiente de moradia da pessoa idosa com foco no aging in place. <i>Ambiente ConstruÃ§Ã£o</i> , 2023, 23, 25-37.	0.4	0
159	Reliability of the 44-question Home Fall Hazard Assessment Tool and personal characteristics associated with home hazards among the Thai elderly. <i>F1000Research</i> , 0, 12, 8.	1.6	0
160	Fall risks and Health-related quality of life among elderly attending primary healthcare centers in South Western Nigeria: A cross-sectional study. <i>Journal of Clinical Sciences</i> , 2023, 20, 46.	0.1	0
161	Exercise for prevention of falls and fall-related injuries in neurodegenerative diseases and aging-related risk conditions: a meta-analysis. <i>Frontiers in Endocrinology</i> , 0, 14, .	3.5	0
162	Reliability of the 44-question Home Fall Hazard Assessment Tool and demographic characteristics associated with home hazards among the Thai elderly. <i>F1000Research</i> , 0, 12, 8.	1.6	0
163	Prevalence and risk factors for falls in community-dwelling older population in Kerala; results from a cross sectional survey. <i>Heliyon</i> , 2023, 9, e18737.	3.2	1
164	Mental health, lifestyle factors and subsequent falls among ageing adults in South Africa. <i>Journal of Psychology in Africa</i> , 2023, 33, 412-416.	0.6	0
165	Health factors associated with cognitive frailty in older adults living in the community. <i>Frontiers in Aging Neuroscience</i> , 0, 15, .	3.4	3
167	Proportion, Pattern, and Predictors of Falls in Older Adults â€” A Community-based Observational Study in Rural West Bengal. <i>Journal of Mid-Life Health</i> , 2023, 14, 130-138.	0.6	0
168	Feasibility and Acceptability of an INtervention TO Increase MOBility in Older Hospitalized Medical Patients (INTOMOB): A Mixed-Methods Pilot Study. <i>Gerontology and Geriatric Medicine</i> , 2023, 9, .	1.5	1
169	Rural-urban health differences among aging adults in India. <i>Heliyon</i> , 2024, 10, e23397.	3.2	0
170	Prevalence and patterns of comorbidities in people with disabilities and their associated socio-demographic factors. <i>Scientific Reports</i> , 2024, 14, .	3.3	1

#	ARTICLE	IF	CITATIONS
171	Falls among community-dwelling older adults in the Philippines and Viet Nam: Results from nationally representative samples. <i>Injury</i> , 2024, 55, 111336.	1.7	0
172	Relationship of Dual-Task-Dynamic-Balance with Risk-of-Fall and Gait-Parameters in Fallers and Non-Fallers Elderly. <i>Physical and Occupational Therapy in Geriatrics</i> , 0, , 1-22.	0.4	0
174	Relationship between fear of falling and quality of life in nursing home residents: The role of activity restriction. <i>Geriatric Nursing</i> , 2024, 57, 45-50.	1.9	0