

CITATION REPORT

List of articles citing

American tertiary clinic-referred bipolar II disorder compared to bipolar I disorder: More severe in multiple ways, but less severe in a few other ways

DOI: 10.1016/j.jad.2015.09.001

Journal of Affective Disorders, 2015, 188, 257-62.

Source: <https://exaly.com/paper-pdf/62698056/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
38	Effectiveness of Simple Individual Psychoeducation for Bipolar II Disorder. <i>Case Reports in Psychiatry</i> , 2016 , 2016, 6062801	0.6	1
37	Current irritability robustly related to current and prior anxiety in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016 , 79, 101-107	5.2	10
36	Age at onset in patients with bipolar I and II disorder: a comparison of large sample studies. <i>Journal of Affective Disorders</i> , 2016 , 201, 57-63	6.6	19
35	Different characteristics associated with suicide attempts among bipolar I versus bipolar II disorder patients. <i>Journal of Psychiatric Research</i> , 2016 , 76, 94-100	5.2	15
34	American tertiary clinic-referred bipolar II disorder versus bipolar I disorder associated with hastened depressive recurrence. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 2	5.4	9
33	Lifetime presence of psychotic symptoms in bipolar disorder is associated with less favorable socio-demographic and certain clinical features. <i>Comprehensive Psychiatry</i> , 2017 , 76, 169-176	7.3	20
32	Psychiatric and physical comorbidities and their impact on the course of bipolar disorder: A prospective, naturalistic 4-year follow-up study. <i>Bipolar Disorders</i> , 2017 , 19, 225-234	3.8	20
31	Italian Bipolar II vs I patients have better individual functioning, in spite of overall similar illness severity. <i>CNS Spectrums</i> , 2017 , 22, 325-332	1.8	15
30	Comparison of associated features and drug treatment between co-occurring unipolar and bipolar disorders in depressed eating disorder patients. <i>BMC Psychiatry</i> , 2017 , 17, 81	4.2	6
29	Obesity and obstetric complications are associated with rapid-cycling in Italian patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 208, 278-283	6.6	14
28	Why bipolar II disorder does not deserve its status as the overlooked middle child. <i>Bipolar Disorders</i> , 2018 , 20, 397-398	3.8	1
27	Treatment outcomes of acute bipolar depressive episode with psychosis. <i>Depression and Anxiety</i> , 2018 , 35, 402-410	8.4	4
26	Socio-demographic and clinical characterization of patients with Bipolar Disorder I vs II: a Nationwide Italian Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 169-177	5.1	9
25	Clinical characterization of Italian suicide attempters with bipolar disorder. <i>CNS Spectrums</i> , 2018 , 23, 271-277	1.8	6
24	Differentiating multiple vs single lifetime suicide attempters with bipolar disorders: A retrospective study. <i>Comprehensive Psychiatry</i> , 2018 , 80, 214-222	7.3	8
23	Safety of renal transplantation in patients with bipolar or psychotic disorders: a retrospective study. <i>Transplant International</i> , 2018 , 31, 377-385	3	9
22	Regulation of gene transcription in bipolar disorders: Role of DNA methylation in the relationship between prodynorphin and brain derived neurotrophic factor. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 82, 314-321	5.5	17

21	Specificity in Etiology of Subtypes of Bipolar Disorder: Evidence From a Swedish Population-Based Family Study. <i>Biological Psychiatry</i> , 2018 , 84, 810-816	7.9	20
20	Hypochondriac concerns and correlates of personality styles and affective states in bipolar I and II disorders. <i>BMC Psychiatry</i> , 2018 , 18, 398	4.2	1
19	Changes in amygdala, cerebellum, and nucleus accumbens volumes in bipolar patients treated with lamotrigine. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 278, 13-20	2.9	7
18	Bipolar I and Bipolar II: It's Time for Something New for a Better Understanding and Classification of Bipolar Disorders. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 548-549	4.8	1
17	Bipolar subtypes and their clinical correlates in a sample of 391 bipolar individuals. <i>Psychiatry Research</i> , 2019 , 281, 112528	9.9	2
16	High risk of silent stroke in older bipolar patients with typical-onset age. <i>Psychogeriatrics</i> , 2019 , 19, 355-362	3.6	4
15	Characteristics of bipolar I and II disorder: A study of 8766 individuals. <i>Bipolar Disorders</i> , 2020 , 22, 392-408	9.8	20
14	Differential core pharmacotherapy in bipolar I versus bipolar II disorder and European versus American patients not in a syndromal episode. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 8-18	2.2	4
13	Role of rTMS in the treatment of cognitive impairments in Bipolar Disorder and Schizophrenia: a review of Randomized Controlled Trials. <i>Journal of Affective Disorders</i> , 2021 , 280, 148-155	6.6	8
12	Clinical characteristic of prodromal symptoms between bipolar I and II disorder among Chinese patients: a retrospective study. <i>BMC Psychiatry</i> , 2021 , 21, 275	4.2	0
11	Relapse following bitemporal and high-dose right unilateral electroconvulsive therapy for major depression. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 218-229	6.5	1
10	DNA methylation signature as a biomarker of major neuropsychiatric disorders. <i>Journal of Psychiatric Research</i> , 2021 , 141, 34-49	5.2	5
9	Cognitive Performance in Euthymic Patients with Bipolar Disorder vs Healthy Controls: A Neuropsychological Investigation. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017 , 13, 71-81	3.2	6
8	Differences in Psychopathology between Offspring of Parents with Bipolar I Disorder and Those with Bipolar II Disorder: A Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2018 , 15, 1135-1143	3.1	3
7	Fatal suicidal behavior in Bipolar II patients after their first hospitalization. <i>Revista De Psiquiatria Y Salud Mental</i> , 2022 ,	2.7	
6	Bipolar and Related Disorders. 2022 ,		
5	Lifetime and point prevalence of psychotic symptoms in adults with bipolar disorders: a systematic review and meta-analysis. 1-13		0
4	Effects of Treatment of Acute Major Depressive Episodes in Bipolar I Versus Bipolar II Disorders With Quetiapine. 2022 , Publish Ahead of Print,		0

- 3 Bipolar I and bipolar II subtypes in older age: Results from the Global Aging & Geriatric Experiments in Bipolar Disorder (GAGE-BD) project. ○
- 2 Staging models applied in a sample of patients with bipolar disorder: Results from a retrospective cohort study. **2023**, 323, 452-460 ○
- 1 Association of neurocognitive function with psychiatric hospitalization and socio-demographic conditions in individuals with bipolar and major depressive disorders. **2023**, 58, 101927 ○