Enhanced Thermoelectric Performance of PEDOT:PSS F with Secondary Dopants

ACS Applied Materials & amp; Interfaces 7, 94-100 DOI: 10.1021/am507032e

Citation Report

#	Article	IF	CITATIONS
2	Effect of incorporation of ethylene glycol into PEDOT:PSS on electron phonon coupling and conductivity. Journal of Applied Physics, 2015, 117, .	2.5	61
3	Three novel electrochemical electrodes for the fabrication of conducting polymer/SWCNTs layered nanostructures and their thermoelectric performance. Nanotechnology, 2015, 26, 245401.	2.6	16
4	Enhanced thermoelectric properties of PEDOT:PSS films via a novel two-step treatment. RSC Advances, 2015, 5, 105592-105599.	3.6	36
5	Optimizing the thermoelectric properties of PEDOT:PSS films by combining organic co-solvents with inorganic base. Journal of Materials Science: Materials in Electronics, 2015, 26, 8515-8521.	2.2	20
6	Flexible organic semiconductor thin films. Journal of Materials Chemistry C, 2015, 3, 8468-8479.	5.5	51
7	Liquid Exfoliated Graphene as Dopant for Improving the Thermoelectric Power Factor of Conductive PEDOT:PSS Nanofilm with Hydrazine Treatment. ACS Applied Materials & Interfaces, 2015, 7, 14917-14925.	8.0	130
8	Green DES mixture as a surface treatment recipe for improving the thermoelectric properties of PEDOT:PSS films. Synthetic Metals, 2015, 209, 313-318.	3.9	19
9	Thermoelectric plastics: from design to synthesis, processing and structure–property relationships. Chemical Society Reviews, 2016, 45, 6147-6164.	38.1	458
10	Synergistic effect of graphene oxide and wet-chemical hydrazine/deionized water solution treatment on the thermoelectric properties of PEDOT:PSS sprayed films. Synthetic Metals, 2016, 222, 330-337.	3.9	21
11	High-operating-voltage all-solid-state symmetrical supercapacitors based on poly(3,4-ethylenedioxythiophene)/poly(styrenesulfonate) films treated by organic solvents. Electrochimica Acta, 2016, 222, 1895-1902.	5.2	26
12	Improving the thermoelectric power factor of CNT/PEDOT:PSS nanocomposite films by ethylene glycol treatment. RSC Advances, 2016, 6, 53339-53344.	3.6	99
13	Transfer-Printed PEDOT:PSS Electrodes Using Mild Acids for High Conductivity and Improved Stability with Application to Flexible Organic Solar Cells. ACS Applied Materials & Interfaces, 2016, 8, 14029-14036.	8.0	145
14	Thermoelectric transport properties of high mobility organic semiconductors. Proceedings of SPIE, 2016, , .	0.8	2
15	Significant Enhancement in the Thermoelectric Properties of PEDOT:PSS Films through a Treatment with Organic Solutions of Inorganic Salts. ACS Applied Materials & amp; Interfaces, 2016, 8, 23204-23211.	8.0	117
16	Enhanced high temperature thermoelectric response of sulphuric acid treated conducting polymer thin films. Journal of Materials Chemistry C, 2016, 4, 215-221.	5.5	65
17	Large-area, stretchable, super flexible and mechanically stable thermoelectric films of polymer/carbon nanotube composites. Journal of Materials Chemistry C, 2016, 4, 526-532.	5.5	152
18	Size Dependence of Electrical Conductivity and Thermoelectric Enhancements in Spinâ€Coated PEDOT:PSS Single and Multiple Layers. Advanced Electronic Materials, 2017, 3, 1600473.	5.1	42
19	Preparation and properties of PEDOT:PSS/Te nanorod composite films for flexible thermoelectric power generator. Energy, 2017, 125, 519-525.	8.8	149

#	Article	IF	CITATIONS
20	Mechanically Durable and Flexible Thermoelectric Films from PEDOT:PSS/PVA/Bi _{0.5} Sb _{1.5} Te ₃ Nanocomposites. Advanced Electronic Materials, 2017, 3, 1600554.	5.1	80
21	Thermoelectric Properties of Highly Conductive Poly(3,4-ethylenedioxythiophene) Polystyrene Sulfonate Printed Thin Films. ACS Applied Materials & Interfaces, 2017, 9, 18151-18160.	8.0	27
23	Vacuum-assisted bilayer PEDOT:PSS/cellulose nanofiber composite film for self-standing, flexible, conductive electrodes. Carbohydrate Polymers, 2017, 173, 383-391.	10.2	49
24	Ultralight conducting PEDOT:PSS/carbon nanotube aerogels doped with silver for thermoelectric materials. Science China Materials, 2017, 60, 159-166.	6.3	34
25	Higher PEDOT Molecular Weight Giving Rise to Higher Thermoelectric Property of PEDOT:PSS: A Comparative Study of Clevios P and Clevios PH1000. ACS Applied Materials & Interfaces, 2017, 9, 11732-11738.	8.0	87
26	Significantly Enhanced Thermoelectric Properties of PEDOT:PSS Films through Sequential Postâ€Treatments with Common Acids and Bases. Advanced Energy Materials, 2017, 7, 1602116.	19.5	314
27	Polymer/carbon nanotube composite materials for flexible thermoelectric power generator. Composites Science and Technology, 2017, 153, 71-83.	7.8	92
28	Measurements of Ambipolar Seebeck Coefficients in Highâ€Mobility Diketopyrrolopyrrole Donor–Acceptor Copolymers. Advanced Electronic Materials, 2017, 3, 1700225.	5.1	26
29	Highly stretchable organic thermoelectrics with an enhanced power factor due to extended localization length. Organic Electronics, 2017, 50, 367-375.	2.6	17
30	Functionalized Poly(3,4-ethylenedioxy bithiophene) Films for Tuning Electrochromic and Thermoelectric Properties. Journal of Physical Chemistry B, 2017, 121, 9281-9290.	2.6	28
31	In Situ Complementary Doping, Thermoelectric Improvements, and Strain-Induced Structure within Alternating PEDOT:PSS/PANI Layers. ACS Applied Materials & Interfaces, 2017, 9, 33308-33316.	8.0	30
32	Improving the thermoelectric power factor of PEDOT:PSS films by a simple two-step post-treatment method. E-Polymers, 2017, 17, 501-506.	3.0	13
33	Cooperative effect of carbon black and dimethyl sulfoxide on PEDOT:PSS hole transport layer for inverted planar perovskite solar cells. Solar Energy, 2017, 157, 125-132.	6.1	31
34	Control of the Charge Carrier Concentration and Hall Mobility in PEDOT:PSS Thermoelectric Films. Bulletin of the Korean Chemical Society, 2017, 38, 1460-1464.	1.9	4
35	Nanostructural Tailoring to Induce Flexibility in Thermoelectric Ca ₃ Co ₄ O ₉ Thin Films. ACS Applied Materials & Interfaces, 2017, 9, 25308-25316.	8.0	70
36	Structure and Property of Electronic Polymers. , 2017, , 63-106.		0
37	Effective treatment methods on PEDOT:PSS to enhance its thermoelectric performance. Synthetic Metals, 2017, 225, 31-40.	3.9	97
38	Thermoelectric Properties of Flexible PEDOT:PSS/Polypyrrole/Paper Nanocomposite Films. Materials, 2017, 10, 780.	2.9	25

#	Article	IF	CITATIONS
39	Energy Harvesting Based on Polymer. , 2017, , 151-196.		9
40	PEDOT:PSS Nanofilms Fabricated by a Nonconventional Coating Method for Uses as Transparent Conducting Electrodes in Flexible Electrochromic Devices. Journal of Nanomaterials, 2017, 2017, 1-8.	2.7	12
41	High-Performance PbTe Thermoelectric Films by Scalable and Low-Cost Printing. ACS Energy Letters, 2018, 3, 818-822.	17.4	53
42	Conjugated Polymers for Flexible Energy Harvesting and Storage. Advanced Materials, 2018, 30, e1704261.	21.0	161
43	Carbonâ€Nanotubeâ€Based Thermoelectric Materials and Devices. Advanced Materials, 2018, 30, 1704386.	21.0	411
44	Recent Development of Thermoelectric Polymers and Composites. Macromolecular Rapid Communications, 2018, 39, e1700727.	3.9	217
45	A Freeâ€Standing Highâ€Output Power Density Thermoelectric Device Based on Structureâ€Ordered PEDOT:PSS. Advanced Electronic Materials, 2018, 4, 1700496.	5.1	73
46	All-aromatic SWCNT-Polyetherimide nanocomposites for thermal energy harvesting applications. Composites Science and Technology, 2018, 156, 158-165.	7.8	55
47	PEDOT:PSS/graphene quantum dots films with enhanced thermoelectric properties via strong interfacial interaction and phase separation. Scientific Reports, 2018, 8, 6441.	3.3	151
48	Enhancement of the thermoelectric properties of PEDOT:PSS <i>via</i> one-step treatment with cosolvents or their solutions of organic salts. Journal of Materials Chemistry A, 2018, 6, 7080-7087.	10.3	87
49	Wet-spinning and post-treatment of CNT/PEDOT:PSS composites for use in organic fiber-based thermoelectric generators. Carbon, 2018, 133, 293-299.	10.3	128
50	Conductive polymers for thermoelectric power generation. Progress in Materials Science, 2018, 93, 270-310.	32.8	274
51	Enhancement of thermoelectric properties of PEDOT:PSS thin films by addition of anionic surfactants. Journal of Materials Science: Materials in Electronics, 2018, 29, 4030-4034.	2.2	16
52	Simultaneous improvement in electrical conductivity and Seebeck coefficient of PEDOT:PSS by N ₂ pressure-induced nitric acid treatment. RSC Advances, 2018, 8, 36563-36570.	3.6	15
53	Solution processed intrinsically conductive polymer films with high thermoelectric properties and good air stability. Journal of Materials Chemistry A, 2018, 6, 24496-24502.	10.3	31
54	Recent Progress in Flexible Organic Thermoelectrics. Micromachines, 2018, 9, 638.	2.9	39
55	Carbon Nanotube/Cellulose Acetate Thermoelectric Papers. ACS Sustainable Chemistry and Engineering, 2018, 6, 15970-15975.	6.7	33
56	A facile method to prepare transparent and stretchable epidermal thin film heaters. Composites Science and Technology, 2018, 168, 460-466.	7.8	26

#	Article	IF	CITATIONS
57	A Nanostructuring Method to Decouple Electrical and Thermal Transport through the Formation of Electrically Triggered Conductive Nanofilaments. Advanced Materials, 2018, 30, e1705385.	21.0	13
58	Enhancement of thermoelectric performance of PEDOT:PSS films by post-treatment with a superacid. RSC Advances, 2018, 8, 18334-18340.	3.6	118
59	Microwave assisted poly(3,4-ethylenedioxythiophene)–reduced graphene oxide nanocomposite supported Pt as durable electrocatalyst for polymer electrolyte fuel cells. New Journal of Chemistry, 2018, 42, 10724-10732.	2.8	8
60	Increasing the thermoelectric power factor of solvent-treated PEDOT:PSS thin films on PDMS by stretching. Journal of Materials Chemistry A, 2018, 6, 15621-15629.	10.3	49
61	Flexible Thermoelectric Polymer Composites Based on a Carbon Nanotubes Forest. Advanced Functional Materials, 2018, 28, 1801246.	14.9	37
62	Recent advances in conducting poly(3,4-ethylenedioxythiophene):polystyrene sulfonate hybrids for thermoelectric applications. Journal of Materials Chemistry C, 2018, 6, 8858-8873.	5.5	78
63	Enhancing the thermoelectric property of Bi2Te3 through a facile design of interfacial phonon scattering. Journal of Alloys and Compounds, 2018, 768, 659-666.	5.5	19
64	Electrically conducting fibres for e-textiles: An open playground for conjugated polymers and carbon nanomaterials. Materials Science and Engineering Reports, 2018, 126, 1-29.	31.8	172
65	3D Conformal Printing and Photonic Sintering of Highâ€Performance Flexible Thermoelectric Films Using 2D Nanoplates. Advanced Functional Materials, 2019, 29, 1901930.	14.9	89
66	PEDOT:PSS interfaces stabilised using a PEGylated crosslinker yield improved conductivity and biocompatibility. Journal of Materials Chemistry B, 2019, 7, 4811-4820.	5.8	59
67	Thermoelectric Thin Films. , 2019, , .		10
68	Effect of Drawing on the Electrical, Thermoelectrical, and Mechanical Properties of Wet-Spun PEDOT:PSS Fibers. ACS Applied Polymer Materials, 2019, 1, 2157-2167.	4.4	55
69	Fabrication and Thermoelectric Properties of PEDOT Films and Their Composites. , 2019, , 69-96.		1
70	PEDOT:PSS for Flexible and Stretchable Electronics: Modifications, Strategies, and Applications. Advanced Science, 2019, 6, 1900813.	11.2	563
71	High-Performance PEDOT:PSS Flexible Thermoelectric Materials and Their Devices by Triple Post-Treatments. Chemistry of Materials, 2019, 31, 5238-5244.	6.7	153
72	Boosting thermoelectric power factor of free-standing Poly(3,4ethylenedioxythiophene):polystyrenesulphonate films by incorporation of bismuth antimony telluride nanostructures. Journal of Power Sources, 2019, 435, 226758.	7.8	21
73	Mixed ion-electron conducting PEO/PEDOT: PSS miscible blends with intense electrochromic response. Polymer, 2019, 184, 121900.	3.8	19
74	Conjugated Polymer Blends for Organic Thermoelectrics. Advanced Electronic Materials, 2019, 5, 1800821.	5.1	59

#	Article	IF	CITATIONS
75	Transparent and Hybrid Multilayer Films with Improved Thermoelectric Performance by Chalcogenide-Interlayer-Induced Transport Enhancement. ACS Applied Materials & Interfaces, 2019, 11, 35354-35361.	8.0	10
76	Microscopic Determination of Carrier Density and Mobility in Working Organic Electrochemical Transistors. Small, 2019, 15, e1902534.	10.0	14
77	Giant Seebeck coefficient in thin sulfonated polyaniline film based devices. Organic Electronics, 2019, 67, 153-158.	2.6	2
78	Synthesis and Processing of Thermoelectric Nanomaterials, Nanocomposites, and Devices. , 2019, , 295-336.		8
79	Flexible Thermoelectric Materials and Generators: Challenges and Innovations. Advanced Materials, 2019, 31, e1807916.	21.0	419
80	Thermoelectric properties of PEDOT/PSS films prepared by a Gel-film formation process. Materials Letters, 2019, 251, 169-171.	2.6	16
81	Doping and processing of organic semiconductors for plastic thermoelectrics. , 2019, , 429-449.		10
83	High Performance Polymer Thermoelectric Composite Achieved by Carbon-Coated Carbon Nanotubes Network. ACS Applied Energy Materials, 2019, 2, 2427-2434.	5.1	34
84	Thermoelectric Properties of PEDOT:PSS. Advanced Electronic Materials, 2019, 5, 1800769.	5.1	243
85	Effective ionic Seebeck component suppression in mixed ion-electron conductor via chemical treatment. Organic Electronics, 2019, 69, 7-12.	2.6	15
86	Organic Thermoelectrics and Thermoelectric Generators (TEGs). , 0, , .		4
87	Efficient DMSO-Vapor Annealing for Enhancing Thermoelectric Performance of PEDOT:PSS-Based Aerogel. ACS Applied Materials & Interfaces, 2019, 11, 2408-2417.	8.0	99
88	Novel conductive polyester using PEDOT:PSS, carbon black nanoparticles stabilized with vinyl acrylate copolymer. Synthetic Metals, 2019, 247, 268-275.	3.9	7
89	Thermoelectrics: From history, a window to the future. Materials Science and Engineering Reports, 2019, 138, 100501.	31.8	341
90	Thermally Enhanced nâ€Type Thermoelectric Behavior in Completely Organic Graphene Oxideâ€Based Thin Films. Advanced Electronic Materials, 2019, 5, 1800465.	5.1	26
91	Preparation and thermoelectric properties of PEDOT:PSS coated Te nanorod/PEDOT:PSS composite films. Organic Electronics, 2019, 64, 79-85.	2.6	80
92	Near 5% DMSO is the best: A structural investigation of PEDOT: PSS thin films with strong emphasis on surface and interface for hybrid solar cell. Applied Surface Science, 2020, 499, 143967.	6.1	44
93	Progress in understanding structure and transport properties of PEDOT-based materials: A critical review. Progress in Materials Science, 2020, 108, 100616.	32.8	355

#	Article	IF	CITATIONS
94	Thermoelectric properties of flexible composite fabrics prepared by a gas polymerization combining solution coating process. Synthetic Metals, 2020, 260, 116254.	3.9	9
95	Polymer based thermoelectric nanocomposite materials and devices: Fabrication and characteristics. Nano Energy, 2020, 78, 105186.	16.0	185
96	Constructing Ordered-Structure Organic Thermoelectric Films via Supramolecular Self-Assembly of PEDOT:PSS and Conjugated Triblock Copolymer. Synthetic Metals, 2020, 269, 116536.	3.9	6
97	Thermoelectric Energy Harvesters: A Review of Recent Developments in Materials and Devices for Different Potential Applications. Topics in Current Chemistry, 2020, 378, 48.	5.8	52
98	Mini-Review: Mixed Ionic–Electronic Charge Carrier Localization and Transport in Hybrid Organic–Inorganic Nanomaterials. Frontiers in Chemistry, 2020, 8, 537.	3.6	5
99	Enhancing the thermoelectric performance of single-walled carbon nanotube-conducting polymer nanocomposites. Journal of Alloys and Compounds, 2020, 845, 156354.	5.5	13
100	Enhanced Thermoelectric Performance and Lifetime in Acid-Doped PEDOT:PSS Films Via Work Function Modification. ACS Applied Energy Materials, 2020, 3, 9126-9132.	5.1	19
101	Transparent flexible thin-film p–n junction thermoelectric module. Npj Flexible Electronics, 2020, 4, .	10.7	37
102	Enhanced Power Factor of PEDOT:PSS Films Post-treated Using a Combination of Ethylene Glycol and Metal Chlorides and Temperature Dependence of Electronic Transport (325–450 K). ACS Applied Energy Materials, 2020, 3, 12447-12459.	5.1	24
103	Effect of substituents in sulfoxides on the enhancement of thermoelectric properties of PEDOT:PSS: experimental and modelling evidence. Molecular Systems Design and Engineering, 2020, 5, 976-984.	3.4	29
104	Enhanced Electrical Conductivity and Seebeck Coefficient in PEDOT:PSS via a Two-Step Ionic liquid and NaBH4 Treatment for Organic Thermoelectrics. Polymers, 2020, 12, 559.	4.5	26
105	Solvent treatment inducing ultralong cycle stability poly(3,4â€ethylenedioxythiophene):poly(styrenesulfonic acid) fibers as bindingâ€free electrodes for supercapacitors. International Journal of Energy Research, 2020, 44, 5856-5865.	4.5	8
106	Boosting the hole transport of conductive polymers by regulating the ion ratio in ionic liquid additives. Physical Chemistry Chemical Physics, 2020, 22, 9796-9807.	2.8	9
107	Flexible metal-free hybrid hydrogel thermoelectric fibers. Journal of Materials Science, 2020, 55, 8376-8387.	3.7	31
108	Sodium formaldehyde sulfoxylate, an ionic-type, water-soluble reducing reagent to effectively improve seebeck coefficient of PEDOT:PSS film. Organic Electronics, 2020, 81, 105682.	2.6	21
109	Robust PEDOT:PSS Wetâ€Spun Fibers for Thermoelectric Textiles. Macromolecular Materials and Engineering, 2020, 305, 1900749.	3.6	68
110	Thermoelectric properties of poly (3,4-ethylenedioxy thiophene)/poly (sulfonic acid diphenyl aniline) composites synthesized in the absence and presence of magnetic field. Materials Research Express, 2020, 7, 015914.	1.6	4
111	Beyond the Mahan–Sofo best thermoelectric strategy: high thermoelectric performance from directional π-conjugation in two-dimensional poly(tetrathienoanthracene). Journal of Materials Chemistry A, 2020, 8, 4257-4262.	10.3	13

#	Article	IF	CITATIONS
112	Enhanced thermoelectric performances of flexible PEDOT:PSS film by synergistically tuning the ordering structure and oxidation state. Journal of Materiomics, 2020, 6, 119-127.	5.7	21
113	Electrical properties of nitric acid and DMSO treated PEDOT:PSS/nâ€Si hybrid heterostructures for optoelectronic applications. Journal of Applied Polymer Science, 2020, 137, 48952.	2.6	17
114	Modulation of the doping level of PEDOT:PSS film by treatment with hydrazine to improve the Seebeck coefficient. RSC Advances, 2020, 10, 1786-1792.	3.6	77
115	Polymeric thermoelectric PEDOT: PSS & composites: Synthesis, progress, and applications. European Polymer Journal, 2020, 132, 109726.	5.4	55
116	Flexible, self-powered and multi-functional strain sensors comprising a hybrid of carbon nanocoils and conducting polymers. Chemical Engineering Journal, 2021, 404, 126064.	12.7	71
117	Organic/inorganic hybrid for flexible thermoelectric fibers. Chemical Engineering Journal, 2021, 405, 126510.	12.7	57
118	Poly(3,4-ethylenedioxythiophene) (PEDOT) as promising thermoelectric materials and devices. Chemical Engineering Journal, 2021, 404, 126552.	12.7	64
119	Recent developments in flexible thermoelectrics: From materials to devices. Renewable and Sustainable Energy Reviews, 2021, 137, 110448.	16.4	84
120	Acido-treatment of PEDOT:PSS/Carbon Dots (CDots) nano-composite films for high thermoelectric power factor performance and generator. Materials Chemistry and Physics, 2021, 257, 123762.	4.0	29
121	Organic thermoelectric materials. , 2021, , 183-219.		9
122	A supramolecular polymer hybrid membrane with superior photothermal properties for local heating applications. Polymer, 2021, 213, 123211.	3.8	2
123	Achievements and Prospects of Thermoelectric and Hybrid Energy Harvesters for Wearable Electronic Applications. , 2021, , 3-40.		1
124	Polymer/carbon nanocoil nanocomposite: status and future directions. Polymer-Plastics Technology and Materials, 2021, 60, 816-829.	1.3	4
125	Effect of Volatile Organic Compounds Adsorption on 3D-Printed PEGDA:PEDOT for Long-Term Monitoring Devices. Nanomaterials, 2021, 11, 94.	4.1	13
126	Origins of Enhanced Thermoelectric Transport in Free-Standing PEDOT Nanowires Film Modulated with Ionic Liquid. ACS Applied Energy Materials, 2021, 4, 4070-4080.	5.1	17
127	Highly Flexible, Stretchable, and Self-Powered Strain-Temperature Dual Sensor Based on Free-Standing PEDOT:PSS/Carbon Nanocoils–Poly(vinyl) Alcohol Films. ACS Sensors, 2021, 6, 1120-1128.	7.8	40
128	Tunable thermoelectric properties of free-standing PEDOT nanofiber film through adjusting its nanostructure. Synthetic Metals, 2021, 275, 116742.	3.9	9
129	Advanced Glass Fiber Polymer Composite Laminate Operating as a Thermoelectric Generator: A Structural Device for Micropower Generation and Potential Large-Scale Thermal Energy Harvesting.	8.0	11

ARTICLE IF CITATIONS # A review on conductive polymers and their hybrids for flexible and wearable thermoelectric 130 6.0 108 applications. Materials Today Physics, 2021, 18, 100402. Flexible thermoelectric materials and devices: From materials to applications. Materials Today, 2021, 14.2 46, 62-108. A high performance flexible and robust printed thermoelectric generator based on hybridized Te 132 10.1 16 nanowires with PEDOT:PSS. Applied Energy, 2021, 294, 117004. PEDOT:PSS-Coated Polybenzimidazole Electroconductive Nanofibers for Biomedical Applications. Polymers, 2021, 13, 2786. Conducting polymer-based flexible thermoelectric materials and devices: From mechanisms to 134 32.8 160 applications. Progress in Materials Science, 2021, 121, 100840. High-performance PEDOT:PSS-based thermoelectric composites. Composites Communications, 2021, 27, 6.3 37 100877. Molecular manipulation of PEDOT:PSS for efficient hole transport by incorporation of N-doped 136 3.7 12 carbon quantum dots. Dyes and Pigments, 2021, 194, 109610. Recent advances in flexible thermoelectric films and devices. Nano Energy, 2021, 89, 106309. 16.0 Simultaneous enhancements in the Seebeck coefficient and conductivity of PEDOT:PSS by blending 138 10.3 16 ferroelectric BaTiO₃ nanoparticles. Journal of Materials Chémistry A, 2021, 9, 16952-16960. Thermoelectric Paper: Graphite Pencil Traces on Paper to Fabricate a Thermoelectric Generator. 5.8 44 Advanced Materials Technologies, 2020, 5, 2000227 Enhanced Thermoelectric Performance of PEDOT:PSS Films by Sequential Post†reatment with 140 3.6 69 Formamide. Macromolecular Materials and Engineering, 2018, 303, 1700429. Thermoelectric properties of PEDOT:PSS aerogel secondary-doped in supercritical CO2 atmosphere 3.8 with low thermal conductivity. Polymer, 2020, 206, 122912. Impact of synthetic conditions on the anisotropic thermal conductivity of poly(3,4-ethylenedioxythiophene) (PEDOT): A molecular dynamics investigation. Physical Review 142 2.4 13 Materials, 2020, 4, . Role of Dopants in Organic and Halide Perovskite Energy Conversion Devices. Chemistry of Materials, 143 6.7 23 2021, 33, 8147-8172 Flexible thermoelectric nanodevices based on three-dimensional networks of 144 poly(3,4-ethylenedioxythiophene) nanowires and graphene. High Performance Polymers, 2021, 33, 1.8 0 657-664. Thermal transport in organic semiconductors. Journal of Applied Physics, 2021, 130, . 145 Organic-based flexible thermoelectric generators: From materials to devices. Nano Energy, 2022, 92, 146 16.0 60 106774. Doping Approaches for Organic Semiconductors. Chemical Reviews, 2022, 122, 4420-4492.

#	Article	IF	CITATIONS
148	Deciphering the superior thermoelectric property of post-treatment-free PEDOT:PSS/IL hybrid by X-ray and neutron scattering characterization. Npj Flexible Electronics, 2022, 6, .	10.7	19
149	3D cellulose fiber networks modified by PEDOT:PSS/graphene nanoplatelets for thermoelectric applications. Applied Physics Letters, 2022, 120, .	3.3	13
150	Optimizing the thermoelectric performance of PEDOTs. , 2022, , 119-143.		0
151	PEDOT-based thermoelectric nanocomposites/hybrids. , 2022, , 165-198.		0
153	Soft Organic Thermoelectric Materials: Principles, Current State of the Art and Applications. Small, 2022, 18, e2104922.	10.0	32
154	Facile Approach to Enhance Electrical and Thermal Performance of Conducting Polymer PEDOT:PSS Films via Hot Pressing. ACS Applied Materials & Interfaces, 2022, 14, 10605-10615.	8.0	16
155	Hierarchically Structured Conductive Polymer Binders with Silver Nanowires for High-Performance Silicon Anodes in Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2022, 14, 17340-17347.	8.0	17
156	Simultaneous enhancement of conductivity and Seebeck coefficient of PEDOT:PSS by triflic acid treatment for flexible thermoelectric generator. Synthetic Metals, 2022, 286, 117037.	3.9	16
157	Progress of Conjugated Polymers as Emerging Thermoelectric Materials. Progress in Polymer Science, 2022, 129, 101548.	24.7	66
158	Optimal array alignment to deliver high performance in flexible conducting polymerâ€based thermoelectric devices. Journal of Materials Science and Technology, 2022, 124, 252-259.	10.7	9
159	Wet-spun PEDOT:PSS/CNT composite fibers for wearable thermoelectric energy harvesting. Composites Communications, 2022, 32, 101179.	6.3	28
160	Is there a constant Lorentz number for organic thermoelectric materials?. Applied Materials Today, 2022, 27, 101496.	4.3	2
161	Fully solution-processed organic RRAM device with highly stable butterfly-shaped hysteresis. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2022, 282, 115784.	3.5	9
162	Charge transport in doped conjugated polymers for organic thermoelectrics. Chemical Physics Reviews, 2022, 3, .	5.7	19
163	One-step post-treatment boosts thermoelectric properties of PEDOT:PSS flexible thin films. Journal of Materials Science and Technology, 2023, 132, 81-89.	10.7	46
164	Highly Efficient Organic Solar Cells Enabled by the Incorporation of a Sulfonated Graphene Doped PEDOT:PSS Interlayer. ACS Applied Materials & Interfaces, 2022, 14, 34814-34821.	8.0	20
165	Flexible thermoelectrics based on ductile semiconductors. Science, 2022, 377, 854-858.	12.6	134
166	Advances in thermoelectric devices for localized cooling. Chemical Engineering Journal, 2022, 450, 138389.	12.7	34

#	Article	IF	CITATIONS
167	Flexible solar and thermal energy conversion devices: Organic photovoltaics (OPVs), organic thermoelectric generators (OTEGs) and hybrid PV-TEG systems. Applied Materials Today, 2022, 29, 101614.	4.3	16
168	Review on recent development on thermoelectric functions of PEDOT:PSS based systems. Materials Science in Semiconductor Processing, 2022, 152, 107041.	4.0	25
169	Effects of cation size on thermoelectricity of PEDOT:PSS/ionic liquid hybrid films for wearable thermoelectric generator application. Journal of Materials Chemistry A, 2022, 10, 18792-18802.	10.3	16
170	How to switch from a poor PEDOT:X oxygen evolution reaction (OER) to a good one. A study on dual redox reversible PEDOT:metallacarborane. Journal of Materials Chemistry A, 2022, 10, 16182-16192.	10.3	2
171	Three-Dimensional Printing of Highly Conducting PEDOT: PSS-Based Polymers. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2023, 145, .	2.2	1
172	Recent advancements in thermoelectric generators for smart textile application. Materials Today Communications, 2022, 33, 104585.	1.9	7
174	Effective Enhancement of Thermal Conductivity and Electrical Conductivity with Poly(3,4â€ethylenedioxythiophene):Poly(4â€styrenesulfonate) Through Solvent Treatment. Macromolecular Chemistry and Physics, 0, , 2200305.	2.2	0
175	The Thermoelectric Properties of Spongy PEDOT Films and 3D-Nanonetworks by Electropolymerization. Nanomaterials, 2022, 12, 4430.	4.1	1
176	Advances in flexible hydrogels for light-thermal-electricity energy conversion and storage. Journal of Energy Storage, 2023, 60, 106618.	8.1	7
177	Appraisal of conducting polymers for potential bioelectronics. , 2023, , 265-298.		0
178	Wearable Thermoelectric Generators: Materials, Structures, Fabrications, and Applications. Physica Status Solidi - Rapid Research Letters, 2023, 17, .	2.4	1
179	Review on Fiber-Based Thermoelectrics: Materials, Devices, and Textiles. Advanced Fiber Materials, 2023, 5, 1105-1140.	16.1	7
180	Highly Stretchable and Reversibly Photomodulated PEDOT:PSS/PVA Films. ACS Applied Polymer Materials, 0, , .	4.4	0
181	Production of Blended Poly(acrylonitrile): Poly(ethylenedioxythiophene):Poly(styrene sulfonate) Electrospun Fibers for Neural Applications. Polymers, 2023, 15, 2760.	4.5	4
182	Great Enhancement in the Seebeck Coefficient and Thermoelectric Properties of Solid PEDOT:PSS Films Through Molecular Energy Filtering by Zwitterions. Small Structures, 2023, 4, .	12.0	2
183	Improvement of electrical conductivity of PEDOT: PSS syntactic foams with segregated electrically conductive microstructure: Experimental and finite element analysis. Polymer, 2023, 283, 126230.	3.8	0
184	Enhancing thermoelectric performance of PEDOT: PSS: A review of treatment and nanocomposite strategies. , 2024, 1, 16-38.		2
185	Thermoelectric Materials and Applications: A Review. Energies, 2023, 16, 6409.	3.1	7

#	Article	IF	Citations
186	Vacuum filtration method towards flexible thermoelectric films. , 0, 3, .		0
187	Preparation and Thermoelectric Properties of rGOBi2Te3PEDOT PSS Composite Block. High Temperature Material Processes, 2023, , .	0.6	0
188	Deformation Mechanisms of Inorganic Thermoelectric Materials with Plasticity. Advanced Energy and Sustainability Research, 2024, 5, .	5.8	1
189	Polymer-based thermoelectric fibers and composites: Individual and combined approaches towards enhanced efficiency. Materials Today Communications, 2024, 38, 107682.	1.9	0
191	All-Electrospun Piezoelectric Energy Harvesting for Leadless Pacemakers. ACS Applied Electronic Materials, 2023, 5, 6236-6245.	4.3	0
192	Impact of doping on the mechanical properties of conjugated polymers. Chemical Society Reviews, 2024, 53, 1702-1729.	38.1	0
193	Polaron interfacial entropy as a route to high thermoelectric performance in DAE-doped PEDOT:PSS films. National Science Review, 2024, 11, .	9.5	0
194	Ionic thermoelectric materials: Innovations and challenges. Materials Today Physics, 2024, 42, 101375.	6.0	0