

# CITATION REPORT

List of articles citing

Combination of platelet to lymphocyte ratio and neutrophil to lymphocyte ratio is a useful prognostic factor in advanced non-small cell lung cancer patients

DOI: 10.1111/1759-7714.12178  
Thoracic Cancer, 2015, 6, 275-87.

**Source:** <https://exaly.com/paper-pdf/62831467/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
75	Prognostic significance of platelet-to-lymphocyte ratio in non-small-cell lung cancer: a meta-analysis. <i>OncoTargets and Therapy</i> , <b>2016</b> , 9, 869-76	4.4	24
74	Prognostic significance of neutrophil-lymphocyteratio/platelet-lymphocyteratioin lung cancers: a meta-analysis. <i>Oncotarget</i> , <b>2016</b> , 7, 76769-76778	3.3	41
73	NEUTROPHIL/LYMPHOCYTE RATIO AND PLATELET/LYMPHOCYTE RATIO IN PATIENTS WITH NSCLC. <i>Materia Socio-medica</i> , <b>2016</b> , 28, 378-381	0.9	4
72	Prognostic role of platelet to lymphocyte ratio in non-small cell lung cancers: A meta-analysis including 3,720 patients. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 164-70	7.5	69
71	Prognostic value of platelet to lymphocyte ratio in non-small cell lung cancer: evidence from 3,430 patients. <i>Scientific Reports</i> , <b>2016</b> , 6, 23893	4.9	61
70	Prognostic value of platelet to lymphocyte ratio in non-small cell lung cancer: a systematic review and meta-analysis. <i>Scientific Reports</i> , <b>2016</b> , 6, 22618	4.9	42
69	The Prognostic Value of PLR in Lung Cancer, a Meta-analysis Based on Results from a Large Consecutive Cohort. <i>Scientific Reports</i> , <b>2016</b> , 6, 34823	4.9	45
68	Prognostic role of pretreatment blood neutrophil-to-lymphocyte ratio in advanced cancer survivors: A systematic review and meta-analysis of 66 cohort studies. <i>Cancer Treatment Reviews</i> , <b>2017</b> , 58, 1-13	14.4	146
67	Changes of platelet times neutrophil to lymphocyte ratio predict BCLC stage A hepatocellular carcinoma survival. <i>Medicine (United States)</i> , <b>2017</b> , 96, e7821	1.8	5
66	C-reactive protein/albumin and neutrophil/lymphocyte ratios and their combination predict overall survival in patients with gastric cancer. <i>Oncology Letters</i> , <b>2017</b> , 14, 7417-7424	2.6	19
65	Prognostic Significance of FDG Uptake of Bone Marrow on PET/CT in Patients With Non-Small-Cell Lung Cancer After Curative Surgical Resection. <i>Clinical Lung Cancer</i> , <b>2017</b> , 18, 198-206	4.9	27
64	Identification of clinical biomarkers for patients with advanced hepatocellular carcinoma receiving sorafenib. <i>Clinical and Translational Oncology</i> , <b>2017</b> , 19, 364-372	3.6	10
63	The role of F-fluorodeoxyglucose uptake of bone marrow on PET/CT in predicting clinical outcomes in non-small cell lung cancer patients treated with chemoradiotherapy. <i>European Radiology</i> , <b>2017</b> , 27, 1912-1921	8	25
62	Neutrophil-to-lymphocyte ratio is effective prognostic indicator for post-amputation patients with critical limb ischemia. <i>Journal of King Abdulaziz University, Islamic Economics</i> , <b>2017</b> , 38, 24-29	1.1	6
61	Prognostic Significance of Neutrophil to Lymphocyte Ratio, Lymphocyte to Monocyte Ratio, and Platelet to Lymphocyte Ratio in Patients with Nasopharyngeal Carcinoma. <i>BioMed Research International</i> , <b>2017</b> , 2017, 3047802	3	36
60	A comparison of the predictive validity of the combination of the neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio and other risk scoring systems for intravenous immunoglobulin (ivig)-resistance in Kawasaki disease. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176957	3.7	26
59	Gemcitabine-induced thrombocytosis as a potential predictive factor in non-small cell lung cancer: analysis of 318 patients. <i>Tumori</i> , <b>2017</b> , 103, 143-147	1.7	3

58	Significance of neutrophil-to-lymphocyte ratio in Western advanced EGFR-mutated non-small cell lung cancer receiving a targeted therapy. <i>Tumori</i> , <b>2017</b> , 103, 443-448	1.7	16
57	Selected patients can benefit more from the management of etoposide and platinum-based chemotherapy and thoracic irradiation-a retrospective analysis of 707 small cell lung cancer patients. <i>Oncotarget</i> , <b>2017</b> , 8, 8657-8669	3.3	18
56	Platelet-to-lymphocyte ratio in advanced Cancer: Review and meta-analysis. <i>Clinica Chimica Acta</i> , <b>2018</b> , 483, 48-56	6.2	75
55	Platelet-to-lymphocyte ratio predicts long-term survival in laryngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 553-559	3.5	14
54	Increased neutrophil-lymphocyte ratio independently predicts poor survival in non-metastatic triple-negative breast cancer patients. <i>IUBMB Life</i> , <b>2018</b> , 70, 529-535	4.7	14
53	The Position of Neutrophils-To-Lymphocytes and Lymphocytes-To-Platelets Ratio as Predictive Markers of Progression and Prognosis in Patients with Non-Small Cell Lung Cancer. <i>Open Access Macedonian Journal of Medical Sciences</i> , <b>2018</b> , 6, 1382-1386	1	5
52	Prognostic Significance of Pretreatment Neutrophil/Lymphocyte Ratio and Platelet/Lymphocyte Ratio in Patients with Diffuse Large B-Cell Lymphoma. <i>BioMed Research International</i> , <b>2018</b> , 2018, 9651234	3.4	16
51	Prognostic significance of the combination of preoperative fibrinogen and the neutrophil-lymphocyte ratio in patients with non-small cell lung cancer following surgical resection. <i>Oncology Letters</i> , <b>2019</b> , 17, 1435-1444	2.6	9
50	The prognostic impact of neutrophil to lymphocyte ratio in advanced non-small cell lung cancer patients treated with EGFR TKI. <i>International Journal of General Medicine</i> , <b>2018</b> , 11, 423-430	2.3	20
49	Effect of scar-producing moxibustion at the acupoints Zusanli (ST 36) and Feishu (BL 13) on neutrophil-to-lymphocyte ratio and quality of life in patients with non-small-cell lung cancer: A randomized, controlled trial. <i>Journal of Traditional Chinese Medicine = Chung I Tsa Chih Ying Wen Pan / Sponsored By All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese</i>		4
48	Study to evaluate the immunomodulatory effects of radiofrequency ablation compared to surgical resection for liver cancer. <i>Journal of Cancer</i> , <b>2018</b> , 9, 3187-3195	4.5	12
47	Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios may aid in identifying patients with non-small cell lung cancer and predicting Tumor-Node-Metastasis stages. <i>Oncology Letters</i> , <b>2018</b> , 16, 483-490	2.6	11
46	Correlation of Neutrophil to Lymphocyte Ratio and Absolute Neutrophil Count With Outcomes With PD-1 Axis Inhibitors in Patients With Advanced Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , <b>2018</b> , 19, 426-434.e1	4.9	64
45	Preoperative increased systemic immune-inflammation index predicts poor prognosis in patients with operable non-small cell lung cancer. <i>Clinica Chimica Acta</i> , <b>2018</b> , 484, 272-277	6.2	39
44	The predictive value of a preoperative systemic immune-inflammation index and prognostic nutritional index in patients with esophageal squamous cell carcinoma. <i>Journal of Cellular Physiology</i> , <b>2019</b> , 234, 1794-1802	7	62
43	Correlation between stage of small-cell lung cancer and inflammatory factors. <i>Asian Cardiovascular and Thoracic Annals</i> , <b>2019</b> , 27, 554-558	0.6	1
42	Systemic Inflammation-Immune Status Predicts Survival in Stage III-N2 Non-Small Cell Lung Cancer. <i>Annals of Thoracic Surgery</i> , <b>2019</b> , 108, 1701-1709	2.7	9
41	Prognostic Value of an Inflammation-Related Index in 6,865 Chinese Patients With Postoperative Digestive Tract Cancers: The FIESTA Study. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 427	5.3	8

40	Prognostic value of delta inflammatory biomarker-based nomograms in patients with inoperable locally advanced NSCLC. <i>International Immunopharmacology</i> , <b>2019</b> , 72, 395-401	5.8	13
39	Systemic immune-inflammation index (SII) is useful to predict survival outcomes in patients with surgically resected non-small cell lung cancer. <i>Thoracic Cancer</i> , <b>2019</b> , 10, 761-768	3.2	29
38	The clinical value of hematological markers in rheumatoid arthritis patients treated with tocilizumab. <i>Journal of Clinical Laboratory Analysis</i> , <b>2019</b> , 33, e22862	3	6
37	Utilization of combined PD-L1 expression and neutrophil-to-lymphocyte ratio prior to surgery as a prognostic factor in non-small cell lung cancer with brain metastasis.. <i>Translational Cancer Research</i> , <b>2019</b> , 8, 2864-2877	0.3	1
36	Prognostic significance and population dynamics of peripheral monocytes in patients with oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , <b>2019</b> , 41, 1880-1888	4.2	10
35	Prognostic significance of thrombocytosis in lung cancer: a systematic review and meta-analysis. <i>Platelets</i> , <b>2021</b> , 32, 919-927	3.6	4
34	Initial neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio as prognostic markers in patients with inoperable locally advanced non-small-cell lung cancer. <i>Biomarkers in Medicine</i> , <b>2020</b> , 14, 1341-1352	2.3	2
33	The neutrophil-to-lymphocyte ratio is a predictive factor for the survival of patients with hepatocellular carcinoma undergoing transarterial chemoembolization. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 541	3.2	8
32	Preoperative systemic immune-inflammation index and prognostic nutritional index predict prognosis of patients with pulmonary neuroendocrine tumors after surgical resection. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 630	3.2	4
31	Preoperative platelet-lymphocyte ratio is a superior prognostic biomarker to other systemic inflammatory response markers in non-small cell lung cancer. <i>Medicine (United States)</i> , <b>2020</b> , 99, e18607	1.8	12
30	Preoperative plateletcrit is a Prognostic Biomarker for Survival in Patients with Non-Small Cell Lung Cancer. <i>Journal of Cancer</i> , <b>2020</b> , 11, 2800-2807	4.5	4
29	Postoperative Elevations of Neutrophil-to-lymphocyte and Platelet-to-lymphocyte Ratios Predict Postoperative Pulmonary Complications in Non-small Cell Lung Cancer Patients: A Retrospective Cohort Study. <i>Current Medical Science</i> , <b>2020</b> , 40, 339-347	2.8	0
28	Prognostic value of pretreatment platelet counts in lung cancer: a systematic review and meta-analysis. <i>BMC Pulmonary Medicine</i> , <b>2020</b> , 20, 96	3.5	10
27	Admission Neutrophil-Lymphocyte Ratio (NLR) Predicts Survival in Patients with Extensive Burns. <i>Burns</i> , <b>2021</b> , 47, 594-600	2.3	4
26	Prognostic impact of neutrophils-to-lymphocytes ratio (NLR), PD-L1 expression, and tumor immune microenvironment in laryngeal cancer. <i>Annals of Diagnostic Pathology</i> , <b>2021</b> , 50, 151657	2.2	10
25	Clinical characteristics and prognostic analysis of Lung Cancer patients with Hypercoagulability: A single-center, retrospective, real-world study. <i>Journal of Cancer</i> , <b>2021</b> , 12, 2968-2974	4.5	0
24	Prognostic Value of Platelet-to-Lymphocyte Ratio, Neutrophil-to-Lymphocyte Ratio, and Lymphocyte-to-White Blood Cell Ratio in Colorectal Cancer Patients Who Received Neoadjuvant Chemotherapy. <i>Technology in Cancer Research and Treatment</i> , <b>2021</b> , 20, 15330338211034291	2.7	6
23	Systemic immune-inflammation index predicts prognosis in patients with different EGFR-mutant lung adenocarcinoma. <i>Medicine (United States)</i> , <b>2021</b> , 100, e24640	1.8	2

22	Preoperative systemic immune-inflammation index predicts prognosis and guides clinical treatment in patients with non-small cell lung cancer. <i>Bioscience Reports</i> , <b>2020</b> , 40,	4.1	6
21	Clinical severity in forecasting platelet to lymphocyte ratio in Crimean-Congo hemorrhagic fever patients. <i>Journal of Medical Microbiology</i> , <b>2016</b> , 65, 1100-1104	3.2	9
20	Image-guided adaptive radiotherapy in patients with locally advanced non-small cell lung cancer: the art of PET. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 62, 369-384	1.4	5
19	[Meta-analysis of Platelet Lymphocyte Ratio as A Prognostic Factor for Non-small Cell Lung Cancer]. <i>Chinese Journal of Lung Cancer</i> , <b>2019</b> , 22, 289-298	0.6	2
18	The prognostic role of neutrophil-lymphocyte ratio and platelet-lymphocyte ratio in patients with stage III non-small cell lung cancer treated with concurrent chemoradiotherapy. <i>Indian Journal of Cancer</i> , <b>2018</b> , 55, 276-281	0.9	3
17	Preoperative neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio are correlated with tumor node metastasis stages in patients with non-small cell lung cancer. <i>Journal of Cancer Research and Therapeutics</i> , <b>2021</b> ,	1.2	
16	THE RELATIONSHIP BETWEEN NEUTROPHIL / LYMPHOCYTES RATIO AND PLATELET / LYMPHOCYTES RATIO WITH PROGNOSIS IN OPERATED STAGE 1-2 OF NON- SMALL CELL LUNG CANCER DISEASE: ONE CENTRAL EXPERIENCE. <i>Anadolu Kliniği Tıp Bilimleri Dergisi</i> ,	0.3	
15	Evaluation of Neutrophil-to-Lymphocyte Ratio and Mean Platelet Volume in Patients with Active and Inactive Thyroid Orbitopathy. <i>Sisli Etfal Hastanesi Tip Bulteni</i> , <b>2018</b> , 52, 26-30	0.8	4
14	Evaluation of Neutrophils Immunophenotype in the Microenvironment of Malignant Pleural Effusions. <i>Medical Journal of Cell Biology (discontinued)</i> , <b>2018</b> , 6, 66-74	0.6	
13	The utility of the neutrophil-to-lymphocyte ratio in predicting urolithiasis in acute abdominal pain accompanied by flank pain. <i>The European Research Journal</i> ,	0	
12	A Prospective Study on the Predictability of Propofol Injection Pain. <i>Cureus</i> , <b>2020</b> , 12, e6945	1.2	0
11	Prognostic value of pretreatment platelet counts in lung cancer: a systematic review and meta-analysis.		
10	Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio as Predictive Factors for Serious Nivolumab-Induced Immune-Related Adverse Events. <i>Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences)</i> , <b>2020</b> , 46, 331-339	0.1	0
9	Prognostic value of pretreatment platelet count in lung cancer: a systematic review and meta-analysis.		
8	The effect of performance score, prognostic nutritional index, serum neutrophil-to-lymphocyte ratio, and thrombocyte-to-lymphocyte ratio on prognosis in non-small cell lung cancer. <i>Marmara Medical Journal</i> ,		
7	The effect of performance score, prognostic nutritional index, serum neutrophil-to-lymphocyte ratio, and thrombocyte-to-lymphocyte ratio on prognosis in non-small cell lung cancer. <i>Marmara Medical Journal</i> , 94-99		
6	Prognostic significance of platelet-to-albumin ratio in patients with esophageal squamous cell carcinoma receiving definitive radiotherapy.. <i>Scientific Reports</i> , <b>2022</b> , 12, 3535	4.9	0
5	Data_Sheet_1.PDF. <b>2019</b> ,		

- 4 Correlation Between Pretreatment Neutrophil-to-Lymphocyte Ratio and Programmed Death-Ligand 1 Expression as Prognostic Markers in Non-Small Cell Lung Cancer. *Cureus*, **2022**, 1.2
- 3 Histopathological and Haemogram Features Correlate with Prognosis in Rectal Cancer Patients Receiving Neoadjuvant Chemoradiation without Pathological Complete Response. **2022**, 11, 4947
- 2 A correlational study on neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio in bronchial asthma. **2022**, 0 ○
- 1 The Interaction between Four Polymorphisms and Haplotype of ABCB1, the Risk of Non-Small Cell Lung Cancer, and the Disease Phenotype. **2023**, 2023, 1-8 ○