

CITATION REPORT

List of articles citing

Oil/water separation with selective
superantiwetting/superwetting surface materials

DOI: 10.1002/anie.201405785

Angewandte Chemie - International Edition, 2015, 54, 2328-38

Source: <https://exaly.com/paper-pdf/62833246/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
976	Superwetting Materials of Oil/Water Emulsion Separation. 2015 , 44, 874-883		68
975	A General Strategy for the Separation of Immiscible Organic Liquids by Manipulating the Surface Tensions of Nanofibrous Membranes. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 14732-7	16.4	112
974	Multifunctional Hybrid Porous Micro-/Nanocomposite Materials. 2015 , 27, 7775-81		44
973	Wrinkled Graphene Monoliths as Superabsorbing Building Blocks for Superhydrophobic and Superhydrophilic Surfaces. 2015 , 127, 15380-15384		13
972	A General Strategy for the Separation of Immiscible Organic Liquids by Manipulating the Surface Tensions of Nanofibrous Membranes. 2015 , 127, 14945-14950		10
971	Wrinkled Graphene Monoliths as Superabsorbing Building Blocks for Superhydrophobic and Superhydrophilic Surfaces. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 15165-9	16.4	35
970	Underwater superoleophobic meshes fabricated by poly(sulfobetaine)/polydopamine co-deposition. 2015 , 5, 47592-47598		24
969	Hydrophobic poly(alkoxysilane) organogels as sorbent material for oil spill cleanup. 2015 , 96, 155-64		43
968	Robust superhydrophobic wood obtained by spraying silicone nanoparticles. 2015 , 5, 21999-22004		34
967	Fabrication of antifouling polymer/inorganic hybrid membranes through the synergy of biomimetic mineralization and nonsolvent induced phase separation. 2015 , 3, 7287-7295		63
966	Wettability behavior of special microscale ZnO nail-coated mesh films for oil-water separation. 2015 , 458, 79-86		42
965	Anthraquinone dyes for superhydrophobic cotton. 2015 , 51, 14251-4		25
964	Introducing a high gravity field to enhance infiltration of small molecules into polyelectrolyte multilayers. 2015 , 11, 5748-53		4
963	Recent improvements in oily wastewater treatment: Progress, challenges, and future opportunities. 2015 , 37, 15-30		202
962	PhotoATRP-Based Fluorinated Thermosensitive Block Copolymer for Controllable Water/Oil Separation. 2015 , 54, 10714-10722		45
961	An ultrathin bilayer membrane with asymmetric wettability for pressure responsive oil/water emulsion separation. 2015 , 3, 23477-23482		128
960	Smart Fiber Membrane for pH-Induced Oil/Water Separation. 2015 , 7, 19643-50		186

959	Cleaning of Oil Fouling with Water Enabled by Zwitterionic Polyelectrolyte Coatings: Overcoming the Imperative Challenge of Oil-Water Separation Membranes. 2015 , 9, 9188-98	224
958	Rational design of nanomaterials for water treatment. 2015 , 7, 17167-94	157
957	Sensitivity of coalescence separation of oil/water emulsions using stainless steel felt enabled by LBL self-assembly and CVD. 2015 , 5, 71345-71354	17
956	Fabrication of superhydrophobic textured steel surface for anti-corrosion and tribological properties. 2015 , 359, 905-910	55
955	A Review on Development and Applications of Bio-Inspired Superhydrophobic Textiles. 2016 , 9,	49
954	Functionalized Cellulose Networks for Efficient Oil Removal from Oil/Water Emulsions. 2016 , 8,	39
953	A self-cleaning TiO ₂ coated mesh with robust underwater superoleophobicity for oil/water separation in a complex environment. 2016 , 6, 65171-65178	20
952	Bioinspired Superwettability Materials. 2016 , 1-34	2
951	Microscopic Dimensions Engineering: Stepwise Manipulation of the Surface Wettability on 3D Substrates for Oil/Water Separation. 2016 , 28, 936-42	89
950	A Robust Polyionized Hydrogel with an Unprecedented Underwater Anti-Crude-Oil-Adhesion Property. 2016 , 28, 5307-14	262
949	Large-Scale Fabrication of Robust Superhydrophobic Coatings with High Rigidity and Good Flexibility. 2016 , 3, 1500718	46
948	Recent Development of Advanced Materials with Special Wettability for Selective Oil/Water Separation. 2016 , 12, 2186-202	563
947	Electrochemical route to prepare polyaniline-coated meshes with controllable pore size for switchable emulsion separation. 2016 , 304, 115-120	59
946	Immobilizing Water into Crystal Lattice of Calcium Sulfate for its Separation from Water-in-Oil Emulsion. 2016 , 50, 7650-7	33
945	Programmable Oil/Water Separation Meshes: Water or Oil Selectivity Using Contact Angle Hysteresis. 2016 , 301, 1032-1036	26
944	Rapid and Efficient Separation of Oil from Oil-in-Water Emulsions Using a Janus Cotton Fabric. 2016 , 128, 1313-1316	64
943	The investigation of the wetting behavior on the red rose petal. 2016 , 108, 151605	11
942	Separation of organic liquid mixture by flexible nanofibrous membranes with precisely tunable wettability. 2016 , 8, e334-e334	50

941	Superhydrophobic meshes that can repel hot water and strong corrosive liquids used for efficient gravity-driven oil/water separation. 2016 , 8, 7638-45		326
940	A facile approach to silica-modified polysulfone microfiltration membranes for oil-in-water emulsion separation. 2016 , 6, 41323-41330		10
939	A biologically inspired attachable, self-standing nanofibrous membrane for versatile use in oil-water separation. 2016 , 8, 10922-7		33
938	Alkaline-induced superhydrophilic/underwater superoleophobic polyacrylonitrile membranes with ultralow oil-adhesion for high-efficient oil/water separation. 2016 , 513, 67-73		125
937	Polymerization under Hypersaline Conditions: A Robust Route to Phenolic Polymer-Derived Carbon Aerogels. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14623-14627	16.4	106
936	Polymerization under Hypersaline Conditions: A Robust Route to Phenolic Polymer-Derived Carbon Aerogels. 2016 , 128, 14843-14847		26
935	Rapid deposition of superhydrophilic stalagmite-like protrusions for underwater selective superwettability. 2016 , 6, 89298-89304		1
934	Extraction of Oil from an Aqueous Emulsion by Coupling Thermal Swing with a Capillary Pump. 2016 , 32, 10213-10225		1
933	Robust superhydrophobic carbon nanofiber network inlay-gated mesh for water-in-oil emulsion separation with high flux. 2016 , 4, 17970-17980		64
932	Atmospheric Pressure Plasma Functionalized Polymer Mesh: An Environmentally Friendly and Efficient Tool for Oil/Water Separation. 2016 , 4, 6828-6837		71
931	Bioinspired polydopamine particles-assisted construction of superhydrophobic surfaces for oil/water separation. 2016 , 482, 240-251		77
930	Role of wide tip of mushroom-like micropillar arrays to make the Cassie state on superrepellent surfaces. 2016 , 6, 74670-74674		13
929	A pH-responsive superwetting nanostructured copper mesh film for separating both water-in-oil and oil-in-water emulsions. 2016 , 6, 72317-72325		21
928	pH-Induced switches of the oil- and water-selectivity of crosslinked polymeric membranes for gravity-driven oil/water separation. 2016 , 4, 13543-13548		69
927	Facile Fabrication of a Polyethylene Mesh for Oil/Water Separation in a Complex Environment. 2016 , 8, 24186-91		62
926	Recent advances in biomimetic thin membranes applied in emulsified oil/water separation. 2016 , 4, 15749-15770		198
925	Fluorine-free superwetting systems: construction of environmentally friendly superhydrophilic, superhydrophobic, and slippery surfaces on various substrates. 2016 , 7, 7446-7454		25
924	Robust superhydrophobic attapulgite coated polyurethane sponge for efficient immiscible oil/water mixture and emulsion separation. 2016 , 4, 15546-15553		259

923	A UV-driven superhydrophilic/superoleophobic polyelectrolyte multilayer film on fabric and its application in oil/water separation. 2016 , 6, 91301-91307	30
922	A silane-based interfacial crosslinking strategy to design PVDF membranes with versatile surface functions. 2016 , 520, 769-778	28
921	Facile fabrication of superhydrophobic meshes with different water adhesion and their influence on oil/water separation. 2016 , 6, 90824-90830	18
920	Recycled Superwetting Nanostructured Copper Mesh Film: Toward Bidirectional Separation of Emulsified Oil/Water Mixtures. 2016 , 3, 1600370	34
919	Recycled polydopamine particles used for special wetting. 2016 , 181, 321-325	1
918	A robust salt-tolerant superoleophobic aerogel inspired by seaweed for efficient oil-water separation in marine environments. 2016 , 18, 25394-25400	41
917	Surface-Independent Hierarchical Coatings with Superamphiphobic Properties. 2016 , 8, 29117-29127	56
916	A robust, melting class bulk superhydrophobic material with heat-healing and self-cleaning properties. 2015 , 5, 18510	41
915	Long-Range Hydrophilic Attraction between Water and Polyelectrolyte Surfaces in Oil. 2016 , 128, 15241-15245	2
914	Polyvinylidene fluoride (PVDF) membrane for oil rejection from oily wastewater: A performance review. 2016 , 14, 41-59	72
913	In Situ Generated Janus Fabrics for the Rapid and Efficient Separation of Oil from Oil-in-Water Emulsions. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14610-14613	16.4 112
912	Long-Range Hydrophilic Attraction between Water and Polyelectrolyte Surfaces in Oil. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15017-15021	16.4 74
911	Flexible Superhydrophobic and Superoleophilic MoS ₂ Sponge for Highly Efficient Oil-Water Separation. 2016 , 6, 27207	67
910	In Situ Generated Janus Fabrics for the Rapid and Efficient Separation of Oil from Oil-in-Water Emulsions. 2016 , 128, 14830-14833	17
909	A Versatile and Scalable Approach toward Robust Superhydrophobic Porous Materials with Excellent Absorbency and Flame Retardancy. 2016 , 6, 31233	21
908	In Situ and Ex Situ pH-Responsive Coatings with Switchable Wettability for Controllable Oil/Water Separation. 2016 , 8, 31281-31288	104
907	Underwater Superoleophobic Membrane with Enhanced Oil/Water Separation, Antimicrobial, and Antifouling Activities. 2016 , 3, 1500664	53
906	Robust Superhydrophobic Fabric Bag Filled with Polyurethane Sponges Used for Vacuum-Assisted Continuous and Ultrafast Absorption and Collection of Oils from Water. 2016 , 3, 1500770	164

905	Electrospun N-Substituted Polyurethane Membranes with Self-Healing Ability for Self-Cleaning and Oil/Water Separation. 2016 , 22, 878-83	66
904	Simple and Green Fabrication of a Superhydrophobic Surface by One-Step Immersion for Continuous Oil/Water Separation. 2016 , 120, 5617-23	56
903	Superhydrophilic and underwater superoleophobic titania nanowires surface for oil repellency and oil/water separation. 2016 , 301, 249-256	142
902	Superhydrophilic Nickel Nanoparticles with Core/Shell Structure To Decorate Copper Mesh for Efficient Oil/Water Separation. 2016 , 120, 12685-12692	55
901	Rapid and Efficient Separation of Oil from Oil-in-Water Emulsions Using a Janus Cotton Fabric. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 1291-4	16.4 229
900	Enhanced oil-fouling resistance of poly(ether sulfone) membranes by incorporation of novel amphiphilic zwitterionic copolymers. 2016 , 6, 7532-7543	27
899	Facile fabrication of underwater superoleophobic TiO ₂ coated mesh for highly efficient oil/water separation. 2016 , 489, 441-446	78
898	Fabrication of polydopamine-coated superhydrophobic fabrics for oil/water separation and self-cleaning. 2016 , 370, 243-251	98
897	Assembly of Graphene Oxide at the Crude Oil/Water Interface: A New Approach to Efficient Demulsification. 2016 , 30, 3355-3364	43
896	A multifunctional polymeric nanofilm with robust chemical performances for special wettability. 2016 , 8, 5153-61	15
895	A modified mussel-inspired method to fabricate TiO ₂ decorated superhydrophilic PVDF membrane for oil/water separation. 2016 , 506, 60-70	328
894	Opposite and complementary: a superhydrophobic/superhydrophilic integrated system for high-flux, high-efficiency and continuous oil/water separation. 2016 , 4, 4365-4370	73
893	Fabrication of novel superhydrophilic and underwater superoleophobic hierarchically structured ceramic membrane and its separation performance of oily wastewater. 2016 , 42, 8604-8612	33
892	Electrospun fibrous membrane with enhanced switchable oil/water wettability for oily water separation. 2016 , 287, 474-481	159
891	Electrospun nanofibrous materials: a versatile medium for effective oil/water separation. 2016 , 19, 403-414	304
890	Healable superhydrophobicity of novel cotton fabrics modified via one-pot mist copolymerization. 2016 , 23, 915-927	43
889	Ultrasonically treated liquid interfaces for progress in cleaning and separation processes. 2016 , 18, 21-46	43
888	A prewetting induced underwater superoleophobic or underoil (super) hydrophobic waste potato residue-coated mesh for selective efficient oil/water separation. 2016 , 18, 541-549	373

887	A self-cleaning titanium mesh with underwater superoleophobicity for oil/water separation and aqueous pollutant degradation. 2017 , 313, 55-62	33
886	Water purification: oil/water separation by nanotechnology and environmental concerns. 2017 , 4, 514-525	88
885	Simple fabrication of multi-functional melamine sponges. 2017 , 190, 119-122	22
884	Fabrication of Superhydrophobic Surfaces with Controllable Electrical Conductivity and Water Adhesion. 2017 , 33, 1368-1374	30
883	Robust superhydrophobic diamond microspheres for no-loss transport of corrosive liquid microdroplets. 2017 , 53, 2355-2358	15
882	Fish Gill Inspired Crossflow for Efficient and Continuous Collection of Spilled Oil. 2017 , 11, 2477-2485	135
881	Nature-Inspired Strategy toward Superhydrophobic Fabrics for Versatile Oil/Water Separation. 2017 , 9, 9184-9194	247
880	Thermoresponsive Melamine Sponges with Switchable Wettability by Interface-Initiated Atom Transfer Radical Polymerization for Oil/Water Separation. 2017 , 9, 8967-8974	107
879	Oxidant-Induced High-Efficient Mussel-Inspired Modification on PVDF Membrane with Superhydrophilicity and Underwater Superoleophobicity Characteristics for Oil/Water Separation. 2017 , 9, 8297-8307	104
878	Femtosecond laser ablated durable superhydrophobic PTFE sheet for oil/water separation. 2017 ,	2
877	Thiolated graphene-based superhydrophobic sponges for oil-water separation. 2017 , 316, 736-743	202
876	Durability evaluation of superhydrophobic copper foams for long-term oil-water separation. 2017 , 407, 145-155	39
875	Efficient adsorption of oil by hydrophobic macroporous polymer synthesized with the emulsion template and magnetic particles on the surface. 2017 , 134,	10
874	One-pot fabrication of nanoporous polymer decorated materials: from oil-collecting devices to high-efficiency emulsion separation. 2017 , 5, 5077-5087	78
873	Bioinspired, Mechano-Regulated Interfaces for Rationally Designed, Dynamically Controlled Collection of Oil Spills from Water. 2017 , 1, 1600014	6
872	Super-stable non-woven fabric-based membrane as a high-efficiency oil/water separator in full pH range. 2017 , 7, 19764-19770	22
871	3D printing of a mechanically durable superhydrophobic porous membrane for oil/water separation. 2017 , 5, 12435-12444	133
870	Multifunctional walnut shell layer used for oil/water mixtures separation and dyes adsorption. 2017 , 419, 869-874	31

869	Janus Copper Mesh Film with Unidirectional Water Transportation Ability toward High Efficiency Oil/Water Separation. 2017 , 12, 2085-2092	31
868	Superoleophobic surfaces. 2017 , 46, 4168-4217	435
867	Synergy of the mechanical, antifouling and permeation properties of a carbon nanotube nanohybrid membrane for efficient oil/water separation. 2017 , 9, 7508-7518	50
866	One-Step Synthesis of Cationic Hydrogel for Efficient Dye Adsorption and Its Second Use for Emulsified Oil Separation. 2017 , 5, 5598-5607	87
865	Surface modification of melamine sponges for pH-responsive oil absorption and desorption. 2017 , 416, 798-804	39
864	Superhydrophilic and underwater superoleophobic nanofibrous membrane with hierarchical structured skin for effective oil-in-water emulsion separation. 2017 , 5, 497-502	253
863	Compressible and conductive carbon aerogels from waste paper with exceptional performance for oil/water separation. 2017 , 5, 14858-14864	103
862	Facile synthesis of fluorinated polydopamine/chitosan/reduced graphene oxide composite aerogel for efficient oil/water separation. 2017 , 326, 17-28	192
861	Directional Fluid Gating by Janus Membranes with Heterogeneous Wetting Properties for Selective Oil-Water Separation. 2017 , 9, 19102-19113	91
860	Stretchable and durable superhydrophobicity that acts both in air and under oil. 2017 , 5, 15208-15216	37
859	One-Pot Preparation of Macroporous Organic-Silica Monolith for the Organics-/Oil-Water Separation. 2017 , 2, 4538-4544	6
858	Intrinsically superhydrophobic PVDF membrane by phase inversion for membrane distillation. 2017 , 417, 77-86	96
857	Anticorrosive superhydrophobic polystyrene-coated mesh for continuous oil spill clean-up. 2017 , 41, 4862-4868	9
856	Dynamic behavior of water droplets and flashover characteristics on a superhydrophobic silicone rubber surface. 2017 , 110, 201602	20
855	Tunable Wettability of Electrospun Polyurethane/Silica Composite Membranes for Effective Separation of Water-in-Oil and Oil-in-Water Emulsions. 2017 , 23, 11253-11260	42
854	Stable Superwetting Meshes for On-Demand Separation of Immiscible Oil/Water Mixtures and Emulsions. 2017 , 33, 3702-3710	69
853	Recent Progress of Polyurethane-Based Materials for Oil/Water Separation. 2017 , 12, 1730001	8
852	Corrosion-resistant engineering superhydrophobic and superoleophilic bulk materials with oil/water separation property. 2017 , 52, 7130-7139	14

851	Preparation of superhydrophobic/oleophilic copper mesh for oil-water separation. 2017 , 412, 599-605	79
850	Facile preparation of superhydrophobic metal foam for durable and high efficient continuous oil-water separation. 2017 , 322, 157-166	66
849	Detergency and Its Implications for Oil Emulsion Sieving and Separation. 2017 , 33, 4250-4259	9
848	Tannin-inspired superhydrophilic and underwater superoleophobic polypropylene membrane for effective oil/water emulsions separation. 2017 , 522, 585-592	54
847	Preparation of Superhydrophilic and Underwater Superoleophobic Nanofiber-Based Meshes from Waste Glass for Multifunctional Oil/Water Separation. 2017 , 13, 1700391	95
846	Underwater superoleophobic mesh based on BiVO ₄ nanoparticles with sunlight-driven self-cleaning property for oil/water separation. 2017 , 320, 342-351	107
845	Hydroxyapatite Biom mineralization on Functionalized Silicone Nanofilaments. 2017 , 16, 1-5	6
844	Switchable and simultaneous oil/water separation induced by prewetting with a superamphiphilic self-cleaning mesh. 2017 , 313, 398-403	80
843	Fluorine-Induced Superhydrophilic Ti Foam with Surface Nanocavities for Effective Oil-in-Water Emulsion Separation. 2017 , 56, 699-707	26
842	Thermo-responsive PVDF/PSMA composite membranes with micro/nanoscale hierarchical structures for oil/water emulsion separation. 2017 , 516, 305-316	31
841	Adaptable bioinspired special wetting surface for multifunctional oil/water separation. 2017 , 7, 39970	33
840	Fabrication of recyclable superhydrophobic cotton fabrics. 2017 , 400, 405-412	39
839	Constructing Fluorine-Free and Cost-Effective Superhydrophobic Surface with Normal-Alcohol-Modified Hydrophobic SiO ₂ Nanoparticles. 2017 , 9, 858-867	70
838	Facile fabrication of superhydrophobic SiO ₂ -coated mesh used for corrosive and hot water/oil separation. 2017 , 82, 299-307	14
837	Selective Cooperation with Liquids for Environmentally Friendly and Comprehensive Oil-Water Separation. 2017 , 10, 4839-4844	4
836	Pouring-type gravity-driven oil/water separation without water bridge. 2017 , 12, 744-748	6
835	Fabrication of Robust Superhydrophobic Te@C-TiO ₂ Nanocomposites Coating for Application in Oil/Water Separation. 2017 , 12, 1750122	1
834	Durable superhydrophobic and superamphiphobic polymeric surfaces and their applications: A review. 2017 , 250, 132-157	138

833	Sustainable and Biodegradable Superhydrophobic Coating from Epoxidized Soybean Oil and ZnO Nanoparticles on Cellulosic Substrates for Efficient Oil/Water Separation. 2017 , 5, 11440-11450	87
832	Dually Prewetted Underwater Superoleophobic and under Oil Superhydrophobic Fabric for Successive Separation of Light Oil/Water/Heavy Oil Three-Phase Mixtures. 2017 , 9, 36368-36376	57
831	One-step removal of insoluble oily compounds and water-miscible contaminants from water by underwater superoleophobic graphene oxide-coated cotton. 2017 , 24, 5605-5614	9
830	Role of layered materials in emulsified oil/water separation and anti-fouling performance of modified cellulose acetate membranes with hierarchical structure. 2017 , 543, 163-171	40
829	Nanofibrous metal-organic framework composite membrane for selective efficient oil/water emulsion separation. 2017 , 543, 10-17	96
828	Universal Janus Filters for the Rapid Separation of Oil from Emulsions Stabilized by Ionic or Nonionic Surfactants. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 12892-12897	16.4 57
827	Smart candle soot coated membranes for on-demand immiscible oil/water mixture and emulsion switchable separation. 2017 , 9, 13610-13617	112
826	Hierarchical membranes with size-controlled nanopores from photofluidization of electrospun azobenzene polymer fibers. 2017 , 5, 18762-18769	30
825	Universal Janus Filters for the Rapid Separation of Oil from Emulsions Stabilized by Ionic or Nonionic Surfactants. 2017 , 129, 13072-13077	10
824	Infused-liquid-switchable porous nanofibrous membranes for multiphase liquid separation. 2017 , 8, 575	107
823	Peristome-Mimetic Curved Surface for Spontaneous and Directional Separation of Micro Water-in-Oil Drops. 2017 , 129, 13811-13816	14
822	Femtosecond laser induced robust periodic nanoripple structured mesh for highly efficient oil-water separation. 2017 , 9, 14229-14235	219
821	Peristome-Mimetic Curved Surface for Spontaneous and Directional Separation of Micro Water-in-Oil Drops. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13623-13628	16.4 58
820	A versatile bio-based material for efficiently removing toxic dyes, heavy metal ions and emulsified oil droplets from water simultaneously. 2017 , 245, 649-655	38
819	Fabrication of Photocontrolled Surfaces for Oil/Water Separation through Sulfur(VI) Fluoride Exchange. 2017 , 23, 14712-14717	20
818	A general and facile chemical avenue for the controlled and extreme regulation of water wettability in air and oil wettability under water. 2017 , 8, 6542-6554	41
817	A Janus oil barrel with tapered microhole arrays for spontaneous high-flux spilled oil absorption and storage. 2017 , 9, 15796-15803	36
816	Recyclable and biodegradable superhydrophobic and superoleophilic chitosan sponge for the effective removal of oily pollutants from water. 2017 , 330, 423-432	82

815	Superhydrophobic polymer multilayers for the filtration- and absorption-based separation of oil/water mixtures. 2017 , 55, 3127-3136	8
814	A Facile, Sustainable Strategy towards the Preparation of Silicone Nanofilaments and Their Use as Antiwetting Coatings. 2017 , 2, 5463-5468	6
813	Superhydrophobic surfaces with fluorinated cellulose nanofiber assemblies for oil/water separation. 2017 , 7, 37168-37174	24
812	Diverse wettability of superoleophilicity and superoleophobicity for oil spill cleanup and recycling. 2017 , 426, 1158-1166	9
811	Strain-Induced Surface Micro/Nanosphere Structure: A New Technique to Design Mechanically Robust Superhydrophobic Surfaces with Rose Petal-Like Morphology. 2017 , 4, 1700497	10
810	Antifouling Cellulose Hybrid Biomembrane for Effective Oil/Water Separation. 2017 , 9, 29812-29819	88
809	Oil/Water Separation Using Superhydrophobic PET Membranes Fabricated Via Simple Dip-Coating Of PDMS/BiO ₂ Nanoparticles. 2017 , 302, 1700218	29
808	A core-shell fiber-constructed pH-responsive nanofibrous hydrogel membrane for efficient oil/water separation. 2017 , 5, 19398-19405	59
807	Super-hydrophobic 3D printed polysulfone membranes with a switchable wettability by self-assembled candle soot for efficient gravity-driven oil/water separation. 2017 , 5, 25401-25409	79
806	Sustainable polymeric material for the facile and repetitive removal of oil-spills through the complementary use of both selective-absorption and active-filtration processes. 2017 , 5, 23339-23348	40
805	Cellulose Sponge with Superhydrophilicity and High Oleophobicity Both in Air and under Water for Efficient Oil/Water Emulsion Separation. 2017 , 302, 1700086	20
804	Highly efficient oil/water separation and trace organic contaminants removal based on superhydrophobic conjugated microporous polymer coated devices. 2017 , 326, 640-646	50
803	Flexible Slippery Surface to Manipulate Droplet Coalescence and Sliding, and Its Practicability in Wind-Resistant Water Collection. 2017 , 9, 24428-24432	41
802	A zinc oxide nanorods coated brass wire mesh with superhydrophilicity and underwater superoleophobicity prepared by electrochemical deposition combined with hydrothermal reaction. 2017 , 207, 72-75	7
801	Non-activation MOF arrays as a coating layer to fabricate a stable superhydrophobic micro/nano flower-like architecture. 2017 , 53, 8340-8343	37
800	Selective filtration of oil/water mixtures with bioinspired porous membranes. 2017 , 7, 32806-32811	13
799	Ultradurable underwater superoleophobic surfaces obtained by vapor-synthesized layered polymer nanocoatings for highly efficient oil/water separation. 2017 , 5, 14990-14995	44
798	One-step Strategy to Prepare Utility ZnO/Stearic Acid (STA) Superhydrophobic Nanocoating. 2017 , 46, 1393-1395	7

797	A magnetic superhydrophilic/oleophobic sponge for continuous oil-water separation. 2017 , 309, 366-373	124
796	A diatomite coated mesh with switchable wettability for on-demand oil/water separation and methylene blue adsorption. 2017 , 174, 275-281	56
795	Juncus Pith: A Versatile Material for Automatic and Continuous Separation of Various Oil/Water Mixtures. 2017 , 5, 922-928	19
794	Polyurethane sponge functionalized with superhydrophobic nanodiamond particles for efficient oil/water separation. 2017 , 307, 319-325	198
793	4.18 Surface Texturing and Control of Bacterial Adhesion. 2017 , 303-320	5
792	A Facile and Effective Method to Fabricate Superhydrophobic/Superoleophilic Surface for the Separation of Both Water/Oil Mixtures and Water-in-Oil Emulsions. 2017 , 9,	11
791	Solution-processable, durable, scalable, fluorine-grafted graphene-based superhydrophobic coating for highly efficient oil/water separation under harsh environment. 2018 , 42, 3819-3827	16
790	Enhanced oil removal from water in oil stable emulsions using electrospun nanocomposite fiber mats.. 2018 , 8, 7641-7650	21
789	Highly efficient separation of surfactant stabilized water-in-oil emulsion based on surface energy gradient and flame retardancy. 2018 , 520, 1-10	27
788	Bio-inspired superhydrophilic coatings with high anti-adhesion against mineral scales. 2018 , 10, e471-e471	18
787	Janus Membranes with Charged Carbon Nanotube Coatings for Deemulsification and Separation of Oil-in-Water Emulsions. 2018 , 10, 9832-9840	96
786	Dual Superhydrophobic Copper Foam with Good Durability and Recyclability for High Flux, High Efficiency, and Continuous Oil-Water Separation. 2018 , 10, 9841-9848	72
785	On-demand oil-water separation via low-voltage wettability switching of core-shell structures on copper substrates. 2018 , 444, 15-27	40
784	One-step solution immersion process for the fabrication of low adhesive underwater superoleophobic copper mesh film toward high-flux oil/water separation. 2018 , 448, 241-247	27
783	Manta ray gill inspired radially distributed nanofibrous membrane for efficient and continuous oil/water separation. 2018 , 5, 1466-1472	23
782	Solar-assisted fast cleanup of heavy oil spills using a photothermal sponge. 2018 , 6, 9192-9199	86
781	Biomimetic Multilayer Nanofibrous Membranes with Elaborated Superwettability for Effective Purification of Emulsified Oily Wastewater. 2018 , 10, 16183-16192	80
780	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 5740-5745	16.4 115

779	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. 2018 , 130, 5842-5847	11
778	Effect of asymmetric wettability in nanofiber membrane by electrospinning technique on separation of oil/water emulsion. 2018 , 204, 235-242	17
777	Competitive Adsorption between Nanoparticles and Surface Active Ions for the Oil-Water Interface. 2018 , 34, 4830-4842	35
776	Designing a reductive hybrid membrane to selectively capture noble metallic ions during oil/water emulsion separation with further function enhancement. 2018 , 6, 10217-10225	20
775	Antifouling membranes for oily wastewater treatment: Interplay between wetting and membrane fouling. 2018 , 36, 90-109	152
774	A mussel inspired highly stable graphene oxide membrane for efficient oil-in-water emulsions separation. 2018 , 199, 37-46	43
773	Green, Biodegradable, Underwater Superoleophobic Wood Sheet for Efficient Oil/Water Separation. 2018 , 3, 1395-1402	40
772	One-Step Preparation of Highly Hydrophobic and Oleophilic Melamine Sponges via Metal-Ion-Induced Wettability Transition. 2018 , 10, 6652-6660	56
771	Intelligent environmental nanomaterials. 2018 , 5, 811-836	42
770	Superwetting copper meshes based on self-organized robust CuO nanorods: efficient water purification for in situ oil removal and visible light photodegradation. 2018 , 10, 4561-4569	37
769	Cell membrane mimetic PVDF microfiltration membrane with enhanced antifouling and separation performance for oil/water mixtures. 2018 , 6, 3231-3241	63
768	Nanosecond Laser-Induced Underwater Superoleophobic and Underoil Superhydrophobic Mesh for Oil/Water Separation. 2018 , 34, 2981-2988	60
767	Effect of superhydrophobicity on flashover characteristics of silicone rubber under wet conditions. 2018 , 8, 015313	8
766	Facile construction of robust superhydrophobic tea polyphenol/Fe@ cotton fabric for self-cleaning and efficient oil/water separation. 2018 , 25, 1513-1525	35
765	Treatment and reclamation of hydrocarbon-bearing oily wastewater as a hazardous pollutant by different processes and technologies: a state-of-the-art review. 2018 , 35, 73-108	30
764	Opposite Superwetting Nickel Meshes for On-Demand and Continuous Oil/Water Separation. 2018 , 57, 1059-1070	44
763	Biobased super-hydrophobic coating on cotton fabric fabricated by spray-coating for efficient oil/water separation. 2018 , 66, 41-47	63
762	In situ fabrication dynamic carbon fabrics membrane with tunable wettability for selective oil/water separation. 2018 , 61, 188-196	27

761	Wetting and spreading: Fundamental theories to cutting-edge applications. 2018 , 36, 10-19	38
760	A superhydrophilic cement-coated mesh: an acid, alkali, and organic reagent-free material for oil/water separation. 2018 , 10, 1920-1929	63
759	Patterning electrospun nanofiber mats for screen printing and other applications. 2018 , 6, 808-813	12
758	Biodegradable PLA Nonwoven Fabric with Controllable Wettability for Efficient Water Purification and Photocatalysis Degradation. 2018 , 6, 2445-2452	49
757	Superhydrophobic/Superhydrophilic Janus Fabrics Reducing Blood Loss. 2018 , 7, e1701086	60
756	Reusable, salt-tolerant and superhydrophilic cellulose hydrogel-coated mesh for efficient gravity-driven oil/water separation. 2018 , 338, 271-277	97
755	Facile fabrication of super-hydrophobic FAS modified electroless Ni-P coating meshes for rapid water-oil separation. 2018 , 540, 224-232	24
754	Cupric Phosphate Nanosheets-Wrapped Inorganic Membranes with Superhydrophilic and Outstanding Anticrude Oil-Fouling Property for Oil/Water Separation. 2018 , 12, 795-803	231
753	Superhydrophobic Cellulose Nanofiber-Assembled Aerogels for Highly Efficient Water-in-Oil Emulsions Separation. 2018 , 1, 2095-2103	64
752	Impact of carboxylation and hydrolysis functionalisations on the anti-oil staining behaviour of textiles grafted with poly(-isopropylacrylamide) hydrogel.. 2018 , 8, 13423-13432	8
751	Underwater superoleophobic stainless steel mesh fabricated by laser cladding a copper foil for oil/water separation. 2018 , 5, 075014	2
750	Zeolitic imidazolate framework-8 film coated stainless steel meshes for highly efficient oil/water separation. 2018 , 54, 5530-5533	47
749	Light-Driven Transformation of Bio-Inspired Superhydrophobic Structure via Reconfigurable PAzoMA Microarrays: From Lotus Leaf to Rice Leaf. 2018 , 51, 2742-2749	39
748	Effect of superhydrophobicity on surface damage of silicone rubber under AC voltage. 2018 , 8, 035117	4
747	Facile fabrication of nanofiber- and micro/nanosphere-coordinated PVDF membrane with ultrahigh permeability of viscous water-in-oil emulsions. 2018 , 6, 7014-7020	91
746	Simplified and robust adhesive-free superhydrophobic SiO ₂ -decorated PVDF membranes for efficient oil/water separation. 2018 , 555, 220-228	96
745	Heterogeneous wettable cotton based superhydrophobic Janus biofabric engineered with PLA/functionalized-organoclay microfibers for efficient oil/water separation. 2018 , 6, 7457-7479	128
744	Vertically Oriented Microporous Membranes Prepared by Bidirectional Freezing. 2018 , 36, 880-887	8

743	Bioinspired fish-scale-like stainless steel surfaces with robust underwater anti-crude-oil-fouling and self-cleaning properties. 2018 , 202, 111-118	16
742	A Review of Femtosecond-Laser-Induced Underwater Superoleophobic Surfaces. 2018 , 5, 1701370	68
741	A superhydrophobic copper mesh as an advanced platform for oil-water separation. 2018 , 428, 520-525	120
740	Facile design of superhydrophobic and superoleophilic copper mesh assisted by candle soot for oil water separation. 2018 , 537, 294-302	51
739	Ultralight electrospun cellulose sponge with super-high capacity on absorption of organic compounds. 2018 , 179, 164-172	35
738	Blend-electrospun poly(vinylidene fluoride)/stearic acid membranes for efficient separation of water-in-oil emulsions. 2018 , 538, 494-499	34
737	In Situ Separation of Chemical Reaction Systems Based on a Special Wettable PTFE Membrane. 2018 , 28, 1703970	32
736	Reduced graphene oxide-coated cotton as an efficient absorbent in oil-water separation. 2018 , 1, 135-148	65
735	Tailoring the surface chemistry and morphology of glass fiber membranes for robust oil/water separation using poly(dimethylsiloxanes) as hydrophobic molecular binders. 2018 , 6, 607-615	44
734	Nonswellable hydrogels with robust micro/nano-structures and durable superoleophobic surfaces under seawater. 2018 , 61, 64-70	18
733	Direct coating of a DKGM hydrogel on glass fabric for multifunctional oil-water separation in harsh environments. 2018 , 334, 2273-2282	50
732	Surface modification of polymeric foams for oil spills remediation. 2018 , 206, 872-889	44
731	Construction of oil-unidirectional membrane for integrated oil collection with lossless transportation and oil-in-water emulsion purification. 2018 , 549, 67-74	86
730	Remarkably facile fabrication of extremely superhydrophobic high-energy binary composite with ultralong lifespan. 2018 , 335, 843-854	24
729	Fabrication of a novel superhydrophobic and superoleophilic surface by one-step electrodeposition method for continuous oil/water separation. 2018 , 434, 1015-1020	25
728	Underwater superoleophobic polyurethane-coated mesh with excellent stability for oil/water separation.. 2018 , 8, 39657-39666	3
727	Tailored electrospun fibers from waste polystyrene for high oil adsorption. 2018 , 18, e00084	12
726	Systematic parametric investigation on the CVD process of polysiloxane nano- and microstructures. 2018 , 20, 1	3

725	A methodology to produce eco-friendly superhydrophobic coatings produced from all-water-processed plant-based filler materials. 2018 , 20, 5169-5178	26
724	Fouling-Resistant and Self-Cleaning Aliphatic Polyketone Membrane for Sustainable Oil-Water Emulsion Separation. 2018 , 10, 44880-44889	32
723	Organic Media Superwettability: On-Demand Liquid Separation by Controlling Surface Chemistry. 2018 , 10, 37634-37642	24
722	Specially Wettable Membranes for Oil/Water Separation. 2018 , 5, 1800576	117
721	Highly Compressible Wood Sponges with a Spring-like Lamellar Structure as Effective and Reusable Oil Absorbents. 2018 , 12, 10365-10373	245
720	Robust preparation of tubular PTFE/FEP ultrafine fibers-covered porous membrane by electrospinning for continuous highly effective oil/water separation. 2018 , 568, 87-96	39
719	Continuous in Situ Extraction toward Multiphase Complex Systems Based on Superwetable Membrane with Micro-/Nanostructures. 2018 , 12, 10000-10007	25
718	Oil/water separation based on natural materials with super-wettability: recent advances. 2018 , 20, 25140-25168	o
717	Fabrication of zinc oxide nanostructure coated membranes for efficient oil/water separation. 2018 , 566, 249-257	56
716	Near-Infrared Light-Triggered Hydrophobic-to-Hydrophilic Switch Nanovalve for On-Demand Cancer Therapy. 2018 , 4, 3478-3486	18
715	Hydrophilic and hydrophobic materials and their applications. 2018 , 40, 2686-2725	52
714	Bioinspired Designs of Superhydrophobic and Superhydrophilic Materials. 2018 , 4, 1102-1112	166
713	Carbon Felt Monoliths Coated with a Highly Hydrophobic Mesoporous Carbon Phase for the Continuous Oil Sorption/Filtration from Water. 2018 , 2, 1800040	3
712	Bio-based oil gelling agent for effective removal of oil spills from the surface of water. 2018 , 2, 1784-1790	4
711	Cellulose Mineralization as a Route for Novel Functional Materials. 2018 , 28, 1705042	32
710	Ag nanoparticles loading of polypyrrole-coated superwetting mesh for on-demand separation of oil-water mixtures and catalytic reduction of aromatic dyes. 2018 , 527, 187-194	23
709	Self-assembly and epitaxial growth of multifunctional micro-nano-spheres for effective separation of water-in-oil emulsions with ultra-high flux. 2018 , 352, 530-538	16
708	Influence of long-range forces and capillarity on the function of underwater superoleophobic wrinkled surfaces. 2018 , 14, 6627-6634	9

707	Separation application of superhydrophobic Cu gauze to a non-aqueous system: Biodiesel collection from glycerol/FAME two-phase mixture. 2018 , 457, 456-467	10
706	A facile method to mussel-inspired superhydrophobic thiol-textiles@polydopamine for oil/water separation. 2018 , 554, 253-260	25
705	An anti-overturn Janus sponge with excellent floating stability for simultaneous pollutant remediation and oil/water separation. 2018 , 6, 16371-16381	35
704	Tannic acid encountering ovalbumin: a green and mild strategy for superhydrophilic and underwater superoleophobic modification of various hydrophobic membranes for oil/water separation. 2018 , 6, 13959-13967	72
703	Practical Oil Spill Recovery by a Combination of Polyolefin Absorbent and Mechanical Skimmer. 2018 , 6, 12036-12045	28
702	Graphene Modified Electro-Fenton Catalytic Membrane for in Situ Degradation of Antibiotic Florfenicol. 2018 , 52, 9972-9982	106
701	Recent advances towards sulfur (VI) fluoride exchange (SuFEx) click chemistry. 2018 , 213, 87-112	58
700	Superhydrophilic and underwater superoleophobic poly (acrylonitrile-co-methyl acrylate) membrane for highly efficient separation of oil-in-water emulsions. 2018 , 564, 712-721	36
699	Microsphere-Fiber Interpenetrated Superhydrophobic PVDF Microporous Membranes with Improved Waterproof and Breathable Performance. 2018 , 10, 28210-28218	48
698	Layer-by-Layer Construction of Cu ²⁺ /Alginate Multilayer Modified Ultrafiltration Membrane with Bioinspired Superwetting Property for High-Efficient Crude-Oil-in-Water Emulsion Separation. 2018 , 28, 1801944	164
697	Green and Rapid Synthesis of Durable and Super-Oil (under Water) and Water (in Air) Repellent Interfaces. 2018 , 10, 23451-23457	7
696	Recyclable, Fire-Resistant, Superhydrophobic, and Magnetic Paper Based on Ultralong Hydroxyapatite Nanowires for Continuous Oil/Water Separation and Oil Collection. 2018 , 6, 10140-10150	44
695	Thermo-Responsive Cellulose-Based Material with Switchable Wettability for Controllable Oil/Water Separation. 2018 , 10,	43
694	Cellulose nanocrystal coated cotton fabric with superhydrophobicity for efficient oil/water separation. 2018 , 199, 390-396	78
693	Synthesis of fish scale and lotus leaf mimicking, stretchable and durable multilayers. 2018 , 6, 15993-16002	26
692	Building a mechanically stable polydimethylsiloxane/silica superhydrophobic coating on poly(chloro-p-xylylene) film by introducing a polydimethylsiloxane adhesive layer. 2018 , 350, 201-210	12
691	Dual functional membrane with multiple hierarchical structures (MHS) for simultaneous and high-efficiency removal of dye and nano-sized oil droplets in water under high flux. 2018 , 564, 317-327	44
690	Janus Membranes: Creating Asymmetry for Energy Efficiency. 2018 , 30, e1801495	135

689	Bioinspired one-step construction of hierarchical superhydrophobic surfaces for oil/water separation. 2018 , 531, 300-310	57
688	Polymeric materials with switchable superwettability for controllable oil/water separation: A comprehensive review. 2018 , 87, 1-33	131
687	Mechanically Robust and Thermally Stable Colorful Superamphiphobic Coatings. 2018 , 6, 144	12
686	Bio-Inspired Underwater Super Oil-Repellent Coatings for Anti-Oil Pollution. 2018 , 34, 6063-6069	15
685	Electrospinning superhydrophobic nanofibrous poly(vinylidene fluoride)/stearic acid coatings with excellent corrosion resistance. 2018 , 657, 88-94	38
684	Synthesis of hierarchical superhydrophobic zinc oxide nano-structures for oil/water separation. 2018 , 44, 14202-14208	37
683	UiO-66-Coated Mesh Membrane with Underwater Superoleophobicity for High-Efficiency Oil-Water Separation. 2018 , 10, 17301-17308	83
682	A carbon nanotube-embedded conjugated polymer mesh with controlled oil absorption and surface regeneration via in situ wettability switch. 2018 , 532, 790-797	6
681	Fabrication of a PPS Microporous Membrane for Efficient Water-in-Oil Emulsion Separation. 2018 , 34, 10580-10590	31
680	Three-dimensional nanoporous polyacrylonitrile-based carbon scaffold for effective separation of oil from oil/water emulsion. 2018 , 153, 597-606	16
679	Superhydrophobic Fabric Resistant to an Aqueous Surfactant Solution as Well as Pure Water for the Selective Removal of Spill Oil. 2018 , 1, 5158-5168	11
678	Sequential liquid separation using meshes with hierarchical microcube@nanohole structure and controlled surface wettability. 2018 , 462, 237-242	8
677	Coordinated silicon elastomer coating@fabrics with oil/water separation capabilities, outstanding durability and ultra-fast room-temperature self-healing ability. 2018 , 6, 17156-17163	30
676	Substrate-versatile approach to multifunctional superamphiphobic coatings with mechanical durable property from quartz sand. 2018 , 352, 191-200	13
675	Fabrication of superhydrophobic copper stearate@Fe ₃ O ₄ coating on stainless steel meshes by dip-coating for oil/water separation. 2018 , 349, 296-302	33
674	Facile Fabrication of Eco-Friendly Durable Superhydrophobic Material from Eggshell with Oil/Water Separation Property. 2018 , 20, 1701180	17
673	Calcineable Polymer Membrane with Revivability for Efficient Oily-Water Remediation. 2018 , 30, e1801870	139
672	Nanofiber-Based Hydrogels: Controllable Synthesis and Multifunctional Applications. 2018 , 39, e1800058	34

671	Robust Tunicate Cellulose Nanocrystal/Palygorskite Nanorod Membranes for Multifunctional Oil/Water Emulsion Separation. 2018 , 6, 10833-10840	49
670	Associative Polymer-grafted Magnetic Nanoparticles for Stabilization and Recovery of Pickering Emulsions. 2018 , 39, 806-811	5
669	Robust Superhydrophobic Surface with Controlled Adhesion: In Situ Growth Depending on Its Bulk Phase Composition and Environment. 2018 , 5, 1800444	2
668	The fabrication of 3D porous PDMS sponge for Oil and organic solvent absorption. 2019 , 38, S86-S92	6
667	Expanded Graphite-Polyurethane Foams for Water-Oil Filtration. 2019 , 11, 30207-30217	20
666	Electrospun flexible nanofibrous membranes for oil/water separation. 2019 , 7, 20075-20102	105
665	Ultra-thin titanium carbide (MXene) sheet membranes for high-efficient oil/water emulsions separation. 2019 , 592, 117361	54
664	Wetting Transition from Hydrophilic to Superhydrophobic over Dendrite Copper Leaves Grown on Steel Meshes. 2019 , 16, 719-729	4
663	Fully Sustainable, Nanoparticle-Free, Fluorine-Free, and Robust Superhydrophobic Cotton Fabric Fabricated via an Eco-Friendly Method for Efficient Oil/Water Separation. 2019 , 7, 15696-15705	50
662	On-Demand Oil-Water Separation by Environmentally Responsive Cotton Fabrics. 2019 , 4, 12333-12341	7
661	Fast Healable Superhydrophobic Material. 2019 , 11, 29388-29395	28
660	Synthesis of Dual-Functional and Robust Underwater Superoleophobic Interfaces. 2019 , 11, 28571-28581	12
659	Bioinspired synthesis of polyzwitterion/titania functionalized carbon nanotube membrane with superwetting property for efficient oil-in-water emulsion separation. 2019 , 589, 117257	51
658	Highly transparent superamphiphobic surfaces by elaborate microstructure regulation. 2019 , 554, 250-259	17
657	Mechanically Robust Nanofibrous Xerogel Membrane for One-Pass Removal of Trace Water in Oil. 2019 , 304, 1900251	4
656	Durable, water-cleanable, superhydrophilic coatings for oil/water separation under harsh conditions. 2019 , 23, 1007-1015	6
655	Wool-Like Fibrous Nonwoven Mesh with Ethanol-Triggered Transition between Antiwater and Antioil Superwetting States for Immiscible and Emulsified Light Oil-Water Separation. 2019 , 35, 10491-10504	10
654	Fabrication of oriented metal-organic framework nanosheet membrane coated stainless steel meshes for highly efficient oil/water separation. 2019 , 229, 115835	29

- 653 Toward durable and robust superhydrophobic cotton fabric through hydrothermal growth of ZnO for oil/water separation. **2019**, 26, 8121-8133 20
- 652 Efficient Oil/Water Separation Membrane Derived from Super-Flexible and Superhydrophilic Core-Shell Organic/Inorganic Nanofibrous Architectures. **2019**, 11, 16
- 651 Temperature-based adhesion tuning and superwettability switching on superhydrophobic aluminum surface for droplet manipulations. **2019**, 375, 527-533 17
- 650 Towards an efficient and durable superhydrophobic mesh coated by PDMS/TiO₂ nanocomposites for oil/water separation. **2019**, 492, 862-870 25
- 649 One-step facile fabrication of visible light driven antifouling carbon cloth fibers membrane for efficient oil-water separation. **2019**, 228, 115769 17
- 648 Complex membrane of cellulose and chitin nanocrystals with cationic guar gum for oil/water separation. **2019**, 136, 47947 14
- 647 Development of alginate hydrogel modified multifunctional filtration membrane with robust anti-fouling property for efficient water purification. **2019**, 582, 123891 19
- 646 Introduction. **2019**, 1-25
- 645 Switchable Wettability Materials for Controllable Oil/Water Separation. **2019**, 113-156
- 644 Use of electrospun fiber membrane as the screen printing stencil for high definition printing. **2019**, 6, 1150h7 3
- 643 Fabrication of compressible polyolefin monoliths and their applications. **2019**, 105, 166-170 2
- 642 Tunable Ionic Liquid-Water Separation Enabled by Bioinspired Superwetting Porous Gel Membranes. **2019**, 11, 44844-44850 8
- 641 Functionalized graphene oxide with core-shell of Fe₃O₄@oleic acid nanospheres as a recyclable demulsifier for effective removal of emulsified oil from oily wastewater. **2019**, 32, 100961 20
- 640 Highly efficient and reusable superhydrophobic/superoleophilic polystyrene@ Fe₃O₄ nanofiber membrane for high-performance oil/water separation. **2019**, 7, 103508 24
- 639 Superhydrophobic-Superoleophilic SiO₂/Polystyrene Porous Micro/nanofibers for Efficient Oil-Water Separation. **2019**, 20, 2017-2024 1
- 638 Electrospun polyvinylidene fluoride-based fibrous nanocomposite membranes reinforced by cellulose nanocrystals for efficient separation of water-in-oil emulsions. **2019**, 575, 71-79 41
- 637 Solvent-Free Fabrication of Flexible and Robust Superhydrophobic Composite Films with Hierarchical Micro/Nanostructures and Durable Self-Cleaning Functionality. **2019**, 11, 44691-44699 17
- 636 Facile preparation of antifouling hydrogel architectures for drag reduction and oil/sea water separation. **2019**, 21, 100618 3

- 635 Ampholytic Chitosan/Alginate Composite Nanofibrous Membranes with Super Anti-Crude Oil-Fouling Behavior and Multifunctional Oil/Water Separation Properties. **2019**, 7, 15463-15470 22
- 634 Electrostatic Assembly of a Titanium Dioxide@Hydrophilic Poly(phenylene sulfide) Porous Membrane with Enhanced Wetting Selectivity for Separation of Strongly Corrosive Oil-Water Emulsions. **2019**, 11, 35479-35487 35
- 633 Evolution of Microdroplet Morphology Confined on Asymmetric Micropillar Structures. **2019**, 35, 12264-12275 14
- 632 Graphene oxide coated meshes with stable underwater superoleophobicity and anti-oil-fouling property for highly efficient oil/water separation. **2019**, 696, 133777 20
- 631 A superhydrophobic poly(lactic acid) electrospun nanofibrous membrane surface-functionalized with TiO₂ nanoparticles and methyltrichlorosilane for oil/water separation and dye adsorption. **2019**, 43, 15823-15831 19
- 630 Robust and nanoparticle-free superhydrophobic cotton fabric fabricated from all biological resources for oil/water separation. **2019**, 140, 1175-1182 14
- 629 Reversibly switching water droplets wettability on hierarchical structured CuS mesh for efficient oil/water separation. **2019**, 9, 12486 7
- 628 Tunicate cellulose nanocrystals modified commercial filter paper for efficient oil/water separation. **2019**, 591, 117362 48
- 627 Synthesis of ethyl cellulose/aluminosilicate zeolite nanofibrous membranes for oil/water separation and oil absorption. **2019**, 26, 9787-9801 10
- 626 Investigation of the surfactant effects on oil-water separation on nano-crystalline titanium dioxide substrate using molecular dynamics simulation. **2019**, 495, 143628 1
- 625 Reduced graphene oxide-coated microfibers for oil/water separation. **2019**, 6, 3215-3224 7
- 624 Manipulating the surface wettability of polysaccharide based complex membrane for oil/water separation. **2019**, 225, 115231 15
- 623 Environmentally benign development of superhydrophilic and underwater superoleophobic mesh for effective oil/water separation. **2019**, 377, 124892 11
- 622 Remote-Controlled Magnetic Sponge Balls and Threads for Oil/Water Separation in a Confined Space and Anaerobic Reactions. **2019**, 11, 40886-40897 12
- 621 Superhydrophobic/Superoleophilic Cotton for Efficient Oil/Water Separation Based on the Combined Octadecanoyl Chain Bonding and Polymer Grafting via Surface-Initiated ATRP. **2019**, 1, 2875-2882 21
- 620 Superhydrophilic fluorinated polyarylate membranes photocopolymerization and microphase separation for efficient separation of oil-in-water emulsion.. **2019**, 9, 958-962 5
- 619 Ag-Nanoparticle-Bearing Poly(vinylidene fluoride) Nanofiber Mats as Janus Filters for Catalysis and Separation. **2019**, 11, 7397-7404 26
- 618 Superamphiphobic Cu/CuO Micropillar Arrays with High Repellency Towards Liquids of Extremely High Viscosity and Low Surface Tension. **2019**, 9, 702 7

617	Electrophoresis Assembly of Novel Superhydrophobic Molybdenum Trioxide (MoO ₃) Films with Great Stability. 2019 , 12,	4
616	Robust and durable superhydrophobic cotton fabrics via a one-step solvothermal method for efficient oil/water separation. 2019 , 26, 2861-2872	36
615	Photocatalytically Stable Superhydrophobic and Translucent Coatings Generated from PDMS-Grafted-SiO ₂ /TiO ₂ @PDMS with Multiple Applications. 2019 , 35, 2760-2771	36
614	Free radical copolymerization of trifluoroethyl methacrylate with perfluoroalkyl ethyl acrylates for superhydrophobic coating application. 2019 , 16, 711-719	6
613	Hyperbranched Zwitterionic Polymer-Functionalized Underwater Superoleophobic Microfiltration Membranes for Oil-in-Water Emulsion Separation. 2019 , 35, 2630-2638	27
612	Multi-functional fluorinated ionic liquid infused slippery surfaces with dual-responsive wettability switching and self-repairing. 2019 , 7, 2172-2183	53
611	Structure architecture of micro/nanoscale ZIF-L on a 3D printed membrane for a superhydrophobic and underwater superoleophobic surface. 2019 , 7, 2723-2729	59
610	An adjustable permeation membrane up to the separation for multicomponent gas mixture. 2019 , 9, 7380	8
609	A flexible TiCT (MXene)/paper membrane for efficient oil/water separation.. 2019 , 9, 16296-16304	31
608	One-step fabrication of thermal resistant, corrosion resistant metal rubber for oil/water separation. 2019 , 573, 157-164	10
607	Superhydrophobic Polyurethane Foam Coated with Polysiloxane-Modified Clay Nanotubes for Efficient and Recyclable Oil Absorption. 2019 , 11, 25445-25456	76
606	Diesel soot coated non-woven fabric for oil-water separation and adsorption applications. 2019 , 9, 8503	17
605	Liquid-Infused Membranes with Oil-in-Water Emulsions. 2019 , 35, 9513-9520	10
604	A ternary system oleophilic/hydrophobic membrane prepared by electrospinning for efficient gravity-driven oil/water separation. 2019 , 1, 1	2
603	Design of a Janus F-TiO ₂ @PPS Porous Membrane with Asymmetric Wettability for Switchable Oil/Water Separation. 2019 , 11, 22408-22418	68
602	Surface-Embedding of Functional Micro-/Nanoparticles for Achieving Versatile Superhydrophobic Interfaces. 2019 , 1, 661-673	85
601	Sprayable and rapidly bondable phenolic-metal coating for versatile oil/water separation. 2019 , 13, 193-202	0
600	Direct Assembly of Silica Nanospheres on Halloysite Nanotubes for Green/Ultrahydrophobic Cotton Fabrics. 2019 , 3, 1900009	2

599	Durable and Stable MnMoO-Coated Copper Mesh for Highly Efficient Oil-in-Water Emulsion Separation and Photodegradation of Organic Contaminants. 2019 , 11, 23789-23797	28
598	Nature-Inspired Liquid Infused Systems for Superwetable Surface Energies. 2019 , 11, 21275-21293	41
597	Robust and Thermally Stable Butterfly-Like Co(OH) ₂ /Hexadecyltrimethoxysilane Superhydrophobic Mesh Filters Prepared by Electrodeposition for Highly Efficient Oil/Water Separation. 2019 , 58, 9576-9584	12
596	From waste epoxy resins to efficient oil/water separation materials via a microwave assisted pore-forming strategy. 2019 , 6, 1733-1739	26
595	Facile preparation of loess-coated membranes for multifunctional surfactant-stabilized oil-in-water emulsion separation. 2019 , 21, 3190-3199	111
594	Morphology Tuneable and Multifunctional Polystyrene-Silicone Nano-Composite Materials. 2019 , 5, 964-971	1
593	A review of femtosecond laser-structured superhydrophobic or underwater superoleophobic porous surfaces/materials for efficient oil/water separation.. 2019 , 9, 12470-12495	58
592	Waste cigarette filter as nanofibrous membranes for on-demand immiscible oil/water mixtures and emulsions separation. 2019 , 549, 114-122	38
591	3D Printing of an Oil/Water Mixture Separator with In Situ Demulsification and Separation. 2019 , 11,	8
590	Sustainable Biomimicked Oil/Water Wettability That Performs Under Severe Challenges. 2019 , 7, 11350-11359	11
589	Recent Advances in Robust Superwetable Membranes for Oil/Water Separation. 2019 , 6, 1900126	56
588	Superhydrophobic Carbon Nanotubes Membrane for Effective Water-in-Oil Emulsions Separation and Quick Deicing. 2019 ,	16
587	One-Step Synthesis of Environmentally Friendly Superhydrophilic and Superhydrophobic Sponges for Oil/Water Separation. 2019 , 12,	10
586	Smart carbon foams with switchable wettability for fast oil recovery. 2019 , 149, 242-247	17
585	Two-dimensional membrane and three-dimensional bulk aerogel materials via top-down wood nanotechnology for multibehavioral and reusable oil/water separation. 2019 , 371, 769-780	73
584	Robust, Easy-Cleaning Superhydrophobic/Superoleophilic Copper Meshes for Oil/Water Separation under Harsh Conditions. 2019 , 6, 1900158	12
583	Plasma-induced poly(acrylic acid)-TiO ₂ coated polyvinylidene fluoride membrane for produced water treatment: Synchrotron X-Ray, optimization, and insight studies. 2019 , 227, 772-783	38
582	Successive four-phase liquid separation using hierarchical microcube-nanohole structure and controlled surface wettability meshes. 2019 , 9, 6503	6

581	UV-Driven Antifouling Paper Fiber Membranes for Efficient Oil/Water Separation. 2019 , 58, 5186-5194	28
580	A Robust Cotton Textile-Based Material for High-Flux Oil-Water Separation. 2019 , 11, 13704-13713	73
579	Superwetable antibacterial textiles for versatile oil/water separation. 2019 , 16, 1900003	6
578	Facile preparation of isotactic polypropylene microporous membranes with bioinspired hierarchical morphology for nano-scale water-in-oil emulsion separation. 2019 , 581, 224-235	24
577	Simply realizing durable dual Janus superwetable membranes integrating underwater low-oil-adhesive with super-water-repellent surfaces for controlled oil/water permeation. 2019 , 580, 248-255	18
576	3D-Printed Anti-Fouling Cellulose Mesh for Highly Efficient Oil/Water Separation Applications. 2019 , 11, 13787-13795	67
575	Vertically zeolitic imidazolate framework-L coated mesh with dagger-like structure for oil/water separation. 2019 , 65, e16596	21
574	Sustaining fouling resistant membranes: Membrane fabrication, characterization and mechanism understanding of demulsification and fouling-resistance. 2019 , 581, 105-113	35
573	Swelling Poly(ionic liquid) Supported by Three-Dimensional Wire Mesh for Oil/Water Separation. 2019 , 11, 14347-14353	20
572	Study of poly(vinyl chloride) nanofiber structured assemblies as oil sorbents. 2019 , 110, 1114-1125	4
571	Robust and durable self-healing superhydrophobic polymer-coated MWCNT film for highly efficient emulsion separation. 2019 , 6, 1259-1266	23
570	A biodegradable polymer-based common chemical avenue for optimizing switchable, chemically reactive and tunable adhesive superhydrophobicity. 2019 , 7, 9120-9129	21
569	Waterproof breathable layers - A review. 2019 , 268, 114-135	36
568	The preparation of PCL/MSO/SiO ₂ hierarchical superhydrophobic mats for oil-water separation by one-step method. 2019 , 116, 386-393	16
567	Conversion of skin collagen fibrous material waste to an oil sorbent with pH-responsive switchable wettability for high-efficiency separation of oil/water emulsions. 2019 , 226, 18-27	19
566	Efficient oil/water separation by a durable underwater superoleophobic mesh membrane with TiO ₂ coating via biomineralization. 2019 , 222, 35-44	19
565	Advances in polymer-anchored carbon nanotube foam: a review. 2019 , 58, 1965-1978	9
564	Amphipathic Pentiptycene-Based Water-Resistant Cu-MOF for Efficient Oil/Water Separation. 2019 , 58, 5384-5387	16

563	Laccase-catalyzed homo-polymer of GAL and cross-linking with PEI to enhance hydrophilicity and antifouling property of PTFE flat membrane. 2019 , 132, 429-439	13
562	Electrospun Fibrous PTFE Supported ZnO for Oil/Water Separation. 2019 , 29, 1738-1745	11
561	Multifunctional pH-Switched Superwetting Copolymer Nanotextile: Surface Engineered toward on-Demand Light Oil/Water Separation on Superhydrophilic/Underwater Low-Adhesive Superoleophobic Nonwoven Mesh. 2019 , 7, 8917-8930	29
560	Fabrication of fluorine-free ZnO/CuO nanocomposite superantiwetting surfaces with reversible wettability tuning. 2019 , 367, 252-261	9
559	A Potential Amphiprotic Sponge with a Controlled Release Characteristic of Protons on Demand for Oil/Water Separation and Acid/Base Neutralization. 2019 , 6, 1900004	9
558	Plasma-induced PAA-ZnO coated PVDF membrane for oily wastewater treatment: Preparation, optimization, and characterization through Taguchi OA design and synchrotron-based X-ray analysis. 2019 , 582, 70-82	49
557	Superwettability-Based Interfacial Chemical Reactions. 2019 , 31, e1800718	74
556	Superoleophilic, Mechanically Strong Electrospun Membranes for Fast and Efficient Gravity-Driven Oil/Water Separation. 2019 , 1, 765-776	32
555	Microstructure-performance relationships of hollow-fiber membranes with highly efficient separation of oil-in-water emulsions. 2019 , 136, 47615	9
554	Bio-inspired fabrication of fire-retarding, magnetic-responsive, superhydrophobic sponges for oil and organics collection. 2019 , 172, 19-27	24
553	Simultaneous complementary oil-water separation and water desalination using functionalized woven glass fiber membranes. 2019 , 73, 78-86	17
552	Novel Superhydrophobic Sand and Polyurethane Sponge Coated with Silica/Modified Asphaltene Nanoparticles for Rapid Oil Spill Cleanup. 2019 , 9,	12
551	Chemically Resistant, Electric Conductive, and Superhydrophobic Coatings. 2019 , 6, 1900041	9
550	An all superantiwetting surface in water/air systems. 2019 , 7, 6957-6962	12
549	Developing superhydrophobic rock wool for high-viscosity oil/water separation. 2019 , 368, 837-846	50
548	Separation Mechanism and Construction of Surfaces with Special Wettability for Oil/Water Separation. 2019 , 11, 11006-11027	237
547	Janus membranes with controllable asymmetric configurations for highly efficient separation of oil-in-water emulsions. 2019 , 7, 7907-7917	81
546	A durable mesh decorated with polydopamine/graphene oxide for highly efficient oil/water mixture separation. 2019 , 479, 351-359	38

545	Investigation study the ability of superhydrophobic silica to adsorb the Iraqi crude oil leaked in water. 2019 , 571, 012116	2
544	Fully Printed Geranium-Inspired Encapsulated Arrays for Quantitative Odor Releasing. 2019 , 4, 19977-19982	2
543	Poly(dimethylsiloxane)/graphene oxide composite sponge: a robust and reusable adsorbent for efficient oil/water separation. 2019 , 15, 9224-9232	20
542	Underwater superoleophobic PVA@O nanofibrous membranes for emulsified oily water purification. 2019 , 6, 3723-3733	10
541	Robust, sustainable and multifunctional nanofibers with smart switchability for water-in-oil and oil-in-water emulsion separation and liquid marble preparation. 2019 , 7, 26456-26468	18
540	Cauliflower-like Nickel with Polar Ni(OH)/NiO F Shell To Decorate Copper Meshes for Efficient Oil/Water Separation. 2019 , 4, 20486-20492	10
539	Preparation of Superhydrophobic Multiscale Films for Oil-Water Separation in a Harsh Environment. 2019 , 2019, 1-21	1
538	Plant-Inspired Layer-by-Layer Self-Assembly of Super-Hydrophobic Coating for Oil Spill Cleanup. 2019 , 11,	3
537	A dual underliquid superlyophobic surface in organic media for on-demand separation of immiscible organic liquid mixtures. 2019 , 55, 13876-13879	11
536	Superoleophobic micro-nanostructure surface formation of PVDF membranes by tannin and a condensed silane coupling agent.. 2019 , 9, 32021-32026	6
535	Macroporous monoliths with pH-induced switchable wettability for recyclable oil separation and recovery. 2019 , 534, 183-194	25
534	Superhydrophobic Metal@Organic Framework Membrane with Self-Repairing for High-Efficiency Oil/Water Emulsion Separation. 2019 , 7, 2709-2717	39
533	Facile preparation of grass-like structured NiCo-LDH/PVDF composite membrane for efficient oil/water emulsion separation. 2019 , 573, 226-233	111
532	Amino-Functionalized Porous Nanofibrous Membranes for Simultaneous Removal of Oil and Heavy-Metal Ions from Wastewater. 2019 , 11, 1672-1679	55
531	Biomimetic Hierarchical TiO ₂ @CuO Nanowire Arrays-Coated Copper Meshes with Superwetting and Self-Cleaning Properties for Efficient Oil/Water Separation. 2019 , 7, 2569-2577	44
530	Chitosan-coated filter paper with superhydrophilicity for treatment of oily wastewater in acidic and alkaline environments. 2019 , 34, 213-223	11
529	Anti-fouling TiO ₂ nanowires membrane for oil/water separation: Synergetic effects of wettability and pore size. 2019 , 572, 596-606	68
528	Plant polyphenol-inspired nano-engineering topological and chemical structures of commercial sponge surface for oils/organic solvents clean-up and recovery. 2019 , 218, 559-568	16

527	Clay-based superamphiphobic coatings with low sliding angles for viscous liquids. 2019 , 540, 228-236	14
526	Super-Efficient Synthesis of Mesh-like Superhydrophobic Nano-Aluminum/Iron (III) Oxide Energetic Films. 2019 , 12,	2
525	Robust Superhydrophobic/Superoleophilic Wrinkled Microspherical MOF@rGO Composites for Efficient Oil-Water Separation. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 5297-5301	16.4 122
524	Robust Superhydrophobic/Superoleophilic Wrinkled Microspherical MOF@rGO Composites for Efficient Oil-Water Separation. 2019 , 131, 5351-5355	51
523	High-efficiency separation performance of oil-water emulsions of polyacrylonitrile nanofibrous membrane decorated with metal-organic frameworks. 2019 , 476, 61-69	71
522	Substrate-independent polyzwitterionic coating for oil/water separation membranes. 2019 , 362, 126-135	38
521	Underwater superoleophobic mesh with transformable micro-nano structure for ultrafast oil/water separation. 2019 , 358, 806-816	6
520	Porous Polymers as Multifunctional Material Platforms toward Task-Specific Applications. 2019 , 31, e1802922	210
519	Bio-inspired hollow PDMS sponge for enhanced oil-water separation. 2019 , 365, 494-501	55
518	Facile and scalable fabrication of superhydrophobic and superoleophilic PDMS-co-PMHS coating on porous substrates for highly effective oil/water separation. 2019 , 358, 1101-1113	70
517	Facile preparation of fluorine-free superhydrophobic/superoleophilic paper via layer-by-layer deposition for self-cleaning and oil/water separation. 2019 , 26, 2055-2074	34
516	Functional magnetic nanoparticles for enhancing ultrafiltration of waste cutting emulsions by significantly increasing flux and reducing membrane fouling. 2019 , 573, 73-84	17
515	Bioinspired membranes for multi-phase liquid and molecule separation. 2019 , 62, 14-23	15
514	Preparation and properties of pH-responsive reversible-wettability biomass cellulose-based material for controllable oil/water separation. 2019 , 203, 246-255	54
513	A stable ZIF-8-coated mesh membrane with micro-/nano architectures produced by a facile fabrication method for high-efficiency oil-water separation. 2019 , 62, 536-544	15
512	A robust 3D superhydrophobic sponge for in situ continuous oil removing. 2019 , 54, 1255-1266	17
511	Facile preparation of mechanically robust superhydrophobic concrete with self-cleaning property. 2019 , 6, 015001	9
510	Robust construction of underwater superoleophobic CNTs/nanoparticles multifunctional hybrid membranes via interception effect for oily wastewater purification. 2019 , 569, 32-40	51

509	The underwater superoleophobic natural pomelo peel fibers powders coatings for efficiently oil/water separation. 2019 , 16, 1177-1188	4
508	Development of breathable Janus superhydrophobic polyester fabrics using alkaline hydrolysis and blade coating. 2019 , 89, 959-974	10
507	Graphdiyne Sponge for Direct Collection of Oils from Water. 2019 , 11, 2591-2598	62
506	Development of superhydrophilic Al foil with micropore arrays via mask electrochemical machining and chemical immersion for efficient oil/water separation. 2020 , 41, 1335-1345	3
505	Scalable and rapid preparation of Janus fabric by trans-printing method for efficient oil/water emulsion separation. 2020 , 41, 1236-1245	7
504	Underwater superoleophobic APTES-SiO ₂ /PVA organohydrogel for low-temperature tolerant, self-healing, recoverable oil/water separation mesh. 2020 , 382, 122925	40
503	In situ construction of chemically heterogeneous hydrogel surfaces toward near-zero-flux-decline membranes for oil-water separation. 2020 , 594, 117455	21
502	A novel high-durability oxidized poly (arylene sulfide sulfone) electrospun nanofibrous membrane for direct water-oil separation. 2020 , 234, 116012	17
501	Magnetic liquid marbles to facilitate rapid manipulation of the oil phase: Synergistic effect of semifluorinated ligand and cationic surfactant mixtures. 2020 , 585, 124051	5
500	Facile fabrication of superhydrophobic Titanium dioxide-composited cotton fabrics to realize oil-water separation with efficiently photocatalytic degradation for water-soluble pollutants. 2020 , 585, 124080	30
499	A waterborne coating for robust superamphiphobic surfaces. 2020 , 138, 105368	11
498	Three-dimensional attapulgite with sandwich-like architecture used for multifunctional water remediation. 2020 , 235, 116210	69
497	Application of biosurfactant surfactin as a pH-switchable biodemulsifier for efficient oil recovery from waste crude oil. 2020 , 240, 124946	27
496	Novel dual superlyophobic cellulose membrane for multiple oil/water separation. 2020 , 241, 125067	13
495	Facile fabrication of wood-inspired aerogel from chitosan for efficient removal of oil from Water. 2020 , 385, 121507	70
494	Robust functionalization of underwater superoleophobic PVDF-HFP tubular nanofiber membranes and applications for continuous dye degradation and oil/water separation. 2020 , 596, 117583	29
493	Facile one-step preparation of robust hydrophobic cotton fabrics by covalent bonding polyhedral oligomeric silsesquioxane for ultrafast oil/water separation. 2020 , 379, 122391	51
492	Enhanced Mechanical Properties of Poly(arylene sulfide sulfone) Membrane by Co-electrospinning with Poly(m-xylene adipamide). 2020 , 38, 63-71	3

491	Facile fabrication of superhydrophobic copper hydroxide coated mesh for effective separation of water-in-oil emulsions. 2020 , 230, 115856	62
490	Green and robust superhydrophilic electrospun stereocomplex polylactide membranes: Multifunctional oil/water separation and self-cleaning. 2020 , 593, 117420	59
489	A PDMS-in-water emulsion enables mechanochemically robust superhydrophobic surfaces with self-healing nature. 2020 , 5, 65-73	107
488	Control of organic and surfactant fouling using dynamic membranes in the separation of oil-in-water emulsions. 2020 , 560, 787-794	12
487	Fluorine-free and hydrophobic hexadecyltrimethoxysilane-TiO ₂ coated mesh for gravity-driven oil/water separation. 2020 , 586, 124189	29
486	NiCo ₂ O ₄ hierarchical structure coated mesh with long-term stable underwater superoleophobicity for high-efficient, high-flux oil-water separation. 2020 , 504, 144598	17
485	Fabrication of robust superhydrophobic filter paper for oil/water separation based on the combined octadecanoyl chain bonding and polymer grafting via surface-initiated ATRP. 2020 , 27, 469-480	16
484	Synthesis of polyethersulfone (PES)/GO-SiO mixed matrix membranes for oily wastewater treatment. 2020 , 81, 1354-1364	16
483	2D -j3D conversion of superwetting mesh: A simple but powerful strategy for effective and efficient oil/water separation. 2020 , 242, 116244	7
482	Carbonaceous microsphere/nanofiber composite superhydrophilic membrane with enhanced anti-adhesion property towards oil and anionic surfactant: Membrane fabrication and applications. 2020 , 235, 116189	16
481	Graphite powder coated polyurethane sponge hollow tube as a high-efficiency and cost-effective oil-removal materials for continuous oil collection from water surface. 2020 , 137, 48921	9
480	Hydrophobicity or superhydrophobicity? Which is the right choice for stabilizing underwater superoleophilicity?. 2020 , 8, 97-106	11
479	Covalently Modulated and Transiently Visible Writing: Rational Association of Two Extremes of Water Wettabilities. 2020 , 12, 2935-2943	6
478	Droplet assisted growth and shaping of alumina and mixed alumina-silicone 1-dimensional nanostructures. 2020 , 560, 77-84	1
477	Efficient separation of crude oil-in-water emulsion based on a robust underwater superoleophobic titanium dioxide-coated mesh. 2020 , 44, 2705-2713	14
476	Engineering a superwetting thin film nanofibrous composite membrane with excellent antifouling and self-cleaning properties to separate surfactant-stabilized oil-in-water emulsions. 2020 , 596, 117721	31
475	Selective Liquid Sliding Surfaces with Springtail-Inspired Concave Mushroom-Like Micropillar Arrays. 2020 , 16, e1904612	12
474	Flower-like visible light driven antifouling membrane with robust regeneration for high efficient oil/water separation. 2020 , 106, 138-147	3

- 473 Electrospinning of Metal-Organic Frameworks for Energy and Environmental Applications. **2020**, 7, 1902590 97
- 472 HMDSO/PTMS Modified Titania Silica Nanocomposite: A New Material for Oil/Water Separation. **2020**, 30, 2134-2141 4
- 471 Motion behaviour of water-droplet on alternate superhydrophobic/hydrophilic ZnO wetting-patterned surface. **2020**, 36, 636-642 4
- 470 Superhydrophobic and superamphiphobic smart surfaces. **2020**, 487-514 1
- 469 Highly efficient treatment of oily wastewater using magnetic carbon nanotubes/layered double hydroxides composites. **2020**, 586, 124187 11
- 468 3D printed robust superhydrophilic and underwater superoleophobic composite membrane for high efficient oil/water separation. **2020**, 237, 116324 45
- 467 A cross-linked coating decorated mesh prepared by brush-painting method for oil-in-water emulsions separation. **2020**, 242, 122541 13
- 466 Superhydrophobic PU Sponge Modified by Hydrophobic Silica NPs/Polystyrene Nanocomposite for Oil/Water Separation. **2020**, 393, 2000035 3
- 465 Understanding the hierarchical assemblies and oil/water separation applications of metal-organic frameworks. **2020**, 318, 114273 14
- 464 Hot-pressing welded composite membrane for separating oil-in-water emulsion with high structural stability. **2020**, 202, 108449 3
- 463 Femtosecond Laser Microfabrication of Porous Superwetting Materials for Oil/Water Separation: A Mini-Review. **2020**, 8, 585723 2
- 462 Green Foam-Based Methods of Mineral and Ion Separation. **2020**, 265-301 2
- 461 Eco-friendly stable cardanol-based benzoxazine modified superhydrophobic cotton fabrics for oil/water separation. **2020**, 253, 117545 21
- 460 Design the SBS Elastomer Electrospun Fiber/Polyester Composite Textiles: Morphology Effect on Waterproof-Breathable Performance. **2020**, 305, 2000370 13
- 459 Flexible and Superhydrophobic Composites with Dual Polymer Nanofiber and Carbon Nanofiber Network for High-Performance Chemical Vapor Sensing and Oil/Water Separation. **2020**, 12, 47076-47089 20
- 458 Separation of Water/Oil Emulsions by an Electrospun Copolyamide Mat Covered with a 2D TiCT MXene. **2020**, 13, 4
- 457 Pickering emulsions of alumina nanoparticles and bola-type selenium surfactant yield a fully recyclable aqueous phase. **2020**, 22, 5470-5475 10
- 456 Natural polyphenol chemistry inspired organic-inorganic composite coating decorated PVDF membrane for oil-in-water emulsions separation. **2020**, 132, 110995 17

455	Surface Migration of Fluorinated-Siloxane Copolymer with Unusual Liquid Crystal Behavior for Highly Efficient Oil/Water Separation. 2020 , 2, 3612-3620	10
454	Multifunctional Gas-Spinning Hierarchical Architecture: A Robust and Efficient Nanofiber Membrane for Simultaneous Air and Water Contaminant Remediation. 2020 , 2, 5686-5697	30
453	Antimicrobial Janus Filters that Break Oil-in-Water Emulsions and Separate Oil. 2020 , 2, 5851-5863	7
452	Customizing oil-wettability in air-without affecting extreme water repellency. 2020 , 12, 24349-24356	5
451	Superhydrophobic Copper Foam Modified with n-Dodecyl Mercaptan-CeO ₂ Nanosheets for Efficient Oil/Water Separation and Oil Spill Cleanup. 2020 , 59, 21510-21521	16
450	Alkyl Chain Grafted-Reduced Graphene Oxide Membrane for Effective Separation of Water/Alcohol Miscible Mixtures. 2020 , 8, 598562	0
449	Under-oil superhydrophilic TiO ₂ /poly(sodium vinylphosphonate) nanocomposite for the separation of water from oil. 2020 , 251, 117397	3
448	Designing novel superwetting surfaces for high-efficiency oil/water separation: design principles, opportunities, trends and challenges. 2020 , 8, 16831-16853	73
447	Mesoporous silica filled smart super oleophilic fibers of triblock copolymer nanocomposites for oil absorption applications. 2020 , 3, 279-290	12
446	In-situ monitoring of oil emulsion fouling in ultrafiltration via electrical impedance spectroscopy (EIS): Influence of surfactant. 2020 , 616, 118527	11
445	Modified-MOF-808-Loaded Polyacrylonitrile Membrane for Highly Efficient, Simultaneous Emulsion Separation and Heavy Metal Ion Removal. 2020 , 12, 39227-39235	35
444	PVDF-Modified TiO Nanowires Membrane with Underliquid Dual Superlyophobic Property for Switchable Separation of Oil-Water Emulsions. 2020 , 12, 40925-40936	28
443	Mussel-inspired hydrophilic modification of polypropylene membrane for oil-in-water emulsion separation. 2020 , 403, 126375	20
442	A facile surface modification of a PVDF membrane via CaCO ₃ mineralization for efficient oil/water emulsion separation. 2020 , 44, 20999-21006	1
441	Biomass-Derived, Water-Induced Self-Recoverable Composite Aerogels with Robust Superwettability for Water Treatment. 2020 , 36, 10960-10969	12
440	3D Bioinspired Microstructures for Switchable Repellency in both Air and Liquid. 2020 , 7, 2000878	9
439	Superwetable Surface Engineering in Controlling Cell Adhesion for Emerging Bioapplications. 2020 , 4, 2000573	17
438	Polydopamine-Mediated Superlyophobic Polysiloxane Coating of Porous Substrates for Efficient Separation of Immiscible Liquids. 2020 , 7, 2000428	4

437	Robust Bifunctional Compressed Carbon Foam for Highly Effective Oil/Water Emulsion Separation. 2020 , 12, 44952-44960	14
436	Endowing Metal Surfaces With Underwater Superoleophobicity by Femtosecond Laser Processing for Oil-Water Separation Application. 2020 , 8,	4
435	Under-oil superhydrophilic salt particle filter for the efficient separation of water-in-oil emulsions. 2020 , 56, 11585-11588	2
434	Designing Robust, Breathable, and Antibacterial Multifunctional Porous Membranes by a Nanofluids Templated Strategy. 2020 , 30, 2006544	8
433	An unusual superhydrophilic/superoleophobic sponge for oil-water separation. 2020 , 14, 341-350	4
432	Superhydrophobic Composite Cotton Generated from Raspberry-like Nanoparticles and Their Applications in Oil/Water Separation. 2020 , 59, 16305-16311	5
431	Enhancing hydrophilicity and comprehensive antifouling properties of microfiltration membrane by novel hyperbranched poly(N-acryoyl morpholine) coating for oil-in-water emulsion separation. 2020 , 156, 104735	7
430	2D and 3D Bulk Materials for Environmental Remediation: Air Filtration and Oil/Water Separation. 2020 , 13,	6
429	Nanocellulose as a sustainable material for water purification. 2020 , 1, 69-80	11
428	Molecular Understanding and Design of Porous Polyurethane Hydrogels with Ultralow-Oil-Adhesion for Oil-Water Separation. 2020 , 12, 56530-56540	11
427	A Facile Method for Preparing a Superhydrophobic Block with Rapid Reparability. 2020 , 10, 1202	2
426	Silane Functionalized Polyvinyl-Alcohol Formaldehyde Sponges on Fast Oil Absorption. 2020 , 2, 5309-5317	3
425	Polyzwitterions Grafted onto Polyacrylonitrile Membranes by Thiol-Ene Click Chemistry for Oil/Water Separation. 2020 , 59, 20382-20393	8
424	Synergistic chemical patterns on a hydrophilic slippery liquid infused porous surface (SLIPS) for water harvesting applications. 2020 , 8, 25040-25046	10
423	Facilely fabricating superhydrophobic coated-mesh materials for effective oil-water separation: Effect of mesh size towards various organic liquids. 2020 , 51, 151-160	10
422	Superwetting Patterned Membranes with an Anisotropy/Isotropy Transition: Towards Signal Expression and Liquid Permeation. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 13437-13443	16.4 12
421	A mechanically robust copper mesh with switchable wettability and antibacterial activity for selective oil/water separation. 2020 , 34, e5713	3
420	Zwitterionic Polymer-Grafted Superhydrophilic and Superoleophobic Silk Fabrics for Anti-Oil Applications. 2020 , 41, e2000162	12

- 419 Self-cleaning and Oil/Water Separation of 3D Network Super-hydrophobic Bead-like Fluorinated Silica Pellets/Poly(aryl ether ketone) Composite Membrane Fabricated via a Facile One-step Electrospinning. **2020**, 36, 1320-1325 6
- 418 Superwetting Patterned Membranes with an Anisotropy/Isotropy Transition: Towards Signal Expression and Liquid Permeation. **2020**, 132, 13539-13545
- 417 Facile preparation of superhydrophobic porous wood for continuous oil-water separation. **2020**, 36, 101279 12
- 416 Superhydrophilic Stainless Steel Mesh for Oil/Water Separation with Long-Term Durability, Impressive Corrosion Resistance, and Abrasion Resistance. **2020**, 22, 2000262 4
- 415 Cellulose acetate monolith with hierarchical micro/nano-porous structure showing superior hydrophobicity for oil/water separation. **2020**, 241, 116361 15
- 414 Magnesium stearate-coated superhydrophobic sponge for oil/water separation: Synthesis, properties, application. **2020**, 251, 117105 17
- 413 Hydrophobic-Superoleophilic Fluorinated Graphene Nanosheet Composites with Metal-Organic Framework HKUST-1 for Oil/Water Separation. **2020**, 3, 5816-5825 12
- 412 Progress in Capacitive Deionization for Desalination of Brackish Water: A Materials Perspective. **2020**, 91-113
- 411 Electrocoagulation Separation Processes. **2020**, 167-203 6
- 410 Modeling Liquid-Liquid Extraction for Critical Elements Separations: An Overview. **2020**, 335-365 1
- 409 Recent Advances in Gas Separation via Supported Liquid Membranes. **2020**, 37-71
- 408 Progress and Prospects in Membrane Technology for Oil/Water Separation. **2020**, 73-87 0
- 407 Meeting Tomorrow's Challenges in Particle Separation with Coagulation. **2020**, 207-223 0
- 406 Lignin-Derived Hybrid Materials as Promising Adsorbents for the Separation of Pollutants. **2020**, 225-261 6
- 405 Micelle-Based Separations of Small Organic Molecules, Proteins, Carbon Nanotubes, and Nanoparticles: Molecular Origin of Selectivity. **2020**, 303-333
- 404 Electrospun composite membrane with superhydrophobic-superoleophilic for efficient water-in-oil emulsion separation and oil adsorption. **2020**, 602, 125158 16
- 403 Selective Recovery of Critical and Toxic Elements from Their Low-Concentrated Solutions Using Surface-Based Electrochemical Separation Methods. **2020**, 115-165
- 402 Ultrafast and On-Demand Oil/Water Separation Membrane System Based on Conducting Polymer Nanotip Arrays. **2020**, 20, 4895-4900 15

401	Antifouling slippery liquid-infused membrane for separation of water-in-oil emulsions. 2020 , 611, 118289	16
400	Advances in Membrane Materials and Processes for Water and Wastewater Treatment. 2020 , 3-35	3
399	Controlling the formation of porous polyketone membranes via a cross-linkable alginate additive for oil-in-water emulsion separations. 2020 , 611, 118362	17
398	An anti-UV superhydrophobic material with photocatalysis, self-cleaning, self-healing and oil/water separation functions. 2020 , 12, 11455-11459	35
397	Environmentally Safe and Porous MS@TiO ₂ @PPy Monoliths with Superior Visible-Light Photocatalytic Properties for Rapid Oil/Water Separation and Water Purification. 2020 , 8, 5347-5359	61
396	A Novel Freeze-Drying-Free Strategy to Fabricate a Biobased Tough Aerogel for Separation of Oil/Water Mixtures. 2020 , 68, 3779-3785	11
395	Durable Light-Driven Three-Dimensional Smart Switchable Superwetting Nanotextile as a Green Scaled-Up Oil-Water Separation Technology. 2020 , 5, 4962-4972	13
394	Covalent Surface Modification of Cellulose-Based Textiles for Oil/Water Separation Applications. 2020 , 59, 5456-5465	14
393	Multifunctional TiO ₂ -Based Superoleophobic/Superhydrophilic Coating for Oil-Water Separation and Oil Purification. 2020 , 12, 18074-18083	39
392	Eco-friendly, cost-effective, and durable guar gum/citric acid complex coating on mesh for oil/water separation. 2020 , 153, 641-649	3
391	Robust Superhydrophobic Composite Featuring Three-Dimensional Porous Metal Rubber with an Embedded Carbon Nanofiber Network for Emulsion Separation. 2020 , 59, 6172-6182	14
390	Methylcellulose strengthened polyimide aerogels with excellent oil/water separation performance. 2020 , 27, 7677-7689	17
389	Starch-based nanospheres modified filter paper for o/w emulsions separation and contaminants removal. 2020 , 162, 1118-1126	11
388	Preface. 2020 , ix-x	
387	Preparation and oil adsorption properties of hydrophobic microcrystalline cellulose aerogel. 2020 , 27, 7663-7675	25
386	Cupric phosphate mineralized polymer membrane with superior cycle stability for oil/water emulsion separation. 2020 , 612, 118427	19
385	Micro-/nanostructures meet anisotropic wetting: from preparation methods to applications. 2020 , 7, 2566-2595	27
384	Sandwiched meshes with superwettability for oil/water separation and heavy metal ion absorption. 2020 , 15, e2542	3

383	Reduction of imine-based cross-linkages to achieve sustainable underwater superoleophobicity that performs under challenging conditions. 2020 , 8, 15148-15156	4
382	Simple and Low-Cost Oil/Water Separation Based on the Underwater Superoleophobicity of the Existing Materials in Our Life or Nature. 2020 , 8, 507	10
381	Cotton Fiber-Based Sorbents for Treating Crude Oil Spills. 2020 , 5, 13894-13901	11
380	Hierarchical Graphene/Metal-Organic Framework Composites with Tailored Wettability for Separation of Immiscible Liquids. 2020 , 12, 35563-35571	8
379	Superhydrophobic and anti-ultraviolet polymer nanofiber composite with excellent stretchability and durability for efficient oil/water separation. 2020 , 603, 125224	14
378	Superhydrophobic paper with mussel-inspired polydimethylsiloxane-silica nanoparticle coatings for effective oil/water separation.. 2020 , 10, 8008-8015	16
377	How Does Chemistry Influence Liquid Wettability on Liquid-Infused Porous Surface?. 2020 , 12, 14531-14541	9
376	Cation-controlled wetting properties of vermiculite membranes and its promise for fouling resistant oil-water separation. 2020 , 11, 1097	33
375	Ultra-Highly Efficient Removal of Methylene Blue Based on Graphene Oxide/TiO ₂ /Bentonite Sponge. 2020 , 13,	9
374	Three-dimensional monolithic porous structures assembled from fragmented electrospun nanofiber mats/membranes: Methods, properties, and applications. 2020 , 112, 100656	45
373	Microphone-like Cu-CAT-1 hierarchical structures with ultra-low oil adhesion for highly efficient oil/water separation. 2020 , 241, 116688	16
372	Multifunctional Edge-Activated Carbon Nitride Nanosheet-Wrapped Polydimethylsiloxane Sponge Skeleton for Selective Oil Absorption and Photocatalysis. 2020 , 5, 4181-4190	16
371	Hierarchical architectures of Ag clusters deposited biomimetic membrane: Synthesis, emulsion separation, catalytic and antibacterial performance. 2020 , 241, 116733	19
370	Solution-blow spun PLA/SiO ₂ nanofiber membranes toward high efficiency oil/water separation. 2020 , 137, 49103	16
369	Optimization of dosing and mixing time through fabrication of high internal phase emulsion (HIPE) polymerization based adsorbents for use in purification of oil in water contaminated wastewater. 2020 , 137, 49000	4
368	Hollow fiber membranes with Janus surfaces for continuous deemulsification and separation of oil-in-water emulsions. 2020 , 602, 117964	31
367	Ultralight Programmable Bioinspired Aerogels with an Integrated Multifunctional Surface for Self-Cleaning, Oil Absorption, and Thermal Insulation via Coassembly. 2020 , 12, 11273-11286	27
366	Sawdust-based superhydrophobic pellets for efficient oil-water separation. 2020 , 243, 122634	40

- 365 Ethanol-induced one-step fabrication of superhydrophobic-superoleophilic poly(vinylidene fluoride) membrane for efficient oil/water emulsions separation. **2020**, 34, 101121 12
- 364 Superhydrophobic-superoleophilic SiC membranes with micro-nano hierarchical structures for high-efficient water-in-oil emulsion separation. **2020**, 601, 117842 32
- 363 Turning Tissue Waste into High-Performance Microfiber Filters for Oily Wastewater Treatment. **2020**, 13, 2
- 362 Design and preparation of mixed special wettability fabrics based on backed weave for separation of light oil/water/heavy oil mixtures. **2020**, 152808371990093 1
- 361 Processing supramolecular framework for free interconvertible liquid separation. **2020**, 11, 425 20
- 360 Polyphenol-metal manipulated nanohybridization of CNT membranes with FeOOH nanorods for high-flux, antifouling and self-cleaning oil/water separation. **2020**, 600, 117857 40
- 359 Underwater Superoleophobic and Salt-Tolerant Sodium Alginate/N-Succinyl Chitosan Composite Aerogel for Highly Efficient Oil/Water Separation. **2020**, 2, 1124-1133 15
- 358 Biomimetic Superlyophobic Metallic Surfaces: Focusing on Their Fabrication and Applications. **2020**, 17, 1-33 15
- 357 Understanding the wetting properties of nanostructured strontium titanate and its application for recyclable oil/water separation. **2020**, 31, 1342-1348 2
- 356 Nanogenerators with Superwetting Surfaces for Harvesting Water/Liquid Energy. **2020**, 30, 1908252 50
- 355 Superwetting Oil/Water Separation Membrane Constructed from In Situ Assembled Metal-Phenolic Networks and Metal-Organic Frameworks. **2020**, 12, 10000-10008 46
- 354 Quantitative evaluation on oil diffusion mechanisms in nano-organic-montmorillonite modified castor oil-based polyurethane foam for oil/water separation. **2020**, 31, 1231-1244 4
- 353 Self-cleaning poly(L-dopa)-based coatings with exceptional underwater oil repellency for crude oil/water separation. **2020**, 510, 145402 8
- 352 Electrospun Nanofibrous Membranes: An Effective Arsenal for the Purification of Emulsified Oily Wastewater. **2020**, 30, 2002192 49
- 351 Self-Healing and Superwetable Nanofibrous Membranes with Excellent Stability toward Multifunctional Applications in Water Purification. **2020**, 12, 23644-23654 40
- 350 Eco-friendly and durable PCPS nanoparticles for the effective separation of oil-water emulsions. **2020**, 12, 11489-11496 0
- 349 Continuous purification of simulated wastewater based on rice straw composites for oil/water separation and removal of heavy metal ions. **2020**, 27, 5223-5239 17
- 348 PVDF composite membrane with robust UV-induced self-cleaning performance for durable oil/water emulsions separation. **2020**, 110, 130-139 13

347	Development of Janus membrane with controllable asymmetric wettability for highly-efficient oil/water emulsions separation. 2020 , 606, 118141	34
346	Stretchable Textiles with Superwettabilities for Tunable Oil-Water Separation. 2020 , 6, 1111-1118	4
345	Enhanced Oil Adsorption and Nano-Emulsion Separation of Nanofibrous Aerogels by Coordination of Pomelo Peel-Derived Biochar. 2020 , 59, 8825-8835	19
344	Wetting state transition of a liquid gallium drop at the nanoscale. 2020 , 22, 11809-11816	4
343	Developments and Challenges in Self-Healing Antifouling Materials. 2020 , 30, 1908098	64
342	Atmospheric-pressure plasma assisted engineering of polymer surfaces: From high hydrophobicity to superhydrophilicity. 2021 , 535, 147032	20
341	Development of hydrophobic polyurethane/castor oil biocomposites with agroindustrial residues for sorption of oils and organic solvents. 2021 , 581, 442-454	15
340	Durable CNTs Reinforced Porous Electrospun Superhydrophobic Membrane for Efficient Gravity Driven Oil/Water Separation. 2021 , 608, 125342	13
339	Vein-supported porous membranes with enhanced superhydrophilicity and mechanical strength for oil-water separation. 2021 , 254, 117517	11
338	Facile fabrication of versatile superhydrophobic coating for efficient oil/water separation. 2021 , 42, 363-372	2
337	Functional hydrogel coatings. 2021 , 8, nwaa254	51
336	The coating and reduction of graphene oxide on meshes with inverse wettability for continuous water/oil separation. 2021 , 538, 147948	13
335	Biomimetic nanoparticle-engineered superwetable membranes for efficient oil/water separation. 2021 , 618, 118525	91
334	Carbon nanofiber based superhydrophobic foam composite for high performance oil/water separation. 2021 , 402, 123838	62
333	Compressible Carbon Sponges from Delignified Wood for Fast Cleanup and Enhanced Recovery of Crude Oil Spills by Joule Heat and Photothermal Effect. 2021 , 31, 2006806	38
332	3D-printed controllable gradient pore superwetting structures for high temperature efficient oil-water separation. 2021 , 7, 8-18	5
331	Caffeic acid polymer rapidly modified sponge with excellent anti-oil-adhesion property and efficient separation of oil-in-water emulsions. 2021 , 404, 124197	17
330	Enabling polyketone membrane with underwater superoleophobicity via a hydrogel-based modification for high-efficiency oil-in-water emulsion separation. 2021 , 618, 118705	10

329	Flexible cement-sand coated cotton fabrics with superhydrophilic and underwater superoleophobic wettability for the separation of water/oil mixtures and oil-in-water emulsions. 2021 , 608, 125611	10
328	Hydrophobic/superhydrophobic reversible smart materials via photo/thermo dual-response dynamic wrinkled structure. 2021 , 420, 127679	12
327	Graphene oxide and reduced graphene oxide coated cotton fabrics with opposite wettability for continuous oil/water separation. 2021 , 259, 118095	12
326	Eco-friendly and one-step modification of poly(vinylidene fluoride) membrane with underwater superoleophobicity for effective emulsion separation. 2021 , 610, 125939	5
325	Porous and reactive polymeric interfaces: an emerging avenue for achieving durable and functional bio-inspired wettability. 2021 , 9, 824-856	8
324	A robust anti-fouling multifunctional aerogel inspired by seaweed for efficient water purification. 2021 , 259, 118153	9
323	Facile preparation of metal-polyphenol coordination complex coated PVDF membrane for oil/water emulsion separation. 2021 , 258, 118022	16
322	Developing a new superhydrophilic and superoleophobic poly(4-(1-vinyl-1H-imidazol-3-ium-3-yl)butane-1-sulfonate): vinyl imidazole@Perfluorooctanoic acid@SiO ₂ coated stainless steel mesh for highly efficient, stable, and durable oil/water separation. 2021 , 18, 511-521	3
321	The growth and shrinkage of water droplets at the oil-solid interface. 2021 , 584, 738-748	2
320	Molecularly grafted PVDF membranes with in-air superamphiphilicity and underwater superoleophobicity for oil/water separation. 2021 , 259, 118068	23
319	Solvent-free fabrication of tough self-crosslinkable short-fluorinated copolymer nanocoatings for ultradurable superhydrophobic fabrics. 2021 , 416, 128043	9
318	Wettability Switchable Membranes for Separating Both Oil-in-water and water-in-oil emulsions. 2021 , 624, 118976	19
317	Recent progress in using hybrid silicon polymer composites for wastewater treatment. 2021 , 263, 128380	11
316	MIL-100(Fe)-derived carbon sponge as high-performance material for oil/water separation. 2021 , 257, 117951	9
315	Development of scrubber with nano-TiO ₂ coated packing for H ₂ S removal. 2021 , 149, 158-168	5
314	Rational design of electrospun nanofibrous materials for oil/water emulsion separation. 2021 , 5, 97-128	21
313	Anti-Wetting Polymeric Coatings. 2021 ,	
312	Electrospun nanofibrous membranes of cellulose acetate containing hydroxyapatite co-doped with Ag/Fe: morphological features, antibacterial activity and degradation of methylene blue in aqueous solution. 2021 , 45, 9212-9220	17

311	Hydrophobic Fluorous Metal-Organic Framework Nanoadsorbent for Removal of Hazardous Wastes from Water. 2021 , 4, 1576-1585	12
310	Composited Gels from Nature Growing Scaffold: Synthesis, Properties, and Application. 2021 , 13, 5498-5507	4
309	Construction of PA6-rGO nanofiber membrane via electrospraying combining electrospinning processes for emulsified oily sewage purification. 2021 , 118, 232-244	5
308	Non-fluorinated Superhydrophobic Surfaces: A New Scenario for Sustainable Applications. 2021 , 133-152	
307	Design and fabrication of polydopamine based superhydrophobic fabrics for efficient oil-water separation. 2021 , 17, 6542-6551	10
306	Welding partially reduced graphene oxides by MOFs into micro-mesoporous hybrids for high-performance oil absorption.. 2021 , 11, 30980-30989	0
305	Surface engineering with microstructured gel networks for superwetting membranes. 2021 , 9, 7924-7934	12
304	Composite polydopamine-based TiO ₂ coated mesh with restorable superhydrophobic surfaces for wastewater treatment. 2021 , 56, 7321-7333	7
303	Beyond Superwetting Surfaces: Dual-Scale Hyperporous Membrane with Rational Wettability for "Nonfouling" Emulsion Separation via Coalescence Demulsification. 2021 , 13, 4731-4739	12
302	Electroconductive nanofibrous membranes with nanosheet-based microsphere-threaded heterostructures enabling oily wastewater remediation. 2021 , 9, 15310-15320	10
301	Aerogels for waterborne pollutants purification. 2021 , 109-124	1
300	Facile fabrication of zeolitic imidazolate framework hollow fibre membranes a novel scalable continuous fluid circulation process. 2021 , 13, 14644-14655	0
299	A robust surface with superhydrophobicity and underwater superoleophobicity for on-demand oil/water separation. 2021 , 13, 15334-15342	8
298	One-pot fabrication of hydrophilic-oleophobic cellulose nanofiber-silane composite aerogels for selectively absorbing water from oil/water mixtures. 2021 , 28, 1443-1453	9
297	Solar-Assisted Isotropically Thermoconductive Sponge for Highly Viscous Crude Oil Spill Remediation.	
296	Hydrogel as a Superwetting Surface Design Material for Oil/Water Separation: A Review. 2021 , 8, 2002030	14
295	Recent advances in membrane hydrophilic modification with plant polyphenol-inspired coatings for enhanced oily emulsion separation. 2021 , 138, 50587	1
294	The Role of the Fiber/Bead Hierarchical Microstructure on the Properties of PVDF Coatings Deposited by Electrospinning. 2021 , 13,	1

293	Recent progress in electrospun nanofibrous membranes for oil/water separation. 2021 , 256, 117790	29
292	Superwettability-based separation: From oil/water separation to polymer/water separation and bubble/water separation. 2021 , 2, 1580-1588	3
291	Sphagnum Inspired g-C N Nano/Microspheres with Smaller Bandgap in Heterojunction Membranes for Sunlight-Driven Water Purification. 2021 , 17, e2007122	16
290	Bacterial Superoleophobic Fibrous Matrices: A Naturally Occurring Liquid-Infused System for Oil-Water Separation. 2021 , 37, 2552-2562	4
289	Biosorbent with superhydrophobicity and superoleophilicity for spilled oil removal. 2021 , 209, 111803	7
288	Customized Cellulose Fiber Paper Enabled by an Growth of Ultralong Hydroxyapatite Nanowires. 2021 , 15, 5355-5365	14
287	In situ biomineralization-constructed superhydrophilic and underwater superoleophobic PVDF-TiO ₂ membranes for superior antifouling separation of oil-in-water emulsions. 2021 , 622, 119030	22
286	Robust Superamphiphilic Membrane with a Closed-Loop Life Cycle. 2021 , 33, e2008460	11
285	Electrospinning Janus Nanofibrous Membrane for Unidirectional Liquid Penetration and Its Applications. 2021 , 37, 337-354	7
284	Facile Approach to Fabricate a High-Performance Superhydrophobic Mesh. 2021 , 13, 15720-15726	2
283	pH-Sensitive Membranes with Smart Cleaning Capability for Efficient Emulsion Separation and Pollutant Removal. 2021 , 11,	4
282	A shape memory porous sponge with tunability in both surface wettability and pore size for smart molecule release. 2021 , 64, 2337-2347	3
281	Janus Membranes with Asymmetric Wettability Applied in Oil/Water Emulsion Separations. 2021 , 5, 2000253	6
280	Preparation of biomimetic membrane with hierarchical structure and honeycombed through-hole for enhanced oil/water separation performance. 2021 , 218, 123522	4
279	De-Emulsification and Gravity Separation of Micro-Emulsion Produced with Enhanced Oil Recovery Chemicals Flooding. 2021 , 14, 2249	5
278	Recent advances in the mechanical durability of superamphiphobic surfaces: A review. 2021 , 235, 2474-2499	1
277	Robust bio-inspired superhydrophilic and underwater superoleophobic membranes for simultaneously fast water and oil recovery. 2021 , 623, 119041	24
276	Development of highly hydrophobic and superoleophilic fluoro organothiol-coated carbonized melamine sponge/rGO composite absorbent material for the efficient and selective absorption of oily substances from aqueous environments. 2021 , 9, 105093	20

- 275 Nano/submicrometer-emulsion oily wastewater treatment inspired by plant transpiration. **2021**, 4, 1274-1286 19
- 274 Superwetable Amidoximed Polyacrylonitrile-Based Nanofibrous Nonwovens for Rapid and Highly Efficient Separation of Oil/Water Emulsions. **2021**, 3, 3093-3102 3
- 273 Preparation of a main-chain-type polybenzoxazine-modified melamine sponge via non-solvent-induced phase inversion for oil absorption and very-high-flux separation of water-in-oil emulsions. **2021**, 263, 118387 10
- 272 Facile Construction and Fabrication of a Superhydrophobic Copper Mesh for Ultraefficient Oil/Water Separation. **2021**, 60, 8139-8146 4
- 271 Directional Droplet Transport on Functional Surfaces with Superwettabilities. **2021**, 8, 2100043 10
- 270 Superwetting BiMoO/Cu(PO) Nanosheet-Coated Copper Mesh with Superior Anti-Oil-Fouling and Photo-Fenton-like Catalytic Properties for Effective Oil-in-Water Emulsion Separation. **2021**, 13, 23662-23674 11
- 269 Modulating surface interactions for regenerable separation of oil-in-water emulsions. **2021**, 625, 119140 8
- 268 Wood-Derived Systems for Sustainable Oil/Water Separation. **2021**, 5, 2100039 5
- 267 Extraordinary Superhydrophobic Polycaprolactone-Based Composite Membrane with an Alternated Micro-Nano Hierarchical Structure as an Eco-friendly Oil/Water Separator. **2021**, 13, 24117-24129 9
- 266 One-Step Fabrication of a Micro/Nanosphere-Coordinated Dual Stimulus-Responsive Nanofibrous Membrane for Intelligent Antifouling and Ultrahigh Permeability of Viscous Water-in-Oil Emulsions. **2021**, 13, 27635-27644 8
- 265 Nanopore-based active oil droplet filtration under negative DC dielectrophoresis for oily wastewater treatment. **2021**, 54, 345302 2
- 264 Fabrication of superhydrophilic and underwater superoleophobic CuxO/TiO₂ mesh for oil/water separation. **2021**, 25, 104257 2
- 263 Novel approach for rapid oil/water separation through superhydrophobic/ superoleophilic zinc stearate coated polyurethane sponges. **2021**, 618, 126395 8
- 262 Zwitterionic monolayer grafted ceramic membrane with an antifouling performance for the efficient oil/water separation. **2021**, 1 1
- 261 Solar-assisted isotropically thermoconductive sponge for highly viscous crude oil spill remediation. **2021**, 24, 102665 9
- 260 Smart Sand by Surface Engineering: Toward Controllable Oil/Water Separation. **2021**, 60, 9475-9481 3
- 259 Real-Time and Online Lubricating Oil Condition Monitoring Enabled by Triboelectric Nanogenerator. **2021**, 16
- 258 Halloysite nanotube-based superhydrophobic foam for highly efficient oil/water separation. **2021**, 104, 5529-5536 4

257	Hygro-responsive, Photo-decomposed Superoleophobic/Superhydrophilic Coating for On-Demand Oil-Water Separation. 2021 , 13, 35142-35152	5
256	A Simple Process to Prepare High-Efficiency Durable Oil/Water Filter. 2021 , 8, 2100594	0
255	Super-hydrophobic F-TiO ₂ @PP membranes with nano-scale floral-like synapses for waste oil recovery. 2021 , 267, 118579	6
254	ZIF-67-based Composite Membranes Generated from Carboxymethyl Chitosan and Nylon Mesh for Separation Applications. 1	
253	Emulsion preparation of ultralight TiO ₂ foams for selective oil absorption. 2021 , 41, 4349-4354	1
252	Hydrophobically modified melamine-formaldehyde sponge used for conformance control and water shutoff during oil production. 2021 , 138, 51416	1
251	Efficient and Facile Method of Preparing Superamphiphobic Surfaces on Cu Substrates. 2021 , 13, 37830-37839	0
250	Robust and Durable Superhydrophobic Polythiophene/SiO ₂ Coated Cotton Fabric for Versatile Oil/Water Separation. 2021 , 8, 2100725	2
249	Recent Progress in Superhydrophilic Carbon-Based Composite Membranes for Oil/Water Emulsion Separation. 2021 , 13, 36679-36696	14
248	Crosslinked electrospinning membranes with contamination resistant properties for highly efficient oil/water separation. 2021 , 28, 1	4
247	Design, Development, and Outlook of Superwettability Membranes in Oil/Water Emulsions Separation. 2021 , 8, 2100799	6
246	Microstructure Characterization and Oil Absorption Performance of Superhydrophobic Cotton Cellulose Aerogel. 2021 , 36, 538-545	2
245	Continuous separation of oil/water mixture by a double-layer corrugated channel structure with superhydrophobicity and superoleophilicity. 2021 , 269, 118647	6
244	MOF-Embedded Bifunctional Composite Nanofiber Membranes with a Tunable Hierarchical Structure for High-Efficiency PM Purification and Oil/Water Separation. 2021 , 13, 39831-39843	7
243	Ultra-high oil-water separation membrane based on two-dimensional MXene(Ti ₃ C ₂ T _x) by co-incorporation of halloysite nanotubes and polydopamine. 2021 , 211, 106177	22
242	Selective separation of oil-in-water emulsion with high efficiency by bio-inspired Janus membrane. 2021 , 64, 2211	2
241	3D Printing of Superhydrophobic Objects with Bulk Nanostructure. 2021 , 33, e2106068	12
240	One-Step Covalent Surface Modification to Achieve Oil-Water Separation Performance of a Non-Fluorinated Durable Superhydrophobic Fabric. 2021 , 6, 24139-24146	1

239	Robust preparation of flexibly super-hydrophobic carbon fiber membrane by electrospinning for efficient oil-water separation in harsh environments. 2021 , 182, 11-22	20
238	Fabrication of a durable coral-like superhydrophilic MgO coating on stainless steel mesh for efficient oil/water separation. 2021 , 117144	4
237	Rapid and Scalable Synthesis of a Vanillin-Based Organogelator and Its Durable Composite for a Comprehensive Remediation of Crude-Oil Spillages. 2021 , 13, 46803-46812	1
236	Hydrophobic modification of sintered glass filters for the separation of organic solvents and gasoline from water as well as emulsified water. 2021 , 9, 106449	0
235	Small molecules derived Tailored-Superhydrophobicity on fibrous and porous SubstratesWith superior tolerance. 2021 , 430, 132597	1
234	Ultralight and superhydrophobic perfluorooctyltrimethoxysilane modified biomass carbonaceous aerogel for oil-spill remediation. 2021 , 174, 71-78	3
233	Superhydrophobic and nanostructured CuFeCo powder alloy for the capture of microplastics. 2021 , 627, 127075	0
232	Laser-synthesized Ag/TiO nanoparticles to integrate catalytic pollutant degradation and antifouling enhancement in nanofibrous membranes for oil/water separation. 2021 , 564, 150471	7
231	Multifunctional starch-based material for contaminated emulsions separation and purification. 2021 , 269, 118354	2
230	Superhydrophilic fish-scale-like Cu ₂ O ₄ nanosheets wrapped copper mesh with underwater super oil-repellent properties for effective separation of oil-in-water emulsions. 2021 , 627, 127133	5
229	Fabricating low-cost, robust superhydrophobic coatings with re-entrant topology for self-cleaning, corrosion inhibition, and oil-water separation. 2021 , 600, 358-372	14
228	Insight into the mechanism of nanoparticle induced suppression of interfacial tension. 2021 , 339, 117177	1
227	Smart light responsive polypropylene membrane switching reversibly between hydrophobicity and hydrophilicity for oily water separation. 2021 , 638, 119704	8
226	A sandwich-like structured superhydrophobic fabric for versatile and highly efficient emulsion separation. 2021 , 275, 119253	4
225	Green fabrication, characterization and water-oil separation properties of superhydrophilic/oleophobic grapefruit peel-derived aerogel. 2021 , 566, 150721	5
224	Multifunctional porphyrinic Zr-MOF composite membrane for high-performance oil-in-water separation and organic dye adsorption/photocatalysis. 2021 , 628, 127288	8
223	Steamed bun-derived microporous carbon for oil-water separation. 2021 , 629, 127389	0
222	A tree-grapes-like PTFE fibrous membrane with super-hydrophobic and durable performance for oil/water separation. 2021 , 275, 119165	10

221	Durable and super-hydrophilic/underwater super-oleophobic two-dimensional MXene composite lamellar membrane with photocatalytic self-cleaning property for efficient oil/water separation in harsh environments. 2021 , 637, 119627	16
220	Hierarchically superhydrophilic poly(vinylidene fluoride) membrane with self-cleaning fabricated by surface mineralization for stable separation of oily wastewater. 2021 , 640, 119864	18
219	Durable tetra-scale superhydrophobic coatings with virus-like nanoparticles for oil/water separations. 2021 , 570, 151088	3
218	Probing of the hydrated cation bridges in the oil/brine/silica system via atomic force microscopy and molecular dynamics simulation. 2021 , 306, 121666	0
217	Preparation of demulsifying functional membrane and its application in separation of emulsified oil. 2021 , 276, 119299	0
216	Ultrahigh throughput and efficient separation of oil/water mixtures using superhydrophilic multi-scale CuBTC-coated meshes. 2021 , 279, 119802	2
215	Superhydrophilic-underwater superoleophobic NiO nanostructured surfaces: Assessment of PVP concentration effect. 2022 , 890, 161643	0
214	Photocatalytic GO/M88A Interceptor plateAssembled nanofibrous membrane with photo-Fenton self-cleaning performance for oil/water emulsion separation. 2022 , 427, 130948	21
213	Novel TiCT MXene wrapped wood sponges for fast cleanup of crude oil spills by outstanding Joule heating and photothermal effect. 2022 , 606, 971-982	10
212	Photo-Fenton superwetable NiFeO/TA/PVDF composite membrane for organic pollutant degradation with successively oil-in-water separation. 2022 , 286, 131705	7
211	One-pot facile synthesis of PDMS/PDMAEMA hybrid sponges for surfactant stabilized O/W emulsion separation. 2021 , 17, 9363-9370	0
210	A robust and antibacterial superhydrophobic cotton fabric with sunlight-driven self-cleaning performance for oil/water separation. 2021 , 28, 1715-1729	27
209	Recent Development of Advanced Materials with Special Wettability for Selective Oil/Water Separation. 2016 , n/a-n/a	2
208	Design and evaluation of polar-embedded stationary phases containing triacontyl group for liquid chromatography. 2020 , 1621, 461035	8
207	A grafted-liquid lubrication strategy to enhance membrane permeability in viscous liquid separation. 2020 , 610, 118240	9
206	Advanced Materials with Special Wettability toward Intelligent Oily Wastewater Remediation. 2021 , 13, 67-87	57
205	Reversible Wettability between Underwater Superoleophobicity and Superhydrophobicity of Stainless Steel Mesh for Efficient Oil-Water Separation. 2021 , 6, 77-84	10
204	Underwater superoleophobic carbon nanotubes/core-shell polystyrene@Au nanoparticles composite membrane for flow-through catalytic decomposition and oil/water separation. 2016 , 4, 10810-10815	90

203	Synthesis of 'reactive' and covalent polymeric multilayer coatings with durable superoleophobic and superoleophilic properties under water. 2017 , 8, 6092-6102	38
202	A polymer coating which is sticky yet repulsive to water and slippery yet attractive for oils. 2020 , 56, 2877-2880	2
201	A flexible biomimetic superhydrophobic and superoleophilic 3D macroporous polymer-based robust network for the efficient separation of oil-contaminated water.. 2020 , 10, 5088-5097	15
200	Fast fabrication of silicone-modified polyurethane/SiO ₂ composite superhydrophobic coating with excellent anti-icing and self-cleaning behaviour. 2020 , 7, 116403	4
199	Room-temperature fabrication of superhydrophobic covalent organic framework (COF) decorated cotton fabric for high-flux water-in-oil emulsion separation. 2021 , 57, 11533-11536	7
198	Molecular dynamics simulation on wetting behaviors of n-octane and water droplets on polytetrafluoroethylene surfaces. 2021 , 785, 139161	0
197	Construction of durable superhydrophilic activated carbon fibers based material for highly-efficient oil/water separation and aqueous contaminants degradation. 2021 , 207, 112212	0
196	Durable Superhydrophobic Coating for Efficient Microplastic Removal. 2021 , 11, 1258	1
195	Nanostructural Manipulation of Polyphenol Coatings for Superwetting Membrane Surfaces. 2021 , 9, 14525-14536	1
194	Structured Copper Mesh for Efficient Oil-Water Separation Processed by Picosecond Laser Combined With Chemical Treatment or Thermal Oxidation. 2021 , 3,	
193	An asymmetric AC electric field of triboelectric nanogenerator for efficient water/oil emulsion separation. 2021 , 90, 106641	6
192	CHAPTER 1:Introduction. 2016 , 1-18	
191	Separation of Oil from Water Using Porous PDMS Capsules. 2018 , 35, 797-801	
190	EditorsBiographies. 2020 , 367-367	
189	Mil-53(Fe)-loaded polyacrylonitrile membrane with superamphiphilicity and double hydrophobicity for effective emulsion separation and photocatalytic dye degradation. 2021 , 282, 119910	3
188	High-efficient oil/water separation membrane based on MXene nanosheets by co-incorporation of APTES and amine functionalized carbon nanotubes. 2021 , 9, 106658	2
187	Preparation and Application of Superhydrophobic Surface Materials. 2020 , 827-835	
186	. 2020 ,	0

185 Subject Index. **2020**, 373-377

184 Title, Copyright, Foreword. **2020**, i-v

183 A Study on the Drag Reduction Performance and NaCl Solution Robustness according to the Wetting Characteristics of Bottom Surface of Water Vehicle. **2020**, 37, 297-303 1

182 Multifunctional Switchable Nanocoated Membranes for Efficient Integrated Purification of Oil/Water Emulsions. **2021**, 13, 54315-54323 7

181 A reusable, biomass-derived, and pH-responsive collagen fiber based oil absorbent material for effective separation of oil-in-water emulsions. **2022**, 633, 127906 3

180 Carbon Nanotube Membranes in Water Treatment Applications. 2101260 5

179 Biocompatible self-healing hydrogels based on boronic acid-functionalized polymer and laponite nanocomposite for water pollutant removal. **2022**, 20, 81 2

178 Preparing a wettability-controllable stainless-steel mesh and its oil/water separation performance. **2021**, 20, 100000 0

177 Stainless Steel Screen Modified with a Self-Healing Hydrogel for Efficient Gravity-Driven Oil/Water Separation. 1 2

176 The Separation of Oil/Water Mixtures by Modified Melamine and Polyurethane Foams: A Review. **2021**, 13, 100000 4

175 Pulsed Laser Deposited Zeolite Coatings on Femtosecond Laser-Nanostructured Steel Meshes for Durable Superhydrophilic/Oleophobic Functionalities.. **2021**, 9, 792641 0

174 Pore-Scale Study on Interfacial Force-Induced Residue Mobilization under Immiscible Ternary Fluids Flow. **2021**, 147, 103913 1

173 In situ regulation of bacterial cellulose networks by starch from different sources or amylose/amylopectin content during fermentation. **2021**, 195, 59-59 0

172 Preparation of Fluorine- and Nanoparticle-Free Superwetting Cellulose Composites Via Modifying with Main-Chain-Type Furan-Based Polybenzoxazines for Efficient Oil/Water Separations. 0

171 Solar-Driven Unmanned Hazardous and Noxious Substance Trapping Devices Equipped with Reverse Piloti Structures and Cooling Systems. 0

170 Chapter 1. Introduction to Functional Membranes. **2021**, 1-27

169 Ultrafast and Continuous Separation of Water-in-Oil Emulsions Via Constructing a Dual-Layered Superwetting Membrane. 0

168 Bioinspired self-cleaning surface with microflower-like structures constructed by electrochemically corrosion mediated self-assembly. 0

- 167 A novel and facile preparation of Superhydrophilic/Superoleophobic nanofilter using carbon nitride nanosheet for W/O emulsion separation. **2022**, 284, 120279 1
- 166 Superhydrophobic palmitic acid modified Cu(OH)₂/CuS nanocomposite-coated copper foam for efficient separation of oily wastewater. **2022**, 637, 128249 1
- 165 Synergistic effect of nano-silica and eco-friendly hydrogel for the cost-effective and highly efficient oil-water separation. **2022**, 636, 128136 2
- 164 Facile synthesis of superwetting FeNi foam for oil/water separation. **2022**, 636, 128152 1
- 163 A robust underwater superoleophobic aminated polyacrylonitrile membrane embedded with CNTs-COOH for durable oil/water and dyes/oil emulsions separation.. **2022**, 293, 133535 2
- 162 Modified Cotton Sponge with Bio-Based Polybenzoxazine for Plasticizer Absorption and Oil/Water Separation. **2022**, 4, 950-959 1
- 161 Hierarchical porous metal-organic framework materials for efficient oil/water separation. **2022**, 10, 2751-2785 3
- 160 Facile Preparation of Fluoroalkyl End-Capped Vinyltrimethoxysilane Oligomer/Sand Composites Possessing Superoleophilic/Superhydrophobic Characteristic: Application to Oil/Water Separation and Selective Removal of Fluorinated Aromatic Compounds from Aqueous Methanol Solution. **2022**, 12, 56-71 1
- 159 MXene Membrane for Oil/Water Emulsion Separation. **2022**, 129-155
- 158 Bicontinuous porous membranes with micro-nano composite structure using a facile atomization-assisted nonsolvent induced phase separation method. 1 0
- 157 Dually reactive multilayer coatings enable orthogonal manipulation of underwater superoleophobicity and oil adhesion post-functionalization.. **2022**, 0
- 156 Constructing efficient and recyclable composite absorbent based on the modification of polymer skeleton with in situ assembled mesoporous silica/graphene oxide nanohybrid. **2022**, 220, 109295 0
- 155 Production of superwetting cellulose II based membranes with excellent oil/water emulsions separation performance. **2022**, 177, 114554 0
- 154 Oleophilic to oleophobic wettability switching of isoporous through-hole membranes by surface structure control for low-voltage electrowetting-based oil-water separation. **2022**, 646, 120281 1
- 153 Superhydrophobic and superoleophilic PH-CNT membrane for emulsified oil-water separation. **2022**, 526, 115536 4
- 152 Solar-Driven Unmanned Hazardous and Noxious Substance Trapping Devices Equipped with Reverse Piloti Structures and Cooling Systems.. **2022**, 14, 0
- 151 Revealing the mechanism of superwetting fibrous membranes for separating surfactant-free water-in-oil emulsions. **2022**, 288, 120621 0
- 150 Applications of Lamellar Membranes Reconstructed from Clay Mineral-Based Nanosheets: A Review. 0

149	Nasal Cavity Inspired Micro-Nanostructured Cone Array Tube for Oil Recovery in Wastewater. 2102311	2
148	Fabrication of novel superhydrophilic/underwater superoleophobic composite coatings and study on the relationship between their long-term wettability and excellent oil-water separation performance. 2022 , 434, 128193	1
147	A superwetting stainless steel mesh with Janus surface charges for efficient emulsion separation.. 2022 , 430, 128378	0
146	Bioinspired Superhydrophobic/Superhydrophilic Janus Copper Foam for On-Demand Oil/Water Separation.. 2022 ,	4
145	Emerging Separation Applications of Surface Superwettability.. 2022 , 12,	2
144	Wood-Inspired Compressible Superhydrophilic Sponge for Efficient Removal of Micron-Sized Water Droplets from Viscous Oils.. 2022 ,	2
143	Selective Adsorption and Photocatalytic Clean-Up of Oil by TiO ₂ Thin Film Decorated with p-V 3 D 3 Modified Flowerlike Ag Nanoplates. 2102126	
142	Preparation of Stable Superhydrophobic Coatings on Complex-Shaped Substrates. 2200095	1
141	Double-Defense Design of Super-Anti-Fouling Membranes for Oil/Water Emulsion Separation. 2113247	6
140	Microspheres Modified with Superhydrophobic Non-Woven Fabric with High-Efficiency Oil/Water Separation: Controlled Water Content in PLA Solution. 2100919	1
139	Polyacrylonitrile Nanofibers Coated with Covalent Organic Frameworks for Oil/Water Separation. 2022 , 5, 3925-3936	1
138	Nontraditional oil sorbents: Hydrophilic sponges with hydrophobic skin layer for efficient oil spill remediation. 1	1
137	Plasma-controlled surface wettability: recent advances and future applications. 1-38	0
136	Cellulosic paper-based membrane for oil-water separation enabled by papermaking and in-situ gelation. 1	1
135	Upcycling Waste Pine nut Shell Membrane for Highly Efficient Separation of Crude Oil-in-Water Emulsion.. 2022 ,	4
134	Silicon nitride membrane with robust inorganic-organic hybrid hydrophobic surface for water-in-oil emulsion separation. 2022 ,	0
133	Preparation and applications of two fluoroalkyl end-capped vinyltrimethoxysilane oligomeric composites possessing superoleophilic/superhydrophobic characteristic: a review. 1	
132	Modified ceramic membrane with pH/ethanol induced switchable superwettability for antifouling separation of oil-in-acidic water emulsions. 2022 , 121022	3

131	In-situ growth, thermal stable and superhydrophobic polyester fabric membrane composited with Zirconium phosphate for oil-water separation. 2022 , 335, 111852	0
130	Surface Reconstruction of Fluoropolymers in Liquid Media.. 2022 , 38, 4657-4668	
129	Janus hollow fiber membranes with functionalized outer surfaces for continuous demulsification and separation of oil-in-water emulsions. 2022 , 648, 120388	2
128	Graphene oxide/double-layer hydroxide hybrids for efficient crude oil-water separation. 2022 , 281, 125917	1
127	Miscible organic liquid separation of superwetting membrane driven by synergistic polar/nonpolar interactions. 2022 , 5, 1251-1262	2
126	A 3D Janus stainless steel mesh bed with high efficiency and flux for on-demand oil-in-water and water-in-oil emulsion separation. 2022 , 289, 120779	1
125	Efficient photocatalysis improves the self-cleaning property of the superwetting nanofibrous membrane toward emulsified oily wastewater. 2022 , 650, 120440	0
124	Superhydrophobic copper foam modified with hierarchical stearic acid/CuSiO ₃ /Cu(OH) ₂ nanocomposites for efficient water/oil separation. 2022 , 10, 107618	0
123	In situ modification of melamine sponge by MgAl-LDH with super-hydrophobicity and excellent harsh environment tolerance for high flux emulsion separation. 2022 , 291, 120916	0
122	Zwitterionic polyvinylidene fluoride membranes with strong underwater superoleophobicity and oil-fouling resistance for oily water purification. 2022 , 10, 107593	1
121	Biobased mussel-inspired underwater superoleophobic chitosan derived complex hydrogel coated cotton fabric for oil/water separation.. 2022 , 209, 279-289	1
120	Degradation of SY095 modified with functional magnetic FeO nanoparticles.. 2021 , 8, 211172	0
119	Hierarchical metal-phenolic-polyplex assembly toward superwetting membrane for high-flux and antifouling oil-water separation. 2021 ,	3
118	Superhydrophilic PVDF Membrane Modified by Norepinephrine/Acrylic Acid via Self-Assembly for Efficient Separation of an Oil-in-Water Emulsion. 2022 , 61, 130-140	0
117	Constructing composite membranes from functionalized metal organic frameworks integrated MXene intended for ultrafast oil/water emulsion separation. 2022 , 121052	4
116	Superhydrophobic and super-oleophilic natural sponge sorbent for crude oil/water separation. 2022 , 48, 102783	0
115	Data_Sheet_1.PDF. 2018 ,	
114	Video_1.AVI. 2020 ,	

113 Video_2.AVI. **2020**,

112 Video_3.AVI. **2020**,

111 Video_4.AVI. **2020**,

110 Video_5.AVI. **2020**,

109 Table_1.DOCX. **2020**,

108 Sprayed separation membranes: A systematic review and prospective opportunities. **2022**, 1

107 Underwater superoleophobic mesh with robust anthurium andraeanum-like attapulgite coating layer for effective oil spill recovery. **2022**, 129184 0

106 Cell Membrane-Inspired Graphene Nanomesh Membrane for Fast Separation of Oil-in-Water Emulsions. 2200199 2

105 A stable underwater superoleophobic membrane constructed by CuO oriented rods and PAA water-adsorbent resin for fast and high efficient oil/water separation. **2022**, 294, 121175 1

104 A comprehensive review on water remediation using UiO-66 MOFs and their derivatives.. **2022**, 302, 134845 2

103 A Self-Detecting and Self-Cleaning Biomimetic Porous Metal-Based Hydrogel for Oil/Water Separation. 0

102 Bio-Inspired Fabrication of Porous Aromatic Framework-Coated Fabric for Achieving Durable Superhydrophobic Applications. 2101994 0

101 Molecular and structural design of polyacrylonitrile-based membrane for oil-water separation. **2022**, 253, 124969 0

100 A novel bird-nest-like air superoleophobic/superhydrophilic Cu(OH)₂-based composite coating for efficient oil/water separation. **2022**, 16,

99 Facile in Situ Growth of Cu(OH)₂ on Cotton Fabric for Oil/Water Separation. 1-12

98 Corrosion performance of a steel surface modified by a robust graphene-based superhydrophobic film with hierarchical roughness. **2022**, 57, 11376-11391 1

97 Alginate-oil gelator composite foam for effective oil spill treatment. **2022**, 119755 2

96 Natural silk fibers incorporated aramid nanofibers sponges for efficient oil/water separation. **2022**, 648, 129323 0

95	In situ formation of polymethylsiloxane nanofilaments on pristine cotton stalk with natural interconnected pores for rapid and recyclable organic solvents absorption. 2022 , 186, 115176	0
94	Fabrication of sustainable and durable superwetting cotton fabrics with plant polyphenol for on-demand oil/water separation. 2022 , 186, 115264	0
93	An autocatalytic CO hydrogenation approach for the fabrication of stable Fe-based superhydrophobic surfaces.	
92	Superhydrophobic Nanofibrous Sponge With Hierarchically Layered Structure for Efficient Harsh Environmental Oil-Water Separation.	
91	Blending Electrostatic Spinning Fabrication of Superhydrophilic/Underwater Superoleophobic Polysulfonamide/Polyvinylpyrrolidone Nanofibrous Membranes for Efficient Oil/Water Emulsion Separation. 2022 , 38, 8241-8251	2
90	Preparation of transparent wood containing carbon dots for application in the field of white-LED. 1-11	0
89	Lotus leaf-inspired and multifunctional Janus carbon felt@Ag composites enabled by in situ asymmetric modification for electromagnetic protection and low-voltage joule heating. 2022 , 242, 110110	2
88	Ag/AgCl nanoparticles reinforced cellulose-based hydrogel coated cotton fabric with self-healing and photo-induced self-cleaning properties for durable oil/water separation. 2022 , 255, 125146	1
87	Green and rapid fabrication of superhydrophilic and underwater superoleophobic coatings for super anti-crude oil fouling and crude oil-water separation. 2022 , 129805	0
86	Design of a Simple Nanoscale Hydrophilic-Hydrophobic Heterojunction System with Under-Liquid Dual Superlyophobicity for Application in Controllable Droplet-based Microreactor System and Oil/Water Emulsions Separation. 2022 , 121817	1
85	A Biomimetic Janus Delignified Wood Membrane with Asymmetric Wettability Prepared by Thiol-Ol Chemistry for Unidirectional Water Transport and Selective Oil/Water Separation. 2022 , 129793	2
84	Biomass-derived carbon dots for efficient cleanup of oil spills. 2022 , 49, 103016	
83	Self-Powered, Long-Durable, and Highly Selective Oil/Solid Triboelectric Nanogenerator for Energy Harvesting and Intelligent Monitoring. 2022 , 14,	3
82	One-Step Synthesis of Dynamically Shaped Stiff Nanorods Using Soft Silicone Materials to Control Water Repulsion and Collection. 2203820	
81	Durable Superoleophobic Janus Fabric with Oil Repellence and Anisotropic Water-Transport Integration toward Energetic-Efficient Oil/Water Separation. 2022 , 14, 37170-37181	2
80	Tannic acid (TA)-based coating modified membrane enhanced by successive inkjet printing of Fe ³⁺ and sodium periodate (SP) for efficient oil-water separation. 2022 , 660, 120873	1
79	Superhydrophobic nanofibrous sponge with hierarchically layered structure for efficient harsh environmental oil-water separation. 2022 , 440, 129790	1
78	Three-dimensional and flexible carbon nanofiber mat by one-step electrospinning for efficient oil/water separation. 2022 , 652, 129824	0

77	Metal ions-doped electrospinning nanofiber films with changeable hydrophobic surface and adjustable tensile properties. 2022 , 652, 129876	
76	Crosslinked biomimetic coating modified stainless-steel-mesh enables completely self-cleaning separation of crude oil/water mixtures. 2022 , 224, 119052	2
75	Antibacterial waterborne polyacrylate coated fabric with underwater superoleophobicity and underoil superhydrophobicity for continuous oil/water separation. 2022 , 173, 107149	0
74	Plasma-aerosol-assisted surface engineering for scalable oil/water membrane separation. 2022 , 606, 154807	0
73	A facile method to fabricate supramolecular polyurea hydrogel coated mesh with long-term stable underwater superoleophobicity for oil/water separation. 2022 , 654, 130085	1
72	Preparation of antifouling and highly hydrophobic cellulose nanofibers/alginate aerogels by bidirectional freeze-drying for water-oil separation in the ocean environment. 2023 , 441, 129965	1
71	Synthesis of Superhydrophobic/Superoleophilic stearic acid and Polymer-modified magnetic polyurethane for Oil-Water Separation: Effect of polymeric nature. 2023 , 629, 522-534	0
70	Responsive and Reactive Layer-by-layer Coatings for Deriving Functional Interfaces.	0
69	Agave-Angustifolia-like Cu ₃ Mo ₂ O ₉ Nanoplate-Coated Copper Mesh for Effective Emulsion Separation and Photocatalytic Degradation of Soluble Dyes. 2022 , 61, 13635-13649	0
68	Sand-Based Economical Micro/Nanocomposite Materials for Diverse Applications. 2022 , 14, 43656-43665	0
67	Effect of Loading Various Nanoparticles on Superhydrophobic/Superoleophilic Stearic Acid-Modified Polyurethane Foams for Oil-Water Separation. 2022 , 108577	0
66	Effect of Fine Structures Formed by Nanoimprinting Using Anodic Porous Alumina Mold on Surface Hydrophobicity.	0
65	Gradient Adhesive Hydrogel Decorated Superhydrophilic Membranes for Ultra-Stable Oil/Water Separation. 2205990	2
64	Synthesis of novel Smart pH-Sensitive Modified Silica Nanoparticles for Controllable Oil-Water Separation of the lab and real samples. 2022 , 102346	0
63	Superhydrophilic Modification of Polyvinylidene Fluoride Membrane via a Highly Compatible Covalent Organic Framework/VOOH/Dopamine-Integrated Hierarchical Assembly Strategy for Oil/Water Separation.	0
62	Special Superwetting Materials from Bioinspired to Intelligent Surface for On-Demand Oil/Water Separation: A Comprehensive Review. 2204624	3
61	Turbo-Synergistic Oily Wastewater Remediation in Bio-Inspired Cone Array Barrel. 2204244	0
60	Metal-Organic Frameworks and Electrospinning: A Happy Marriage for Wastewater Treatment. 2207723	3

59	A new antifouling metal-organic framework based UF membrane for oil-water separation: A comparative study on the effect of MOF (UiO-66-NH ₂) ligand modification.	1
58	Rational Design of Carbon-Based Porous Aerogels with Nitrogen Defects and Dedicated Interfacial Structures toward Highly Efficient CO ₂ Greenhouse Gas Capture and Separation.	0
57	Facile preparation of superhydrophobic/superoleophilic diatomite porous ceramics for efficient oil-water separation. 2022 , 130, 867-874	0
56	Synthesis of Elastic Hydrophobic Biomass Sponge for Rapid Solar-Driven Viscous Crude-Oil Cleanup Absorption, Oil-Water Separation and Organic Pollutants Treating. 2022 , 122512	0
55	In-situ growth strategy to fabricate superhydrophobic wood by Na ₃ (Cu ₂ (CO ₃) ₃ OH)·4H ₂ O for oil/water separation. 2023 , 656, 130338	1
54	A novel strategy to extend near-infrared light harvest of graphene for solar vapor generation and high-efficiency oil-water separation. 2023 , 609, 155286	0
53	Polypyrrole solar evaporator designed based on the interface evaporation principle and its application in sewage treatment. 2023 , 656, 130406	0
52	Progress reports of mineralized membranes: Engineering strategies and multifunctional applications. 2023 , 304, 122379	5
51	Discarded cigarette butts regenerated superhydrophilic/underwater superoleophobic chitosan-cellulose membrane for oil/water emulsion separation.	0
50	Fabrication of Superhydrophobic Composite Membranes with Honeycomb Porous Structure for Oil/Water Separation. 2022 , 12, 1698	1
49	Polyvinyl alcohol formaldehyde three-dimensional composite sponges with hierarchical pore structure for W/O emulsion separation. 2022 , 155754	0
48	A Gemini-Type Superwetable Separator for Consecutive Purification of Water and Oil Phases from Oil-Water Mixtures and Emulsions.	0
47	SiO ₂ -PDMS as oil removal system. 29-35	0
46	Preparation and water/oil separation of super-hydrophobic biomass adsorbent based on three-dimensional graphene aerogel.	0
45	Fluorine-Containing Covalent Organic Frameworks: Synthesis and Application. 2200778	0
44	Ultralight, Superhydrophobic, Low-cost Nitrogen-doped Graphene Aerogels with Honeycomb Porous Structure for Efficient Oil Removal.	0
43	Guar gum, a low-cost sustainable biopolymer, for wastewater treatment: A review. 2023 , 226, 368-382	1
42	Oleophobic coated composite materials based on multi-layer graphitic scaffolding: applications within aircraft propellant tanks and oil-spill clean-up.	0

- 41 Dual-functional superwetting CuCo₂O₄ coated stainless steel mesh for wastewater treatment: Highly efficient oil/water emulsion separation and photocatalytic degradation. **2023**, 659, 130730 ○
- 40 Hyper cross-linked poly(ionic liquid)s with special anions as smart materials for switchable oil-water separation. **2023**, 613, 156007 ○
- 39 Nanofibrous Janus membrane with improved self-cleaning property for efficient oil-in-water and water-in-oil emulsions separation. **2023**, 308, 122914 ○
- 38 A review of superwetting membranes and nanofibers for efficient oil/water separation. ○
- 37 Presence, Origins and Effect of Stable Surface Hydration on Regenerated Cellulose for Underwater Oil-repellent Membranes. **2022**, ○
- 36 Enhanced superhydrophobicity of electrospun carbon nanofiber membranes by hydrothermal growth of ZnO nanorods for oil-water separation. **2022**, 104523 ○
- 35 Application of Superhydrophobic Mesh Coated by PDMS/TiO₂ Nanocomposites for Oil/Water Separation. **2022**, 14, 5431 1
- 34 Droplet Size-Assisted Polysiloxane Architecting. ○
- 33 Fabrication of Highly Efficient Flame-Retardant and Fluorine-Free Superhydrophobic Cotton Fabric by Constructing Multielement-Containing POSS@ZIF-67@PDMS Micro/Nano Hierarchical Coatings. **2022**, 14, 56027-56045 ○
- 32 A Critical Review on Recent Progress, Open Challenges, and Applications of Corrosion-resistant Superhydrophobic Coating. **2022**, 105201 2
- 31 Preparation of a Janus-polyvinylidene fluoride micro/nano fiber membrane by centrifugal spinning and investigation into its unidirectional water transfer and oil/water separation functions. 004051752211482 ○
- 30 Investigation of Oil/Water Separation on an F-SiO₂/TiO₂-Based Superhydrophobic/Superoleophilic Surface: Experiment Evaluation and MD Simulation. ○
- 29 A robust membrane with dual superlyophobicity for solving water-caused lubricant deterioration and water contamination. ○
- 28 Omniphobic liquid-like surfaces. 1
- 27 Design and fabrication of functional hydrogels with specific surface wettability. **2023**, 52, 100697 1
- 26 Fabrication of raspberry-like starch-based polymer microspheres for W/O and O/W emulsions separation and purification. **2023**, 11, 109260 ○
- 25 Antifouling superhydrophilic porous glass membrane based on sulfobetaine prepared by thiol-ene click chemistry for high-efficiency oil/water separation. **2023**, 670, 121336 2
- 24 Electron beam assisted recycling of polyurethane (PU) sponge: Turning it into a superabsorbent for wastewater treatment. ○

- 23 Ultra-porous superamphiphilic aerogel enabled ultra-stable continuous separation of emulsion. ○
- 22 Liquid-Liquid Phase Separation of Two Non-Dissolving Liquids—A Mini Review. **2023**, 11, 1145 ○
- 21 Intelligent device composed of two membranes with opposite wettability for identification and purification of both water and oil phases from oil-in-water and water-in-oil emulsions. **2023**, 312, 123406 ○
- 20 Binary nanofibrous membranes with independent oil/water transport channels for durable emulsion separation. **2023**, 673, 121484 ○
- 19 Water-assisted synthesis of phenolic aerogel with superior compression and thermal insulation performance enabled by thick-united nano-structure. **2023**, 464, 142805 ○
- 18 Mechanically robust, thermally insulating and photo-responsive aerogels designed from sol-gel electrospun PVP-TiO₂ nanofibers. **2023**, 32, 101784 ○
- 17 Amidation reaction to derive waterborne, tolerant, and optically transparent solid slippery and superhydrophobic coatings. **2023**, 465, 142776 ○
- 16 Fabrication of a superhydrophilic/underwater superoleophobic PVDF membrane via thiol-ene photochemistry for the oil/water separation. **2023**, 664, 131138 ○
- 15 Design and preparation of ZnS superhydrophobic coating with self-healing property and oil-water separation function on stainless steel mesh surface. **2023**, 666, 131378 ○
- 14 A versatile platform of corn stalk-based membranes for high performance of oil/water separation. **2023**, 210, 111862 ○
- 13 Tailoring surface features and pore structure by carbon spiral fibers to construct the high-strength carbon foams for the fast and cyclic photo-thermal oil absorption. **2023**, 150, 190-200 ○
- 12 Controlled Nafion Modification of Membranes by Countercurrent Heating for Emulsion Separation. **2023**, 5, 1837-1847 ○
- 11 3D-Printed Robust Dual Superlyophobic Ti-Based Porous Structure for Switchable Oil/Water Emulsion Separations. **2023**, 33, ○
- 10 Dynamic wetting of various liquids: Theoretical models, experiments, simulations and applications. **2023**, 313, 102861 ○
- 9 Zero-Material Cost Production of Soil-Coated Fabrics with Underwater Superoleophobicity for Antifouling Oil/Water Separation. **2023**, 13, 276 ○
- 8 Antimicrobial cellulose paper tuned with chitosan fibers for high-flux oil/water separation. **2023**, 312, 120794 ○
- 7 High-efficiency oil/water separation of hydrophobic stainless steel Mesh filter through carbon and fluorine surface treatment. ○
- 6 Underwater superoleophobic cellulose/acrylamide-modified magnetic polyurethane foam for efficient oil/water separation. **2023**, 302, 127609 ○

- 5 Synthesis and Characterization of a New Bioinspired Superhydrophilic/Underwater Superoleophobic Hybrid Mesh Based Multi-Component Interpolymer Complexes: Exceptional Mechanical/Chemical Stability and Reusability. ○
- 4 Robust Superhydrophobic PDMS@SiO₂@UiO66-OSiR Sponge for Efficient Water-in-Oil Emulsion Separation. **2023**, 62, 5447-5457 ○
- 3 Underwater superoleophobic HKUST-1/PDA@SM membrane with excellent stability and anti-fouling performance for oil-in-water emulsion separation. **2023**, 121655 ○
- 2 A Self-Cleaning TiO₂ Bacterial Cellulose Super-Hydrophilic Underwater Super-Oleophobic Composite Membrane for Efficient Oil/Water Separation. **2023**, 28, 3396 ○
- 1 Hierarchical surface structure and performance of fluorinated copolymer films derived from side chain structure and position substitution of fluorinated monomeric units. **2023**, 181, 107605 ○