

# CITATION REPORT

List of articles citing

First trimester screening for early and late preeclampsia based on maternal characteristics, biophysical parameters, and angiogenic factors

DOI: 10.1002/pd.4519  
Prenatal Diagnosis, 2015, 35, 183-91.

**Source:** <https://exaly.com/paper-pdf/62866887/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
99	Combined Screening for Early Detection of Pre-Eclampsia. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 17952-74	6.3	40
98	First-trimester uterine artery Doppler analysis in the prediction of later pregnancy complications. <i>Disease Markers</i> , <b>2015</b> , 2015, 679730	3.2	47
97	First trimester prediction of preeclampsia. <i>Current Hypertension Reports</i> , <b>2015</b> , 17, 584	4.7	25
96	Rational and irrational ratios. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2016</b> , 48, 275-8	5.8	5
95	Maternal serum soluble fms-like tyrosine kinase-1 at 12, 22, 32 and 36 weeks of gestation in screening for pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2016</b> , 47, 478-83	5.8	16
94	Do knowledge of uterine artery resistance in the second trimester and targeted surveillance improve maternal and perinatal outcome? UTOPIA study: a randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2016</b> , 47, 680-9	5.8	28
93	Angiogenic Gene Expression in Down Syndrome Fetal Hearts. <i>Fetal Diagnosis and Therapy</i> , <b>2016</b> , 40, 21-7.4	7.4	9
92	Prediction of preeclampsia with angiogenic biomarkers. Results from the prospective Odense Child Cohort. <i>Hypertension in Pregnancy</i> , <b>2016</b> , 35, 405-19	2	16
91	Association of first-trimester angiogenic factors with placental histological findings in late-onset preeclampsia. <i>Placenta</i> , <b>2016</b> , 42, 44-50	3.4	13
90	First trimester serum levels of the soluble transcobalamin receptor, holo-transcobalamin, and total transcobalamin in relation to preeclampsia risk. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2016</b> , 76, 641-644	2	2
89	First trimester serum placental growth factor and hyperglycosylated human chorionic gonadotropin are associated with pre-eclampsia: a case control study. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 378	3.2	9
88	Renal Interlobar Vein Impedance Index as a First-Trimester Marker Does Not Predict Hypertensive Disorders of Pregnancy. <i>Journal of Ultrasound in Medicine</i> , <b>2016</b> , 35, 2641-2648	2.9	5
87	The performance of risk prediction models for pre-eclampsia using routinely collected maternal characteristics and comparison with models that include specialised tests and with clinical guideline decision rules: a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 1441-52	3.7	54
86	Etiopathogenesis, prediction, and prevention of preeclampsia. <i>Hypertension in Pregnancy</i> , <b>2016</b> , 35, 280-94	94	33
85	Maternal Serum Analytes as Predictors of Fetal Growth Restriction with Different Degrees of Placental Vascular Dysfunction. <i>Clinics in Laboratory Medicine</i> , <b>2016</b> , 36, 353-67	2.1	4
84	Brachial artery flow mediated dilation and pulsatility index change as independent predictors for hypertensive disorders in the second trimester of pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2016</b> , 200, 94-7	2.4	3
83	Preeclampsia. <i>Revista Del Laboratorio Clínico</i> , <b>2016</b> , 9, 81-89	0	

82	First trimester screening for pre-eclampsia. <i>Obstetric Medicine</i> , <b>2016</b> , 9, 106-12	1.5	7
81	Could first-trimester assessment of placental functions predict preeclampsia and intrauterine growth restriction? A prospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2016</b> , 29, 413-7	2	18
80	Changes in uterine artery Doppler velocimetry and circulating angiogenic factors in the first half of pregnancies delivering a small-for-gestational-age neonate. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2017</b> , 49, 357-363	5.8	16
79	Differential performance of first-trimester screening in predicting small-for-gestational-age neonate or fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2017</b> , 49, 349-356	5.8	29
78	Metabolic abnormalities and obesity impact on the risk for developing preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2017</b> , 312, R5-R12	3.2	50
77	Plasma biomarkers for the identification of women at risk for early-onset preeclampsia. <i>Expert Review of Proteomics</i> , <b>2017</b> , 14, 269-276	4.2	21
76	Metformin, the aspirin of the 21st century: its role in gestational diabetes mellitus, prevention of preeclampsia and cancer, and the promotion of longevity. <i>American Journal of Obstetrics and Gynecology</i> , <b>2017</b> , 217, 282-302	6.4	139
75	Using critical flicker frequency in the evaluation of visual impairment in preeclamptic women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2017</b> , 211, 188-193	2.4	0
74	First-trimester screening for pre-eclampsia: time for reflection. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2017</b> , 50, 662-663	5.8	3
73	First-trimester placental thickness and the risk of preeclampsia or SGA. <i>Placenta</i> , <b>2017</b> , 57, 123-128	3.4	12
72	Blood laboratory testing for early prediction of preeclampsia: chasing the finish line or at the starting blocks?. <i>Annals of Medicine</i> , <b>2017</b> , 49, 240-253	1.5	6
71	Low Molecular Weight Heparin Improves Endothelial Function in Pregnant Women at High Risk of Preeclampsia. <i>Hypertension</i> , <b>2017</b> , 69, 180-188	8.5	40
70	Integrated Proteomic and Metabolomic prediction of Term Preeclampsia. <i>Scientific Reports</i> , <b>2017</b> , 7, 16189	4.9	27
69	Value of Placental Volume and Vascular Flow Indices as Predictors of Early and Late Preeclampsia at First Trimester. <i>Fetal Diagnosis and Therapy</i> , <b>2018</b> , 44, 256-263	2.4	8
68	Prediction and prevention of pre-eclampsia in Asian subpopulation. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2018</b> , 44, 813-830	1.9	12
67	Estimation of asymmetric dimethylarginine (ADMA), placental growth factor (PLGF) and pentraxin 3 (PTX 3) in women with preeclampsia. <i>Pregnancy Hypertension</i> , <b>2018</b> , 14, 245-251	2.6	4
66	First-trimester screening for early and late preeclampsia using maternal characteristics, biomarkers, and estimated placental volume. <i>American Journal of Obstetrics and Gynecology</i> , <b>2018</b> , 218, 126.e1-126.e13	6.4	48
65	Maternal Characteristics for the Prediction of Preeclampsia in Nulliparous Women: The Great Obstetrical Syndromes (GOS) Study. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2018</b> , 40, 572-578	1.3	12

64	First trimester screening for pre-eclampsia in Chinese pregnancies: case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 125, 442-449	3.7	12
63	Comment on "First Trimester screening for early and late preeclampsia based on maternal characteristics, biophysical parameters, and angiogenic factors". <i>Prenatal Diagnosis</i> , <b>2018</b> , 38, 891	3.2	
62	Prediction of pre-eclampsia and its subtypes in high-risk cohort: hyperglycosylated human chorionic gonadotropin in multivariate models. <i>BMC Pregnancy and Childbirth</i> , <b>2018</b> , 18, 279	3.2	6
61	The effect of low-dose aspirin on serum placental growth factor levels in a high-risk PREDO cohort. <i>Pregnancy Hypertension</i> , <b>2018</b> , 13, 51-57	2.6	7
60	Integrated Systems Biology Approach Identifies Novel Maternal and Placental Pathways of Preeclampsia. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1661	8.4	79
59	Preeclampsia biomarkers: An assessment of maternal cardiometabolic health. <i>Pregnancy Hypertension</i> , <b>2018</b> , 13, 204-213	2.6	13
58	Doppler Indices and Notching Assessment of Uterine Artery Between the 19th and 22nd Week of Pregnancy in the Prediction of Pregnancy Outcome. <i>In Vivo</i> , <b>2019</b> , 33, 2199-2204	2.3	7
57	Predictive Performance of PlGF (Placental Growth Factor) for Screening Preeclampsia in Asymptomatic Women: A Systematic Review and Meta-Analysis. <i>Hypertension</i> , <b>2019</b> , 74, 1124-1135	8.5	30
56	Development of a biophysical screening model for gestational hypertensive diseases. <i>Journal of Biomedical Science</i> , <b>2019</b> , 26, 38	13.3	4
55	The prediction of early preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217273	3.7	41
54	External validation of prognostic models for preeclampsia in a Dutch multicenter prospective cohort. <i>Hypertension in Pregnancy</i> , <b>2019</b> , 38, 78-88	2	12
53	Using proteomics to advance the search for potential biomarkers for preeclampsia: A systematic review and meta-analysis. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214671	3.7	11
52	First-Trimester Placental Growth Factor for the Prediction of Preeclampsia in Nulliparous Women: The Great Obstetrical Syndromes Cohort Study. <i>Fetal Diagnosis and Therapy</i> , <b>2019</b> , 45, 69-75	2.4	7
51	Validation of Fetal Medicine Foundation algorithm for prediction of pre-eclampsia in the first trimester in an unselected Brazilian population. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2019</b> , 32, 286-292	2	16
50	Does Uterine Doppler Add Information to the Cerebroplacental Ratio for the Prediction of Adverse Perinatal Outcome at the End of Pregnancy?. <i>Fetal Diagnosis and Therapy</i> , <b>2020</b> , 47, 34-44	2.4	7
49	ELABELA plasma concentrations are increased in women with late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2020</b> , 33, 5-15	2	26
48	From first-trimester screening to risk stratification of evolving pre-eclampsia in second and third trimesters of pregnancy: comprehensive approach. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2020</b> , 55, 5-12	5.8	13
47	FIRST TRIMESTER SCREENING FOR PREECLAMPSIA - A SYSTEMATIC REVIEW. <i>Hypertension in Pregnancy</i> , <b>2020</b> , 39, 1-11	2	10

46	The competing risk approach for prediction of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 223, 12-23.e7	6.4	54
45	Altered level of salivary placental growth factor is associated with preeclampsia. <i>Placenta</i> , <b>2020</b> , 90, 1183-1201	3.2	1
44	First trimester preeclampsia screening and prediction. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> ,	6.4	30
43	Incidence of pre-eclampsia and other perinatal complications among pregnant women with congenital heart disease: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2021</b> , 58, 519-528	5.8	3
42	Utility of biochemical tests in prediction, diagnostics and clinical management of preeclampsia: a review. <i>Archives of Medical Science</i> , <b>2020</b> , 16, 1370-1375	2.9	2
41	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. <i>BMC Medicine</i> , <b>2020</b> , 18, 302	11.4	4
40	Salivary uric acid as a predictive test of preeclampsia, pregnancy-induced hypertension and preterm delivery: A pilot study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2020</b> , 99, 1339-1345	3.8	6
39	A new model for screening for early-onset preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 222, 608.e1-608.e18	6.4	19
38	Concordance-analysis and evaluation of different diagnostic algorithms used in first trimester screening for late-onset preeclampsia. <i>Hypertension in Pregnancy</i> , <b>2020</b> , 39, 172-185	2	1
37	Systematic review of prediction models for gestational hypertension and preeclampsia. <i>PLoS ONE</i> , <b>2020</b> , 15, e0230955	3.7	14
36	Diagnostic Performance of First Trimester Screening of Preeclampsia Based on Uterine Artery Pulsatility Index and Maternal Risk Factors in Routine Clinical Use. <i>Diagnostics</i> , <b>2020</b> , 10,	3.8	2
35	Reply. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> , 224, 247	6.4	
34	A risk model that combines MAP, PlGF, and PAPP-A in the first trimester of pregnancy to predict hypertensive disorders of pregnancy. <i>Journal of Human Hypertension</i> , <b>2021</b> ,	2.6	1
33	ROLE OF BIOMARKERS IN EARLY DETECTION OF PREECLAMPSIA. <i>Global Problems of Modernity</i> , <b>2021</b> , 2, 18-38	0	
32	References. <b>2021</b> , 525-541		
31	Predictive Performance of Serum hCG MoM Levels for Preeclampsia Screening: A Meta-Analysis. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 619530	5.7	0
30	Clinical implementation of pre-eclampsia screening in the first trimester of pregnancy. <i>Pregnancy Hypertension</i> , <b>2021</b> , 25, 34-38	2.6	0
29	Known biomarkers for monitoring pregnancy complications. <i>Expert Review of Molecular Diagnostics</i> , <b>2021</b> , 21, 1115-1117	3.8	0

28	The prediction of late-onset preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181468	3.7	52
27	Comparison of Multivariable Logistic Regression and Other Machine Learning Algorithms for Prognostic Prediction Studies in Pregnancy Care: Systematic Review and Meta-Analysis. <i>JMIR Medical Informatics</i> , <b>2020</b> , 8, e16503	3.6	12
26	Mini-combined test compared with NICE guidelines for early risk-assessment for pre-eclampsia: the SPREE diagnostic accuracy study. <i>Efficacy and Mechanism Evaluation</i> , <b>2020</b> , 7, 1-156	1.7	1
25	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , <b>2020</b> , 24, 1-252	4.4	6
24	Prospective Evaluation of International Prediction of Pregnancy Complications Collaborative Network Models for Prediction of Preeclampsia: Role of Serum sFlt-1 at 11-13 Weeks Gestation. <i>Hypertension</i> , <b>2021</b> , HYPERTENSIONAHA12118021	8.5	1
23	Prediction. <b>2019</b> , 73-82		
22	Modern possibilities of prediction and early diagnosis of preeclampsia. <i>Russian Bulletin of Obstetrician-Gynecologist</i> , <b>2021</b> , 21, 32	0.2	
21	A mathematical model of maternal vascular growth and remodeling and changes in maternal hemodynamics in uncomplicated pregnancy.. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2022</b> , 1	3.8	0
20	First trimester serum matrix metalloproteinase-7 is a poor predictor of late-onset preeclampsia.. <i>Pregnancy Hypertension</i> , <b>2022</b> , 28, 94-99	2.6	1
19	Cardiac dysfunction and remodeling regulated by anti-angiogenic environment in patients with preeclampsia: the ANGIOCOR prospective cohort study protocol. <i>BMC Pregnancy and Childbirth</i> , <b>2021</b> , 21, 816	3.2	1
18	Data_Sheet_1.zip. <b>2018</b> ,		
17	Image_1.pdf. <b>2018</b> ,		
16	Image_10.pdf. <b>2018</b> ,		
15	Image_11.pdf. <b>2018</b> ,		
14	Image_12.pdf. <b>2018</b> ,		
13	Image_13.pdf. <b>2018</b> ,		
12	Image_2.pdf. <b>2018</b> ,		
11	Image_3.pdf. <b>2018</b> ,		

10 Image\_4.pdf. 2018,

9 Image\_5.pdf. 2018,

8 Image\_6.pdf. 2018,

7 Image\_7.pdf. 2018,

6 Image\_8.pdf. 2018,

5 Image\_9.pdf. 2018,

4 Evaluation of placental growth potential and placental bed perfusion by 3D ultrasound for early second-trimester prediction of preeclampsia. *Journal of Assisted Reproduction and Genetics*, 3-4

3 Preeclampsia at term can be classified into two clusters with different clinical characteristics and outcomes based on angiogenic biomarkers in maternal blood. 2022, 1

2 First trimester serum apolipoproteins in the prediction of late-onset preeclampsia. 1-8 0

1 Perspectives on the Use of Placental Growth Factor (PLGF) in the Prediction and Diagnosis of Pre-Eclampsia: Recent Insights and Future Steps. Volume 15, 255-271 1