

CITATION REPORT

List of articles citing

Towards greener and more sustainable batteries for electrical energy storage

DOI: 10.1038/nchem.2085
Nature Chemistry, 2015, 7, 19-29.

Source: <https://exaly.com/paper-pdf/62881756/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2218	Bibliography. 2015 , 63-74		
2217	Graphene Oxide Wrapped Amorphous Copper Vanadium Oxide with Enhanced Capacitive Behavior for High-Rate and Long-Life Lithium-Ion Battery Anodes. 2015 , 2, 1500154		100
2216	Carbon Nanohorns Carried Iron Fluoride Nanocomposite with ultrahigh rate lithium ion storage properties. 2015 , 5, 12154		16
2215	Electrolytes Ageing in Lithium-ion Batteries: A Mechanistic Study from Picosecond to Long Timescales. 2015 , 8, 3605-16		15
2214	Design Considerations for Unconventional Electrochemical Energy Storage Architectures. 2015 , 5, 1402115		224
2213	Safety-Reinforced Poly(Propylene Carbonate)-Based All-Solid-State Polymer Electrolyte for Ambient-Temperature Solid Polymer Lithium Batteries. 2015 , 5, 1501082		391
2212	Pushing Up Lithium Storage through Nanostructured Polyazaacene Analogues as Anode. 2015 , 127, 7462-7466		38
2211	Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. 2015 , 127, 9768-9772		68
2210	A Superior Na ₃ V ₂ (PO ₄) ₃ -Based Nanocomposite Enhanced by Both N-Doped Coating Carbon and Graphene as the Cathode for Sodium-Ion Batteries. 2015 , 21, 17371-8		145
2209	In Situ X-Ray Diffraction Studies on Structural Changes of a P2 Layered Material during Electrochemical Desodiation/Sodiation. 2015 , 25, 3227-3237		97
2208	Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. 2015 , 54, 9632-6		214
2207	Superior Na-Storage Performance of Low-Temperature-Synthesized Na ₃ (VO _{1-x} PO ₄) ₂ F _{1+2x} (0 ≤ x ≤ 1) Nanoparticles for Na-Ion Batteries. 2015 , 54, 9911-6		149
2206	Fast Li ion dynamics in the solid electrolyte Li ₇ P ₃ S ₁₁ as probed by (6,7) Li NMR spin-lattice relaxation. 2015 , 16, 2582-93		34
2205	Superior Na-Storage Performance of Low-Temperature-Synthesized Na ₃ (VO _{1-x} PO ₄) ₂ F _{1+2x} (0 ≤ x ≤ 1) Nanoparticles for Na-Ion Batteries. 2015 , 127, 10049-10054		28
2204	Polyanthraquinone as a Reliable Organic Electrode for Stable and Fast Lithium Storage. 2015 , 54, 13947-51		243
2203	Mechanistic Studies of Transition Metal-Terephthalate Coordination Complexes upon Electrochemical Lithiation and Delithiation. 2015 , 25, 4859-4866		51
2202	A Quasi-Solid-State Sodium-Ion Capacitor with High Energy Density. 2015 , 27, 6962-8		155

2201	Graphene-Containing Nanomaterials for Lithium-Ion Batteries. 2015 , 5, 1500400	153
2200	Cost-Effective Hierarchical Catalysts for Promoting Hydrogen Release from Complex Hydrides. 2015 , 8, 2713-8	5
2199	Dichotomy in the Lithiation Pathway of Ellipsoidal and Platelet LiFePO ₄ Particles Revealed through Nanoscale Operando State-of-Charge Imaging. 2015 , 25, 3677-3687	59
2198	Polyanthraquinone as a Reliable Organic Electrode for Stable and Fast Lithium Storage. 2015 , 127, 14153-14158	7
2197	. 2015 ,	3
2196	Graphene Nanosheets Based Cathodes for Lithium-Oxygen Batteries. 2015 , 1, 27-42	2
2195	Redox Species of Redox Flow Batteries: A Review. 2015 , 20, 20499-517	114
2194	Looming Scarcity of Phosphate Rock and Intensification of Soil Phosphorus Research. 2015 , 39, 637-642	7
2193	A rechargeable sodium-ion battery using a nanostructured Sb ₂ S ₃ anode and P2-type layered Na _{0.6} Ni _{0.22} Fe _{0.11} Mn _{0.66} O ₂ cathode. 2015 , 5, 48928-48934	49
2192	Microporous polymer electrolyte based on PVDF/PEO star polymer blends for lithium ion batteries. 2015 , 491, 82-89	134
2191	Fast and Large Lithium Storage in 3D Porous VN Nanowires/Graphene Composite as a Superior Anode Toward High-Performance Hybrid Supercapacitors. 2015 , 25, 2270-2278	328
2190	Thermally Modified Graphite Electrodes for the Positive Side of the Zinc-Cerium Redox Flow Battery. 2015 , 162, A809-A819	11
2189	Three-dimensional honeycomb-like hierarchically structured carbon for high-performance supercapacitors derived from high-ash-content sewage sludge. 2015 , 3, 15225-15234	97
2188	Transition metal oxide-carbon composites as conversion anodes for sodium-ion battery. 2015 , 173, 613-618	69
2187	Electrospun V ₂ O ₅ micro/nanorods as cathode materials for lithium ion battery. 2015 , 759, 184-189	18
2186	Quantifying the promise of Beyond-Li-ion batteries. 2015 , 2, 045002	38
2185	Facile synthesis of viologen and its reversible lithium storage property in organic lithium-ion batteries. 2015 , 5, 105632-105635	6
2184	Very fast bulk Li ion diffusivity in crystalline Li(1.5)Al(0.5)Ti(1.5)(PO ₄) ₃ as seen using NMR relaxometry. 2015 , 17, 32115-21	59

2183	Role of Na ⁺ Interstitials and Dopants in Enhancing the Na ⁺ Conductivity of the Cubic Na ₃ PS ₄ Superionic Conductor. 2015 , 27, 8318-8325	137
2182	General strategy to synthesize uniform mesoporous TiO ₂ /graphene/mesoporous TiO ₂ sandwich-like nanosheets for highly reversible lithium storage. 2015 , 15, 2186-93	248
2181	A new low-voltage plateau of Na ₃ V ₂ (PO ₄) ₃ as an anode for Na-ion batteries. 2015 , 51, 6381-3	108
2180	Recent developments in electrode materials for sodium-ion batteries. 2015 , 3, 9353-9378	357
2179	Chemically Chargeable Photo Battery. 2015 , 119, 14010-14016	31
2178	The transformation from amorphous iron phosphate to sodium iron phosphate in sodium-ion batteries. 2015 , 17, 22144-51	15
2177	Anti-P2 structured Na _{0.5} NbO ₂ and its negative strain effect. 2015 , 8, 2753-2759	12
2176	Preparation and characterization of Li ₃ V ₂ (PO ₄) ₃ grown on carbon nanofiber as cathode material for lithium-ion batteries. 2015 , 176, 1358-1363	20
2175	A vertical-oriented WS ₂ nanosheet sensitized by graphene: an advanced electrocatalyst for hydrogen evolution reaction. 2015 , 7, 14760-5	78
2174	A shortcut to garnet-type fast Li-ion conductors for all-solid state batteries. 2015 , 3, 18636-18648	89
2173	Anatase TiO ₂ ultrathin nanobelts derived from room-temperature-synthesized titanates for fast and safe lithium storage. 2015 , 5, 11804	70
2172	3D Nanostructured Molybdenum Diselenide/Graphene Foam as Anodes for Long-Cycle Life Lithium-ion Batteries. 2015 , 176, 103-111	95
2171	Update on anode materials for Na-ion batteries. 2015 , 3, 17899-17913	341
2170	Flexible metal-organic frameworks as superior cathodes for rechargeable sodium-ion batteries. 2015 , 3, 16590-16597	79
2169	Lithium-ion polymer cells assembled with a reactive composite separator containing vinyl-functionalized SiO ₂ particles. 2015 , 295, 149-155	22
2168	Multiphase and Double-Layer NiFe ₂ O ₄ @NiO-Hollow-Nanosphere-Decorated Reduced Graphene Oxide Composite Powders Prepared by Spray Pyrolysis Applying Nanoscale Kirkendall Diffusion. 2015 , 7, 16842-9	50
2167	Humic acid as promising organic anodes for lithium/sodium ion batteries. 2015 , 51, 14708-11	62
2166	Important Role of Functional Groups for Sodium Ion Intercalation in Expanded Graphite. 2015 , 27, 5402-5406	62

2165	Transient Rechargeable Batteries Triggered by Cascade Reactions. 2015 , 15, 4664-71	60
2164	Phosphite as Polyanion-Based Cathode for Li-Ion Battery: Synthesis, Structure, and Electrochemistry of LiFe(HPO ₃) ₂ . 2015 , 54, 6566-72	13
2163	Pyrite (FeS ₂) nanocrystals as inexpensive high-performance lithium-ion cathode and sodium-ion anode materials. 2015 , 7, 9158-63	151
2162	CarbonSulfur Composites from Cylindrical and Gyroidal Mesoporous Carbons with Tunable Properties in LithiumSulfur Batteries. 2015 , 27, 3349-3357	57
2161	Will new aluminum-ion battery be a game changer?. 2015 , 60, 1042-1044	8
2160	Robust Fe ₂ O ₃ nanorod arrays with optimized interstices as high-performance 3D anodes for high-rate lithium ion batteries. 2015 , 3, 13377-13383	44
2159	High capacity group-15 alloy anodes for Na-ion batteries: Electrochemical and mechanical insights. 2015 , 285, 29-36	61
2158	Inverse vulcanization of elemental sulfur with 1,4-diphenylbutadiyne for cathode materials in LiS batteries. 2015 , 5, 24718-24722	114
2157	Renewable-juglone-based high-performance sodium-ion batteries. 2015 , 27, 2348-54	181
2156	A phase-transfer assisted solvo-thermal strategy for low-temperature synthesis of Na ₃ (VO _{1-x} PO ₄) ₂ F _{1+2x} cathodes for sodium-ion batteries. 2015 , 51, 7160-3	51
2155	An electrochemical investigation of rutile TiO ₂ microspheres anchored by nanoneedle clusters for sodium storage. 2015 , 17, 15764-70	66
2154	Integrated SnO ₂ nanorod array with polypyrrole coverage for high-rate and long-life lithium batteries. 2015 , 17, 7619-23	70
2153	Flexible supercapacitors based on paper substrates: a new paradigm for low-cost energy storage. 2015 , 44, 5181-99	455
2152	Fast and Reversible Li Ion Insertion in Carbon-Encapsulated Li ₃ VO ₄ as Anode for Lithium-Ion Battery. 2015 , 25, 3497-3504	148
2151	Pushing Up Lithium Storage through Nanostructured Polyazaacene Analogues as Anode. 2015 , 54, 7354-8	181
2150	Controlled synthesis and enhanced electrochemical performance of Prussian blue analogue-derived hollow FeCo ₂ O ₄ nanospheres as lithium-ion battery anodes. 2015 , 5, 36575-36581	42
2149	Structural Design of Cathodes for Li-S Batteries. 2015 , 5, 1500124	342
2148	Effect of Cu substitution on structures and electrochemical properties of Li[NiCo _{1-x} Cu _x Mn] _{1/3} O ₂ as cathode materials for lithium ion batteries. 2015 , 44, 18624-31	18

2147	Supramolecular Perylene Bisimide-Polysulfide Gel Networks as Nanostructured Redox Mediators in Dissolved Polysulfide Lithium-Sulfur Batteries. 2015 , 27, 6765-6770	63
2146	Iron Carbide Nanoparticles Encapsulated in Mesoporous Fe-N-Doped Graphene-Like Carbon Hybrids as Efficient Bifunctional Oxygen Electrocatalysts. 2015 , 7, 21511-20	216
2145	Graphene oxide supported sodium stannate lithium ion battery anodes by the peroxide route: low temperature and no waste processing. 2015 , 3, 20681-20689	25
2144	Anionic ordering and thermal properties of FeF ₃ ·BH ₂ O. 2015 , 54, 9619-25	17
2143	Two-Dimensional Tin Disulfide Nanosheets for Enhanced Sodium Storage. 2015 , 9, 11371-81	231
2142	Lattice Breathing Inhibited Layered Vanadium Oxide Ultrathin Nanobelts for Enhanced Sodium Storage. 2015 , 7, 18211-7	76
2141	Organic-Catholyte-Containing Flexible Rechargeable Lithium Batteries. 2015 , 27, 5141-6	80
2140	A Dual-Ion Battery Cathode via Oxidative Insertion of Anions in a Metal-Organic Framework. 2015 , 137, 13594-602	211
2139	Review: Advanced Carbon-Supported Organic Electrode Materials for Lithium (Sodium)-Ion Batteries. 2015 , 162, A2393-A2405	99
2138	Rechargeable Batteries: Grasping for the Limits of Chemistry. 2015 , 162, A2468-A2475	179
2137	Bi-functional Li ₂ B ₁₂ H ₁₂ for energy storage and conversion applications: solid-state electrolyte and luminescent down-conversion dye. 2015 , 3, 22853-22859	49
2136	Modeling the evolution of lithium-ion particle contact distributions using a fabric tensor approach. 2015 , 297, 540-550	20
2135	Carbon-coated Sb ₂ Se ₃ composite as anode material for sodium ion batteries. 2015 , 60, 74-77	61
2134	Improved Electrochemical Performance of NaVOPO ₄ Positive Electrodes at Elevated Temperature in an Ionic Liquid Electrolyte. 2015 , 162, A2093-A2098	24
2133	High power organic cathodes using thin films of electropolymerized benzidine polymers. 2015 , 51, 14674-7	10
2132	Nanotechnology enabled rechargeable Li ₂ O ₂ batteries: another approach towards post-lithium-ion battery systems. 2015 , 8, 3173-3180	18
2131	Ion Dynamics in Solid Electrolytes: NMR Reveals the Elementary Steps of Li ⁺ Hopping in the Garnet Li _{6.5} La ₃ Zr _{1.75} Mo _{0.25} O ₁₂ . 2015 , 27, 6571-6582	49
2130	Organic electrode for non-aqueous potassium-ion batteries. 2015 , 18, 205-211	325

2129	A smart self-regenerative lithium ion supercapacitor with a real-time safety monitor. 2015 , 1, 146-151	27
2128	Study of Water-Based Lithium Titanate Electrode Processing: The Role of pH and Binder Molecular Structure. 2016 , 8,	32
2127	Facile conductive surface modification of Si nanoparticle with nitrogen-doped carbon layers for lithium-ion batteries. 2016 , 20, 2873-2878	12
2126	Hierarchically structured layered-double-hydroxide@zeolitic-imidazolate-framework derivatives for high-performance electrochemical energy storage. 2016 , 4, 12526-12534	65
2125	Understanding the Structural Evolution and Redox Mechanism of a NaFeO ₂ /NaCoO ₂ Solid Solution for Sodium-Ion Batteries. 2016 , 26, 6047-6059	107
2124	Mesoporous Titanium Nitride-Enabled Highly Stable Lithium-Sulfur Batteries. 2016 , 28, 6926-31	459
2123	Graphene-Based Nanocomposites for Energy Storage. 2016 , 6, 1502159	233
2122	High-Safety and Low-Cost Photoassisted Chargeable Aqueous Sodium-Ion Batteries with 90% Input Electric Energy Savings. 2016 , 6, 1600632	52
2121	Hard Carbon Microtubes Made from Renewable Cotton as High-Performance Anode Material for Sodium-Ion Batteries. 2016 , 6, 1600659	488
2120	Germaniumbasierte Nanomaterialien für wiederaufladbare Batterien. 2016 , 128, 8028-8054	5
2119	Germanium-Based Nanomaterials for Rechargeable Batteries. 2016 , 55, 7898-922	122
2118	A Bio-Inspired, Heavy-Metal-Free, Dual-Electrolyte Liquid Battery towards Sustainable Energy Storage. 2016 , 55, 4772-6	119
2117	A Bio-Inspired, Heavy-Metal-Free, Dual-Electrolyte Liquid Battery towards Sustainable Energy Storage. 2016 , 128, 4850-4854	35
2116	Graphene Nanosheets Suppress the Growth of Sb Nanoparticles in an Sb/C Nanocomposite to Achieve Fast Na Storage. 2016 , 33, 204-211	37
2115	Transition-Metal-Free Biomolecule-Based Flexible Asymmetric Supercapacitors. 2016 , 12, 4683-9	37
2114	Critical Challenges in Rechargeable Aprotic LiO ₂ Batteries. 2016 , 6, 1502303	305
2113	A Novel Aluminum@Graphite Dual-Ion Battery. 2016 , 6, 1502588	513
2112	Molten Zinc Alloys for Lower Temperature, Lower Cost Liquid Metal Batteries. 2016 , 1, 1600035	5

2111	Engineering the Electronic Structure of 2D WS ₂ Nanosheets Using Co Incorporation as Cox W(1-x) S ₂ for Conspicuously Enhanced Hydrogen Generation. 2016 , 12, 3802-9	47
2110	MOF-Derived Porous Ni ₃ Fe ₃ -xO ₄ Nanotubes with Excellent Performance in Lithium-Ion Batteries. 2016 , 3, 299-308	29
2109	Nanostructured TiO ₂ -Based Anode Materials for High-Performance Rechargeable Lithium-Ion Batteries. 2016 , 2, 764-775	90
2108	Comprehensive Insights into the Reactivity of Electrolytes Based on Sodium Ions. 2016 , 9, 462-71	112
2107	High-Density Monolith of N-Doped Holey Graphene for Ultrahigh Volumetric Capacity of Li-Ion Batteries. 2016 , 6, 1502100	142
2106	Low-cost superior solid-state symmetric supercapacitors based on hematite nanocrystals. 2016 , 27, 505404	13
2105	Energy harvesting flexible regenerative power source for wearable devices. 2016 ,	1
2104	Strain Engineering to Modify the Electrochemistry of Energy Storage Electrodes. 2016 , 6, 27542	37
2103	Sustainable energy supply using renewable sources supported by storage technology. 2016 ,	2
2102	Nanoscale zinc-based metal-organic framework with high capacity for lithium-ion batteries. 2016 , 18, 1	18
2101	Structure and Dynamic Behavior of Sodium Diglyme Complex in the Graphite Anode of Sodium Ion Battery by 2H Nuclear Magnetic Resonance. 2016 , 120, 28152-28156	25
2100	Direct Superassemblies of Freestanding Metal-Carbon Frameworks Featuring Reversible Crystalline-Phase Transformation for Electrochemical Sodium Storage. 2016 , 138, 16533-16541	97
2099	Anchoring SbO Nanocrystals on Graphene Sheets for Enhanced Lithium Storage. 2016 , 8, 35398-35406	34
2098	Persistent Clocks for Batteryless Sensing Devices. 2016 , 15, 1-28	25
2097	Enhanced energy density with a wide thermal stability in epitaxial Pb _{0.92} La _{0.08} Zr _{0.52} Ti _{0.48} O ₃ thin films. 2016 , 109, 193904	39
2096	Synthesis of SnSb-embedded carbon-silica fibers via electrospinning: Effect of TEOS on structural evolutions and electrochemical properties. 2016 , 1-2, 24-32	33
2095	Solar Electricity and Solar Fuels: Status and Perspectives in the Context of the Energy Transition. 2016 , 22, 32-57	239
2094	Intimately coupled hybrid of graphitic carbon nitride nanoflakelets with reduced graphene oxide for supporting Pd nanoparticles: A stable nanocatalyst with high catalytic activity towards formic acid and methanol electrooxidation. 2016 , 200, 131-141	43

2093	Unique starch polymer electrolyte for high capacity all-solid-state lithium sulfur battery. 2016 , 18, 3796-3803	103
2092	Porous niobium nitride as a capacitive anode material for advanced Li-ion hybrid capacitors with superior cycling stability. 2016 , 4, 9760-9766	80
2091	Diffusion-induced ⁷ Li NMR spin-lattice relaxation of fully lithiated, mixed-conducting Li ₇ Ti ₅ O ₁₂ . 2016 , 287, 77-82	13
2090	Elemental Sulfur and Molybdenum Disulfide Composites for Li-S Batteries with Long Cycle Life and High-Rate Capability. 2016 , 8, 13437-48	92
2089	Coaxial Co ₃ O ₄ @polypyrrole core-shell nanowire arrays for high performance lithium ion batteries. 2016 , 209, 192-200	44
2088	Correlation Between Microstructure and Na Storage Behavior in Hard Carbon. 2016 , 6, 1501588	261
2087	pH-regulative synthesis of Na ₃ (VPO ₄) ₂ F ₃ nanoflowers and their improved Na cycling stability. 2016 , 4, 7178-7184	60
2086	How a very trace amount of graphene additive works for constructing an efficient conductive network in LiCoO ₂ -based lithium-ion batteries. 2016 , 103, 356-362	64
2085	The role of stable interface in nano-sized FeNbO ₄ as anode electrode for lithium-ion batteries. 2016 , 203, 206-212	19
2084	Tetragonal Tungsten Bronze Framework as Potential Anode for Na-Ion Batteries. 2016 , 28, 3139-3147	37
2083	Modeling Investigation of the Local Electrochemistry in Lithium-O ₂ Batteries: A Kinetic Monte Carlo Approach. 2016 , 163, A329-A337	21
2082	Simultaneous optimization of surface chemistry and pore morphology of 3D graphene-sulfur cathode via multi-ion modulation. 2016 , 321, 193-200	36
2081	Lithium Dendrite Suppression with UV-Curable Polysilsesquioxane Separator Binders. 2016 , 8, 12852-8	49
2080	Emerging non-lithium ion batteries. 2016 , 4, 103-129	180
2079	First principles study of nanostructured TiS ₂ electrodes for Na and Mg ion storage. 2016 , 320, 322-331	35
2078	High rate capabilities of HF-etched SiOC anode materials derived from polymer for lithium-ion batteries. 2016 , 6, 43316-43321	27
2077	A self-healable and easily recyclable supramolecular hydrogel electrolyte for flexible supercapacitors. 2016 , 4, 8769-8776	178
2076	Depolarization effects of Li ₂ FeSiO ₄ nanocrystals wrapped in different conductive carbon networks as cathodes for high performance lithium-ion batteries. 2016 , 6, 47723-47729	15

2075	Discriminating the Mobile Ions from the Immobile Ones in $\text{Li}_{4+x}\text{Ti}_5\text{O}_{12}$: ^6Li NMR Reveals the Main Li^+ Diffusion Pathway and Proposes a Refined Lithiation Mechanism. 2016 , 120, 11372-11381	34
2074	Carbonized nanocellulose sustainably boosts the performance of activated carbon in ionic liquid supercapacitors. 2016 , 25, 161-169	104
2073	Molecularly designed, dual-doped mesoporous carbon/SWCNT nanoshields for lithium battery electrode materials. 2016 , 4, 14996-15005	1
2072	3D Interconnected and Multiwalled Carbon@MoS ₂ @Carbon Hollow Nanocables as Outstanding Anodes for Na-Ion Batteries. 2016 , 12, 6033-6041	103
2071	Bio-derived hierarchically macro-meso-micro porous carbon anode for lithium/sodium ion batteries. 2016 , 329, 412-421	82
2070	Durable potassium ion battery electrodes from high-rate cointercalation into graphitic carbons. 2016 , 4, 14954-14959	131
2069	Nanostructured positive electrode materials for post-lithium ion batteries. 2016 , 9, 3570-3611	202
2068	Personal Vehicles Evaluated against Climate Change Mitigation Targets. 2016 , 50, 10795-10804	53
2067	Carbon-Coated Porous Aluminum Foil Anode for High-Rate, Long-Term Cycling Stability, and High Energy Density Dual-Ion Batteries. 2016 , 28, 9979-9985	280
2066	Enhanced performance of lithium sulfur batteries with conductive polymer modified separators. 2016 , 4, 16968-16974	82
2065	Excellent Performance of Lithium-Sulfur batteries with Carbonized Porous Aromatic Framework Nanobeads as Support. 2016 , 219, 143-151	17
2064	Rod-like Ordered Mesoporous Carbons with Various Lengths as Anode Materials for Sodium Ion Battery. 2016 , 218, 285-293	17
2063	Organic-inorganic hybrid solid electrolytes for solid-state lithium cells operating at room temperature. 2016 , 218, 271-277	57
2062	Rational design of three-dimensional macroporous silicon as high performance Li-ion battery anodes with long cycle life. 2016 , 331, 76-81	47
2061	Ionic liquid electrolytes with high sodium ion fraction for high-rate and long-life sodium secondary batteries. 2016 , 332, 51-59	58
2060	Hierarchical three-dimensional MnO nanorods/carbon anodes for ultralong-life lithium-ion batteries. 2016 , 4, 16936-16945	68
2059	Lamellar MoSe nanosheets embedded with MoO ₃ nanoparticles: novel hybrid nanostructures promoted excellent performances for lithium ion batteries. 2016 , 8, 17902-17910	129
2058	Nitrogen-doped hierarchically porous carbon networks: synthesis and applications in lithium-ion battery, sodium-ion battery and zinc-air battery. 2016 , 219, 592-603	138

2057	Cycling of a Lithium-Ion Battery with a Silicon Anode Drives Large Mechanical Actuation. 2016 , 28, 10236-10243	33
2056	Challenges and prospects of the role of solid electrolytes in the revitalization of lithium metal batteries. 2016 , 4, 17251-17259	202
2055	Nano Day: Celebrating the Next Decade of Nanoscience and Nanotechnology. 2016 , 10, 9093-9103	56
2054	Studies of interface characteristics of fine-grain ferroelectric based glass-ceramic composites using impedance spectroscopy. 2016 , 682, 196-202	3
2053	CuS quantum dot modified carbon aerogel as an immobilizer for lithium polysulfides for high-performance lithium-sulfur batteries. 2016 , 6, 71319-71327	28
2052	A Biodegradable Polydopamine-Derived Electrode Material for High-Capacity and Long-Life Lithium-Ion and Sodium-Ion Batteries. 2016 , 128, 10820-10824	121
2051	A Biodegradable Polydopamine-Derived Electrode Material for High-Capacity and Long-Life Lithium-Ion and Sodium-Ion Batteries. 2016 , 55, 10662-6	254
2050	Ice Templated Free-Standing Hierarchically WS ₂ /CNT-rGO Aerogel for High-Performance Rechargeable Lithium and Sodium Ion Batteries. 2016 , 6, 1601057	223
2049	Role of PF ₆ ⁻ in the radiolytical and electrochemical degradation of propylene carbonate solutions. 2016 , 326, 285-295	11
2048	The importance of solid electrolyte interphase formation for long cycle stability full-cell Na-ion batteries. 2016 , 27, 664-672	33
2047	Lithium- and Manganese-Rich Oxide Cathode Materials for High-Energy Lithium Ion Batteries. 2016 , 6, 1600906	177
2046	Hierarchical multi-component nanofiber separators for lithium polysulfide capture in lithium-sulfur batteries: an experimental and molecular modeling study. 2016 , 4, 13572-13581	52
2045	A multi-layered Fe ₂ O ₃ /graphene composite with mesopores as a catalyst for rechargeable aprotic lithium-oxygen batteries. 2016 , 27, 365402	17
2044	Towards cost-effective silicon anodes using conductive polyaniline-encapsulated silicon micropowders. 2016 , 6, 77682-77687	3
2043	Towards high durable lithium ion batteries with waterborne LiFePO ₄ electrodes. 2016 , 215, 238-246	15
2042	Highly improved electrochemical performance of Li-S batteries with heavily nitrogen-doped three-dimensional porous graphene interlayers. 2016 , 84, 218-224	27
2041	Carbon-coated hierarchical NaTi ₂ (PO ₄) ₃ mesoporous microflowers with superior sodium storage performance. 2016 , 28, 224-231	114
2040	Recent Progress in Self-Supported Metal Oxide Nanoarray Electrodes for Advanced Lithium-Ion Batteries. 2016 , 3, 1600049	84

2039	Vacancy-Contained Tetragonal NaSbS Superionic Conductor. 2016 , 3, 1600089	115
2038	Recent Development of Advanced Electrode Materials by Atomic Layer Deposition for Electrochemical Energy Storage. 2016 , 3, 1500405	78
2037	Vanadium based materials as electrode materials for high performance supercapacitors. 2016 , 329, 148-169	216
2036	Flexible Nb ₂ O ₅ nanowires/graphene film electrode for high-performance hybrid Li-ion supercapacitors. 2016 , 328, 599-606	86
2035	Electrochemistry of Selenium with Sodium and Lithium: Kinetics and Reaction Mechanism. 2016 , 10, 8788-95	119
2034	Strategic Preparation of Efficient and Durable NiCo Alloy Supported N-Doped Porous Graphene as an Oxygen Evolution Electrocatalyst: A Theoretical and Experimental Investigation. 2016 , 3, 1600532	38
2033	A Biradical Balancing Act: Redox Amphoterism in a Diindenoanthracene Derivative Results from Quinoidal Acceptor and Aromatic Donor Motifs. 2016 , 138, 12648-54	39
2032	Rational selection of amorphous or crystalline VO cathode for sodium-ion batteries. 2016 , 18, 25645-25654	41
2031	Enthalpic versus Entropic Contribution to the Quinone Formal Potential in a Polypyrrole-Based Conducting Redox Polymer. 2016 , 120, 21178-21183	14
2030	SnSe ₂ 2D Anodes for Advanced Sodium Ion Batteries. 2016 , 6, 1601188	192
2029	A Metal-Amino Acid Complex-Derived Bifunctional Oxygen Electrocatalyst for Rechargeable Zinc-Air Batteries. 2016 , 12, 5414-5421	41
2028	High Capacity NaO ₂ Batteries: Key Parameters for Solution-Mediated Discharge. 2016 , 120, 20068-20076	83
2027	A Dual-Ion Battery Constructed with Aluminum Foil Anode and Mesocarbon Microbead Cathode via an Alloying/Intercalation Process in an Ionic Liquid Electrolyte. 2016 , 3, 1600605	75
2026	FeMnO: a high-performance Li-ion battery anode material. 2016 , 52, 11414-11417	30
2025	A Flexible Quasi-Solid-State Nickel-Zinc Battery with High Energy and Power Densities Based on 3D Electrode Design. 2016 , 28, 8732-8739	367
2024	Novel Metal Chalcogenide SnSSe as a High-Capacity Anode for Sodium-Ion Batteries. 2016 , 28, 8645-8650	97
2023	Crumpled nitrogen- and boron-dual-self-doped graphene sheets as an extraordinary active anode material for lithium ion batteries. 2016 , 4, 14155-14162	28
2022	Ionic liquid-based electrolytes for Beyond lithium battery technologies. 2016 , 4, 13378-13389	118

2021	Analytical ABF-STEM imaging of Li ions in rechargeable batteries. 2017 , 66, 25-38	11
2020	Redox-active metal-organic frameworks as electrode materials for batteries. 2016 , 41, 883-889	27
2019	Intercalation Pseudocapacitance in Ultrathin VOPO ₄ Nanosheets: Toward High-Rate Alkali-Ion-Based Electrochemical Energy Storage. 2016 , 16, 742-7	205
2018	Impact of LiO Particle Size on Li-O Battery Charge Process: Insights from a Multiscale Modeling Perspective. 2016 , 7, 3897-3902	29
2017	Microsized Sn as Advanced Anodes in Glyme-Based Electrolyte for Na-Ion Batteries. 2016 , 28, 9824-9830	151
2016	Bilayered Nanostructured V ₂ O ₅ ·H ₂ O for Metal Batteries. 2016 , 6, 1600868	101
2015	Facile synthesis of ZnCo ₂ O ₄ mesoporous structures with enhanced electrocatalytic oxygen evolution reaction properties. 2016 , 6, 92699-92704	26
2014	Synthesis and electrochemical performance of a coaxial VGCF@ZnMnO ₃ nanocomposite as a high-capacity anode material for lithium-ion batteries. 2016 , 216, 376-385	12
2013	Controlled Growth of Nanostructured Biotemplates with Cobalt and Nitrogen Codoping as a Binderless Lithium-Ion Battery Anode. 2016 , 8, 26868-26877	8
2012	Introducing Rolled-Up Nanotechnology for Advanced Energy Storage Devices. 2016 , 6, 1600797	41
2011	Cobalt-based metal organic framework with superior lithium anodic performance. 2016 , 242, 71-76	86
2010	Atomic-Scale Control of Silicon Expansion Space as Ultrastable Battery Anodes. 2016 , 10, 8243-51	108
2009	New aromatic polymer electrolytes for application in lithium metal batteries. 2016 , 40, 7840-7845	4
2008	High Sulfur Loading in Hierarchical Porous Carbon Rods Constructed by Vertically Oriented Porous Graphene-Like Nanosheets for Li-S Batteries. 2016 , 26, 8952-8959	134
2007	Mg ²⁺ -doped Na ₃ V ₂ (PO ₄) ₃ /C decorated with graphene sheets: An ultrafast Na-storage cathode for advanced energy storage. 2016 , 42, 14774-14781	34
2006	Advanced High Energy Density Secondary Batteries with Multi-Electron Reaction Materials. 2016 , 3, 1600051	141
2005	Multiwalled carbon nanotube webs welded with Si nanoparticles as high-performance anode for lithium-ion batteries. 2016 , 688, 216-224	14
2004	2D Materials Beyond Graphene for High-Performance Energy Storage Applications. 2016 , 6, 1600671	301

2003	Combination of solid state NMR and DFT calculation to elucidate the state of sodium in hard carbon electrodes. 2016 , 4, 13183-13193	60
2002	An Overview and Future Perspectives of Aluminum Batteries. 2016 , 28, 7564-79	470
2001	Interface-Engineered All-Solid-State Li-Ion Batteries Based on Garnet-Type Fast Li ⁺ Conductors. 2016 , 6, 1600736	216
2000	Recent Progress in Electrode Materials for Sodium-Ion Batteries. 2016 , 6, 1600943	686
1999	Power from nature: designing green battery materials from electroactive quinone derivatives and organic polymers. 2016 , 4, 12370-12386	134
1998	Bio-Derived Polymers for Sustainable Lithium-Ion Batteries. 2016 , 26, 6896-6903	54
1997	Electrochemical Li-Ion Intercalation in Octacyanotungstate-Bridged Coordination Polymer with Evidence of Three Magnetic Regimes. 2016 , 55, 7637-46	17
1996	Preparation and performance of spherical FeF ₂ ·0.5H ₂ O nanoparticles wrapped by MWCNTs as cathode material of lithium ion batteries. 2016 , 6, 97759-97769	11
1995	Reversible aqueous zinc/manganese oxide energy storage from conversion reactions. 2016 , 1,	1461
1994	Magnetically aligned graphite electrodes for high-rate performance Li-ion batteries. 2016 , 1,	314
1993	A Metal-Organic Framework Derived Porous Cobalt Manganese Oxide Bifunctional Electrocatalyst for Hybrid Na-Air/Seawater Batteries. 2016 , 8, 32778-32787	66
1992	Effect of Na ₂ SO ₄ Coating layer on Nickel-Rich Li(Ni _x Co _y Mn _z)O ₂ Cathode Materials for Lithium-Ion Batteries. 2016 , 3, 1600784	16
1991	Study of Microstructure Change of Carbon Nanofibers as Binder-Free Anode for High-Performance Lithium-Ion Batteries. 2016 , 8, 33091-33101	40
1990	Array of nanosheets render ultrafast and high-capacity Na-ion storage by tunable pseudocapacitance. 2016 , 7, 12122	990
1989	Na-ion storage performance of amorphous Sb ₂ S ₃ nanoparticles: anode for Na-ion batteries and seawater flow batteries. 2016 , 4, 17946-17951	79
1988	WS ₂ /BD graphene nano-architecture networks for high performance anode materials of lithium ion batteries. 2016 , 6, 107768-107775	24
1987	A nitrogen-doped ordered mesoporous carbon/graphene framework as bifunctional electrocatalyst for oxygen reduction and evolution reactions. 2016 , 30, 503-510	119
1986	Unraveling the importance of controlled architecture in bimetallic multilayer electrode toward efficient electrocatalyst. 2016 , 30, 658-666	12

1985	Sandwich-like nanostructure of amorphous ZnSnO ₃ encapsulated in carbon nanosheets for enhanced lithium storage. 2016 , 219, 734-741	19
1984	Sustainably powering wearable electronics solely by biomechanical energy. 2016 , 7, 12744	392
1983	A high-capacity and long-life aqueous rechargeable zinc battery using a metal oxide intercalation cathode. 2016 , 1,	1416
1982	Room-Temperature All-solid-state Rechargeable Sodium-ion Batteries with a Cl-doped Na ₃ PS ₄ Superionic Conductor. 2016 , 6, 33733	147
1981	Batteries: Charging ahead rationally. 2016 , 1,	14
1980	Sustainable Sulfur-rich Copolymer/Graphene Composite as Lithium-Sulfur Battery Cathode with Excellent Electrochemical Performance. 2016 , 6, 25207	57
1979	Pushing the theoretical capacity limits of iron oxide anodes: capacity rise of Fe ₂ O ₃ nanoparticles in lithium-ion batteries. 2016 , 4, 18107-18115	45
1978	Hierarchical Mesoporous Iron Fluoride with Superior Rate Performance for Lithium-Ion Batteries. 2016 , 8, 32869-32874	22
1977	A Nernstian Biosupercapacitor. 2016 , 55, 15434-15438	50
1976	Ein Nernst-Biosuperkondensator. 2016 , 128, 15660-15664	5
1975	SnO ₂ Quantum Dots@Graphene Oxide as a High-Rate and Long-Life Anode Material for Lithium-Ion Batteries. 2016 , 12, 588-94	307
1974	Conductive Inks Based on a Lithium Titanate Nanotube Gel for High-Rate Lithium-Ion Batteries with Customized Configuration. 2016 , 28, 1567-76	154
1973	Renewable-Biomolecule-Based Full Lithium-Ion Batteries. 2016 , 28, 3486-92	121
1972	SiO ₂ Hollow Nanosphere-Based Composite Solid Electrolyte for Lithium Metal Batteries to Suppress Lithium Dendrite Growth and Enhance Cycle Life. 2016 , 6, 1502214	271
1971	Hierarchically Porous Nickel Sulfide Multifunctional Superstructures. 2016 , 6, 1502333	226
1970	Electrolytic Formation of Crystalline Silicon/Germanium Alloy Nanotubes and Hollow Particles with Enhanced Lithium-Storage Properties. 2016 , 128, 7553-7557	13
1969	Electrochemical Study of a CuO/Carbon Conversion Anode in Ionic Liquid Electrolyte for Application in Li-Ion Batteries. 2016 , 4, 700-705	9
1968	Nanostructured Silicon Anodes for High-Performance Lithium-Ion Batteries. 2016 , 26, 647-678	216

- 1967 An Aqueous Rechargeable Zn//Co₃O₄ Battery with High Energy Density and Good Cycling Behavior. **2016**, 28, 4904-11 305
- 1966 Hybrid 2D/0D Graphene/N Quantum Dots for Superior Lithium and Sodium Storage. **2016**, 6, 1502067 55
- 1965 Two-Dimensional Materials for Beyond-Lithium-Ion Batteries. **2016**, 6, 1600025 418
- 1964 Apple-Biowaste-Derived Hard Carbon as a Powerful Anode Material for Na-Ion Batteries. **2016**, 3, 292-298 162
- 1963 Fluorinated Hyperbranched Cyclotriphosphazene Simultaneously Enhances the Safety and Electrochemical Performance of High-Voltage Lithium-Ion Batteries. **2016**, 3, 913-921 32
- 1962 High-Energy Mechanical Treatment Boosts Ion Transport in Nanocrystalline Li₂B₄O₇. **2016**, 99, 1687-1693 17
- 1961 Electrospun Pd-doped mesoporous carbon nano fibres as catalysts for rechargeable LiO₂ batteries. **2016**, 6, 57335-57345 17
- 1960 Microwave-Assisted Synthesis of SnO₂@polypyrrole Nanotubes and Their Pyrolyzed Composite as Anode for Lithium-Ion Batteries. **2016**, 8, 15598-606 51
- 1959 Biomass-derived carbon: synthesis and applications in energy storage and conversion. **2016**, 18, 4824-4854 560
- 1958 Graphite fluoride as a cathode material for primary magnesium batteries with high energy density. **2016**, 210, 704-711 14
- 1957 The rise of organic electrode materials for energy storage. **2016**, 45, 6345-6404 612
- 1956 Enhanced Li-storage performances of dually-protected CoGeO₃ nanocomposites as anode materials for lithium ion batteries. **2016**, 107, 352-360 17
- 1955 Scandium-Substituted Na₃Zr₂(SiO₄)₂(PO₄) Prepared by a Solution-Assisted Solid-State Reaction Method as Sodium-Ion Conductors. **2016**, 28, 4821-4828 146
- 1954 Do the bridging oxygen bonds between active Sn nanodots and graphene improve the Li-storage properties?. **2016**, 5, 214-222 36
- 1953 Tin-based composite anodes for potassium-ion batteries. **2016**, 52, 9279-82 308
- 1952 Molecular Level Understanding of the Factors Affecting the Stability of Dimethoxy Benzene Catholyte Candidates from First-Principles Investigations. **2016**, 120, 14531-14538 22
- 1951 Stability of Li- and Mn-Rich Layered-Oxide Cathodes within the First-Charge Voltage Plateau. **2016**, 163, A1784-A1789 10
- 1950 A green and cost-effective rechargeable battery with high energy density based on a deep eutectic catholyte. **2016**, 9, 2267-2272 51

1949	Scalable synthesis of functionalized graphene as cathodes in Li-ion electrochemical energy storage devices. 2016 , 175, 512-521	34
1948	Flexible additive free H ₂ V ₃ O ₈ nanowire membrane as cathode for sodium ion batteries. 2016 , 18, 12074-9	60
1947	Lithium-Ion Cells Assembled with Flexible Hybrid Membrane Containing Li+-Conducting Lithium Aluminum Germanium Phosphate. 2016 , 163, A974-A980	18
1946	Highly Ordered TiO ₂ Microcones with High Rate Performance for Enhanced Lithium-Ion Storage. 2016 , 8, 14558-63	36
1945	Titanium dioxide nanotrees for high-capacity lithium-ion microbatteries. 2016 , 4, 10593-10600	41
1944	Flexible Few-Layered Graphene for the Ultrafast Rechargeable Aluminum-Ion Battery. 2016 , 120, 13384-13389	134
1943	High Anodic Performance of Co 1,3,5-Benzenetricarboxylate Coordination Polymers for Li-Ion Battery. 2016 , 8, 15352-60	135
1942	Synthesis and electrochemical properties of novel redox-active polymers with anthraquinone moieties by Pd-catalyzed cyclopolymerization of dienes. 2016 , 54, 2184-2190	14
1941	High Voltage Mg-Doped Na _{0.67} Ni _{0.33} Mg _x Mn _{0.7} O ₂ (x = 0.05, 0.1) Na-Ion Cathodes with Enhanced Stability and Rate Capability. 2016 , 28, 5087-5094	171
1940	Highly Connected Silicon-Copper Alloy Mixture Nanotubes as High-Rate and Durable Anode Materials for Lithium-Ion Batteries. 2016 , 26, 524-531	92
1939	Recent Advances in Inorganic Heterogeneous Electrocatalysts for Reduction of Carbon Dioxide. 2016 , 28, 3423-52	933
1938	Synthesis, Crystal Structure, and Electrochemical Properties of a Simple Magnesium Electrolyte for Magnesium/Sulfur Batteries. 2016 , 128, 6516-6520	33
1937	Synthesis, Crystal Structure, and Electrochemical Properties of a Simple Magnesium Electrolyte for Magnesium/Sulfur Batteries. 2016 , 55, 6406-10	87
1936	Electrolytic Formation of Crystalline Silicon/Germanium Alloy Nanotubes and Hollow Particles with Enhanced Lithium-Storage Properties. 2016 , 55, 7427-31	131
1935	Pi-Extended Diindole-Fused Azapentacenone: Synthesis, Characterization, and Photophysical and Lithium-Storage Properties. 2016 , 11, 1382-7	11
1934	Importance of Specific Capacity Based on the Mass of Active Material in the High Energy Density Li-SO ₂ Secondary Batteries with an Inorganic Electrolyte. 2016 , 37, 917-922	4
1933	Alkali-Metal-Ion-Functionalized Graphene Oxide as a Superior Anode Material for Sodium-Ion Batteries. 2016 , 22, 8152-7	17
1932	Computational Electrochemistry. Voltages of Lithium-Ion Battery Cathodes. 2016 , 120, 1437-9	5

1931	Insertion compounds and composites made by ball milling for advanced sodium-ion batteries. 2016 , 7, 10308	156
1930	MnO nanoparticles with cationic vacancies and discrepant crystallinity dispersed into porous carbon for Li-ion capacitors. 2016 , 4, 3362-3370	71
1929	High power density nitridated hematite (Fe_2O_3) nanorods as anode for high-performance flexible lithium ion batteries. 2016 , 308, 7-17	163
1928	Heterogeneous WS_x/WO_3 Thorn-Bush Nanofiber Electrodes for Sodium-Ion Batteries. 2016 , 10, 3257-66	104
1927	Biomass-derived carbonaceous positive electrodes for sustainable lithium-ion storage. 2016 , 8, 3671-7	35
1926	Evolution of the effect of sulfur confinement in graphene-based porous carbons for use in Li-S batteries. 2016 , 8, 4447-51	59
1925	Graphene Oxide Templated Growth and Superior Lithium Storage Performance of Novel Hierarchical $\text{Co}_2\text{V}_2\text{O}_7$ Nanosheets. 2016 , 8, 2812-8	61
1924	Carbon-coated Mo_3Sb_7 composite as anode material for sodium ion batteries with long cycle life. 2016 , 307, 173-180	36
1923	Layer-by-layer assembly modification to prepare firmly bonded $\text{Si}/\text{graphene}$ composites for high-performance anodes. 2016 , 6, 4835-4842	20
1922	Storing Electricity. 2016 , 1-9	1
1921	Mesoporous activated carbon decorated with MnO as anode materials for lithium ion batteries. 2016 , 51, 3536-3544	15
1920	Generalized Redox-Responsive Assembly of Carbon-Sheathed Metallic and Semiconducting Nanowire Heterostructures. 2016 , 16, 1179-85	18
1919	Characterization of a reversible, low-polarization sodium-oxygen battery. 2016 , 191, 516-520	20
1918	Understanding electrochemical potentials of cathode materials in rechargeable batteries. 2016 , 19, 109-123	573
1917	Spontaneous Cross-linking for Fabrication of Nanohybrids Embedded with Size-Controllable Particles. 2016 , 10, 889-98	50
1916	Bimetallic coordination polymer as a promising anode material for lithium-ion batteries. 2016 , 52, 2035-8	57
1915	Twelve Principles for Green Energy Storage in Grid Applications. 2016 , 50, 1046-55	55
1914	All-manganese-based Li-ion batteries with high rate capability and ultralong cycle life. 2016 , 22, 524-532	70

1913	Charge-compensation in 3d-transition-metal-oxide intercalation cathodes through the generation of localized electron holes on oxygen. <i>Nature Chemistry</i> , 2016 , 8, 684-91	17.6	667
1912	Inexpensive colloidal SnSb nanoalloys as efficient anode materials for lithium- and sodium-ion batteries. 2016 , 4, 7053-7059		75
1911	Life cycle assessment of sodium-ion batteries. 2016 , 9, 1744-1751		151
1910	Electrochemistry and structure of Li-rich cathode composites: $\text{Li}_{1.26}\text{Fe}_{0.22}\text{Mn}_{0.52}\text{O}_2$ in situ integrated with conductive network-graphene oxide for lithium-ion batteries. 2016 , 6, 31762-31768		9
1909	Morphological Evolution of High-Voltage Spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ Cathode Materials for Lithium-Ion Batteries: The Critical Effects of Surface Orientations and Particle Size. 2016 , 8, 4661-75		152
1908	Electrode materials with tailored facets for electrochemical energy storage. 2016 , 1, 272-289		75
1907	A promising cathode for Li-ion batteries: $\text{Li}_3\text{V}_2(\text{PO}_4)_3$. 2016 , 4, 15-58		99
1906	Effects of Propylene Carbonate Content in CsPF ₆ Containing Electrolytes on the Enhanced Performances of Graphite Electrode for Lithium-Ion Batteries. 2016 , 8, 5715-22		29
1905	Novel gel polymer electrolyte for high-performance lithium-sulfur batteries. 2016 , 22, 278-289		289
1904	The in-situ-prepared micro/nanocomposite composed of Sb and reduced graphene oxide as superior anode for sodium-ion batteries. 2016 , 672, 72-78		37
1903	Nano iron pyrite (FeS_2) exhibits bi-functional electrode character. 2016 , 6, 16859-16867		27
1902	A sodium-ion battery exploiting layered oxide cathode, graphite anode and glyme-based electrolyte. 2016 , 310, 26-31		118
1901	Crosslinking-derived MnO/carbon hybrid with ultras-small nanoparticles for increasing lithium storage capacity during cycling. 2016 , 99, 138-147		71
1900	Insight on the LiS electrochemical process in a composite configuration electrode. 2016 , 40, 2935-2943		14
1899	Bismuth sulfide: A high-capacity anode for sodium-ion batteries. 2016 , 309, 135-140		97
1898	Potential-Dependent Generation of O_2^- and LiO_2 and Their Critical Roles in O_2 Reduction to Li_2O_2 in Aprotic LiO_2 Batteries. 2016 , 120, 3690-3698		121
1897	First-Principles Density Functional Theory Modeling of Li Binding: Thermodynamics and Redox Properties of Quinone Derivatives for Lithium-Ion Batteries. 2016 , 138, 2374-82		142
1896	Vertically stacked holey graphene/polyaniline heterostructures with enhanced energy storage for on-chip micro-supercapacitors. 2016 , 9, 1012-1021		32

1895	In Situ Binding Sb Nanospheres on Graphene via Oxygen Bonds as Superior Anode for Ultrafast Sodium-Ion Batteries. 2016 , 8, 7790-9	145
1894	Immobilization of sulfur in microgels for lithium-sulfur battery. 2016 , 52, 4525-8	30
1893	Superlithiation of Organic Electrode Materials: The Case of Dilithium Benzenedipropiolate. 2016 , 28, 1920-1926	73
1892	A conductive polymer coated MoO ₃ anode enables an Al-ion capacitor with high performance. 2016 , 4, 5115-5123	99
1891	Application of monoclinic graphene-decorated Li ₃ V ₂ (PO ₄) ₃ /C nanocrystals as an ultra-high-rate cathode for lithium-ion batteries. 2016 , 42, 7390-7396	8
1890	Mesoporous and carbon hybrid structures from layered molecular precursors for Li-ion battery application: the case of In_2S_3 . 2016 , 52, 4788-91	8
1889	Acetylene Black Induced Heterogeneous Growth of Macroporous CoV ₂ O ₆ Nanosheet for High-Rate Pseudocapacitive Lithium-Ion Battery Anode. 2016 , 8, 7139-46	74
1888	Optimization of Na-Ion Battery Systems Based on Polyanionic or Layered Positive Electrodes and Carbon Anodes. 2016 , 163, A867-A874	59
1887	Long-Life, High-Rate Lithium-Organic Batteries Based on Naphthoquinone Derivatives. 2016 , 28, 2408-2416	89
1886	Electrical energy storage systems in electricity generation: Energy policies, innovative technologies, and regulatory regimes. 2016 , 56, 1044-1067	185
1885	Novel 3-D network SeS/NCPAN composites prepared by one-pot in-situ solid-state method and its electrochemical performance as cathode material for lithium-ion battery. 2016 , 664, 92-98	25
1884	Carbon-Coated MnMoO ₄ Nanorod for High-Performance Lithium-Ion Batteries. 2016 , 190, 354-359	60
1883	Commercial carbon molecular sieves as a high performance anode for sodium-ion batteries. 2016 , 3, 18-23	124
1882	Ce ³⁺ -doped Li ₄ Ti ₅ O ₁₂ with CeO ₂ surface modification by a sol-gel method for high-performance lithium-ion batteries. 2016 , 189, 147-157	55
1881	Characteristics of an ionic liquid electrolyte for sodium-ion batteries. 2016 , 303, 203-207	77
1880	Amorphous iron phosphate/carbonized polyaniline nanorods composite as cathode material in sodium-ion batteries. 2016 , 20, 479-487	13
1879	High-Performance P2-Phase Na _{2/3} Mn _{0.8} Fe _{0.1} Ti _{0.1} O ₂ Cathode Material for Ambient-Temperature Sodium-Ion Batteries. 2016 , 28, 106-116	166
1878	Cotton derived porous carbon via an MgO template method for high performance lithium ion battery anodes. 2016 , 18, 2106-2114	104

1877	A high performance ceramic-polymer separator for lithium batteries. 2016 , 301, 194-198	43
1876	Nitrogen-doped carbon and high-content alumina containing bi-active cobalt oxides for efficient storage of lithium. 2016 , 462, 183-90	11
1875	Highly cross-linked Cu/a-Si core-shell nanowires for ultra-long cycle life and high rate lithium batteries. 2016 , 8, 2613-9	27
1874	The Na ₂ FeP ₂ O ₇ -carbon nanotubes composite as high rate cathode material for sodium ion batteries. 2016 , 302, 61-69	64
1873	Evaluation on the effect of gadolinium-doping for niobium on the morphology and ionic conductivity of garnet-like Li ₅ La ₃ Nb ₂ O ₁₂ . 2016 , 94, 321-329	2
1872	Fluorine-free electrolytes for all-solid sodium-ion batteries based on percyano-substituted organic salts. 2017 , 7, 40036	22
1871	Towards stable lithium-sulfur batteries: Mechanistic insights into electrolyte decomposition on lithium metal anode. 2017 , 8, 194-201	133
1870	Amino group enhanced phenazine derivatives as electrode materials for lithium storage. 2017 , 53, 2914-2917	51
1869	Porous One-Dimensional Nanomaterials: Design, Fabrication and Applications in Electrochemical Energy Storage. 2017 , 29, 1602300	435
1868	Embracing Biological Solutions to the Sustainable Energy Challenge. 2017 , 2, 20-51	31
1867	Anode-Free Sodium Battery through in Situ Plating of Sodium Metal. 2017 , 17, 1296-1301	177
1866	Lithium-free transition metal monoxides for positive electrodes in lithium-ion batteries. 2017 , 2,	72
1865	A Rechargeable Li-Air Fuel Cell Battery Based on Garnet Solid Electrolytes. 2017 , 7, 41217	49
1864	High K-storage performance based on the synergy of dipotassium terephthalate and ether-based electrolytes. 2017 , 10, 552-557	299
1863	Layered VS ₂ Nanosheet-Based Aqueous Zn Ion Battery Cathode. 2017 , 7, 1601920	680
1862	Disodium terephthalate/multiwall-carbon nanotube nanocomposite as advanced anode material for Li-ion batteries. 2017 , 23, 2613-2619	8
1861	Multifunctional Ni-NiO-CNT Composite as High Performing Free Standing Anode for Li Ion Batteries and Advanced Electro Catalyst for Oxygen Evolution Reaction. 2017 , 230, 98-105	60
1860	Redox Active Cation Intercalation/Deintercalation in Two-Dimensional Layered MnO Nanostructures for High-Rate Electrochemical Energy Storage. 2017 , 9, 6282-6291	65

1859	High-voltage and free-standing poly(propylene carbonate)/Li _{6.75} La ₃ Zr _{1.75} Ta _{0.25} O ₁₂ composite solid electrolyte for wide temperature range and flexible solid lithium ion battery. 2017 , 5, 4940-4948	284
1858	Cathode materials for rechargeable aluminum batteries: current status and progress. 2017 , 5, 5646-5660	114
1857	Tattooing Dye as a Green Electrode Material for Lithium Batteries. 2017 , 7, 1602279	45
1856	Life cycle assessment of lithium sulfur battery for electric vehicles. 2017 , 343, 284-295	112
1855	Nanostructured Metal Oxides and Sulfides for Lithium-Sulfur Batteries. 2017 , 29, 1601759	911
1854	Materials Design and System Construction for Conventional and New-Concept Supercapacitors. 2017 , 4, 1600382	289
1853	A Sugar-Derived Room-Temperature Sodium Sulfur Battery with Long Term Cycling Stability. 2017 , 17, 1863-1869	173
1852	3D-printed fluidic networks for high-power-density heat-managing miniaturized redox flow batteries. 2017 , 10, 780-787	48
1851	A new insight into the rechargeable mechanism of manganese dioxide based symmetric supercapacitors. 2017 , 7, 8561-8566	13
1850	Cross-linked fibrous composite separator for high performance lithium-ion batteries with enhanced safety. 2017 , 527, 129-136	55
1849	Compactness of the Lithium Peroxide Thin Film Formed in Li-O Batteries and Its Link to the Charge Transport Mechanism: Insights from Stochastic Simulations. 2017 , 8, 599-604	21
1848	Polymer-Capped Sulfur Copolymers as Lithium Sulfur Battery Cathode: Enhanced Performance by Combined Contributions of Physical and Chemical Confinements. 2017 , 121, 2495-2503	65
1847	In situ synthesis of hierarchical poly(ionic liquid)-based solid electrolytes for high-safety lithium-ion and sodium-ion batteries. 2017 , 33, 45-54	154
1846	Sb ₂ O ₄ /reduced graphene oxide composite as high-performance anode material for lithium ion batteries. 2017 , 699, 611-618	36
1845	A two-dimensional conjugated aromatic polymer via C-C coupling reaction. <i>Nature Chemistry</i> , 2017 , 9, 563-570	17.6 243
1844	Polyanion-Type Electrode Materials for Sodium-Ion Batteries. 2017 , 4, 1600275	250
1843	Supercapacitors: Porous materials get energized. 2017 , 16, 161-162	49
1842	Hierarchical Structures Based on Two-Dimensional Nanomaterials for Rechargeable Lithium Batteries. 2017 , 7, 1601906	172

1841	Bubble-Sheet-Like Interface Design with an Ultrastable Solid Electrolyte Layer for High-Performance Dual-Ion Batteries. 2017 , 29, 1606805	109
1840	Polycarbonates as alternative electrolyte host materials for solid-state sodium batteries. 2017 , 77, 58-61	37
1839	Excellent Cycling Stability and Superior Rate Capability of Na ₃ V ₂ (PO ₄) ₃ Cathodes Enabled by Nitrogen-Doped Carbon Interpenetration for Sodium-Ion Batteries. 2017 , 4, 1256-1263	27
1838	High-capacity cobalt-based coordination polymer nanorods and their redox chemistry triggered by delocalization of electron spins. 2017 , 7, 195-202	23
1837	Preparation and Lithium-Storage Performance of a Novel Hierarchical Porous Carbon from Sucrose Using Mg-Al Layered Double Hydroxides as Template. 2017 , 231, 153-161	18
1836	Enhanced energy density of polymer nanocomposites at a low electric field through aligned BaTiO ₃ nanowires. 2017 , 5, 6070-6078	128
1835	Efficient and Durable Bifunctional Oxygen Catalysts Based on NiFeO@MnO Core-Shell Structures for Rechargeable Zn-Air Batteries. 2017 , 9, 8121-8133	64
1834	In Situ Growth Enabling Ideal Graphene Encapsulation upon Mesocrystalline MTiO ₃ (M = Ni, Co, Fe) Nanorods for Stable Lithium Storage. 2017 , 2, 659-663	32
1833	Phosphorus-Based Alloy Materials for Advanced Potassium-Ion Battery Anode. 2017 , 139, 3316-3319	629
1832	Beyond Slurry-Cast Supercapacitor Electrodes: PAN/MWNT Heteromat-Mediated Ultrahigh Capacitance Electrode Sheets. 2017 , 7, 41708	5
1831	Economic viability of battery energy storage and grid strategy: A special case of China electricity market. 2017 , 124, 423-434	53
1830	Supercritical fluid assisted synthesis of titanium carbide particles embedded in mesoporous carbon for advanced Li-S batteries. 2017 , 706, 227-233	16
1829	Green Solid Ionic Liquid Crystalline Electrolyte Membranes with Anisotropic Channels for Efficient Li-Ion Batteries. 2017 , 1, 1600031	8
1828	Atomic Modulation of FeCo-Nitrogen-Carbon Bifunctional Oxygen Electrodes for Rechargeable and Flexible All-Solid-State Zinc-Air Battery. 2017 , 7, 1602420	505
1827	Potentiometric measurement of entropy change for lithium batteries. 2017 , 19, 9833-9842	31
1826	Hybrid Na-air flow batteries using an acidic catholyte: effect of the catholyte pH on the cell performance. 2017 , 5, 11592-11600	23
1825	Superior Cathode Performance of Nitrogen-Doped Graphene Frameworks for Lithium Ion Batteries. 2017 , 9, 10643-10651	78
1824	A review of gassing behavior in Li ₄ Ti ₅ O ₁₂ -based lithium ion batteries. 2017 , 5, 6368-6381	125

1823	Sheath/Core Hybrid FeCO ₃ /Carbon Nanofibers as Anode Materials for Superior Cycling Stability and Rate Performance. 2017 , 4, 1450-1456	7
1822	Pseudocapacitance-Enhanced Li-Ion Microbatteries Derived by a TiN@TiO ₂ Nanowire Anode. 2017 , 2, 404-416	73
1821	Mechanically Robust Anion Exchange Membranes via Long Hydrophilic Cross-Linkers. 2017 , 50, 2329-2337	88
1820	The use of polymers in Li-S batteries: A review. 2017 , 55, 1635-1668	96
1819	Ultrathin MoS ₂ sheets supported on N-rich carbon nitride nanospheres with enhanced lithium storage properties. 2017 , 410, 215-224	35
1818	Solvation structure in dilute to highly concentrated electrolytes for lithium-ion and sodium-ion batteries. 2017 , 233, 134-141	44
1817	Graphene-like carbon sheet/Fe ₃ O ₄ nanocomposites derived from soda papermaking black liquor for high performance lithium ion batteries. 2017 , 232, 550-560	32
1816	Enhanced electrochemical performance of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ with lithium-reactive Li ₃ VO ₄ coating. 2017 , 706, 198-204	83
1815	SnO@PANI Core-Shell Nanorod Arrays on 3D Graphite Foam: A High-Performance Integrated Electrode for Lithium-Ion Batteries. 2017 , 9, 9620-9629	61
1814	Efficient Catalysis of Hydrogen Evolution Reaction from WS ₂ Nanoribbons. 2017 , 13, 1603706	50
1813	Li ₄ Ti ₅ O ₁₂ -TiO ₂ nanowire arrays constructed with stacked nanocrystals for high-rate lithium and sodium ion batteries. 2017 , 344, 223-232	55
1812	Rice Paper Reinforced Sulfonated Poly(ether ether ketone) as Low-Cost Membrane for Vanadium Flow Batteries. 2017 , 5, 2437-2444	28
1811	A Reversible Phase Transition for Sodium Insertion in Anatase TiO ₂ . 2017 , 29, 1836-1844	54
1810	Three-dimensional porous graphene-encapsulated CNT@SnO ₂ composite for high-performance lithium and sodium storage. 2017 , 230, 212-221	77
1809	Facile synthesis of 3D porous CoVO nanoroses and 2D NiCoVO nanoplates for high performance supercapacitors and their electrocatalytic oxygen evolution reaction properties. 2017 , 46, 3295-3302	56
1808	Learning from Electrochemical Data: Simple Evaluation and Classification of LiMO ₂ -type-based Positive Electrodes for Li-Ion Batteries. 2017 , 5, 1670-1679	70
1807	Conductive porous vanadium nitride/graphene composite as chemical anchor of polysulfides for lithium-sulfur batteries. 2017 , 8, 14627	757
1806	The electrochemical performance of NiO nanowalls/Ni anode in half-cell and full-cell sodium ion batteries. 2017 , 195, 127-130	23

1805	MoSe Embedded CNT-Reduced Graphene Oxide Composite Microsphere with Superior Sodium Ion Storage and Electrocatalytic Hydrogen Evolution Performances. 2017 , 9, 10673-10683	129
1804	A coaxial triboelectric nanogenerator fiber for energy harvesting and sensing under deformation. 2017 , 5, 6032-6037	69
1803	Tuning the Solid Electrolyte Interphase for Selective Li- and Na-Ion Storage in Hard Carbon. 2017 , 29, 1606860	119
1802	Pyrrole as a promising electrolyte additive to trap polysulfides for lithium-sulfur batteries. 2017 , 348, 175-182	82
1801	A sodium-aluminum hybrid battery. 2017 , 5, 6589-6596	22
1800	Three-dimensional porous carbon-coated graphene composite as high-stable and long-life anode for sodium-ion batteries. 2017 , 316, 645-654	41
1799	Preparation of graphitic carbon nanosheets by reaction between CO ₂ and CaC ₂ for lithium-ion batteries. 2017 , 116, 246-254	22
1798	Na ₂ Fe(C ₂ O ₄)F ₂ : A New Iron-Based Polyoxyanion Cathode for Li/Na Ion Batteries. 2017 , 29, 2167-2172	32
1797	New Nanoconfined Galvanic Replacement Synthesis of Hollow Sb@C Yolk-Shell Spheres Constituting a Stable Anode for High-Rate Li/Na-Ion Batteries. 2017 , 17, 2034-2042	306
1796	Electrochemical Behavior of PEDOT/Lignin in Ionic Liquid Electrolytes: Suitable Cathode/Electrolyte System for Sodium Batteries. 2017 , 10, 1783-1791	36
1795	Battery pack recycling: Behaviour change interventions derived from an integrative theory of planned behaviour study. 2017 , 122, 66-82	58
1794	Electrochemical Zinc Intercalation in Lithium Vanadium Oxide: A High-Capacity Zinc-Ion Battery Cathode. 2017 , 29, 1684-1694	342
1793	Emerging Prototype Sodium-Ion Full Cells with Nanostructured Electrode Materials. 2017 , 13, 1604181	88
1792	Dual-carbon phase-protective cobalt sulfide nanoparticles with cable-type and mesoporous nanostructure for enhanced cycling stability in sodium and lithium ion batteries. 2017 , 118, 731-742	71
1791	Highly crystalline PtCu nanotubes with three dimensional molecular accessible and restructured surface for efficient catalysis. 2017 , 10, 1751-1756	155
1790	A Plastic-Crystal Electrolyte Interphase for All-Solid-State Sodium Batteries. 2017 , 56, 5541-5545	117
1789	MoSe ₂ -Covered N,P-Doped Carbon Nanosheets as a Long-Life and High-Rate Anode Material for Sodium-Ion Batteries. 2017 , 27, 1700522	353
1788	Pectin, Hemicellulose, or Lignin? Impact of the Biowaste Source on the Performance of Hard Carbons for Sodium-Ion Batteries. 2017 , 10, 2668-2676	97

1787	Nickel metal-organic framework nanoparticles as electrode materials for Li-ion batteries and supercapacitors. 2017 , 21, 2415-2423	44
1786	Biomass-derived mesopore-dominant porous carbons with large specific surface area and high defect density as high performance electrode materials for Li-ion batteries and supercapacitors. 2017 , 36, 322-330	348
1785	Atomic level changes during capacity fade in highly oriented thin films of cathode material LiCoPO ₄ . 2017 , 5, 9329-9338	20
1784	Three-Dimensional Arylene Diimide Frameworks for Highly Stable Lithium Ion Batteries. 2017 , 9, 15631-15637	69
1783	Nitrogen-doped porous carbon nanoparticle derived from nitrogen containing conjugated microporous polymer as high performance lithium battery anode. 2017 , 714, 204-212	21
1782	A high-power and fast charging Li-ion battery with outstanding cycle-life. 2017 , 7, 1104	26
1781	Na ₃ V ₂ (PO ₄) ₃ /C synthesized by a facile solid-phase method assisted with agarose as a high-performance cathode for sodium-ion batteries. 2017 , 5, 10261-10268	57
1780	Boosting the electrochemical performance of Li-garnet based all-solid-state batteries with Li ₄ Ti ₅ O ₁₂ electrode: Routes to cheap and large scale ceramic processing. 2017 , 38, 182-188	15
1779	Na Ti O @N-Doped Carbon Hollow Spheres for Sodium-Ion Batteries with Excellent Rate Performance. 2017 , 29, 1700989	226
1778	Mechanochemical treatment of maricite-type NaFePO ₄ for achieving high electrochemical performance. 2017 , 21, 2373-2380	12
1777	A Plastic Crystal Electrolyte Interphase for All-Solid-State Sodium Batteries. 2017 , 129, 5633-5637	25
1776	Diamondoid-structured polymolybdate-based metal-organic frameworks as high-capacity anodes for lithium-ion batteries. 2017 , 53, 5204-5207	68
1775	Synthesis of hard carbon from argan shells for Na-ion batteries. 2017 , 5, 9917-9928	151
1774	Degradation of an Ethylene Carbonate/Diethyl Carbonate Mixture by Using Ionizing Radiation. 2017 , 18, 2799-2806	14
1773	A phenyl disulfide@CNT composite cathode for rechargeable lithium batteries. 2017 , 1, 1007-1012	21
1772	Monoclinic Sodium Iron Hexacyanoferrate Cathode and Non-Flammable Glyme-Based Electrolyte for Inexpensive Sodium-Ion Batteries. 2017 , 164, A1098-A1109	55
1771	Manipulating Adsorption/Insertion Mechanisms in Nanostructured Carbon Materials for High-Efficiency Sodium Ion Storage. 2017 , 7, 1700403	486
1770	Nontopotactic Reaction in Highly Reversible Sodium Storage of Ultrathin Co Se /rGO Hybrid Nanosheets. 2017 , 13, 1603980	34

1769	A Metal-Free and Biotically Degradable Battery for Portable Single-Use Applications. 2017 , 7, 1700275	42
1768	Dilithium 2-aminoterephthalate as a negative electrode material for lithium-ion batteries. 2017 , 307, 1-5	10
1767	Optimal design of high temperature metalized thin-film polymer capacitors: A combined numerical and experimental method. 2017 , 357, 149-157	8
1766	A knee-mounted biomechanical energy harvester with enhanced efficiency and safety. 2017 , 26, 065027	18
1765	Large-scale synthesis of highly uniform Fe 1 S nanostructures as a high-rate anode for sodium ion batteries. 2017 , 37, 81-89	137
1764	Stable Performance of Aluminum-Metal Battery by Incorporating Lithium-Ion Chemistry. 2017 , 4, 2345-2351	15
1763	Multi-electron redox phenazine for ready-to-charge organic batteries. 2017 , 19, 2980-2985	84
1762	Direct observation of lithium polysulfides in lithium-sulfur batteries using operando X-ray diffraction. 2017 , 2,	182
1761	Reversible multi-electron redox chemistry of π -conjugated N-containing heteroaromatic molecule-based organic cathodes. 2017 , 2,	292
1760	Hierarchically nanoporous pyropolymer nanofibers for surface-induced sodium-ion storage. 2017 , 242, 38-46	14
1759	A Sustainable Redox-Flow Battery with an Aluminum-Based, Deep-Eutectic-Solvent Anolyte. 2017 , 56, 7454-7459	101
1758	Solvent-Free 4 V-Class All-Solid-State Lithium-Ion Polymer Secondary Batteries. 2017 , 2, 3848-3853	3
1757	Parameters driving environmental performance of energy storage systems across grid applications. 2017 , 12, 11-28	21
1756	Studies on stability and capacity for long-life cycle performance of Li(Ni 0.5 Co 0.2 Mn 0.3)O 2 by Mo modification for lithium-ion battery. 2017 , 358, 1-12	99
1755	Facile Assembly of 3D Porous Reduced Graphene Oxide/Ultrathin MnO Nanosheets-S Aerogels as Efficient Polysulfide Adsorption Sites for High-Performance Lithium-Sulfur Batteries. 2017 , 23, 7037-7045	43
1754	Facile synthesis of 3D foam-like CoNiO ₂ for high-performance sodium ion batteries. 2017 , 96, 379-384	9
1753	Low-Cost and High-Performance Hard Carbon Anode Materials for Sodium-Ion Batteries. 2017 , 2, 1687-1695	98
1752	Vertical Graphene Growth on SiO Microparticles for Stable Lithium Ion Battery Anodes. 2017 , 17, 3681-3687	185

1751	Carbon-coated Li ₄ Ti ₅ O ₁₂ nanoparticles with high electrochemical performance as anode material in sodium-ion batteries. 2017 , 5, 10902-10908	39
1750	Disodium Pyridine Dicarboxylate vs Disodium Terephthalate as Anode Materials for Organic Na Ion Batteries: Effect of Molecular Structure on Voltage from the Molecular Modeling Perspective. 2017 , 2, 3231-3235	8
1749	A study of fused-ring thieno[3,4-e]pyrazine polymers as n-type materials for organic supercapacitors. 2017 , 8, 5194-5202	9
1748	Detecting Potassium Ion Gradients at a Model Graphitic Interface. 2017 , 241, 98-105	11
1747	High performance separator coated with amino-functionalized SiO ₂ particles for safety enhanced lithium-ion batteries. 2017 , 535, 151-157	76
1746	Nanoconfined phosphorus film coating on interconnected carbon nanotubes as ultrastable anodes for lithium ion batteries. 2017 , 356, 18-26	52
1745	Scalable synthesis of hierarchical hollow Li ₄ Ti ₅ O ₁₂ microspheres assembled by zigzag-like nanosheets for high rate lithium-ion batteries. 2017 , 340, 263-272	53
1744	Ultralong Cycle Life Achieved by a Natural Plant: Miscanthus Giganteus for Lithium Oxygen Batteries. 2017 , 9, 4382-4390	19
1743	V ₅ S ₈ /graphite hybrid nanosheets as a high rate-capacity and stable anode material for sodium-ion batteries. 2017 , 10, 107-113	219
1742	Thermal Induced Strain Relaxation of 1D Iron Oxide for Solid Electrolyte Interphase Control and Lithium Storage Improvement. 2017 , 7, 1601582	70
1741	A two-dimensional hybrid of SbO _x nanoplates encapsulated by carbon flakes as a high performance sodium storage anode. 2017 , 5, 1160-1167	40
1740	Surfactant widens the electrochemical window of an aqueous electrolyte for better rechargeable aqueous sodium/zinc battery. 2017 , 5, 730-738	187
1739	A Multifunction Lithium/Carbon Battery System Using a Dual Electrolyte. 2017 , 2, 36-44	23
1738	p-Type SnO thin layers on n-type SnS ₂ nanosheets with enriched surface defects and embedded charge transfer for lithium ion batteries. 2017 , 5, 512-518	85
1737	Structure-Property Relationships of Organic Electrolytes and Their Effects on Li/S Battery Performance. 2017 , 29, 1700449	67
1736	Stabilization of Garnet/Liquid Electrolyte Interface Using Superbase Additives for Hybrid Li Batteries. 2017 , 9, 21077-21082	65
1735	An active core-shell nanoscale design for high voltage cathode of lithium storage devices. 2017 , 360, 409-418	13
1734	A Porphyrin Complex as a Self-Conditioned Electrode Material for High-Performance Energy Storage. 2017 , 129, 10477-10482	21

1733	Exploration of Spinel LiCrTiO as Cathode Material for Rechargeable Mg-Li Hybrid Batteries. 2017 , 23, 17935-17939	20
1732	Biogenic Realgar As ₄ S ₄ Molecular Clusters Formed by a One-Pot Microbial-Driven Process as a Li-Ion Storage Material. 2017 , 1, 1700056	6
1731	A Porphyrin Complex as a Self-Conditioned Electrode Material for High-Performance Energy Storage. 2017 , 56, 10341-10346	57
1730	Recent Progress on Integrated Energy Conversion and Storage Systems. 2017 , 4, 1700104	109
1729	Biomass-derived carbon electrode materials for supercapacitors. 2017 , 1, 1265-1281	198
1728	Lithium ion, lithium metal, and alternative rechargeable battery technologies: the odyssey for high energy density. 2017 , 21, 1939-1964	541
1727	A durable polyvinyl butyral-C ₅ H ₂ PO ₄ composite electrolyte for solid acid fuel cells. 2017 , 359, 1-6	6
1726	Fully Biodegradable Microsupercapacitor for Power Storage in Transient Electronics. 2017 , 7, 1700157	145
1725	Bimetal-Organic-Framework Derivation of Ball-Cactus-Like Ni-Sn-P@C-CNT as Long-Cycle Anode for Lithium Ion Battery. 2017 , 13, 1700521	54
1724	High-Energy/Power and Low-Temperature Cathode for Sodium-Ion Batteries: In Situ XRD Study and Superior Full-Cell Performance. 2017 , 29, 1701968	266
1723	Integrated Configuration Design for Ultrafast Rechargeable Dual-Ion Battery. 2017 , 7, 1700913	76
1722	Amorphous MnO ₂ as Cathode Material for Sodium-ion Batteries. 2017 , 35, 1294-1298	19
1721	Amorphous titanium oxide passivated lithium titanium phosphate electrode for high stable aqueous lithium ion batteries with oxygen tolerance. 2017 , 246, 720-729	21
1720	Improved Sodium-Ion Storage Performance of Ultrasmall Iron Selenide Nanoparticles. 2017 , 17, 4137-4142	105
1719	Electrocatalytic Properties of Cuprous Delafossite Oxides for the Alkaline Oxygen Reduction Reaction. 2017 , 9, 3837-3842	5
1718	Comprehensive Insights into the Thermal Stability, Biodegradability, and Combustion Chemistry of Pyrrolidinium-Based Ionic Liquids. 2017 , 10, 3146-3159	37
1717	The electrochemical behavior of an aluminum alloy anode for rechargeable Al-ion batteries using an AlCl ₃ /urea liquid electrolyte. 2017 , 7, 32288-32293	29
1716	ZIF-8 derived nitrogen-doped porous carbon/carbon nanotube composite for high-performance supercapacitor. 2017 , 121, 330-336	124

1715	Morphology effects in MgH ₂ anode for lithium ion batteries. 2017 , 42, 22551-22556	15
1714	Activation of NaFePO ₄ with maricite structure for application as a cathode material in sodium-ion batteries. 2017 , 27, 263-264	11
1713	Output enhanced compact multilayer flexible nanogenerator for self-powered wireless remote system. 2017 , 5, 12787-12792	19
1712	Revealing the electronic structure of LiC ₆ by soft X-ray spectroscopy. 2017 , 110, 104106	10
1711	CuVS: A High Rate Capacity and Stable Anode Material for Sodium Ion Batteries. 2017 , 9, 21283-21291	44
1710	Flexible fiber-based hybrid nanogenerator for biomechanical energy harvesting and physiological monitoring. 2017 , 38, 43-50	162
1709	High Volumetric Capacity of Hollow Structured SnO@Si Nanospheres for Lithium-Ion Batteries. 2017 , 17, 3959-3964	131
1708	Exploring ion migration in Li ₂ MnSiO ₄ for Li-ion batteries through strain effects. 2017 , 7, 26089-26096	7
1707	Improving ionic conductivity by Mg-doping of A ₂ SnO ₃ (A = Li ⁺ , Na ⁺). 2017 , 308, 16-21	6
1706	In Situ Grown FeO Single Crystallites on Reduced Graphene Oxide Nanosheets as High Performance Conversion Anode for Sodium-Ion Batteries. 2017 , 9, 19900-19907	68
1705	Exfoliated MoS ₂ and MoSe ₂ Nanosheets by a Supercritical Fluid Process for a Hybrid Mg-Li-Ion Battery. 2017 , 2, 2360-2367	45
1704	Decreasing redox voltage of terephthalate-based electrode material for Li-ion battery using substituent effect. 2017 , 359, 198-204	25
1703	Nitrogen-doped microporous carbon: An efficient oxygen reduction catalyst for Zn-air batteries. 2017 , 359, 71-79	53
1702	A High Power/High Energy Na ₃ V ₂ (PO ₄) ₂ F ₃ Sodium Cathode: Investigation of Transport Parameters, Rational Design and Realization. 2017 , 29, 5207-5215	109
1701	Self-assembly of exfoliated layered double hydroxide and graphene nanosheets for electrochemical energy storage in zinc/nickel secondary batteries. 2017 , 359, 111-118	39
1700	Lithium-ion batteries for sustainable energy storage: recent advances towards new cell configurations. 2017 , 19, 3442-3467	154
1699	Interplay between local structure and transport properties in iron-doped LiCoPO ₄ olivines. 2017 , 5, 14020-14030	30
1698	Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. 2017 , 114, 6197-6202	100

1697	Mass transport enhancement in redox flow batteries with corrugated fluidic networks. 2017 , 359, 322-331	31
1696	Green ball dianthus-like Na ₂ Ti ₆ O ₁₃ as high-rate performance anode for sodium-ion batteries. 2017 , 721, 100-105	13
1695	Attainable high capacity in Li-excess Li-Ni-Ru-O rock-salt cathode for lithium ion battery. 2017 , 359, 270-276	18
1694	Intermediate phases in sodium intercalation into MoS ₂ nanosheets and their implications for sodium-ion batteries. 2017 , 38, 342-349	119
1693	A Sustainable Redox-Flow Battery with an Aluminum-Based, Deep-Eutectic-Solvent Anolyte. 2017 , 129, 7562-7567	21
1692	Two-dimensional heterostructures for energy storage. 2017 , 2,	552
1691	Superior shuttling of lithium and sodium ions in manganese-doped titania @ functionalized multiwall carbon nanotube anodes. 2017 , 9, 9859-9871	26
1690	The Chemistry of Electrolyte Reduction on Silicon Electrodes Revealed by in Situ ATR-FTIR Spectroscopy. 2017 , 121, 14476-14483	52
1689	Amorphous TiO Shells: A Vital Elastic Buffering Layer on Silicon Nanoparticles for High-Performance and Safe Lithium Storage. 2017 , 29, 1700523	265
1688	2D Film of Carbon Nanofibers Elastically Astricted MnO Microparticles: A Flexible Binder-Free Anode for Highly Reversible Lithium Ion Storage. 2017 , 13, 1604182	33
1687	Co ₃ O ₄ /Co nanoparticles enclosed graphitic carbon as anode material for high performance Li-ion batteries. 2017 , 321, 495-501	143
1686	Polypyrrole/carbon nanotube supercapacitors: Technological advances and challenges. 2017 , 352, 174-186	176
1685	Hierarchical Porous Carbon Spheres for High-Performance Na-O Batteries. 2017 , 29, 1606816	70
1684	Molecular Engineering with Organic Carbonyl Electrode Materials for Advanced Stationary and Redox Flow Rechargeable Batteries. 2017 , 29, 1607007	177
1683	Novel Methods for Sodium-Ion Battery Materials. 2017 , 1, 1600063	70
1682	Engineering radical polymer electrodes for electrochemical energy storage. 2017 , 352, 226-244	58
1681	Ultrahigh capacity and superior stability of three-dimensional porous graphene networks containing in situ grown carbon nanotube clusters as an anode material for lithium-ion batteries. 2017 , 5, 7595-7602	33
1680	A bifunctional ion-electron conducting interlayer for high energy density all-solid-state lithium-sulfur battery. 2017 , 351, 17-25	38

- 1679 Electroactive polymer/carbon nanotube hybrid materials for energy storage synthesized via a grafting to approach. **2017**, 7, 17301-17310 23
- 1678 Top-Down Strategy to Synthesize Mesoporous Dual Carbon Armored MnO Nanoparticles for Lithium-Ion Battery Anodes. **2017**, 9, 12680-12686 83
- 1677 Surface Modification of NaV(PO) by Nitrogen and Sulfur Dual-Doped Carbon Layer with Advanced Sodium Storage Property. **2017**, 9, 13151-13162 79
- 1676 Synthesis and characterization of poly-3-((2,5-hydroquinone)vinyl)-1H-pyrrole: investigation on backbone/pendant interactions in a conducting redox polymer. **2017**, 19, 10427-10435 6
- 1675 Facile hydrothermal fabrication of ZnO/graphene hybrid anode materials with excellent lithium storage properties. **2017**, 1, 767-779 24
- 1674 Solid-State Lithium-Sulfur Batteries Operated at 37 °C with Composites of Nanostructured LiLaZrO/Carbon Foam and Polymer. **2017**, 17, 2967-2972 297
- 1673 Ambient Stable Radical Cations, Diradicaloid Dimeric Dications, Closed-Shell Dications, and Diradical Dications of Methylthio-Capped Rylenes. **2017**, 23, 7595-7606 10
- 1672 Hierarchical Porous Intercalation-Type V₂O₅ as High-Performance Anode Materials for Li-Ion Batteries. **2017**, 23, 7538-7544 45
- 1671 Dichlorosilane-derived nano-silicon inside hollow carbon spheres as a high-performance anode for Li-ion batteries. **2017**, 5, 9262-9271 21
- 1670 Exfoliated VS₂/graphite nanosheet with excellent electrochemical performance for enhanced lithium storage. **2017**, 320, 485-493 42
- 1669 Functionalized carbon nanotube based hybrid electrochemical capacitors using neutral bromide redox-active electrolyte for enhancing energy density. **2017**, 352, 118-126 38
- 1668 Reusable Co₂Ni₂S₄ dye adsorbents as supercapacitor electrode materials. **2017**, 5, 8095-8107 8
- 1667 Transition metal oxides with one-dimensional/one-dimensional-analogue nanostructures for advanced supercapacitors. **2017**, 5, 8155-8186 317
- 1666 Gallium oxide nanorods as novel, safe and durable anode material for Li- and Na-ion batteries. **2017**, 235, 143-149 23
- 1665 A Novel Potassium-Ion-Based Dual-Ion Battery. **2017**, 29, 1700519 359
- 1664 Influence of sintering additives on Li⁺ conductivity and electrochemical property of perovskite-type Li₃/8Sr₇/16HF₁/4Ta₃/4O₃. **2017**, 234, 1-6 17
- 1663 An All-Organic Proton Battery. **2017**, 139, 4828-4834 127
- 1662 Microstructure dynamics of rechargeable battery materials studied by advanced transmission electron microscopy. **2017**, 9, e360-e360 20

1661	Mineral supply for sustainable development requires resource governance. 2017 , 543, 367-372	266
1660	Nanocrystalline FeF ₃ and MF ₂ (M = Fe, Co, and Mn) from metal trifluoroacetates and their Li(Na)-ion storage properties. 2017 , 5, 7383-7393	42
1659	Eco-Efficient Synthesis of Highly Porous CoCO Anodes from Supercritical CO for Li and Na Storage. 2017 , 10, 2464-2472	17
1658	A mixed mechanochemical-ceramic solid-state synthesis as simple and cost effective route to high-performance LiNi _{0.5} Mn _{1.5} O ₄ spinels. 2017 , 235, 262-269	15
1657	Singlet oxygen generation as a major cause for parasitic reactions during cycling of aprotic lithium-oxygen batteries. 2017 , 2,	243
1656	Interconnected LiCuVO networks with in situ Cu generation as high-performance lithium-ion battery anode. 2017 , 19, 13341-13347	12
1655	One-pot surface engineering of battery electrode materials with metallic SWCNT-enriched, ivy-like conductive nanonets. 2017 , 5, 12103-12112	6
1654	Design of coherent anode materials with 0D Ni ₃ S ₂ nanoparticles self-assembled on 3D interconnected carbon networks for fast and reversible sodium storage. 2017 , 5, 7394-7402	112
1653	High Voltage, Transition Metal Complex Enables Efficient Electrochemical Energy Storage in a Li-Ion Battery Full Cell. 2017 , 27, 1604299	17
1652	Lithium salt of biphenyl tetracarboxylate as an anode material for Li/Na-ion batteries. 2017 , 418, 9-16	13
1651	A Review on Design Strategies for Carbon Based Metal Oxides and Sulfides Nanocomposites for High Performance Li and Na Ion Battery Anodes. 2017 , 7, 1601424	389
1650	Porous graphdiyne applied for sodium ion storage. 2017 , 5, 2045-2051	54
1649	Light-heat conversion and thermal conductivity enhancement of PEG/SiO ₂ composite PCM by in situ Ti ₄ O ₇ doping. 2017 , 161, 183-189	84
1648	Cockscomb-like Mn-doped Mn _x Fe _{1-x} CO ₃ as anode materials for a high-performance lithium-ion battery. 2017 , 47, 157-166	16
1647	Cyanometallic frameworks derived hierarchical porous Fe ₂ O ₃ /NiO microflowers with excellent lithium-storage property. 2017 , 698, 469-475	22
1646	Highly Reversible and Durable Na Storage in Niobium Pentoxide through Optimizing Structure, Composition, and Nanoarchitecture. 2017 , 29, 1605607	97
1645	Shape-Controlled TiO Nanocrystals for Na-Ion Battery Electrodes: The Role of Different Exposed Crystal Facets on the Electrochemical Properties. 2017 , 17, 992-1000	136
1644	Impact of cathode additives on the cycling performance of rechargeable alkaline manganese dioxide-zinc batteries for energy storage applications. 2017 , 47, 167-181	20

1643	Low-temperature synthesis of two-dimensional nanostructured Co ₃ O ₄ and improved electrochemical properties for lithium-ion batteries. 2017 , 309, 22-30	15
1642	High sulfur content microporous carbon coated sulfur composites synthesized via in situ oxidation of metal sulfide for high-performance Li/S batteries. 2017 , 5, 6052-6059	29
1641	Improvement of Na Ion Electrode Activity of Metal Oxide via Composite Formation with Metal Sulfide. 2017 , 9, 2249-2260	10
1640	Recent progress in rational design of anode materials for high-performance Na-ion batteries. 2017 , 7, 64-114	180
1639	Nature-Inspired Electrochemical Energy-Storage Materials and Devices. 2017 , 7, 1601709	91
1638	Maximizing the power density of aqueous electrochemical flow cells with in operando deposition. 2017 , 339, 80-85	21
1637	Ultra-long cycle life, low-cost room temperature sodium-sulfur batteries enabled by highly doped (N,S) nanoporous carbons. 2017 , 32, 59-66	147
1636	Ultra-high energy storage and ultrafast ion diffusion in borophene-based anodes for rechargeable metal ion batteries. 2017 , 5, 2328-2338	95
1635	Leaching of electrodic powders from lithium ion batteries: Optimization of operating conditions and effect of physical pretreatment for waste fraction retrieval. 2017 , 60, 706-715	50
1634	Molybdenum-Doped PdPt@Pt Core-Shell Octahedra Supported by Ionic Block Copolymer-Functionalized Graphene as a Highly Active and Durable Oxygen Reduction Electrocatalyst. 2017 , 9, 1524-1535	42
1633	The positive role of (NH ₄) ₃ AlF ₆ coating on Li[Li _{0.2} Ni _{0.2} Mn _{0.6}]O ₂ oxide as the cathode material for lithium-ion batteries. 2017 , 7, 1191-1199	11
1632	Carbon-Based Microbial-Fuel-Cell Electrodes: From Conductive Supports to Active Catalysts. 2017 , 29, 1602547	182
1631	Laser Synthesis of Hard Carbon for Anodes in Na-Ion Battery. 2017 , 2, 1600227	15
1630	Recent Progress on Spray Pyrolysis for High Performance Electrode Materials in Lithium and Sodium Rechargeable Batteries. 2017 , 7, 1601578	92
1629	2D-Layered Lithium Carboxylate Based on Biphenyl Core as Negative Electrode for Organic Lithium-Ion Batteries. 2017 , 29, 546-554	31
1628	NaTiO Nanoplatelets and Nanosheets Derived from a Modified Exfoliation Process for Use as a High-Capacity Sodium-Ion Negative Electrode. 2017 , 9, 1416-1425	54
1627	Sustainability and in situ monitoring in battery development. 2016 , 16, 45-56	695
1626	Energy storage through intercalation reactions: electrodes for rechargeable batteries. 2017 , 4, 26-53	74

1625	Molecular-Level Design of Hierarchically Porous Carbons Codoped with Nitrogen and Phosphorus Capable of In Situ Self-Activation for Sustainable Energy Systems. 2017 , 13, 1602010	37
1624	Electrochemical and Chemical Na ⁺ /Li ⁺ -Ion Exchange in Na-Based Cathode Materials: Na _{1.56} Fe _{1.22} P ₂ O ₇ and Na ₃ V ₂ (PO ₄) ₂ F ₃ . 2017 , 164, A6192-A6200	22
1623	Evaluation of Allylboronic Acid Pinacol Ester as Effective Shutdown Overcharge Additive for Lithium Ion Cells. 2017 , 164, A168-A172	12
1622	Dual-Graphene Rechargeable Sodium Battery. 2017 , 13, 1702449	53
1621	An interfacial framework for breaking through the Li-ion transport barrier of Li-rich layered cathode materials. 2017 , 5, 24292-24298	46
1620	A Laterally Extended Perylene Hexacarboxylate via Diels-Alder Reaction for High-Performance Organic Lithium-Ion Batteries. 2017 , 254, 255-261	16
1619	Dual-Confined and Hierarchical-Porous Graphene/C/SiO ₂ Hollow Microspheres through Spray Drying Approach for Lithium-Sulfur Batteries. 2017 , 255, 179-186	28
1618	Redox-Active Polymers for Energy Storage Nanoarchitectonics. 2017 , 1, 739-768	263
1617	Tremella-like N,O-codoped hierarchically porous carbon nanosheets as high-performance anode materials for high energy and ultrafast Na-ion capacitors. 2017 , 41, 285-292	124
1616	Ternary tin selenium sulfide (SnSe _{0.5} Sn _{0.5}) nano alloy as the high-performance anode for lithium-ion and sodium-ion batteries. 2017 , 41, 377-386	120
1615	Cellulose-derived carbon nanofibers/graphene composite electrodes for powerful compact supercapacitors. 2017 , 7, 45968-45977	45
1614	Reducing the Charge Carrier Transport Barrier in Functionally Layer-Graded Electrodes. 2017 , 129, 15043-15048	5
1613	Cell Concepts of Metal-Sulfur Batteries (Metal=Li, Na, K, Mg): Strategies for Using Sulfur in Energy Storage Applications. 2017 , 375, 81	40
1612	Metal Borohydrides as Electrolytes for Solid-State Li, Na, Mg, and Ca Batteries: A First-Principles Study. 2017 , 29, 9308-9319	80
1611	High Sulfur Content Material with Stable Cycling in Lithium-Sulfur Batteries. 2017 , 129, 15314-15318	12
1610	High Sulfur Content Material with Stable Cycling in Lithium-Sulfur Batteries. 2017 , 56, 15118-15122	39
1609	Reinvestigation of Na ₂ Fe ₂ (C ₂ O ₄) ₃ ·2H ₂ O: An Iron-Based Positive Electrode for Secondary Batteries. 2017 , 29, 9095-9101	15
1608	The Effects of Anions Behaviors on Electrochemical Properties of Al/Graphite Rechargeable Aluminum-Ion Battery via Molten AlCl ₃ -NaCl Liquid Electrolyte. 2017 , 164, A3292-A3302	20

1607	Melt-Spun Fe-Sb Intermetallic Alloy Anode for Performance Enhanced Sodium-Ion Batteries. 2017 , 9, 39399-39406	33
1606	Self-assembled nickel-cobalt oxide microspheres from rods with enhanced electrochemical performance for sodium ion battery. 2017 , 258, 220-227	12
1605	Poly(quinone-amine)/nanocarbon composite electrodes with enhanced proton storage capacity. 2017 , 5, 23292-23298	30
1604	Understanding the nanoscale redox-behavior of iron-anodes for rechargeable iron-air batteries. 2017 , 41, 706-716	30
1603	N-doped carbon hollow microspheres for metal-free quasi-solid-state full sodium-ion capacitors. 2017 , 41, 674-680	124
1602	High-performance sodium-organic battery by realizing four-sodium storage in disodium rhodizonate. 2017 , 2, 861-868	272
1601	Asymmetric vanadium flow batteries: long lifespan via an anolyte overhang strategy. 2017 , 19, 29195-29203	15
1600	Metal-Halide Perovskite Transistors for Printed Electronics: Challenges and Opportunities. 2017 , 29, 1702838	92
1599	NbS Nanosheets with M/Se (M = Fe, Co, Ni) Codopants for Li and Na Storage. 2017 , 11, 10599-10607	68
1598	Reducing the Charge Carrier Transport Barrier in Functionally Layer-Graded Electrodes. 2017 , 56, 14847-14852	71
1597	Porous carbon-wrapped cerium oxide hollow spheres synthesized via microwave hydrothermal for long-cycle and high-rate lithium-ion batteries. 2017 , 256, 110-118	17
1596	A novel bifunctional thermo-sensitive poly(lactic acid)@poly(butylene succinate) core-shell fibrous separator prepared by a coaxial electrospinning route for safe lithium-ion batteries. 2017 , 5, 23238-23242	48
1595	On-site evolution of ultrafine ZnO nanoparticles from hollow metal-organic frameworks for advanced lithium ion battery anodes. 2017 , 5, 22512-22518	67
1594	Designing solid-electrolyte interphases for lithium sulfur electrodes using ionic shields. 2017 , 41, 573-582	28
1593	Molecular Orbital Principles of Oxygen-Redox Battery Electrodes. 2017 , 9, 36463-36472	89
1592	Dissected carbon nanotubes functionalized by 1-hydroxyanthraquinone for high-performance asymmetric supercapacitors. 2017 , 7, 48341-48353	11
1591	A platinum catalyst deposited on a zirconia support for the design of lithium-oxygen batteries with enhanced cycling ability. 2017 , 53, 11767-11770	8
1590	In situ nitrogen-doped mesoporous carbon nanofibers as flexible freestanding electrodes for high-performance supercapacitors. 2017 , 5, 23620-23627	76

1589	Critical Role of Ultrathin Graphene Films with Tunable Thickness in Enabling Highly Stable Sodium Metal Anodes. 2017 , 17, 6808-6815	151
1588	Bifunctional Redox Mediator Supported by an Anionic Surfactant for Long-Cycle LiO ₂ Batteries. 2017 , 2, 2659-2666	33
1587	Solution-combustion synthesis of nanomaterials for lithium storage. 2017 , 26, 187-198	7
1586	ZnAl _x Co _{2-x} O ₄ Spinel as Cathode Materials for Non-Aqueous Zn Batteries with an Open Circuit Voltage of 2 V. 2017 , 29, 9351-9359	67
1585	High Performance Poly(viologen)-Graphene Nanocomposite Battery Materials with Puff Paste Architecture. 2017 , 11, 8730-8740	33
1584	Graphene coated Co ₃ V ₂ O ₈ micro-pencils for enhanced-performance in lithium ion batteries. 2017 , 41, 10634-10639	16
1583	Materials and Systems for Organic Redox Flow Batteries: Status and Challenges. 2017 , 2, 2187-2204	247
1582	Tailored Carbon Anodes Derived from Biomass for Sodium-Ion Storage. 2017 , 5, 8720-8728	61
1581	Palladium Nanoparticles Supported by Carboxylate-Functionalized Porous Organic Polymers for Additive-Free Hydrogen Generation from Formic Acid. 2017 , 5, 8061-8069	15
1580	Doping of active electrode materials for electrochemical batteries: an electronic structure perspective. 2017 , 7, 523-540	20
1579	Stabilizing the Oxygen Ions and Alleviating the Surface Structure Evolution of Li-Excess Layered Cathode for Advanced Lithium-Ion Batteries. 2017 , 164, A2441-A2447	3
1578	Metal Phosphides and Phosphates-based Electrodes for Electrochemical Supercapacitors. 2017 , 13, 1701530	197
1577	Mesoporous NiS Nanospheres Anode with Pseudocapacitance for High-Rate and Long-Life Sodium-Ion Battery. 2017 , 13, 1701744	121
1576	Artificial interphase engineering of electrode materials to improve the overall performance of lithium-ion batteries. 2017 , 10, 4115-4138	38
1575	Efficient and Durable Oxygen Reduction Electrocatalyst Based on CoMn Alloy Oxide Nanoparticles Supported Over N-Doped Porous Graphene. 2017 , 7, 6700-6710	70
1574	Surface Fluorination of Reactive Battery Anode Materials for Enhanced Stability. 2017 , 139, 11550-11558	270
1573	In situ transmission electron microscopy study of individual nanostructures during lithiation and delithiation processes. 2017 , 5, 20072-20094	23
1572	Facile in situ synthesis of crystalline VOOH-coated VS ₂ microflowers with superior sodium storage performance. 2017 , 5, 20217-20227	47

- 1571 Effects of nitrogen doping on the structure and performance of carbon coated Na₃V₂(PO₄)₃ cathodes for sodium-ion batteries. **2017**, 124, 334-341 35
- 1570 Graphene-Coated Activated Carbon Fiber Cloth Positive Electrodes for Aluminum Rechargeable Batteries with a Chloroaluminate Room-Temperature Ionic Liquid. **2017**, 164, A2468-A2473 13
- 1569 Mechanochemical Synthesis of PEDOT:PSS Hydrogels for Aqueous Formulation of Li-Ion Battery Electrodes. **2017**, 9, 34865-34874 29
- 1568 Aqueous Processing of NaMnO Cathode Material for the Development of Greener Na-Ion Batteries. **2017**, 9, 34891-34899 51
- 1567 Resilient Energy Storage under High-Temperature with In-Situ-Synthesized MnO@Graphene as Anode. **2017**, 9, 33896-33905 25
- 1566 A Highly Stretchable and Washable All-Yarn-Based Self-Charging Knitting Power Textile Composed of Fiber Triboelectric Nanogenerators and Supercapacitors. **2017**, 11, 9490-9499 320
- 1565 MoS₂@rGO Nanoflakes as High Performance Anode Materials in Sodium Ion Batteries. **2017**, 7, 7963 38
- 1564 MnO/Ni anode materials for lithium-ion batteries prepared by cotton-templated combustion synthesis. **2017**, 2, 377-386 13
- 1563 Pressure-Induced Stable Li₅P for High-Performance Lithium-Ion Batteries. **2017**, 121, 21199-21205 27
- 1562 Mechanochemical assembly of 3D mesoporous conducting-polymer aerogels for high performance hybrid electrochemical energy storage. **2017**, 41, 193-200 14
- 1561 Liquid Quinones for Solvent-Free Redox Flow Batteries. **2017**, 29, 1606592 29
- 1560 Layered Lepidocrocite Type Structure Isolated by Revisiting the Sol-Gel Chemistry of Anatase TiO₂: A New Anode Material for Batteries. **2017**, 29, 8313-8324 25
- 1559 One-pot synthesis of multicomponent (Mo, Co) metal sulfide/carbon nanoboxes as anode materials for improving Na-ion storage. **2017**, 53, 10820-10823 33
- 1558 Aqueous hybrid ion batteries [An environmentally friendly alternative for stationary energy storage?]. **2017**, 364, 258-265 17
- 1557 A wide potential window aqueous supercapacitor based on LiMn₂O₄@rGO nanocomposite. **2017**, 14, 2579-2590 12
- 1556 Synergistic catalytic effects of oxygen and nitrogen functional groups on active carbon electrodes for all-vanadium redox flow batteries. **2017**, 7, 43227-43232 21
- 1555 Improving the sodium storage capacity of tunnel structured Na_xFexTi_{2-x}O₄ (x = 1, 0.9 & 0.8) anode materials by tuning sodium deficiency. **2017**, 366, 115-122 18
- 1554 Recent research progress in non-aqueous potassium-ion batteries. **2017**, 19, 26495-26506 149

1553	Ultrathin MoSe@N-doped carbon composite nanospheres for stable Na-ion storage. 2017 , 28, 42LT01	43
1552	Guiding effective nanostructure design for photo-thermochemical CO ₂ conversion: From DFT calculations to experimental verifications. 2017 , 41, 308-319	25
1551	Insight into microstructural and phase transformations in electrochemical sodiation-desodiation of a bismuth particulate anode. 2017 , 5, 21536-21541	23
1550	Running out of lithium? A route to differentiate between capacity losses and active lithium losses in lithium-ion batteries. 2017 , 19, 25905-25918	122
1549	High-Energy-Density Aqueous Magnesium-Ion Battery Based on a Carbon-Coated FeVO Anode and a Mg-OMS-1 Cathode. 2017 , 23, 17118-17126	55
1548	SbO Nanoparticles Anchored on Graphene Sheets via Alcohol Dissolution-Recipitation Method for Excellent Lithium-Storage Properties. 2017 , 9, 34927-34936	56
1547	Fabrication of bristlegrass-like VO ₂ (B)-ZnO heteroarchitectures as anode materials for lithium-ion batteries. 2017 , 4, 085033	2
1546	Hydrothermal Synthesis of CoMoO ₄ /Co ₉ S ₈ Nanorod Arrays on Nickel Foam for High-Performance Asymmetric Supercapacitors with High Energy Density. 2017 , 252, 470-481	22
1545	Development and characterization of aqueous sodium-ion hybrid supercapacitor based on NaTi ₂ (PO ₄) ₃ //activated carbon. 2017 , 729, 850-857	24
1544	Evaluation of Redox Chemistries for Single-Use Biodegradable Capillary Flow Batteries. 2017 , 164, A2448-A2456	66
1543	Yolk-shell structured Sb@C anodes for high energy Na-ion batteries. 2017 , 40, 504-511	103
1542	Effective Interlayer Engineering of Two-Dimensional VOPO Nanosheets via Controlled Organic Intercalation for Improving Alkali Ion Storage. 2017 , 17, 6273-6279	84
1541	Alkaline earth metal vanadates as sodium-ion battery anodes. 2017 , 8, 460	90
1540	Highly reversible lithium storage in cobalt 2,5-dioxido-1,4-benzenedicarboxylate metal-organic frameworks boosted by pseudocapacitance. 2017 , 506, 365-372	24
1539	Effects of heat treatment on Na-ion conductivity and conduction pathways of fluorophosphate glass-ceramics. 2017 , 471, 280-285	3
1538	Nanoflakes of Ni-Co LDH and BiO Assembled in 3D Carbon Fiber Network for High-Performance Aqueous Rechargeable Ni/Bi Battery. 2017 , 9, 26008-26015	54
1537	Fabrication of hierarchical porous carbon microspheres using porous layered double oxide templates for high-performance lithium ion batteries. 2017 , 123, 186-192	35
1536	Electrochemical Characterization of Na-Ion Charge-Storage Properties for Nanostructured NaTi ₂ (PO ₄) ₃ as a Function of Crystalline Order. 2017 , 164, A2124-A2130	12

- 1535 Water-Soluble Binders for Lithium-Ion Battery Graphite Electrodes: Slurry Rheology, Coating Adhesion, and Electrochemical Performance. **2017**, 5, 2108-2118 29
- 1534 Low-dimensional hybrid perovskites as high performance anodes for alkali-ion batteries. **2017**, 5, 18634-18642 47
- 1533 Charge Transfer Mechanism into the Chevrel Phase Mo₆S₈ during Mg Intercalation. **2017**, 121, 17096-17103 22
- 1532 Cu/Co Bimetallic Oxide Quantum Dot Decorated Nitrogen-Doped Carbon Nanotubes: A High-Efficiency Bifunctional Oxygen Electrode for Zn/Air Batteries. **2017**, 27, 1701833 276
- 1531 Ultrathin MoS₂ Nanosheets@Metal Organic Framework-Derived N-Doped Carbon Nanowall Arrays as Sodium Ion Battery Anode with Superior Cycling Life and Rate Capability. **2017**, 27, 1702116 373
- 1530 Hierarchical VS Nanosheet Assemblies: A Universal Host Material for the Reversible Storage of Alkali Metal Ions. **2017**, 29, 1702061 234
- 1529 Recent Advances in Designing and Fabricating Self-Supported Nanoelectrodes for Supercapacitors. **2017**, 4, 1700188 122
- 1528 The Proton Trap Technology Toward High Potential Quinone-Based Organic Energy Storage. **2017**, 7, 1700259 15
- 1527 Commercial Prospects of Existing Cathode Materials for Sodium Ion Storage. **2017**, 7, 1700274 83
- 1526 One-Step Cationic Grafting of 4-Hydroxy-TEMPO and its Application in a Hybrid Redox Flow Battery with a Crosslinked PBI Membrane. **2017**, 10, 3193-3197 42
- 1525 Bioinspired stretchable triboelectric nanogenerator as energy-harvesting skin for self-powered electronics. **2017**, 39, 429-436 112
- 1524 Redox Electrocatalysis of Floating Nanoparticles: Determining Electrocatalytic Properties without the Influence of Solid Supports. **2017**, 8, 3564-3575 37
- 1523 Water-Soluble Sericin Protein Enabling Stable Solid-Electrolyte Interphase for Fast Charging High Voltage Battery Electrode. **2017**, 29, 1701828 114
- 1522 Na-Ion Batteries for Large Scale Applications: A Review on Anode Materials and Solid Electrolyte Interphase Formation. **2017**, 7, 1700463 192
- 1521 Renewable-Biomolecule-Based Electrochemical Energy-Storage Materials. **2017**, 7, 1700663 64
- 1520 A Dual-Carbon Battery Based on Potassium-Ion Electrolyte. **2017**, 7, 1700920 201
- 1519 Facile synthesis of microsized MnO/C composites with high tap density as high performance anodes for Li-ion batteries. **2017**, 328, 591-598 101
- 1518 Self-Assembled CoS Nanoflowers Wrapped in Reduced Graphene Oxides as the High-Performance Anode Materials for Sodium-Ion Batteries. **2017**, 23, 13150-13157 39

1517	Local Electric Field Facilitates High-Performance Li-Ion Batteries. 2017 , 11, 8519-8526	112
1516	Green-low-cost rechargeable aqueous zinc-ion batteries using hollow porous spinel ZnMn ₂ O ₄ as the cathode material. 2017 , 5, 17990-17997	192
1515	A High-Voltage Aqueous Electrolyte for Sodium-Ion Batteries. 2017 , 2, 2005-2006	138
1514	Mechanism and performance of lithium-oxygen batteries - a perspective. 2017 , 8, 6716-6729	116
1513	Rationally Designed Self-Healing Hydrogel Electrolyte toward a Smart and Sustainable Supercapacitor. 2017 , 9, 27745-27753	56
1512	Amorphous Transition Metal Sulfides Anchored on Amorphous Carbon-Coated Multiwalled Carbon Nanotubes for Enhanced Lithium-Ion Storage. 2017 , 23, 14056-14063	19
1511	Two-Dimensional Titanium Carbide MXene as a Capacitor-Type Electrode for Rechargeable Aqueous Li-Ion and Na-Ion Capacitor Batteries. 2017 , 4, 3018-3025	41
1510	Nanostructured Conjugated Polymers: Toward High-Performance Organic Electrodes for Rechargeable Batteries. 2017 , 2, 1985-1996	221
1509	K _{0.67} Ni _{0.17} Co _{0.17} Mn _{0.66} O ₂ : A cathode material for potassium-ion battery. 2017 , 82, 150-154	103
1508	Ultrathin Manganese-Based Metal-Organic Framework Nanosheets: Low-Cost and Energy-Dense Lithium Storage Anodes with the Coexistence of Metal and Ligand Redox Activities. 2017 , 9, 29829-29838	90
1507	Robust Pitaya-Structured Pyrite as High Energy Density Cathode for High-Rate Lithium Batteries. 2017 , 11, 9033-9040	200
1506	Single-walled carbon nanotubes as stabilizing agents in red phosphorus Li-ion battery anodes. 2017 , 7, 39997-40004	17
1505	Processable and Moldable Sodium-Metal Anodes. 2017 , 56, 11921-11926	141
1504	Kinetically-Driven Phase Transformation during Lithiation in Copper Sulfide Nanoflakes. 2017 , 17, 5726-5733	53
1503	Trimethylsilylcyclopentadiene as a novel electrolyte additive for high temperature application of lithium nickel manganese oxide cathode. 2017 , 364, 23-32	21
1502	Operando EPR for Simultaneous Monitoring of Anionic and Cationic Redox Processes in Li-Rich Metal Oxide Cathodes. 2017 , 8, 4009-4016	48
1501	Processable and Moldable Sodium-Metal Anodes. 2017 , 129, 12083-12088	52
1500	Carbon-incorporated Janus-type Ni ₂ P/Ni hollow spheres for high performance hybrid supercapacitors. 2017 , 5, 19054-19061	137

- 1499 A review of flexible lithium-sulfur and analogous alkali metal-chalcogen rechargeable batteries. **2017**, 46, 5237-5288 461
- 1498 Poly(5-alkyl-thieno[3,4-c]pyrrole-4,6-dione): a study of π -conjugated redox polymers as anode materials in lithium-ion batteries. **2017**, 5, 18088-18094 24
- 1497 Nanoribbons and nanoscrolls intertwined three-dimensional vanadium oxide hydrogels for high-rate lithium storage at high mass loading level. **2017**, 40, 73-81 37
- 1496 Physicochemical and Electrochemical Properties of K[N(SO₂F)₂][N-Methyl-N-propylpyrrolidinium][N(SO₂F)₂] Ionic Liquids for Potassium-Ion Batteries. **2017**, 121, 18450-18458 45
- 1495 Room-Temperature Performance of Poly(Ethylene Ether Carbonate)-Based Solid Polymer Electrolytes for All-Solid-State Lithium Batteries. **2017**, 7, 17482 46
- 1494 Real-space analysis of diffusion behavior and activation energy of individual monatomic ions in a liquid. **2017**, 3, e1701546 9
- 1493 OH-substituted 2, 3-dichloro-5, 6-dicyano-1, 4-benzoquinone as highly stable organic electrode for lithium ion battery. **2017**, 258, 677-683 21
- 1492 Synergistic Effect of Partially Fluorinated Ether and Fluoroethylene Carbonate for High-Voltage Lithium-Ion Batteries with Rapid Chargeability and Dischargeability. **2017**, 9, 44161-44172 28
- 1491 Improving the Cycling Performance of Lithium-Ion Battery Si/Graphite Anodes Using a Soluble Polyimide Binder. **2017**, 2, 8438-8444 19
- 1490 Multiscale Simulation Platform Linking Lithium Ion Battery Electrode Fabrication Process with Performance at the Cell Level. **2017**, 8, 5966-5972 42
- 1489 Engineering SnS₂ nanosheet assemblies for enhanced electrochemical lithium and sodium ion storage. **2017**, 5, 25618-25624 60
- 1488 Encapsulating porous SnO₂ into a hybrid nanocarbon matrix for long lifetime Li storage. **2017**, 5, 25609-25617 49
- 1487 High Rate Performance of Na₃V_{2-x}Cu_x(PO₄)₃/C Cathodes for Sodium Ion Batteries. **2017**, 164, A3563-A3569 18
- 1486 Novel Silicon Doped Tin Oxide-Carbon Microspheres as Anode Material for Lithium Ion Batteries: The Multiple Effects Exerted by Doped Si. **2017**, 13, 1702614 22
- 1485 Mesoscale Elucidation of Solid Electrolyte Interphase Layer Formation in Li-Ion Battery Anode. **2017**, 121, 26233-26240 28
- 1484 Vanadyl-type defects in Tavorite-like NaVPO₄F: from the average long range structure to local environments. **2017**, 5, 25044-25055 23
- 1483 The synthesis of 1D magnesium octahedral molecular sieve with controllable size and shape for aqueous magnesium ion battery cathode material. **2017**, 807, 37-44 13
- 1482 Facile synthesis and lithium storage properties of engineered ultrafine porous Fe₂SiO₄/C composites. **2017**, 807, 29-36 10

1481	Buffer layer enhanced stability of sodium-ion storage. 2017 , 369, 138-145	23
1480	Correlation between battery material performance and cooperative electron-phonon interaction in $\text{LiCo}_y\text{Mn}_{2-y}\text{O}_4$. 2017 , 110, 143901	8
1479	Role of Electrolyte Anions in the NaO_2 Battery: Implications for NaO_2 Solvation and the Stability of the Sodium Solid Electrolyte Interphase in Glyme Ethers. 2017 , 29, 6066-6075	99
1478	Ionic Liquids: evidence of the viscosity scale-dependence. 2017 , 7, 2241	12
1477	Recent progress in conversion reaction metal oxide anodes for Li-ion batteries. 2017 , 1, 2213-2242	196
1476	A Direct Alcohol Fuel Cell Driven by an Outer Sphere Positive Electrode. 2017 , 8, 3523-3529	11
1475	Prawn Shell Derived Chitin Nanofiber Membranes as Advanced Sustainable Separators for Li/Na-Ion Batteries. 2017 , 17, 4894-4901	58
1474	A titanium-based metal-organic framework as an ultralong cycle-life anode for PIBs. 2017 , 53, 8360-8363	77
1473	A novel synthetic route to cathode materials for LiS batteries: from organic sulfides to sulfur/nitrogenous carbon composites. 2017 , 5, 16796-16802	16
1472	On the improved electrochemistry of hybrid conducting-redox polymer electrodes. 2017 , 7, 4847	9
1471	Tailored Metal Oxide Thin Film on Polyethylene Separators for Sodium-Ion Batteries. 2017 , 164, A1965-A1969	12
1470	Core/Shell Structure Nano-Iron/Iron Carbide Electrodes for Rechargeable Alkaline Iron Batteries. 2017 , 164, A1665-A1672	19
1469	In-situ self-polymerization restriction to form core-shell LiFePO_4/C nanocomposite with ultrafast rate capability for high-power Li-ion batteries. 2017 , 39, 346-354	46
1468	Structural Evolution and Redox Processes Involved in the Electrochemical Cycling of $\text{P}_2\text{Na}_{0.67}[\text{Mn}_{0.66}\text{Fe}_{0.20}\text{Cu}_{0.14}]\text{O}_2$. 2017 , 29, 6684-6697	84
1467	A biomass-derived polyhydroxyalkanoate biopolymer as safe and environmental-friendly skeleton in highly efficient gel electrolytes for lithium batteries. 2017 , 247, 63-70	7
1466	The formation and electrochemical property of lithium-excess cathode material $\text{Li}_{1.2}\text{Ni}_{0.13}\text{Co}_{0.13}\text{Mn}_{0.54}\text{O}_2$ with petal-like nanoplate microstructure. 2017 , 23, 2285-2291	2
1465	Dissolvable and Recyclable Random Lasers. 2017 , 11, 7600-7607	28
1464	True performance metrics in beyond-intercalation batteries. 2017 , 2,	63

1463	Dual Stabilization and Sacrificial Effect of Na ₂ CO ₃ for Increasing Capacities of Na-Ion Cells Based on P ₂ -Na _x MO ₂ Electrodes. 2017 , 29, 5948-5956	64
1462	Engineering Redox Potential of Lithium Clusters for Electrode Material in Lithium-Ion Batteries. 2017 , 28, 2779-2793	10
1461	Activation of Sodium Storage Sites in Prussian Blue Analogues via Surface Etching. 2017 , 17, 4713-4718	175
1460	Symmetric sodium-ion batteries based on the phosphate material of NASICON-structured Na ₃ Co _{0.5} Mn _{0.5} Ti(PO ₄) ₃ . 2017 , 7, 33273-33277	15
1459	N-doped porous reduced graphene oxide as an efficient electrode material for high performance flexible solid-state supercapacitor. 2017 , 8, 141-149	55
1458	Na ₃ Zr ₂ (SiO ₄) ₂ (PO ₄) prepared by a solution-assisted solid state reaction. 2017 , 302, 83-91	53
1457	Biomass-derived renewable carbon materials for electrochemical energy storage. 2017 , 5, 69-88	299
1456	Self-polymerized dopamine as an organic cathode for Li- and Na-ion batteries. 2017 , 10, 205-215	181
1455	CuCo ₂ O ₄ -Gd _{0.1} Ce _{0.9} O _{1.95} as a Potential Cathode Material for Intermediate Temperature Solid Oxide Fuel Cells. 2017 , 4, 252-255	8
1454	Hierarchical Ru-doped sodium vanadium fluorophosphates hollow microspheres as a cathode of enhanced superior rate capability and ultralong stability for sodium-ion batteries. 2017 , 31, 64-73	52
1453	A Novel Lithiated Silicon-Sulfur Battery Exploiting an Optimized Solid-Like Electrolyte to Enhance Safety and Cycle Life. 2017 , 13, 1602015	25
1452	Coupling effect between ultra-small Mn ₃ O ₄ nanoparticles and porous carbon microrods for hybrid supercapacitors. 2017 , 6, 53-60	54
1451	Supercapacitor and supercapattery as emerging electrochemical energy stores. 2017 , 62, 173-202	340
1450	Microstructure and electrochemical properties of advanced Li-rich manganese based cathode material synthesized by self-propagating method. 2017 , 86, 113-118	5
1449	An Iodine Quantum Dots Based Rechargeable Sodium/Iodine Battery. 2017 , 7, 1601885	80
1448	Core shell MoS ₂ /C nanospheres embedded in foam-like carbon sheets composite with an interconnected macroporous structure as stable and high-capacity anodes for sodium ion batteries. 2017 , 309, 417-425	79
1447	Materials/Methods: NMR in Battery Research. 2017 , 29, 213-242	196
1446	Flexible and Stretchable Energy Storage: Recent Advances and Future Perspectives. 2017 , 29, 1603436	725

1445	Noble metal/metal oxide nanohybrids with tailored nanostructures for efficient solar energy conversion, photocatalysis and environmental remediation. 2017 , 10, 402-434	638
1444	Transition metal dichalcogenide based nanomaterials for rechargeable batteries. 2017 , 307, 189-207	68
1443	Exploiting High-Performance Anode through Tuning the Character of Chemical Bonds for Li-Ion Batteries and Capacitors. 2017 , 7, 1601127	133
1442	Disordered mesoporous polyacenes/sulfur nanocomposites: Superior cathode materials for lithium-sulfur batteries. 2017 , 693, 1045-1051	6
1441	Poly(vinylidene fluoride)/poly(acrylonitrile) blend fibrous membranes by centrifugal spinning for high-performance lithium ion battery separators. 2017 , 134,	8
1440	Conductive MOF electrodes for stable supercapacitors with high areal capacitance. 2017 , 16, 220-224	1287
1439	Lifetime vs. rate capability: Understanding the role of FEC and VC in high-energy Li-ion batteries with nano-silicon anodes. 2017 , 6, 26-35	118
1438	Noble metal-based materials in high-performance supercapacitors. 2017 , 4, 33-51	117
1437	Natural halloysite nano-clay electrolyte for advanced all-solid-state lithium-sulfur batteries. 2017 , 31, 478-485	208
1436	Boron phosphide monolayer as a potential anode material for alkali metal-based batteries. 2017 , 5, 672-679	144
1435	Reversible Sodium Storage Behavior of Aromatic Diimide Disodium Carboxylates. 2017 , 164, A6147-A6153	10
1434	Cellulose Nanocrystals Assisted Preparation of Electrochemical Energy Storage Electrodes. 2017 ,	
1433	Solid State Electrochemistry and Battery Application of Coordination Compounds. 2017 , 69, 45-49	
1432	A survey of battery energy storage system (BESS), applications and environmental impacts in power systems. 2017 ,	9
1431	Special Issue: Materials for Electrochemical Capacitors and Batteries. 2017 , 10,	3
1430	Photodegradation of Rhodamine B over Biomass-Derived Activated Carbon Supported CdS Nanomaterials under Visible Irradiation. 2017 , 5, 123	32
1429	Nonintrusive Load Monitoring Based on Advanced Deep Learning and Novel Signature. 2017 , 2017, 4216281	73
1428	Ionic Liquids/Ionic Liquid Crystals for Safe and Sustainable Energy Storage Systems. 2017 ,	5

1427	Solar playgrounds: A design feasibility study. 2017 ,	
1426	Evaluating energy storage for a multitude of uses in the datacenter. 2017 ,	1
1425	Evaluation of guar gum-based biopolymers as binders for lithium-ion batteries electrodes. 2018 , 265, 89-97	32
1424	Towards High-Performance Aqueous Sodium-Ion Batteries: Stabilizing the Solid/Liquid Interface for NASICON-Type Na VTi(PO) using Concentrated Electrolytes. 2018 , 11, 1382-1389	58
1423	Unusual carbon nanomesh constructed by interconnected carbon nanocages for ionic liquid-based supercapacitor with superior rate capability. 2018 , 342, 474-483	48
1422	Dynamic Nuclear Polarization Surface Enhanced NMR spectroscopy (DNP SENS): Principles, protocols, and practice. 2018 , 33, 63-71	34
1421	Polypyrenes as High-Performance Cathode Materials for Aluminum Batteries. 2018 , 30, e1705644	122
1420	VSC-doping and VSU-doping of Na ₃ V ₂ -xTi _x (PO ₄) ₂ F ₃ compounds for sodium ion battery cathodes: Analysis of electrochemical performance and kinetic properties. 2018 , 47, 340-352	74
1419	MoSe ₂ nanosheets perpendicularly grown on graphene with Mo π bonding for sodium-ion capacitors. 2018 , 47, 224-234	270
1418	Graphene hybridization for energy storage applications. 2018 , 47, 3189-3216	232
1417	Binding Sulfur-Doped Nb ₂ O ₅ Hollow Nanospheres on Sulfur-Doped Graphene Networks for Highly Reversible Sodium Storage. 2018 , 28, 1800394	79
1416	Co ₃ O ₄ and its composites for high-performance Li-ion batteries. 2018 , 343, 427-446	71
1415	Nitrogen-doped carbon decorated NaTi ₂ (PO ₄) ₃ composite as an anode for sodium-ion batteries with outstanding electrochemical performance. 2018 , 44, 7159-7164	10
1414	Elaborately assembled core-shell structured metal sulfides as a bifunctional catalyst for highly efficient electrochemical overall water splitting. 2018 , 47, 494-502	302
1413	Robust Cage-Based ZincOrganic Frameworks Derived Dual-Doped Carbon Materials for Supercapacitor. 2018 , 18, 2358-2364	32
1412	2D Black Phosphorus: from Preparation to Applications for Electrochemical Energy Storage. 2018 , 5, 1700491	109
1411	Metal-organic frameworks based membrane as a permselective separator for lithium-sulfur batteries. 2018 , 265, 151-159	53
1410	Design and Synthesis of 3D Potassium-Ion Pre-Intercalated Graphene for Supercapacitors. 2018 , 57, 3610-3616	11

1409	One-Step In Situ Synthesis of Three-Dimensional NiSb Thin Films as Anode Electrode Material for the Advanced Sodium-Ion Battery. 2018 , 2018, 992-998	13
1408	On the mass transport in membraneless flow batteries with flow-by configuration. 2018 , 122, 954-966	15
1407	Electrochemical Reduction of CO ₂ Mediated by Quinone Derivatives: Implication for Li-CO ₂ Battery. 2018 , 122, 6546-6554	58
1406	Formation of NiCo ₂ V ₂ O ₈ Yolk-Double Shell Spheres with Enhanced Lithium Storage Properties. 2018 , 130, 2949-2953	12
1405	Low-Cost K Fe(CN) as a High-Voltage Cathode for Potassium-Ion Batteries. 2018 , 11, 1285-1289	28
1404	Abnormal self-discharge in lithium-ion batteries. 2018 , 11, 970-978	57
1403	Mechanical Properties of Li ₂ S-P ₂ S ₅ Glasses with Lithium Halides and Application in All-Solid-State Batteries. 2018 , 1, 1002-1007	89
1402	Molecular Engineered Safer Organic Battery through the Incorporation of Flame Retarding Organophosphonate Moiety. 2018 , 10, 10096-10101	4
1401	Highly stable carbon coated Mg ₂ Si intermetallic nanoparticles for lithium-ion battery anode. 2018 , 384, 10-17	25
1400	Ab initio molecular dynamics study of 1-D superionic conduction and phase transition in Feucryptite. 2018 , 6, 5052-5064	13
1399	Local Structure and Lithium Diffusion Pathways in Li ₄ Mn ₂ O ₅ High Capacity Cathode Probed by Total Scattering and XANES. 2018 , 30, 3060-3070	16
1398	Mixed Ionic Liquid Improves Electrolyte Dynamics in Supercapacitors. 2018 , 122, 10476-10481	40
1397	Highly interconnected hollow graphene nanospheres as an advanced high energy and high power cathode for sodium metal batteries. 2018 , 6, 9846-9853	26
1396	Toward a High-Performance All-Plastic Full Battery with a Single Organic Polymer as Both Cathode and Anode. 2018 , 8, 1703509	150
1395	A facile strategy for fabricating hierarchical nanocomposites of V ₂ O ₅ nanowire arrays on a three-dimensional N-doped graphene aerogel with a synergistic effect for supercapacitors. 2018 , 6, 9938-9947 ⁶²	
1394	Highly Reversible Oxygen-Redox Chemistry at 4.1 V in Na _{4/7} [_{1/7} Mn _{6/7}]O ₂ (? : Mn Vacancy). 2018 , 8, 1800409	116
1393	Ethylenediamine-Enabled Sustainable Synthesis of Mesoporous Nanostructured Li ₂ Fe ₁₁ SiO ₄ Particles from Fe(III) Aqueous Solution for Li-Ion Battery Application. 2018 , 6, 7458-7467	12
1392	Na _{1.7} IrO ₃ : A Tridimensional Na-Ion Insertion Material with a Redox Active Oxygen Network. 2018 , 30, 3285-3293	18

1391	Reversible calcium alloying enables a practical room-temperature rechargeable calcium-ion battery with a high discharge voltage. <i>Nature Chemistry</i> , 2018 , 10, 667-672	17.6	477
1390	Nano-SiO ₂ -embedded poly(propylene carbonate)-based composite gel polymer electrolyte for lithium-sulfur batteries. 2018 , 6, 9539-9549		49
1389	Azo Compounds Derived from Electrochemical Reduction of Nitro Compounds for High Performance Li-Ion Batteries. 2018 , 30, e1706498		82
1388	A Rechargeable Hydrogen Battery. 2018 , 9, 2492-2497		13
1387	Facile Stabilization of the Sodium Metal Anode with Additives: Unexpected Key Role of Sodium Polysulfide and Adverse Effect of Sodium Nitrate. 2018 , 57, 7734-7737		122
1386	MnCo ₂ O ₄ Anchored on Nitrogen-Doped Carbon Nanomaterials as an Efficient Electrocatalyst for Oxygen Reduction. 2018 , 3, 4228-4236		7
1385	Vanadium Dioxide-Graphene Composite with Ultrafast Anchoring Behavior of Polysulfides for Lithium-Sulfur Batteries. 2018 , 10, 15733-15741		70
1384	Binder-free stainless steel@Mn ₃ O ₄ nanoflower composite: a high-activity aqueous zinc-ion battery cathode with high-capacity and long-cycle-life. 2018 , 6, 9677-9683		196
1383	Dissolution of Complex Metal Oxides from First-Principles and Thermodynamics: Cation Removal from the (001) Surface of Li(NiMnCo)O. 2018 , 52, 5792-5802		34
1382	Xanthoceras sorbifolia husks-derived porous carbon for sodium-ion and lithium-sulfur batteries. 2018 , 85, 104-111		15
1381	Binary iron sulfides as anode materials for rechargeable batteries: Crystal structures, syntheses, and electrochemical performance. 2018 , 379, 41-52		65
1380	Mesoporous TiO/TiC@C Composite Membranes with Stable TiO-C Interface for Robust Lithium Storage. 2018 , 3, 149-160		36
1379	Flower-like structure of SnS with N-doped carbon via polymer additive for lithium-ion battery and sodium-ion battery. 2018 , 750, 23-32		21
1378	Application of Poly(3-hexylthiophene-2,5-diyl) as a Protective Coating for High Rate Cathode Materials. 2018 , 30, 2589-2599		31
1377	Large-Scale Color-Changing Thin Film Energy Storage Device with High Optical Contrast and Energy Storage Capacity. 2018 , 1, 1658-1663		9
1376	Metal-organic framework-derived one-dimensional porous or hollow carbon-based nanofibers for energy storage and conversion. 2018 , 5, 394-407		331
1375	Multidimensional Synergistic Nanoarchitecture Exhibiting Highly Stable and Ultrafast Sodium-Ion Storage. 2018 , 30, e1707122		94
1374	Self-Activating, Capacitive Anion Intercalation Enables High-Power Graphite Cathodes. 2018 , 30, e1800533		86

1373	An All Solid-State Zinc-Air Battery with a Corrosion-Resistant Air Electrode. 2018 , 5, 1817-1821	14
1372	Pyrolytic Carbon Nanosheets for Ultrafast and Ultrastable Sodium-Ion Storage. 2018 , 14, e1703043	19
1371	Remarkable Enhancement in Sodium-Ion Kinetics of NaFe ₂ (CN) ₆ by Chemical Bonding with Graphene. 2018 , 2, 1700346	27
1370	A covalent heterostructure of monodisperse Ni ₂ P immobilized on N, P-co-doped carbon nanosheets for high performance sodium/lithium storage. 2018 , 48, 510-517	107
1369	Understanding Capacity Fading of MgH ₂ Conversion-Type Anodes via Structural Morphology Changes and Electrochemical Impedance. 2018 , 122, 8750-8759	9
1368	Triaxial Nanocables of Conducting Polypyrrole@SnS@Carbon Nanofiber Enabling Significantly Enhanced Li-Ion Storage. 2018 , 10, 13581-13587	40
1367	Wood-Inspired High-Performance Ultrathick Bulk Battery Electrodes. 2018 , 30, e1706745	136
1366	Highly bonded T-Nb ₂ O ₅ /rGO nanohybrids for 4 V quasi-solid state asymmetric supercapacitors with improved electrochemical performance. 2018 , 11, 4673-4685	40
1365	Low-cost birnessite as a promising cathode for high-performance aqueous rechargeable batteries. 2018 , 272, 154-160	80
1364	Novel lignocellulose based gel polymer electrolyte with higher comprehensive performances for rechargeable lithium-sulfur battery. 2018 , 556, 203-213	47
1363	The system of mobile ions in lattice models: Screening effects, thermodynamic and electrophysical properties. 2018 , 270, 183-190	3
1362	One-Step Synthetic Strategy of Hybrid Materials from Bimetallic Metal-Organic Frameworks for Supercapacitor Applications. 2018 , 1, 2007-2015	111
1361	Lithiation heterogeneities of graphite according to C-rate and mass-loading: A model study. 2018 , 272, 97-107	11
1360	Potassium vanadate K _{0.23} V ₂ O ₅ as anode materials for lithium-ion and potassium-ion batteries. 2018 , 389, 77-83	42
1359	A High-Energy-Density Potassium Battery with a Polymer-Gel Electrolyte and a Polyaniline Cathode. 2018 , 130, 5547-5551	35
1358	Ultrasml TiO-Coated Reduced Graphene Oxide Composite as a High-Rate and Long-Cycle-Life Anode Material for Sodium-Ion Batteries. 2018 , 10, 14818-14826	45
1357	Research progress on vanadium-based cathode materials for sodium ion batteries. 2018 , 6, 8815-8838	121
1356	Carbon fibers as three-dimensional current collectors for silicon/reduced graphene oxide lithium ion battery anodes with improved rate performance and cycle life. 2018 , 42, 9058-9064	8

1355	Na ₃ V ₂ (PO ₄) ₃ /C Positive Electrodes with High Energy and Power Densities for Sodium Secondary Batteries with Ionic Liquid Electrolytes That Operate across Wide Temperature Ranges. 2018 , 2, 1700171	29
1354	Fluoroethylene Carbonate-Based Electrolyte with 1 M Sodium Bis(fluorosulfonyl)imide Enables High-Performance Sodium Metal Electrodes. 2018 , 10, 15270-15280	85
1353	Significant enhancement in volumetric and gravimetric capacitance of Cu-TiO ₂ /PPY composite for supercapacitor application. 2018 ,	1
1352	Stabilizing a High-Energy-Density Rechargeable Sodium Battery with a Solid Electrolyte. 2018 , 4, 833-844	144
1351	How do demand response and electrical energy storage affect (the need for) a capacity market?. 2018 , 214, 39-62	36
1350	Research Update: Hard carbon with closed pores from pectin-free apple pomace waste for Na-ion batteries. 2018 , 6, 047501	18
1349	A star-shaped solid composite electrolyte containing multifunctional moieties with enhanced electrochemical properties for all solid-state lithium batteries. 2018 , 552, 107-114	26
1348	Wearable and robust triboelectric nanogenerator based on crumpled gold films. 2018 , 46, 73-80	61
1347	Rational Synthesis and Assembly of NiS Nanorods for Enhanced Electrochemical Sodium-Ion Storage. 2018 , 12, 1829-1836	81
1346	Recent Advances in Layered Ti C T MXene for Electrochemical Energy Storage. 2018 , 14, e1703419	478
1345	Synthesis of uniform hierarchical Na ₃ V _{1.95} Mn _{0.05} (PO ₄) ₂ F ₃ @C hollow microspheres as a cathode material for sodium-ion batteries. 2018 , 6, 4525-4534	65
1344	Penne-Like MoS ₂ /Carbon Nanocomposite as Anode for Sodium-Ion-Based Dual-Ion Battery. 2018 , 14, e1703951	94
1343	Novel fabrication of N-doped hierarchically porous carbon with exceptional potassium storage properties. 2018 , 131, 79-85	111
1342	Stabilization of a High-Capacity and High-Power Nickel-Based Cathode for Li-Ion Batteries. 2018 , 4, 690-704	85
1341	Nanostructured Conversion-type Anode Materials for Advanced Lithium-Ion Batteries. 2018 , 4, 972-996	410
1340	A mesoporous antimony-based nanocomposite for advanced sodium ion batteries. 2018 , 13, 247-256	53
1339	Nanostructuring one-dimensional and amorphous lithium peroxide for high round-trip efficiency in lithium-oxygen batteries. 2018 , 9, 680	50
1338	Probing electrochemical reactions in organic cathode materials via in operando infrared spectroscopy. 2018 , 9, 661	72

1337	Wind energy research: State-of-the-art and future research directions. 2018 , 125, 133-154	99
1336	Porphyrin-Based Symmetric Redox-Flow Batteries towards Cold-Climate Energy Storage. 2018 , 130, 3212-3216	23
1335	Conversion-Based Cathode Materials for Rechargeable Sodium Batteries. 2018 , 8, 1702646	50
1334	Advanced Phosphorus-Based Materials for Lithium/Sodium-Ion Batteries: Recent Developments and Future Perspectives. 2018 , 8, 1703058	119
1333	TePtFe Nanotubes as High-Performing Bifunctional Electrocatalysts for the Oxygen Reduction Reaction and Hydrogen Evolution Reaction. 2018 , 11, 1328-1333	17
1332	Polyselenide Anchoring Using Transition-Metal Disulfides for Enhanced Lithium-Selenium Batteries. 2018 , 57, 2149-2156	17
1331	Co-Doped CuO Nanoarray: An Efficient Oxygen Evolution Reaction Electrocatalyst with Enhanced Activity. 2018 , 6, 2883-2887	211
1330	One-dimensional nanomaterials for energy storage. 2018 , 51, 113002	36
1329	Formation of NiCo V O Yolk-Double Shell Spheres with Enhanced Lithium Storage Properties. 2018 , 57, 2899-2903	101
1328	Ta2O5-Nanoparticle-Modified Graphite Felt As a High-Performance Electrode for a Vanadium Redox Flow Battery. 2018 , 6, 3019-3028	56
1327	Enhancing reaction rate in a Pickering emulsion system with natural magnetotactic bacteria as nanoscale magnetic stirring bars. 2018 , 9, 2575-2580	16
1326	Ionic liquids and derived materials for lithium and sodium batteries. 2018 , 47, 2020-2064	297
1325	Functionalization of graphene oxide with naphthalenediimide diamine for high-performance cathode materials of lithium-ion batteries. 2018 , 2, 803-810	14
1324	The Na3V2(PO4)2F3/Carbon Na-Ion Battery: Its Performance Understanding as Deduced from Differential Voltage Analysis. 2018 , 165, A220-A227	24
1323	New Spin on Organic Radical Batteries-An Isoindoline Nitroxide-Based High-Voltage Cathode Material. 2018 , 10, 7982-7988	42
1322	Azo compounds as a family of organic electrode materials for alkali-ion batteries. 2018 , 115, 2004-2009	98
1321	1D porous MnO@N-doped carbon nanotubes with improved Li-storage properties as advanced anode material for lithium-ion batteries. 2018 , 264, 292-300	127
1320	High-performance layered double hydroxide/poly(2,6-dimethyl-1,4-phenylene oxide) membrane with porous sandwich structure for anion exchange membrane fuel cell applications. 2018 , 552, 51-60	57

1319	Boosting the Potassium Storage Performance of Alloy-Based Anode Materials via Electrolyte Salt Chemistry. 2018 , 8, 1703288	304
1318	Cathode Dependence of Liquid-Alloy Na-K Anodes. 2018 , 140, 3292-3298	73
1317	La _{0.1} Ca _{0.9} MnO ₃ /Co ₃ O ₄ for oxygen reduction and evolution reactions (ORER) in alkaline electrolyte. 2018 , 22, 1697-1710	9
1316	Oxygen redox chemistry without excess alkali-metal ions in Na[MgMn]O. <i>Nature Chemistry</i> , 2018 , 10, 288-295	17.6 281
1315	Readiness Level of Sodium-Ion Battery Technology: A Materials Review. 2018 , 2, 1700153	103
1314	High-Voltage Li ₂ SiO ₃ /LiNi _{0.5} Mn _{1.5} O ₄ Hollow Spheres Prepared through In Situ Aerosol Spray Pyrolysis towards High-Energy Li-Ion Batteries. 2018 , 5, 1212-1218	17
1313	Facile Synthesis of Mesoporous and Thin-Walled NiCo Sulfide Nanotubes as Efficient Electrocatalysts for Oxygen Evolution Reaction. 2018 , 1, 495-502	17
1312	Porphyrin-Based Symmetric Redox-Flow Batteries towards Cold-Climate Energy Storage. 2018 , 57, 3158-3162	70
1311	Polymorphism in Li ₄ Zn(PO ₄) ₂ and Stabilization of its Structural Disorder to Improve Ionic Conductivity. 2018 , 30, 1379-1390	10
1310	A novel zinc-ion hybrid supercapacitor for long-life and low-cost energy storage applications. 2018 , 13, 1-7	262
1309	1-Ethyl-3-Methyl-Imidazolium Bis (Trifluoromethane- sulfonyl) Imide as an Electrolyte Additive in LiFePO ₄ - Based Batteries for Suppressing Aluminum Corrosion. 2018 , 6, 1667-1674	11
1308	A cross-disciplinary overview of naturally derived materials for electrochemical energy storage. 2018 , 7, 58-79	34
1307	Direct chitin conversion to N-doped amorphous carbon nanofibers for high-performing full sodium-ion batteries. 2018 , 45, 220-228	134
1306	Hybrid solid electrolytes composed of poly(1,4-butylene adipate) and lithium aluminum germanium phosphate for all-solid-state Li/LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cells. 2018 , 315, 65-70	25
1305	Dual Anion Insertion Reversible Insertion in a Bipyridinium Diamide Triad as the Negative Electrode for Aqueous Batteries. 2018 , 8, 1701988	33
1304	Soft Chemistry, Coloring and Polytypism in Filled Tetrahedral Semiconductors: Toward Enhanced Thermoelectric and Battery Materials. 2018 , 24, 3650-3658	8
1303	Hydrogel assisted synthesis of Li ₃ V ₂ (PO ₄) ₃ composite as high energy density and low-temperature stable secondary battery cathode. 2018 , 739, 837-847	10
1302	Ion Solvent Complexes Promote Gas Evolution from Electrolytes on a Sodium Metal Anode. 2018 , 130, 742-745	22

1301	Commercial expanded graphite as a low-cost, long-cycling life anode for potassium-ion batteries with conventional carbonate electrolyte. 2018 , 378, 66-72	208
1300	Performance of an environmentally benign acid base flow battery at high energy density. 2018 , 42, 1524-1535	29
1299	Densification of chlorine-doped continuous CNT sheet/polyvinylidene fluoride sandwich film and improvement of the mechanical and dielectric properties. 2018 , 29, 035701	6
1298	Sodium Ion Stabilized Vanadium Oxide Nanowire Cathode for High-Performance Zinc-Ion Batteries. 2018 , 8, 1702463	454
1297	Mesoporous Li ₂ FeSiO ₄ /C nanocomposites with enhanced performance synthesized from fumed nano silica. 2018 , 24, 2555-2563	7
1296	Fully Printed Light-Emitting Electrochemical Cells Utilizing Biocompatible Materials. 2018 , 28, 1705795	43
1295	Porous carbon electrodes with battery-capacitive storage features for high performance Li-ion capacitors. 2018 , 12, 145-152	129
1294	Quantifying Total Superoxide, Peroxide, and Carbonaceous Compounds in Metal-D2 Batteries and the Solid Electrolyte Interphase. 2018 , 3, 170-176	21
1293	Direct visualization of sulfur cathodes: new insights into Li-S batteries via X-ray based methods.. 2018 , 8, 202-210	67
1292	Vacancy-Controlled Na Superion Conduction in Na Sn PS. 2018 , 57, 1351-1355	103
1291	Surface oxo-functionalized hard carbon spheres enabled superior high-rate capability and long-cycle stability for Li-ion storage. 2018 , 260, 430-438	14
1290	Enhanced cycle stability of iron(II, III) oxide nanoparticles encapsulated with nitrogen-doped carbon and graphene frameworks for lithium battery anodes. 2018 , 129, 621-630	22
1289	Self-assembled Fe ₃ O ₄ nanoparticle-doped TiO ₂ nanorod superparticles with highly enhanced lithium storage properties. 2018 , 2, 616-625	8
1288	The origin of excellent rate and cycle performance of Sn ₄ P ₃ binary electrodes for sodium-ion batteries. 2018 , 6, 1772-1779	30
1287	Hexaazatriphenylene derivatives/GO composites as organic cathodes for lithium ion batteries. 2018 , 6, 2752-2757	44
1286	A hamburger-structure imidazolium-modified silica/polyphenyl ether composite membrane with enhancing comprehensive performance for anion exchange membrane applications. 2018 , 268, 295-303	26
1285	High capacity and stability of Nb-doped Li ₃ VO ₄ as an anode material for lithium ion batteries. 2018 , 378, 618-627	24
1284	Hierarchical Porous Nanosheets Constructed by Graphene-Coated, Interconnected TiO Nanoparticles for Ultrafast Sodium Storage. 2018 , 30, 1705788	191

1283	Three-dimensional sandwich-structured NiMn ₂ O ₄ @reduced graphene oxide nanocomposites for highly reversible Li-ion battery anodes. 2018 , 378, 677-684	31
1282	Advancement of technology towards developing Na-ion batteries. 2018 , 378, 268-300	101
1281	Degradation of LiTfO/TEGME and LiTfO/DME Electrolytes in Li-O ₂ Batteries. 2018 , 165, A118-A125	25
1280	Vacancy-Controlled Na ⁺ Superion Conduction in Na ₁₁ Sn ₂ PS ₁₂ . 2018 , 130, 1365-1369	23
1279	High-Purity Lithium Metal Films from Aqueous Mineral Solutions. 2018 , 3, 181-187	14
1278	In Situ Dealloying of Bulk Mg ₂ Sn in Mg-Ion Half Cell as an Effective Route to Nanostructured Sn for High Performance Mg-Ion Battery Anodes. 2018 , 30, 1815-1824	60
1277	SnS/Sb S Heterostructures Anchored on Reduced Graphene Oxide Nanosheets with Superior Rate Capability for Sodium-Ion Batteries. 2018 , 24, 3873-3881	72
1276	A Chemical Approach to Raise Cell Voltage and Suppress Phase Transition in O ₃ Sodium Layered Oxide Electrodes. 2018 , 8, 1702599	77
1275	Self-Assembled Biomolecular 1D Nanostructures for Aqueous Sodium-Ion Battery. 2018 , 5, 1700634	82
1274	A common tattoo chemical for energy storage: henna plant-derived naphthoquinone dimer as a green and sustainable cathode material for Li-ion batteries.. 2018 , 8, 1576-1582	22
1273	Co-doped Ni ₃ S ₂ @CNT arrays anchored on graphite foam with a hierarchical conductive network for high-performance supercapacitors and hydrogen evolution electrodes. 2018 , 6, 10490-10496	69
1272	A dense NASICON sheet prepared by tape-casting and low temperature sintering. 2018 , 278, 176-181	19
1271	Poly(ionic liquid) iongels for all-solid rechargeable zinc/PEDOT batteries. 2018 , 278, 271-278	38
1270	Recent advances in the synthesis of catechol-derived (bio)polymers for applications in energy storage and environment. 2018 , 82, 34-91	113
1269	Progress and prospect on failure mechanisms of solid-state lithium batteries. 2018 , 392, 94-115	96
1268	Structure and Dynamic Behavior of the Na ⁺ Crown Ether Complex in the Graphite Layers Studied by DFT and ¹ H NMR. 2018 , 122, 10963-10970	9
1267	Cost effective Mo rich Mo ₂ C electrocatalysts for the hydrogen evolution reaction. 2018 , 6, 10028-10035	91
1266	Calcite crystallization in the cement system: morphological diversity, growth mechanism and shape evolution. 2018 , 20, 14174-14181	19

1265	Lithium Recovery by Precipitation from Impure Solutions [Lithium Ion Battery Waste. 2018 , 41, 1205-1210	10
1264	Engineering Graphenes from the Nano- to the Macroscale for Electrochemical Energy Storage. 2018 , 1, 139-168	42
1263	Understanding the Electrochemical Properties of Naphthalene Diimide: Implication for Stable and High-Rate Lithium-Ion Battery Electrodes. 2018 , 30, 3508-3517	60
1262	High-Performance Hard Carbon Anode: Tunable Local Structures and Sodium Storage Mechanism. 2018 , 1, 2295-2305	41
1261	Synthesis of manganese-based complex as cathode material for aqueous rechargeable batteries.. 2018 , 8, 15703-15708	10
1260	Novel chlorine doped graphene electrodes for positive electrodes of a vanadium redox flow battery. 2018 , 42, 3303-3314	28
1259	Template-free synthesis of nitrogen-doped hierarchical porous carbon for supercapacitor electrodes. 2018 , 29, 9673-9682	4
1258	Solvothermal synthesis and electrochemical properties of Na ₂ CoSiO ₄ and Na ₂ CoSiO ₄ /carbon nanotube cathode materials for sodium-ion batteries. 2018 , 276, 102-110	20
1257	Sharing electricity storage at the community level: An empirical analysis of potential business models and barriers. 2018 , 118, 492-503	42
1256	Pyrosynthesis of Na V (PO) @C Cathodes for Safe and Low-Cost Aqueous Hybrid Batteries. 2018 , 11, 2239-2247	38
1255	A first principle study of the phase stability, ion transport and substitution strategy for highly ionic conductive sodium antiperovskite as solid electrolyte for sodium ion batteries. 2018 , 390, 61-70	22
1254	Graphene layer reinforcing mesoporous molybdenum disulfide foam as high-performance anode for sodium-ion battery. 2018 , 8, 151-156	8
1253	EMoO ₃ - by plasma etching with improved capacity and stabilized structure for lithium storage. 2018 , 49, 555-563	86
1252	Synchronous synthesis of Kirkendall effect induced hollow FeSe/C nanospheres as anodes for high performance sodium ion batteries. 2018 , 54, 5704-5707	55
1251	Rigid TiO coated mesoporous hollow Si nanospheres with high structure stability for lithium-ion battery anodes.. 2018 , 8, 15094-15101	5
1250	Assessment of the Electrochemical Stability of Carbonate-Based Electrolytes in Na-Ion Batteries. 2018 , 165, A1222-A1230	35
1249	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. 2018 , 130, 7264-7268	42
1248	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. 2018 , 57, 7146-7150	114

1247	Vertically Oriented MoS ₂ with Spatially Controlled Geometry on Nitrogenous Graphene Sheets for High-Performance Sodium-Ion Batteries. 2018 , 8, 1703300	116
1246	Li Distribution Heterogeneity in Solid Electrolyte LiGePS upon Electrochemical Cycling Probed by Li MRI. 2018 , 9, 1990-1998	64
1245	Bismuth Microparticles as Advanced Anodes for Potassium-Ion Battery. 2018 , 8, 1703496	238
1244	Is the LiB battery an everlasting challenge for operando techniques?. 2018 , 9, 33-40	7
1243	Recent insights into the electrochemical behavior of blended lithium insertion cathodes: A review. 2018 , 269, 745-760	31
1242	Facile fabrication of two-dimensional reduced graphene oxide/CoAl-layered double hydroxides nanocomposites for lithium-oxygen battery with improved electrochemical performance. 2018 , 744, 196-203	18
1241	An Electrochemical Wind Velocity Sensor. 2018 , 90, 4501-4506	2
1240	Preparation of electrocatalysts using a thiol-amine solution processing method. 2018 , 47, 5137-5143	4
1239	Coordination effect of network NiO nanosheet and a carbon layer on the cathode side in constructing a high-performance lithium-sulfur battery. 2018 , 6, 6503-6509	43
1238	A Review on the Features and Progress of Dual-Ion Batteries. 2018 , 8, 1703320	204
1237	Sorption of Uranium on a Bifunctional Polymer of Diethylenetriaminepentaacetic Acid Cross-Linked β -Cyclodextrin in the Presence of Humic Acid: Kinetics, Isotherms, and Thermodynamics. 2018 , 229, 1	4
1236	CoCO ₃ micrometer particles stabilized by carbon nanofibers networks as composite electrode for enhanced rate and cyclic performance of lithium-ion batteries. 2018 , 270, 22-29	15
1235	High alkaline ion storage capacity of hollow interwoven structured Sb/TiO particles: the galvanic replacement formation mechanism and volumetric buffer effect. 2018 , 54, 4049-4052	32
1234	Li ₂ O-B ₂ O ₃ -TeO ₂ glass as a high performance anode material for rechargeable lithium-ion batteries. 2018 , 6, 6860-6866	13
1233	In-Situ Neutron Studies of Electrodes for Li-Ion Batteries Using a Deuterated Electrolyte: LiCoO ₂ as a Case Study. 2018 , 165, A793-A801	12
1232	In situ Synthesis of V ₂ O ₃ -Intercalated N-doped Graphene Nanobelts from VO _x -Amine Hybrid as High-Performance Anode Material for Alkali-Ion Batteries. 2018 , 5, 1387-1393	19
1231	Nanocellulose: a promising nanomaterial for advanced electrochemical energy storage. 2018 , 47, 2837-2872	401
1230	Fluorinated Aryl Sulfonimide Tagged (FAST) salts: modular synthesis and structure-property relationships for battery applications. 2018 , 11, 1326-1334	19

1229	A rational microstructure design of SnS-carbon composites for superior sodium storage performance. 2018 , 10, 7999-8008	29
1228	Crystal Structures, Local Atomic Environments, and Ion Diffusion Mechanisms of Scandium-Substituted Sodium Superionic Conductor (NASICON) Solid Electrolytes. 2018 , 30, 2618-2630	76
1227	Progress and perspective of organosulfur polymers as cathode materials for advanced lithium-sulfur batteries. 2018 , 15, 53-64	90
1226	Self-assembled superstructure of carbon-wrapped, single-crystalline Cu ₃ P porous nanosheets: One-step synthesis and enhanced Li-ion battery anode performance. 2018 , 15, 75-81	50
1225	Impact of Cathode Material Particle Size on the Capacity of Bulk-Type All-Solid-State Batteries. 2018 , 3, 992-996	134
1224	High-Performance All-Solid-State Na-S Battery Enabled by Casting-Annealing Technology. 2018 , 12, 3360-3368	71
1223	Heterogeneous phosphorus-doped WO ₃ /nitrogen-doped carbon nanowires with high rate and long life for advanced lithium-ion capacitors. 2018 , 6, 6916-6921	38
1222	Bifunctional porous iron phosphide/carbon nanostructure enabled high-performance sodium-ion battery and hydrogen evolution reaction. 2018 , 15, 98-107	80
1221	Emerging Two-Dimensional Nanomaterials for Electrocatalysis. 2018 , 118, 6337-6408	1057
1220	Poly(anthraquinonyl sulfides): High Capacity Redox Polymers for Energy Storage. 2018 , 7, 419-424	53
1219	A long-life aqueous Zn-ion battery based on Na ₃ V ₂ (PO ₄) ₂ F ₃ cathode. 2018 , 15, 14-21	295
1218	Walnut-Like Multicore Shell MnO Encapsulated Nitrogen-Rich Carbon Nanocapsules as Anode Material for Long-Cycling and Soft-Packed Lithium-Ion Batteries. 2018 , 28, 1800003	148
1217	A Robust Approach for Efficient Sodium Storage of GeS ₂ Hybrid Anode by Electrochemically Driven Amorphization. 2018 , 8, 1703499	25
1216	A High-Energy-Density Potassium Battery with a Polymer-Gel Electrolyte and a Polyaniline Cathode. 2018 , 57, 5449-5453	150
1215	Li-ion storage in an amorphous, solid, spheroidal carbon anode produced by dry-autoclaving of coffee oil. 2018 , 133, 62-68	30
1214	NaFeF ₃ Nanoplates as Low-Cost Sodium and Lithium Cathode Materials for Stationary Energy Storage. 2018 , 30, 1825-1829	26
1213	Morphology- and Porosity-Tunable Synthesis of 3D Nanoporous SiGe Alloy as a High-Performance Lithium-Ion Battery Anode. 2018 , 12, 2900-2908	99
1212	A cost and resource analysis of sodium-ion batteries. 2018 , 3,	886

1211	High-performance aqueous symmetric sodium-ion battery using NASICON-structured Na ₂ VTi(PO ₄) ₃ . 2018 , 11, 490-498	66
1210	Fabrication and electrochemical investigation of MWO ₄ (M = Co, Ni) nanoparticles as high-performance anode materials for lithium-ion batteries. 2018 , 24, 363-372	22
1209	Optimal allocation of hybrid energy storage for microgrids based on multi-attribute utility theory. 2018 , 6, 107-117	16
1208	Direct fabrication of anatase TiO ₂ hollow microspheres for applications in photocatalytic hydrogen evolution and lithium storage. 2018 , 22, 705-715	7
1207	Synthesis of cubic Na ₃ SbS ₄ solid electrolyte with enhanced ion transport for all-solid-state sodium-ion batteries. 2018 , 259, 100-109	42
1206	Improvement in ion transport in Na ₃ PSe ₄ /Na ₃ SbSe ₄ by Sb substitution. 2018 , 53, 1987-1994	30
1205	Short-Range Order in Mesoporous Carbon Boosts Potassium-Ion Battery Performance. 2018 , 8, 1701648	351
1204	Toward a Four-Electron Redox Quinone Polymer for High Capacity Lithium Ion Storage. 2018 , 8, 1700960	46
1203	Standalone macroporous graphitic nanoweb for vanadium redox flow batteries. 2018 , 60, 85-90	5
1202	Graphite modified AlNbO ₄ with enhanced lithium ion storage behaviors and its electrochemical mechanism. 2018 , 97, 405-410	10
1201	In Situ Surface Coating of Squaric Acid with Conductive Polyaniline for a High-Capacity and Sustainable Lithium Battery Anode. 2018 , 5, 159-165	5
1200	A novel aluminum dual-ion battery. 2018 , 11, 91-99	88
1199	Nitrogen-Doped Carbon Nanotubes Derived from Metal-Organic Frameworks for Potassium-Ion Battery Anodes. 2018 , 11, 202-208	173
1198	Copper incorporated in Li ₃ V ₂ (PO ₄) ₃ /C cathode materials and its effects on high-rate Li-ion batteries. 2018 , 730, 103-109	17
1197	In situ carbon nanotube clusters grown from three-dimensional porous graphene networks as efficient sulfur hosts for high-rate ultra-stable LiS batteries. 2018 , 11, 1731-1743	36
1196	Graphene oxide-decorated Fe ₂ (MoO ₄) ₃ microflowers as a promising anode for lithium and sodium storage. 2018 , 11, 1285-1293	18
1195	Enhanced electrochemical properties of carbon coated Zn ₂ GeO ₄ micron-rods as anode materials for sodium-ion batteries. 2018 , 331, 203-210	32
1194	Ultrathin nanobelts-assembled Chinese knot-like 3D TiO ₂ for fast and stable lithium storage. 2018 , 11, 2116-2128	12

1193	Nitrogen-doped porous carbon derived from imidazole-functionalized polyhedral oligomeric silsesquioxane. 2018 , 53, 456-465	5
1192	Integration of alternative energy sources into digital micro-grids. 2018 , 37, 155-164	8
1191	A study on the potential of using plant proteins as electrolytes in a biochemical cell. 2018 , 37, 961-967	1
1190	Sunburn Using excess energy of small-scale production for distributed computing. 2018 , 11, 97-119	2
1189	Biomass-derived electrodes for flexible supercapacitors. 2018 , 9, 18-24	46
1188	Enhancing the Sequential Conversion-Alloying Reaction of Mixed Sn-S Hybrid Anode for Efficient Sodium Storage by a Carbon Healed Graphene Oxide. 2018 , 14, 1702605	16
1187	Surface texturing and dielectric property tuning toward boosting of triboelectric nanogenerator performance. 2018 , 6, 52-57	77
1186	Vertically Aligned MoS ₂ Nanosheets Patterned on Electrochemically Exfoliated Graphene for High-Performance Lithium and Sodium Storage. 2018 , 8, 1702254	234
1185	3D interconnected porous carbon nanosheets/carbon nanotubes as a polysulfide reservoir for high performance lithium-sulfur batteries. 2018 , 10, 816-824	126
1184	Advances in Interfaces between Li Metal Anode and Electrolyte. 2018 , 5, 1701097	144
1183	Confinement effect of natural hollow fibers enhances flexible supercapacitor electrode performance. 2018 , 260, 204-211	16
1182	1D Nanomaterials: Design, Synthesis, and Applications in Sodium-Ion Batteries. 2018 , 14, 1703086	135
1181	Hexaazatrinaphthylene-Based Porous Organic Polymers as Organic Cathode Materials for Lithium-Ion Batteries. 2018 , 6, 1772-1779	61
1180	Biotemplating: a sustainable synthetic methodology for Na-ion battery materials. 2018 , 6, 5346-5355	3
1179	Enhanced cyclic stability of SnS microplates with conformal carbon coating derived from ethanol vapor deposition for sodium-ion batteries. 2018 , 436, 912-918	18
1178	Porous octahedral PdCu nanocages as highly efficient electrocatalysts for the methanol oxidation reaction. 2018 , 6, 3906-3912	80
1177	FUNDAMENTALS OF RECHARGEABLE BATTERIES AND ELECTROCHEMICAL POTENTIALS OF ELECTRODE MATERIALS. 2018 , 397-451	3
1176	Life cycle energy and carbon footprint analysis of photovoltaic battery microgrid system in India. 2018 , 20, 65-80	10

1175	Mn doped NaV ₃ (PO ₄) ₃ /C anode with high-rate and long cycle-life for sodium ion batteries. 2018 , 12, 153-160	36
1174	Cost metrics of electrical energy storage technologies in potential power system operations. 2018 , 25, 43-59	55
1173	Exploiting Anti-T-shaped Graphene Architecture to Form Low Tortuosity, Sieve-like Interfaces for High-Performance Anodes for Li-Based Cells. 2018 , 4, 81-88	33
1172	Ordered Mesoporous Carbons with High Micropore Content and Tunable Structure Prepared by Combined Hard and Salt Templating as Electrode Materials in Electric Double-Layer Capacitors. 2018 , 2, 1700128	36
1171	3D Porous Carbon Sheets with Multidirectional Ion Pathways for Fast and Durable Lithium-Sulfur Batteries. 2018 , 8, 1702381	132
1170	Multi-hierarchical nanosheet-assembled chrysanthemum-structured Na ₃ V ₂ (PO ₄) ₃ /C as electrode materials for high-performance sodium-ion batteries. 2018 , 24, 1663-1673	5
1169	Modern Applications of Green Chemistry: Renewable Energy. 2018 , 771-860	2
1168	Boron-enriched advanced energy materials. 2018 , 471, 577-586	23
1167	One-pot solvothermal synthesis 2D SnS ₂ /CNTs hybrid as a superior anode material for sodium-ion batteries. 2018 , 737, 92-98	34
1166	All-solid state symmetric supercapacitors based on compressible and flexible free-standing 3D carbon nanotubes (CNTs)/poly(3,4-ethylenedioxythiophene) (PEDOT) sponge electrodes. 2018 , 376, 138-146	76
1165	Holey 2D Nanomaterials for Electrochemical Energy Storage. 2018 , 8, 1702179	211
1164	Porous carbon with interpenetrating framework from Osmanthus flower as electrode materials for high-performance supercapacitor. 2018 , 6, 258-265	23
1163	Auto-generated iron chalcogenide microcapsules ensure high-rate and high-capacity sodium-ion storage. 2018 , 10, 800-806	24
1162	Cyanide-metal framework derived CoMoO ₄ /Co ₃ O ₄ hollow porous octahedrons as advanced anodes for high performance lithium ion batteries. 2018 , 6, 1048-1056	67
1161	Recent progress in 2D materials for flexible supercapacitors. 2018 , 27, 57-72	129
1160	Macroporous Catalytic Carbon Nanotemplates for Sodium Metal Anodes. 2018 , 8, 1701261	58
1159	Review From Nano Size Effect to In Situ Wrapping: Rational Design of Cathode Structure for High Performance Lithium-Sulfur Batteries. 2018 , 165, A6034-A6042	20
1158	High capacity binder-free nanocrystalline GeO ₂ inverse opal anodes for Li-ion batteries with long cycle life and stable cell voltage. 2018 , 43, 11-21	65

1157	Porous Fe ₂ O ₃ -C microcubes as anodes for lithium-ion batteries by rational introduction of Ag nanoparticles. 2018 , 735, 840-846	28
1156	Two-dimensional organic cathode materials for alkali-metal-ion batteries. 2018 , 27, 86-98	29
1155	Energy storage system: Current studies on batteries and power condition system. 2018 , 82, 3091-3106	167
1154	Climate change: the risks of stranded fossil fuel assets and resources to the developing world. 2018 , 39, 436-453	31
1153	Clean combustion: Chemistry and diagnostics for a systems approach in transportation and energy conversion. 2018 , 65, 1-5	43
1152	Chalcogenide glass-ceramics: Functional design and crystallization mechanism. 2018 , 93, 1-44	78
1151	Water-Lubricated Intercalation in V O ₂ ·nH ₂ O for High-Capacity and High-Rate Aqueous Rechargeable Zinc Batteries. 2018 , 30, 1703725	725
1150	Oxygen Vacancies Confined in Nickel Molybdenum Oxide Porous Nanosheets for Promoted Electrocatalytic Urea Oxidation. 2018 , 8, 1-7	241
1149	Fifty shades of green ¿What pales the final colour of green solutions?. 2018 , 68, 499-519	
1148	Diversifying bio-petro fuel sources for future energy sustainability and its challenges. 2018 , 345, 012014	2
1147	. 2018 ,	2
1146	Attitudes Toward Electric Vehicles: The Case of Perugia Using a Fuzzy Set Analysis. 2018 , 10, 3999	10
1145	A 3D conductive network of porous carbon nanoparticles interconnected with carbon nanotubes as the sulfur host for long cycle life lithium-sulfur batteries. 2018 , 10, 22601-22611	49
1144	Hydrogen evolution from silicon nanowire surfaces.. 2018 , 8, 41657-41662	1
1143	Beyond intercalation based sodium-ion batteries: the role of alloying anodes, efficient sodiation mechanisms and recent progress. 2018 , 2, 2567-2582	22
1142	Facile synthesis of Ni(HPO)(OH)/rGO nanorods with enhanced electrochemical performance for aluminum-ion batteries. 2018 , 10, 21284-21291	27
1141	The role of the hydrogen evolution reaction in the solid¿electrolyte interphase formation mechanism for ¿Water-in-Salt¿ Electrolytes. 2018 , 11, 3491-3499	140
1140	Graphene-Based Heterogeneous Electrodes for Energy Storage. 2018 ,	1

1139	Self-assembled hierarchical porous NiMnO microspheres as high performance Li-ion battery anodes.. 2018 , 8, 41749-41755	10
1138	Tulip-like MoS ₂ with a single sheet tapered structure anchored on N-doped graphene substrates via C-Mo bonds for superior sodium storage. 2018 , 6, 24433-24440	36
1137	Theoretical System of Contact-Mode Triboelectric Nanogenerators for High Energy Conversion Efficiency. 2018 , 13, 346	10
1136	Effect of sustainability-related activity on behaviour: consumer vs. designer. 2018 , 404, 012047	
1135	A Fuel Cell-based adaptable Self-Powered Event Detection platform enhanced for biosampling applications. 2018 ,	3
1134	4. Battery Materials. 2018 , 75-260	
1133	. 2018 ,	
1132	Calibration and optimization of an electric vehicle powertrain system. 2018 , 41, 539-546	10
1131	Application value of energy storage in power grid: A special case of China electricity market. 2018 , 165, 1191-1199	28
1130	Regularized LSTM Based Deep Learning Model: First Step towards Real-Time Non-Intrusive Load Monitoring. 2018 ,	12
1129	Construction of MoS ₂ /C Hierarchical Tubular Heterostructures for High-Performance Sodium Ion Batteries. 2018 , 12, 12578-12586	188
1128	Electrochemical surface passivation of LiCoO ₂ particles at ultrahigh voltage and its applications in lithium-based batteries. 2018 , 9, 4918	137
1127	Unraveling the Redox Couples of VIII/VIV Mixed-Valent Na ₃ V ₂ (PO ₄) ₂ O _{1.6} F _{1.4} Cathode by Parallel-Mode EPR and In Situ/Ex Situ NMR. 2018 , 122, 27224-27232	24
1126	Biosynthesis of Nanomaterials by Species for Application in Lithium Ion Batteries. 2018 , 9, 2817	16
1125	Perylene Polyimide-Polyether Anodes for Aqueous All-Organic Polymer Batteries. 2018 , 1, 7199-7205	43
1124	Improving Conductivity Performance of Chitosan by Carboxymethylation Reaction: Synthesis and Characterization. 2018 , 936, 121-125	1
1123	First-principles investigation of Ag-, Co-, Cr-, Cu-, Fe-, Mn-, Ni-, Pd- and Rh-hexaaminobenzene 2D metal-organic frameworks. 2018 , 10, 336-342	15
1122	Heterostructure-Promoted Oxygen Electrocatalysis Enables Rechargeable Zinc-Air Battery with Neutral Aqueous Electrolyte. 2018 , 140, 17624-17631	176

1121	Green synthesis of high-performance LiFePO ₄ nanocrystals in pure water. 2018 , 20, 5215-5223	20
1120	2D Coordination Polymer Derived Co ₃ O ₄ Nanocrystals as High Performance Anode Material of Lithium-Ion Batteries. 2018 , 13, 1850139	3
1119	Covalently-Bonded Poly(vinyl alcohol)-Silica Composite Nanofiber Separator with Enhanced Wettability and Thermal Stability for Lithium-Ion Battery. 2018 , 3, 13365-13371	12
1118	Production of carbon fibers through Forcespinning□ for use as anode materials in sodium ion batteries. 2018 , 236-237, 70-75	17
1117	Applications of Conventional Vibrational Spectroscopic Methods for Batteries Beyond Li-Ion. 2018 , 2, 1700332	27
1116	Effective Suppression of the Polysulfide Shuttle Effect in Lithium-Sulfur Batteries by Implementing rGO-PEDOT:PSS-Coated Separators via Air-Controlled Electro spray. 2018 , 3, 16465-16471	23
1115	Room-temperature cycling of metal fluoride electrodes: Liquid electrolytes for high-energy fluoride ion cells. 2018 , 362, 1144-1148	106
1114	A Comprehensive Review of Nanomaterials Developed Using Electrophoresis Process for High-Efficiency Energy Conversion and Storage Systems. 2018 , 11, 3122	11
1113	NaMnZr(PO): A High-Voltage Cathode for Sodium Batteries. 2018 , 140, 18192-18199	115
1112	Aqueous Polysulfide Air Battery with a Mediator-Ion Solid Electrolyte and a Copper Sulfide Catalyst for Polysulfide Redox. 2018 , 1, 7230-7236	5
1111	Will Sodium Layered Oxides Ever Be Competitive for Sodium Ion Battery Applications?. 2018 , 165, A3714-A3722	9
1110	Anionic Redox Activity in a Newly Zn-Doped Sodium Layered Oxide P ₂ -Na _{2/3} Mn _{1/3} Zn _y O ₂ (0 < y < 1). 2018 , 8, 1802379	104
1109	Sulfur-Rich Polymers with Functional Linkers for High-Capacity and Fast-Charging Lithium Sulfur Batteries. 2018 , 8, 1802423	55
1108	Polydopamine-Derived Nitrogen-Doped Carbon-Covered NaV(PO) ₄ F Cathode Material for High-Performance Na-Ion Batteries. 2018 , 10, 36851-36859	48
1107	Operando powder X-ray diffraction study of P ₂ -Na _x Ni _{0.3} Mn _{0.7} O ₂ cathode material during electrochemical cycling. 2018 , 51, 1304-1310	6
1106	Deciphering the Modulation Essence of p Bands in Co-Based Compounds on Li-S Chemistry. 2018 , 2, 2681-2693	41
1105	Ultrathin Manganese Dioxide Nanosheets Grown on Mesoporous Carbon Hollow Spheres for High Performance Asymmetrical Supercapacitors. 2018 ,	3
1104	The Recycling of Spent Lithium-Ion Batteries: a Review of Current Processes and Technologies. 2018 , 1, 461-482	131

1103	Highly Concentrated Phthalimide-Based Anolytes for Organic Redox Flow Batteries with Enhanced Reversibility. 2018 , 4, 2814-2825	65
1102	Positioning Organic Electrode Materials in the Battery Landscape. 2018 , 2, 1690-1706	189
1101	Scalable Room-Temperature Synthesis of Multi-shelled Na ₃ (VOPO ₄) ₂ F Microsphere Cathodes. 2018 , 2, 2348-2363	80
1100	Perspective on Performance, Cost, and Technical Challenges for Practical Dual-Ion Batteries. 2018 , 2, 2528-2550	192
1099	In-situ characterizations of chemo-mechanical behavior of free-standing vanadium pentoxide cathode for lithium-ion batteries during discharge-charge cycling using digital image correlation. 2018 , 402, 272-280	16
1098	Conducting Polymer Paper-Derived Mesoporous 3D N-doped Carbon Current Collectors for Na and Li Metal Anodes: A Combined Experimental and Theoretical Study. 2018 , 122, 23352-23363	19
1097	From Ionic Liquids to Solvate Ionic Liquids: Challenges and Opportunities for Next Generation Battery Electrolytes. 2018 , 91, 1660-1682	65
1096	Enhanced Cycling Stability of Macroporous Bulk Antimony-Based Sodium-Ion Battery Anodes Enabled through Active/Inactive Composites. 2018 , 8, 1801781	39
1095	Iron-Dicyano Dichloro Quinone Primary Battery. 2018 , 3, 10281-10286	0
1094	Nanowires in Energy Storage Devices: Structures, Synthesis, and Applications. 2018 , 8, 1802369	114
1093	Rate and Composition Dependence on the Structural/Electrochemical Relationships in P ₂ Na ₂ /3Fe _{1-x} MnyO ₂ Positive Electrodes for Sodium-Ion Batteries. 2018 , 30, 7503-7510	17
1092	WS-Graphite Dual-Ion Batteries. 2018 , 18, 7155-7164	68
1091	Suppression of Voltage Decay and Improvement in Electrochemical Performance by Zirconium Doping in Li-Rich Cathode Materials for Li-Ion Batteries. 2018 , 165, A3114-A3124	17
1090	Langmuir-Blodgett artificial solid-electrolyte interphases for practical lithium metal batteries. 2018 , 3, 889-898	237
1089	Synthesis and performance evaluation of nanostructured NaFe Cr (SO) cathode materials in sodium ion batteries (SIBs).. 2018 , 8, 32985-32991	10
1088	Suppressing the voltage decay of low-cost P ₂ -type iron-based cathode materials for sodium-ion batteries. 2018 , 6, 20795-20803	25
1087	Internal dynamics of blended Li-insertion electrodes. 2018 , 20, 101-108	5
1086	Mechanistic insight into dendrite/SEI interactions for lithium metal electrodes. 2018 , 6, 19664-19671	71

1085	Preparation of ZnFeO/FeO Nanocomposites From Sulfuric Acid Leaching Liquor of Jarosite Residue and Their Application in Lithium-Ion Batteries. 2018 , 6, 442	19
1084	Unraveling the effect of salt chemistry on long-durability high-phosphorus-concentration anode for potassium ion batteries. 2018 , 53, 967-974	132
1083	Quasi-parallel arrays with a 2D-on-2D structure for electrochemical supercapacitors. 2018 , 6, 24717-24727	37
1082	A techno-economic analysis of the integration of energy storage technologies in electric power systems. 2018 , 10, 054102	7
1081	Nanocellulose toward Advanced Energy Storage Devices: Structure and Electrochemistry. 2018 , 51, 3154-3165	152
1080	Lithium- and Magnesium-Storage Mechanisms of Novel Hexagonal NbSe. 2018 , 10, 36988-36995	23
1079	Polyanthraquinone-Triazine-A Promising Anode Material for High-Energy Lithium-Ion Batteries. 2018 , 10, 37023-37030	56
1078	Nitrogen-Doped Defect-Rich Graphitic Carbon Nanorings with CoOx Nanoparticles as Highly Efficient Electrocatalyst for Oxygen Electrochemistry. 2018 , 6, 15811-15821	29
1077	A Li ₂ S-Based Sacrificial Layer for Stable Operation of Lithium-Sulfur Batteries. 2018 , 6, 2210-2219	4
1076	Grain Boundary Softening: A Potential Mechanism for Lithium Metal Penetration through Stiff Solid Electrolytes. 2018 , 10, 38151-38158	81
1075	Co-Estimation of State of Charge and State of Health for Lithium-Ion Batteries Based on Fractional-Order Calculus. 2018 , 67, 10319-10329	228
1074	Synthesis and characterisation of the new oxyfluoride Li ⁺ ion conductor, Li ₅ SiO ₄ F. 2018 , 327, 64-70	8
1073	Binder-Free Nanotubular Hetero-Structured Anodes of Fe ₂ O ₃ (Hematite) and TiN for Li-Ion Battery. 2018 , 3, 11027-11034	3
1072	Flexible single-strand fiber-based woven-structured triboelectric nanogenerator for self-powered electronics. 2018 , 6, 101106	20
1071	Metal oxides in batteries. 2018 , 127-167	6
1070	Hierarchical Micro-/Mesoporous Carbon Derived from Rice Husk by Hydrothermal Pre-Treatment for High Performance Supercapacitor. 2018 , 165, A3334-A3341	25
1069	Li-Air Batteries: Discharge Products. 2018 , 41-63	
1068	Bombyx mori Silkworm Cocoon Separators for Lithium-Ion Batteries with Superior Safety and Sustainability. 2018 , 2, 1800098	12

1067	Nuclear Spin Relaxation in Nanocrystalline Li_3PS_4 Reveals Low-Dimensional Li Diffusion in an Isotropic Matrix. 2018 , 30, 7575-7586	24
1066	Operando Studies of Antiperovskite Lithium Battery Cathode Material (Li_2FeSO_4). 2018 , 1, 6593-6599	9
1065	In Situ Fabrication of Ni_2P Nanoparticles Embedded in Nitrogen and Phosphorus Codoped Carbon Nanofibers as a Superior Anode for Li-Ion Batteries. 2018 , 6, 14795-14801	26
1064	A Multi-Ion Strategy towards Rechargeable Sodium-Ion Full Batteries with High Working Voltage and Rate Capability. 2018 , 57, 16370-16374	93
1063	Safety-reinforced plastic crystal composite polymer electrolyte by 3D MoS_2 -based nano-hybrid for Li-metal batteries. 2018 , 405, 7-17	20
1062	Skin-touch-actuated textile-based triboelectric nanogenerator with black phosphorus for durable biomechanical energy harvesting. 2018 , 9, 4280	270
1061	A Multi-Ion Strategy towards Rechargeable Sodium-Ion Full Batteries with High Working Voltage and Rate Capability. 2018 , 130, 16608-16612	25
1060	Synthesis and electrochemical characterization of Cr-doped lithium-rich $\text{Li}_{1.2}\text{Ni}_{0.16}\text{Mn}_{0.56}\text{Co}_{0.08-x}\text{Cr}_x\text{O}_2$ cathodes. 2018 , 1, 155-164	15
1059	Superlithiated Polydopamine Derivative for High-Capacity and High-Rate Anode for Lithium-Ion Batteries. 2018 , 10, 38101-38108	40
1058	MOFs-Based Heterogeneous Catalysts: New Opportunities for Energy-Related CO_2 Conversion. 2018 , 8, 1801587	107
1057	Ultra-small V_2O_3 embedded N-doped porous carbon nanorods with superior cycle stability for sodium-ion capacitors. 2018 , 405, 37-44	31
1056	The Origin of the Reduced Reductive Stability of Ion-Solvent Complexes on Alkali and Alkaline Earth Metal Anodes. 2018 , 130, 16885-16889	31
1055	The Origin of the Reduced Reductive Stability of Ion-Solvent Complexes on Alkali and Alkaline Earth Metal Anodes. 2018 , 57, 16643-16647	72
1054	Green Synthesis of Vanadate Nanobelts at Room Temperature for Superior Aqueous Rechargeable Zinc-Ion Batteries. 2018 , 1, 6401-6408	37
1053	Atomic-Scale Observation of Electrochemically Reversible Phase Transformations in SnSe Single Crystals. 2018 , 30, e1804925	24
1052	Co-Free $\text{P}_2\text{Na}_{0.67}\text{Mn}_{0.6}\text{Fe}_{0.25}\text{Al}_{0.15}\text{O}_2$ as Promising Cathode Material for Sodium-Ion Batteries. 2018 , 1, 5960-5967	10
1051	Transformed Akhtenskite MnO_2 from Mn_3O_4 as Cathode for a Rechargeable Aqueous Zinc Ion Battery. 2018 , 6, 16055-16063	66
1050	Bottom-Up Construction of Reduced-Graphene-Oxide-Anchored MnO with an Nitrogen-Doped Carbon Coating for Synergistically Improving Lithium-Ion Storage. 2018 , 57, 13693-13701	9

1049	High-Performance Quasi-Solid-State Flexible Aqueous Rechargeable Ag ₂ Zn Battery Based on Metal-Organic Framework-Derived Ag Nanowires. 2018 , 3, 2761-2768	80
1048	Mechanism behind the Unusually High Conductivities of High Concentrated Sodium Ion Glyme-Based Electrolytes. 2018 , 122, 25237-25246	12
1047	High-Rate and Ultralong Cycle-Life Potassium Ion Batteries Enabled by In Situ Engineering of Yolk-Shell FeS ₂ @C Structure on Graphene Matrix. 2018 , 8, 1802565	154
1046	Synthesis of carbon coated Li ₂ MnO ₃ cathode material with enhanced rate capability for lithium-ion batteries. 2018 , 325, 170-175	8
1045	Synchronously boosting gravimetric and volumetric performance: Biomass-derived ternary-doped microporous carbon nanosheet electrodes for supercapacitors. 2018 , 140, 664-672	63
1044	Water-processable Li ₄ Ti ₅ O ₁₂ electrodes featuring eco-friendly sodium alginate binder. 2018 , 289, 112-119	12
1043	Multi-functional CoS ₂ -N-C porous carbon composite derived from metal-organic frameworks for high performance lithium-sulfur batteries. 2018 , 289, 94-103	43
1042	P2 manganese rich sodium layered oxides: Rational stoichiometries for enhanced performance. 2018 , 401, 117-125	18
1041	Systematic investigation of the Binder's role in the electrochemical performance of tin sulfide electrodes in SIBs. 2018 , 401, 195-203	16
1040	In Situ Electron Diffraction Tomography Using a Liquid-Electrochemical Transmission Electron Microscopy Cell for Crystal Structure Determination of Cathode Materials for Li-Ion batteries. 2018 , 18, 6286-6291	37
1039	Hierarchical porous ZnMnO yolk-shell microspheres with superior lithium storage properties enabled by a unique one-step conversion mechanism.. 2018 , 8, 31388-31395	6
1038	Storing electricity as chemical energy: beyond traditional electrochemistry and double-layer compression. 2018 , 11, 3069-3074	24
1037	3D self-assembled VS microspheres with high pseudocapacitance as highly efficient anodes for Na-ion batteries. 2018 , 10, 21671-21680	34
1036	Enhanced storage ability by using a porous pyrrhotite@N-doped carbon yolk-shell structure as an advanced anode material for sodium-ion batteries. 2018 , 6, 20056-20068	56
1035	Highly reversible Na ion storage in N-doped polyhedral carbon-coated transition-metal chalcogenides by optimizing the nanostructure and surface engineering. 2018 , 6, 18967-18978	36
1034	Controllable fabrication of redox-active conjugated microporous polymers on reduced graphene oxide for high performance faradaic energy storage. 2018 , 6, 18827-18832	31
1033	Identifying degradation mechanisms in lithium-ion batteries with coating defects at the cathode. 2018 , 231, 446-455	20
1032	Zinc Battery Driven by an Electro-Organic Reactor Cathode. 2018 , 6, 15007-15014	1

1031	Biotemplating Growth of Nepenthes-like N-Doped Graphene as a Bifunctional Polysulfide Scavenger for Li-S Batteries. 2018 , 12, 10240-10250	104
1030	A review of magnesiothermic reduction of silica to porous silicon for lithium-ion battery applications and beyond. 2018 , 6, 18344-18356	112
1029	3D Copper [email[protected]] Nanoarrays as a High Areal Capacity and Stable Electrode for Lithium-Ion Batteries. 2018 ,	4
1028	Hetero-structure arrays of NiCoO ₂ nanoflakes@nanowires on 3D graphene/nickel foam for high-performance supercapacitors. 2018 , 289, 193-203	33
1027	Hydrothermal Production of Lithium Metal Silicate Powders with Controlled Properties for Application to Li-ion Batteries. 2018 , 2555-2563	
1026	Biobased polymer cathodes with enhanced charge storage. 2018 , 53, 536-543	20
1025	Biobased Functional Carbon Materials: Production, Characterization, and Applications-A Review. 2018 , 11,	39
1024	Facile preparation of four SnO _x -C hybrids with superior electrochemical performance for lithium-ion batteries. 2018 , 288, 20-30	8
1023	Local electricity market designs for peer-to-peer trading: The role of battery flexibility. 2018 , 229, 1233-1243	169
1022	CuSO ₄ /HO-Catalyzed Lignin Depolymerization under the Irradiation of Microwaves. 2018 , 3, 10433-10441	21
1021	Tree-based ensemble methods for predicting PV power generation and their comparison with support vector regression. 2018 , 164, 465-474	93
1020	A sustainable approach for scalable production of Fe ₂ O ₃ nanocrystals with 3D interconnected porous architectures on flexible carbon textiles as integrated electrodes for lithium-ion batteries. 2018 , 401, 65-72	14
1019	Impact of Structural Polymorphism on Ionic Conductivity in Lithium Copper Pyroborate LiCuBO. 2018 , 57, 11646-11654	3
1018	Graphene-wrapped CoNi-layered double hydroxide microspheres as a new anode material for lithium-ion batteries. 2018 , 20, 16437-16443	24
1017	Curly hard carbon derived from pistachio shells as high-performance anode materials for sodium-ion batteries. 2018 , 53, 12334-12351	34
1016	An economic feasibility assessment of decoupled energy storage in the UK: With liquid air energy storage as a case study. 2018 , 225, 244-257	48
1015	Rational Design and General Synthesis of S-Doped Hard Carbon with Tunable Doping Sites toward Excellent Na-Ion Storage Performance. 2018 , 30, e1802035	151
1014	Fundamental Understanding and Material Challenges in Rechargeable Nonaqueous LiO ₂ Batteries: Recent Progress and Perspective. 2018 , 8, 1800348	101

1013	Electrophoretic deposition of carbon nanofibers/silicon film with honeycomb structure as integrated anode electrode for lithium-ion batteries. 2018 , 281, 312-322	28
1012	Na ₃ V ₂ (PO ₄) ₃ /C Composite Prepared by Sol-Gel Method as Cathode for Sodium Ion Batteries. 2018 , 165, A1460-A1465	18
1011	Self-Assembly of Antisite Defectless nano-LiFePO ₄ @C/Reduced Graphene Oxide Microspheres for High-Performance Lithium-Ion Batteries. 2018 , 11, 2255-2261	18
1010	Bio-inspired choline chloride-based deep eutectic solvents as electrolytes for lithium-ion batteries. 2018 , 323, 44-48	64
1009	Disordered carbon tubes based on cotton cloth for modulating interface impedance in α -Al ₂ O ₃ -based solid-state sodium metal batteries. 2018 , 6, 12623-12629	15
1008	Nickel@Nickel Oxide Core/Shell Electrode with Significantly Boosted Reactivity for Ultrahigh-Energy and Stable Aqueous Ni/Zn Battery. 2018 , 28, 1802157	92
1007	Chemical Activity of the Peroxide/Oxide Redox Couple: Case Study of BaRuO ₄ in Aqueous and Organic Solvents. 2018 , 30, 3882-3893	6
1006	Caging Nb ₂ O ₅ Nanowires in PECVD-Derived Graphene Capsules toward Bendable Sodium-Ion Hybrid Supercapacitors. 2018 , 30, e1800963	126
1005	Development of Highly Energy Densified Ink for 3D Printable Batteries. 2018 , 6, 2058-2064	7
1004	Rejuvenating zinc batteries. 2018 , 17, 480-481	43
1003	The big squeeze. 2018 , 17, 481	
1002	Pyridyl group design in viologens for anolyte materials in organic redox flow batteries.. 2018 , 8, 18762-18770	11
1001	Layered Potassium Vanadate K _{0.5} V ₂ O ₅ as a Cathode Material for Nonaqueous Potassium Ion Batteries. 2018 , 28, 1800670	121
1000	Facile Stabilization of the Sodium Metal Anode with Additives: Unexpected Key Role of Sodium Polysulfide and Adverse Effect of Sodium Nitrate. 2018 , 130, 7860-7863	25
999	Rational Design of Hierarchical Nanotubes through Encapsulating CoSe Nanoparticles into MoSe ₂ /C Composite Shells with Enhanced Lithium and Sodium Storage Performance. 2018 , 10, 20635-20642	77
998	Rechargeable Al-CO Batteries for Reversible Utilization of CO. 2018 , 30, e1801152	58
997	Layer-by-layered SnS ₂ /graphene hybrid nanosheets via ball-milling as promising anode materials for lithium ion batteries. 2018 , 269, 452-461	61
996	Impact of Sulfur-Containing Additives on Lithium-Ion Battery Performance: From Computational Predictions to Full-Cell Assessments. 2018 , 1, 2582-2591	21

995	Revealing the chemistry of an anode-passivating electrolyte salt for high rate and stable sodium metal batteries. 2018 , 6, 12012-12017	32
994	Cellulose-Templated, Dual-Carbonized Na ₃ V ₂ (PO ₄) ₃ for Energy Storage with High Rate Capability. 2018 , 5, 2186-2191	6
993	Photothermal Coupling Factor Achieving CO ₂ Reduction Based on Palladium-Nanoparticle-Loaded TiO ₂ . 2018 , 8, 6582-6593	70
992	Hard carbons issued from date palm as efficient anode materials for sodium-ion batteries. 2018 , 137, 165-173	70
991	Solvent mediated hybrid 2D materials: black phosphorus - graphene heterostructured building blocks assembled for sodium ion batteries. 2018 , 10, 10443-10449	32
990	Sodium storage in a promising MoS-carbon anode: elucidating structural and interfacial transitions in the intercalation process and conversion reactions. 2018 , 10, 11165-11175	24
989	Metallic Graphene-Like VSe Ultrathin Nanosheets: Superior Potassium-Ion Storage and Their Working Mechanism. 2018 , 30, e1800036	256
988	An Ultrahigh Output Rechargeable Electrode of a Hydrophilic Radical Polymer/Nanocarbon Hybrid with an Exceptionally Large Current Density beyond 1 A cm. 2018 , 30, e1800900	48
987	First-principles study of dual-doped graphene: towards promising anode materials for Li/Na-ion batteries. 2018 , 42, 10842-10851	36
986	Low-temperature solid-state growth of three-dimensional bicontinuous nanoporous graphene with tunable porosity for lithium-sulfur batteries. 2018 , 6, 11405-11415	6
985	Identifying the Origin and Contribution of Surface Storage in TiO (B) Nanotube Electrode by In Situ Dynamic Valence State Monitoring. 2018 , 30, e1802200	72
984	Synergistic double-shell coating of graphene and Li ₄ SiO ₄ on silicon for high performance lithium-ion battery application. 2018 , 88, 60-66	7
983	Mesoscale Analysis of the Electrolyte-Electrode Interface in All-Solid-State Li-Ion Batteries. 2018 , 165, A1857-A1864	23
982	Embedding MnO ₂ Ultrafine Nanoparticles within Graphene-Based Hybrid Elastomer as an Anode for Enhanced Lithium Storage. 2018 , 5, 2310-2315	7
981	Recyclable metal fuels for clean and compact zero-carbon power. 2018 , 68, 169-196	70
980	Safe and high-rate supercapacitors based on an acetonitrile/water in salt-hybrid electrolyte. 2018 , 11, 3212-3219	186
979	Carbon-coated Si particles with self-supported Si nanowires as anode material for lithium-ion batteries. 2018 , 5, 075006	1
978	Ultrafast Aqueous Potassium-Ion Batteries Cathode for Stable Intermittent Grid-Scale Energy Storage. 2018 , 8, 1801413	95

977	FeP@C Nanotube Arrays Grown on Carbon Fabric as a Low Potential and Freestanding Anode for High-Performance Li-Ion Batteries. 2018 , 14, e1800793	73
976	Design and modification of cathode materials for high energy density aluminum-ion batteries: a review. 2018 , 29, 14353-14370	20
975	A facile synthesis of heteroatom-doped carbon framework anchored with TiO ₂ nanoparticles for high performance lithium ion battery anodes. 2018 , 20, 1	7
974	Enhancing the Performance of Viscous Electrode-Based Flow Batteries Using Lubricant-Impregnated Surfaces. 2018 , 1, 3614-3621	4
973	Sodium thiophosphate electrolyte thin films prepared by pulsed laser deposition for bulk-type all-solid-state sodium rechargeable batteries. 2018 , 126, 475-481	5
972	High performance sodium ion hybrid supercapacitors based on Na ₂ Ti ₃ O ₇ nanosheet arrays. 2018 , 766, 284-290	26
971	Ultra-long BiNbO ₄ nanowires with hierarchical architecture exhibiting reversible lithium storage. 2018 , 823, 245-252	7
970	Self-supported Na _{0.7} CoO ₂ nanosheet arrays as cathodes for high performance sodium ion batteries. 2018 , 396, 379-385	26
969	Recent Progress in Organic Electrodes for Li and Na Rechargeable Batteries. 2018 , 30, e1704682	246
968	Magnetron sputtered NbN thin film electrodes for supercapacitors. 2018 , 229, 17-20	20
967	Capacitive lithium storage of lithiated mesoporous titania. 2018 , 9, 240-246	10
966	Direct Recycling of Aged LiMn ₂ O ₄ Cathode Materials used in Aqueous Lithium-ion Batteries: Processes and Sensitivities. 2018 , 6, 2429-2437	20
965	Comparison of chronoamperometric response and rate-performance of porous insertion electrodes: Towards an accelerated rate capability test. 2018 , 397, 11-15	9
964	Nonaqueous arylated quinone catholytes for lithium-organic flow batteries. 2018 , 6, 14761-14768	7
963	High-Temperature Performance of All-Solid-State Lithium-Metal Batteries Having Li/Li ₃ PS ₄ Interfaces Modified with Au Thin Films. 2018 , 165, A1950-A1954	28
962	Green Biobatteries: Hybrid Paper-Polymer Microbial Fuel Cells. 2018 , 2, 1800041	18
961	Antimony doped tin oxide-coated LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ cathode materials with enhanced electrochemical performance for lithium-ion batteries. 2018 , 765, 601-607	12
960	Hierarchical porous Li ₄ Ti ₅ O ₁₂ /TiO ₂ composite anode materials with pseudocapacitive effect for high-rate and low-temperature applications. 2018 , 6, 14339-14351	45

959	Substituent effect on redox potential of terephthalate-based electrode materials for lithium batteries. 2018 , 93, 71-75	14
958	Three-Dimensional Heteroatom-Doped Nanocarbon for Metal-Free Oxygen Reduction Electrocatalysis: A Review. 2018 , 8, 301	22
957	Research Progress for the Development of Li-Air Batteries: Addressing Parasitic Reactions Arising from Air Composition. 2018 , 1, 61-74	32
956	2.3 Boron. 2018 , 72-87	
955	How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. 2018 , 57, 11978-11981	84
954	In Situ Polymerization of Dopamine on Graphene Framework for Charge Storage Applications. 2018 , 14, e1801236	31
953	Photosensitized Hydrogen Evolution on a Floating Electrocatalyst Coupled to Electrochemical Recycling. 2018 , 140, 10149-10152	10
952	Metal-Organophosphine Framework-Derived N,P-Codoped Carbon-Confined Cu ₃ P Nanoparticles for Superb Na-Ion Storage. 2018 , 8, 1801489	69
951	Nanostructured Anode Materials for Non-aqueous Lithium Ion Hybrid Capacitors. 2018 , 1, 75-87	63
950	Aliphatic Polycarbonate-Based Solid-State Polymer Electrolytes for Advanced Lithium Batteries: Advances and Perspective. 2018 , 14, e1800821	79
949	Metallic Octahedral CoSe Threaded by N-Doped Carbon Nanotubes: A Flexible Framework for High-Performance Potassium-Ion Batteries. 2018 , 5, 1800782	162
948	Self-Polymerized Disordered Carbon Enabling High Sodium Storage Performance through Expanded Interlayer Spacing by Bound Sulfur Atoms. 2018 , 5, 3206-3212	5
947	Scale-up production of high-tap-density carbon/MnOx/carbon nanotube microcomposites for Li-ion batteries with ultrahigh volumetric capacity. 2018 , 354, 220-227	28
946	Multiwalled carbon nanotube-modified Nb ₂ O ₅ with enhanced electrochemical performance for lithium-ion batteries. 2018 , 44, 23226-23231	17
945	Metal organic frameworks derived cobalt sulfide/reduced graphene oxide composites with fast reaction kinetic and excellent structural stability for sodium storage. 2018 , 532, 407-415	25
944	An amorphous tin-based nanohybrid for ultra-stable sodium storage. 2018 , 6, 18920-18927	16
943	Horizontal Centripetal Plating in the Patterned Voids of Li/Graphene Composites for Stable Lithium-Metal Anodes. 2018 , 4, 2192-2200	90
942	Mesoscale Complexations in Lithium Electrodeposition. 2018 , 10, 26320-26327	42

941	Electrical Conductivity and Electrochemical Characteristics of Na ₃ V ₂ (PO ₄) ₃ -Based NASICON-Type Materials. 2018 , 54, 794-804	17
940	Binder-Free Nanoparticulate Coating of a Polyethylene Separator via a Reactive Atmospheric Pressure Plasma for Lithium-Ion Batteries with Improved Performances. 2018 , 5, 1800579	18
939	Controlled synthesis of Na _{0.44} MnO ₂ cathode material for sodium ion batteries with superior performance through urea-based solution combustion synthesis. 2018 , 283, 1560-1567	19
938	Enhanced electrochemical performance of carbon and aluminum oxide co-coated Na ₃ V ₂ (PO ₄) ₂ F ₃ cathode material for sodium ion batteries. 2018 , 283, 1441-1449	28
937	3D Interconnected MoS ₂ with Enlarged Interlayer Spacing Grown on Carbon Nanofibers as a Flexible Anode Toward Superior Sodium-Ion Batteries. 2018 , 10, 26982-26989	41
936	Stabilization of Hexaaminobenzene in a 2D Conductive Metal-Organic Framework for High Power Sodium Storage. 2018 , 140, 10315-10323	234
935	How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. 2018 , 130, 12154-12157	10
934	Engineering Materials for Progressive All-Solid-State Na Batteries. 2018 , 3, 2181-2198	78
933	Review of electrical energy storage technologies, materials and systems: challenges and prospects for large-scale grid storage. 2018 , 11, 2696-2767	865
932	High-Performance Reversible Aqueous Zn-Ion Battery Based on Porous MnO _x Nanorods Coated by MOF-Derived N-Doped Carbon. 2018 , 8, 1801445	284
931	Towards Li-Ion Batteries Operating at 80 °C: Ionic Liquid versus Conventional Liquid Electrolytes. 2018 , 4, 2	11
930	Ion Transport in Solvent-Free, Crosslinked, Single-Ion Conducting Polymer Electrolytes for Post-Lithium Ion Batteries. 2018 , 4, 28	25
929	One-Pot Synthesis of Graphene-Sulfur Composites for Li-S Batteries: Influence of Sulfur Precursors. 2018 , 4, 2	6
928	Lithium sulfur battery exploiting material design and electrolyte chemistry: 3D graphene framework and diglyme solution. 2018 , 397, 102-112	27
927	Construction of Hierarchical MoSe ₂ Hollow Structures and Its Effect on Electrochemical Energy Storage and Conversion. 2018 , 10, 25483-25492	41
926	Impact of Charge Transport Dynamics and Conditioning on Cycling Efficiency within Single Redox Active Colloids. 2018 , 5, 3006-3013	12
925	CoO/Co-Activated Porous Carbon Cloth Cathode for High Performance Li-S Batteries. 2018 , 11, 2695-2702	43
924	Coralloidal carbon-encapsulated CoP nanoparticles generated on biomass carbon as a high-rate and stable electrode material for lithium-ion batteries. 2018 , 530, 579-585	41

- 923 Graphitic Carbon Nanocage as a Stable and High Power Anode for Potassium-Ion Batteries. **2018**, 8, 1801149 315
- 922 Enhanced Electrochemical Properties of Polyaniline-Coated LiNi_{0.8}Co_{0.1}Mn_{0.1}O₂ Cathode Material for Lithium-Ion Batteries. **2018**, 47, 5896-5904 20
- 921 2.20 Batteries. **2018**, 629-662 2
- 920 A High-Crystalline NaV_{1.25}Ti_{0.75}O₄ Anode for Wide-Temperature Sodium-Ion Battery. **2018**, 8, 1801162 23
- 919 Potassium vanadates with stable structure and fast ion diffusion channel as cathode for rechargeable aqueous zinc-ion batteries. **2018**, 51, 579-587 291
- 918 Electrochemical and Electronic Charge Transport Properties of Ni-Doped LiMn₂O₄ Spinel Obtained from Polyol-Mediated Synthesis. **2018**, 11, 11 11
- 917 Environmental Screening of Electrode Materials for a Rechargeable Aluminum Battery with an AlCl₃/EMIMCl Electrolyte. **2018**, 11, 12 12
- 916 Transition Metal Hollow Nanocages as Promising Cathodes for the Long-Term Cyclability of Li⁺/O₂ Batteries. **2018**, 8, 7 7
- 915 Gelled Electrolyte Containing Phosphonium Ionic Liquids for Lithium-Ion Batteries. **2018**, 8, 12 12
- 914 A 1,2,3-triazolate lithium salt with ionic liquid properties at room temperature. **2018**, 54, 9035-9038 7
- 913 Concentrated mixed cation acetate/water-in-salt solutions as green and low-cost high voltage electrolytes for aqueous batteries. **2018**, 11, 2876-2883 198
- 912 Origin of the High Capacity Manganese-Based Oxyfluoride Electrodes for Rechargeable Batteries. **2018**, 30, 5362-5372 14
- 911 Carbon Nanotubes Derived from Yeast-Fermented Wheat Flour and Their Energy Storage Application. **2018**, 6, 11386-11396 47
- 910 Multi-block sulfonated poly(arylene ether nitrile) polymers bearing oligomeric benzotriazole pendants with exceptionally high H₂/O₂ fuel cell performance. **2018**, 564, 342-351 15
- 909 A surfactant-assisted strategy to tailor Li-ion charge transfer interfacial resistance for scalable all-solid-state Li batteries. **2018**, 2, 2165-2170 38
- 908 Development and Challenges of Functional Electrolytes for High-Performance Lithium/Sulfur Batteries. **2018**, 28, 1800919 98
- 907 Three-dimensional microflowers assembled by carbon-encapsulated-SnS nanosheets for superior Li-ion storage performance. **2018**, 767, 361-367 23
- 906 Novel ALD Chemistry Enabled Low-Temperature Synthesis of Lithium Fluoride Coatings for Durable Lithium Anodes. **2018**, 10, 26972-26981 66

905	Over 1% Efficient Unbiased Stable Solar Water Splitting Based on a Sprayed Cu ₂ ZnSnS ₄ Photocathode Protected by a HfO ₂ Photocorrosion-Resistant Film. 2018 , 3, 1875-1881	54
904	A core-shell structured polyacrylonitrile@poly(vinylidene fluoride-hexafluoro propylene) microfiber complex membrane as a separator by co-axial electrospinning.. 2018 , 8, 23390-23396	18
903	Tuning morphology and conductivity in two-step synthesis of zinc-cobalt oxide and sulfide hybrid nanoclusters as highly-performed electrodes for hybrid supercapacitors. 2018 , 22, 3197-3207	13
902	A new sodium iron phosphate as a stable high-rate cathode material for sodium ion batteries. 2018 , 11, 6197-6205	15
901	Na _{0.96} V ₂ O ₅ : A New Competitive Cathode Material for Sodium-Ion Batteries Synthesized by a Soft Chemistry Route. 2018 , 30, 5305-5314	15
900	Iron sulfide/carbon hybrid cluster as an anode for potassium-ion storage. 2018 , 766, 1086-1091	39
899	Facile synthesis of MTaO ₄ (M = Al, Cr and Fe) metal oxides and their application as anodes for lithium-ion batteries. 2018 , 44, 8827-8831	6
898	Solid electrolytes and interfaces in all-solid-state sodium batteries: Progress and perspective. 2018 , 52, 279-291	132
897	Wood-inspired multi-channel tubular graphene network for high-performance lithium-sulfur batteries. 2018 , 139, 522-530	13
896	K ₂ V ₆ O ₁₆ ·7H ₂ O nanorod cathode: an advanced intercalation system for high energy aqueous rechargeable Zn-ion batteries. 2018 , 6, 15530-15539	132
895	Caging NaV(PO) ₄ F Microcubes in Cross-Linked Graphene Enabling Ultrafast Sodium Storage and Long-Term Cycling. 2018 , 5, 1800680	125
894	'Plug-and-Power' Point-of-Care diagnostics: A novel approach for self-powered electronic reader-based portable analytical devices. 2018 , 118, 88-96	14
893	Ex situ solid electrolyte interphase synthesis via radiolysis of Li-ion battery anode/electrolyte system for improved coulombic efficiency. 2018 , 2, 2100-2108	7
892	Transport biofuels technological paradigm based conversion approaches towards a bio-electric energy framework. 2018 , 172, 554-566	19
891	Bifunctional effects of halloysite nanotubes in vanadium flow battery membrane. 2018 , 564, 237-246	20
890	Creating fast ion conducting composites via in-situ introduction of titanium as oxygen getter. 2018 , 49, 549-554	17
889	3D carbon foam-supported WS ₂ nanosheets for cable-shaped flexible sodium ion batteries. 2018 , 6, 10813-10824	24
888	Fabrication Sandwich-Like V ₂ O ₅ Nanosheets Anchor in Graphene Towards High Energy Lithium Cathode Materials. 2018 , 6, 2115-2119	5

- 887 Optimization of contact-mode triboelectric nanogeneration for high energy conversion efficiency. **2018**, 61, 1 1
- 886 Insights into Li⁺, Na⁺, and K⁺ Intercalation in Lepidocrocite-Type Layered TiO₂ Structures. **2018**, 1, 2078-2086 21
- 885 Glyoxal-Based Solvents for Electrochemical Energy-Storage Devices. **2018**, 11, 1919-1926 12
- 884 Monitoring dynamic electrochemical processes with in situ ptychography. **2018**, 8, 627-636 5
- 883 Yucca fern shaped CuO nanowires on Cu foam for remitting capacity fading of Li-ion battery anodes. **2018**, 8, 6530 38
- 882 A novel strategy to develop non-noble metal catalyst for CO₂ electroreduction: Hybridization of metal-organic polymer. **2018**, 236, 154-161 30
- 881 Sodium and mixed sodium/lithium iron ortho-pyrophosphates: Synthesis, structure and electrochemical properties. **2018**, 278, 182-195 14
- 880 Sequentially-processed Na₃V₂(PO₄)₃ for cathode material of aprotic sodium ion battery. **2018**, 50, 323-330 28
- 879 Organic Cathode for Aqueous Zn-Ion Batteries: Taming a Unique Phase Evolution toward Stable Electrochemical Cycling. **2018**, 30, 3874-3881 236
- 878 A facile strategy for the synthesis of graphene/VO nanospheres and graphene/VN nanospheres derived from a single graphene oxide-wrapped VO nanosphere precursor for hybrid supercapacitors.. **2018**, 8, 27924-27934 7
- 877 A Pair of Rare Three-Dimensional Chiral Polyoxometalate-Based Metal-Organic Framework Enantiomers Featuring Superior Performance as the Anode of Lithium-Ion Battery. **2018**, 1, 4931-4938 29
- 876 Diffusion controlled multilayer electrocatalysts via graphene oxide nanosheets of varying sizes. **2018**, 10, 16159-16168 16
- 875 Solution synthesis of VSe₂ nanosheets and their alkali metal ion storage performance. **2018**, 53, 11-16 69
- 874 Integration of Redox-Active Catechol Pendants into Poly(ionic liquid) for the Design of High-Performance Lithium-Ion Battery Cathodes. **2018**, 30, 5831-5835 29
- 873 Activating abnormal capacity in stoichiometric NaVO₃ as cathode material for sodium-ion battery. **2018**, 400, 377-382 17
- 872 Toward sustainable and systematic recycling of spent rechargeable batteries. **2018**, 47, 7239-7302 358
- 871 PdCu alloy nanoparticles supported on reduced graphene oxide for electrocatalytic oxidation of methanol. **2018**, 53, 15871-15881 19
- 870 KOH Activated Nitrogen Doped Hard Carbon Nanotubes as High Performance Anode for Lithium Ion Batteries. **2018**, 14, 755-765 8

869	Polarity-Switchable Symmetric Graphite Batteries with High Energy and High Power Densities. 2018 , 30, e1802949	38
868	Mechanochemical synthesis of Si/CuSi-based composite as negative electrode materials for lithium ion battery. 2018 , 8, 12695	5
867	A rechargeable aluminum-ion battery based on a VS nanosheet cathode. 2018 , 20, 22563-22568	62
866	Understanding the charge storage mechanism of conductive polymers as hybrid battery-capacitor materials in ionic liquids by in situ atomic force microscopy and electrochemical quartz crystal microbalance studies. 2018 , 6, 17787-17799	18
865	Multifunctionality of Carbon-based Frameworks in Lithium Sulfur Batteries. 2018 , 1, 403-432	27
864	Ultra-fast charging/discharging planar on-chip micro-supercapacitors based on reduced graphene oxide films by modified liquid/air interface self-assembly. 2018 , 48, 1213-1220	11
863	Enhancing the performance of all-vanadium redox flow batteries by decorating carbon felt electrodes with SnO ₂ nanoparticles. 2018 , 229, 910-921	52
862	A novel rechargeable hybrid Na-seawater flow battery using bifunctional electrocatalytic carbon sponge as cathode current collector. 2018 , 400, 478-484	15
861	Fast Na ion transport triggered by rapid ion exchange on local length scales. 2018 , 8, 11970	16
860	Impedance Characterization of the Transport Properties of Electrolytes Contained within Porous Electrodes and Separators Useful for Li-S Batteries. 2018 , 165, A2741-A2749	22
859	Mussel-inspired strategy towards functionalized reduced graphene oxide-crosslinked polysulfone-based anion exchange membranes with enhanced properties. 2018 , 43, 17461-17474	19
858	Recent Advances in Zn-Ion Batteries. 2018 , 28, 1802564	981
857	Elucidation of the Sodium/Copper Extrusion Mechanism in CuCrS ₂ : A High Capacity, Long-Life Anode Material for Sodium-Ion Batteries. 2018 , 1, 176-183	11
856	Covalent organic framework based microspheres as an anode material for rechargeable sodium batteries. 2018 , 6, 16655-16663	71
855	MoO nanosheet arrays as superior anode materials for Li- and Na-ion batteries. 2018 , 10, 16040-16049	38
854	Metal organic framework laden poly(ethylene oxide) based composite electrolytes for all-solid-state Li-S and Li-metal polymer batteries. 2018 , 285, 355-364	84
853	Seeding Iron Trifluoride Nanoparticles on Reduced Graphite Oxide for Lithium-Ion Batteries with Enhanced Loading and Stability. 2018 , 10, 29505-29510	11
852	Bibliography. 2018 , 145-166	

851	Sectoral Approaches to Skills for Green Jobs in India. 2018 , 141-153	0
850	MOF-templated syntheses of porous Co ₃ O ₄ hollow spheres and micro-flowers for enhanced performance in supercapacitors. 2018 , 20, 3812-3816	27
849	Bifunctionally active and durable hierarchically porous transition metal-based hybrid electrocatalyst for rechargeable metal-air batteries. 2018 , 239, 677-687	53
848	Iron-Catalyzed Graphitic Carbon Materials from Biomass Resources as Anodes for Lithium-Ion Batteries. 2018 , 11, 2776-2787	49
847	Porous Molybdenum Carbide Nanorods as Novel "Bifunctional" Cathode Material for Li-S Batteries. 2018 , 24, 14154-14161	31
846	Hydrogen storage in a rare-earth perovskite-type oxide La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O ₃ for battery applications. 2018 , 37, 1003-1013	12
845	Constructing Li ₃ VO ₄ nanoparticles anchored on crumpled reduced graphene oxide for high-power lithium-ion batteries. 2018 , 42, 13241-13248	10
844	A Novel Graphite-Graphite Dual Ion Battery Using an AlCl ₃ -[EMIm]Cl Liquid Electrolyte. 2018 , 14, e1800745	53
843	3D Current Collectors for Lithium-Ion Batteries: A Topical Review. 2018 , 2, 1800056	67
842	NaSbSeS as Sodium Superionic Conductors. 2018 , 8, 9146	23
841	Recovery of active cathode materials from lithium-ion batteries using froth flotation. 2018 , 17, e00062	25
840	Electrochemistry and Solid-State Chemistry of NaMeO ₂ (Me = 3d Transition Metals). 2018 , 8, 1703415	164
839	PEG400-assisted synthesis of oxygen-incorporated MoS ₂ ultrathin nanosheets supported on reduced graphene oxide for sodium ion batteries. 2018 , 763, 257-266	14
838	Advanced Low-Cost, High-Voltage, Long-Life Aqueous Hybrid Sodium/Zinc Batteries Enabled by a Dendrite-Free Zinc Anode and Concentrated Electrolyte. 2018 , 10, 22059-22066	152
837	Recent advances on Fe- and Mn-based cathode materials for lithium and sodium ion batteries. 2018 , 20, 1	21
836	Systematic post-synthetic modification of metal-organic framework (ZIF-67) with superior cyclability for lithium-ion batteries. 2018 , 282, 276-285	13
835	Vitamin K as a high-performance organic anode material for rechargeable potassium ion batteries. 2018 , 6, 12559-12564	62
834	Pistachio-Shuck-Like MoSe ₂ /C Core/Shell Nanostructures for High-Performance Potassium-Ion Storage. 2018 , 30, e1801812	247

833	Structural changes and their effect on Li-ion conductivity upon quenching of La(1-)/3Li NbO ₃ solid electrolytes. 2018 , 156, 379-388	9
832	High performance lithium-ion capacitors based on scalable surface carved multi-hierarchical construction electrospun carbon fibers. 2018 , 138, 325-336	34
831	Coordination Polymers for High-Capacity Li-Ion Batteries: Metal-Dependent Solid-State Reversibility. 2018 , 10, 22110-22118	22
830	Progress and prospects of next-generation redox flow batteries. 2018 , 15, 324-350	164
829	Internal resistance mapping preparation to optimize electrode thickness and density using symmetric cell for high-performance lithium-ion batteries and capacitors. 2018 , 396, 207-212	28
828	Remedies of capacity fading in room-temperature sodium-sulfur batteries. 2018 , 396, 304-313	31
827	Progressive contact-separate triboelectric nanogenerator based on conductive polyurethane foam regulated with a Bennet doubler conditioning circuit. 2018 , 51, 10-18	53
826	Electrochemical calcium extraction from 1D-CaCoO. 2018 , 47, 11298-11302	26
825	Initiating a mild aqueous electrolyte Co ₃ O ₄ /Zn battery with 2.2 V-high voltage and 5000-cycle lifespan by a Co(III) rich-electrode. 2018 , 11, 2521-2530	282
824	Observation of Pseudocapacitive Effect and Fast Ion Diffusion in Bimetallic Sulfides as an Advanced Sodium-Ion Battery Anode. 2018 , 8, 1703155	284
823	Enhancing Bifunctional Catalytic Activity of Oxygen Reduction and Evolution Reaction via One-Pot Formation of MnO ₂ -Carbon Hybrid Nanocomposite. 2018 , 3, 6302-6308	7
822	Large interlayer spacing vanadium oxide nanotubes as cathodes for high performance sodium ion batteries.. 2018 , 8, 22053-22061	5
821	Robust Expandable Carbon Nanotube Scaffold for Ultrahigh-Capacity Lithium-Metal Anodes. 2018 , 30, e1800884	132
820	Antimony/reduced graphene oxide composites as advanced anodes for potassium ion batteries. 2018 , 48, 1115-1120	22
819	Manipulation of conjugation to stabilize N redox-active centers for the design of high-voltage organic battery cathode. 2019 , 16, 236-242	57
818	A potential large-scale energy conversion/storage system: an aqueous rechargeable battery with intercalated potassium compound. 2019 , 25, 2267-2274	3
817	Over-potential induced Li/Na filtrated depositions using stacked graphene coating on copper scaffold. 2019 , 16, 364-373	22
816	Facile synthesis of Li ₃ V ₂ (PO ₄) ₃ /C cathode material for lithium-ion battery via freeze-drying. 2019 , 32, 159-165	13

815	A textile-based SnO ₂ ultra-flexible electrode for lithium-ion batteries. 2019 , 16, 597-606	118
814	Combining theory and experiment in lithium-sulfur batteries: Current progress and future perspectives. 2019 , 22, 142-158	217
813	Recent progress in phosphorus based anode materials for lithium/sodium ion batteries. 2019 , 16, 290-322	162
812	Recent advances on flexible electrodes for Na-ion batteries and LiB batteries. 2019 , 32, 15-44	42
811	Study of the Na Storage Mechanism in Silicon Oxycarbide: Evidence for Reversible Silicon Redox Activity. 2019 , 3, 1800177	14
810	Improvement of Electrochemical Performance of Nickel Rich LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ Cathode by Lithium Aluminates Surface Modifications. 2019 , 7, 209-215	10
809	Sustainable treatment of dye wastewater for high-performance rechargeable battery cathodes. 2019 , 17, 334-340	11
808	Long-life LiB batteries based on enabling the immobilization and catalytic conversion of polysulfides. 2019 , 7, 21747-21758	25
807	Realization of Lithium-Ion Capacitors with Enhanced Energy Density via the Use of Gadolinium Hexacyanocobaltate as a Cathode Material. 2019 , 11, 31799-31805	23
806	K ⁺ intercalated V ₂ O ₅ nanorods with exposed facets as advanced cathodes for high energy and high rate zinc-ion batteries. 2019 , 7, 20335-20347	67
805	Scalable and controllable synthesis of multi-shell hollow carbon microspheres for high-performance supercapacitors. 2019 , 154, 330-341	26
804	Tunable Conducting Polymers: Toward Sustainable and Versatile Batteries. 2019 , 7, 14321-14340	50
803	Alluaudite NaCoFe ₂ (PO ₄) ₃ as a 2.9 V Cathode for Sodium-Ion Batteries Exhibiting Bifunctional Electrocatalytic Activity. 2019 , 31, 7501-7509	7
802	Scanning probe microscopy based characterization of battery materials, interfaces, and processes. 2019 , 65, 103925	26
801	Physicochemical compatibility of highly-concentrated solvate ionic liquids and a low-viscosity solvent. 2019 , 9, 24922-24927	2
800	In-Situ Growing Mesoporous CuO/O-Doped g-CN Nanospheres for Highly Enhanced Lithium Storage. 2019 , 11, 32957-32968	43
799	Sulfiphilic Few-Layered MoSe ₂ Nanoflakes Decorated rGO as a Highly Efficient Sulfur Host for Lithium-Sulfur Batteries. 2019 , 9, 1901896	84
798	Sodium Naphthalene-2,6-dicarboxylate: An Anode for Sodium Batteries. 2019 , 12, 4522-4528	11

797	Electrospun $\text{Mn}_x\text{Co}_{0.5-x}\text{Sn}_{0.5}\text{O}_2$ and SnO_2 porous nanofibers and nanoparticles as anode materials for lithium-ion battery. 2019 , 21, 1	3
796	A Sodium Storage Material Based on Chamber-Confined Conversion of Co_9S_8 Nanorod Encapsulated by N-Doped Carbon Shell. 2019 , 7, 15729-15738	17
795	Electrochemical Activation of Mn_3O_4 (Hausmannite) for a Rechargeable Aqueous Zn/Mn-Oxide Battery for Energy Storage Applications. 2019 ,	1
794	Developing Dual-Graphite Batteries with Pure 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid as the Electrolyte. 2019 , 6, 4681-4688	11
793	Synthesis of three-dimensional free-standing WSe_2/C hybrid nanofibers as anodes for high-capacity lithium/sodium ion batteries. 2019 , 7, 19898-19908	18
792	Revealing the Chemical and Structural Evolution of VO Nanoribbons in Lithium-Ion Batteries Using in Situ Transmission Electron Microscopy. 2019 , 91, 11055-11062	11
791	An oxalate cathode for lithium ion batteries with combined cationic and polyanionic redox. 2019 , 10, 3483	46
790	A room temperature multivalent rechargeable iron ion battery with an ether based electrolyte: a new type of post-lithium ion battery. 2019 , 55, 10416-10419	9
789	Bismuth Sulfide-Integrated Carbon Derived from Organic Ligands as a Superior Anode for Sodium Storage. 2019 , 7, 1900668	5
788	Carbon nanomaterials for rechargeable lithium-sulfur batteries. 2019 , 279-309	2
787	Li-Breathing Air Batteries Catalyzed by MnNiFe /Laser-Induced Graphene Catalysts. 2019 , 6, 1901035	15
786	Prediction of the heavy charging current effect on nickel-rich/silicon-graphite power batteries based on adiabatic rate calorimetry measurement. 2019 , 438, 226971	17
785	Tuning sodium nucleation and stripping by the mixed surface of carbon nanotube-sodium composite electrodes for improved reversibility. 2019 , 438, 227005	7
784	Anode-Free Sodium Metal Batteries Based on Nanohybrid Core-Shell Templates. 2019 , 15, e1901274	21
783	Enhanced catalytic graphitization of resorcinol formaldehyde derived carbon xerogel to improve its anodic performance for lithium ion battery. 2019 , 20, 100569	12
782	Made From Henna! A Fast-Charging, High-Capacity, and Recyclable Tetrakislawsonone Cathode Material for Lithium Ion Batteries. 2019 , 7, 13836-13844	22
781	An Al-doped high voltage cathode of $\text{Na}_4\text{Co}_3(\text{PO}_4)_2\text{P}_2\text{O}_7$ enabling highly stable 4 V full sodium-ion batteries. 2019 , 7, 18940-18949	21
780	Rechargeable aqueous hybrid ion batteries: developments and prospects. 2019 , 7, 18708-18734	68

779	Enhanced Electrochemical Performance of Sb ₂ O ₃ as an Anode for Lithium-Ion Batteries by a Stable Cross-Linked Binder. 2019 , 9, 2677	45
778	Three-Dimensional Ordered Macroporous Metal-Organic Framework Single Crystal-Derived Nitrogen-Doped Hierarchical Porous Carbon for High-Performance Potassium-Ion Batteries. 2019 , 19, 4965-4973	152
777	Sustainable Energy Storage: Recent Trends and Developments toward Fully Organic Batteries. 2019 , 12, 4093-4115	77
776	Comprehensive study of Na _{2-x} MnFe(CN) ₆ ·yH ₂ O cathodes with cube morphology: Structure, valence state and electrochemical properties. 2019 , 340, 115025	3
775	Sandwich-Like Ultrathin TiS ₂ Nanosheets Confined within N, S Codoped Porous Carbon as an Effective Polysulfide Promoter in Lithium-Sulfur Batteries. 2019 , 9, 1901872	119
774	Biomass-Derived Carbon: A Value-Added Journey Towards Constructing High-Energy Supercapacitors in an Asymmetric Fashion. 2019 , 12, 4353-4382	32
773	Synthesis, characterizations, and utilization of oxygen-deficient metal oxides for lithium/sodium-ion batteries and supercapacitors. 2019 , 397, 138-167	113
772	A New Lithium-Ion Conductor LiTaSiO ₅ : Theoretical Prediction, Materials Synthesis, and Ionic Conductivity. 2019 , 29, 1904232	9
771	Few-layer graphene coated current collectors for safe and powerful lithium ion batteries. 2019 , 153, 495-503	18
770	Multi-functional PEDOT-engineered sodium titanate nanowires for sodium-ion batteries with synchronous improvements in rate capability and structural stability. 2019 , 7, 19241-19247	20
769	Silicon and Iron as Resource-Efficient Anode Materials for Ambient-Temperature Metal-Air Batteries: A Review. 2019 , 12,	22
768	An excellent cycle performance of asymmetric supercapacitor based on ZIF-derived C/N-doped porous carbon nanostructures. 2019 , 805, 1200-1207	12
767	NiCo ₂ O ₄ nanoarray on CNT sponge: a bifunctional oxygen electrode material for rechargeable Zn air batteries. 2019 , 1, 3243-3251	10
766	Potential Applications of Heterostructures of TMDs with MXenes in Sodium-Ion and Na-O Batteries. 2019 , 19, 5577-5586	42
765	Waste Beverage Coffee-Induced Hard Carbon Granules for Sodium-Ion Batteries. 2019 , 7, 12734-12740	22
764	Metal-organic framework derived N-doped CNT@ porous carbon for high-performance sodium- and potassium-ion storage. 2019 , 319, 541-551	47
763	Recent Advances in Aerosol-Assisted Spray Processes for the Design and Fabrication of Nanostructured Metal Chalcogenides for Sodium-Ion Batteries. 2019 , 14, 3127-3140	16
762	Rose-like vanadium disulfide coated by hydrophilic hydroxyvanadium oxide with improved electrochemical performance as cathode material for aqueous zinc-ion batteries. 2019 , 437, 226917	35

761	Ab initio study of a 2D h-BAs monolayer: a promising anode material for alkali-metal ion batteries. 2019 , 21, 18328-18337	26
760	In Situ Templating Approach To Fabricate Small-Mesopore-Dominant S-Doped Porous Carbon Electrodes for Supercapacitors and Li-Ion Batteries. 2019 , 2, 5591-5599	13
759	Flexible Organic/Inorganic Composite Solid Electrolyte with Asymmetric Structure for Room Temperature Solid-State Li-Ion Batteries. 2019 , 7, 15896-15903	25
758	A review of naturally derived nanostructured materials for safe lithium metal batteries. 2019 , 8, 100049	26
757	Organic electrode materials with solid-state battery technology. 2019 , 7, 18735-18758	57
756	Layered (NH ₄) ₂ V ₆ O ₁₆ ·1.5H ₂ O nanobelts as a high-performance cathode for aqueous zinc-ion batteries. 2019 , 7, 19130-19139	72
755	Synergistic Effect on the Improved Electrochemical Performance in the Case of Fe _{1-x} Cd _x CO ₃ . 2019 , 123, 19333-19339	3
754	Cryptomelane K _{1.33} Mn ₈ O ₁₆ as a cathode for rechargeable aqueous zinc-ion batteries. 2019 , 7, 23981-23988	31
753	Boosting Lithium/Sulfur Battery Performance by Integrating a Redox-Active Covalent Organic Framework in the Separator. 2019 , 2, 5793-5798	38
752	Sodium-ion battery anodes: Status and future trends. 2019 , 1, 100012	116
751	Electrochemical and Structural Investigation of Calcium Substituted Monoclinic Li ₃ V ₂ (PO ₄) ₃ Anode Materials for Li-Ion Batteries. 2019 , 9, 1901864	11
750	Stable Acetals of Glyoxal as Electrolyte Solvents for Lithium-Ion Batteries. 2019 , 2, 852-857	7
749	Core-shell nanostructured organic redox polymer cathodes with superior performance. 2019 , 64, 103949	14
748	Synthetic Biopigment Supercapacitors. 2019 , 11, 30360-30367	33
747	High-Temperature Antiferroelectric of Lead Iodide Hybrid Perovskites. 2019 , 141, 12470-12474	68
746	Fabrication of diatomite/polyethylene terephthalate composite separator for lithium-ion battery. 2019 , 25, 5341-5351	15
745	Recent advances in the selective membrane for aqueous redox flow batteries. 2019 , 7, 100044	16
744	Recent progress and perspectives on dual-ion batteries. 2019 , 1, 100004	72

743	One-step preparation of poly(ionic liquid)-based flexible electrolytes by in-situ polymerization for dendrite-free lithium ion batteries. 2019 , 375, 122062	28
742	Recent advances in understanding dendrite growth on alkali metal anodes. 2019 , 1, 100003	97
741	Understanding of the Li-insertion process in a phosphate based electrode material for lithium ion batteries. 2019 , 435, 226803	11
740	Cathode interfacial engineering to enhance cycling stability of rechargeable lithium-ion batteries. 2019 , 277, 531-537	4
739	The periodic table of the elements of green and sustainable chemistry. 2019 , 21, 6545-6566	57
738	Carbon nanotube-based materials for lithium-sulfur batteries. 2019 , 7, 17204-17241	112
737	An insoluble naphthalenediimide derivative as a highly stable cathode material for lithium-ion batteries. 2019 , 236, 121815	6
736	Increased sodium-ion storage performances of uniform TiO ₂ /carbon nanofibers by in-situ Fe-doping. 2019 , 253, 349-353	2
735	Electrospun VSe/CNF composite with excellent performance for alkali metal ion batteries. 2019 , 11, 16308-16316	34
734	Graphene quantum dots/graphene fiber nanochannels for osmotic power generation. 2019 , 7, 23727-23732	17
733	TiSe ₂ cathode for beyond Li-ion batteries. 2019 , 436, 226813	22
732	Zero-Dimensional-g-CNQD-Coordinated Two-Dimensional Porphyrin MOF Hybrids for Boosting Photocatalytic CO Reduction. 2019 , 11, 42243-42249	55
731	Seamless mode transfer control for master-slave microgrid. 2019 , 12, 3158-3165	11
730	Preparation of Highly Porous Carbonous Electrodes by Selective Laser Sintering. 2019 , 2, 1314-1318	8
729	Flexible Garnet Solid-State Electrolyte Membranes Enabled by Tile-and-Grout Design. 2019 , 4, 2668-2674	33
728	BMnO ₂ @In ₂ O ₃ Nanotubes as Cathode Material for Aqueous Rechargeable Zn-Ion Battery with High Electrochemical Performance. 2019 , 166, A3362-A3368	18
727	Porous Carbons Derived from Collagen-Enriched Biomass: Tailored Design, Synthesis, and Application in Electrochemical Energy Storage and Conversion. 2019 , 29, 1905095	60
726	Artificial Solid Electrolyte Interphase Coating to Reduce Lithium Trapping in Silicon Anode for High Performance Lithium-Ion Batteries. 2019 , 6, 1901187	25

725	Water-Induced Growth of a Highly Oriented Mesoporous Graphitic Carbon Nanospring for Fast Potassium-Ion Adsorption/Intercalation Storage. 2019 , 131, 18276-18283	13
724	Water-Induced Growth of a Highly Oriented Mesoporous Graphitic Carbon Nanospring for Fast Potassium-Ion Adsorption/Intercalation Storage. 2019 , 58, 18108-18115	59
723	Effects of oxalic acid concentration on the microstructures and properties of nano-VO ₂ (B). 2019 , 23, 2951-2959	4
722	Artificial Bifunctional Protective layer Composed of Carbon Nitride Nanosheets for High Performance Lithium-Sulfur Batteries. 2019 , 26, 101006	12
721	Management of various socio-economic factors under the United Nations sustainable development agenda. 2019 , 64, 101515	14
720	Composition Modulation of Ionic Liquid Hybrid Electrolyte for 5 V Lithium-Ion Batteries. 2019 , 11, 42049-42056	6
719	Customizable Nonplanar Printing of Lithium-Ion Batteries. 2019 , 4, 1900645	10
718	Potential transition and post-transition metal sulfides as efficient electrodes for energy storage applications: review. 2022 , 12, 18041-18062	0
717	A quinoxalinophenazinedione covalent triazine framework for boosted high-performance aqueous zinc-ion batteries.	1
716	The decoupling of ion-pairing and ion-conduction in ultrahigh-concentration electrolytes enables wide-temperature solid-state batteries.	4
715	Review of metal oxides as anode materials for lithium-ion batteries.	0
714	Ultrafine Sb Nanoparticles In Situ Confined in Covalent Organic Frameworks for High-Performance Sodium-Ion Battery Anode.	1
713	Balancing the Anions Adsorption and Intercalation in Carbon Cathode Enables High Energy Density Dual-Carbon Lithium-Ion Capacitors.	
712	Iron-Phosphate-Based Cathode Materials for Cost-Effective Sodium-Ion Batteries: Development, Challenges, and Prospects. 2200515	1
711	Swelling-induced morpholine functionalized adamantane-containing poly(aryl ether ketone) membranes for vanadium flow batteries. 2022 ,	1
710	Phase Prediction Study of High-Entropy Energy Alloy Generation Based on Machine Learning. 2022 , 2022, 1-9	0
709	Metallic Sodium Anodes for Advanced Sodium Metal Batteries: Progress, Challenges and Perspective.	
708	Concentrated electrolytes enabling stable aqueous ammonium-ion batteries. 2201877	1

707	LiB batteries: effect of uniaxial compression on the electrical conductivity and electrochemical performance of graphene aerogel cathodes.	0
706	A Highly Stretchable and Self-Healing Composite Binder Based on the Hydrogen-Bond Network for Silicon Anodes in High-Energy-Density Lithium-Ion Batteries. 2022 , 9,	3
705	Progress, Key Issues, and Future Prospects for Li-Ion Battery Recycling. 2200067	6
704	Detailed investigation of sinusoidal vibration on triboelectric energy harvester. 1-14	2
703	Construction of Na ₂ Li ₂ Ti ₆ O ₁₄ @ LiAlO ₂ Composites as Anode Materials of Lithium-Ion Battery with High Performance.	0
702	Gel Polymer Electrolytes with Mixture of Triazolium Ionic Liquids and Propylene Carbonate. 2022 , 8, 370	
701	Advanced Nanostructured MXene-Based Materials for High Energy Density Lithium Sulfur Batteries. 2022 , 23, 6329	2
700	Two-dimensional polymers made of carbonyl-bridged heterotriangulenes are promising anode materials for Li-ion batteries. 2022 , 9, 034003	1
699	Electrochemical Sodiation and Desodiation of Gallium. 2022 , 169, 060525	0
698	Polycrystalline Prussian White Aggregates as a High-Rate and Long-Life Cathode for High-Temperature Sodium-Ion Batteries.	0
697	Enhanced interphasial stability of hard carbon for sodium-ion battery via film-forming electrolyte additive.	1
696	Phosphite-Based Electrodes. 39-55	
695	Modification of Porous N-Doped Carbon with Sulfonic Acid toward High-ICE/Capacity Anode Material for Potassium-Ion Batteries. 2204991	7
694	Carbon nanotubes-coated Ni-rich cathodes for the green manufacturing process of lithium-ion batteries.	0
693	Prominent Electrode Material for Na-, K-, and Mg-ion Batteries: 2D Esb Monolayer.	0
692	Influence of Graphene Wrapped-Cerium Oxide Coating on Spherical LiNi _{0.5} Mn _{1.5} O ₄ Particles as Cathode in High-Voltage Lithium-Ion Batteries. 2022 , 165989	1
691	Zn _{0.52} V ₂ O ₅ ·nH ₂ O Cathode Stabilized by in-situ Phase Transformation for Aqueous Zinc Ion Batteries with Ultra-long Cyclability.	1
690	Zn _{0.52} V ₂ O ₅ ·nH ₂ O Cathode Stabilized by in-situ Phase Transformation for Aqueous Zinc Ion Batteries with Ultra-long Cyclability.	

- 689 Highly effective bi-functional electrochemical activity of Ag₂O-PrO₂ / BA₂O₃ electrocatalysts towards OER and ORR. 0
- 688 N-substituted carbazole derivatives salts as stable organic electrodes for anion insertion.
- 687 An integrated dendrite-free zinc metal electrode for corrosion inhibition in aqueous system.
- 686 Nano-LiFePO₄/C Derived from Gaseous-Oxidation Engineering-Synthesized Amorphous Mesoporous nano-FePO₄ for High-Rate Li-Ion Batteries. 0
- 685 Plant-cell oriented few-layer MoS₂/C as high performance anodes for lithium-ion batteries. **2022**, 424, 140685 0
- 684 Activated carbons from the Amazonian biomass andiroba shells applied as a CO₂ adsorbent and a cheap semiconductor material. **2022**, 62, 102071 0
- 683 The metallic C6S monolayer with high specific capacity for K-ion batteries. **2022**, 25, 100951
- 682 Tuning cationic transport in Nisalen polymers via pseudo-crown functionality. **2022**, 425, 140750 0
- 681 Advancing chemical hazard assessment with decision analysis: A case study on lithium-ion and redox flow batteries used for energy storage. **2022**, 437, 129301 0
- 680 The characteristics of excellent electrocatalytic hydrogen evolution for FeCoNi based high entropy alloys. **2022**, 33, e00455 0
- 679 Sodium-ion batteries: Chemistry of biomass derived disordered carbon in carbonate and ether-based electrolytes. **2022**, 425, 140744 1
- 678 Constructing high-performance N-doped carbon nanotubes anode by tuning interlayer spacing and the compatibility mechanism with ether electrolyte for sodium-ion batteries. **2022**, 446, 137427 1
- 677 Lanthanum Oxyfluoride modifications boost the electrochemical performance of Nickel-rich cathode. **2022**, 599, 153928
- 676 Recent advances in developing organic positive electrode materials for rechargeable aluminum-ion batteries. **2022**, 51, 63-79 0
- 675 Laser-radiated tellurium vacancies enable high-performance telluride molybdenum anode for aqueous zinc-ion batteries. **2022**, 51, 29-37 2
- 674 Recycling of spent Lithium-ion Batteries: A comprehensive review for identification of main challenges and future research trends. **2022**, 53, 102447 3
- 673 Boosting the current capability and reversibility of Zn anode for high-performance Zinc batteries. **2022**, 447, 137496 0
- 672 Enhanced rate performance and specific capacity in Ti-substituted P2-type layered oxide enabled by crystal structure and particle morphology modifications. **2022**, 448, 137662 1

- 671 Advances in the structure and composition design of zinc anodes for high performance zinc ion batteries. 1
- 670 Stable Cycling of Si Nanowire Electrodes Enabled by Fluorine-Free Cyano-Based Ionic Liquid Electrolyte.
- 669 Multi-Wall Carbon Nanotube-Induced Nanobelt Potassium Vanadate Composite as Cathode for Sodium-Ion Batteries.
- 668 Interface-assisted phase transition in MOF-derived MoS₂/CoS₂ heterostructures for highly efficient dual-pH hydrogen evolution and overall water splitting. 0
- 667 Synthesis of NiSe nanorod array structure as a binder-free cathode for an aqueous rechargeable Ni₂/Zn battery. 0
- 666 Next-generation Rechargeable Batteries Utilizing Ionic Liquids and Various Charge Carriers. **2022**, 2
- 665 Investigation of ion-electrode interactions of linear polyimides and alkali metal ions for next generation alternative-ion batteries. 1
- 664 Solvothermally Prepared Vo₂(B) for Aqueous Zinc Ion Batteries with High Capacity and Excellent Rate Capability.
- 663 N-doped pinecone-based carbon with a hierarchical porous pie-like structure: a long-cycle-life anode material for potassium-ion batteries. **2022**, 12, 20305-20318
- 662 Constructing Three-Dimensional (3d) Nanoflower-Like Cu₂Xse-Mose₂[Heterojunction]As an Excellent Long-Life and High-Rate Anode for Half/Full Na-Ion Batteries.
- 661 Nanoconfining red phosphorus within MOF-derived hierarchically porous carbon networks for high performance potassium storage. 0
- 660 Classification and application of redox-active polymer materials for energy storage nanoarchitectonics. **2022**, 91-113 0
- 659 Vanadium dissolution at 30 °C and its suppression at a low temperature of 20 °C for a Na₃V_{1.5}Cr_{0.5}(PO₄)₃ cathode.
- 658 Solid-State Nanocomposite Ionogel Electrolyte with In-Situ Formed Ionic Channels for Uniform Ion-Flux and Suppressing Dendrite Formation in Lithium Metal Batteries.
- 657 Gallium-based liquid metals for lithium-ion batteries. 0
- 656 A Single Potassium-Ion Conducting Metal-Organic Framework. 1
- 655 Solvothermal controllable synthesis of polymorphic manganese oxalate anode for lithium-ion batteries. **2022**, 28, 3603-3614
- 654 Transition Metal Dichalcogenides for High-Performance Aqueous Zinc Ion Batteries. **2022**, 8, 62 1

- 653 High Performance Doped Li-Rich $\text{Li}_{1+x}\text{Mn}_2\text{O}_4$ Cathodes Nanoparticles Synthesized by Facile, Fast, and Efficient Microwave-Assisted Hydrothermal Route. 0
- 652 Challenges and Perspectives for Doping Strategy for Manganese-Based Zinc-ion Battery Cathode. **2022**, 15, 4698 2
- 651 Superior Multielectron-Transferring Energy Storage by π -Conjugated Frameworks. 2202861
- 650 Rational Design of Wood-Structured Thick Electrode for Electrochemical Energy Storage. 2204426 1
- 649 Two-dimensional TiNCl for capacitive-like lithium-ion storage.
- 648 Rechargeable Manganese dioxide-Zinc Batteries: A Review Focusing on Challenges and Optimization Strategies under Alkaline and Mild Acidic Electrolyte Mediums. 0
- 647 Defect engineered 2D mesoporous Mo-Co-O nanosheets with crystalline-amorphous composite structure for efficient oxygen evolution. 1
- 646 Persistent Radicals Derived from N-Heterocyclic Carbenes for Material Applications. 1
- 645 Acid/Alkaline Electrolyte for the Development of High-Energy Density Zn-Ion Batteries through Structural Modification of MoS_2 by MnO_2 . 2
- 644 Porous Electrode Modeling and its Applications to Li-Ion Batteries. 2201506 5
- 643 Electrolyte design strategies towards long-term Zn metal anode for rechargeable batteries. **2022**, 1
- 642 Porous, Columnar Shaped Iron Rich Oxide Synthesis for Lithium-Ion Batteries from Metallurgical Grade, Domestic, High Carbon Ferro-Chromium Alloys. **2022**, 166215
- 641 Low-strain binary hexacyanoferrate nanocuboids with concentration-gradient structure towards fast and durable energy storage. **2022**, 0
- 640 Integrated Photovoltaic Charging and Energy Storage Systems: Mechanism, Optimization, and Future. 2203014 2
- 639 Structural and Interfacial Characterization of a Sustainable Si/Hard Carbon Composite Anode for Lithium-Ion Batteries. 3
- 638 Calcium-tin alloys as anodes for rechargeable non-aqueous calcium-ion batteries at room temperature. **2022**, 13, 2
- 637 The current status of sodium metal anodes for improved sodium batteries and its future perspectives. **2022**, 10, 070901 0
- 636 Review of electrolyte strategies for competitive dual-ion batteries. **2022**, 100188 1

635	Cu ₇ Te ₄ as an Anode Material and Zn Dendrite Inhibitor for Aqueous Zn-Ion Battery. 2205602	3
634	Chemomechanics of Rechargeable Batteries: Status, Theories, and Perspectives.	5
633	Promoting reversible dissolution/deposition of MnO ₂ for high-energy-density zinc batteries via enhancing cut-off voltage.	4
632	Ultralow-concentration electrolyte boosting K _{0.486} V ₂ O ₅ for high-performance proton storage.	1
631	Nitrogen and Sulfur Enriched Porous Carbon Materials with Trace Fe Derived from Hyper-crosslinked Polymer as an Efficient Oxygen Reduction Electrocatalyst .	
630	Copper Zinc Sulfide (CuZnS) Quantum Dot-Decorated (NiCo)B/Conductive Carbon Matrix as the Cathode for LIB Batteries. 2022, 12, 2403	0
629	Fabrication of long-life quasi-solid-state Na-CO ₂ battery by formation of Na ₂ C ₂ O ₄ discharge product. 2022, 100973	2
628	Anionic Redox Reaction Mechanism in Na-Ion Batteries.	0
627	Utilizing an Oxygen-Rich Interface by Hydroxyapatite to Regulate the Linear Diffusion for the Stable Solid-State Electrolytes.	1
626	Approaches to Enhancing Electrical Conductivity of Pristine Metal-Organic Frameworks for Supercapacitor Applications. 2203307	3
625	Polyimide hybrid membranes with graphene oxide for lithium-sulfur battery separator applications. 2022, 255, 125110	1
624	Li _{6.4} La ₃ Zr _{1.4} Ta _{0.6} O ₁₂ Reinforced Polystyrene-Poly(ethylene oxide)-Poly(propylene oxide)-Poly(ethylene oxide)-Polystyrene pentablock copolymer-based composite solid electrolytes for solid-state lithium metal batteries. 2022, 542, 231797	2
623	Green fruit organic primary battery: Positive citric acid, negative sodium tert-pentoxide. 2022, 920, 116582	
622	A review on supercapacitors based on plasma enhanced chemical vapor deposited vertical graphene arrays. 2022, 53, 105212	4
621	Challenges of 3D printing in LIB electrodes: Emphasis on material-design properties, and performance of 3D printed Si-based LIB electrodes. 2022, 543, 231840	0
620	Chemically interconnected amorphous nanospheres SiO _x C _y as high performance anodes. 2022, 426, 140772	0
619	Synergy of carbonyl and azo chemistries for wide-temperature-range rechargeable aluminum organic batteries. 2022, 101, 107554	1
618	A new route for the recycling of spent lithium-ion batteries towards advanced energy storage, conversion, and harvesting systems. 2022, 101, 107595	2

617	Construction of V1.11S2 flower spheres for efficient aqueous Zn-ion batteries. 2022 , 625, 1002-1011	0
616	All-solid-state lithium batteries featuring hybrid electrolytes based on Li ⁺ ion-conductive Li ₇ La ₃ Zr ₂ O ₁₂ framework and full-concentration gradient Ni-rich NCM cathode. 2022 , 450, 138043	0
615	One-dimensional π conjugated coordination polymer with double redox-active centers for all-organic symmetric lithium-ion batteries. 2022 , 450, 138052	3
614	Highly conductive thin composite solid electrolyte with vertical Li ₇ La ₃ Zr ₂ O ₁₂ sheet arrays for high-energy-density all-solid-state lithium battery. 2022 , 450, 137994	0
613	An Energy Supervisor Architecture for Energy-Harvesting Applications. 2022 ,	
612	Toward Understanding Renewable Energy and Sustainable Development in Developing and Developed Economies: A Review. 2022 , 15, 5349	0
611	Iterative Synthesis of Contorted Macromolecular Ladders for Fast-Charging and Long-Life Lithium Batteries.	2
610	Designing a Bimodal BaTiO ₃ Artificial Layer to Boost the Dielectric Effect toward Highly Reversible Dendrite-Free Zn Metal Anodes.	0
609	Nitrogen-Doped Porous Carbon Embedded Sn/SnO Nanoparticles as High-Performance Lithium-ion Battery Anode. 2022 , 140898	2
608	Two-Dimensional Pentagraphyne as a High-Performance Anode Material for Li/Na-Ion Rechargeable Batteries.	2
607	Customized design of electrolytes for high-safety and high-energy-density lithium batteries. 2022 , 100082	
606	Comparative Study on Chitosans as Green Binder Materials for LiMn ₂ O ₄ Positive Electrodes in Lithium Ion Batteries.	0
605	N-doped carbon nanocube with zinc oxide sodiophilic sites enables a superior sodium metal anode.	1
604	Synergistic construction of bifunctional interface film on anode via a novel hybrid additive for enhanced alkaline Al-air battery performance. 2022 , 450, 138175	0
603	DISAGGREGATION OF HOUSE ELECTRICITY CONSUMPTION USING PARTICLE SWARM OPTIMIZATION. 2021 , 3, 33-42	
602	Co-prosperity of electrocatalytic activity and stability in high entropy spinel (Cr _{0.2} Mn _{0.2} Fe _{0.2} Ni _{0.2} Zn _{0.2}) ₃ O ₄ for the oxygen evolution reaction.	2
601	Recent advances and perspectives in aqueous potassium-ion batteries.	1
600	Facile fabrication of a high performance TiNb ₂ O ₇ anode for large-scale electrical energy storage.	1

599	Monodispersed flower-like MXene@VO ₂ clusters for aqueous zinc ion batteries with superior rate performance. 2022 , 14, 11655-11663	1
598	Investigating the abnormal conductivity behaviour of divalent cations in low dielectric constant tetraglyme-based electrolytes.	0
597	A cost of ownership analysis of batteries in all-electric and plug-in hybrid vehicles.	1
596	Unraveling the Key Atomic Interactions in Determining the Varying Li/Na/K Storage Mechanism of Hard Carbon Anodes. 2201734	1
595	Sodiophilic silver nanoparticles anchoring on vertical graphene modified carbon cloth for longevous sodium metal anodes.	0
594	The Future for Room-Temperature SodiumSulfur Batteries: From Persisting Issues to Promising Solutions and Practical Applications. 2205622	4
593	Novel Bimetallic Activated Center Alloying Mechanism Positive Electrodes for Aluminum Storage. 2022 , 18, 2203236	1
592	Recent Developments and Future Prospects of Transition Metal Compounds as Electrode Materials for Potassium-Ion Hybrid Capacitors. 2200515	1
591	Novel InorganicOrganic Hybrid Cathode for Aqueous Zinc-Ion Batteries: V ₂ O ₅ Pillared with Diethylenetriamine like a Double-Stud. 2022 , 10, 10243-10251	0
590	Effective desalination and anti-biofouling performance via surface immobilized MWCNTs on RO membrane. 2022 ,	
589	Microstructure engineering of nickel-rich oxide/carbon composite cathodes for fast charging of lithium-ion batteries. 2022 ,	
588	Ultrahigh Lithium Storage Capacity of Al ₂ C Monolayer in a Restricted Multilayered Growth Mechanism. 2022 , 14, 35663-35672	1
587	Coaxial hard carbon coated carbon nanotubes as anodes for sodium-ion batteries.	
586	High Output Performance and Ultra-Durable DC Output for Triboelectric Nanogenerator Inspired by Primary Cell. 2022 , 14,	1
585	Carbon Quantum Dot Modified Reduced Graphene Oxide Framework for Improved Alkali Metal Ion Storage Performance. 2202898	0
584	Self-Powered, Long-Durable, and Highly Selective OilSolid Triboelectric Nanogenerator for Energy Harvesting and Intelligent Monitoring. 2022 , 14,	3
583	Meringue-derived hierarchically porous carbon as an efficient polysulfide regulator for lithium-sulfur batteries. 2022 ,	1
582	Biosourced quinones for high-performance environmentally benign electrochemical capacitors via interface engineering. 2022 , 5,	0

- 581 A review of biomass-derived carbon materials for lithium metal anodes. **2022**, 37, 658-674 3
- 580 Radiolysis of Electrolytes in Batteries: A Quick and Efficient Screening Process for the Selection of Electrolyte-Additive Formulations. 2200712
- 579 Reaction-sintered LAGP solid electrolytes with MoS₂ coating for improved stability with Li metal. **2022**,
- 578 The role of graphene in rechargeable lithium batteries: Synthesis, functionalisation, and perspectives. **2022**, 1
- 577 Photosynthesis of Hydrogen and Its Synchronous Application in a Hydrogen Fuel Cell: A Comprehensive Experiment in the Undergraduate Teaching Laboratory.
- 576 Solid Solution MoS₂Te_x with Reduced Lattice Change Compared to MoS₂/MoTe₂ Heterostructure for Enhanced Cycling Performance of Lithium-Ion Batteries. 2200649
- 575 Advances in Microfluidic Technologies for Energy Storage and Release Systems. 2200060
- 574 Porous Structures Formed by Fluorine-Doped Reduced Graphene Oxide Sheets as High-Performance Anodes for Potassium-Ion Batteries.
- 573 Vat Orange 7 as an Organic Electrode with Ultrafast Hydronium-ion Storage and Super-long Life for Rechargeable Aqueous Zinc Batteries. **2022**, 138776 1
- 572 Solvation Structures in Aqueous Metal-Ion Batteries. 2202068 3
- 571 Correlating atom probe tomography with x-ray and electron spectroscopies to understand microstructure-activity relationships in electrocatalysts.
- 570 Aqueous OH⁻/H⁺ + Dual-Ion Zn-Based Batteries.
- 569 Construction of Fluorine- and Piperazine-Engineered Covalent Triazine Frameworks Towards Enhanced Dual-Ion Positive Electrode Performance.
- 568 Lithium Atom Surface Diffusion and Delocalized Deposition Propelled by Atomic Metal Catalyst toward Ultrahigh-Capacity Dendrite-Free Lithium Anode. 2
- 567 Recent Progress of Non-Noble Metal Catalysts for Oxygen Electrode in Zn-Air Batteries: A Mini Review. **2022**, 12, 843 2
- 566 A Review on 1D Materials for All-Solid-State Lithium-ion Batteries and All-Solid-State Lithium-sulfur Batteries. **2022**, 138532 0
- 565 A comprehensive state-of-the-art review of electrochemical battery storage systems for power grids. 1
- 564 Pore Structure Modification of Pitch-Derived Hard Carbon for Enhanced Pore Filling Sodium Storage.

563	Enhanced charge transfer and reaction kinetics of vanadium pentoxide for zinc storage via nitrogen interstitial doping. 2022 , 138770	0
562	Active Control of Interface Dynamics in NASICON-Based Rechargeable Solid-State Sodium Batteries.	1
561	Novel Organic Cathode with Conjugated N-Heteroaromatic Structures for High-Performance Aqueous Zinc-Ion Batteries.	2
560	Machine learning-facilitated multiscale imaging for energy materials. 2022 , 101008	0
559	Capacitor properties of 3D hierarchical structured electrodes prepared by one-step electrodeposition of cobalt nanowires on stainless steel fiber sheets. 2022 , 141, 107346	
558	Ameliorating discharge capability of Co-free flower-like spherical Ni(OH)_2 by NiS coating. 2022 , 141074	1
557	Molecular self-assembly derived hollow mesoporous carbon nanospheres with different pore and wall structure as ultra-stable anode for sodium-ion batteries. 2022 , 141080	
556	Engineering Self-Powered Electrochemical Sensors Using Analyzed Liquid Sample as the Sole Energy Source. 2203690	1
555	National Policies, Recent Research Hotspots, and Application of Sustainable Energy: Case of China, USA, and European Countries. 2022 , 14, 10014	0
554	Multi-functional yolk-shell structured materials and their applications for high-performance lithium ion battery and lithium sulfur battery. 2022 ,	1
553	Fast Li^+ transport pathways of quasi-solid-state electrolyte constructed by 3D MOF composite nanofibrous network for dendrite-free lithium metal battery. 2022 , 101117	1
552	Highly stable lithium batteries enabled by composite solid electrolyte with synergistically enhanced in-built ion-conductive framework. 2022 , 545, 231928	0
551	Bimetallic salts template-assisted strategy towards the preparation of hierarchical porous polyimide-derived carbon electrode for supercapacitor. 2022 , 128, 109283	0
550	Diffusional lithium trapping as a failure mechanism of aluminum foil anodes in lithium-ion batteries. 2022 , 546, 231973	0
549	Improved electrochemical performance of B doped $\text{O}'_3\text{-NaMnO}_2$ for Na-ion battery. 2022 , 430, 141079	
548	Effect of cobalt addition to NASICON-type $\text{Li}_{1.3}\text{Al}_{0.3}\text{Ti}_{1.7}(\text{PO}_4)_3$ (LATP) on its sintering behavior and electrical properties. 2022 , 546, 231954	
547	Heterostructure engineering of the Fe-doped Ni phosphides/Ni sulfide p-p junction for high-efficiency oxygen evolution. 2022 , 924, 166613	1
546	The intercalation cathode materials of heterostructure MnS/MnO with dual ions defect embedded in N-doped carbon fibers for aqueous zinc ion batteries. 2022 , 52, 180-188	2

545	Tailoring layered transition metal compounds for high-performance aqueous zinc-ion batteries. 2022 , 52, 250-283	1
544	Synthesis and electrochemical characterization of polyaniline doped cadmium oxide (PANI-CdO) nanocomposites for supercapacitor applications. 2022 , 55, 105446	1
543	In-situ induced self-solidification and activation of ultra-high energy density organic cathode. 2022 , 52, 465-472	1
542	Enhanced electrochemical performance of O3-type NaNi _{0.5} Mn _{0.3} Co _{0.2} O ₂ cathodes for sodium-ion batteries via Al-doping. 2022 , 924, 166444	0
541	Balancing the anions adsorption and intercalation in carbon cathode enables high energy density dual-carbon lithium-ion capacitors. 2022 , 200, 28-37	0
540	Transport properties of alkali/alkaline earth cations in ionic-liquid based electrolytes. 2022 , 2, 100044	0
539	Fast K-Ion Storage Enabled by N, O Co-Doping and Atomic-Interface Engineering on WS ₂ . 2022 , 450, 138451	1
538	Oxygen vacancies with localized electrons direct a functionalized separator toward dendrite-free and high loading LiFePO ₄ for lithium metal batteries. 2022 , 75, 38-45	1
537	Advances and perspectives on separators of aqueous zinc ion batteries. 2022 , 1, 100005	2
536	Building a robust sulfur host for aqueous Cu-S battery by introducing nitrogen into carbon nanotubes. 2022 , 221, 114975	0
535	Emerging electrocatalytic activities in transition metal selenides: synthesis, electronic modulation, and structure-performance correlations. 2023 , 451, 138514	1
534	Cu ₃ Si-Modified Silicon Nanoparticles Encapsulated within SiO _x and Hollow Carbon for Lithium-Ion Battery Anodes.	0
533	Polymer Nanocomposites for Renewable Energy Storage System. 2022 , 127-135	0
532	Brominated Porous Nitrogen-Doped Carbon Materials for Sodium-Ion Storage. 2022 , 8, 114	1
531	Rethinking residential energy storage: GHG minimization potential of a Carbon Reinforced Concrete facade with function integrated supercapacitors. 2022 , 224, 109520	0
530	Multi-wall carbon nanotube-induced nanobelt potassium vanadate composite as cathode for sodium-ion batteries. 2022 , 430, 141128	0
529	Ion-exchange-induced high-performance of inverse spinel Mg ₂ VO ₄ for aqueous zinc-ion batteries. 2022 , 549, 232075	0
528	An emission-free controlled potassium pyrosulfate roasting-assisted leaching process for selective lithium recycling from spent Li-ion batteries. 2022 , 153, 52-60	1

527	Assessment of hydrodynamic performance of vanadium redox flow batteries at low temperatures. 2022 , 55, 105746	0
526	SnO ₂ nanoparticles composited with biomass N-doped carbon microspheres as low cost, environmentally friendly and high-performance anode material for sodium-ion and lithium-ion batteries. 2022 , 547, 232032	1
525	Prospective life cycle assessment of a flexible all-organic battery. 2022 , 373, 133804	0
524	Cellulose/lignin-based carbon nanobelt aerogels coating on VSe ₂ nanosheets as anode for high performance potassium-ion batteries. 2022 , 548, 232033	1
523	Swelling-induced ethylmorpholinium-functionalized adamantane-containing poly(aryl ether ketone) membranes with high conductivity and selectivity for vanadium redox flow batteries. 2022 , 548, 232095	1
522	Investigations on the electrochemical behaviors of hexaazatriphenylene derivative as high-performance electrode for batteries. 2022 , 432, 141206	0
521	Constructing three-dimensional (3D) nanoflower-like Cu ₂ -xSe-MoSe ₂ heterojunction as an excellent long-life and high-rate anode for half/full Na-ion batteries. 2022 , 432, 141181	0
520	Grain boundary metal-insulator transitions in polycrystalline LiCoO ₂ . 2022 , 547, 231918	0
519	A carbon dot based metal-free photoelectrochemical cell using O ₂ /H ₂ O redox couple in real seawater. 2022 , 319, 121914	0
518	All-surface-state potassium storage enabled ultra-stable potassium cathode. 2022 , 53, 148-155	2
517	Amorphous silicon nitride induced high dielectric constant toward long-life solid lithium metal battery. 2022 , 53, 305-314	1
516	Recycling of lithium, cobalt, nickel, and manganese from end-of-life lithium-ion battery of an electric vehicle using supercritical carbon dioxide. 2022 , 187, 106628	0
515	Hydrogen passivated 12-borophene nanoribbon: A propitious one-dimensional metallic anode for sodium-ion rechargeable batteries. 2022 , 606, 154825	0
514	Cost-based site and capacity optimization of multi-energy storage system in the regional integrated energy networks. 2022 , 261, 125240	1
513	Integrating multiple redox-active sites and universal electrode-active features into covalent triazine frameworks for organic alkali metal-ion batteries. 2023 , 451, 139016	0
512	Gradational anionic redox enabling high-energy P2-type Na-layered oxide cathode. 2023 , 451, 138883	0
511	Capacity prediction of K-ion batteries: a machine learning based approach for high throughput screening of electrode materials.	0
510	Realizing the high energy density and flexibility of a fabric electrode through hierarchical structure design. 2022 , 14, 13334-13342	0

- 509 Rational engineering of VS₄ nanorod array on rose-shaped VS₂ nanosheets for high-performance aluminium-ion batteries. 2
- 508 Theoretical investigation of a tetrazine based covalent organic framework as a promising anode material for sodium/calcium ion batteries. **2022**, 24, 21729-21739 0
- 507 High voltage and superior cyclability of indium hexacyanoferrate cathodes for aqueous Na-ion batteries enabled by superconcentrated NaClO₄ electrolytes. **2022**, 1, 623-631 1
- 506 C≡C bonded bis-5,6 fused triazole-triazine compound: an advanced heat-resistant explosive with high energy and low sensitivity. 0
- 505 Elucidating the regulation mechanism of photoelectrochemical effect of photocathodes on battery discharge voltages: a case study of aqueous zinc-iodine batteries. 0
- 504 Theoretical design of high-performance halogen anion batteries with MXene electrodes: influence of functional groups, metals, and anions. 1
- 503 Direct recovery of scrapped LiFePO₄ by a green and low-cost electrochemical re-lithiation method. **2022**, 24, 6278-6286 0
- 502 Bioinspired redox-coupled conversion reaction in FeOOH-acetate hybrid nanoplatelets for Na ion battery. **2022**, 10, 17740-17751 0
- 501 Solvothermally Prepared Vo₂(B) for Aqueous Zinc Ion Batteries with High Capacity and Excellent Rate Capability. 0
- 500 Advances in the regulation of kinetics of cathodic H⁺/Zn²⁺ interfacial transport in aqueous Zn/MnO₂ electrochemistry. 1
- 499 Production of energy-storage paper electrodes using a pilot-scale paper machine. 0
- 498 Practical conversion-type titanium telluride anodes for high-capacity long-lifespan rechargeable aqueous zinc batteries. **2022**, 10, 16976-16985 1
- 497 Emerging green technologies for recovery and reuse of spent lithium-ion batteries: a review. **2022**, 10, 17053-17076 1
- 496 Carbon-Based Nanomaterials for Metal-Air Batteries. **2022**, 249-270 0
- 495 Novel Zinc-Based Molten Salt Batteries with High Voltages in Medium Temperature Environment. 0
- 494 Caffeine as an Energy Storage Material for Next-Generation Lithium Batteries. 0
- 493 Carbon Quantum Dot-Coated VSe₂ Nanosheets as Anodes for High-Performance Potassium-Ion Batteries. **2022**, 5, 13136-13148 0
- 492 Engineering current collectors for advanced alkali metal anodes: A review and perspective. 0

- 491 Dual-Use of Seawater Batteries for Energy Storage and Water Desalination. 2107913 0
- 490 Bitumen-Derived Onion-Like Soft Carbon as High-Performance Potassium-Ion Battery Anode. **2022**, 18, 2203494 2
- 489 Real-Time Applications of Polymer Nanocomposites. **2022**, 195-212 0
- 488 Stabilized cathode/sulfide solid electrolyte interface via Li₂ZrO₃ coating for all-solid-state batteries. **2022**, 41, 3639-3645 1
- 487 Ru-Doping of P2-NaxMn0.75Ni0.25O2-Layered Oxides for High-Energy Na-Ion Battery Cathodes: First-Principles Insights on Activation and Control of Reversible Oxide Redox Chemistry. **2022**, 5, 10721-10730 ¹
- 486 Grid scale energy storage: The alkali-ion battery systems of choice. **2022**, 101130 0
- 485 Strategies to enhance Li⁺ transference number in liquid electrolytes for better lithium batteries. 0
- 484 Self-construction of pea-like Cu/Cu₂S Mott-Schottky electrocatalyst for the oxygen evolution reaction. **2022**, 0
- 483 Machine learning accelerated carbon neutrality research using big data from predictive models to interatomic potentials. 0
- 482 Strain-regulated Gibbs free energy enables reversible redox chemistry of chalcogenides for sodium ion batteries. **2022**, 13, 1
- 481 Safety Evaluation of All-Solid-State Batteries: An Innovative Methodology Using In Situ Synchrotron X-ray Radiography. **2022**, 5, 10862-10871 0
- 480 Al-induced electroless deposition and characterization of Ni₃B film anode for Li-ion battery. 0
- 479 Key Technology and Engineering Development of Multi-Electron Battery Systems. **2022**, 0
- 478 Perspective of Vanadium Disulfide: A Rising Star Finds Plenty of Room in Single and Multielectron Energy Storage. 1
- 477 In Situ Oxygen-Doped Porous Carbon Nanoribbons with Expanded Interlayer Distance for Enhanced Potassium Ion Storage. 0
- 476 MXene, Silicene and Germanene: Preparation and Energy Storage Applications. **2022**, 101144 0
- 475 Understanding the Degradation of a Model Si Anode in a Li-Ion Battery at the Atomic Scale. **2022**, 13, 8416-8421 0
- 474 Mechanochemical synthesis of Na₃Nb₄; metastable phase as positive electrode materials for all-solid-state sodium batteries. **2022**, 130, 789-793 0

473	Scalable Preparation of Mn/Ni Binary Prussian Blue as Sustainable Cathode for Harsh-Condition-Tolerant Sodium-Ion Batteries.	1
472	Recent Advances in the Unconventional Design of Electrochemical Energy Storage and Conversion Devices. 2022 , 5,	1
471	Organic batteries for a greener rechargeable world.	1
470	Recent Advancements in Devising Computational Strategies for Dual-Ion Batteries.	0
469	Pairing nitroxyl radical and phenazine with electron-withdrawing/-donating substituents in Water-in-ionic liquid for high-voltage aqueous redox flow batteries. 2022 ,	0
468	Working Aqueous Zn Metal Batteries at 100 °C.	3
467	Redox Evolution of Li-Rich Layered Cathode Materials. 2022 , 8, 132	2
466	Random Copolymer Hydrogel as Elastic Binder for the SiO _x Microparticle Anode in Lithium-Ion Batteries. 2022 , 14, 42494-42503	0
465	Phosphorus-Doped Fe ₃ O ₄ Nanoparticle-Based Cathodes for Lithium Storage. 2022 , 5, 13444-13454	1
464	Interface regulation of Cu ₂ Se via Cu-Se-C bonding for superior lithium-ion batteries.	0
463	Advanced polymer-based electrolytes in zinc-air batteries. 2022 ,	11
462	Mxene Ti ₃ C ₂ generated TiO ₂ nanoparticles in situ and uniformly embedded in rGO sheets as high stable anodes for potassium ion batteries. 2022 , 167414	0
461	Layered Double Hydroxides for Oxygen Evolution Reaction towards Efficient Hydrogen Generation. 2022 , 2022, 1-17	1
460	50C Fast-Charge Li-Ion Batteries using a Graphite Anode. 2206020	5
459	Synergistic effect of different configurations on the anionic redox reaction in Na-deficient oxides for sodium ion batteries. 2022 , 139337	0
458	Self-Standing Lotus Root-Like Host Materials for High-Performance Lithium-Sulfur Batteries.	0
457	Multifunctional devices based on planar microsupercapacitors: Progress and challenges.	0
456	First Principles Calculations of the Optical Response of LiNiO ₂ . 2022 , 7, 54	0

455	Rechargeable Batteries for Grid Scale Energy Storage.	14
454	Ion Migration Mechanism: An Overall Understanding of Anionic Redox Activity in Metal Oxide Cathodes of Li/Na-Ion Batteries. 2206039	3
453	High-Energy and Long-Lasting Organic Electrode for a Rechargeable Aqueous Battery. 3637-3645	0
452	Designing photocured macromolecular matrices for stable potassium batteries. 2022, e00504	1
451	Recycling spent lithium-ion batteries using a mechanochemical approach. 2022, 100012	1
450	Cost-effective Li ₄ Ti ₅ O ₁₂ /CB prepared by industrial H ₂ TiO ₃ under a carbon reducing atmosphere as a superior anode for Li-ion batteries. 2022,	0
449	Facile preparation of SnS ₂ nanoflowers and nanoplates for the application of high-performance hybrid supercapacitors. 2022,	0
448	Faceted Antimony Particles with Interiors Reinforced with Reduced Graphene Oxide as High-Performance Anode Material for Sodium-Ion Batteries.	0
447	Important Impact of the Slurry Mixing Speed on Water-Processed Li ₄ Ti ₅ O ₁₂ Lithium-Ion Anodes in the Presence of H ₃ PO ₄ as the Processing Additive. 2022, 14, 43237-43245	0
446	Long-Cycling All-Solid-State Batteries Achieved by 2D Interface between Pre-lithiated Aluminum Foil Anode and Sulfide Electrolyte. 2204037	2
445	Characterizing battery materials and electrodes via in situ/operando transmission electron microscopy. 2022, 3, 031303	2
444	First-principles investigation of aluminum intercalation in bilayer blue phosphorene for Al-ion battery. 2022, 122195	0
443	Broadband and Output-Controllable Triboelectric Nanogenerator Enabled by Coupling Swing-Rotation Switching Mechanism with Potential Energy Storage/Release Strategy for Low-Frequency Mechanical Energy Harvesting. 2202627	3
442	Thiuram Monosulfide with Ultrahigh Redox Activity Triggered by Electrochemical Oxidation.	2
441	Columnar Liquid-crystalline Triazine-based Dendrimer with Carbon Nanotube Filler for Efficient Organic Lithium-ion Batteries. 2022, 141306	0
440	Composing atomic transition metal sites for high-performance bifunctional oxygen electrocatalysis in rechargeable zinc-air batteries. 2022,	0
439	Strategies to enhance the electrochemical performance of strontium-based electrode materials for battery-supercapacitor applications. 2022, 116868	2
438	Implanting MoS ₂ quantum dots on MgB ₂ nanosheets for lithium-sulfur batteries.	0

- 437 Electrochemical performance of transition metal sulfide by employing different synthesis techniques for hybrid batteries. 2
- 436 Revealing An Intercalation-Conversion-Heterogeneity Hybrid Lithium-Ion Storage Mechanism in Transition Metal Nitrides Electrodes with Jointly Fast Charging Capability and High Energy Output. 2203895 0
- 435 Hewettite ZnV₆O₁₆·BH₂O with Remarkably Stable Layers and Ultralarge Interlayer Spacing for High-Performance Aqueous Zn-Ion Batteries. 0
- 434 Hewettite ZnV₆O₁₆·BH₂O with Remarkably Stable Layers and Ultralarge Interlayer Spacing for High-Performance Aqueous Zn-Ion Batteries. 0
- 433 Role of Morphology of Platinum-Based Nanoclusters in ORR/OER Activity for Nonaqueous Li-Air Battery Applications. 0
- 432 Schiff-Base Covalent Organic Framework/Carbon Nanotubes Composite for Advanced Potassium-Ion Batteries. 0
- 431 Recent advances in NASICON-type oxide electrolytes for solid-state sodium-ion rechargeable batteries. 0
- 430 Design and construction of a novel hierarchical Ag/{1 1 1}Ag₃PO₄/PANI/Pt photoanode with boosted interfacial charge transfer rate and high photocurrent density > 6 mA/cm² for sunlight-driven water splitting. 2022, 271, 116298 0
- 429 Electrospun Bi-doped TiO₂/C nanofibers as active materials for high-capacity and long-life-stability sodium-ion anodes. 2022, 924, 116855 0
- 428 A three-dimensional directly grown hierarchical grass-like Nickel Manganese Selenide for high-performance Li-ion battery and supercapacitor electrodes. 2022, 26, 101187 0
- 427 Novel zinc-based molten salt batteries with high voltages in medium temperature environment. 2022, 550, 232143 0
- 426 Covalent Surface Modifications of Bifunctional Two-dimensional Metal Carbide MXenes as Sulfur Hosts for Sodium-Sulfur Batteries. 0
- 425 Introduction: What is inorganic electrochemistry?. 2022, 0
- 424 Development of polyanionic sodium-ion battery insertion materials. 2022, 0
- 423 Applications of all-inorganic perovskites for energy storage. 0
- 422 Additive-free red phosphorus/Ti₃C₂T_x MXene nanocomposite anodes for metal-ion batteries. 0
- 421 Mineral inspired electrode materials for metal-ion batteries. 2022, 0
- 420 Anode Optimization Strategies for Aqueous Zinc-ion Batteries. 1

419	Structural engineering of bimetallic selenides for high-energy density sodium-ion half/full batteries.	1
418	Beneficial combination of formic acid as processing additive and fluoroethylene carbonate as electrolyte additive for Li ₄ Ti ₅ O ₁₂ lithium-ion anodes.	0
417	Synthesis and characterization of microporous carbon matrix enriched by MnO ₂ nanoparticles.	0
416	Sb _{1-x} Sex Nanoparticles as Durable and Stable Anode Materials for Sodium-Ion Batteries. 2022, 5, 15692-15699	0
415	Advancing Knowledge to Reduce Lead Exposure of Children in Data-Poor Low- and Middle-Income Countries.	0
414	Utilization of Biowastes in Green Chemistry. 2022, 399-425	0
413	Spherical Templating of CoSe ₂ Nanoparticle-Decorated MXenes for Lithium-Sulfur Batteries.	1
412	A 2.75 V ammonium-based dual-ion battery.	1
411	Chloride Ion-Containing Polymeric Ionic Liquids for Application as Electrolytes in Solid-State Batteries. 2200317	0
410	Understanding the Advantageous Features of Bacterial Cellulose-Based Separator in Li-S Battery. 2201730	1
409	Developing High-Performance Metal Selenides for Sodium-Ion Batteries. 2208093	3
408	The Anionic Chemistry in Regulating the Reductive Stability of Electrolytes for Lithium Metal Batteries.	1
407	Uniformly MXene-Grafted Eutectic Aluminum-Cerium Alloys as Flexible and Reversible Anode Materials for Rechargeable Aluminum-Ion Battery. 2211271	0
406	Untangling Degradation Chemistries of Lithium-Sulfur Batteries Through Interpretable Hybrid Machine Learning.	2
405	Untangling Degradation Chemistries of Lithium-Sulfur Batteries Through Interpretable Hybrid Machine Learning.	0
404	The Anionic Chemistry in Regulating the Reductive Stability of Electrolytes for Lithium Metal Batteries.	0
403	Interfacial Electron Redistribution on Lattice-Matching NiS ₂ /NiSe ₂ Homologous Heterocages with Dual-Phase Synergy to Tune the Formation Routes of Li ₂ O ₂ . 2202747	1
402	Thermally Stable Polymer-Rich Solid Electrolyte Interphase for Safe Lithium Metal Pouch Cells.	3

401	Al ³⁺ Introduction Hydrated Vanadium Oxide Induced High Performance for Aqueous Zinc-Ion Batteries. 2204180	1
400	Toward Dendrite-Free Metallic Lithium Anodes: From Structural Design to Optimal Electrochemical Diffusion Kinetics.	4
399	A high ionic conductive PDOL/LAGP composite solid electrolyte film for Interfacial Stable solid-state lithium batteries. 2022 ,	0
398	Understanding fast ion dynamics in Li ₄ Na _x Ti ₅ O ₁₂ : From interfacial to extended Li ⁺ and Na ⁺ dynamics in its mixed-conducting solid solutions.	0
397	Thermally Stable Polymer-Rich Solid Electrolyte Interphase for Safe Lithium Metal Pouch Cells.	0
396	Molecular Engineering of Quinone-Based Nickel Complexes and Polymers for All-Organic Li-Ion Batteries. 2022 , 27, 6805	0
395	Latticed-Confined Conversion Chemistry of Battery Electrode. 2204912	1
394	Understanding the lithiation limits of high-capacity organic battery anodes by atomic charge derivative analysis.	0
393	Sodium Ion Storage in Na ₄ MnV(PO ₄) ₃ @C Free-Standing Electrode. 2208051	0
392	Enhanced Electrochemical Performances of Mn ₃ O ₄ /Heteroatom-Doped Reduced Graphene Oxide Aerogels as an Anode for Sodium-Ion Batteries. 2022 , 12, 3569	1
391	Activated Ni ^{II} Enhanced Electron Transfer for Boosting Oxygen Evolution Reaction Activity of LaNi _{1-x} Ir _x O ₃ . 2204723	0
390	A Fast-Charging and High-Temperature All-Organic Rechargeable Potassium Battery. 2106116	1
389	Tailored Charge Transfer Kinetics in Precursors for Organic Radical Batteries [A Joint Synthetic-Theoretical Approach.	0
388	Order-structured solid-state electrolytes.	1
387	Anion Storage Chemistry of Organic Cathodes for High-Energy and High-Power Density Divalent Metal Batteries.	0
386	V ₂ O ₅ as a versatile electrode material for post-lithium energy storage systems.	0
385	Aqueous Rechargeable Sodium-Ion Batteries: From Liquid to Hydrogel. 2022 , 8, 180	0
384	A 2.75 V ammonium-based dual-ion battery.	0

- 383 N-doped carbon-confined SnSe₂ nanoparticles as high-performance anode for lithium ion batteries. 0
- 382 Anion Storage Chemistry of Organic Cathodes for High-Energy and High-Power Density Divalent Metal Batteries. 0
- 381 Accurate Electronic Properties and Intercalation Voltages of Olivine-Type Li-Ion Cathode Materials from Extended Hubbard Functionals. **2022**, 1, 1
- 380 Tetrathiafulvalene esters with high redox potentials and improved solubilities for non-aqueous redox flow battery applications. **2022**, 0
- 379 Sub-3-nm High-Entropy Metal Sulfide Nanoparticles with Synergistic Effects as Promising Electrocatalysts for Enhanced Oxygen Evolution Reaction. **2022**, 126, 18323-18332 0
- 378 Proposal and Assessment of a Solar-Coal Thermochemical Hybrid Power Generation System. **2022**, 119584 0
- 377 In Situ Formation of Zn Anode from Bimetallic Cu-Zn Alloy (Brass) for Dendrite-Free Operation of Zn-Air Rechargeable Battery. **2022**, 8, 212 0
- 376 Effect of Cr³⁺ doping on the electrochemical performance of Na₃V₂(PO₄)₂F₃/C cathode materials for sodium ion battery. **2022**, 141491 0
- 375 In Situ Nitrogen Functionalization of 2D-Ti₃C₂T_x-MXenes for High-Performance Zn-Ion Supercapacitor. **2022**, 27, 7446 2
- 374 Enabling high energy storage performance in PVDF-based nanocomposites filled with high-entropy oxide nanofibers. **2022**, 230, 109783 1
- 373 Electrochemical activity regulating by strain control to achieve high-performance potassium-ion-based dual-ion battery. **2022**, 53, 890-898 0
- 372 A dibutylhydroquinone/dibutylbenzoquinone-Cd²⁺/Cd self-stratified Battery. **2022**, 53, 873-880 0
- 371 Are Na-ion batteries nearing the energy storage tipping point? Current status of non-aqueous, aqueous, and solid-state Na-ion battery technologies for sustainable energy storage. **2022**, 56, 105961 0
- 370 Dual carbon enables highly reversible alloying/dealloying behavior of ultra-small Bi nanoparticles for ultra-stable Li storage. **2022**, 436, 141405 1
- 369 Dual-atom catalysts for oxygen electrocatalysis. **2022**, 104, 107927 1
- 368 Recycled value-added circular energy materials for new battery application: Recycling strategies, challenges, and sustainability-a comprehensive review. **2022**, 10, 108728 0
- 367 Realizing excellent cycling stability of LiNi_{0.80}Co_{0.15}Al_{0.05}O₂ cathode at high cutoff voltage by Al(PO₃)₃ modification. **2023**, 932, 167637 0
- 366 Potassium-enriched graphite for use as stable hybrid anodes in high-efficiency potassium batteries. **2023**, 201, 1030-1037 0

- 365 Iodine conversion chemistry in aqueous batteries: Challenges, strategies, and perspectives. **2023**, 54, 339-365 3
- 364 Solid-state nanocomposite ionogel electrolyte with in-situ formed ionic channels for uniform ion-flux and suppressing dendrite formation in lithium metal batteries. **2023**, 54, 40-50 0
- 363 A self-healing polyacrylic acid-based hydrogel electrolyte for flexible quasi-solid-state electrochromic device. **2023**, 250, 112071 0
- 362 Recently emerging trends in MXene hybrid conductive polymer energy storage nanoarchitectures. **2022**, 61, 861-887 0
- 361 Green and Sustainable Battery Materials. **2022**, 2337-2365 0
- 360 Precise and scalable fabrication of metal pair-site catalysts enabled by intramolecular integrated donor atoms. 0
- 359 Structural design strategies for superionic sodium halide solid electrolytes. 0
- 358 Prediction of boridenes as high-performance anodes for alkaline metal and alkaline Earth metal ion batteries. 0
- 357 A novel strategy via electrode catalysis induced nano transformation for lithiated-bimetallic-oxides to avoid the long activation process of advanced lithium-ion batteries. 0
- 356 From anode to cell: synergistic protection strategies and perspectives for stabilized Zn metal in mild aqueous electrolytes. **2023**, 54, 623-640 3
- 355 Single-crystal Li-rich layered cathodes with suppressed voltage decay by double-layer interface engineering. **2023**, 54, 651-660 0
- 354 From nature, requisite to nature: Bio-based cellulose and its derivatives for construction of green zinc batteries. **2023**, 454, 140311 1
- 353 Earth- and marine-life-resembling nanostructures for electrochemical energy storage. **2023**, 454, 140313 3
- 352 Enhanced cyclic stability of Ga₂O₃@PDA-C nanospheres as pseudocapacitive anode materials for lithium-ion batteries. **2023**, 334, 126683 1
- 351 Employing cationic kraft lignin as electrolyte additive to enhance the electrochemical performance of rechargeable aqueous zinc-ion battery. **2023**, 333, 126450 0
- 350 MycelioTronics: Fungal mycelium skin for sustainable electronics. **2022**, 8, 0
- 349 State-of-the-art in bioresources for sustainable transportation. **2022**, 0
- 348 Combining Deep Eutectic Solvents with TEMPO-based Polymer Electrodes: Influence of Molar Ratio on Electrode Performance. 0

- 347 Rational Design for Efficient Bifunctional Oxygen Electrocatalysts by Artificial Intelligence. **2022**, 126, 19091-19100 0
- 346 Collaboration of two-star nanomaterials: The applications of nanocellulose-based metal organic frameworks composites. **2022**, 120359 0
- 345 In situ growth of core-shell structure of Tremella fuciformis shaped SnS@Sulfur doped carbon composite as anode materials for high performance lithium-ion batteries. **2022**, 168087 1
- 344 A novel bifunctional zinc gluconate electrolyte for a stable Zn anode. **2022**, 140364 2
- 343 Swelling-Induced Quaternized Anthrone-Containing Poly(aryl ether ketone) Membranes with Low Area Resistance and High Ion Selectivity for Vanadium Flow Batteries. **2022**, 14, 50858-50869 0
- 342 Porous MOF Derived TiO₂/ZnO/C@CNTs composites for enhancing lithium storage performance. **2022**, 140454 1
- 341 Electronic modulation and structural engineering of tetracyanoquinodimethane with enhanced reaction kinetics for aqueous NH₄⁺ storage. **2022**, 2
- 340 Unlocking cell chemistry evolution with operando fibre optic infrared spectroscopy in commercial Na(Li)-ion batteries. 0
- 339 High-capacity Sodium Manganese-based Oxide Cathodes for Sodium-ion Batteries. 0
- 338 Metal Halides for High-Capacity Energy Storage. 2205071 1
- 337 A ?Reinforced Concrete? Structure of Silicon Embedded into an In Situ Grown Carbon Nanotube Scaffold as a High-Performance Anode for Sulfide-Based All-Solid-State Batteries. 2
- 336 Ultra-microporous anion conductive membranes for crossover-free pH-neutral aqueous organic flow batteries. **2022**, 121195 0
- 335 Exploration of NaSICON Frameworks as Calcium-Ion Battery Electrodes. 0
- 334 Entropy stabilization strategy for enhancing the local structural adaptability of Li-rich cathode materials. 2208726 1
- 333 Boosting the lithium-ion storage performance of perovskite Sr VO₃ via Sr cation and O anion deficient engineering. **2022**, 2
- 332 Sustainable Synthesis of Sulfur-Single Walled Carbon Nanohorns Composite for Long Cycle Life Lithium-Sulfur Battery. **2022**, 12, 3933 0
- 331 Combining Deep Eutectic Solvents with TEMPO-based Polymer Electrodes: Influence of Molar Ratio on Electrode Performance. 0
- 330 Imine-Linked Triazine-Based Conjugated Microporous Polymers/carbon nanotube composites as Organic Anode Materials for Lithium-Ion Batteries. **2022**, 130496 0

- 329 Tracing the technology development and trends of hard carbon anode materials - A market and patent analysis. **2022**, 56, 105964 ○
- 328 Heterostructured electrodes of superior electrochemical performance CuCo₂-NSs/NiCo₂S₄ for asymmetric hybrid capacitor. ○
- 327 Establishment of performance metrics for batteries in large-scale energy storage systems from perspective of technique, economics, environment and safety. ○
- 326 The probabilistic linguistic decision framework of distributed energy storage system project plan based on the sustainability perspective. **2022**, 8, 15311-15325 ○
- 325 Boron-doped g-CN monolayer as a promising anode for Na/K-ion batteries. **2022**, 102479 ○
- 324 One-step co-precipitation of MnSe₂/CNTs as a high-performance cathode material for zinc-ion batteries. **2022**, ○
- 323 Nanoscale nickel phosphide encapsulated in carbon microsphere from a spherical MOF toward high-performance supercapacitors. **2023**, 935, 168088 1
- 322 Surface film formation on Mg electrode containing magnesium polysulfides in TFSI-based electrolytes. **2023**, 555, 232367 ○
- 321 H₂O wash: a simple method toward eliminating discharge products and regenerating cathodes of LiO₂ batteries. **2022**, 24, 9755-9762 ○
- 320 Environmental trade-offs and externalities of electrochemical-based batteries: Quantitative analysis between lithium-ion and vanadium redox flow units. **2023**, 326, 116807 ○
- 319 A voltage control strategy to improve the cycling stability of organic electrode materials: The case of para-dinitrobenzene. **2023**, 456, 141114 ○
- 318 Correlations of lithium-ion battery parameter variations and connected configurations on pack statistics. **2023**, 329, 120275 ○
- 317 Na₂Mn(CO₃)₂: A carbonate based prototype cathode material for Na-ion batteries with high rate capability [An ab-initio study]. **2023**, 439, 141687 ○
- 316 Fluorosulfonamide-type electrolyte additives for long-life K-ion batteries. ○
- 315 Understanding the active formation of a cathode-electrolyte interphase (CEI) layer with energy level band bending for lithium-ion batteries. **2022**, 11, 221-231 ○
- 314 High-performance aramid electrodes for high-rate and long cycle-life organic Li-ion batteries. ○
- 313 Manganese-based cathode materials for aqueous rechargeable zinc-ion batteries: recent advance and future prospects. **2023**, 27, 101294 ○
- 312 An Advanced Medium-Entropy Substituted Tunnel-Type Na_{0.44}MnO₂ Cathode for High-Performance Sodium-Ion Batteries. ○

- 311 Electrochemical performance and Cu²⁺ modification of nickel metal organic framework derived tellurides for application in aluminum ion batteries. **2023**, 928, 117014 ○
- 310 Improved electrochemical performance using well-dispersed carbon nanotubes as conductive additive in the Ni-rich positive electrode of lithium-ion batteries. **2023**, 146, 107419 ○
- 309 Search for stable host materials as low-voltage anodes for lithium-ion batteries: A mini-review. **2023**, 55, 364-387 ○
- 308 Hierarchical nickel cobalt sulfide nanoparticles encapsulated in rose-shaped carbon spheres as high-performance anode materials for lithium-ion batteries. **2023**, 389, 116097 ○
- 307 Solid electrolyte membrane-containing rechargeable high-temperature molten salt electrolyte-based batteries. ○
- 306 Proof-of-Concept study of ion-exchange method for the recycling of LiFePO₄ cathode. **2023**, 157, 1-7 1
- 305 Progress and challenges of Prussian blue analogs for potassium-ion batteries: in the perspective of redox-active transition metals. ○
- 304 Triggering hollow carbon nanotubes via dual doping for fast pseudocapacitive potassium-ion storage. **2023**, 30, 101694 ○
- 303 Building Na-ion full cells using homologous Prussian blue and its phosphide derivative. **2023**, 612, 155952 ○
- 302 Microwave-anion-exchange route to spinel CuCo₂S₄ nanosheets as cathode materials for magnesium storage. **2023**, 556, 232480 ○
- 301 Enhancing energy storage capabilities of MoS₂ nanoflowers through designing nanoarchitecture by controlling synthesis growth parameters. **2023**, 58, 106343 ○
- 300 High energy storage performance MnSe₂ cathode by one-step deposition strategy in aqueous zinc-ion batteries. **2023**, 937, 168424 ○
- 299 How much natural gas does China need: An empirical study from the perspective of energy transition. **2023**, 266, 126357 ○
- 298 Design strategy for high-performance bifunctional electrode materials with heterogeneous structures formed by hydrothermal sulfur etching. **2023**, 633, 608-618 ○
- 297 BeN₄ monolayer as an excellent Dirac anode material for potassium-ion batteries. **2023**, 936, 168351 ○
- 296 Carbon doping switching on the fast reaction kinetics of advanced LiVO₃ for lithium ion battery. **2023**, 937, 168473 ○
- 295 Low-cost iron-based electrocatalysts for high-performance LiD₂ batteries. **2023**, 17, 100351 ○
- 294 A perspective on the recovery mechanisms of spent lithium iron phosphate cathode materials in different oxidation environments. **2023**, 445, 130502 ○

- 293 Suppressing the dissolution of vanadium by organic-inorganic hybrid for aqueous zinc-ion batteries. **2023**, 145, 93-100 0
- 292 Empirical decay relationship between ionic conductivity and porosity of garnet type inorganic solid-state electrolytes. **2022**, 32, 3362-3373 0
- 291 A Cost-Benefit Analysis of Batteries for Internet-of-Things Applications. **2022**, 0
- 290 Mg-Doped $\text{Na}_4\text{Fe}_3(\text{PO}_4)_2(\text{P}_2\text{O}_7)/\text{C}$ Composite with Enhanced Intercalation Pseudocapacitance for Ultra-Stable and High-Rate Sodium-Ion Storage. 2211257 0
- 289 Hydrothermal synthesis of ultrathin WS_2 nanosheets as anodes for sodium-ion batteries. **2022**, 19, 817-824 0
- 288 Assessment of the role of the state in the management of mineral resources. Online first, 1
- 287 Ni Single Atoms on MoS_2 Nanosheets Enabling Enhanced Kinetics of Li-S Batteries. 2205855 0
- 286 Interface Properties of 2D Graphene/Polydopamine Composite Electrodes in Protic Ionic Liquid-Based Electrolytes Explored by Advanced Electrogravimetry. **2022**, 5, 14934-14944 0
- 285 Integrated Arrays of Micro Resistance Temperature Detectors for Monitoring of the Short-Circuit Point in Lithium Metal Batteries. **2022**, 8, 264 0
- 284 A bottom-up method to construct Ru-doped FeP nanosheets on foam iron with ultra-high activity for hydrogen evolution reaction. **2022**, 0
- 283 A Review of Lithium-Ion Battery Failure Hazards: Test Standards, Accident Analysis, and Safety Suggestions. **2022**, 8, 248 3
- 282 Kill Two Birds with One Stone: Multifunctional Porous $\text{SiO}_2/\text{Be}_2\text{O}_3$ Composite for Li Ion Energy Conversion and Electromagnetic Wave Absorption. 0
- 281 Lignocellulose Biopolymers and Electronically Conducting Polymers: Toward Sustainable Energy Storage Applications. **2022**, 36, 14625-14656 1
- 280 Conjugated and Non-conjugated Polymers Containing Two-Electron Redox Dihydrophenazines for Lithium-Organic Batteries. 0
- 279 Incorporating TiO_2 nanoparticles into the multichannels of electrospun carbon fibers to increase the adsorption of polysulfides in room temperature sodium-sulfur batteries. **2022**, 37, 1116-1122 0
- 278 Recent Advances in Electrolytes for Potassium-Ion Batteries. 2211290 0
- 277 Ag-Doping Effect on MnO_2 Cathodes for Flexible Quasi-Solid-State Zinc-Ion Batteries. **2022**, 8, 267 1
- 276 Enhanced Ion/Electron Migration and Sodium Storage Driven by Different MoS_2 - ZnIn_2S_4 Heterointerfaces. 2203248 2

- 275 Template-free hydrothermal synthesis of EMnO_2 hierarchical nanoflowers with potassium ions intercalation as cathodes for high-performing aqueous zinc ion batteries. **2022**, 117084 0
- 274 Phenoxazine Polymer-based p-type Positive Electrode for Aluminum-ion Batteries with Ultra-long Cycle Life. 0
- 273 Progress of Phosphate-based Polyanion Cathodes for Aqueous Rechargeable Zinc Batteries. 2211765 1
- 272 Review of preferentially selective lithium extraction from spent lithium batteries: Principle and performance. **2022**, 1
- 271 Review and selection of recycling technology for lithium-ion batteries made for EV application - A life cycle perspective. **2022**, 1100, 012011 0
- 270 Architected Low-Tortuosity Electrodes with Tunable Porosity from Nonequilibrium Soft-Matter Processing. 2209694 0
- 269 Interlayer Modulation of Layered Transition Metal Compounds for Energy Storage. **2022**, 14, 54369-54388 1
- 268 3D heterojunction Assembled via Interlayer-Expanded MoSe_2 Nanosheets anchored on N-doped Branched $\text{TiO}_2@\text{C}$ Nanofibers as Superior Anode Material for Sodium-Ion Batteries. **2022**, 168350 0
- 267 Advanced Nb_2O_5 Anode towards Fast Pseudocapacitive Sodium Storage. **2022**, 12, 1873 0
- 266 Electrolyte Engineering for Safer Lithium-ion Batteries: A Review. 1
- 265 Molybdenum-Based Catalytic Materials for Li_2S Batteries: Strategies, Mechanisms, and Prospects. 2200145 0
- 264 Revealing Morphology Evolution of Lithium Dendrites by Large-Scale Simulation Based on Machine Learning Force Field. 2202892 0
- 263 Three-dimensional architecture of multichannel carbon fibers for enhanced lithium and sodium storage properties. **2022**, 140788 0
- 262 Preparation of CeO_2 -coated $\text{Li}_{1.2}\text{Mn}_{0.54}\text{Co}_{0.13}\text{Ni}_{0.13}\text{O}_2$ as cathode materials for Lithium Ion Batteries. ArticleID:221265 0
- 261 Organic Compound as a Cathode for Aqueous Zinc-Ion Batteries with Improved Electrochemical Performance via Multiple Active Centers. **2022**, 5, 15780-15787 0
- 260 First-Principles Investigation of Charged Graphene as a Novel Cathode Material for Dual-Carbon Batteries. 0
- 259 Cutting-Edge Green Polymer/Nanocarbon Nanocomposite for Supercapacitor State-of-the-Art. **2022**, 6, 376 1
- 258 Dual-Carbon-Decorated $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ Material for Sodium-Ion Batteries. 0

- 257 Crossover effects of transition metal ions in high-voltage lithium metal batteries. 0
- 256 Lithium Difluorophosphate: Boon for High Voltage Li Ion Batteries and a Bane for high Thermal Stability/low Toxicity: Towards Synergistic Dual-Additives to Circumvent this Dilemma. 0
- 255 Cobalt intercalated redox active 1,2,4,5-benzene-tetra-carboxylic acid-pyridine-3,5-dicarboxylic acid bi-linker organic framework for state-of-the-art battery-supercapacitor hybrids. **2022**, 100286 0
- 254 Carbothermic reduction of LiCoO₂ cathode material: Thermodynamic analysis, microstructure and mechanisms. **2022**, 34, e00526 0
- 253 Sulfur-doped SnO₂ nanoparticles encased in porous carbon derived from a metal-organic framework for lithium-ion battery anodes. **2022**, 107091 0
- 252 Two dimensional MnPSe₃ layer stacking composites with superior storage performance for alkali metal-ion batteries. **2022**, 0
- 251 MoS₂/graphene nanosheet composites prepared by xylitol-assisted ball milling as high-performance anode materials for lithium-ion batteries. 1
- 250 Cl- and Al-Doped Argyrodite Solid Electrolyte Li₆PS₅Cl for All-Solid-State Lithium Batteries with Improved Ionic Conductivity. **2022**, 12, 4355 0
- 249 Conjugated and Non-conjugated Polymers Containing Two-Electron Redox Dihydrophenazines for Lithium-Organic Batteries. 0
- 248 Examining Electrolyte Compatibility on Polymorphic MnO₂ Cathodes for Room-Temperature Rechargeable Magnesium Batteries. 0
- 247 Roadmap for a sustainable circular economy in lithium-ion and future battery technologies. 0
- 246 Mechanism, quantitative characterization, and inhibition of corrosion in lithium batteries. **2022**, 2
- 245 Sb-Cu alloy cathode with a novel lithiation mechanism of ternary intermetallic formation: enabling high energy density and superior rate capability of liquid metal battery. **2022**, 0
- 244 Constructing the heterostructure of sulfide and layered double hydroxide as bifunctional electrocatalyst for overall water splitting. 0
- 243 Phenoxazine Polymer-based p-type Positive Electrode for Aluminum-ion Batteries with Ultra-long Cycle Life. 0
- 242 Three-dimensional Zn-based alloys for dendrite-free aqueous Zn battery in dual-cation electrolytes. **2022**, 13, 1
- 241 Soccerene-like Li₄Ti₅O₁₂/C as anode fast-charging Li-ion batteries. **2022**, 117101 0
- 240 In situ anchoring of MnO nanoparticles into three-dimensional nitrogen-doped porous carbon framework as a stable anode for high-performance lithium storage. **2022**, 156217 0

- 239 Conductive C3NS Monolayer with Superior Properties for K Ion Batteries. 12055-12060 ○
- 238 Vanadium-based cathode materials for rechargeable magnesium batteries. **2022**, 101232 ○
- 237 Citric acid-directed synthesis of mesoporous manganese oxalate bundle and its use as anode for Li-ion batteries. ○
- 236 Two-Dimensional V2O5 Nanosheets as an Advanced Cathode Material for Realizing Low-Cost Aqueous Aluminum-Ion Batteries. ○
- 235 Ambient-Condition Strategy for Production of Hollow Ga₂O₃@rGO Crystalline Nanostructures toward Efficient Lithium Storage. ○
- 234 Discriminating Active B/N Sites in Coralloidal B, N Dual-Doped Carbon Nano-Bundles for Boosted Zn-Ion Storage Capability. 2212915 ○
- 233 A Facile Candle-Soot Nanoparticle Decoration Enables Dendrite-Free Zn Anodes for Long-Cycling Aqueous Batteries. ○
- 232 Ni²⁺-doped ZnMn₂O₄ with enhanced electrochemical performance as cathode material for aqueous zinc-ion batteries. ○
- 231 Study on sodium storage properties of manganese-doped sodium vanadium phosphate cathode materials. 20220042 ○
- 230 Nitrogen Plasma Enhanced Low-Temperature Atomic Layer Deposition of Magnesium Phosphorus Oxynitride (MgPON) Solid-State Electrolytes. ○
- 229 Ultrafast Charge and Long Life of High-Voltage Cathodes for Dual-Ion Batteries via a Bifunctional Interphase Nanolayer on Graphite Particles. 2206360 ○
- 228 Nickel Foam Coated by Ni Nanoparticle-Decorated 3D Nanocarbons as a Freestanding Host for High-Performance LithiumSulfur Batteries. **2023**, 15, 3037-3046 ○
- 227 Pyrochlore phase (Y,Dy,Ce,Nd,La)₂Sn₂O₇ as a superb anode material for lithium-ion batteries. ○
- 226 Fluorinated Covalent Organic Framework-Based Nanofluidic Interface for Robust LithiumSulfur Batteries. ○
- 225 3D nanofiber framework based on polyacrylonitrile and siloxane-modified Li_{6.4}La₃Zr_{1.4}Ta_{0.6}O₁₂ reinforced poly (ethylene oxide)-based composite solid electrolyte for lithium batteries. **2023**, 168877 ○
- 224 The first 2D organic-inorganic hybrid relaxor-ferroelectric single crystal. ○
- 223 MOFs-derived advanced heterostructure electrodes for energy storage. **2023**, 214985 1
- 222 Dual-Salt Localized High-Concentration Electrolyte for Long Cycle Life Silicon-Based Lithium-Ion Batteries. **2023**, 15, 3586-3598 ○

- 221 Effect of Ti doping on the structure and electrochemical properties of Na₃V₂(PO₄)₂F₃ as anode material for sodium ion batteries. **2023**, 602, 166-173 ○
- 220 Nitrogen Plasma Enhanced Low-Temperature Atomic Layer Deposition of Magnesium Phosphorus Oxynitride (MgPON) Solid-State Electrolytes. ○
- 219 A review on development of metal-organic framework-derived bifunctional electrocatalysts for oxygen electrodes in metal-air batteries. **2023**, 13, 1137-1161 1
- 218 Effect of Boron-Based Glass Additives on the Ionic Conductivity of Li_{1.3}Al_{0.3}Ti_{1.7}(PO₄)₃ Solid Electrolyte. **2023**, 168857 ○
- 217 Crystal facet correlated Zn growth on Cu for aqueous Zn metal batteries. **2023**, ○
- 216 Recent Progresses on Vanadium Sulfide Cathodes for Aqueous Zinc-Ion Batteries. **2023**, 16, 917 ○
- 215 A New Lithium Polymer Battery Dataset with Different Discharge Levels: SOC Estimation of Lithium Polymer Batteries with Different Convolutional Neural Network Models. ○
- 214 Additive-Free Organic Radical Batteries Prepared through Electrochemical Polymerization of TEMPO-Decorated Terthiophene. ○
- 213 Lower Diffusion-Induced Stress in Nano-Crystallites of P₂-Na_{2/3} Ni_{1/3} Mn_{1/2} Ti_{1/6} O₂ Novel Cathode for High Energy Na-ion Batteries. 2206248 ○
- 212 Stable cycling of Si nanowire electrodes in fluorine-free cyano-based ionic liquid electrolytes enabled by vinylene carbonate as SEI-forming additive. **2023**, 558, 232621 ○
- 211 Caffeine as an energy storage material for next-generation lithium batteries. **2023**, 56, 13-24 ○
- 210 Surface-preferred crystal plane induced by supramolecular cyclodextrin additive for highly reversible aqueous zinc metal batteries. **2023**, 457, 141250 ○
- 209 Formation of La-rich tysonite nano-precipitates in fluorite Ba_{0.6}La_{0.4}F_{2.4}. **2023**, 557, 232581 ○
- 208 Defective engineering and heteroatom doping construction in carbon nanobowls for achieving high-rate potassium-ion storage with long cyclic life. **2023**, 457, 141253 ○
- 207 Future potential for lithium-sulfur batteries. **2023**, 558, 232566 ○
- 206 Design of sustainable multi-source power systems using lithium batteries. **2023**, 60, 106648 ○
- 205 Pressure effect on the structural, electronic, and magnetic properties of the battery cathode material LiMn₂O₄: An ab-initio study. **2023**, 175, 111198 ○
- 204 Unexpected Direct Synthesis of Tunable Redox-Active Benzil-Linked Polymers via the Benzoin Reaction. **2023**, 5, 1056-1066 ○

- 203 Janus Dione-Based Conjugated Covalent Organic Frameworks with High Conductivity as Superior Cathode Materials. **2023**, 145, 1022-1030 0
- 202 Hard carbon anodes derived from phenolic resin/sucrose cross-linking network for high-performance sodium-ion batteries. 20220054 1
- 201 A carbon mixed selenium sulfide separator coating for lithium-sulfur battery life enhancement. 0
- 200 Mo-Pre-Intercalated MnO₂ Cathode with Highly Stable Layered Structure and Expanded Interlayer Spacing for Aqueous Zn-Ion Batteries. **2023**, 15, 859-869 1
- 199 Solid-Electrolyte Interphase for Ultra-Stable Aqueous Dual-Ion Storage. 2203532 0
- 198 A Review on the Status and Challenges of Cathodes in Room-Temperature Na-S Batteries. 2212600 0
- 197 Advanced 1D Metal-Organic Coordination Polymer for Lithium-Ion Batteries: Designing, Synthesis, and Working Mechanism. **2023**, 15, 1452-1462 0
- 196 RƓgar Enerji Santrallerinin Elektrik Ɠbekesine Etkilerinin Ɠncelenmesi. 0
- 195 Improved Separation between Recycled Anode and Cathode Materials from Li-Ion Batteries Using Coarse Flake Particle Flotation. 0
- 194 Conjugated Polymers in the Context of Energy-Storage Applications. **2023**, 133-201 0
- 193 Two-Dimensional ƓiX (X = N, P) Monolayers as Efficient Anode Material for Li-Ion Batteries: A First-Principles Study. **2023**, 6, 2103-2115 0
- 192 Reduced graphene oxide coated modified SnO₂ forms excellent potassium storage properties. **2023**, 0
- 191 Introduction to battery technology. **2023**, 1-38 0
- 190 High-entropy stabilized oxides derived via a low-temperature template route for high-performance lithium-sulfur batteries. 1
- 189 Carbon Quantum Dots-Derived Carbon Nanosphere Coating on Ti₃C₂ MXene as a Superior Anode for High-Performance Potassium-Ion Batteries. **2023**, 15, 3077-3088 0
- 188 A General Route for Encapsulating Monodispersed Transition Metal Phosphides into Carbon Multi-Chambers toward High-Efficient Lithium-Ion Storage with Underlying Mechanism Exploration. 2212100 1
- 187 Core-shell-structured Mn₂SnO₄@Void@C as a stable anode material for lithium-ion batteries with long cycle life. 0
- 186 SDF-based conjugated microporous polymers cathode materials with high cycle stability for lithium-ion batteries. **2023**, 34, 0

- 185 Two-dimensional sandwich-like heterostructures of amorphous VO_x/MXene as freestanding cathode materials with superior electrochemical performance for aqueous zinc-ion batteries. **2023**, 34, 0
- 184 Bismuth-based compounds as efficient sulfur hosts for novel lithium-sulfur batteries. **2023**, 58, 2234-2248 0
- 183 Engineering Chemo-Mechanical Properties of Zn Surfaces via Alucone Coating. **2023**, 127, 2481-2492 0
- 182 Thermal Management Techniques for Lithium-Ion Batteries Based on Phase Change Materials: A Systematic Review and Prospective Recommendations. **2023**, 16, 876 0
- 181 Green Lithium Ion Batteries. **2023**, 1-10 0
- 180 Developing NiMoO₄-Based Multifunctional Cathode for Hybrid Zinc Battery. 0
- 179 Soft-assembled, bio-gel electrolytic double layer capacitor system for sustainable energy storage. **2023**, 21, 117-128 0
- 178 FeOCl Nanoparticle-Embedded Mesocellular Carbon Foam as a Cathode Material with Improved Electrochemical Performance for Chloride-Ion Batteries. **2023**, 15, 5209-5217 0
- 177 A Comprehensive Compilation of Graphene/Fullerene Polymer Nanocomposites for Electrochemical Energy Storage. **2023**, 15, 701 1
- 176 Understanding the Impact of Fe-Doping on the Structure and Battery Performance of a Co-Free Li-Rich Layered Cathodes. 0
- 175 Recent Progress in Aqueous Alkali-metal-ion batteries at low temperatures. **2023**, 0 0
- 174 Enabling Highly Reversible Zn Anode by Multifunctional Synergistic Effects of Hybrid Solute Additives. **2023**, 8, 1192-1200 1
- 173 Palladium nanoparticles combined with reduced graphene oxide and multiwall carbon nanotubes for alkaline ascorbic acid oxidation. 0
- 172 F-doped TiO₂(B)/reduced graphene for enhanced capacitive lithium-ion storage. **2023**, 637, 533-540 0
- 171 Manganese (Sulfide/Oxide) based electrode materials advancement in supercapattery devices. **2023**, 158, 107366 1
- 170 Electrochemical Properties of Tin-Antimony Sulfide Nanocomposites Synthesized by Hydrothermal Method as Anode Materials for Sodium Ion Batteries. **2022**, 32, 545-552 0
- 169 Excellent Structural Stability-Driven Cyclability in P2-Type Ti-Based Cathode for Na-Ion Batteries. **2023**, 6, 2440-2447 0
- 168 Sustainability Assessment of Buildings Indicators. **2023**, 15, 3403 0

- 167 Designing of a Decentralized Pretreatment Line for EOL-LIBs Based on Recent Literature of LIB Recycling for Black Mass. **2023**, 13, 374 ○
- 166 Research Progress of Constructing Anode Materials for Potassium Ion Batteries Based on Electrospinning Technology. **2023**, 4, 8-14 ○
- 165 High Specific-Capacity Al-Graphite Dual-Ion Batteries. **2023**, 170, 020503 ○
- 164 Designing Zwitterionic Gel Polymer Electrolytes with Dual-Ion Solvation Regulation Enabling Stable Sodium Ion Capacitor. ○
- 163 Cage Dynamics-Mediated High Ionic Transport in Li-O₂ Batteries with a Hybrid Aprotic Electrolyte: LiTFSI, Sulfolane, and N,N-Dimethylacetamide. **2023**, 127, 2991-3000 ○
- 162 The Batteries' New Clothes: Li and H Dynamics in Poorly Conducting Li₂OHCl Directly Probed by Nuclear Spin Relaxation. ○
- 161 Hierarchical TiO₂ nanoflowers percolated with carbon nanotubes for long-life lithium storage. **2023**, 934, 117305 ○
- 160 Crystal-defect engineering of electrode materials for energy storage and conversion. **2023**, 100336 ○
- 159 Design advanced nitrogen/oxygen co-doped hard carbon microspheres from phenolic resin with boosted Na-storage performance. **2023**, 564, 232879 ○
- 158 Sulfolane-containing aqueous electrolyte solutions for producing efficient ampere-hour-level zinc metal battery pouch cells. **2023**, 14, ○
- 157 Green Environmentally Friendly Zn(CH₃SO₃)₂ Electrolyte for Aqueous Zinc-Ion Batteries. ○
- 156 Silicic Acid Electrolyte Additive Reduces Charge Transfer Impedance at Sub-Ambient Temperature for Lithium-Ion Rechargeable Batteries. **2023**, 107489 ○
- 155 Green and sustainably designed intercalation-type anodes for emerging lithium dual-ion batteries with high energy density. **2023**, 80, 466-478 ○
- 154 2D graphitic carbon nitride as the efficient cathode material for the non-aqueous rechargeable iron-ion battery under an ambient environment. **2023**, 567, 232943 ○
- 153 Unraveling the superior anodic lithium storage behavior in the redox-active porphyrinic triazine frameworks. **2023**, 463, 142434 ○
- 152 Toward high-sulfur-content, high-performance lithium-sulfur batteries: Review of materials and technologies. **2023**, 80, 625-657 1
- 151 Ti₂O₃ loaded carbon felt as high performance negative for vanadium redox flow battery. **2023**, 566, 232925 ○
- 150 Highly electrocatalytic active amorphous Al₂O₃ in porous carbon assembled on carbon cloth as an independent multifunctional interlayer for advanced lithium-sulfur batteries. **2023**, 618, 156689 ○

- 149 Toward better porous carbon-based electrodes by investigation of the viscoelastic properties of carbon suspension. **2023**, 463, 142476 ○
- 148 A cellulose reinforced polymer composite electrolyte for the wide-temperature-range solid lithium batteries. **2023**, 464, 142537 ○
- 147 Catalytic upcycling of waste polypropylene for gram-scale production of FeCo@N-doped carbon nanotubes toward efficient oxygen reduction electrocatalysis. **2023**, 936, 117394 ○
- 146 Multi-hierarchical heterostructure of GO/ NiCo₂O₄/Co₃O₄ for high power lithium-ion batteries. **2023**, 946, 169447 ○
- 145 Enhanced Na⁺ diffusion in Na₃V₂(PO₄)₂F₂O cathodes via Zr⁴⁺ doping for high-rate and long-cycling sodium batteries. **2023**, 945, 169314 ○
- 144 Upcycling of phosphogypsum waste for efficient zinc-ion batteries. **2023**, 81, 157-166 ○
- 143 Role of precursor concentration in tuning the electrochemical performance of MoS₂ nanoflowers. **2023**, 292, 116436 ○
- 142 Boosting ion diffusion at Ni₂P@3D nanostructure carbon network interface for superior and durable sodium-ion hybrid capacitor. **2023**, 453, 142363 ○
- 141 Solvothermal synthesis of VO₂ and in situ electrochemical transformation of Zn₂V₂O₇ as cathode for long-life aqueous zinc-ion batteries. **2023**, 569, 233006 ○
- 140 The state-of-charge predication of lithium-ion battery energy storage system using data-driven machine learning. **2023**, 34, 101020 ○
- 139 Spray-pyrolyzed Cd-substituted kesterite thin-films for photovoltaic applications: Post annealing conditions and property studies. **2023**, 301, 127594 ○
- 138 Fast Na⁺ ion dynamics in the Nb⁵⁺ bearing NaSICON Na₃+Nb Zr₂Bi₂+P1D₁₂ as probed by ²³Na NMR and conductivity spectroscopy. **2023**, 395, 116209 ○
- 137 Tailored P₂/O₃ phase-dependent electrochemical behavior of Mn-based cathode for sodium-ion batteries. **2023**, 64, 107242 ○
- 136 Reciprocal irreversibility compensation of LiNi_{0.2}Co_{0.2}Al_{0.1}Mn_{0.45}O₂ cathode and silicon oxide anode in new Li-ion battery. **2023**, 452, 142263 ○
- 135 Review on comprehensive recycling of spent lithium-ion batteries: A full component utilization process for green and sustainable production. **2023**, 315, 123684 ○
- 134 Evaluating the potential of planar h-BSb monolayer as anode materials for sodium-ion batteries from first principles methods. **2023**, 64, 107260 ○
- 133 Biologically inspired anthraquinone redox centers and biomass graphene for renewable colloidal gels toward ultrahigh-performance flexible micro-supercapacitors. **2023**, 151, 178-189 ○
- 132 Electrochemical performance of Zn₂VO₄/ZnO nanocomposite material derived from Zn-V layered double hydroxides as a cathode for aqueous zinc ion battery. **2023**, 952, 169915 ○

- 131 Building a high-performance organic cathode material containing electron-withdrawing groups for lithium-ion batteries. **2023**, 64, 107241 ○
- 130 Construction of high elastic artificial SEI for air-stable and long-life lithium metal anode. **2023**, 642, 193-203 ○
- 129 Lithium-Ion Battery Remaining Useful Life Prediction Based on Hybrid Model. **2023**, 15, 6261 ○
- 128 Strategies and practical approaches for stable and high energy density sodium-ion battery: a step closer to commercialization. **2023**, 22, 100385 ○
- 127 Microfluidic-oriented assembly of Mn₃O₄@C/GFF cathode with multiscale synergistic structure for high-performance aqueous zinc-ion batteries. **2023**, 208, 247-254 ○
- 126 Multifunctional asymmetric electrolyte membrane encouraging durable lithium-metal batteries in wide temperature variations. **2023**, 677, 121636 ○
- 125 Constructing high temperature proton exchange membranes with sandwich structure based on graphene oxide nanosheets and electrospinning polyvinyl chloride nanofibers. **2023**, 381, 121808 ○
- 124 A design of MnO-CNT@C₃N₄ cathodes for high-performance aqueous zinc-ion batteries. **2023**, 642, 340-350 ○
- 123 The importance of carefully choosing vertex potentials in hydrogen underpotential deposition. **2023**, 32, 101234 ○
- 122 LiS battery cathode anchoring polysulfides by interaction between redox-active imide and carbon nanotube. **2023**, 137, 107113 ○
- 121 Novel two-dimensional C₆B₄ monolayer as an anode for Li-/Na-ion batteries with high theoretical capacity. **2023**, 616, 156468 ○
- 120 Lithium-Ion Batteries: Nomenclature of Interphases with Liquid or Solid-State Electrolytes. **2023**, 6, ○
- 119 Cellulose Nanocrystals as Additives in Electrospun Biocompatible Separators for Aprotic Lithium-Ion Batteries. **2023**, 5, 1453-1463 ○
- 118 Highly defective N-doped carbon/reduced graphene oxide composite cathode material with rapid electrons/ions dual transport channels for high energy density lithium-ion capacitor. **2023**, 443, 141704 ○
- 117 Experimental Analysis of Drying Kinetics and Quality Aspects of Convection-Dried Cathodes at Laboratory Scale. **2023**, 9, 96 ○
- 116 Environmental and Architectural Solutions in the Problem of Waste Incineration Plants in Poland: A Comparative Analysis. **2023**, 15, 2599 ○
- 115 Mn_x⁺ Substitution to Improve Na₃V₂(PO₄)₂F₃-Based Electrodes for Sodium-Ion Battery Cathode. **2023**, 28, 1409 ○
- 114 Bifunctional electrolyte regulation towards low-temperature and high-stability Zn-ion hybrid capacitor. **2023**, 79, 495-504 ○

- 113 Comparative life cycle greenhouse gas emissions assessment of battery energy storage technologies for grid applications. **2023**, 392, 136251 ○
- 112 Electrolytes in Organic Batteries. **2023**, 123, 1712-1773 ○
- 111 Stabilizing cathodes and interphases for next-generation Li-ion batteries. **2023**, 561, 232738 ○
- 110 N-doped MnO_2 coated N-doped carbon cloth as stable cathode for aqueous zinc-ion batteries. **2023**, 18, 1-8 ○
- 109 On electrochemistry of metal-organic framework $\text{Zn}_2(\text{EDTA})(\text{H}_2\text{O})$. **2023**, 13, 4880-4889 ○
- 108 MOF-related electrocatalysts for sulfur reduction/evolution reactions: Composition modulation, structure design, and mechanism research. **2023**, 100107 ○
- 107 Nano-single-crystal-constructed submicron MnCO_3 hollow spindles enabled by solid precursor transition combined Ostwald ripening in situ on graphene toward exceptional interfacial and capacitive lithium storage. ○
- 106 Closing remarks and future directions for batteries and their thermal management. **2023**, 265-274 ○
- 105 2D Materials Boost Advanced Zn Anodes: Principles, Advances, and Challenges. **2023**, 15, 1
- 104 A High-Energy NASICON-Type $\text{Na}_3.2\text{MnTi}_0.8\text{V}_0.2(\text{PO}_4)_3$ Cathode Material with Reversible 3.2-Electron Redox Reaction for Sodium-Ion Batteries. **2023**, 62, ○
- 103 Nitrogen-Doping-Induced High-Performance Carbon Nanofiber Anodes for Potassium-Ion Storage. **2023**, 6, 3020-3026 ○
- 102 A High-Energy NASICON-Type $\text{Na}_3.2\text{MnTi}_0.8\text{V}_0.2(\text{PO}_4)_3$ Cathode Material with Reversible 3.2-Electron Redox Reaction for Sodium-Ion Batteries. **2023**, 135, ○
- 101 $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ -co- LiNbO_3 Surface Modification Improves the Interface Stability between Cathode and Sulfide Solid-State Electrolyte in All-Solid-State Batteries. **2023**, 13, 216 ○
- 100 Bimetal heterostructure NiCo_2Se_4 anode confined by carbon nano boxes for ultrafast and stable potassium storage. **2023**, 460, 141875 ○
- 99 In situ synthesis of Cu(II) dicarboxylate metal organic frameworks (MOFs) and their application as battery materials. ○
- 98 A novel polymer electrolyte with in situ polymerization and a high concentration of lithium salts for lithium metal batteries. **2023**, 14, 1094-1102 ○
- 97 Retaining the reversible capacity by Lorentz forces for enhanced cyclability of aqueous zinc-bromide batteries using internal magnets. **2023**, 461, 141900 ○
- 96 Solvothermal Engineering of $\text{NaTi}_2(\text{PO}_4)_3$ Nanomorphology for Applications in Aqueous Na-Ion Batteries. **2023**, 11, 3429-3436 ○

- 95 Biologically Inspired Small Herbal Biomolecules and Biomass Carbon for High-Performance Supercapacitors. **2023**, 6, 2347-2357 ○
- 94 A Review of Renewable Energy and Storage Technologies for Automotive Applications. 10 ○
- 93 Single-atom electrocatalyst and gel polymer electrolyte boost the energy density and life of aluminum-sulfur batteries. **2023**, 152, 86-93 ○
- 92 Surface engineering of LiCoO₂ by a multifunctional nanoshell for stable 4.6V electrochemical performance. **2023**, 57, 289-298 ○
- 91 Unraveling the effects of inter-site Hubbard interactions in spinel Li-ion cathode materials. **2023**, 25, 9061-9072 ○
- 90 Coffee grounds derived sulfur and nitrogen dual-doped porous carbon for the cathode material of lithium-sulfur batteries. ○
- 89 Conductive Ti₃C₂T_x networks to optimize Na₃V₂O₂(PO₄)₂F cathodes for improved rate capability and low-temperature operation. **2023**, 52, 4717-4727 ○
- 88 Effects of molecular structure and functional groups on the performance of carbonyl organic compounds as cathodes for aluminum batteries. **2023**, 461, 142045 ○
- 87 Machine learning-inspired battery material innovation. **2023**, 2, 449-464 ○
- 86 Reduced graphene oxide decorated transition metal manganese vanadium oxide nanorods for electrochemical supercapacitors and photocatalytic degradation of pollutants in water. **2023**, 144, 104762 ○
- 85 Realizing a Solid to solid process via in situ cathode electrolyte interface (CEI) by solvent-in-salt electrolyte for Li-S batteries. ○
- 84 Light-assist electrochemical lithiation to silicon semiconductor. **2023**, 149, 107459 ○
- 83 Highly Reversible Local Structural Transformation Enabled by Native Vacancies in O₂-Type Li-Rich Layered Oxides with Anion Redox Activity. **2023**, 14, 2323-2330 ○
- 82 Scalable, ultra-high stretchable and conductive fiber triboelectric nanogenerator for biomechanical sensing. **2023**, 109, 108291 1
- 81 Machine Learning-based Comprehensive Survey on Lithium-rich Cathode Materials. **2023**, 91, 037007-037007 ○
- 80 Enhanced Energy Storage Performance Achieved in Multilayered PVDF/BMMA Nanocomposites Incorporated with High-Entropy Oxide Nanofibers. **2023**, 6, 3093-3101 ○
- 79 Improved rate performance of Li_{1.2}Mn_{0.54}Co_{0.13}Ni_{0.13}O₂ Li-rich cathode by LaPO₄ coating and Lanthanum doping. **2023**, 29, 1311-1322 ○
- 78 Construction of highly stable and fast kinetic interfacial films on the electrodes of graphite//LiNi_{0.5}Mn_{1.5}O₄ cells by introducing a novel additive of 2-thiophene boric acid (2-TPBA). **2023**, 564, 232848 ○

- 77 Progress in 3D-MXene Electrodes for Lithium/Sodium/Potassium/Magnesium/Zinc/Aluminum-Ion Batteries. **2023**, 6, ○
- 76 Dendrite-free and Stable Zn-ion Energy Storage Devices Enabled by a Three-dimensional SnCu Foam Hosted Zn Anode. **2023**, 9, ○
- 75 Recent Progress in the Development of Metallic Composite for Advanced Technologies. **2023**, 53-87 ○
- 74 Bridging Li-Ion Batteries and Fuel Cells: From Cathode Leaching Residue to an Atomic-Scale Catalytic System. **2023**, 8, 1652-1661 ○
- 73 Improved Strategies for Separators in Zinc-Ion Batteries. **2023**, 16, ○
- 72 Intercalation Reaction of Molybdenum Trioxide Cathode for Rechargeable Ion Batteries. ○
- 71 A New Spinel Chloride Solid Electrolyte with High Ionic Conductivity and Stability for Na-Ion Batteries. **2023**, 5, 1009-1017 ○
- 70 A Fresh One-Step Spray Pyrolysis Approach to Prepare Nickel-Rich Cathode Material for Lithium-Ion Batteries. ○
- 69 Unlocking the full energy densities of carbon-based supercapacitors. **2023**, 11, 517-546 ○
- 68 Green-Synthesized Graphene for Supercapacitors Modern Perspectives. **2023**, 7, 108 ○
- 67 Recent advances in wood-based electrode materials for supercapacitors. ○
- 66 Influence of S doping on cobalt hydroxide and nitrogen-doped carbon dots of supercapacitor electrode materials. ○
- 65 Optimal sizing of residential photovoltaic and battery system connected to the power grid based on the cost of energy and peak load. **2023**, 9, e14414 ○
- 64 Recent progress in advanced organosulfur cathode materials for rechargeable lithium batteries. **2023**, ○
- 63 K₂Fe(C₂O₄)₂: An Oxalate Cathode for Li/Na-Ion Batteries Exhibiting a Combination of Multielectron Cation and Anion Redox. **2023**, 35, 2600-2611 ○
- 62 Dopamine-intercalated vanadate hollow microtube arrays with S-doping for high-performance zinc-ion batteries: disorder/defect-induced clusters and a reversible phase transition. **2023**, 15, 6273-6284 ○
- 61 Vanadium Oxide-Based Cathode Materials for Aqueous Zinc-Ion Batteries: Energy Storage Mechanism and Design Strategy. **2023**, 11, 118 ○
- 60 Enhanced charge storage capacity and high rate capabilities of Ni₂Co-layered double hydroxides/expanded-graphite composites as anodes for Li-ion batteries. **2023**, 11, 7142-7151 ○

- 59 Magnetically aligned NMC811 electrodes for enhancing electrochemical characterization. **2023**, 149, 107471 ○
- 58 Insight into the development of electrolytes for aqueous zinc metal batteries from alkaline to neutral. **2023**, 108337 ○
- 57 Nanostructured Conducting Polymers and Their Applications in Energy Storage Devices. **2023**, 15, 1450 1
- 56 Sustainable upcycling of spent LiCoO₂ to an ultra-stable battery cathode at high voltage. ○
- 55 The tough and multi-functional stretchable device based on silicone rubber composites. ○
- 54 Fundamentals, preparation, and mechanism understanding of Li/Na/MgSn alloy anodes for liquid and solid-state lithium batteries and beyond. ○
- 53 Revealing the Competitive Intercalation between Na⁺ and H⁺ into Na_{0.44} MnO₂ in Aqueous Sodium Ion Batteries. 2204413 ○
- 52 Aqueous Processing of LiCoO₂/Li_{6.6}La₃Zr_{1.6}Ta_{0.4}O₁₂ Composite Cathode for High-Capacity Solid-State Lithium Batteries. **2023**, 11, 5184-5194 ○
- 51 All-Solid-State Thin Film Li-Ion Batteries: New Challenges, New Materials, and New Designs. **2023**, 9, 186 ○
- 50 Bimetallic selenide Cu₄Mo₆Se₈ nanosheet arrays grown on a carbon skeleton via MOF-derived with enhanced electrochemical kinetics for high-performance sodium-ion batteries. ○
- 49 Garnet Composite Solid Electrolyte with Cotton Modified by Metal Chelator as a Template for Flexible Solid-State Lithium Metal Batteries. ○
- 48 Engineering chemical-bonded Ti₃C₂ MXene@carbon composite films with 3D transportation channels for promoting lithium-ion storage in hybrid capacitors. **2023**, 66, 944-954 ○
- 47 Improving the Initial Coulombic Efficiency of Carbonaceous Materials for Li/Na-Ion Batteries: Origins, Solutions, and Perspectives. **2023**, 6, ○
- 46 Predicting the Na⁺ ion transport properties of NaSICON materials using density functional theory and Kinetic Monte Carlo. ○
- 45 Atomic design of carbon-based dual-metal site catalysts for energy applications. 1
- 44 Confined Assembly of Hydrated Vanadium Oxide into Hollow Mesoporous Carbon Nanospheres for Fast and Stable K⁺ Storage Capability. ○
- 43 Recent Progress in Aqueous Zinc-ion Batteries: from Fundamental Science to Structure Design. ○
- 42 Ultrastable Cu²⁺ Intercalation Chemistry Based on a Niobium Sulfide Nanosheet Cathode for Advanced Aqueous Storage Devices. **2023**, 17, 6497-6506 ○

- 41 A Recyclable and Scalable High-Capacity Organic Battery. ○
- 40 Functional Carbon from Nature: Biomass-Derived Carbon Materials and the Recent Progress of Their Applications. ○
- 39 A Recyclable and Scalable High-Capacity Organic Battery. ○
- 38 Virtual Synchronous Generator Adaptive Control of Energy Storage Power Station Based on Physical Constraints. **2023**, 120, 1401-1420 ○
- 37 Fluorinated ethylene carbonate as additive to glyme electrolytes for robust sodium solid electrolyte interface. **2023**, 4, 101356 ○
- 36 Eutectic salt-assisted planetary centrifugal deagglomeration for single-crystalline cathode synthesis. ○
- 35 Second-Life Batteries Modeling for Performance Tracking in a Mobile Charging Station. **2023**, 14, 94 ○
- 34 Advanced separator engineering strategies for reversible electrochemical zinc storage. ○
- 33 Novel Lamellar Se4P4/Graphene Hybrid Anode Stimulated Durable Potassium Storage. **2023**, 37, 6177-6185 ○
- 32 Solid-Liquid-Gas Management for Low-Cost Hydrogen Gas Batteries. ○
- 31 Status and Prospects of MXene-Based Lithium-Oxygen Batteries: Theoretical Prediction and Experimental Modulation. ○
- 30 A Sulfur Heterocyclic Quinone Cathode towards High-Rate and Long-Cycle Aqueous Zn-organic Batteries. ○
- 29 Porous structure of fixed sulfur and networked electronic channels in three-dimensional skeletal structure of polyaniline and MOF-derived materials. **2023**, 669, 131440 ○
- 28 Redox-active polynaphthalimides as versatile electrode materials for high-voltage, high-rate and long-cycle-life organic Li-ion batteries. ○
- 27 Nitrogen-Doped Carbon Coated Na3V2(PO4)2F3 Derived from Polyvinylpyrrolidone as a High-Performance Cathode for Sodium-Ion Batteries. ○
- 26 Modified metallic current collectors for sodium metal anodes. ○
- 25 Rocking-chair ammonium ion battery with high rate and long-cycle life. **2023**, 108449 ○
- 24 Aqueous Cold Sintering of Li-Based Compounds. ○

- 23 Synthesis of Mesoporous Rod-Like $\text{MnCO}_3/\text{MWCNT}$ Composite Anode Material for Lithium-Ion Batteries. ○
- 22 Rational Engineering of 2D Materials as Advanced Catalyst Cathodes for High-Performance Metal/Carbon Dioxide Batteries. ○
- 21 Tubular NiCo_2S_4 Hierarchical Architectures as Sulfur Hosts for Advanced Rechargeable Lithium Sulfur Batteries. **2023**, 100159 ○
- 20 Operando Interaction and Transformation of Metastable Defects in Layered Oxides for Na-Ion Batteries. ○
- 19 The influence of S-doped technique on supercapacitor performances for Co(OH)_2 @nitrogen-doped carbon dots. ○
- 18 Designing dithiolene and bis(iminothiolato)-based 1D metal-organic-frameworks for electrocatalytic hydrogen evolution reaction. **2023**, 142, ○
- 17 High performance lithium ion battery cathode based reduced holey graphene oxides from spent lithium ion batteries. **2023**, 118038 ○
- 16 Regulating Electronic Structure of Iron Nitride by Tungsten Nitride Nanosheets for Accelerated Overall Water Splitting. ○
- 15 Understanding technological innovation and evolution of energy storage in China: Spatial differentiation of innovations in lithium-ion battery industry. **2023**, 66, 107307 ○
- 14 In situ characterizations for aqueous rechargeable zinc batteries. ○
- 13 Theoretical study of Li-ion migration in perovskite-type AVO_3 (A = Ca, La, Ce, and $\text{La}_{0.75}\text{Ca}_{0.25}$) with DFT+U methods. **2023**, 106029 ○
- 12 Solid Composite Electrolyte based on Oxygen Vacancy Effect of $\text{Li}_x(\text{CoCrFeMnNi})\text{O}_{4-y}$ High Entropy Oxides. **2023**, 142459 ○
- 11 Intrinsic Carbon Structural Imperfections for Enhancing Energy Conversion Electrocatalysts. **2023**, 143060 ○
- 10 Boosting the Na-Ion Conductivity in the Cluster-Ion Based Anti-Perovskite $\text{Na}_2\text{BH}_4\text{NH}_2$. ○
- 9 Freestanding $\text{Co}_{1.29}\text{Ni}_{1.71}\text{O}_4$ Nanowire Array Cathodes with Ultralong Cycle Life for Rechargeable Hybrid Zinc Batteries. ○
- 8 V_2O_3 @C Microspheres as the High-Performance Cathode Materials for Advanced Aqueous Zinc-Ion Storage. ○
- 7 Tuning Electrochemical Properties of Nitroaromatic Cathodes by Function-Oriented Design for Rechargeable Lithium-Ion Batteries. ○
- 6 Systematic investigation of the impact of kesterite and zinc based charge transport layers on the device performance and optoelectronic properties of ecofriendly tin (Sn) based perovskite solar cells. **2023**, 257, 58-87 ○

- 5 Elucidating a dissolution-deposition reaction mechanism by multimodal synchrotron X-ray characterization in aqueous Zn/MnO₂ batteries. ○
- 4 Interface prompted highly efficient hydrogen evolution of MoS₂/CoS₂ heterostructures in a wide pH range. ○
- 3 Carbon Nanomaterials from Biomass for Solar Energy Conversion and Storage. **2023**, 301-329 ○
- 2 Lithium-Oxygen Chemistry at Well-Designed Model Interface Probed by In Situ Spectroscopy Coupled with Theoretical Calculations. ○
- 1 Li-ion transport in solid-state electrolyte of Li_{1-x}Al_{1-x}Si_{2+x}O₆: an ab initio study. ○