Patients' management of type 2 diabetes in M studies

Patient Preference and Adherence 10, 1051 DOI: 10.2147/ppa.s104335

Citation Report

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | "Patients' understanding is the problem": physicians' views of nonadherence among Arabs with type 2 diabetes. Patient Preference and Adherence, 2017, Volume 11, 1413-1421. | 1.8 | 3 |
| 2 | A qualitative study exploring patients' experiences regarding insulin pump use. Saudi Pharmaceutical Journal, 2018, 26, 487-495. | 2.7 | 12 |
| 3 | Glycaemic control in native Kuwaiti Arab patients with type 2 diabetes. Primary Care Diabetes, 2018, 12, 526-532. | 1.8 | 6 |
| 4 | Attitudes and perceptions towards hypoglycaemia in patients with diabetes mellitus: A multinational cross-sectional study. PLoS ONE, 2019, 14, e0222275. | 2.5 | 13 |
| 5 | Metabolic health in the Middle East and north Africa. Lancet Diabetes and Endocrinology,the, 2019, 7, 866-879. | 11.4 | 88 |
| 6 | <p>Barriers to good glycemic control levels and adherence to diabetes management plan in adults with Type-2 diabetes in Jordan: a literature review</p> . Patient Preference and Adherence, 2019, Volume 13, 675-693. | 1.8 | 23 |
| 7 | Assessment of Medication Adherence in Saudi Patients With Type II Diabetes Mellitus in Khobar City, Saudi Arabia. Frontiers in Pharmacology, 2019, 10, 1306. | 3.5 | 31 |
| 8 | Beliefs about medicines among type 2 diabetes mellitus patients in Quetta city, Pakistan: a cross-sectional assessment. Zeitschrift Fur Gesundheitswissenschaften, 2020, 28, 277-283. | 1.6 | 2 |
| 9 | Chronic Disease Self-Management Among Iranian Older Adults: A Scoping Review. Journal of Applied Gerontology, 2020, 39, 922-930. | 2.0 | 10 |
| 10 | Beating non-communicable diseases in primary health care: The contribution of pharmacists and guidance from FIP to support WHO goals. Research in Social and Administrative Pharmacy, 2020, 16, 974-977. | 3.0 | 12 |
| 11 | Glycemic control in Kuwaiti diabetes patients treated with glucose-lowering medication. Primary Care Diabetes, 2020, 14, 311-316. | 1.8 | 10 |
| 12 | Dietary non-adherence and associated factors among individuals with diabetes who are on treatment follow up at Felege-Hiwot Referral Hospital, Northwest Ethiopia. Heliyon, 2020, 6, e04544. | 3.2 | 6 |
| 13 | Recommendations for management of diabetes during Ramadan: update 2020, applying the principles of the ADA/EASD consensus. BMJ Open Diabetes Research and Care, 2020, 8, e001248. | 2.8 | 65 |
| 14 | Use of Smartphone Applications for Diabetes Management in Kuwait: A Pilot Study. Journal of Consumer Health on the Internet, 2020, 24, 111-125. | 0.4 | 3 |
| 15 | A study protocol for a feasibility trial of telephoneâ€delivered Adherence Therapy for adults with type 2 diabetes. Nursing Open, 2021, 8, 1510-1519. | 2.4 | 4 |
| 16 | Dietary Management of Type 2 Diabetes in the MENA Region: A Review of the Evidence. Nutrients, 2021, 13, 1060. | 4.1 | 19 |
| 17 | Pharmacological treatment of type 2 diabetes in Saudi Arabia: A consensus statement from the Saudi Society of Endocrinology and Metabolism (SSEM). Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2021, 15, 891-899. | 3.6 | 2 |
| 18 | Sulfonylureas in the Current Practice of Type 2 Diabetes Management: Are They All the Same? Consensus from the Gulf Cooperation Council (GCC) Countries Advisory Board on Sulfonylureas. Diabetes Therapy, 2021, 12, 2115-2132. | 2.5 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Self-reported medication adherence among patients with diabetes or hypertension, Médecins Sans Frontières Shatila refugee camp, Beirut, Lebanon: A mixed-methods study. PLoS ONE, 2021, 16, e0251316. | 2.5 | 5 |
| 20 | Risk of mortality among inpatients with COVIDâ€19 and type 2 diabetes: National data from Kuwait. Endocrinology, Diabetes and Metabolism, 2021, 4, e00287. | 2.4 | 7 |
| 21 | Factors Associated with Type 1 and Type 2 Diabetes in Infants in Kuwait. Health, 2018, 10, 1474-1486. | 0.3 | 0 |
| 23 | Retrospective study among primary care Type 2 diabetes mellitus patients within the city of Zliten, Libya, represented high incidence of early onset of disease diagnosis. Libyan Journal of Medical Sciences, 2019, 3, 13. | 0.1 | 0 |
| 24 | The Management of Care of Egyptian Patients with Diabetes: A Report from the International Diabetes Management Practices Study Wave 7. Medical Journal of the University of Cairo Faculty of Medicine, 2020, 88, 1413-1421. | 0.0 | 3 |
| 25 | Current gaps in management and timely referral of cardiorenal complications among people with type 2 diabetes mellitus in the Middle East and African countries: Expert recommendations. Journal of Diabetes, 2022, 14, 315-333. | 1.8 | 4 |
| 26 | Lifestyle Interventions for Prevention and Management of Diet-Linked Non-Communicable Diseases among Adults in Arab Countries. Healthcare (Switzerland), 2023, 11, 45. | 2.0 | 3 |
| 27 | Perceived barriers, benefits, facilitators, and attitudes of health professionals towards type 2 diabetes management in Oujda, Morocco: a qualitative focus group study. International Journal for Equity in Health, 2023, 22, . | 3.5 | 1 |
| 28 | Adherence therapy for adults with type 2 diabetes: a feasibility study of a randomized controlled trial. Pilot and Feasibility Studies, 2023, 9, . | 1.2 | 0 |
| 29 | The Impact of Continuity of Care on Health Indicators in Patients With Type 2 Diabetes Mellitus in Family Medicine Clinics in Riyadh. Cureus, 2023, , . | 0.5 | 0 |