

Strain Echocardiography in Acute Cardiovascular Disease

Western Journal of Emergency Medicine

17, 54-60

DOI: [10.5811/westjem.2015.12.28521](https://doi.org/10.5811/westjem.2015.12.28521)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Point-of-care strain echocardiography in acute heart failure. American Journal of Emergency Medicine, 2016, 34, 2234-2236.	1.6	6
2	Critical care ultrasonography in circulatory shock. Current Opinion in Critical Care, 2017, 23, 326-333.	3.2	15
3	Assessment of right atrial function with speckle tracking echocardiography after percutaneous closure of an atrial septal defect. Revista Portuguesa De Cardiologia, 2017, 36, 895-900.	0.5	7
4	Assessment of right atrial function with speckle tracking echocardiography after percutaneous closure of an atrial septal defect. Revista Portuguesa De Cardiologia (English Edition), 2017, 36, 895-900.	0.2	3
5	Echocardiographic Techniques of Deformation Imaging in the Evaluation of Maternal Cardiovascular System in Patients with Complicated Pregnancies. BioMed Research International, 2017, 2017, 1-10.	1.9	10
6	2-Dimensional Speckle Tracking Echocardiography predicts severe coronary artery disease in women with normal left ventricular function: a case-control study. BMC Cardiovascular Disorders, 2017, 17, 231.	1.7	9
7	Speckle tracking analysis in intensive care unit: A toy or a tool?. Echocardiography, 2018, 35, 506-519.	0.9	9
8	Strain analysis for the identification of hypertensive cardiac end-organ damage in the emergency department. The Ultrasound Journal, 2018, 10, 29.	2.0	1
9	Feasibility and accuracy of speckle tracking echocardiography in emergency department patients. American Journal of Emergency Medicine, 2018, 36, 2254-2259.	1.6	8
10	Adjuvant radiotherapy-induced cardiac changes among patients with early breast cancer: a three-year follow-up study. Acta Oncologica, 2019, 58, 1250-1258.	1.8	13
11	Bedside Use of Speckle Tracking Echocardiography in the Emergency Department to Identify Acute Myocardial Infarction. Journal of Emergency Medicine, 2019, 56, 530-535.	0.7	2
12	Predictive value of global and territorial longitudinal strain imaging in detecting significant coronary artery disease in patients with myocardial infarction without persistent <sc>ST</sc>-segment elevation. Echocardiography, 2019, 36, 512-520.	0.9	18
13	In patients with diabetic foot, improved left ventricular functions are detected by strain echocardiography after the diabetic foot treatment. Medicine (United States), 2019, 98, e17217.	1.0	4
14	Point of care ultrasonography from the emergency department to the internal medicine ward: current trends and perspectives. Internal and Emergency Medicine, 2020, 15, 395-408.	2.0	27
15	Echocardiography Tips in the Emergency Room. Heart Failure Clinics, 2020, 16, 167-175.	2.1	2
16	Assessment of atria function after percutaneous closure of atrial septal defect using 2D speckle tracking echocardiography. Journal of Echocardiography, 2022, 20, 33-41.	0.8	1
17	Assesment of Right Ventricle Function with Speckle Tracking Echocardiography after the Percutaneous Closure of Atrial Septal Defect. Acta Cardiologica Sinica, 2017, 33, 523-529.	0.2	14
18	CHARACTERISTICS OF CLINICAL CURRENT AND STRUCTURAL-FUNCTIONAL STATE OF LEFT VENTRICULAR IN DECOMPENSATION OF CHRONIC HEART FAILURE IN PATIENTS WITH ISCHEMIC CHRONIC HEART FAILURE WITH SYSTOLIC DYSFUNCTION AND INFLAMMATION OF THE MYOCARDIUM. Siberian Medical Journal, 2018, 33, 26-34.	0.3	0

#	ARTICLE	IF	CITATIONS
19	Assessment of left ventricular function in type 2 diabetes mellitus patients with non-alcoholic fatty liver disease by three-dimensional speckle tracking echocardiography. <i>Anatolian Journal of Cardiology</i> , 2019, 23, 41-48.	0.9	4
20	Assessment of LV Function by Three-Dimensional and Three-Dimensional Speckle Tracking Echocardiography after Percutaneous Coronary Intervention for Chronic Total Occlusion Coronary Artery Disease. <i>The Egyptian Journal of Hospital Medicine</i> , 2019, 75, 2611-2620.	0.1	0
21	The value of 2D speckle-tracking strain echocardiography in evaluating the relationship between carotid elasticity and left ventricular systolic function in patients with diabetic nephropathy. <i>Insights Into Imaging</i> , 2020, 11, 95.	3.4	2
22	Global longitudinal strain changes during hemorrhagic shock: An experimental study. <i>Turkish Journal of Emergency Medicine</i> , 2020, 20, 97.	0.9	4
23	Evaluation of cardiac function in children after percutaneous closure of atrial septal defect using speckle tracking echocardiography. <i>ARYA Atherosclerosis</i> , 2020, 16, 290-294.	0.4	1
24	Coronary-specific quantification of myocardial deformation by strain echocardiography may disclose the culprit vessel in patients with non-ST-segment elevation acute coronary syndrome. <i>European Heart Journal Open</i> , 2022, 2, .	2.3	7
25	Comparison of left ventricular deformity and twist parameters during Speckle Tracking with Philips iE33 and Affiniti 70 scanners. <i>Cor Et Vasa</i> , 2021, 63, 661-667.	0.1	0
27	Bedside Ultrasound for Hemodynamic Monitoring in Cardiac Intensive Care Unit. <i>Journal of Clinical Medicine</i> , 2022, 11, 7538.	2.4	2
28	Predictive Value of Global Longitudinal Strain Imaging in Detecting Significant Coronary Artery Disease in Patients with Non-ST-segment Elevation Myocardial Infarction. <i>Journal of the Indian Academy of Echocardiography & Cardiovascular Imaging</i> , 2023, .	0.1	0
29	Old and Novel Predictors for Cardiovascular Risk in Diabetic Foot Syndromeâ€”A Narrative Review. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 5990.	2.5	0
30	Prognostic Significance of Echocardiographic Characteristics in Patients with Type 2 Myocardial Infarction: comparison with Type 1 Myocardial Infarction. <i>Rational Pharmacotherapy in Cardiology</i> , 2023, 19, 461-469.	0.8	0