The Estimated Incidence of Induced Abortion in Ethiop Services Since 2008

International Perspectives on Sexual and Reproductive Health 42, 111

DOI: 10.1363/42e1816

Citation Report

#	Article	IF	CITATIONS
1	Changes in Morbidity and Abortion Care in Ethiopia After Legal Reform: National Results from 2008 and 2014. International Perspectives on Sexual and Reproductive Health, 2016, 42, 121.	3.8	37
2	Legal rights to safe abortion: knowledge and attitude of women in North-West Ethiopia toward the current Ethiopian abortion law. Public Health, 2017, 148, 129-136.	1.4	14
3	A decade of progress providing safe abortion services in Ethiopia: results of national assessments in 2008 and 2014. BMC Pregnancy and Childbirth, 2017, 17, 76.	0.9	33
4	Playing it Safe: Legal and Clandestine Abortions Among Adolescents in Ethiopia. Journal of Adolescent Health, 2018, 62, 729-736.	1.2	19
5	The effects of a community-based intervention on women's knowledge and attitudes about safe abortion in intervention and comparison towns in Oromia, Ethiopia. Women and Health, 2018, 58, 967-982.	0.4	5
6	Unintended pregnancy and associated factors among pregnant women in Arsi Negele Woreda, West Arsi Zone, Ethiopia. BMC Research Notes, 2018, 11, 671.	0.6	40
7	Factors associated with uptake of post-abortion family planning in Shire town, Tigray, Ethiopia. BMC Research Notes, 2018, 11, 928.	0.6	20
8	The implementation of safe abortion services in Ethiopia. International Journal of Gynecology and Obstetrics, 2018, 143, 19-24.	1.0	22
9	When the law makes doors slightly open: ethical dilemmas among abortion service providers in Addis Ababa, Ethiopia. BMC Medical Ethics, 2019, 20, 60.	1.0	17
10	Utilization and associated factors of emergency contraception among women seeking abortion services in health institutions of Dessie town, North East Ethiopia, 2018. BMC Research Notes, 2019, 12, 684.	0.6	5
11	The access paradox: abortion law, policy and practice in Ethiopia, Tanzania and Zambia. International Journal for Equity in Health, 2019, 18, 126.	1.5	33
12	Estimating Abortion Incidence: Assessment of a Widely Used Indirect Method. Population Research and Policy Review, 2019, 38, 429-458.	1.0	13
13	Prevalence and determinant factors of unintended pregnancy among pregnant women attending antenatal clinics of Addis Zemen hospital. PLoS ONE, 2019, 14, e0210206.	1.1	24
14	Factors associated with health care provider knowledge on abortion care in Ethiopia, a further analysis on emergency obstetric and newborn care assessment 2016 data. BMC Health Services Research, 2019, 19, 1014.	0.9	2
15	Intimate partner violence against women and its association with pregnancy loss in Ethiopia: evidence from a national survey. BMC Women's Health, 2020, 20, 192.	0.8	16
16	Intimate partner violence against women in Ethiopia and its association with unintended pregnancy: a national cross-sectional survey. International Journal of Public Health, 2020, 65, 1657-1667.	1.0	11
17	Hepatitis B virus infection and associated factors among pregnant women attending antenatal clinics in West Hararghe public hospitals, Oromia region, Ethiopia. Pan African Medical Journal, 2020, 35, 128.	0.3	8
18	Induced Second Trimester Abortion and Associated Factors at Debre Markos Referral Hospital: Cross-Sectional Study. Women's Health, 2020, 16, 174550652092954.	0.7	4

#	Article	IF	CITATIONS
19	Adolescent sexual and reproductive health and universal health coverage: a comparative policy and legal analysis of Ethiopia, Malawi and Zambia. Sexual and Reproductive Health Matters, 2020, 28, 1832291.	0.7	15
20	Knowledge, Attitude, and Associated Factors towards Safe Abortion among Private College Female Students in Gondar City, Northwest Ethiopia: A Cross-Sectional Study. Advances in Preventive Medicine, 2020, 2020, 1-8.	1.1	6
21	<p>Roles of Proximate Determinants of Fertility in Recent Fertility Decline in Ethiopia: Application of the Revised Bongaarts Model</p> . Open Access Journal of Contraception, 2020, Volume 11, 33-41.	0.6	7
22	Magnitude of Induced Abortion and Associated Factors among Female Students of Hawassa University, Southern Region, Ethiopia, 2019. Journal of Pregnancy, 2020, 2020, 1-6.	1.1	1
23	Factors associated with induced abortion among women of reproductive age attending selected health facilities in Addis Ababa, Ethiopia: a case control study. BMC Women's Health, 2020, 20, 188.	0.8	6
24	Contraceptive use and associated factors among sexually active reproductive age HIV positive women attending ART clinic at Felege Hiwot Referral Hospital, Northwest Ethiopia: A cross-sectional study. Heliyon, 2020, 6, e05653.	1.4	1
25	Prevalence and determinants of post-abortion family planning utilization in a tertiary Hospital of Northwest Ethiopia: a cross sectional study. Contraception and Reproductive Medicine, 2020, 5, 39.	0.7	11
26	Estimating abortion incidence and unintended pregnancy among adolescents in Zimbabwe, 2016: a cross-sectional study. BMJ Open, 2020, 10, e034736.	0.8	4
27	Contraceptive use and associated factors among women seeking induced abortion in Debre Marko's town, Northwest Ethiopia: a cross-sectional study. Reproductive Health, 2020, 17, 97.	1.2	6
28	Still a moral dilemma: how Ethiopian professionals providing abortion come to terms with conflicting norms and demands. BMC Medical Ethics, 2020, 21, 16.	1.0	11
29	An examination of the characteristics and contraceptive acceptance of post-abortion clients in Ethiopia. Women and Health, 2021, 61, 133-147.	0.4	1
30	Determinants of Second-Trimester Safe Termination of Pregnancy in Public Health Facilities of Amhara Region, Northwest Ethiopia: An Unmatched Case-Control Study. Advances in Public Health, 2021, 2021, 1-7.	0.7	3
31	Magnitude and Determinants of the Late Request for Safe Abortion Care Among Women Seeking Abortion Care at a Tertiary Referral Hospital in Ethiopia: A Cross-Sectional Study. International Journal of Women's Health, 2020, Volume 12, 1223-1231.	1.1	10
32	Postâ€abortion contraceptive adoption in Ethiopia. International Journal of Gynecology and Obstetrics, 2021, 154, 157-161.	1.0	1
33	Termination of pregnancy data completeness and feasibility in population-based surveys: EN-INDEPTH study. Population Health Metrics, 2021, 19, 12.	1.3	5
34	Post Abortion Contraceptive Use and Determinant Factors in Ethiopia: A Systematic Review and Meta-analysis. Current Women's Health Reviews, 2022, 18, .	0.1	1
35	Comparison of surgical versus medical termination of pregnancy between 13-20 weeks of gestation in Ethiopia: A quasi-experimental study. PLoS ONE, 2021, 16, e0249529.	1.1	2
36	The experiences of nurses and midwives who provide surgical abortion care: A qualitative systematic review. Journal of Advanced Nursing, 2021, 77, 3644-3656.	1.5	17

#	Article	IF	CITATIONS
37	Knowledge, Practice and Associated Factors Towards Medication Abortion Among Reproductive-Age Women in Sexual and Reproductive Health Clinics of Addis Ababa, Ethiopia, 2018: Cross-Sectional Study. International Journal of Women's Health, 2021, Volume 13, 489-499.	1.1	2
38	Dietary diversity among pregnant women and associated factors in Ethiopia: Systematic review and meta-analysis. PLoS ONE, 2021, 16, e0251906.	1.1	15
40	Regional and residential disparities in knowledge of abortion legality and availability of facility-based abortion services in Ethiopia. Contraception: X, 2021, 3, 100066.	0.6	2
41	Factors associated with unintended pregnancy in Ethiopia; further analysis of the 2016 Ethiopian demographic health survey data. BMC Pregnancy and Childbirth, 2021, 21, 486.	0.9	6
42	Providing universal access to modern contraceptive methods: An extended cost-effectiveness analysis of meeting the demand for modern contraception in Ethiopia. Social Science and Medicine, 2021, 281, 114076.	1.8	2
43	The state of global abortion data: an overview and call to action. BMJ Sexual and Reproductive Health, 2022, 48, 3-6.	0.9	9
44	Family planning utilization and associated factors among postpartum women in Addis Ababa, Ethiopia, 2018. PLoS ONE, 2021, 16, e0245123.	1.1	10
45	Repeat induced abortion and associated factors among women seeking abortion care services at Debre Markos town health institutions, Amhara regional state, Ethiopia, 2017. BMC Research Notes, 2020, 13, 44.	0.6	10
47	Estimating abortion incidence using the network scale-up method. Demographic Research, 0, 43, 1651-1684.	2.0	12
48	Maternal Mortality from Induced Abortion in Malawi: What Does the Latest Evidence Suggest?. International Journal of Environmental Research and Public Health, 2021, 18, 10506.	1.2	4
49	Assessment of determinant factors of pregnancy termination among women of reproductive age group in Ethiopia: Evidence from 2016 Ethiopian Demographic and Health Survey., 2019, 2, 010-015.		4
50	Expanding contraceptive choice in Ethiopia: a comparative analysis of method mixes in post-abortion contraception versus routine family planning. Gates Open Research, 0, 3, 1518.	2.0	2
54	Prevalence of Induced Abortion and its Associated Factors among Female Students of Health Science in South West Ethiopia. Open Nursing Journal, 2020, 14, 248-253.	0.2	5
55	Abortion Law and Policy Around the World: In Search of Decriminalization. Health and Human Rights, 2017, 19, 13-27.	1.3	45
56	An Assessment of Thirdâ€Party Reporting of Close Ties to Measure Sensitive Behaviors: The Confidante Method to Measure Abortion Incidence in Ethiopia and Uganda. Studies in Family Planning, 2021, 52, 513-538.	1.0	7
57	Postabortion Contraceptive Acceptance Rate and Its Determinants among Women Receiving Abortion Service before Discharge from the Health Facilities in Harar, Eastern Ethiopia. Obstetrics and Gynecology International, 2022, 2022, 1-8.	0.5	0
58	Late request for safe abortion care at a tertiary hospital in Ethiopia; the role of emotional factors: A crossâ€sectional study. International Journal of Gynecology and Obstetrics, 2022, 158, 462-468.	1.0	2
59	Determinants of induced abortion among women received maternal health care services in public hospitals of Arba Minch and Wolayita Sodo town, southern Ethiopia: unmatched case–control study. BMC Women's Health, 2022, 22, 107.	0.8	5

#	Article	IF	CITATIONS
60	Trends and predictors of modern contraceptive use among married women: Analysis of 2000–2016 Ethiopian Demographic and Health Surveys. Public Health in Practice, 2022, 3, 100243.	0.7	4
61	Navigating abortion law dilemmas: experiences and attitudes among Ethiopian health care professionals. BMC Medical Ethics, 2021, 22, 166.	1.0	2
62	Impact of the Trump Administration's Expanded Global Gag Rule Policy on Family Planning Service Provision in Ethiopia. Studies in Family Planning, 2022, 53, 339-359.	1.0	8
63	Signs of a turning tide in social norms and attitudes toward abortion in Ethiopia: Findings from a qualitative study in four regions. Reproductive Health, 2022, 19, .	1.2	4
64	Professionalism, stigma, and willingness to provide patient-centered safe abortion counseling and care: a mixed methods study of Ethiopian midwives. Reproductive Health, 2022, 19, .	1.2	3
65	Agenda setting and socially contentious policies: Ethiopia's 2005 reform of its law on abortion. Reproductive Health, 2022, 19, .	1.2	6
66	Evaluation of the Amharic version of the London measure of unplanned pregnancy in Ethiopia. PLoS ONE, 2022, 17, e0269781.	1.1	4
67	Attitudes toward safe abortion care and its associated factors among health care providers working in public health facilities in eastern Ethiopia. SAGE Open Medicine, 2022, 10, 205031212211077.	0.7	3
68	Knowledge, attitudeÂand factors associated with induced abortion among female students †of Private Colleges in Ambo town, Oromia regional state, Ethiopia: a cross-sectional study. BMC Women's Health, 2022, 22, .	0.8	1
69	Safe abortion service utilization and associated factors among insecurely housed women who experienced abortion in southwest Ethiopia, 2021: A community-based cross-sectional study. PLoS ONE, 2022, 17, e0272939.	1.1	1
70	Repeat-induced abortion and associated factors among reproductive-age women seeking abortion services in South Ethiopia. Women's Health, 2022, 18, 174550572211225.	0.7	2
71	High Seroprevalence of Hepatitis B and C Virus Infections among Pregnant Women Attending Antenatal Clinic in Borumeda General Hospital, Northeast Ethiopia. BioMed Research International, 2022, 2022, 1-11.	0.9	4
72	Magnitude of second-trimester-induced abortion and associated factors among women who received abortion service at public hospitals of Arba Minch and Wolayita Sodo towns, southern Ethiopia: A cross-sectional study. Frontiers in Global Women S Health, 0, 3, .	1.1	0
73	Availability of postabortion care services in Ethiopia: Estimates from a 2020 national sample of public facilities. Contraception: X, 2022, 4, 100087.	0.6	1
74	"l was afraid they will be judging me and even deny me the service― Experiences of denial and dissuasion during abortion care in Ethiopia. Frontiers in Global Women S Health, 0, 3, .	1.1	5
75	Community-based intervention improves abortion knowledge and reduces abortion stigma among women in Oromia, Ethiopia: a quasi-experimental mixed methods evaluation. BMC Women's Health, 2022, 22, .	0.8	1
76	What is the relationship between contraceptive services and knowledge of abortion availability and legality? Evidence from a national sample of women and facilities in Ethiopia. Health Policy and Planning, 0, , .	1.0	0
77	Postabortion Contraceptive Utilization, Preferences, and Associated Factors among Women Receiving Abortion Care Services in Health Facilities of Ambo Town, Ethiopia. International Journal of Reproductive Medicine, 2022, 2022, 1-10.	0.4	0

#	Article	IF	CITATIONS
78	Magnitude of Modern Contraceptive Utilization and its Associated Factors Among Postpartum Women in Bench Sheko Zone, Southwest Ethiopia, 2021: Community-Based Cross-Sectional Study. SAGE Open, 2023, 13, 215824402211481.	0.8	0
79	Induced abortion among female students in higher education institutions in Ethiopia: A systematic review and meta-analysis. PLoS ONE, 2023, 18, e0280084.	1.1	1
80	Postabortion and safe abortion care coverage, capacity, and caseloads during the global gag rule policy period in Ethiopia and Uganda. BMC Health Services Research, 2023, 23, .	0.9	2