## CITATION REPORT List of articles citing

Imaging Land Subsidence Induced by Groundwater Extraction in Beijing (China) Using Satellite Radar Interferon

DOI: 10.3390/rs8060468 Remote Sensing, 2016, 8, 468.

Source: https://exaly.com/paper-pdf/63223581/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
120	Hybrid-SAR Technique: Joint Analysis Using Phase-Based and Amplitude-Based Methods for the Xishancun Giant Landslide Monitoring. <i>Remote Sensing</i> , <b>2016</b> , 8, 874	5	19
119	Surface Subsidence Analysis by Multi-Temporal InSAR and GRACE: A Case Study in Beijing. <b>2016</b> , 16,		23
118	Monitoring activity at the Daguangbao mega-landslide (China) using Sentinel-1 TOPS time series interferometry. <b>2016</b> , 186, 501-513		94
117	InSAR time-series investigation of long-term ground displacement at Beijing Capital International Airport, China. <b>2016</b> , 691, 271-281		46
116	Quantifying groundwater exploitation induced subsidence in the Rafsanjan plain, southeastern Iran, using InSAR time-series and in situ measurements. <b>2017</b> , 218, 134-151		113
115	Predicting Plant Invasions Following Chinaß Water Diversion Project. 2017, 51, 1450-1457		12
114	Land subsidence prediction in Beijing based on PS-InSAR technique and improved Grey-Markov model. <b>2017</b> , 54, 797-818		28
113	Characterizing land displacement in complex hydrogeological and geological settings: a case study in the Beijing Plain, China. <b>2017</b> , 87, 323-343		7
112	Multiband PSInSAR and long-period monitoring of land subsidence in a strategic detrital aquifer (Vega de Granada, SE Spain): An approach to support management decisions. <b>2017</b> , 553, 71-87		16
111	Ground deformation monitoring in Beijing using both Sentinel and ALOS. 2017,		
110	Earth Observations for Geohazards: Present and Future Challenges. <i>Remote Sensing</i> , <b>2017</b> , 9, 194	5	24
109	InSAR Time-Series Analysis of Land Subsidence under Different Land Use Types in the Eastern Beijing Plain, China. <i>Remote Sensing</i> , <b>2017</b> , 9, 380	5	33
108	Measuring Spatiotemporal Features of Land Subsidence, Groundwater Drawdown, and Compressible Layer Thickness in Beijing Plain, China. <i>Water (Switzerland)</i> , <b>2017</b> , 9, 64	3	20
107	Introducing a new framework for mapping subsidence vulnerability indices (SVIs): ALPRIFT. <b>2018</b> , 628-629, 1043-1057		24
106	NChina16: A stable geodetic reference frame for geological hazard studies in North China. <b>2018</b> , 115, 10-22		10
105	Review: WaterEock interactions and related eco-environmental effects in typical land subsidence zones of China. <b>2018</b> , 26, 1339-1349		8
104	Groundwater-pumping optimization for land-subsidence control in Beijing plain, China. <b>2018</b> , 26, 1061-	-1081	23

103	Subsidence in the Kathmandu Basin, before and after the 2015 Mw 7.8 Gorkha Earthquake, Nepal Revealed from Small Baseline Subset-DInSAR Analysis. <b>2018</b> , 55, 604-621		8
102	Long-term groundwater storage changes and land subsidence development in the North China Plain (1971🛮 015). <b>2018</b> , 26, 1417-1427		80
101	Mapping land subsidence over the eastern Beijing city using satellite radar interferometry** Establishments: LG and XL proposed the topic and evaluated the accuracy of the results, ZD performed the entire analysis and wrote the manuscript, AN and LL helped with the TS-InSAR		19
100	analysis. View all notes. 2018, 11, 504-519 Interferometric synthetic aperture radar atmospheric correction using a GPS-based iterative tropospheric decomposition model. 2018, 204, 109-121		137
99	Spatiotemporal Evolution of Land Subsidence in the Beijing Plain 2003\(\bar{u}\)015 Using Persistent Scatterer Interferometry (PSI) with Multi-Source SAR Data. <i>Remote Sensing</i> , <b>2018</b> , 10, 552	5	25
98	Modeling the two- and three-dimensional displacement field in Lorca, Spain, subsidence and the global implications. <b>2018</b> , 8, 14782		19
97	Monitoring Highway Stability in Permafrost Regions with X-band Temporary Scatterers Stacking InSAR. <b>2018</b> , 18,		18
96	Announcement: Remote Sensing 2017 Best Guest Editor Award. <i>Remote Sensing</i> , <b>2018</b> , 10, 238	5	
95	Multi-Scale Analysis of the Relationship between Land Subsidence and Buildings: A Case Study in an Eastern Beijing Urban Area Using the PS-InSAR Technique. <i>Remote Sensing</i> , <b>2018</b> , 10, 1006	5	31
94	An improved atmospheric correction method in repeat-pass InSAR measurements. <b>2018</b> , 39, 7276-729.	2	1
93	Regional Land Subsidence Analysis in Eastern Beijing Plain by InSAR Time Series and Wavelet Transforms. <i>Remote Sensing</i> , <b>2018</b> , 10, 365	5	33
92	Ten Years of Experience with Scientific TerraSAR-X Data Utilization. <i>Remote Sensing</i> , <b>2018</b> , 10, 1170	5	7
91	Land Subsidence and Ground Fissures in Beijing Capital International Airport (BCIA): Evidence from Quasi-PS InSAR Analysis. <i>Remote Sensing</i> , <b>2019</b> , 11, 1466	5	24
90	Demonstration of Time-Series InSAR Processing in Beijing Using a Small Stack of Gaofen-3 Differential Interferograms. <b>2019</b> , 2019, 1-13		10
89	Remotely sensing large- and small-scale ground subsidence: A case study of the Guangdong⊞ong KongMacao Greater Bay Area of China. <b>2019</b> , 232, 111282		44
88	Analyzing Mega City-Regions through Integrating Urbanization and Eco-Environment Systems: A Case Study of the Beijing-Tianjin-Hebei Region. <b>2019</b> , 16,		17
87	Analysis of the Spatiotemporal Variation in Land Subsidence on the Beijing Plain, China. <i>Remote Sensing</i> , <b>2019</b> , 11, 1170	5	18
86	Land subsidence in Beijing and its relationship with geological faults revealed by Sentinel-1 InSAR observations. <b>2019</b> , 82, 101886		39

85	Optimizing water resources allocation in the Haihe River basin under groundwater sustainability constraints. <b>2019</b> , 29, 935-958	9
84	Ground Deformation Analysis of Bolvadin (W. Turkey) by Means of Multi-Temporal InSAR Techniques and Sentinel-1 Data. <i>Remote Sensing</i> , <b>2019</b> , 11, 1069	18
83	Time-series evolution patterns of land subsidence in the eastern Beijing Plain, China. <i>Remote Sensing</i> , <b>2019</b> , 11, 539	14
82	Quantifying the contribution of multiple factors to land subsidence in the Beijing Plain, China with machine learning technology. <b>2019</b> , 335, 48-61	28
81	Landslide detection in La Paz City (Bolivia) based on time series analysis of InSAR data. <b>2019</b> , 40, 6775-6795	7
80	Deformation Monitoring of Earth Fissure Hazards Using Terrestrial Laser Scanning. <b>2019</b> , 19,	10
79	Post-disaster assessment of 2017 catastrophic Xinmo landslide (China) by spaceborne SAR interferometry. <b>2019</b> , 16, 1189-1199	21
78	Does Crop Rotation Enhance Groundwater Health? A Review of the Winter Wheat Fallow Policy in the North China Plain. <i>Water (Switzerland)</i> , <b>2019</b> , 11, 2416	1
77	Monitoring Differential Subsidence along the Beijing-Tianjin Intercity Railway with Multiband SAR Data. <b>2019</b> , 16,	6
76	Integration of Range Split Spectrum Interferometry and conventional InSAR to monitor large gradient surface displacements. <b>2019</b> , 74, 130-137	6
75	Land subsidence lagging quantification in the main exploration aquifer layers in Beijing plain, China. <b>2019</b> , 75, 54-67	33
74	Reduced rate of land subsidence since 2016 in Beijing, China: evidence from Tomo-PSInSAR using RadarSAT-2 and Sentinel-1 datasets. <b>2020</b> , 41, 1259-1285	13
73	Improving multi-technique monitoring using Sentinel-1 and Cosmo-SkyMed data and upgrading groundwater model capabilities. <b>2020</b> , 703, 134757	9
72	The modulation of groundwater exploitation on crustal stress in the North China Plain, and its implications on seismicity. <b>2020</b> , 189, 104141	5
71	Change in regional land subsidence in Beijing after south-to-north water diversion project observed using satellite radar interferometry. <b>2020</b> , 57, 140-156	13
70	Water-saving agriculture can deliver deep water cuts for China. <b>2020</b> , 154, 104578	17
69	South-to-North Water Diversion stabilizing Beijingß groundwater levels. 2020, 11, 3665	90
68	An Improved Multi-Sensor MTI Time-Series Fusion Method to Monitor the Subsidence of Beijing Subway Network during the Past 15 Years. <i>Remote Sensing</i> , <b>2020</b> , 12, 2125	4

## (2021-2020)

67	Spatial Analysis of Land Subsidence in the San Luis Potosi Valley Induced by Aquifer Overexploitation Using the Coherent Pixels Technique (CPT) and Sentinel-1 InSAR Observation. <i>Remote Sensing</i> , <b>2020</b> , 12, 3822	5	5
66	Quantifying Ground Subsidence Associated with Aquifer Overexploitation Using Space-Borne Radar Interferometry in Kabul, Afghanistan. <i>Remote Sensing</i> , <b>2020</b> , 12, 2461	5	8
65	Detection of Seasonal Deformation of Highway Overpasses Using the PS-InSAR Technique: A Case Study in Beijing Urban Area. <i>Remote Sensing</i> , <b>2020</b> , 12, 3071	5	6
64	A study of land subsidence problems by ALPRIFT for vulnerability indexing and risk indexing and treating subjectivity by strategy at two levels. <b>2020</b> , 22, 1640-1662		7
63	Time-Series Analysis of Subsidence in Nanning, China, Based on Sentinel-1A Data by the SBAS InSAR Method. <b>2020</b> , 88, 291-304		2
62	Towards a revised framework of modified time series InSAR for mapping land deformation. <b>2020</b> , 94, 1		1
61	Land Surface Subsidence Due to Mining-Induced Tremors in the Upper Silesian Coal Basin (Poland) Lase Study. <i>Remote Sensing</i> , <b>2020</b> , 12, 3923	5	10
60	Sentinel-1 Data for Underground Processes Recognition in Bucharest City, Romania. <i>Remote Sensing</i> , <b>2020</b> , 12, 4054	5	2
59	Recent Ground Subsidence in the North China Plain, China, Revealed by Sentinel-1A Datasets. <i>Remote Sensing</i> , <b>2020</b> , 12, 3579	5	6
58	Land subsidence and its relation with groundwater aquifers in Beijing Plain of China. <b>2020</b> , 735, 139111		31
57	Disruptive influences of residual noise, network configuration and data gaps on InSAR-derived land motion rates using the SBAS technique. <b>2020</b> , 247, 111941		11
56	Land subsidence from interferometric SAR and groundwater patterns in the Qazvin plain, Iran. <b>2020</b> , 41, 4780-4798		18
55	Land subsidence along the Beijing lianjin Intercity Railway during the period of the South-to-North Water Diversion Project. <b>2020</b> , 41, 4447-4469		6
54	Transforming subsidence vulnerability indexing based on ALPRIFT into risk indexing using a new fuzzy-catastrophe scheme. <b>2020</b> , 82, 106352		14
53	Potential Impacts of Future Climate Change Scenarios on Ground Subsidence. <i>Water (Switzerland)</i> , <b>2020</b> , 12, 219	3	6
52	Diagnosing Subsidence Geohazard at Beijing Capital International Airport, from High-Resolution SAR Interferometry. <b>2020</b> , 12, 2269		9
51	The Water Status in China and an Adaptive Governance Frame for Water Management. 2020, 17,		7
50	Flood Risk Assessment of Subway Systems in Metropolitan Areas under Land Subsidence Scenario: A Case Study of Beijing. <i>Remote Sensing</i> , <b>2021</b> , 13, 637	5	3

Land subsidence in Beijing from 2017-2018 revealed by Sentinel-1A TOPS time series interferometry. **2021**, 638, 012043

48	Satellite InSAR survey of structurally-controlled land subsidence due to groundwater exploitation in the Aguascalientes Valley, Mexico. <b>2021</b> , 254, 112254		27
47	Land subsidence due to groundwater pumping: hazard probability assessment through the combination of Bayesian model and fuzzy set theory. <b>2021</b> , 21, 823-835		4
46	Land Subsidence Induced by Rapid Urbanization in Arid Environments: A Remote Sensing-Based Investigation. <i>Remote Sensing</i> , <b>2021</b> , 13, 1109	5	9
45	A decade-long silent ground subsidence hazard culminating in a metropolitan disaster in Macei Brazil. <b>2021</b> , 11, 7704		4
44	An Architecture for IoT-Enabled Smart Transportation Security System: A Geospatial Approach. <b>2021</b> , 8, 6205-6213		13
43	Impacts of Large-Scale Groundwater Exploitation Based on Long-Term Evolution of Hydraulic Heads in Dhaka City, Bangladesh. <i>Water (Switzerland)</i> , <b>2021</b> , 13, 1357	3	6
42	Variation in the rate of land subsidence induced by groundwater extraction and its effect on the response pattern of soil microbial communities. <b>2021</b> , 46, 1898-1908		O
41	Tropospheric Correction of Sentinel-1 Synthetic Aperture Radar Interferograms Using a High-Resolution Weather Model Validated by GNSS Measurements. <i>Remote Sensing</i> , <b>2021</b> , 13, 2258	5	0
40	A spatiotemporal analysis of the relationship between groundwater level and ground surface displacement using Sentinel-1 SAR data. <b>2021</b> , 14, 1		O
39	Numerical groundwater modeling and scenario analysis of Beijing plain: implications for sustainable groundwater management in a region with intense groundwater depletion. <b>2021</b> , 80, 1		1
38	Three-Dimensional Surface Displacement of the Eastern Beijing Plain, China, Using Ascending and Descending Sentinel-1A/B Images and Leveling Data. <i>Remote Sensing</i> , <b>2021</b> , 13, 2809	5	2
37	Land subsidence: A global challenge. <b>2021</b> , 778, 146193		15
36	An extension-dominant 9-km-long ground failure along a buried geological fault on the eastern Beijing Plain, China. <b>2021</b> , 289, 106168		O
35	Geomorphological and anthropic impacts over land surface displacements: application of DInSAR technique to the case of Bahil Blanca city, Argentina. 1-21		1
34	Investigating Ground Subsidence and the Causes over the Whole Jiangsu Province, China Using Sentinel-1 SAR Data. <i>Remote Sensing</i> , <b>2021</b> , 13, 179	5	4
33	Geostatistical Analysis of Settlements Induced by Groundwater Extraction. 2017, 350-364		8
32	An Integrated Model for the Assessment of Subsidence Risk in the Area of Bologna (Italy). <b>2020</b> , 358-3	68	

31	Ionospheric correction of ALOS-2 full-aperture ScanSAR interferometric data for surface deformation measurement in Beijing. <b>2019</b> , 2019, 5685-5688		1
30	Design of Multi-antenna BeiDou High-Precision Positioning System. <b>2020</b> , 1435-1442		
29	Revealing Land Subsidence in Beijing by Sentinel-1 Time Series InSAR. <b>2020</b> , 622-628		
28	Land subsidence in Beijing from 2017-2018 revealed by Sentinel-1A TOPS time series interferometry. <b>2020</b> , 218, 04002		
27	Land subsidence and rebound in the Taiyuan basin, northern China, in the context of inter-basin water transfer and groundwater management. <b>2021</b> , 269, 112792		4
26	Kinematic Behavior Analysis of the Wadi Landslide From Time-Series Sentinel-1 Data. <b>2021</b> , 1-1		5
25	Estimation, modeling, and prediction of land subsidence using Sentinel-1 time series in Tehran-Shahriar plain: A machine learning-based investigation. <b>2022</b> , 25, 100691		
24	Multi-Temporal Analysis of Groundwater Depletion-Induced Land Subsidence in Central Ganga Alluvial Plain, Northern India. 1-22		2
23	Spatiotemporal Variation of Groundwater Extraction Intensity Based on GeostatisticsBet Pair Analysis in Daxing District of Beijing, China. <b>2022</b> , 14, 4341		0
22	ValInSAR: A systematic approach for the validation of Differential SAR Interferometry in land subsidence areas. <b>2022</b> , 1-1		
21	Interpretation of the Spatiotemporal Evolution Characteristics of Land Deformation in Beijing during 2003\( \textit{D}020 \) Using Sentinel, ENVISAT, and Landsat Data. Remote Sensing, 2022, 14, 2242	5	2
20	Beijing Land Subsidence Revealed Using PS-InSAR with Long Time Series TerraSAR-X SAR Data. <i>Remote Sensing</i> , <b>2022</b> , 14, 2529	5	1
19	Groundwater and Urban Planning Perspective. Water (Switzerland), 2022, 14, 1627	3	0
18	Land Subsidence Monitoring Method in Regions of Variable Radar Reflection Characteristics by Integrating PS-InSAR and SBAS-InSAR Techniques. <i>Remote Sensing</i> , <b>2022</b> , 14, 3265	5	1
17	PS-InSAR Based Monitoring of Land Subsidence by Groundwater Extraction for Lahore Metropolitan City, Pakistan. <b>2022</b> , 14, 3950		O
16	Review: Urban groundwater issues and resource management, and their roles in the resilience of cities.		1
15	Identification and assessment of land subsidence development in rural areas using PS interferometry: a case study in Western Michoacan, Mexico. <b>2022</b> , 81,		
14	Sentinel-1 Interferometric Synthetic Aperture Radar (InSAR) reveals continued ground deformation in and around Metro Manila, Philippines, associated with groundwater exploitation.		1

13 Land subsidence prediction model based on its influencing factors and machine learning methods.

12	Measuring Land Surface Deformation over Soft Clay Area Based on an FIPR SAR Interferometry Algorithm Case Study of Beijing Capital International Airport (China). <b>2022</b> , 14, 4253	О
11	Aquifer and Land Subsidence Interaction Assessment Using Sentinel-1 Data and DInSAR Technique. <b>2022</b> , 11, 495	0
10	Review of satellite radar interferometry for subsidence analysis. <b>2022</b> , 104239	1
9	Characterizing Spatiotemporal Patterns of Land Subsidence after the South-to-North Water Diversion Project Based on Sentinel-1 InSAR Observations in the Eastern Beijing Plain. <b>2022</b> , 14, 5810	1
8	Spatial and Temporal Evolution of Ground Subsidence in the Beijing Plain Area Using Long Time Series Interferometry. <b>2023</b> , 16, 153-165	1
7	Urban Subsidence monitoring in Pohang city using time-series InSAR technique. 2022,	0
6	Integrated analysis of Hashtgerd plain deformation, using Sentinel-1 SAR, geological and hydrological data. <b>2022</b> , 12,	O
5	Land subsidence prediction model based on its influencing factors and machine learning methods.	O
4	Urban surface deformation monitoring and prediction by integrating SBAS-InSAR and Elman neural network. 1-14	o
3	Cost-benefit analysis of mitigating subsidence damage in Semarang and Demak, Indonesia. 2,	O
2	Review on the Use of Satellite-Based Radar Interferometry for Monitoring Mining Subsidence in Urban Areas and Demographic Indicators Assessment. <b>2023</b> , 29, 42-62	O
1	A Multi-Scale Spatial Difference Approach to Estimating Topography Correlated Atmospheric Delay in Radar Interferograms. <b>2023</b> , 15, 2115	О