

“Exercise as medicine” in chronic kidney disease

Scandinavian Journal of Medicine and Science in Sports
26, 985-988

DOI: [10.1111/sms.12714](https://doi.org/10.1111/sms.12714)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Acute exercise does not impair renal function in nondialysis chronic kidney disease patients regardless of disease stage. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F547-F552.	2.7	11
2	Prehabilitation for kidney transplant candidates: Is it time?. <i>Clinical Transplantation</i> , 2017, 31, e13020.	1.6	39
3	Surveillance of Dialysis Events: one-year experience at 33 outpatient hemodialysis centers in China. <i>Scientific Reports</i> , 2017, 7, 249.	3.3	7
4	The physical deterioration of dialysis patientsâ€”Ignored, illâ€”reported, and illâ€”treated. <i>Seminars in Dialysis</i> , 2017, 30, 409-412.	1.3	16
5	Effect of habitual exercise on urinary liverâ€”type fatty acidâ€”binding protein levels in middleâ€”aged and older adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 152-160.	2.9	12
6	Resistance training downregulates macrophages infiltration in the kidney of 5/6 nephrectomized rats. <i>Life Sciences</i> , 2018, 213, 190-197.	4.3	7
7	Satellite cell function, intramuscular inflammation and exercise in chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 810-821.	2.9	13
8	â€œA Learned Soul to Guide Meâ€: The Voices of Those Living with Kidney Disease Inform Physical Activity Programming. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018, 70, 289-295.	0.6	7
9	Twelve-week combined resistance and aerobic training confers greater benefits than aerobic training alone in nondialysis CKD. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F1188-F1196.	2.7	52
10	Quality over quantity? Association of skeletal muscle myosteatosis and myofibrosis on physical function in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1344-1353.	0.7	48
11	Twelve weeks of supervised exercise improves self-reported symptom burden and fatigue in chronic kidney disease: a secondary analysis of the â€”ExTra CKDâ€™ trial. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 113-121.	2.9	36
12	A Global Approach to Increasing Physical Activity and Exercise in Kidney Care: The International Society of Renal Nutrition and Metabolism Global Renal Exercise Group. , 2019, 29, 467-470.		27
13	Association of Fitness With Racial Differences in Chronic Kidney Disease. <i>American Journal of Preventive Medicine</i> , 2019, 57, 68-76.	3.0	3
14	Aerobic exercise effects in renal function and quality of life of patients with advanced chronic kidney disease. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2019, 65, 657-662.	0.7	8
15	Sustained exercise programs for hemodialysis patients: The characteristics of successful approaches in Portugal, Canada, Mexico, and Germany. <i>Seminars in Dialysis</i> , 2019, 32, 320-330.	1.3	20
16	The â€œMinimum Clinically Important Differenceâ€•in Frequently Reported Objective Physical Function Tests After a 12-Week Renal Rehabilitation Exercise Intervention in Nondialysis Chronic Kidney Disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 431-437.	1.4	20
17	Exercising to offset muscle mass loss in hemodialysis patients: The disconnect between intention and intervention. <i>Seminars in Dialysis</i> , 2019, 32, 379-385.	1.3	11
18	Exercise interventions for improving objective physical function in patients with end-stage kidney disease on dialysis: a systematic review and meta-analysis. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, F856-F872.	2.7	117

#	ARTICLE	IF	CITATIONS
19	Chronic Kidney Disease in the Primary Care Setting: Cardiovascular Disease Risk and Management. <i>Contemporary Cardiology</i> , 2019, , 179-216.	0.1	0
20	Virtual reality exercise intradialysis to improve physical function: A feasibility randomized trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 89-94.	2.9	28
21	Could sestrins 2 be the secret of resistance exercise benefiting dialytic patients?. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2198-2199.	0.7	5
22	Bright and dark sides of exercise effects on biological responses such as energy metabolism and renal function in rats with renal failure and fructose-induced glucose intolerance. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2020, 66, 198-205.	1.4	0
23	Swimming Exercise Ameliorates Hypertension-Induced Kidney Dysfunction via Alleviating Renal Interstitial Fibrosis and Apoptosis. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 219-228.	2.0	14
24	Long-term intradialytic hybrid exercise training on fatigue symptoms in patients receiving hemodialysis therapy. <i>International Urology and Nephrology</i> , 2021, 53, 771-784.	1.4	13
25	Associations of Socioeconomic Status and Physical Activity With Obesity Measures in Rural Chinese Adults. <i>Frontiers in Public Health</i> , 2020, 8, 594874.	2.7	4
26	Diabetes mellitus, metabolic syndrome, and physical activity among Ethiopians: A systematic review. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 257-265.	3.6	6
27	Physical Activity and Health in Chronic Kidney Disease. <i>Contributions To Nephrology</i> , 2021, 199, 43-55.	1.1	14
28	Effects of pre-dialysis resistance training on sarcopenia, inflammatory profile, and anemia biomarkers in older community-dwelling patients with chronic kidney disease: a randomized controlled trial. <i>International Urology and Nephrology</i> , 2021, 53, 2137-2147.	1.4	20
29	The ZE-Tunnel: An Affordable, Easy-to-Assemble, and User-Friendly Benchtop Zebrafish Swim Tunnel. <i>Zebrafish</i> , 2021, 18, 29-41.	1.1	3
30	Ejercicio fsico intradilisis en pacientes con enfermedad renal crnica: caractersticas de la carga y beneficios. Una revisin de la literatura.. <i>Movimiento Cientfico</i> , 2021, 14, 1-9.	0.0	0
31	Effects of aerobic exercise on patients with pre-dialysis chronic kidney disease: a systematic review of randomized controlled trials. <i>Disability and Rehabilitation</i> , 2022, 44, 4179-4188.	1.8	5
32	Altered Amino Acid Metabolism in Patients with Cardiorenal Syndrome Type 2: Is It a Problem for Protein and Exercise Prescriptions?. <i>Nutrients</i> , 2021, 13, 1632.	4.1	2
34	Cluster Randomized Controlled Trial on the Effects of 12 Months of Combined Exercise Training during Hemodialysis in Patients with Chronic Kidney Disease–Study Protocol of the Dialysis Training Therapy (DiaTT) Trial. <i>Methods and Protocols</i> , 2021, 4, 60.	2.0	8
35	Home-Based Exercise for People With Chronic Kidney Disease: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2021, 18, 1143-1154.	2.0	0
36	Effects of transcranial direct current stimulation associated with an aerobic exercise bout on blood pressure and autonomic modulation of hypertensive patients: A pilot randomized clinical trial. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102866.	2.8	1
37	Blood Flow Restriction Training Blunts Chronic Kidney Disease Progression in Humans. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 249-257.	0.4	23

#	ARTICLE	IF	CITATIONS
38	A Novel Approach to Evaluating the Performance of Physical Fitness by Combining Statistical Inference with the Radar Chart. <i>Journal of Testing and Evaluation</i> , 2018, 46, 1498-1507.	0.7	8
39	Salvianolic acid B attenuates renal interstitial fibrosis by regulating the HPSE/SDC1 axis. <i>Molecular Medicine Reports</i> , 2020, 22, 1325-1334.	2.4	17
40	Respiratory and muscular effects of a physiotherapy protocol carried out during hemodialysis in individuals with chronic renal failure: preliminary results.. <i>Motriz Revista De Educacao Fisica</i> , 2020, 26, .	0.2	3
41	Actividad f�sica y ejercicio en tiempos de COVID-19. <i>CES Medicina</i> , 0, 34, 51-58.	0.1	8
42	Exercise training for individuals with advanced chronic kidney disease. , 2022, , 937-970.		0
43	Exercise-induced changes in climbing performance. <i>Royal Society Open Science</i> , 2021, 8, 211275.	2.4	3
44	Measuring Exercise-Induced Secreted Protein Acidic and Rich in Cysteine Expression as a Molecular Tool to Optimize Personalized Medicine. <i>Genes</i> , 2021, 12, 1832.	2.4	10
45	Lockdown and its impact on food and exercise study. <i>Acta Medica International</i> , 2021, 8, 125.	0.2	0
46	BM-MSc-derived small extracellular vesicles (sEV) from trained animals presented nephroprotective potential in unilateral ureteral obstruction model. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2021, 27, e20200187.	1.4	0
47	Physical Activity and Health-Related Quality of Life of Patients on Hemodialysis with Comorbidities: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 811.	2.6	13
49	Validation of the functional assessment of anorexia/cachexia therapy instrument to assess quality of life in maintenance hemodialysis patients with cachexia. <i>Seminars in Dialysis</i> , 2022, , .	1.3	1
50	Physical Exercise in New Health Concepts: A Clinician Point of View. <i>BIO Integration</i> , 2022, 3, .	1.3	0
51	Effects of whole-body vibration exercise in patients with chronic kidney disease: a systematic review. <i>Disability and Rehabilitation</i> , 2023, 45, 415-424.	1.8	1
52	Relationship Between Old-Aged Preferences Regarding Various Types of Physical Activity and Chronic Disease Status: A Cross-Sectional Study in Shanghai, China. <i>Frontiers in Public Health</i> , 2022, 10, 865328.	2.7	3
53	Correlation between Physical Activity and Psychological Distress in Patients Receiving Hemodialysis with Comorbidities: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3972.	2.6	7
54	MicroRNA levels in hemodialysis patients following resistance training: Associations with functional performance, inflammatory profile, sestrins-2, and nitric oxide. <i>Experimental Gerontology</i> , 2022, 162, 111761.	2.8	2
55	Role of Physical Activity in Lowering Risk of End-Stage Renal Disease. <i>Mayo Clinic Proceedings</i> , 2022, 97, 881-893.	3.0	3
57	The effects of exercise on kidney injury: the role of SIRT1. <i>Molecular Biology Reports</i> , 2022, 49, 4025-4038.	2.3	7

#	ARTICLE	IF	CITATIONS
58	Estágios da doença renal crônica e suas associações com o nível de atividade física, qualidade de vida e perfil nutricional. Revista Brasileira De Atividade Física E Saúde, 0, 27, 1-9.	0.1	1
59	Association Between Exercise Self-Efficacy and Health-Related Quality of Life Among Dialysis Patients: A Cross-Sectional Study. Frontiers in Psychology, 0, 13, .	2.1	0
60	Effect of Exercise on Inflammation in Hemodialysis Patients: A Systematic Review. Journal of Personalized Medicine, 2022, 12, 1188.	2.5	11
61	Influence of sex differences in maintenance-hemodialysis participants on motivation of exercise therapy implementation: a multicenter cross-sectional study. Journal of Nephrology, 2022, 35, 2067-2075.	2.0	1
62	Bicycle ergometer exercise during hemodialysis and its impact on quality of life, aerobic fitness and dialysis adequacy: A pilot study. Complementary Therapies in Clinical Practice, 2022, 49, 101669.	1.7	1
63	Association of Metabolically Healthy Obesity and Glomerular Filtration Rate among Male Steelworkers in North China. International Journal of Environmental Research and Public Health, 2022, 19, 11764.	2.6	1
64	Aerobic exercise inhibits renal EMT by promoting irisin expression in SHR. IScience, 2023, 26, 105990.	4.1	1
66	Physical exercise as a modulator of the purinergic system in the control of sarcopenia in individuals with chronic kidney disease on hemodialysis. Purinergic Signalling, 0, , .	2.2	0
67	Multimodal interventions for cachexia management. The Cochrane Library, 2023, 2023, .	2.8	0
68	Effect of exercise on quality of life of patients with Chronic Kidney Disease. Research Journal of Pharmacy and Technology, 2023, , 3195-3200.	0.8	0
69	A Mendelian randomization study: physical activities and chronic kidney disease. Renal Failure, 2024, 46, .	2.1	0
70	The Acute, Combined, and Separate Effects of Cold Hemodialysis and Intradialytic Exercise in Insulin Sensitivity and Glucose Disposal. ASAIO Journal, 2024, 70, 436-441.	1.6	0
72	Transcriptome analysis provides insights into high fat diet-induced kidney injury and moderate intensity continuous training-mediated protective effects. Heliyon, 2024, 10, e27157.	3.2	0
73	Exercise in Diabetic Nephropathy: Protective Effects and Molecular Mechanism. International Journal of Molecular Sciences, 2024, 25, 3605.	4.1	0