

CITATION REPORT

List of articles citing

An Individualized Risk Calculator for Research in Prodromal Psychosis

DOI: 10.1176/appi.ajp.2016.15070890
American Journal of Psychiatry, 2016, 173, 980-988.

Source: <https://exaly.com/paper-pdf/63388953/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
398	Introduction to the JINS Special Issue: Preclinical Prediction. 2016 , 22, 951-955		
397	2016 in Review. <i>American Journal of Psychiatry</i> , 2016 , 173, 1167-1170	11.9	1
396	Early Detection of Psychosis Vulnerability: Progress, Opportunity, and Caution. <i>American Journal of Psychiatry</i> , 2016 , 173, 949-950	11.9	6
395	Childhood pegboard task predicts adult-onset psychosis-spectrum disorder among a genetic high-risk sample. <i>Schizophrenia Research</i> , 2016 , 178, 68-73	3.6	4
394	Vulnerability, Stress, and Support in the Disease Trajectory from Prodrome to Diagnosed Schizophrenia: Diathesis-Stress-Support Model. 2016 , 30, 810-817		12
393	Cross-Cutting Advancements Usher in a New Era for Motor Research in Psychosis. 2016 , 42, 1322-1325		14
392	Association of Neurocognition With Transition to Psychosis: Baseline Functioning in the Second Phase of the North American Prodrome Longitudinal Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1239-1248	14.5	158
391	The Clinical High-Risk State for Psychosis (CHR-P), Version II. 2017 , 43, 44-47		125
390	The Youth Mental Health Risk and Resilience Study (YouR-Study). <i>BMC Psychiatry</i> , 2017 , 17, 43	4.2	16
389	Progressive Decline in Hippocampal CA1 Volume in Individuals at Ultra-High-Risk for Psychosis Who Do Not Remit: Findings from the Longitudinal Youth at Risk Study. 2017 , 42, 1361-1370		48
388	At Risk for Serious Mental Illness - Screening Children of Patients with Mood Disorders or Schizophrenia. 2017 , 376, 910-912		17
387	Baseline demographics, clinical features and predictors of conversion among 200 individuals in a longitudinal prospective psychosis-risk cohort. <i>Psychological Medicine</i> , 2017 , 47, 1923-1935	6.9	43
386	Is the Clinical High-Risk State a Valid Concept? Retrospective Examination in a First-Episode Psychosis Sample. 2017 , 68, 1046-1052		43
385	Brain network characteristics separating individuals at clinical high risk for psychosis into normality or psychosis. <i>Schizophrenia Research</i> , 2017 , 190, 107-114	3.6	5
384	Predicting Psychosis with Accuracy. <i>Schizophrenia Research</i> , 2017 , 181, 4-5	3.6	
383	Utility of risk-status for predicting psychosis and related outcomes: evaluation of a 10-year cohort of presenters to a specialised early psychosis community mental health service. <i>Psychiatry Research</i> , 2017 , 247, 336-344	9.9	18
382	Canadian Treatment Guidelines for Individuals at Clinical High Risk of Psychosis. 2017 , 62, 656-661		32

381	Evolving Notions of Schizophrenia as a Developmental Neurocognitive Disorder. 2017 , 23, 881-892		45
380	Using molecular imaging to understand early schizophrenia-related psychosis neurochemistry: a review of human studies. 2017 , 29, 555-566		5
379	Checking the predictive accuracy of basic symptoms against ultra high-risk criteria and testing of a multivariable prediction model: Evidence from a prospective three-year observational study of persons at clinical high-risk for psychosis. <i>European Psychiatry</i> , 2017 , 45, 27-35	6	14
378	Assessment of a Person-Level Risk Calculator to Predict New-Onset Bipolar Spectrum Disorder in Youth at Familial Risk. <i>JAMA Psychiatry</i> , 2017 , 74, 841-847	14.5	90
377	Prediction of conversion to psychosis in individuals with an at-risk mental state: a brief update on recent developments. 2017 , 30, 209-219		39
376	Motor Issues in the Clinical High Risk Phase of Psychosis. 2017 , 43, 937-938		9
375	Investigating Trauma as a Risk Factor for Psychosis. 2017 , 43, 1-2		8
374	Psychotische Störungen früh erkennen und früh behandeln. 2017 , 19, 40-52		
373	Psychosis Risk Syndrome: What Now?. 2017 , 23, 415-424		2
372	The Role of Trauma and Stressful Life Events among Individuals at Clinical High Risk for Psychosis: A Review. <i>Frontiers in Psychiatry</i> , 2017 , 8, 55	5	80
371	Psychosis-Risk Syndromes: Implications for Ethically Informed Policies and Practices. 2017 , 4, 88-95		0
370	Brain Subtyping Enhances The Neuroanatomical Discrimination of Schizophrenia. 2018 , 44, 1060-1069		44
369	Disorganized Gyration Network Properties During the Transition to Psychosis. <i>JAMA Psychiatry</i> , 2018 , 75, 613-622	14.5	38
368	Large-Scale Network Topology Reveals Heterogeneity in Individuals With at Risk Mental State for Psychosis: Findings From the Longitudinal Youth-at-Risk Study. 2018 , 28, 4234-4243		10
367	Expressed emotion as a predictor of the first psychotic episode - Results of the European prediction of psychosis study. <i>Schizophrenia Research</i> , 2018 , 199, 346-352	3.6	9
366	Imaging and Genetic Biomarkers Predicting Transition to Psychosis. 2018 , 40, 353-388		9
365	Machine Learning Approaches for Clinical Psychology and Psychiatry. 2018 , 14, 91-118		285
364	Event-Related Potentials in the Clinical High-Risk (CHR) State for Psychosis: A Systematic Review. 2018 , 49, 215-225		19

363	Identifying and treating the prodromal phases of bipolar disorder and schizophrenia. 2018 , 5, 113-128		4
362	The value of polygenic analyses in psychiatry. 2018 , 17, 26-28		9
361	Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. 2018 , 167-181		3
360	Addiction Vulnerability: Exploring Relationships Among Cigarette Smoking, Substance Misuse, and Early Psychosis. 2018 , 14, 78-88		2
359	Exploring electrophysiological correlates of social cognition in subclinical schizotypy. 2018 , 12, 179-191		2
358	Mind the prevalence rate: overestimating the clinical utility of psychiatric diagnostic classifiers. <i>Psychological Medicine</i> , 2018 , 48, 1225-1227	6.9	9
357	Inflammatory biomarkers in individuals at clinical high risk for psychosis (CHR-P): State or trait?. <i>Schizophrenia Research</i> , 2018 , 199, 31-38	3.6	23
356	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. 2018 , 44, 710-719		38
355	Considerations for the development and implementation of brief screening tools in the identification of early psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 41-43	3.6	3
354	Using WeChat Online social networking in a real-world needs analysis of family members of youths at clinical high risk of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 375-382	2.6	13
353	Stress-Dependent Association Between Polygenic Risk for Schizophrenia and Schizotypal Traits in Young Army Recruits. 2018 , 44, 338-347		20
352	Depression and clinical high-risk states: Baseline presentation of depressed vs. non-depressed participants in the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2018 , 192, 357-363	3.6	32
351	Motion energy analysis reveals altered body movement in youth at risk for psychosis. <i>Schizophrenia Research</i> , 2018 , 200, 35-41	3.6	10
350	Defective compensation over early dysneurogenesis in schizophrenia and mood disorder. <i>Schizophrenia Research</i> , 2018 , 193, 449-450	3.6	1
349	Longitudinal perspectives on the psychosis spectrum in 22q11.2 deletion syndrome. 2018 , 176, 2192-2202		18
348	Sensorimotor gating deficits in "two-hit" models of schizophrenia risk factors. <i>Schizophrenia Research</i> , 2018 , 198, 68-83	3.6	20
347	Why the concept of schizophrenia is still alive and kicking. <i>Psychological Medicine</i> , 2018 , 48, 247-248	6.9	4
346	A systematic review of metabolite biomarkers of schizophrenia. <i>Schizophrenia Research</i> , 2018 , 195, 32-50.	3.6	60

345	Attenuated first-rank symptoms and conversion to psychosis in a clinical high-risk cohort. <i>Microbial Biotechnology</i> , 2018 , 12, 1213-1216	3.3	4
344	From the psychosis prodrome to the first-episode of psychosis: No evidence of a cognitive decline. 2018 , 96, 231-238		50
343	Mismatch Negativity But Not P300 Is Associated With Functional Disability in Schizophrenia. 2018 , 44, 492-504		27
342	Development of a Boston Treatment Program for Youth at Clinical High Risk for Psychosis: Center for Early Detection, Assessment, and Response to Risk (CEDAR). 2018 , 26, 274-286		5
341	The many roads to psychosis: recent advances in understanding risk and mechanisms. <i>F1000Research</i> , 2018 , 7,	3.6	10
340	Is It Possible to Predict the Future in First-Episode Psychosis?. <i>Frontiers in Psychiatry</i> , 2018 , 9, 580	5	38
339	Exploring the Role of Social Cognition in the Relationship Between Trauma and Psychopathology. 2018 , 3, 822-823		
338	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 1156-1172	14.5	156
337	Brain Markers of Familial Risk for Depression: Steps Toward Clinical Relevance?. 2018 , 57, 728-729		
336	The Science of Prognosis in Psychiatry: A Review. <i>JAMA Psychiatry</i> , 2018 , 75, 1289-1297	14.5	97
335	Isolated hallucination is less predictive than thought disorder in psychosis: Insight from a longitudinal study in a clinical population at high risk for psychosis. 2018 , 8, 13962		4
334	Validating the Predictive Accuracy of the NAPLS-2 Psychosis Risk Calculator in a Clinical High-Risk Sample From the SHARP (Shanghai At Risk for Psychosis) Program. <i>American Journal of Psychiatry</i> , 2018 , 175, 906-908	11.9	37
333	Understanding the Risk of Treatment Failure After Discontinuation of Long-Term Antipsychotic Treatment. <i>American Journal of Psychiatry</i> , 2018 , 175, 908-909	11.9	
332	Complex Clinical Conundrums in Psychiatry. 2018 ,		1
331	Conundrums in Managing Early Stages of Schizophrenia. 2018 , 103-114		
330	Beyond the "at risk mental state" concept: transitioning to transdiagnostic psychiatry. 2018 , 17, 133-142		196
329	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disorders-medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , 2018 , 4, 11	5.5	29
328	Use of Machine Learning to Determine Deviance in Neuroanatomical Maturity Associated With Future Psychosis in Youths at Clinically High Risk. <i>JAMA Psychiatry</i> , 2018 , 75, 960-968	14.5	61

327	Maladaptive personality traits in patients identified at lower-risk and higher-risk for psychosis. <i>Psychiatry Research</i> , 2018 , 268, 348-353	9.9	5
326	Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 187	5	64
325	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018 , 202, 333-340	3.6	13
324	Youth at-risk for serious mental illness: methods of the PROCAN study. <i>BMC Psychiatry</i> , 2018 , 18, 219	4.2	23
323	Guided by Voices: Hallucinations and the Psychosis Spectrum. 2018 , 84, e43-e45		1
322	A Risk Calculator to Predict the Individual Risk of Conversion From Subthreshold Bipolar Symptoms to Bipolar Disorder I or II in Youth. 2018 , 57, 755-763.e4		38
321	Motor clusters reveal differences in risk for psychosis, cognitive functioning, and thalamocortical connectivity: evidence for vulnerability subtypes. 2018 , 6, 721-734		34
320	Networks of blood proteins in the neuroimmunology of schizophrenia. <i>Translational Psychiatry</i> , 2018 , 8, 112	8.6	13
319	An Update on Promising Biomarkers in Schizophrenia. 2018 , 16, 153-163		7
318	The bipolar prodrome. 2018 , 1-26		
317	Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis. 2019 , 45, 600-609		32
316	Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk and the Prediction of Psychosis: Second Replication in an Independent National Health Service Trust. 2019 , 45, 562-570		53
315	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 969-976	3.3	6
314	Childhood trauma and clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2019 , 205, 10-14	3.6	32
313	A predictive model for conversion to psychosis in clinical high-risk patients. <i>Psychological Medicine</i> , 2019 , 49, 1128-1137	6.9	24
312	Comparison of the neurocognitive profiles of individuals with elevated psychotic or depressive symptoms. <i>Microbial Biotechnology</i> , 2019 , 13, 928-934	3.3	2
311	Individualized Care. 2019 ,		7
310	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 204, 104-110	3.6	3

309	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. <i>Schizophrenia Research</i> , 2019 , 204, 311-319	3.6	17
308	Individualised Care in Mental Health and Psychiatric Care. 2019 , 141-150		2
307	Motor Impairment and Developmental Psychotic Risk: Connecting the Dots and Narrowing the Pathophysiological Gap. 2019 , 45, 503-508		12
306	A Moving Target. 2019 , 67-80		
305	The specificity of schizotypal scales and some implications for clinical high-risk research. 2019 , 151, 109450		3
304	Assessing Developmental Environmental Risk Factor Exposure in Clinical High Risk for Psychosis Individuals: Preliminary Results Using the Individual and Structural Exposure to Stress in Psychosis-Risk States Scale. 2019 , 8,		5
303	Four reasons why early detection centers for psychosis should be renamed and their treatment targets reconsidered: we should not catastrophize a future we can neither reliably predict nor change. <i>Psychological Medicine</i> , 2019 , 49, 2134-2140	6.9	31
302	Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. 2020 , 46, 252-260		10
301	Biomarker Opportunities to Enrich Clinical Trial Populations for Drug Development in Schizophrenia and Depression. 2019 , 29, 103-113		
300	Approaches to attenuated psychosis syndrome treatments: A perspective on the regulatory issues. 2019 , 18, 100155		2
299	External validation and extension of the NAPLS-2 and SIPS-RC personalized risk calculators in an independent clinical high-risk sample. <i>Psychiatry Research</i> , 2019 , 279, 9-14	9.9	18
298	Clinical-learning versus machine-learning for transdiagnostic prediction of psychosis onset in individuals at-risk. <i>Translational Psychiatry</i> , 2019 , 9, 259	8.6	17
297	Improving the Detection of Individuals at Clinical Risk for Psychosis in the Community, Primary and Secondary Care: An Integrated Evidence-Based Approach. <i>Frontiers in Psychiatry</i> , 2019 , 10, 774	5	36
296	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. 2019 , 1, e261-e270		16
295	A technology-assisted life of recovery from psychosis. <i>NPJ Schizophrenia</i> , 2019 , 5, 15	5.5	14
294	Early Detection and Preventive Intervention in Schizophrenia: From Fantasy to Reality. <i>American Journal of Psychiatry</i> , 2019 , 176, 794-810	11.9	45
293	Psychotic Experiences in the General Population: Symptom Specificity and the Role of Distress and Dysfunction. <i>JAMA Psychiatry</i> , 2019 , 76, 1228-1229	14.5	3
292	Metacognition strengthens the association between neurocognition and attenuated psychosis syndrome: Preliminary evidence from a pilot study among treatment-seeking versus healthy adolescents. <i>Schizophrenia Research</i> , 2019 , 210, 207-214	3.6	7

291	Integrated Lipidomics and Proteomics Point to Early Blood-Based Changes in Childhood Preceding Later Development of Psychotic Experiences: Evidence From the Avon Longitudinal Study of Parents and Children. 2019 , 86, 25-34		13
290	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 345	5	18
289	Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. 2019 , 29, 880-896		13
288	Psychiatric Risk Assessment from the Clinician@ Perspective: Lessons for the Future. 2019 , 55, 1165-1172		4
287	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. <i>Schizophrenia Research</i> , 2019 , 209, 156-163	3.6	10
286	Risk and associated factors for a future schizophrenia diagnosis after an index diagnosis of unspecified psychotic disorder: A population-based study. 2019 , 114, 105-112		4
285	ApoE elevation is associated with the persistence of psychotic experiences from age 12 to age 18: Evidence from the ALSPAC birth cohort. <i>Schizophrenia Research</i> , 2019 , 209, 141-147	3.6	0
284	S.27.01 Predicting psychosis in patients with prodromal symptoms: The NAPLS study. 2019 , 29, S30-S31		
283	Predictors of Transition to Psychosis in Individuals at Clinical High Risk. 2019 , 21, 39		33
282	Schizotypal personality disorder in individuals with the Attenuated Psychosis Syndrome: Frequent co-occurrence without an increased risk for conversion to threshold psychosis. 2019 , 114, 88-92		7
281	Individual Differences and Psychosis-Risk Screening: Practical Suggestions to Improve the Scope and Quality of Early Identification. <i>Frontiers in Psychiatry</i> , 2019 , 10, 6	5	9
280	Predicting major mental illness: ethical and practical considerations. 2019 , 5, e30		15
279	Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. <i>European Psychiatry</i> , 2019 , 58, 72-79	6	7
278	Resilience as a translational endpoint in the treatment of PTSD. <i>Molecular Psychiatry</i> , 2019 , 24, 1268-1283	3.1	22
277	Assessment and treatment of individuals at high risk for psychosis. 2019 , 25, 177-184		7
276	Neuromelanin-sensitive MRI as a noninvasive proxy measure of dopamine function in the human brain. 2019 , 116, 5108-5117		64
275	Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk for Psychosis Services. 2019 , 58, 582-588		19
274	Psychosis risk is associated with decreased resting-state functional connectivity between the striatum and the default mode network. 2019 , 19, 998-1011		9

273	Development and testing of a web-based battery to remotely assess cognitive health in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2019 , 208, 250-257	3.6	8
272	Impact of "psychosis risk" identification: Examining predictors of how youth view themselves. <i>Schizophrenia Research</i> , 2019 , 208, 300-307	3.6	11
271	The Early Psychosis Screener for Internet (EPSI)-SR: Predicting 12 month psychotic conversion using machine learning. <i>Schizophrenia Research</i> , 2019 , 208, 390-396	3.6	9
270	Auditory and Visual Oddball Stimulus Processing Deficits in Schizophrenia and the Psychosis Risk Syndrome: Forecasting Psychosis Risk With P300. 2019 , 45, 1068-1080		27
269	Adding a neuroanatomical biomarker to an individualized risk calculator for psychosis: A proof-of-concept study. <i>Schizophrenia Research</i> , 2019 , 208, 41-43	3.6	8
268	Inflammatory biomarkers in schizophrenia: Implications for heterogeneity and neurobiology. 2019 , 1, 100006		20
267	Individualised prediction of psychosis in individuals meeting at-risk mental state (ARMS) criteria: protocol for a systematic review of clinical prediction models. 2019 , 3, 21		2
266	The impact of familial risk and early life adversity on emotion and reward processing networks in youth at-risk for bipolar disorder. 2019 , 14, e0226135		8
265	Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2019 , 10, 764	5	50
264	Federated multi-site longitudinal study of at-risk mental state for psychosis in Japan. <i>Schizophrenia Research</i> , 2019 , 204, 343-352	3.6	3
263	An Interleukin-1 beta (IL1B) haplotype linked with psychosis transition is associated with IL1B gene expression and brain structure. <i>Schizophrenia Research</i> , 2019 , 204, 201-205	3.6	6
262	Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis. <i>Psychological Medicine</i> , 2019 , 49, 1670-1677	6.9	44
261	At risk mental state clinics for psychosis - an idea whose time has come - and gone!. <i>Psychological Medicine</i> , 2019 , 49, 529-534	6.9	30
260	Mediating role of aberrant salience and self-disturbances for the relationship between childhood trauma and psychotic-like experiences in the general population. <i>Schizophrenia Research</i> , 2019 , 206, 149-156	3.6	24
259	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019 , 206, 67-74	3.6	25
258	The role of cortisol and prolactin in the pathogenesis and clinical expression of psychotic disorders. 2019 , 102, 24-36		26
257	Age-Associated Deviations of Amygdala Functional Connectivity in Youths With Psychosis Spectrum Disorders: Relevance to Psychotic Symptoms. <i>American Journal of Psychiatry</i> , 2019 , 176, 196-207	11.9	23
256	A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019 , 273, 394-401	9.9	9

255	Childhood adversities in people at ultra-high risk (UHR) for psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019 , 49, 1089-1101	6.9	20
254	The Global Functioning: Social and Role Scales-Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. 2019 , 45, 763-772		28
253	Childhood Trauma and Neurocognition in Adults With Psychotic Disorders: A Systematic Review and Meta-analysis. 2019 , 45, 1195-1208		19
252	Early psychosis detection program in Chile: A first step for the South American challenge in psychosis research. <i>Microbial Biotechnology</i> , 2019 , 13, 328-334	3.3	4
251	Severe conduct problems in adolescence and risk of schizophrenia in early adulthood. <i>Microbial Biotechnology</i> , 2019 , 13, 1338-1344	3.3	1
250	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. 2019 , 76, 268-274		32
249	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. <i>Psychological Medicine</i> , 2019 , 49, 1990-1998	6.9	35
248	Comparison of cognitive functions between first-episode schizophrenia patients, their unaffected siblings and individuals at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2019 , 49, 1929-1936	6.9	9
247	Connectivity and dysconnectivity: A brief history of functional connectivity research in schizophrenia and future directions. 2019 , 123-154		3
246	Towards a neurodynamical understanding of the prodrome in schizophrenia. 2019 , 190, 144-153		15
245	Relationship between metacognitive beliefs and psychosocial performance in at-risk states of psychosis and patients with first psychotic episodes. <i>Microbial Biotechnology</i> , 2019 , 13, 604-612	3.3	1
244	From manageable to losing control: a grounded theory study of psychosis risk syndrome. <i>Microbial Biotechnology</i> , 2019 , 13, 574-581	3.3	
243	Influence of demographic characteristics on attenuated positive psychotic symptoms in a young, help-seeking, at-risk population. <i>Microbial Biotechnology</i> , 2019 , 13, 53-56	3.3	6
242	Relationship between allostatic load and clinical outcomes in youth at ultra-high risk for psychosis in the NEURAPRO study. <i>Schizophrenia Research</i> , 2020 , 226, 38-43	3.6	7
241	Emotion regulation across the psychosis continuum. <i>Development and Psychopathology</i> , 2020 , 32, 219-227	7.3	11
240	Increased amygdala-visual cortex connectivity in youth with persecutory ideation. <i>Psychological Medicine</i> , 2020 , 50, 273-283	6.9	9
239	P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature. <i>Schizophrenia Research</i> , 2020 , 226, 74-83	3.6	17
238	Early childhood social communication deficits in youth at clinical high-risk for psychosis: Associations with functioning and risk. <i>Development and Psychopathology</i> , 2020 , 32, 559-572	4.3	6

237	Relationships between cognitive event-related brain potential measures in patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 84-94	3.6	15
236	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2020 , 226, 30-37	3.6	14
235	What Causes the Onset of Psychosis in Individuals at Clinical High Risk? A Meta-analysis of Risk and Protective Factors. 2020 , 46, 110-120		63
234	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. <i>American Journal of Psychiatry</i> , 2020 , 177, 164-171	11.9	19
233	Poor functional recovery is better predicted than conversion in studies of outcomes of clinical high risk of psychosis: insight from SHARP. <i>Psychological Medicine</i> , 2020 , 50, 1578-1584	6.9	7
232	The Maudsley environmental risk score for psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2213-2220	6.9	14
231	Detecting schizophrenia early: Prediagnosis healthcare utilization characteristics of patients with schizophrenia may aid early detection. <i>Schizophrenia Research</i> , 2020 , 215, 392-398	3.6	3
230	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. 2020 , 46, 432-441		34
229	Common Data Elements for National Institute of Mental Health-Funded Translational Early Psychosis Research. 2020 , 5, 10-22		2
228	Sex differences in symptomatology of psychosis-risk patients and in prediction of psychosis. 2020 , 23, 339-349		5
227	An imaging-based risk calculator for prediction of conversion to psychosis in clinical high-risk individuals using glutamate H MRS. <i>Schizophrenia Research</i> , 2020 , 226, 70-73	3.6	3
226	Predicting psychosis risk using a specific measure of cognitive control: a 12-month longitudinal study. <i>Psychological Medicine</i> , 2020 , 50, 2230-2239	6.9	5
225	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the ShangHai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 482-495	2.6	7
224	Implementing MR Imaging into Clinical Routine Screening in Patients with Psychosis?. 2020 , 30, 65-72		4
223	Discovery and Validation of Prediction Algorithms for Psychosis in Youths at Clinical High Risk. 2020 , 5, 738-747		8
222	Quality of parental bonding is associated with symptom severity and functioning among individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2020 , 215, 204-210	3.6	3
221	Global and Specific Cortical Volume Asymmetries in Individuals With Psychosis Risk Syndrome and Schizophrenia: A Mixed Cross-sectional and Longitudinal Perspective. 2020 , 46, 713-721		3
220	Polygenic Risk Score Contribution to Psychosis Prediction in a Target Population of Persons at Clinical High Risk. <i>American Journal of Psychiatry</i> , 2020 , 177, 155-163	11.9	45

219	Developing an individualized risk calculator for psychopathology among young people victimized during childhood: A population-representative cohort study. 2020 , 262, 90-98		26
218	The prodromal phase: Time to broaden the scope beyond transition to psychosis?. <i>Schizophrenia Research</i> , 2020 , 216, 5-6	3.6	7
217	Predicting the individual risk of psychosis conversion in at-risk mental state (ARMS): a multivariate model reveals the influence of nonpsychotic prodromal symptoms. 2020 , 29, 1525-1535		2
216	Psychosis Risk and Development: What Do We Know From Population-Based Studies?. 2020 , 88, 315-325		12
215	Dynamic prediction systems of transition to psychosis using joint modelling: extensions to the base system. <i>Schizophrenia Research</i> , 2020 , 216, 207-212	3.6	2
214	A Pattern of Cognitive Deficits Stratified for Genetic and Environmental Risk Reliably Classifies Patients With Schizophrenia From Healthy Control Subjects. 2020 , 87, 697-707		17
213	Transdiagnostic early intervention, prevention, and prediction in psychiatry. 2020 , 27-37		1
212	Applying a Transdiagnostic Cognitive-Behavioral Treatment to Adolescents at High Risk for Serious Mental Illness: Rationale and Preliminary Findings. 2020 , 27, 202-214		8
211	Genetic testing in psychiatry: State of the evidence. 2020 , 437-448		
210	Proteomics for diagnostic and therapeutic blood biomarker discovery in schizophrenia and other psychotic disorders. 2020 , 307-317		
209	Characteristics of youth with reported family history of psychosis spectrum symptoms in the Philadelphia Neurodevelopmental Cohort. <i>Schizophrenia Research</i> , 2020 , 216, 104-110	3.6	13
208	A Population-Based Cohort Study Examining the Incidence and Impact of Psychotic Experiences From Childhood to Adulthood, and Prediction of Psychotic Disorder. <i>American Journal of Psychiatry</i> , 2020 , 177, 308-317	11.9	46
207	Brain functional connectivity data enhance prediction of clinical outcome in youth at risk for psychosis. 2020 , 26, 102108		9
206	Personality Traits as Markers of Psychosis Risk in Kenya: Assessment of Temperament and Character. <i>Schizophrenia Bulletin Open</i> , 2020 , 1, sgaa051	2.2	4
205	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 874-881	3.3	3
204	Effects of <i>Toxoplasma gondii</i> infection and schizophrenia comorbidity on serum lipid profile: A population retrospective study from Eastern China. 2020 , 149, 104587		0
203	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. <i>Frontiers in Psychiatry</i> , 2020 , 11, 833	5	1
202	Interventions for people at ultra-high risk for psychosis: A systematic review of economic evaluations. <i>Microbial Biotechnology</i> , 2021 , 15, 1115-1126	3.3	2

201	Developmental influences on symptom expression in antipsychotic-naïve first-episode psychosis. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	3
200	Real-world digital implementation of the Psychosis Polyrisk Score (PPS): A pilot feasibility study. <i>Schizophrenia Research</i> , 2020 , 226, 176-183	3.6	6
199	Looking at Intergenerational Risk Factors in Schizophrenia Spectrum Disorders: New Frontiers for Early Vulnerability Identification?. <i>Frontiers in Psychiatry</i> , 2020 , 11, 566683	5	2
198	Delivering on the public health promise of the psychosis risk paradigm. 2020 , 19, 391-392		0
197	DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 568982	5	3
196	Memory Impairments and Psychosis Prediction: A Scoping Review and Theoretical Overview. 2020 , 30, 521-545		5
195	Associations between childhood adversity, cognitive schemas and attenuated psychotic symptoms. <i>Microbial Biotechnology</i> , 2021 , 15, 818-827	3.3	4
194	Risk Calculators in Bipolar Disorder: A Systematic Review. 2020 , 10,		8
193	Cognitive dysfunction in a psychotropic medication-naïve, clinical high-risk sample from the ShangHai-At-Risk-for-Psychosis (SHARP) study: Associations with clinical outcomes. <i>Schizophrenia Research</i> , 2020 , 226, 138-146	3.6	6
192	The Current State of the Clinical High Risk for Psychosis Research Paradigm. 2020 , 88, 284-286		4
191	A meta-analysis of ultra-high field glutamate, glutamine, GABA and glutathione 1HMRS in psychosis: Implications for studies of psychosis risk. <i>Schizophrenia Research</i> , 2020 , 226, 61-69	3.6	18
190	Enhancing Psychosis Risk Prediction Through Computational Cognitive Neuroscience. 2020 , 46, 1346-1352		5
189	Progression from being at-risk to psychosis: next steps. <i>NPJ Schizophrenia</i> , 2020 , 6, 27	5.5	13
188	Predicting the emergence of full-threshold bipolar I, bipolar II and psychotic disorders in young people presenting to early intervention mental health services. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	4
187	Transdiagnostic individualized clinically-based risk calculator for the automatic detection of individuals at-risk and the prediction of psychosis: external replication in 2,430,333 US patients. <i>Translational Psychiatry</i> , 2020 , 10, 364	8.6	7
186	Developmental Psychotic Risk: Toward a Neurodevelopmentally Informed Staging of Vulnerability to Psychosis. 2020 , 28, 271-278		9
185	Selective Review of Neuroimaging Findings in Youth at Clinical High Risk for Psychosis: On the Path to Biomarkers for Conversion. <i>Frontiers in Psychiatry</i> , 2020 , 11, 567534	5	5
184	Early language measures associated with later psychosis features in 22q11.2 deletion syndrome. 2020 , 183, 392-400		3

183	Defeatist performance beliefs in individuals at clinical high-risk for psychosis and outpatients with chronic schizophrenia. <i>Microbial Biotechnology</i> , 2021 , 15, 865-873	3.3	4
182	Prediction of psychosis: model development and internal validation of a personalized risk calculator. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	9
181	Decreased Gamma Auditory Steady-State Response Is Associated With Impaired Real-World Functioning in Unmedicated Patients at Clinical High Risk for Psychosis. 2021 , 52, 400-405		2
180	Phenoscreening: a developmental approach to research domain criteria-motivated sampling. 2021 , 62, 884-894		0
179	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): I. Psychosis superspectrum. 2020 , 19, 151-172		60
178	Altered hippocampal centrality and dynamic anatomical covariance of intracortical microstructure in first episode psychosis. 2020 , 30, 1058-1072		3
177	Language as a biomarker for psychosis: A natural language processing approach. <i>Schizophrenia Research</i> , 2020 , 226, 158-166	3.6	16
176	Temporal dynamics of suspiciousness and hallucinations in clinical high risk and first episode psychosis. <i>Psychiatry Research</i> , 2020 , 290, 113039	9.9	5
175	Adolescents at clinical high risk for psychosis show qualitatively altered patterns of activation during rule learning. 2020 , 27, 102286		
174	The benefit of foresight? An ethical evaluation of predictive testing for psychosis in clinical practice. 2020 , 26, 102228		5
173	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765	14.5	143
172	Rationale, Methods, Feasibility, and Preliminary Outcomes of a Transdiagnostic Prevention Program for At-Risk College Students. <i>Frontiers in Psychiatry</i> , 2019 , 10, 1030	5	12
171	Shortcomings of calculating risk for psychosis: Critical remarks on predictive modelling in psychosis risk research. <i>Microbial Biotechnology</i> , 2020 , 14, 145-146	3.3	
170	Modeling perception and behavior in individuals at clinical high risk for psychosis: Support for the predictive processing framework. <i>Schizophrenia Research</i> , 2020 , 226, 167-175	3.6	9
169	Reductions in Complex Mismatch Negativity to Extra Tone Gestalt Pattern Deviance in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 505	5	2
168	Identifying psychosis spectrum youth using support vector machines and cerebral blood perfusion as measured by arterial spin labeled fMRI. 2020 , 27, 102304		2
167	Individualized Diagnostic and Prognostic Models for Patients With Psychosis Risk Syndromes: A Meta-analytic View on the State of the Art. 2020 , 88, 349-360		24
166	Immuno-inflammatory changes across phases of early psychosis: The impact of antipsychotic medication and stage of illness. <i>Schizophrenia Research</i> , 2020 , 226, 13-23	3.6	5

165	Distress related to attenuated psychotic symptoms: Static and dynamic association with transition to psychosis, non-remission and transdiagnostic symptomatology in clinical high-risk patients in an international intervention trial. <i>Schizophrenia Bulletin Open</i> , 2020 ,	2.2	2
164	A Public Health Perspective on Screening for Psychosis Within General Practice Clinics. <i>Frontiers in Psychiatry</i> , 2019 , 10, 1025	5	3
163	Clinical risk factors for psychosis. 2020 , 249-268		1
162	Cognitive risk factors for psychosis. 2020 , 269-287		0
161	New paradigms to study psychosis risk. 2020 , 399-416		
160	Markers of Psychosis Risk in the General Population. 2020 , 88, 337-348		15
159	Predicting Personalized Risk of Mood Recurrences in Youths and Young Adults With Bipolar Spectrum Disorder. 2020 , 59, 1156-1164		3
158	Conversion to psychosis in adolescents and adults: similar proportions, different predictors. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	5
157	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. <i>Schizophrenia Research</i> , 2020 ,	3.6	14
156	Electroencephalography and Event-Related Potential Biomarkers in Individuals at Clinical High Risk for Psychosis. 2020 , 88, 294-303		16
155	First episode psychosis: register-based study of comorbid psychiatric disorders and medications before and after. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 303-313	5.1	0
154	Neuroimaging Markers of Resiliency in Youth at Clinical High Risk for Psychosis: A Qualitative Review. 2021 , 6, 166-177		2
153	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021 , 227, 10-17	3.6	17
152	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021 , 15, 642-651	3.3	4
151	Selection for psychosocial treatment for youth at clinical high risk for psychosis based on the North American Prodrome Longitudinal Study individualized risk calculator. <i>Microbial Biotechnology</i> , 2021 , 15, 96-103	3.3	5
150	Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 52-60	3.6	19
149	Complement pathway changes at age 12 are associated with psychotic experiences at age 18 in a longitudinal population-based study: evidence for a role of stress. <i>Molecular Psychiatry</i> , 2021 , 26, 524-533	15.1	18
148	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. <i>Schizophrenia Research</i> , 2021 , 227, 44-51	3.6	6

147	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 72-77	3.6	2
146	Could Polygenic Risk Scores Be Useful in Psychiatry?: A Review. <i>JAMA Psychiatry</i> , 2021 , 78, 210-219	14.5	53
145	Individualized prediction of 2-year risk of relapse as indexed by psychiatric hospitalization following psychosis onset: Model development in two first episode samples. <i>Schizophrenia Research</i> , 2021 , 228, 483-492	3.6	4
144	Embracing heterogeneity creates new opportunities for understanding and treating those at clinical-high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 1-3	3.6	4
143	Incorporating cortisol into the NAPLS2 individualized risk calculator for prediction of psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 95-100	3.6	6
142	Implementing Precision Psychiatry: A Systematic Review of Individualized Prediction Models for Clinical Practice. 2021 , 47, 284-297		37
141	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90	14.5	19
140	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program. <i>Psychological Medicine</i> , 2021 , 51, 653-660	6.9	15
139	Recency and intensification of positive symptoms enhance prediction of conversion to syndromal psychosis in clinical high-risk patients. <i>Psychological Medicine</i> , 2021 , 51, 112-120	6.9	1
138	Psychotic Disorders and Risk-States in Adolescence: Etiology, Developmental Considerations, and Treatment. 2021 ,		
137	Computerized Assessment of Psychosis Risk. <i>Journal of Psychiatry and Brain Science</i> , 2021 , 6,	1.7	0
136	Overview of CAPICE-Childhood and Adolescence Psychopathology: unravelling the complex etiology by a large Interdisciplinary Collaboration in Europe-an EU Marie Skłodowska-Curie International Training Network. 2021 , 1		1
135	First-episode psychosis: How long does it last? A review of evolution and trajectory.. 2021 , 30, 198-206		
134	Transdiagnostic Dimensions of Psychiatric Comorbidity in Individuals at Clinical High Risk for Psychosis: A Preliminary Study Informed by HiTOP. <i>Frontiers in Psychiatry</i> , 2020 , 11, 614710	5	2
133	Individualized risk components guiding antipsychotic delivery in patients with a clinical high risk of psychosis: application of a risk calculator. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	0
132	Third external replication of an individualised transdiagnostic prediction model for the automatic detection of individuals at risk of psychosis using electronic health records. <i>Schizophrenia Research</i> , 2021 , 228, 403-409	3.6	5
131	Forecasting Remission From the Psychosis Risk Syndrome With Mismatch Negativity and P300: Potentials and Pitfalls. 2021 , 6, 178-187		1
130	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021 , 78, 195-209	14.5	31

129	Cognitive subtypes in recent onset psychosis: distinct neurobiological fingerprints?. 2021 , 46, 1475-1483		2
128	Biomarker Profiles in Psychosis Risk Groups Within Unaffected Relatives Based on Familiarity and Age. 2021 , 47, 1058-1067		0
127	Reliability and discriminant validity of the Slovak version of the 16-item Prodromal Questionnaire (PQ-16) in a student sample. 1-12		
126	Do environmental risk factors for the development of psychosis distribute differently across dimensionally assessed psychotic experiences?. <i>Translational Psychiatry</i> , 2021 , 11, 226	8.6	2
125	Exploring specific predictors of psychosis onset over a 2-year period: A decision-tree model. <i>Microbial Biotechnology</i> , 2021 ,	3.3	2
124	A Comparison of Ten Polygenic Score Methods for Psychiatric Disorders Applied Across Multiple Cohorts. 2021 , 90, 611-620		17
123	Sleep abnormalities in individuals at clinical high risk for psychosis. 2021 , 137, 328-334		1
122	Preventive psychiatry: a blueprint for improving the mental health of young people. 2021 , 20, 200-221		48
121	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021 , 232, 98-106	3.6	1
120	Prevention of Psychiatric Illness in the Community: Seeds of Change. 2021 , 51, 255-260		
119	An Event-Related Potential Investigation of Early Visual Processing Deficits During Face Perception in Youth at Clinical High Risk for Psychosis. 2021 ,		1
118	Psychiatric disorders in China: strengths and challenges of contemporary research and clinical services. <i>Psychological Medicine</i> , 2021 , 51, 1978-1991	6.9	1
117	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. 2021 , 90, 632-642		8
116	The COVID-19 Pandemic Introduces Diagnostic and Treatment Planning Complexity for Individuals at Clinical High Risk for Psychosis. 2021 , 47, 1518-1523		1
115	Associations between long-term psychosis risk, probabilistic category learning, and attenuated psychotic symptoms with cortical surface morphometry. 2021 , 1		0
114	Cortisol Levels in Childhood Associated With Emergence of Attenuated Psychotic Symptoms in Early Adulthood. 2021 ,		2
113	Neurocognitive Functioning in Individuals at Clinical High Risk for Psychosis: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2021 ,	14.5	25
112	Family-focused therapy for individuals at high clinical risk for psychosis: A confirmatory efficacy trial. <i>Microbial Biotechnology</i> , 2021 ,	3.3	

111	Individualized Diagnostic and Prognostic Models for Psychosis Risk Syndromes: Do Not Underestimate Antipsychotic Exposure. 2021 , 90, e33-e35		2
110	Further evidence that antipsychotic medication does not prevent long-term psychosis in higher-risk individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
109	Longitudinal study of the course and outcome of first-episode psychosis. 2021 ,		
108	Decision Models and Technology Can Help Psychiatry Develop Biomarkers. <i>Frontiers in Psychiatry</i> , 2021 , 12, 706655	5	1
107	Dopamine and glutamate in individuals at high risk for psychosis: a meta-analysis of in vivo imaging findings and their variability compared to controls. 2021 , 20, 405-416		5
106	Forecasting prognostic trajectories with mismatch negativity in early psychosis. <i>Psychological Medicine</i> , 1-11	6.9	1
105	Neurocognition in Kenyan youth at clinical high risk for psychosis. 2021 , 25, 100198		
104	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. 2021 ,		1
103	Validation of the youth mood recurrences risk calculator in an adult sample with bipolar disorder. 2021 , 295, 1482-1488		0
102	Probability of Transition to Psychosis in Individuals at Clinical High Risk: An Updated Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 970-978	14.5	30
101	Eveningness chronotype preference among individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 3-8	3.6	1
100	The neurobiology of auditory and visual perceptual abnormalities in a clinical high-risk for psychosis cohort: A pilot morphometric magnetic resonance imaging study. 2021 , 142, 240-242		0
99	Retinal function and preclinical risk traits in children and adolescents at genetic risk of schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 112, 110432	5.5	4
98	Development of a probability calculator for psychosis risk in children, adolescents, and young adults. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
97	Genetic and clinical analyses of psychosis spectrum symptoms in a large multiethnic youth cohort reveal significant link with ADHD. <i>Translational Psychiatry</i> , 2021 , 11, 80	8.6	3
96	Assessment of Risk for Psychosis. 2019 , 7-40		2
95	Premorbid social adjustment and association with attenuated psychotic symptoms in clinical high-risk and help-seeking youth. <i>Psychological Medicine</i> , 2018 , 48, 983-997	6.9	8
94	Alterations in facial expressivity in youth at clinical high-risk for psychosis. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 341-351	7	16

93	A comparison of ten polygenic score methods for psychiatric disorders applied across multiple cohorts.		8
92	Treating Substance Use Disorders, Binge Eating, and Depression, and Identifying Factors Underlying Psychosis Risk. <i>American Journal of Psychiatry</i> , 2020 , 177, 101-103	11.9	1
91	Advances in clinical staging, early intervention, and the prevention of psychosis. <i>F1000Research</i> , 2019 , 8,	3.6	5
90	Inefficient neural system stabilization: a theory of spontaneous resolutions and recurrent relapses in psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 367-383	4.5	12
89	E-Clinical High Risk for Psychosis: Viewpoint on Potential of Digital Innovations for Preventive Psychiatry. <i>JMIR Mental Health</i> , 2019 , 6, e14581	6	9
88	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium.		
87	Esordi psicotici. Implicazioni cliniche di stili di attaccamento, credenze metacognitive e comunicazione medico-paziente. <i>Psicobiettivo</i> , 2018 , 135-145	0.1	
86	Penetrance and pleiotropy of polygenic risk scores for schizophrenia in 106,160 patients across four healthcare systems.		0
85	Integration of Literature Across Countries: Challenges, Opportunities, and Implications for Future Research. 2019 , 369-378		
84	Cultural Considerations in the Treatment of African American Youth with Attenuated Psychosis Syndromes: The Importance of Socio-contextual and Clinical Factors. 2019 , 199-218		1
83	Attenuated Psychosis Syndromes Among Youth and Young Adults in China: Early Identification and Intervention. 2019 , 301-310		
82	Intervention Strategies for Attenuated Psychosis Syndromes: A Review of Current Practice, Evidence, and Future Directions. 2019 , 41-63		
81	Genetic and clinical analyses of psychosis spectrum symptoms in a large multi-ethnic youth cohort reveal significant link with ADHD.		
80	First-Episode Psychosis. <i>Current Clinical Psychiatry</i> , 2020 , 137-156	0.2	
79	Developmental Influences on Symptom Expression in Antipsychotic-Naïve First-Episode Psychosis.		
78	Little impact of cannabis use on the relation between ERG and preclinical traits in children and adolescents at genetic risk of psychosis or mood disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110467	5.5	
77	Community Psychosis Risk Screening: An Instrument Development Investigation. <i>Journal of Psychiatry and Brain Science</i> , 2020 , 5,	1.7	6
76	A randomized Phase II trial evaluating efficacy, safety, and tolerability of oral BI 409306 in attenuated psychosis syndrome: Design and rationale. <i>Microbial Biotechnology</i> , 2021 , 15, 1315-1325	3.3	2

75	Omega-3 Polyunsaturated Fatty Acids and Antioxidants for the Treatment of Schizophrenia: A Role for Magnetic Resonance Imaging. 2020 , 367-383		
74	Prediction and Prevention in the Clinical High-Risk for Psychosis Paradigm: A Review of the Current Status and Recommendations for Future Directions of Inquiry. <i>Frontiers in Psychiatry</i> , 2021 , 12, 770774	5	1
73	The clinical and functional outcomes of a large naturalistic cohort of young people accessing national early psychosis services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211061285	3.6	1
72	Users' Perceptions about receiving personalized depression risk information: findings from a qualitative study. <i>BMC Psychiatry</i> , 2021 , 21, 581	4.2	
71	Primary Psychosis: Risk and Protective Factors and Early Detection of the Onset. <i>Diagnostics</i> , 2021 , 11,	3.8	2
70	Use of a Bayesian Network Model to predict psychiatric illness in individuals with at risk mental states from a general population cohort. <i>Neuroscience Letters</i> , 2021 , 770, 136358	3.3	
69	Considering alternatives to the schizophrenia construct.. <i>Schizophrenia Research</i> , 2022 , 242, 49-49	3.6	0
68	The electroretinogram as a potential biomarker of psychosis in children at familial risk. <i>Schizophrenia Bulletin Open</i> ,	2.2	1
67	N400 event-related brain potential and functional outcome in persons at clinical high risk for psychosis: a longitudinal study.. <i>Psychiatry and Clinical Neurosciences</i> , 2022 ,	6.2	
66	Childhood trauma may increase risk of psychosis and mood disorder in genetically high-risk children and adolescents by enhancing the accumulation of risk indicators. <i>Schizophrenia Bulletin Open</i> ,	2.2	0
65	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022 , 3,	2.2	0
64	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-9	3.8	0
63	Reduced Expression of Emotion: A Red Flag Signalling Conversion to Psychosis in Clinical High Risk for Psychosis (CHR-P) Populations.. <i>Psychiatry (New York)</i> , 2022 , 1-11	1	
62	Longitudinal and cross-sectional validation of the WERCAP screen for assessing psychosis risk and conversion.. <i>Schizophrenia Research</i> , 2022 , 241, 201-209	3.6	0
61	Schizophrenia genomics. 2022 , 17-41		
60	[Questions of primary diagnosis of schizophrenia in middle-aged and older patients].. <i>Zhurnal Nevrologii I Psikiatrii Imeni S S Korsakova</i> , 2022 , 122, 65-72	0.4	
59	La psicosi e i disturbi psicotici nei bambini e negli adolescenti. <i>Medico E Bambino</i> , 2022 , 41, 103-115	0.4	
58	Longitudinal impact of trauma in the North American Prodrome Longitudinal Study-3.. <i>Microbial Biotechnology</i> , 2022 ,	3.3	

57	Using combined environmental-clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression.. <i>British Journal of Psychiatry</i> , 2022 , 1-17	5.4	0
56	Factors Related to Passive Social Withdrawal and Active Social Avoidance in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2022 , Publish Ahead of Print,	1.8	0
55	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis.. <i>NPJ Schizophrenia</i> , 2022 , 8, 19	5.5	
54	The potential of precision psychiatry: what is in reach?. <i>British Journal of Psychiatry</i> , 2022 , 220, 175-178	5.4	1
53	Family history of psychosis in youth at clinical high risk: A replication study.. <i>Psychiatry Research</i> , 2022 , 311, 114480	9.9	0
52	Natural Language Processing markers in first episode psychosis and people at clinical high-risk.. <i>Translational Psychiatry</i> , 2021 , 11, 630	8.6	0
51	Translating RDoC to Real-World Impact in Developmental Psychopathology: A Neurodevelopmental Framework for Application of Mental Health Risk Calculators.. <i>Development and Psychopathology</i> , 2021 , 33, 1665-1684	4.3	2
50	Evaluating Brain Structure as a Predictor of the Transition to Psychosis in Clinical High-Risk Individuals. <i>Biological Psychiatry Global Open Science</i> , 2022 , 2, 90-91		
49	Image_1.PDF. 2018 ,		
48	DataSheet_1.pdf. 2019 ,		
47	Data_Sheet_1.DOCX. 2021 ,		
46	DataSheet_1.docx. 2019 ,		
45	Research Trends in Individuals at High Risk for Psychosis: A Bibliometric Analysis.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 853296	5	
44	Effect of cognitive insight on clinical insight from pre-morbid to early psychosis stages.. <i>Psychiatry Research</i> , 2022 , 313, 114613	9.9	
43	Three prominent self-report risk measures show unique and overlapping utility in characterizing those at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2022 , 244, 58-65	3.6	
42	Prognostic accuracy and clinical utility of psychometric instruments for individuals at clinical high-risk of psychosis: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> ,	15.1	0
41	Dynamic networks of psychological symptoms, impairment, substance use, and social support: The evolution of psychopathology among emerging adults. <i>European Psychiatry</i> , 1-24	6	
40	The Potential Clinical Utility of Auditory P3b Amplitude for Clinical High Risk. <i>Frontiers in Psychology</i> , 13,	3.4	

39	Illness Phase as a Key Assessment and Intervention Window for Psychosis. <i>Biological Psychiatry Global Open Science</i> , 2022 ,		
38	Semantic processing features and schizotypal traits: A test-retest study. <i>International Journal of Psychophysiology</i> , 2022 , 178, 1-8	2.9	
37	Mismatch Negativity in Response to Auditory Deviance and Risk for Future Psychosis in Youth at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> ,	14.5	○
36	Comparison of two cognitive screening measures in a longitudinal sample of youth at-risk for psychosis. <i>Schizophrenia Research</i> , 2022 , 246, 216-224	3.6	
35	Eye movement indices as predictors of conversion to psychosis in individuals at clinical high risk. <i>European Archives of Psychiatry and Clinical Neuroscience</i> ,	5.1	○
34	Cumulative environmental risk in early life is associated with mental disorders in childhood. <i>Psychological Medicine</i> , 1-10	6.9	
33	Sex-specific genetic association between psychiatric disorders and cognition, behavior and brain imaging in children and adults. 2022 , 12,		○
32	Auditory N100 amplitude deficits predict conversion to psychosis in the North American Prodrome Longitudinal Study (NAPLS-2) cohort. 2022 , 248, 89-97		○
31	Evaluating the Social Functioning Scale modified for use in individuals at clinical high-risk for psychosis. 2022 , 248, 246-253		○
30	Cognitive Dysfunction as a Risk Factor for Psychosis. 2022 ,		○
29	Visual system assessment for predicting a transition to psychosis. 2022 , 12,		○
28	Interleukin-2/Interleukin-6 Imbalance Correlates with Conversion to Psychosis from a Clinical High-Risk State.		○
27	Broadening the Parameters of Clinical High Risk for Psychosis. 2022 , 179, 593-595		1
26	Cumulative Environmental Risk in Early Life: Associations With Schizotypy in Childhood.		○
25	Changes in inflammatory balance correlates with conversion to psychosis among individuals at clinical high-risk: A prospective cohort study. 2022 , 318, 114938		○
24	Machine Learning and Non-Affective Psychosis: Identification, Differential Diagnosis, and Treatment.		○
23	Accelerated cortical thinning precedes and predicts conversion to psychosis: The NAPLS3 longitudinal study of youth at clinical high-risk.		○
22	Clinical and functional characteristics of at-risk mental state among non-help seeking adolescents: a cross-sectional study.		○

- 21 Do the Components of Attenuated Positive Symptoms Truly Represent One Construct?.
- 20 Substance use in youth at genetic and clinical high risk for psychosis.
- 19 Short-chain fatty acids in patients with schizophrenia and ultra-high risk population. 13,
- 18 Sleep disturbances and the association with attenuated psychotic symptoms in individuals at ultra high-risk of psychosis. 2022,
- 17 The Use of Artificial Intelligence to Identify Trajectories of Severe Mental Disorders. 2023, 207-221
- 16 The relevance of social anxiety for understanding social functioning and facial emotion recognition in individuals at clinical high-risk for psychosis.
- 15 Multivariate Joint Models for the Dynamic Prediction of Psychosis in Individuals with Clinical High Risk. 2023, 103468
- 14 History of trauma is a critical treatment target for individuals at clinical high-risk for psychosis. 13,
- 13 A Preliminary Comparison of Plasma Tryptophan Metabolites and Medium- and Long-Chain Fatty Acids in Adult Patients with Major Depressive Disorder and Schizophrenia. 2023, 59, 413
- 12 Cannabidiol enhances cerebral glucose utilization and ameliorates psychopathology and cognition: A case report in a clinically high-risk mental state. 14,
- 11 Early risk factors in early-onset psychosis. 2023, 81-105
- 10 Psychotic disorders as a framework for precision psychiatry.
- 9 Skills program for awareness, connectedness, and empowerment: A conceptual framework of a skills group for individuals with a psychosis-risk syndrome. 14,
- 8 Multi-ancestry phenome-wide association of complement component 4 variation with psychiatric and brain phenotypes in youth. 2023, 24,
- 7 Working memory and sensory memory in subclinical high schizotypy: An avenue for understanding schizophrenia?.
- 6 The reliability and validity of the revised Green et al. paranoid thoughts scale in individuals at clinical high-risk for psychosis.
- 5 Attentional biases in facial emotion processing in individuals at clinical high risk for psychosis.
- 4 Schizophrenia. 2022,

- 3 Sampling from different populations: Sociodemographic, clinical, and functional differences between samples of first episode psychosis individuals and clinical high-risk individuals who progressed to psychosis. **2023**, 255, 239-245 ○
- 2 Neurobehavioral risk factors influence prevalence and severity of hazardous substance use in youth at genetic and clinical high risk for psychosis. 14, ○
- 1 EMDR versus waiting list in individuals at clinical high risk for psychosis with post-traumatic stress symptoms: A randomized controlled trial. **2023**, 256, 1-7 ○