

Passive case finding for tuberculosis is not enough

International Journal of Mycobacteriology
5, 374-378

DOI: [10.1016/j.ijmyco.2016.09.023](https://doi.org/10.1016/j.ijmyco.2016.09.023)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Drug-resistant tuberculosis “ primary transmission and management. Journal of Infection, 2017, 74, S128-S135.	3.3	8
2	Household-Contact Investigation for Detection of Tuberculosis in Vietnam. New England Journal of Medicine, 2018, 378, 221-229.	27.0	150
3	What can National TB Control Programmes in low- and middle-income countries do to end tuberculosis by 2030?. F1000Research, 2018, 7, 1011.	1.6	33
4	Challenges and Progress with Diagnosing Pulmonary Tuberculosis in Low- and Middle-Income Countries. Diagnostics, 2018, 8, 78.	2.6	45
5	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	9.1	144
6	Investigating the impact of TB case-detection strategies and the consequences of false positive diagnosis through mathematical modelling. BMC Infectious Diseases, 2018, 18, 340.	2.9	7
7	Efficacy of district tuberculosis co-ordinating team on health service performance for suspected TB patient in district hospital. Journal of Health Research, 2018, 32, 251-256.	0.8	0
8	Identification of a plasma microRNA profile in untreated pulmonary tuberculosis patients that is modulated by anti-mycobacterial therapy. Journal of Infection, 2018, 77, 341-348.	3.3	36
9	The implementation of Xpert MTB/RIF assay for diagnosis of tuberculosis in Nepal: A mixed-methods analysis. PLoS ONE, 2018, 13, e0201731.	2.5	20
10	Costs and operation management of community outreach program for tuberculosis in tribal populations in India. Public Health Action, 2019, 9, 58-62.	1.2	5
11	A comparison of the yield and relative cost of active tuberculosis case-finding algorithms in Zimbabwe. Public Health Action, 2019, 9, 63-68.	1.2	4
12	Delay in diagnosis of pulmonary tuberculosis increases the risk of pulmonary cavitation in pastoralist setting of Ethiopia. BMC Pulmonary Medicine, 2019, 19, 201.	2.0	17
13	Performance of algorithms for tuberculosis active case finding in underserved high-prevalence settings in Cambodia: a cross-sectional study. Global Health Action, 2019, 12, 1646024.	1.9	6
14	Risk factors for unsuccessful tuberculosis treatment outcomes in children. PLoS ONE, 2019, 14, e0222776.	2.5	14
15	Active case finding in tuberculosis-affected households: time to scale up. The Lancet Global Health, 2019, 7, e296-e298.	6.3	10
16	Household contact investigation for the detection of tuberculosis in Vietnam: economic evaluation of a cluster-randomised trial. The Lancet Global Health, 2019, 7, e376-e384.	6.3	27
17	Screening and testing for tuberculosis among the HIV-infected: outcomes from a large HIV programme in western Kenya. BMC Public Health, 2019, 19, 29.	2.9	16
18	Mobile targeted screening for tuberculosis in Zimbabwe: diagnosis, linkage to care and treatment outcomes. Public Health Action, 2019, 9, 159-165.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Management of Children with Tuberculosis. Clinics in Chest Medicine, 2019, 40, 797-810.	2.1	8
20	Active Case Finding for Tuberculosis through TOUCH Agents in Selected High TB Burden Wards of Kolkata, India: A Mixed Methods Study on Outcomes and Implementation Challenges. Tropical Medicine and Infectious Disease, 2019, 4, 134.	2.3	10
21	Health care worker perspectives on TB case finding and HIV services among pediatric TB patients in Tanzania. International Journal of Tuberculosis and Lung Disease, 2019, 23, 811-816.	1.2	5
22	Treatment for latent tuberculosis infection in low- and middle-income countries: progress and challenges with implementation and scale-up. Expert Review of Respiratory Medicine, 2020, 14, 195-208.	2.5	15
23	The TB REACH Initiative: Supporting TB Elimination Efforts in the Asia-Pacific. Tropical Medicine and Infectious Disease, 2020, 5, 164.	2.3	7
24	Estimating the yield of tuberculosis from key populations to inform targeted interventions in South Africa: a scoping review. BMJ Global Health, 2020, 5, e002355.	4.7	4
25	A pragmatic stepped-wedge cluster randomized trial to evaluate the effectiveness and cost-effectiveness of active case finding for household contacts within a routine tuberculosis program, San Juan de Lurigancho, Lima, Peru. International Journal of Infectious Diseases, 2020, 100, 95-103.	3.3	5
26	Tuberculosis in migrants – screening, surveillance and ethics. Pneumonia (Nathan Qld), 2020, 12, 9.	6.1	11
27	Islands of Tuberculosis Elimination: An Evaluation of Community-Based Active Case Finding in North Sumatra, Indonesia. Tropical Medicine and Infectious Disease, 2020, 5, 163.	2.3	5
28	Prediagnostic loss to follow-up in an active case finding tuberculosis programme: a mixed-methods study from rural Bihar, India. BMJ Open, 2020, 10, e033706.	1.9	12
29	Mobilising community networks for early identification of tuberculosis and treatment initiation in Cambodia: an evaluation of a seed-and-recruit model. ERJ Open Research, 2020, 6, 00368-2019.	2.6	9
30	<p><p>Longer Delays in Diagnosis and Treatment of Pulmonary Tuberculosis in Pastoralist Setting, Eastern Ethiopia<p>. Risk Management and Healthcare Policy, 2020, Volume 13, 583-594.	2.5	4
31	The second national tuberculosis prevalence survey in Vietnam. PLoS ONE, 2020, 15, e0232142.	2.5	36
32	“I got tested at home, the help came to me”: acceptability and feasibility of home-based TB testing of household contacts using portable molecular diagnostics in South Africa. Tropical Medicine and International Health, 2021, 26, 343-354.	2.3	11
33	Ethnographic Study of Tuberculosis Treatment Seeker Behavior on the Island of Buru, Maluku, Indonesia. Insights in Public Health Journal, 2020, 1, 25.	0.1	0
34	Protective impacts of household-based tuberculosis contact tracing are robust across endemic incidence levels and community contact patterns. PLoS Computational Biology, 2021, 17, e1008713.	3.2	5
35	“A double-edged sword”: Perceived benefits and harms of active case-finding for people with presumptive tuberculosis and communities – A qualitative study based on expert interviews. PLoS ONE, 2021, 16, e0247568.	2.5	5
36	Increasing smear positive tuberculosis detection using a clinical score – A stepped wedge multicenter trial from Africa. International Journal of Infectious Diseases, 2021, , .	3.3	3

#	ARTICLE	IF	CITATIONS
37	Extending contact screening within a 50-m radius of an index tuberculosis patient using Xpert MTB/RIF in urban Pakistan: Did it impact treatment outcomes?. International Journal of Infectious Diseases, 2021, 104, 634-640.	3.3	2
38	Active case finding and evaluation of IL-6 production among household contacts of pulmonary tuberculosis patients in a high disease setting. International Journal of Research in Medical Sciences, 2021, 9, 1263.	0.1	0
39	The effectiveness of contact investigation among contacts of tuberculosis patients: a systematic review and meta-analysis. European Respiratory Journal, 2021, 58, 2100266.	6.7	28
40	Call for more investment in cost-effective tuberculosis care. The Lancet Regional Health - Western Pacific, 2021, 11, 100157.	2.9	0
41	Challenges in delivery of tuberculosis Services in Ethiopian Pastoralist Settings: clues for reforming service models and organizational structures. BMC Health Services Research, 2021, 21, 627.	2.2	8
42	Effectiveness of spatially targeted interventions for control of HIV, tuberculosis, leprosy and malaria: a systematic review. BMJ Open, 2021, 11, e044715.	1.9	13
43	Comparison of yield and relative costs of different screening algorithms for tuberculosis in active case-finding: a cross-section study. BMC Infectious Diseases, 2021, 21, 813.	2.9	3
44	Pattern of abnormalities amongst chest Xâ€rays of adults undergoing computerâ€assisted digital chest Xâ€ray screening for tuberculosis in Periâ€Urban Blantyre, Malawi: A crossâ€sectional study. Tropical Medicine and International Health, 2021, 26, 1427-1437.	2.3	5
45	Does tuberculosis screening improve individual outcomes? A systematic review. EClinicalMedicine, 2021, 40, 101127.	7.1	11
46	Diagnosis of HIV-Associated Tuberculosis. , 2019, , 127-159.		1
47	Excess Risk of Tuberculosis Infection Among Extra-household Contacts of Tuberculosis Cases in an African City. Clinical Infectious Diseases, 2021, 73, e3438-e3445.	5.8	9
48	Tuberculosis in children: screening, diagnosis and management. Current Opinion in Pediatrics, 2020, 32, 395-404.	2.0	8
49	Adherence of HIV clinics to guidelines for the delivery of TB screening among people living with HIV/AIDS in Ghana. BMC Health Services Research, 2021, 21, 1110.	2.2	1
50	The Implementation of Early Detection in Tuberculosis Contact Investigation to Improve Case Finding. Journal of Epidemiology and Global Health, 2019, 9, 191-197.	2.9	4
51	Community- based Active Tuberculosis Case Finding in Pastoralist Communities of North-Eastern Uganda. Microbiology Research Journal International, 2019, 29, 1-10.	0.2	9
52	Active Case Finding for Tuberculosis in India: A Syntheses of Activities and Outcomes Reported by the National Tuberculosis Elimination Programme. Tropical Medicine and Infectious Disease, 2021, 6, 206.	2.3	10
53	The impact of active case finding on transmission dynamics of tuberculosis: A modelling study. PLoS ONE, 2021, 16, e0257242.	2.5	2
54	Economic Evaluation of Community Tuberculosis Active Case-Finding Approaches in Cambodia: A Quasi-Experimental Study. International Journal of Environmental Research and Public Health, 2021, 18, 12690.	2.6	1

#	ARTICLE	IF	CITATIONS
55	Impact of early chest radiography on delay in pulmonary tuberculosis case notification in Ethiopia. International Journal of Mycobacteriology, 2021, 10, 364.	0.6	11
56	Household contact investigation for the detection of active tuberculosis and latent tuberculosis: A comprehensive evaluation in two high-burden provinces in Iran. New Microbes and New Infections, 2022, 45, 100958.	1.6	4
57	XDR-TB Transmitted from Mother to 10-Month-Old Infant: Diagnostic and Therapeutic Problems. Diagnostics, 2022, 12, 438.	2.6	3
58	Pooled testing of sputum with Xpert MTB/RIF and Xpert Ultra during tuberculosis active case finding campaigns in Lao People's Democratic Republic. BMJ Global Health, 2022, 7, e007592.	4.7	8
59	Effectiveness of nationwide programmatic testing and treatment for latent tuberculosis infection in migrants in England: a retrospective, population-based cohort study. Lancet Public Health, The, 2022, 7, e305-e315.	10.0	17
60	Process evaluation of chest camps for increased tuberculosis case finding in Punjab, Pakistan. Australian Journal of Primary Health, 2022, , .	0.9	0
61	Alert sign and symptoms for the early diagnosis of pulmonary tuberculosis: analysis of patients followed by a tertiary pediatric hospital. Italian Journal of Pediatrics, 2022, 48, .	2.6	1
62	Comprehensive Approach to Tuberculosis Case Detection: Experience from an Urban Slum, Mumbai, Maharashtra, India. The Indian Journal of Chest Diseases & Allied Sciences, 2022, 64, 86-93.	0.1	0
63	Population-based sequencing of Mycobacterium tuberculosis reveals how current population dynamics are shaped by past epidemics. Elife, 0, 11, .	6.0	8
64	Health extension workers contribution on tuberculosis case notification in Tigray region, Northern Ethiopia: A concurrent mixed method study. PLoS ONE, 2022, 17, e0271968.	2.5	0
65	MOLECULAR GENETIC TESTS GENEXPERT MTB / RIF AND XPERT MTB / RIF (ULTRA) IN THE DIAGNOSIS OF TUBERCULOSIS (REVIEW OF LITERATURE). Klinicheskaya Laboratornaya Diagnostika, 2023, 67, .	0.5	1
66	A symptomatic approach to tuberculosis screening for high-risk groups in Malaysia: Cost-effectiveness and budget impact analysis. Journal of Clinical Tuberculosis and Other Mycobacterial Diseases, 2022, 29, 100334.	1.3	1
67	A spatial analysis of TB cases and abnormal X-rays detected through active case-finding in Karachi, Pakistan. Scientific Reports, 2023, 13, .	3.3	3
68	Beyond patient delay, navigating structural health system barriers to timely care and treatment in a high burden TB setting in Papua New Guinea. Global Public Health, 2023, 18, .	2.0	1
69	Where are the missing people affected by tuberculosis? A programme review of patient-pathway and cascade of care to optimise tuberculosis case-finding, treatment and prevention in Cambodia. BMJ Global Health, 2023, 8, e010994.	4.7	1
70	High non-compliance rate among presumptive tuberculosis cases referred from peripheral health facilities in silti district of Southern Ethiopia: a mixed methods study. Archives of Public Health, 2023, 81, .	2.4	1
71	Integrating TB screening into house-to-house polio vaccination campaigns. Public Health Action, 2023, 13, 7-11.	1.2	0
72	Economic evaluation of a community health worker model for tuberculosis care in Ho Chi Minh City, Viet Nam: a mixed-methods Social Return on Investment Analysis. BMC Public Health, 2023, 23, .	2.9	1

#	ARTICLE	IF	CITATIONS
73	Comparing Additionality of Tuberculosis Cases Using GeneXpert or Smear-Based Active TB Case-Finding Strategies among Social Contacts of Index Cases in Nepal. Tropical Medicine and Infectious Disease, 2023, 8, 369.	2.3	1
74	Mass tuberculosis screening among the elderly: A population-based study in a well-confined rural county in eastern China. Clinical Infectious Diseases, 0, , .	5.8	0
75	Facilitators and barriers to tuberculosis active case findings in low- and middle-income countries: a systematic review of qualitative research. BMC Infectious Diseases, 2023, 23, .	2.9	1
76	Cost-effectiveness analysis of classical sputum examination versus molecular diagnosis by genexpert test for tuberculosis screening among the elderly. Biomedical and Biotechnology Research Journal, 2019, 3, 210.	0.6	0
77	Quality of active case-finding for tuberculosis in India: a national level secondary data analysis. Global Health Action, 2023, 16, .	1.9	1
78	The performance of tongue swabs for detection of pulmonary tuberculosis. Frontiers in Cellular and Infection Microbiology, 0, 13, .	3.9	0
79	Cost-effectiveness of interventions to improve case finding for tuberculosis: developing consensus to motivate investment. , 2023, 1, .		0
80	Finding and treating both tuberculosis disease and latent infection during population-wide active case finding for tuberculosis elimination. Frontiers in Medicine, 0, 10, .	2.6	1