

Evaluation of 2D multiband EPI imaging for high-resolution studies at 3T: Sensitivity and slice leakage artifacts

NeuroImage

124, 32-42

DOI: [10.1016/j.neuroimage.2015.08.056](https://doi.org/10.1016/j.neuroimage.2015.08.056)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Increased fMRI Sensitivity at Equal Data Burden Using Averaged Shifted Echo Acquisition. <i>Frontiers in Neuroscience</i> , 2016, 10, 544.	1.4	12
2	High-resolution fMRI investigations of the fingertip somatotopy and variability in BA3b and BA1 of the primary somatosensory cortex. <i>Neuroscience</i> , 2016, 339, 667-677.	1.1	22
3	Simultaneous multi-slice (SMS) acquisition enhances the sensitivity of hemodynamic mapping using gas challenges. <i>NMR in Biomedicine</i> , 2016, 29, 1511-1518.	1.6	9
4	Computational mapping of brain networks. , 2016, , .		0
6	Multi-echo EPI of human fear conditioning reveals improved BOLD detection in ventromedial prefrontal cortex. <i>NeuroImage</i> , 2017, 156, 65-77.	2.1	11
7	OpenNFT: An open-source Python/Matlab framework for real-time fMRI neurofeedback training based on activity, connectivity and multivariate pattern analysis. <i>NeuroImage</i> , 2017, 156, 489-503.	2.1	57
8	Adaptive smoothing based on Gaussian processes regression increases the sensitivity and specificity of fMRI data. <i>Human Brain Mapping</i> , 2017, 38, 1438-1459.	1.9	17
9	Resting-State Functional Connectivity in the Human Connectome Project: Current Status and Relevance to Understanding Psychopathology. <i>Harvard Review of Psychiatry</i> , 2017, 25, 209-217.	0.9	25
10	A harmonized segmentation protocol for hippocampal and parahippocampal subregions: Why do we need one and what are the key goals?. <i>Hippocampus</i> , 2017, 27, 3-11.	0.9	130
11	Functional Sensitivity of 2D Simultaneous Multi-Slice Echo-Planar Imaging: Effects of Acceleration on g-factor and Physiological Noise. <i>Frontiers in Neuroscience</i> , 2017, 11, 158.	1.4	45
12	The Effect of Low-Frequency Physiological Correction on the Reproducibility and Specificity of Resting-State fMRI Metrics: Functional Connectivity, ALFF, and ReHo. <i>Frontiers in Neuroscience</i> , 2017, 11, 546.	1.4	55
13	Levodopa improves response inhibition and enhances striatal activation in early-stage Parkinson's disease. <i>Neurobiology of Aging</i> , 2018, 66, 12-22.	1.5	25
14	Impacts of simultaneous multislice acquisition on sensitivity and specificity in fMRI. <i>NeuroImage</i> , 2018, 172, 538-553.	2.1	30
15	Exploring the advantages of multiband fMRI with simultaneous EEG to investigate coupling between gamma frequency neural activity and the BOLD response in humans. <i>Human Brain Mapping</i> , 2018, 39, 1673-1687.	1.9	34
16	Dual-polarity slice-GRAPPA for concurrent ghost correction and slice separation in simultaneous multi-slice EPI. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1364-1375.	1.9	15
17	Dynamic 2D self-phase-map Nyquist ghost correction for simultaneous multi-slice echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1577-1587.	1.9	1
18	Recent advances in functional neuroimaging analysis for cognitive neuroscience. <i>Brain and Neuroscience Advances</i> , 2018, 2, 239821281775272.	1.8	12
19	Reducing task-based fMRI scanning time using simultaneous multislice echo planar imaging. <i>Neuroradiology</i> , 2018, 60, 293-302.	1.1	11

#	ARTICLE	IF	CITATIONS
20	What Have We Learned from Perfusion MRI in Multiple Sclerosis?. American Journal of Neuroradiology, 2018, 39, 994-1000.	1.2	53
21	Serial correlations in single-subject fMRI with sub-second TR. NeuroImage, 2018, 166, 152-166.	2.1	61
22	Fast imaging for mapping dynamic networks. NeuroImage, 2018, 180, 547-558.	2.1	17
23	The neural representation of an individualized relational affective space. Neuropsychologia, 2018, 120, 35-42.	0.7	12
24	Abnormal dynamic functional connectivity between speech and auditory areas in schizophrenia patients with auditory hallucinations. NeuroImage: Clinical, 2018, 19, 918-924.	1.4	44
25	Multiband fMRI as a plausible, time-saving technique for resting-state data acquisition: Study on functional connectivity mapping using graph theoretical measures. Magnetic Resonance Imaging, 2018, 53, 1-6.	1.0	16
26	Volumetric assessment of spontaneous mechanical activities by simultaneous multi-slice MRI techniques with correlation to muscle fiber orientation. NMR in Biomedicine, 2018, 31, e3959.	1.6	3
27	A comprehensive evaluation of increasing temporal resolution with multiband-accelerated protocols and effects on statistical outcome measures in fMRI. NeuroImage, 2018, 176, 404-416.	2.1	98
28	Accurate modeling of temporal correlations in rapidly sampled fMRI time series. Human Brain Mapping, 2018, 39, 3884-3897.	1.9	84
29	Longitudinal Resting State Functional Connectivity Predicts Clinical Outcome in Mild Traumatic Brain Injury. Journal of Neurotrauma, 2019, 36, 650-660.	1.7	45
30	An ICA based approach for steady-state and transient analysis of task fMRI data: Application to study of thermal pain response. Journal of Neuroscience Methods, 2019, 326, 108356.	1.3	3
31	Neurocognitive Signatures of Naturalistic Reading of Scientific Texts: A Fixation-Related fMRI Study. Scientific Reports, 2019, 9, 10678.	1.6	15
32	Impact of sampling rate on statistical significance for single subject fMRI connectivity analysis. Human Brain Mapping, 2019, 40, 3321-3337.	1.9	12
33	Neuroimaging Reveals Heterogeneous Neural Correlates of Reading Deficit in Individuals with Dyslexia Consistent with a Multiple Deficit Model. , 2019, , .		1
34	fMRI evidence that left posterior temporal cortex contributes to N400 effects of predictability independent of congruity. Brain and Language, 2019, 199, 104697.	0.8	13
35	Spatial Resolution and Imaging Encoding fMRI Settings for Optimal Cortical and Subcortical Motor Somatotopy in the Human Brain. Frontiers in Neuroscience, 2019, 13, 571.	1.4	14
36	Alzheimer's pathology targets distinct memory networks in the ageing brain. Brain, 2019, 142, 2492-2509.	3.7	131
37	Virtual slice concept for improved simultaneous multi-slice MRI employing an extended leakage constraint. Magnetic Resonance in Medicine, 2019, 82, 377-386.	1.9	5

#	ARTICLE	IF	CITATIONS
38	Dynamicâ€¦flipâ€¦angle ECGâ€¦gating with nuisance signal regression improves restingâ€¦state BOLD functional connectivity mapping by reducing cardiogenic noise. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 911-923.	1.9	2
39	Novel Approach to Elucidate Human Baroreflex Regulation at the Brainstem Level: Pharmacological Testing During fMRI. <i>Frontiers in Neuroscience</i> , 2019, 13, 193.	1.4	20
40	Accurate autocorrelation modeling substantially improves fMRI reliability. <i>Nature Communications</i> , 2019, 10, 1220.	5.8	94
41	Optimizing Data for Modeling Neuronal Responses. <i>Frontiers in Neuroscience</i> , 2018, 12, 986.	1.4	11
42	Recent Advances in Pediatric Brain, Spine, and Neuromuscular Magnetic Resonance Imaging Techniques. <i>Pediatric Neurology</i> , 2019, 96, 7-23.	1.0	8
43	On the analysis of rapidly sampled fMRI data. <i>NeuroImage</i> , 2019, 188, 807-820.	2.1	68
44	Comparison of SMS-EPI and 3D-EPI at 7T in an fMRI localizer study with matched spatiotemporal resolution and homogenized excitation profiles. <i>PLoS ONE</i> , 2019, 14, e0225286.	1.1	24
45	Pain-related nucleus accumbens function: modulation by reward and sleep disruption. <i>Pain</i> , 2019, 160, 1196-1207.	2.0	43
46	Maximising BOLD sensitivity through automated EPI protocol optimisation. <i>NeuroImage</i> , 2019, 189, 159-170.	2.1	17
47	Integrated multiâ€¦echo denoising strategy improves identification of inherent language laterality. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3262-3271.	1.9	9
48	Advantages of short repetition time resting-state functional MRI enabled by simultaneous multi-slice imaging. <i>Journal of Neuroscience Methods</i> , 2019, 311, 122-132.	1.3	25
49	Optimal repetition time reduction for single subject eventâ€¦related functional magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1890-1897.	1.9	20
50	An Overview of Functional Magnetic Resonance Imaging Techniques for Organizational Research. <i>Organizational Research Methods</i> , 2019, 22, 17-45.	5.6	15
51	Targeted partial reconstruction for realâ€¦time fMRI with arbitrary trajectories. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1118-1129.	1.9	2
52	A circular echo planar sequence for fast volumetric fMRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1685-1698.	1.9	4
53	Correction of respiratory artifacts in MRI head motion estimates. <i>NeuroImage</i> , 2020, 208, 116400.	2.1	161
54	New acquisition techniques and their prospects for the achievable resolution of fMRI. <i>Progress in Neurobiology</i> , 2021, 207, 101936.	2.8	27
55	Object Selection by Automatic Spreading of Top-Down Attentional Signals in V1. <i>Journal of Neuroscience</i> , 2020, 40, 9250-9259.	1.7	12

#	ARTICLE	IF	CITATIONS
56	A naturalistic neuroimaging database for understanding the brain using ecological stimuli. <i>Scientific Data</i> , 2020, 7, 347.	2.4	54
57	Neuroimaging Findings for Developmental Coordination Disorder (DCD) in Adults: Critical Evaluation and Future Directions. , 2020, , .		1
58	Dynamic Properties of Human Default Mode Network in Eyes-Closed and Eyes-Open. <i>Brain Topography</i> , 2020, 33, 720-732.	0.8	10
59	Identification of an Amygdala-Thalamic Circuit That Acts as a Central Gain Mechanism in Taste Perceptions. <i>Journal of Neuroscience</i> , 2020, 40, 5051-5062.	1.7	23
60	fMRI protocol optimization for simultaneously studying small subcortical and cortical areas at 7T. <i>NeuroImage</i> , 2020, 219, 116992.	2.1	32
61	Does higher sampling rate (multiband + SENSE) improve group statistics - An example from social neuroscience block design at 3T. <i>NeuroImage</i> , 2020, 213, 116731.	2.1	22
62	On the Quality, Statistical Efficiency, and Safety of Simultaneously Recorded Multiband fMRI/EEG. <i>Brain Topography</i> , 2020, 33, 303-316.	0.8	9
63	Inter-slice leakage and intra-slice aliasing in simultaneous multi-slice echo-planar images. <i>Brain Structure and Function</i> , 2020, 225, 1153-1158.	1.2	17
64	Cerebellum, Basal Ganglia, and Cortex Mediate Performance of an Aerial Pursuit Task. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 29.	1.0	1
65	Automated characterization of noise distributions in diffusion MRI data. <i>Medical Image Analysis</i> , 2020, 65, 101758.	7.0	20
66	Temporal Signal-to-Noise Changes in Combined Multislice- and In-Plane-Accelerated Echo-Planar Imaging with a 20- and 64-Channel Coil. <i>Scientific Reports</i> , 2020, 10, 5536.	1.6	13
67	Diffusion Imaging in the Post HCP Era. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 36-57.	1.9	22
68	Higher temporal resolution multiband fMRI provides improved presurgical language maps. <i>Neuroradiology</i> , 2021, 63, 439-445.	1.1	4
69	Stimulus-Specific Visual Working Memory Representations in Human Cerebellar Lobule VIIb/VIIIa. <i>Journal of Neuroscience</i> , 2021, 41, 1033-1045.	1.7	29
70	Detecting Task Functional MRI Activation Using the Multiband Multiecho (MBME) Echo-Planar Imaging (EPI) Sequence. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1366-1374.	1.9	11
71	Comparing multiband and singleband EPI in NODDI at 3T: what are the implications for reproducibility and study sample sizes?. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, 34, 499-511.	1.1	9
72	Cognitive State Assessment and Monitoring: A Brain Connectivity Perspective. , 2021, , 1-27.		0
73	Functional Connectivity in Autism Spectrum Disorders: Challenges and Perspectives. , 2021, , 239-272.		0

#	ARTICLE	IF	CITATIONS
74	Improved simultaneous multislice cardiac MRI using readout concatenated k-space SPIRiT (ROCK-SPIRiT). <i>Magnetic Resonance in Medicine</i> , 2021, 85, 3036-3048.	1.9	10
75	Quantitative Assessment of the Impact of Geometric Distortions and Their Correction on fMRI Data Analyses. <i>Frontiers in Neuroscience</i> , 2021, 15, 642808.	1.4	4
76	Trading off spatio-temporal properties in 3D high-speed fMRI using interleaved stack-of-spirals trajectories. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 777-790.	1.9	0
77	Task-Dependent Functional and Effective Connectivity during Conceptual Processing. <i>Cerebral Cortex</i> , 2021, 31, 3475-3493.	1.6	35
78	Scan Once, Analyse Many: Using Large Open-Access Neuroimaging Datasets to Understand the Brain. <i>Neuroinformatics</i> , 2022, 20, 109-137.	1.5	20
80	Alzheimer's Pathology Is Associated with Dedifferentiation of Intrinsic Functional Memory Networks in Aging. <i>Cerebral Cortex</i> , 2021, 31, 4781-4793.	1.6	24
81	Decision-making ability, psychopathology, and brain connectivity. <i>Neuron</i> , 2021, 109, 2025-2040.e7.	3.8	34
82	Hybrid auditory fMRI: In pursuit of increasing data acquisition while decreasing the impact of scanner noise. <i>Journal of Neuroscience Methods</i> , 2021, 358, 109198.	1.3	2
83	Which multiband factor should you choose for your resting-state fMRI study?. <i>NeuroImage</i> , 2021, 234, 117965.	2.1	43
84	Safety and data quality of EEG recorded simultaneously with multi-band fMRI. <i>PLoS ONE</i> , 2021, 16, e0238485.	1.1	6
85	Evaluation of single bolus, dual-echo dynamic susceptibility contrast MRI protocols in brain tumor patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 0271678X2110395.	2.4	12
86	Multiband fMRI compromises detection of mesolimbic reward responses. <i>NeuroImage</i> , 2021, 244, 118617.	2.1	38
87	dStripe: Slice artefact correction in diffusion MRI via constrained neural network. <i>Medical Image Analysis</i> , 2021, 74, 102255.	7.0	3
88	Advances in resting state fMRI acquisitions for functional connectomics. <i>NeuroImage</i> , 2021, 243, 118503.	2.1	58
89	Multivariate spatial feature selection in fMRI. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 795-806.	1.5	12
93	Whole-brain high in-plane resolution fMRI using accelerated EPIK for enhanced characterisation of functional areas at 3T. <i>PLoS ONE</i> , 2017, 12, e0184759.	1.1	15
94	Characterizing functional pathways of the human olfactory system. <i>ELife</i> , 2019, 8, .	2.8	117
95	Cortical tau deposition follows patterns of entorhinal functional connectivity in aging. <i>ELife</i> , 2019, 8, .	2.8	83

#	ARTICLE	IF	CITATIONS
98	Development of a Japanese version of a theory-of-mind functional localizer for functional magnetic resonance imaging. <i>Shinrigaku Kenkyu</i> , 2017, 88, 366-375.	0.1	4
109	Contribution of the multi-echo approach in accelerated functional magnetic resonance imaging multiband acquisition. <i>Human Brain Mapping</i> , 2022, 43, 955-973.	1.9	6
110	pyfMRIqc: A Software Package for Raw fMRI Data Quality Assurance. <i>Journal of Open Research Software</i> , 2020, 8, .	2.7	6
113	Clinical BOLD fMRI and DTI: Artifacts, Tips, and Tricks. <i>Medical Radiology</i> , 2022, , 407-439.	0.0	0
114	Editorial for "Development of a Piezoelectric Actuated Tactile Stimulation Device for Population Receptive Field Mapping in Human Somatosensory Cortex with fMRI" <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 1066-1067.	1.9	2
115	Reliability and stability challenges in ABCD task fMRI data. <i>NeuroImage</i> , 2022, 252, 119046.	2.1	40
116	Improved Simultaneous Multi-Slice Functional MRI Using Self-supervised Deep Learning. , 2021, , .		6
117	20-fold Accelerated 7T fMRI Using Referenceless Self-Supervised Deep Learning Reconstruction. , 2021, 2021, 3765-3769.		10
118	Human Primary Olfactory Amygdala Subregions Form Distinct Functional Networks, Suggesting Distinct Olfactory Functions. <i>Frontiers in Systems Neuroscience</i> , 2021, 15, 752320.	1.2	14
143	Small Cerebral Infarcts Mimicked by Nuchal Lymph Nodes in Accelerated High-Resolution Diffusion Magnetic Resonance Imaging. <i>Stroke</i> , 0, , .	1.0	0
144	Emerging Techniques and Future Directions. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2022, 30, 565-582.	0.6	2
145	Separating neuronal activity and systemic low-frequency oscillation related BOLD responses at nodes of the default mode network during resting-state fMRI with multiband excitation echo-planar imaging. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	1
146	A comparison of multiband and multiband multiecho gradient-echo EPI for task fMRI at 3T. <i>Human Brain Mapping</i> , 2023, 44, 82-93.	1.9	6
147	Reliability and sensitivity to altered hemodynamics measured with resting-state fMRI metrics: Comparison with 123I-IMP SPECT. <i>NeuroImage</i> , 2022, 263, 119654.	2.1	4
148	Simultaneous Multislice Reconstruction. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2022, , 159-187.	0.0	0
150	Test-retest reliability of time-varying patterns of brain activity across single band and multiband resting-state functional magnetic resonance imaging in healthy older adults. <i>Frontiers in Human Neuroscience</i> , 0, 16, .	1.0	3
151	Comparing the test-retest reliability of resting-state functional magnetic resonance imaging metrics across single band and multiband acquisitions in the context of healthy aging. <i>Human Brain Mapping</i> , 2023, 44, 1901-1912.	1.9	4
153	Cognitive State Assessment and Monitoring: A Brain Connectivity Perspective. , 2023, , 2793-2819.		0

#	ARTICLE	IF	CITATIONS
154	Image Quality Issues. , 2022, , 213-246.		0
155	Geometryâ€derived statistical significance: A probabilistic framework for detecting true positive findings in MRI data. Brain and Behavior, 2023, 13, .	1.0	1
157	3D motion strategy for online volumetric thermometry using simultaneous multi-slice EPI at 1.5T: an evaluation study. International Journal of Hyperthermia, 2023, 40, .	1.1	1