

# Suppression of Enhancer Overactivation by a RACK7-H

Cell

165, 331-342

DOI: [10.1016/j.cell.2016.02.064](https://doi.org/10.1016/j.cell.2016.02.064)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Multivalent Histone and DNA Engagement by a PHD/BRD/PWWP Triple Reader Cassette Recruits ZMYND8 to K14ac-Rich Chromatin. <i>Cell Reports</i> , 2016, 17, 2724-2737.	2.9	86
2	Tug of war: adding and removing histone lysine methylation in Arabidopsis. <i>Current Opinion in Plant Biology</i> , 2016, 34, 41-53.	3.5	121
3	ZMYND8 Co-localizes with NuRD on Target Genes and Regulates Poly(ADP-Ribose)-Dependent Recruitment of GATAD2A/NuRD to Sites of DNA Damage. <i>Cell Reports</i> , 2016, 17, 783-798.	2.9	100
4	Enhancer deregulation in cancer and other diseases. <i>BioEssays</i> , 2016, 38, 1003-1015.	1.2	79
5	Chromatin and Epigenetics at the Forefront: Finding Clues among Peaks. <i>Molecular and Cellular Biology</i> , 2016, 36, 2432-2439.	1.1	4
6	An integrated analysis identifies STAT4 as a key regulator of ovarian cancer metastasis. <i>Oncogene</i> , 2017, 36, 3384-3396.	2.6	69
7	Folate deficiency facilitates recruitment of upstream binding factor to hot spots of DNA double-strand breaks of rRNA genes and promotes its transcription. <i>Nucleic Acids Research</i> , 2017, 45, 2472-2489.	6.5	21
8	Different enhancer classes in Drosophila bind distinct architectural proteins and mediate unique chromatin interactions and 3D architecture. <i>Nucleic Acids Research</i> , 2017, 45, 1714-1730.	6.5	133
9	RNF40 regulates gene expression in an epigenetic context-dependent manner. <i>Genome Biology</i> , 2017, 18, 32.	3.8	41
10	Super-Enhancer-Driven Transcriptional Dependencies in Cancer. <i>Trends in Cancer</i> , 2017, 3, 269-281.	3.8	217
11	Dual histone reader ZMYND8 inhibits cancer cell invasion by positively regulating epithelial genes. <i>Biochemical Journal</i> , 2017, 474, 1919-1934.	1.7	15
12	Histone lysine demethylases in mammalian embryonic development. <i>Experimental and Molecular Medicine</i> , 2017, 49, e325-e325.	3.2	56
13	RNA Activation. <i>Advances in Experimental Medicine and Biology</i> , 2017, , .	0.8	1
14	Histone demethylase KDM5A regulates the ZMYND8â€“NuRD chromatin remodeler to promote DNA repair. <i>Journal of Cell Biology</i> , 2017, 216, 1959-1974.	2.3	132
15	MyoD- and FoxO3-mediated hotspot interaction orchestrates super-enhancer activity during myogenic differentiation. <i>Nucleic Acids Research</i> , 2017, 45, 8785-8805.	6.5	51
16	Functions of bromodomain-containing proteins and their roles in homeostasis and cancer. <i>Nature Reviews Molecular Cell Biology</i> , 2017, 18, 246-262.	16.1	444
17	The KDM5 family is required for activation of pro-proliferative cell cycle genes during adipocyte differentiation. <i>Nucleic Acids Research</i> , 2017, 45, 1743-1759.	6.5	49
18	A cryptic Tudor domain links BRWD2/PHIP to COMPASS-mediated histone H3K4 methylation. <i>Genes and Development</i> , 2017, 31, 2003-2014.	2.7	54

#	ARTICLE	IF	CITATIONS
19	The Structure of the ZMYND8/Drebrin Complex Suggests a Cytoplasmic Sequestering Mechanism of ZMYND8 by Drebrin. <i>Structure</i> , 2017, 25, 1657-1666.e3.	1.6	15
20	Loss of Kdm5c Causes Spurious Transcription and Prevents the Fine-Tuning of Activity-Regulated Enhancers in Neurons. <i>Cell Reports</i> , 2017, 21, 47-59.	2.9	89
21	JARID1 Histone Demethylases: Emerging Targets in Cancer. <i>Trends in Cancer</i> , 2017, 3, 713-725.	3.8	76
22	Epigenetic Etiology of Intellectual Disability. <i>Journal of Neuroscience</i> , 2017, 37, 10773-10782.	1.7	113
23	Histone Marks in the "Driver"™s Seat™: Functional Roles in Steering the Transcription Cycle. <i>Trends in Biochemical Sciences</i> , 2017, 42, 977-989.	3.7	132
24	Targeting the Epigenome as a Novel Therapeutic Approach for Breast Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1026, 287-313.	0.8	7
25	The Emerging Role of Epigenetics in Autoimmune Thyroid Diseases. <i>Frontiers in Immunology</i> , 2017, 8, 396.	2.2	62
26	Double duty: ZMYND8 in the DNA damage response and cancer. <i>Cell Cycle</i> , 2018, 17, 414-420.	1.3	26
27	E6 Protein Expressed by High-Risk HPV Activates Super-Enhancers of the <i>EGFR</i> and <i>c-MET</i> Oncogenes by Destabilizing the Histone Demethylase KDM5C. <i>Cancer Research</i> , 2018, 78, 1418-1430.	0.4	47
28	MYC-driven epigenetic reprogramming favors the onset of tumorigenesis by inducing a stem cell-like state. <i>Nature Communications</i> , 2018, 9, 1024.	5.8	114
29	Targeting bromodomain and extraterminal proteins in breast cancer. <i>Pharmacological Research</i> , 2018, 129, 156-176.	3.1	38
30	Highly Selective 5-Formyluracil Labeling and Genome-wide Mapping Using (2-Benzimidazolyl)Acetonitrile Probe. <i>Science</i> , 2018, 9, 423-432.	1.9	18
31	The Regulation and Function of Histone Methylation. <i>Journal of Plant Biology</i> , 2018, 61, 347-357.	0.9	10
32	The Chromatin Reader ZMYND8 Regulates Igh Enhancers to Promote Immunoglobulin Class Switch Recombination. <i>Molecular Cell</i> , 2018, 72, 636-649.e8.	4.5	34
33	Esrrb extinction triggers dismantling of naïve pluripotency and marks commitment to differentiation. <i>EMBO Journal</i> , 2018, 37, .	3.5	25
34	Beyond DNA: the Role of Epigenetics in the Premalignant Progression of Breast Cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2018, 23, 223-235.	1.0	29
36	Weighted Gene Correlation Network Analysis (WGCNA) Reveals Novel Transcription Factors Associated With Bisphenol A Dose-Response. <i>Frontiers in Genetics</i> , 2018, 9, 508.	1.1	43
37	HANR promotes hepatocellular carcinoma progression via miR-214/EZH2/TGF- $\beta^2$ axis. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 189-193.	1.0	17

#	ARTICLE	IF	CITATIONS
38	An epigenetic perspective on tumorigenesis: Loss of cell identity, enhancer switching, and NamiRNA network. <i>Seminars in Cancer Biology</i> , 2018, , .	4.3	17
39	KDM5 histone demethylases repress immune response via suppression of STING. <i>PLoS Biology</i> , 2018, 16, e2006134.	2.6	106
40	Altered Gene-Regulatory Function of KDM5C by a Novel Mutation Associated With Autism and Intellectual Disability. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 104.	1.4	52
41	Polycomb complexes associate with enhancers and promote oncogenic transcriptional programs in cancer through multiple mechanisms. <i>Nature Communications</i> , 2018, 9, 3377.	5.8	112
42	Positive Regulation of Transcription by Human ZMYND8 through Its Association with P-TEFb Complex. <i>Cell Reports</i> , 2018, 24, 2141-2154.e6.	2.9	30
43	â€œZ4â€•Complex Member Fusions in NUT Carcinoma: Implications for a Novel Oncogenic Mechanism. <i>Molecular Cancer Research</i> , 2018, 16, 1826-1833.	1.5	43
44	Dismissal of RNA Polymerase II Underlies a Large Ligand-Induced Enhancer Decommissioning Program. <i>Molecular Cell</i> , 2018, 71, 526-539.e8.	4.5	17
45	Genetics and Expression Profile of the Tubulin Gene Superfamily in Breast Cancer Subtypes and Its Relation to Taxane Resistance. <i>Cancers</i> , 2018, 10, 274.	1.7	83
46	<p>Low expression of ZMYND8 correlates with aggressive features and poor prognosis in nasopharyngeal carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 7835-7843.	0.9	5
47	Distinct enhancer signatures in the mouse gastrula delineate progressive cell fate continuum during embryo development. <i>Cell Research</i> , 2019, 29, 911-926.	5.7	16
48	GR and LSD1/KDM1A-Targeted Gene Activation Requires Selective H3K4me2 Demethylation at Enhancers. <i>Cell Reports</i> , 2019, 27, 3522-3532.e3.	2.9	23
49	Aberrant activation of CYR61 enhancers in colorectal cancer development. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 213.	3.5	34
50	The endogenous retrovirus-derived long noncoding RNA TROJAN promotes triple-negative breast cancer progression via ZMYND8 degradation. <i>Science Advances</i> , 2019, 5, eaat9820.	4.7	95
51	The hyper-activation of transcriptional enhancers in breast cancer. <i>Clinical Epigenetics</i> , 2019, 11, 48.	1.8	42
53	PLZF limits enhancer activity during hematopoietic progenitor aging. <i>Nucleic Acids Research</i> , 2019, 47, 4509-4520.	6.5	15
54	Transcriptome analysis of Luminal Breast Cancer Reveals a Role for LOL in Tumor Progression and Tamoxifen Resistance. <i>International Journal of Cancer</i> , 2019, 145, 842-856.	2.3	20
55	Biology and targeting of the Jumonji-domain histone demethylase family in childhood neoplasia: a preclinical overview. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 267-280.	1.5	11
56	An epigenetic perspective on tumorigenesis: Loss of cell identity, enhancer switching, and NamiRNA network. <i>Seminars in Cancer Biology</i> , 2019, 57, 1-9.	4.3	19

#	ARTICLE	IF	CITATIONS
57	Protein kinase C binding protein 1 inhibits hypoxia-inducible factor-1 in the heart. <i>Cardiovascular Research</i> , 2019, 115, 1332-1342.	1.8	6
58	Histone methylation and the DNA damage response. <i>Mutation Research - Reviews in Mutation Research</i> , 2019, 780, 37-47.	2.4	132
59	Lessons from eRNAs: understanding transcriptional regulation through the lens of nascent RNAs. <i>Transcription</i> , 2020, 11, 3-18.	1.7	13
60	2-Oxoglutarate-dependent dioxygenases in cancer. <i>Nature Reviews Cancer</i> , 2020, 20, 710-726.	12.8	119
61	RACK7 recognizes H3.3G34R mutation to suppress expression of MHC class II complex components and their delivery pathway in pediatric glioblastoma. <i>Science Advances</i> , 2020, 6, eaba2113.	4.7	25
62	Suppression of poised oncogenes by ZMYND8 promotes chemo-sensitization. <i>Cell Death and Disease</i> , 2020, 11, 1073.	2.7	11
63	ZMYND8 Expression in Breast Cancer Cells Blocks T-Lymphocyte Surveillance to Promote Tumor Growth. <i>Cancer Research</i> , 2021, 81, 174-186.	0.4	12
64	ADNP Controls Gene Expression Through Local Chromatin Architecture by Association With BRG1 and CHD4. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 553.	1.8	26
65	KDM5C Represses FASN-Mediated Lipid Metabolism to Exert Tumor Suppressor Activity in Intrahepatic Cholangiocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 1025.	1.3	21
66	Make your best BET: The emerging role of BET inhibitor treatment in malignant tumors. , 2020, 208, 107479.		74
67	Epigenetic plasticity of enhancers in cancer. <i>Transcription</i> , 2020, 11, 26-36.	1.7	23
68	A novel role of tumor suppressor ZMYND8 in inducing differentiation of breast cancer cells through its dual-histone binding function. <i>Journal of Biosciences</i> , 2020, 45, 1.	0.5	2
69	ZMYND8 expression combined with pN and pM classification as a novel prognostic prediction model for colorectal cancer: Based on TCGA and GEO database analysis. <i>Cancer Biomarkers</i> , 2020, 28, 201-211.	0.8	14
70	Histone lysine demethylases and their functions in cancer. <i>International Journal of Cancer</i> , 2021, 148, 2375-2388.	2.3	46
71	BACH1 recruits NANOG and histone H3 lysine 4 methyltransferase MLL/SET1 complexes to regulate enhancerâ€™ promoter activity and maintains pluripotency. <i>Nucleic Acids Research</i> , 2021, 49, 1972-1986.	6.5	24
72	DNA methylation and histone variants in aging and cancer. <i>International Review of Cell and Molecular Biology</i> , 2021, 364, 1-110.	1.6	18
73	KDM1A maintains genome-wide homeostasis of transcriptional enhancers. <i>Genome Research</i> , 2021, 31, 186-197.	2.4	17
74	Design, Synthesis, and Biological Evaluation of Lysine Demethylase 5â€™C Degradable. <i>ChemMedChem</i> , 2021, 16, 1609-1618.	1.6	14

#	ARTICLE	IF	CITATIONS
75	The Dual Function of KDM5C in Both Gene Transcriptional Activation and Repression Promotes Breast Cancer Cell Growth and Tumorigenesis. <i>Advanced Science</i> , 2021, 8, 2004635.	5.6	26
76	Regulation of ZMYND8 to Treat Cancer. <i>Molecules</i> , 2021, 26, 1083.	1.7	12
77	ZMYND8 preferentially binds phosphorylated EZH2 to promote a PRC2-dependent to -independent function switch in hypoxia-inducible factor-activated cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	14
78	ZMYND8 promotes the growth and metastasis of hepatocellular carcinoma by promoting HK2-mediated glycolysis. <i>Pathology Research and Practice</i> , 2021, 219, 153345.	1.0	9
79	Integrative RNA-Seq and H3 Trimethylation ChIP-Seq Analysis of Human Lung Cancer Cells Isolated by Laser-Microdissection. <i>Cancers</i> , 2021, 13, 1719.	1.7	1
80	MLL3 suppresses tumorigenesis through regulating TNS3 enhancer activity. <i>Cell Death and Disease</i> , 2021, 12, 364.	2.7	11
81	The ZMYND8-regulated mevalonate pathway endows YAP-high intestinal cancer with metabolic vulnerability. <i>Molecular Cell</i> , 2021, 81, 2736-2751.e8.	4.5	20
82	The language of chromatin modification in human cancers. <i>Nature Reviews Cancer</i> , 2021, 21, 413-430.	12.8	179
83	KDM5A and KDM5B histone-demethylases contribute to HU-induced replication stress response and tolerance. <i>Biology Open</i> , 2021, 10, .	0.6	11
84	microRNA-181a promotes the oncogene S100A2 and enhances papillary thyroid carcinoma growth by mediating the expression of histone demethylase KDM5C. <i>Journal of Endocrinological Investigation</i> , 2021, , 1.	1.8	8
85	Human umbilical cord mesenchymal stem cells-derived exosomal microRNA-181a retards nasopharyngeal carcinoma development by mediating KDM5C. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2867-2877.	1.2	13
86	Structural Basis of RACK7 PHD Domain to Read a Pediatric Glioblastoma-Associated Histone Mutation H3 . 3G34R. <i>Chinese Journal of Chemistry</i> , 2021, 39, 2433-2440.	2.6	1
87	Whole-genome sequencing of H3K4me3 and DNA methylation in human sperm reveals regions of overlap linked to fertility and development. <i>Cell Reports</i> , 2021, 36, 109418.	2.9	25
88	Validation of ZMYND8 as a new treatment target in hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 3517-3534.	1.2	5
89	Genome-Wide Enhancer Analysis Reveals the Role of AP-1 Transcription Factor in Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 701531.	1.6	4
90	KDM5A suppresses PML-RAR $\pm$ target gene expression and APL differentiation through repressing H3K4me2. <i>Blood Advances</i> , 2021, 5, 3241-3253.	2.5	16
91	ZMYND8-regulated IRF8 transcription axis is an acute myeloid leukemia dependency. <i>Molecular Cell</i> , 2021, 81, 3604-3622.e10.	4.5	32
92	miRNA-Mediated RNAa by Targeting Enhancers. <i>Advances in Experimental Medicine and Biology</i> , 2017, 983, 113-125.	0.8	16

#	ARTICLE	IF	CITATIONS
95	ZMYND8 acetylation mediates HIF-dependent breast cancer progression and metastasis. <i>Journal of Clinical Investigation</i> , 2018, 128, 1937-1955.	3.9	126
96	Acetylation Reader Proteins: Linking Acetylation Signaling to Genome Maintenance and Cancer. <i>PLoS Genetics</i> , 2016, 12, e1006272.	1.5	91
97	Targeting complexes of super-enhancers is a promising strategy for cancer therapy (Review). <i>Oncology Letters</i> , 2020, 20, 2557-2566.	0.8	12
100	Genome-wide profiling in colorectal cancer identifies PHF19 and TBC1D16 as oncogenic super enhancers. <i>Nature Communications</i> , 2021, 12, 6407.	5.8	41
101	Compressive stress-mediated p38 activation required for ER <sup>+</sup> phenotype in breast cancer. <i>Nature Communications</i> , 2021, 12, 6967.	5.8	22
102	ZMYND8 mediated liquid condensates spatiotemporally decommission the latent super-enhancers during macrophage polarization. <i>Nature Communications</i> , 2021, 12, 6535.	5.8	13
104	BRD4-directed super-enhancer organization of transcription repression programs links to chemotherapeutic efficacy in breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	31
105	A novel role of tumor suppressor ZMYND8 in inducing differentiation of breast cancer cells through its dual-histone binding function. <i>Journal of Biosciences</i> , 2020, 45, .	0.5	1
107	A peptide encoded by pri-miR-31 represses autoimmunity by promoting T <sub>reg</sub> differentiation. <i>EMBO Reports</i> , 2022, 23, e53475.	2.0	15
108	Epigenomic translocation of H3K4me3 broad domains over oncogenes following hijacking of super-enhancers. <i>Genome Research</i> , 2022, 32, 1343-1354.	2.4	8
131	XIST loss impairs mammary stem cell differentiation and increases tumorigenicity through Mediator hyperactivation. <i>Cell</i> , 2022, 185, 2164-2183.e25.	13.5	22
132	Autism-associated protein POGZ controls ESCs and ESC neural induction by association with esBAF. <i>Molecular Autism</i> , 2022, 13, .	2.6	8
134	Multifaceted regulation of enhancers in cancer. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2022, 1865, 194839.	0.9	2
135	Functions and Interactions of Mammalian KDM5 Demethylases. <i>Frontiers in Genetics</i> , 0, 13, .	1.1	9
136	Diverse Functions of KDM5 in Cancer: Transcriptional Repressor or Activator?. <i>Cancers</i> , 2022, 14, 3270.	1.7	10
137	ZMYND8 is a master regulator of 27-hydroxycholesterol that promotes tumorigenicity of breast cancer stem cells. <i>Science Advances</i> , 2022, 8, .	4.7	8
138	The contribution of whole-exome sequencing to intellectual disability diagnosis and knowledge of underlying molecular mechanisms: A systematic review and meta-analysis. <i>Mutation Research - Reviews in Mutation Research</i> , 2022, 790, 108428.	2.4	11
139	ZMYND8 suppresses MAPT213 LncRNA transcription to promote neuronal differentiation. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	1

#	ARTICLE	IF	CITATIONS
140	ARID1A-dependent maintenance of H3.3 is required for repressive CHD4-ZMYND8 chromatin interactions at super-enhancers. <i>BMC Biology</i> , 2022, 20, .	1.7	7
141	Regulation of KDM5C stability and enhancer reprogramming in breast cancer. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	2
144	Chromatin Sensing by the Auxiliary Domains of KDM5C Regulates Its Demethylase Activity and Is Disrupted by X-linked Intellectual Disability Mutations. <i>Journal of Molecular Biology</i> , 2023, 435, 167913.	2.0	8
145	Zinc finger myeloid Nery DEAF-1 type (ZMYND) domain containing proteins exert molecular interactions to implicate in carcinogenesis. <i>Discover Oncology</i> , 2022, 13, .	0.8	3
146	Elevated histone demethylase KDM5C increases recurrent miscarriage risk by preventing trophoblast proliferation and invasion. <i>Cell Death Discovery</i> , 2022, 8, .	2.0	1
147	The histone demethylase KDM5C functions as a tumor suppressor in AML by repression of bivalently marked immature genes. <i>Leukemia</i> , 2023, 37, 593-605.	3.3	4
148	The chromatin signatures of enhancers and their dynamic regulation. <i>Nucleus</i> , 2023, 14, .	0.6	5
149	Zinc Finger MYND-Type Containing 8 (ZMYND8) Is Epigenetically Regulated in Mutant Isocitrate Dehydrogenase 1 (IDH1) Glioma to Promote Radioresistance. <i>Clinical Cancer Research</i> , 2023, 29, 1763-1782.	3.2	3
150	Comparative evaluation of ZMYND-8 and RAR $\beta$ 2 genes promotersâ€™ methylation changes in tumor and tumor margin tissues of patients with lung cancer. <i>Egyptian Journal of Medical Human Genetics</i> , 2023, 24, .	0.5	0
151	BACH1 deficiency prevents neointima formation and maintains the differentiated phenotype of vascular smooth muscle cells by regulating chromatin accessibility. <i>Nucleic Acids Research</i> , 2023, 51, 4284-4301.	6.5	5
152	Atypical histone targets of PHD fingers. <i>Journal of Biological Chemistry</i> , 2023, 299, 104601.	1.6	7
156	KDM5 Lysine Demethylases in Pathogenesis, from Basic Science Discovery to the Clinic. <i>Advances in Experimental Medicine and Biology</i> , 2023, , 113-137.	0.8	0
161	Histone Readers and Their Roles in Cancer. <i>Cancer Treatment and Research</i> , 2023, , 245-272.	0.2	0