

Long-lived connection between southern Siberia and north Proterozoic

Nature Geoscience

9, 464-469

DOI: [10.1038/ngeo2700](https://doi.org/10.1038/ngeo2700)

Citation Report

#	ARTICLE	IF	CITATIONS
1	New data on geology of the Southern Urals: a concise summary of research after the period of EUROPROBE activity. <i>Solid Earth</i> , 2016, 7, 1269-1280.	1.2	2
2	Paleogeography of the Congo/São Francisco craton at 1.5Ga: Expanding the core of Nuna supercontinent. <i>Precambrian Research</i> , 2016, 286, 195-212.	1.2	30
3	Proterozoic Dyke Swarms of the Siberian Craton and Their Geodynamic Implications. <i>Acta Geologica Sinica</i> , 2016, 90, 6-7.	0.8	4
4	A late Paleoproterozoic key pole for the Fennoscandian Shield: A paleomagnetic study of the Keuruu diabase dykes, Central Finland. <i>Precambrian Research</i> , 2016, 286, 379-397.	1.2	16
5	Age and Geochemical Characteristics of Major Mafic Dyke Swarms in the Southern Part of the Siberian Craton. <i>Acta Geologica Sinica</i> , 2016, 90, 125-126.	0.8	0
6	Advancing beyond May 1971: How Do We Deal with the Possibility of Complicated Dyke Geometries, Long-Lived Lips, and Contrasting Basement Geological Provinces?. <i>Acta Geologica Sinica</i> , 2016, 90, 31-33.	0.8	0
7	Linking collisional and accretionary orogens during Rodinia assembly and breakup: Implications for models of supercontinent cycles. <i>Earth and Planetary Science Letters</i> , 2016, 449, 118-126.	1.8	316
8	Relationship between platinum-bearing ultramafic mafic intrusions and large igneous provinces (<i>exemplified by the Siberian Craton</i>). <i>Russian Geology and Geophysics</i> , 2016, 57, 822-833.	0.3	27
9	The 1501 Ma Kuonamka Large Igneous Province of northern Siberia: U–Pb geochronology, geochemistry, and links with coeval magmatism on other crustal blocks. <i>Russian Geology and Geophysics</i> , 2016, 57, 653-671.	0.3	41
10	The 1.33–1.30 Ga Yanliao large igneous province in the North China Craton: Implications for reconstruction of the Nuna (Columbia) supercontinent, and specifically with the North Australian Craton. <i>Earth and Planetary Science Letters</i> , 2017, 465, 112-125.	1.8	125
11	Initiation of Snowball Earth with volcanic sulfur aerosol emissions. <i>Geophysical Research Letters</i> , 2017, 44, 1938-1946.	1.5	71
12	The Proterozoic evolution of northern Siberian Craton margin: a comparison of U–Pb–Hf signatures from sedimentary units of the Taimyr orogenic belt and the Siberian platform. <i>International Geology Review</i> , 2017, 59, 1632-1656.	1.1	40
13	The Columbia supercontinent revisited. <i>Gondwana Research</i> , 2017, 50, 67-83.	3.0	212
14	Investigating the Paleozoic–Mesozoic low-temperature thermal history of the southwestern Canadian Arctic: insights from (U–Th)/He thermochronology. <i>Canadian Journal of Earth Sciences</i> , 2017, 54, 430-444.	0.6	3
15	Petrochronology of Zircon and Baddeleyite in Igneous Rocks: Reconstructing Magmatic Processes at High Temporal Resolution. <i>Reviews in Mineralogy and Geochemistry</i> , 2017, 83, 297-328.	2.2	72
16	Turmoil before the boring billion: Paleomagnetism of the 1880–1860 Ma Uatunã event in the Amazonian craton. <i>Gondwana Research</i> , 2017, 49, 106-129.	3.0	41
17	Magnetic fabrics and rock magnetism of the Xiong'er volcanic rocks and their implications for tectonic correlation of the North China Craton with other crustal blocks in the Nuna/Columbia supercontinent. <i>Tectonophysics</i> , 2017, 712-713, 415-425.	0.9	24
18	A full-plate global reconstruction of the Neoproterozoic. <i>Gondwana Research</i> , 2017, 50, 84-134.	3.0	474

#	ARTICLE	IF	CITATIONS
19	How Large Igneous Provinces affect global climate, sometimes cause mass extinctions, and represent natural markers in the geological record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 478, 30-52.	1.0	301
20	Mechanical models for dikes: A third school of thought. <i>Tectonophysics</i> , 2017, 703-704, 98-118.	0.9	75
21	Age and origin of uranium mineralization in the Camie River deposit (Otish Basin, Québec, Canada). <i>Ore Geology Reviews</i> , 2017, 91, 196-215.	1.1	7
22	Neoproterozoic intraplate magmatism along the western margin of the Siberian Craton: Implications for breakup of the Rodinia supercontinent. <i>Precambrian Research</i> , 2017, 300, 315-331.	1.2	41
23	Age, provenance and Precambrian evolution of the Anabar shield from U-Pb and Lu-Hf isotope data on detrital zircons, and the history of the northern and central Siberian craton. <i>Precambrian Research</i> , 2017, 301, 134-144.	1.2	25
24	Kinematic constraints on the Rodinia to Gondwana transition. <i>Precambrian Research</i> , 2017, 299, 132-150.	1.2	59
25	Snowball Earth climate dynamics and Cryogenian geology-geobiology. <i>Science Advances</i> , 2017, 3, e1600983.	4.7	424
26	Neoproterozoic paleogeography of the Tarim Block: An extended or alternative model for Rodinia?. <i>Earth and Planetary Science Letters</i> , 2017, 458, 92-106.	1.8	88
27	Mineralogy, age and genesis of apatite-dolomite ores at the Seligdar apatite deposit (Central Aldan, Russia). <i>Journal of Metamorphic Geology</i> , 2017, 35, 107-120.	1.1	30
28	Paleomagnetic evidence for a large rotation of the Yukon block relative to Laurentia: Implications for a low-latitude Sturtian glaciation and the breakup of Rodinia. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 38-58.	1.6	13
29	Mesoproterozoic geomagnetic reversal asymmetry in light of new paleomagnetic and geochronological data for the Häme dyke swarm, Finland: Implications for the Nuna supercontinent. <i>Precambrian Research</i> , 2017, 288, 1-22.	1.2	22
30	10. Petrochronology of Zircon and Baddeleyite in Igneous Rocks: Reconstructing Magmatic Processes at High Temporal Resolution. , 2017, , .		9
31	Balkatach hypothesis: A new model for the evolution of the Pacific, Tethyan, and Paleo-Asian oceanic domains. , 2017, 13, 1664-1712.		79
32	In situ U-Pb geochronology and geochemistry of a 1.13 Ga mafic dyke suite at Bungler Hills, East Antarctica: The end of the Albany-Fraser Orogeny. <i>Precambrian Research</i> , 2018, 310, 76-92.	1.2	11
33	Granulite accretion to Rio de la Plata Craton, based on zircon U-Pb-Hf isotopes: Tectonic implications for Columbia Supercontinent reconstruction. <i>Gondwana Research</i> , 2018, 56, 105-118.	3.0	39
34	A 1.88 Ga giant radiating mafic dyke swarm across southern India and Western Australia. <i>Precambrian Research</i> , 2018, 308, 58-74.	1.2	45
35	Isotopic and trace element geochemistry of the Seligdar magnesiocarbonatites (South Yakutia, Russia): Insights regarding the mantle evolution beneath the Aldan-Stanovoy shield. <i>Journal of Asian Earth Sciences</i> , 2018, 154, 354-368.	1.0	17
36	The Dovyren Intrusive Complex (Southern Siberia, Russia): Insights into dynamics of an open magma chamber with implications for parental magma origin, composition, and Cu-Ni-PGE fertility. <i>Lithos</i> , 2018, 302-303, 242-262.	0.6	28

#	ARTICLE	IF	CITATIONS
37	Rift-Related Sediments of the Passive Continental Margin of the Paleo-Asian Ocean (Baikal Segment). <i>Doklady Earth Sciences</i> , 2018, 478, 171-174.	0.2	3
38	Blueschist facies fault tectonites from the western margin of the Siberian Craton: Implications for subduction and exhumation associated with early stages of the Paleo-Asian Ocean. <i>Lithos</i> , 2018, 304-307, 468-488.	0.6	25
39	Magnetite-apatite-dolomitic rocks of Ust-Chulman (Aldan shield, Russia): Seligdar-type carbonatites?. <i>Mineralogy and Petrology</i> , 2018, 112, 257-266.	0.4	6
40	Cryogenian magmatism along the north-western margin of Laurentia: Plume or rift?. <i>Precambrian Research</i> , 2018, 319, 144-157.	1.2	15
41	Dominant Lid Tectonics behaviour of continental lithosphere in Precambrian times: Palaeomagnetism confirms prolonged quasi-integrity and absence of supercontinent cycles. <i>Geoscience Frontiers</i> , 2018, 9, 61-89.	4.3	20
42	The Neoproterozoic evolution of the western Siberian Craton margin: U-Pb-Hf isotopic records of detrital zircons from the Yenisey Ridge and the Prisayan Uplift. <i>Precambrian Research</i> , 2018, 305, 197-217.	1.2	36
44	Geodynamic Significance of the Mesoproterozoic Magmatism of the Udzha Paleo-Rift (Northern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 2018, 8, 555.	0.8	12
45	Gabbro-peridotite sills of the Late Riphean Dovyren plutonic complex (northern Baikal area, Russia). <i>Russian Geology and Geophysics</i> , 2018, 59, 472-485.	0.3	12
46	The oldest (~1.9 Ga) metadolerites of the southern Siberian craton: age, petrogenesis, and tectonic setting. <i>Russian Geology and Geophysics</i> , 2018, 59, 1548-1559.	0.3	6
47	Geochemistry and Petrogenesis of Mesoproterozoic Dykes of the Irkutsk Promontory, Southern Part of the Siberian Craton. <i>Minerals (Basel, Switzerland)</i> , 2018, 8, 545.	0.8	13
49	Where and when did the Paleo-Asian ocean form?. <i>Precambrian Research</i> , 2018, 317, 241-252.	1.2	52
50	Rifting of western Laurentia at 1.38 Ga: The Hart River sills of Yukon, Canada. <i>Lithos</i> , 2018, 316-317, 243-260.	0.6	16
51	True Polar Wander: A Key Indicator for Plate Configuration and Mantle Convection During the Late Neoproterozoic. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 3478-3495.	1.0	25
52	Neoproterozoic magmatic Ni-Cu (PGE) sulfide deposits related to the assembly and breakup of the Rodinia supercontinent in China: An overview. <i>Ore Geology Reviews</i> , 2018, 99, 282-302.	1.1	7
53	Palaeomagnetism of the 1.89 Ga Boonadgin dykes of the Yilgarn Craton: Possible connection with India. <i>Precambrian Research</i> , 2019, 329, 211-223.	1.2	21
54	The First U-Pb (SHRIMP II) Evidence of the Franklin Tectonic Event at the Western Margin of the Siberian Craton. <i>Doklady Earth Sciences</i> , 2019, 486, 605-608.	0.2	2
55	An advanced stepwise leaching technique for derivation of initial lead isotope ratios in ancient mafic rocks: A case study of Mesoproterozoic intrusions from the Udzha paleo-rift, Siberian Craton. <i>Chemical Geology</i> , 2019, 528, 119253.	1.4	1
56	New Isotope Constraints on the Time of Formation of the Nersa Dolerite Complex from the Biryusa-Sayan Area. <i>Doklady Earth Sciences</i> , 2019, 485, 363-367.	0.2	3

#	ARTICLE	IF	CITATIONS
57	A New Ectasian Event of Basitic Magmatism in the Southern Siberian Craton. <i>Doklady Earth Sciences</i> , 2019, 486, 507-511.	0.2	6
58	An appraisal of geochemical signatures of komatiites from the greenstone belts of Dharwar Craton, India : Implications for temporal transition and Archean upper mantle hydration. <i>Geological Journal</i> , 2019, 54, 3088.	0.6	6
59	Failed rifting and fast drifting: Midcontinent Rift development, Laurentia's rapid motion and the driver of Grenvillian orogenesis. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 913-940.	1.6	72
60	The Proterozoic Pogoruy Formation of Yenisei Ridge: Age and Provenance Sources According to U/Pb Dating of Detrital Zircons. <i>Doklady Earth Sciences</i> , 2019, 484, 28-31.	0.2	4
61	Two billion years of mantle evolution in sync with global tectonic cycles. <i>Earth and Planetary Science Letters</i> , 2019, 528, 115820.	1.8	4
62	Shoshonitic magmatism in the Paleoproterozoic of the south-western Siberian Craton: An analogue of the modern post-collision setting. <i>Lithos</i> , 2019, 328-329, 88-100.	0.6	21
63	Early Ordovician to Early Devonian tectonic development of the northern margin of Laurentia, Canadian Arctic Islands. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 1075-1094.	1.6	23
64	From Kenorland to Modern Continents: Tectonics and Metallogeny. <i>Geotectonics</i> , 2019, 53, 169-192.	0.2	11
65	Precambrian Terranes of the Central Asian Orogenic Belt: Comparative Characteristics, Types, and Peculiarities of Tectonic Evolution. <i>Geotectonics</i> , 2019, 53, 1-23.	0.2	28
66	1U-Pb SIMS and Ar-Ar geochronology, petrography, mineralogy and gold mineralization of the late Mesozoic Amga alkaline rocks (Aldan shield, Russia). <i>Ore Geology Reviews</i> , 2019, 109, 520-534.	1.1	10
67	The same and not the same: Ore geology, mineralogy and geochemistry of Rodinia assembly versus other supercontinents. <i>Earth-Science Reviews</i> , 2019, 196, 102860.	4.0	16
68	A-type granites in the western margin of the Siberian Craton: Implications for breakup of the Precambrian supercontinents Columbia/Nuna and Rodinia. <i>Precambrian Research</i> , 2019, 328, 128-145.	1.2	31
69	The global tectonic context of the ca. 2.27-1.96 Ga Birimian Orogen – Insights from comparative studies, with implications for supercontinent cycles. <i>Earth-Science Reviews</i> , 2019, 193, 260-298.	4.0	32
70	Paleoproterozoic (2.0–1.97 Ga) subduction-related magmatism on the north-central margin of the Yeongnam Massif, Korean Peninsula, and its tectonic implications for reconstruction of the Columbia supercontinent. <i>Gondwana Research</i> , 2019, 72, 34-53.	3.0	33
71	Petrography, mineralogy and SIMS U-Pb geochronology of 1.9–1.8 Ga carbonatites and associated alkaline rocks of the Central-Aldan magnesiocarbonatite province (South Yakutia, Russia). <i>Mineralogy and Petrology</i> , 2019, 113, 329-352.	0.4	8
72	World-Class Mineral Deposits of Northeastern Transbaikalia, Siberia, Russia. <i>Modern Approaches in Solid Earth Sciences</i> , 2019, , .	0.1	3
73	Metallogenic Province of Northeastern Transbaikalia: A Summary. <i>Modern Approaches in Solid Earth Sciences</i> , 2019, , 285-291.	0.1	0
74	Regional Geology of the Kodar-Udokan Mineral District. <i>Modern Approaches in Solid Earth Sciences</i> , 2019, , 11-33.	0.1	0

#	ARTICLE	IF	CITATIONS
75	U-Pb detrital zircon geochronology and provenance of Neoproterozoic sedimentary rocks in southern Siberia: New insights into breakup of Rodinia and opening of Paleo-Asian Ocean. <i>Gondwana Research</i> , 2019, 65, 1-16.	3.0	50
76	Petrogenesis of Paleo-Mesoproterozoic mafic rocks in the southwestern Yangtze Block of South China: Implications for tectonic evolution and paleogeographic reconstruction. <i>Precambrian Research</i> , 2019, 322, 66-84.	1.2	49
77	The Cerro Rajón Formation—a new lithostratigraphic unit proposed for a Cambrian (Terreneuvian) volcano-sedimentary succession from the Caborca region, northwest Mexico. <i>Journal of South American Earth Sciences</i> , 2019, 89, 197-210.	0.6	11
78	New U–Pb Baddeleyite Ages of Mafic Dyke Swarms of the West African and Amazonian Cratons: Implication for Their Configuration in Supercontinents Through Time. <i>Springer Geology</i> , 2019, , 263-314.	0.2	18
79	Detrital zircon U–Pb ages of Paleo- to Neoproterozoic black shales of the Baikal-Patom Highlands in Siberia with implications to timing of metamorphism and gold mineralization. <i>Journal of Asian Earth Sciences</i> , 2019, 174, 37-58.	1.0	9
80	Geochemistry, zircon U-Pb and Lu-Hf systematics of high-grade metasedimentary sequences from the South Muya block (northeastern Central Asian Orogenic Belt): Reconnaissance of polymetamorphism and accretion of Neoproterozoic exotic blocks in southern Siberia. <i>Precambrian Research</i> , 2019, 321, 34-53.	1.2	17
81	How did the peripheral subduction drive the Rodinia breakup: Constraints from the Neoproterozoic tectonic process in the northern Tarim Craton. <i>Precambrian Research</i> , 2020, 339, 105612.	1.2	41
82	Paleomagnetism of 1.79 Ga Parí de Minas mafic dykes: Testing a São Francisco/Congo-North China-Rio de la Plata connection in Columbia. <i>Precambrian Research</i> , 2020, 338, 105584.	1.2	23
83	New geochronologic and paleomagnetic results from early Neoproterozoic mafic sills and late Mesoproterozoic to early Neoproterozoic successions in the eastern North China Craton, and implications for the reconstruction of Rodinia. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 739-766.	1.6	69
84	Baddeleyite U-Pb geochronology and geochemistry of Late Paleoproterozoic mafic dykes from the Kongling complex of the northern Yangtze block, South China. <i>Precambrian Research</i> , 2020, 337, 105537.	1.2	14
85	Revised stratigraphic framework for the lower Anti-Atlas Supergroup based on U–Pb geochronology of magmatic and detrital zircons (Zenaga and Bou Azzer-El Graara inliers, Anti-Atlas Belt, Morocco). <i>Journal of African Earth Sciences</i> , 2020, 171, 103946.	0.9	23
86	Assembly of the Siberian Craton: Constraints from Paleoproterozoic granitoids. <i>Precambrian Research</i> , 2020, 348, 105869.	1.2	55
87	Compositional Variations of Cr-Spinel in High-Mg Intrusions of the Primorsky Ridge (Western Baikal) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.8	6
88	Seismological evidence for the earliest global subduction network at 2 Ga ago. <i>Science Advances</i> , 2020, 6, eabc5491.	4.7	82
89	PLATINUM-BEARING PLACERS: MINERAL ASSOCIATIONS AND THEIR 190Pt-4He AND Re-Os AGES, AND POTENTIAL LINKS WITH LARGE IGNEOUS PROVINCES IN THE SIBERIAN CRATON. <i>Economic Geology</i> , 2020, 115, 1835-1853.	1.8	3
90	Mantle Evolution of Asia Inferred from Pb Isotopic Signatures of Sources for Late Phanerozoic Volcanic Rocks. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 739.	0.8	2
91	Yoko–Dovyren Layered Massif: Composition, Mineralization, Overburden and Dump Rock Utilization. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 682.	0.8	5
92	Geochemistry of the Mesoproterozoic Intrusions, Geochronology and Isotopic Constraints on the Xiaonanshan Cu-Ni Deposit along the Northern Margin of the North China Craton. <i>Journal of Earth Science (Wuhan, China)</i> , 2020, 31, 653-667.	1.1	1

#	ARTICLE	IF	CITATIONS
93	Geodynamic Model of the Neoproterozoic Evolution of the Yenisei Paleosubduction Zone (Western) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.2	11
94	Magma flow pattern of the 1.78 Ga dyke swarm of the North China Craton during the initial assembly of the Supercontinent Nuna/Columbia: Constraints from rock magnetic and anisotropy of magnetic susceptibility studies. <i>Precambrian Research</i> , 2020, 345, 105773.	1.2	8
95	Sturtian glaciation in Siberia: Evidence of glacial origin and U-Pb dating of the diamictites of the Chivida Formation in the north of the Yenisei Ridge. <i>Precambrian Research</i> , 2020, 345, 105778.	1.2	4
96	Late Paleoproterozoic to Early Mesoproterozoic Mafic Magmatism in the SW Yangtze Block: Mantle Plumes Associated With Nuna Breakup?. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019260.	1.4	17
97	Geochemical Composition of Dolerites as an Indicator of the Distance of a Dike Swarm from the Mantle Plume Center (Case Study of Proterozoic Dike Swarms, Siberian Craton). <i>Doklady Earth Sciences</i> , 2020, 491, 243-246.	0.2	0
98	Morphology, Mineralogy, and Composition of Sulfide Droplets in Picrodolerite from a Near-Bottom Apophysis of the Yoko-Dovyren Layered Intrusion. <i>Petrology</i> , 2020, 28, 246-262.	0.2	8
99	Deconstructing South China and consequences for reconstructing Nuna and Rodinia. <i>Earth-Science Reviews</i> , 2020, 204, 103169.	4.0	115
100	Geochronology, whole-rock geochemistry and Sr-Nd isotopes of the Bhanupratappur mafic dyke swarm: Evidence for a common Paleoproterozoic LIP event at 2.37–2.36 Ga in the Bastar and Dharwar cratons. <i>Precambrian Research</i> , 2020, 347, 105853.	1.2	19
101	Ferrodoleritic dykes in the Tarim Craton signal Neoproterozoic breakup of Rodinia supercontinent. <i>Journal of Asian Earth Sciences</i> , 2020, 200, 104476.	1.0	7
102	A preliminary reassessment of the Siberian cratonic basement with new U-Pb-Hf detrital zircon data. <i>Precambrian Research</i> , 2020, 340, 105645.	1.2	23
103	Sedimentary sequence and evolutionary history of the Proterozoic basin at the southern margin of the North China Craton. <i>Precambrian Research</i> , 2020, 344, 105765.	1.2	7
104	Crustal evolution events in the Chinese continent: evidence from a zircon U-Pb database. <i>International Journal of Digital Earth</i> , 2020, 13, 1532-1552.	1.6	9
105	Tectonic Implications: Zircon age of Sedimentary Rocks from Khabarovsk, Samarka, and Zhuravlevka-Amur Terranes in the Northern Sikhote-Alin Orogenic Belt. <i>Russian Journal of Pacific Geology</i> , 2020, 14, 1-19.	0.1	8
106	Paleomagnetism of the Chuar Group and evaluation of the late Tonian Laurentian apparent polar wander path with implications for the makeup and breakup of Rodinia. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 710-738.	1.6	23
107	A combined geochronological and paleomagnetic study on ~1220 Ma mafic dikes in the North China Craton and the implications for the breakup of Nuna and assembly of Rodinia. <i>Numerische Mathematik</i> , 2020, 320, 125-149.	0.7	25
108	Geology and Genesis of the Giant Gorevskoe Pb-Zn-Ag Deposit, Krasnoyarsk Territory, Russia. <i>Economic Geology</i> , 2021, 116, 719-746.	1.8	3
110	U-Pb baddeleyite age for the Ottfjället Dyke Swarm, central Scandinavian Caledonides: new constraints on Ediacaran opening of the Iapetus Ocean and glaciations on Baltica. <i>Gff</i> , 2021, 143, 40-54.	0.4	13
112	Oxygen Isotope Composition in Olivine and Melts from Cumulates of the Yoko-Dovyren Layered Massif, Northern Transbaikalia, Russia. <i>Geochemistry International</i> , 2021, 59, 156-170.	0.2	0

#	ARTICLE	IF	CITATIONS
113	Evidence of the latest Paleoproterozoic (~1615 Ma) mafic magmatism the southern Siberia: Extensional environments in Nuna supercontinent. <i>Precambrian Research</i> , 2021, 354, 106049.	1.2	6
114	Crustal evolution of the Paleoproterozoic Ubendian Belt (SW Tanzania) western margin: A Central African Shield amalgamation tale. <i>Gondwana Research</i> , 2021, 91, 286-306.	3.0	20
115	Plumbing systems of large igneous provinces (LIPs) on Earth and Venus: Investigating the role of giant circumferential and radiating dyke swarms, coronae and novae, and mid-crustal intrusive complexes. <i>Gondwana Research</i> , 2021, 100, 25-43.	3.0	33
116	Deep lithosphere of the North China Craton archives the fate of the Paleo-Asian Ocean. <i>Earth-Science Reviews</i> , 2021, 215, 103554.	4.0	10
117	Baddeleyite Pb-Pb geochronology and paleomagnetic poles for ~1.89–1.86 Ga mafic intrusions from the Dharwar craton, India, and their paleogeographic implications. <i>Tectonophysics</i> , 2021, 805, 228789.	0.9	14
118	Petrogenesis of Zr-Nb (REE) carbonatites from the Arbarastakh complex (Aldan Shield, Russia): Mineralogy and inclusion data. <i>Ore Geology Reviews</i> , 2021, 131, 104042.	1.1	17
119	The supercontinent cycle. <i>Nature Reviews Earth & Environment</i> , 2021, 2, 358-374.	12.2	102
120	Concretes Made of Magnesium-Silicate Rocks. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 441.	0.8	2
121	Melting Dynamics of Late Cretaceous Lamprophyres in Central Asia Suggest a Mechanism to Explain Many Continental Intraplate Basaltic Suite Magmatic Provinces. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB021663.	1.4	7
122	U-Pb Dating of Apatite, Titanite and Zircon of the Kingash Mafic-Ultramafic Massif, Kan Terrane, Siberia: from Rodinia Break-up to the Reunion with the Siberian Craton. <i>Journal of Petrology</i> , 2021, 62, .	1.1	4
123	The early Statherian (ca. 1800–1750 Ma) Prutivka-Novogol large igneous province of Sarmatia: Geochronology and implication for the Nuna/Columbia supercontinent reconstruction. <i>Precambrian Research</i> , 2021, 358, 106185.	1.2	11
124	Pre-Mississippian Stratigraphic Architecture of the Porcupine Shear Zone, Yukon and Alaska, and Significance in the Evolution of Northern Laurentia. <i>Lithosphere</i> , 2021, 2021, .	0.6	2
125	A Consistently High-Latitude South China From 820 to 780 Ma: Implications for Exclusion From Rodinia and the Feasibility of Large-Scale True Polar Wander. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021541.	1.4	16
126	West Africa in Rodinia: High quality paleomagnetic pole from the ~860 Ma Manso dyke swarm (Ghana). <i>Gondwana Research</i> , 2021, 94, 28-43.	3.0	13
127	Reorienting the West African craton in Paleoproterozoic-Mesoproterozoic supercontinent Nuna. <i>Geology</i> , 2021, 49, 1171-1176.	2.0	10
128	Large igneous provinces of the Amazonian Craton and their metallogenic potential in Proterozoic times. <i>Geological Society Special Publication</i> , 2022, 518, 493-529.	0.8	8
129	The cause for Nuna breakup in the Early to Middle Mesoproterozoic. <i>Precambrian Research</i> , 2021, 362, 106287.	1.2	6
130	Enigmatic Mid-Proterozoic Orogens: Hot, Thin, and Low. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL093312.	1.5	35

#	ARTICLE	IF	CITATIONS
131	The importance and difficulties of identifying mantle plumes in orogenic belts: An example based on the fragmented large igneous province (LIP) record in the Ural fold belt. <i>Precambrian Research</i> , 2021, 361, 106186.	1.2	9
132	The Tethyan Himalaya Igneous Province: Early Melting Products of the Kerguelen Mantle Plume. <i>Journal of Petrology</i> , 2021, 62, .	1.1	9
133	TIME CONSTRAINTS ON THE FORMATION OF THE KANDALAKSHA AND KERETSK GRABENS OF THE WHITE SEA PALEO-RIFT SYSTEM FROM NEW ISOTOPIC GEOCHRONOLOGICAL DATA. <i>Geodinamika I Tektonofizika</i> , 2021, 12, 570-607.	0.3	3
134	The geotectonic setting, age and mineral deposit inventory of global layered intrusions. <i>Earth-Science Reviews</i> , 2021, 220, 103736.	4.0	23
135	Timing of Proterozoic magmatism in the Sunsas belt, Bolivian Precambrian Shield, SW Amazonian Craton. <i>Geoscience Frontiers</i> , 2021, 12, 101247.	4.3	8
138	Influence of Large Igneous Provinces. , 2020, , 345-356.		4
139	A Fragment of Columbia Supercontinent: Insight for Cathaysia Block Basement From Tectono-Magmatic Evolution and Mantle Heterogeneity. <i>Geophysical Research Letters</i> , 2019, 46, 2012-2024.	1.5	21
140	Episodic tectonics in the Phanerozoic succession of the Canadian High Arctic and the 10-million-year flood, , 2019, , 213-230.		12
141	Pre-Mississippian stratigraphy and provenance of the North Slope subterranean of Arctic Alaska I: Platform carbonate rocks of the northeastern Brooks Range and their significance in circum-Arctic evolution. , 2019, , 493-524.		9
142	The Central Lapetus magmatic province: An updated review and link with the ca. 580 Ma Gaskiers glaciation. , 2020, , 35-66.		17
143	The Oortsog Peridotite-Troctolite Gabbro Intrusion, Western Mongolia: New Petrological and Geochronological Constraints. <i>Russian Geology and Geophysics</i> , 2019, 60, 845-861.	0.3	3
144	Petrology, Geochemistry, and the Origin of Sulfide-Bearing and PGE-mineralized Troctolites from the Konnikov Zone in the Yoko-Dovyren Layered Intrusion. <i>Russian Geology and Geophysics</i> , 2020, 61, 611-633.	0.3	8
145	The Paleo-Mesoproterozoic boundary: 1.8Ga. <i>Acta Petrologica Sinica</i> , 2019, 35, 2281-2298.	0.3	15
146	On the Paleo-Mesoproterozoic boundary from the breakup event of the Columbia supercontinent. <i>Acta Petrologica Sinica</i> , 2019, 35, 2299-2324.	0.3	21
147	PALEOTECTONIC AND PALEOGEOGRAPHIC CONDITIONS FOR THE ACCUMULATION OF THE LOWER RIPHEAN AIFORMATION IN THE BASHKIR UPLIFT (SOUTHERN URALS): THE TERRANECHRONO-DETRITAL ZIRCON STUDY. <i>Geodinamika I Tektonofizika</i> , 2018, 9, 1-37.	0.3	27
148	Enlargement of the area of the Tipton Large Igneous Province (ca. 1.75 ga) of the Siberian craton. <i>Geodinamika I Tektonofizika</i> , 2019, 10, 829-839.	0.3	5
149	GRANITES OF THE NORTHERN TIMAN - PROBABLE INDICATORS OF NEOPROTEROZOIC STAGES OF RODINIA BREAKUP. <i>Geodinamika I Tektonofizika</i> , 2020, 11, 201-218.	0.3	5
150	Meso-Neoproterozoic Rodinia supercycle. , 2021, , 549-576.		10

#	ARTICLE	IF	CITATIONS
151	Paleo-Mesoproterozoic Nuna supercycle. , 2021, , 499-548.		12
152	The Precambrian paleogeography of Laurentia. , 2021, , 109-153.		15
153	The Precambrian drift history and paleogeography of the Chinese cratons. , 2021, , 333-376.		10
154	Precambrian paleogeography of Siberia. , 2021, , 263-275.		6
155	The Precambrian drift history and paleogeography of Baltica. , 2021, , 155-205.		7
156	Constraints on the Precambrian paleogeography of West African Craton. , 2021, , 423-443.		0
157	Global implication of mesoproterozoic (~1.4 Ga) magmatism within the Sette-Daban Range (Southeast) Tj ETQq0 0 0 rgBT /Overlock 1.6 3	1.6	3
158	Granitoid Anorogenic Magmatism of the Yenisei Range: Evidence of Lithospheric Extension in the Western Part of the Siberian Craton. <i>Geochemistry International</i> , 2020, 58, 500-519.	0.2	1
159	Age of Detrital Zircons and Sources of Terrigenous Deposits of the Olokit Zone (Northern Baikal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 0.2	0.2	4
160	Chapter 25: The Sukhoi Log Gold Deposit, Russia. , 2020, , 523-543.		1
161	Chapter 10: Olympiada Gold Deposit, Yenisei Ridge, Russia. , 2020, , 203-226.		3
162	Paleomagnetism and Age Correlation of the Mesoproterozoic Rocks of the Udzha and Olenek Uplifts, Northeastern Siberian Platform. <i>Izvestiya, Physics of the Solid Earth</i> , 2020, 56, 864-887.	0.2	1
163	Early Proterozoic Basic Magmatism in the South Siberian Postcollisional Magmatic Belt (by the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 26 951-963.	0.3	5
164	Inter-cratonic geochronological and geochemical correlations of the Derim Derim "Galiwinku/Yanliao reconstructed Large Igneous Province across the North Australian and North China cratons. <i>Gondwana Research</i> , 2022, 103, 473-486.	3.0	8
165	Sulfur Isotope Composition of Olivine Gabbro-norites from a Mineralized Apophysis of the Yoko-Dovyren Intrusion, Northern Transbaikalia, Russia. <i>Petrology</i> , 2021, 29, 597-613.	0.2	3
166	Post-collisional magmatism of 1.88-1.84 Ga in the southern Siberian Craton: An overview. <i>Precambrian Research</i> , 2021, 367, 106447.	1.2	11
167	«...æ%é€šèf¶âCE—âœ°ä½“è“—èŽ±ç¾è¾¾...ââ¼ç»„çÇŽâ±‘é”tçÿ³U-Pbâ®šâ¹âšâ...¶âœ°èˆæ„â¹%. <i>Diqiu Kexue - Zhongguo Diqiu Geosciences</i> , 2021, 46, 3074.	0.1	0
168	Comparisons of the Paleo-Mesoproterozoic large igneous provinces and black shales in the North China and North Australian cratons. <i>Fundamental Research</i> , 2022, 2, 84-100.	1.6	15

#	ARTICLE	IF	CITATIONS
187	Spatial distribution of 1.4-1.3 Ga LIPs and carbonatite-related REE deposits: Evidence for large-scale continental rifting in the Columbia (Nuna) supercontinent. <i>Earth and Planetary Science Letters</i> , 2022, 597, 117815.	1.8	14
188	Late Precambrian "Pre-Glacial" Sedimentation Stage in the Southern Siberian Platform. <i>Russian Geology and Geophysics</i> , 2023, 64, 28-44.	0.3	0
189	Neoproterozoic of Laurentia. , 2023, , 331-380.		12
191	LYSAN ALKALINE-ULTRABASIC COMPLEX (EASTERN SAYAN): AGE AND GEODYNAMIC CONSEQUENCES. <i>Geodinamika I Tektonofizika</i> , 2022, 13, .	0.3	1
192	Provenance, Age, and Tectonic Settings of Rock Complexes (Transangarian Yenisey Ridge, East Siberia): Geochemical and Geochronological Evidence. <i>Geosciences (Switzerland)</i> , 2022, 12, 402.	1.0	2
193	Neoproterozoic evolution of the northwestern margin of the Siberian Platform. <i>Precambrian Research</i> , 2022, 382, 106877.	1.2	4
194	Hemispheric Geochemical Dichotomy of the Mantle Is a Legacy of Austral Supercontinent Assembly and Onset of Deep Continental Crust Subduction. <i>AGU Advances</i> , 2022, 3, .	2.3	9
195	The newly recognized ca. 1.23-1.21 Ga dolerite sills and flood basalts from Fanhe Basin in the northeastern North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2022, 383, 106904.	1.2	2
196	Timing the break-up of the Baltica and Laurentia connection in Nuna " Rapid plate motion oscillation and plate tectonics in the Mesoproterozoic. <i>Precambrian Research</i> , 2023, 384, 106923.	1.2	2
197	Emplacement of the Franklin large igneous province and initiation of the Sturtian Snowball Earth. <i>Science Advances</i> , 2022, 8, .	4.7	18
198	A compilation of the silt and clay mineralogy from coastal and shelf regions of the Arctic Ocean. <i>Marine Geology</i> , 2022, 454, 106948.	0.9	2
199	Diversity of the Piscicola Species (Hirudinea, Piscicolidae) in the Eastern Palaeartic with a Description of Three New Species and Notes on Their Biogeography. <i>Diversity</i> , 2023, 15, 98.	0.7	3
200	New Early Neoproterozoic Paleomagnetic Constraints of the Northwestern China Blocks on the Periphery of Rodinia. <i>Journal of Geophysical Research: Solid Earth</i> , 2023, 128, .	1.4	2
201	Paleoproterozoic Shoshonite Mafic Associations of the Irkut Block (Sharyzhalgai Uplift, Southwest) Tj ETQq1 1 0.784314 rgBT /Overlo 0, , .	0.3	1
202	Discovery of a >1,000 km Cambrian Eclogite-Bearing High-Pressure Metamorphic Belt in the Central Asian Orogenic Belt: Implications for the Final Closure of the Pan-Rodinian Ocean. <i>Journal of Geophysical Research: Solid Earth</i> , 2023, 128, .	1.4	3
203	An appraisal of the ages of Phanerozoic large igneous provinces. <i>Earth-Science Reviews</i> , 2023, 237, 104314.	4.0	9
204	Granitic record of the assembly of the Asian continent. <i>Earth-Science Reviews</i> , 2023, 237, 104298.	4.0	9
205	Mineralogical and Geochemical Evidence of Paragenetic Unity of Igneous Silicate and Carbonatite Rocks of the Tomtor Massif in the North-East of the Siberian Platform. <i>Minerals (Basel, Switzerland)</i> , 2023, 13, 211.	0.8	0

#	ARTICLE	IF	CITATIONS
206	A complex history of extension, subduction and collision in west Gondwana: Clues from the Riacho do Pontal orogen, Borborema Province (NE Brazil). <i>Journal of South American Earth Sciences</i> , 2023, 125, 104297.	0.6	4
207	Distinct tectono-magmatism on the margins of Rodinia and Gondwana. <i>Earth and Planetary Science Letters</i> , 2023, 609, 118099.	1.8	5
208	Mesoproterozoic (ca. 1.26 Ga) Srednecheremshansk mafic-ultramafic intrusion in the southern Siberia: Signature of the Mackenzie event in Siberia. <i>Precambrian Research</i> , 2023, 390, 107038.	1.2	2
209	A dynamic 2000–540 Ma Earth history: From cratonic amalgamation to the age of supercontinent cycle. <i>Earth-Science Reviews</i> , 2023, 238, 104336.	4.0	26
210	Mesoproterozoic basins (Yukon, Canada) in the evolution of supercontinent Columbia. <i>Canadian Journal of Earth Sciences</i> , 2023, 60, 912-973.	0.6	3
211	The Mutare-Fingeren dyke swarm: the enigma of the Kalahari Craton's exit from supercontinent Rodinia. <i>Geological Society Special Publication</i> , 2024, 537, 359-380.	0.8	0
212	BITUMEN RESOURCES OF THE EAST SIBERIAN BASIN. <i>Journal of Petroleum Geology</i> , 2023, 46, 127-156.	0.9	0
213	Mid-Proterozoic geomagnetic field was more consistent with a dipole than a quadrupole. <i>Geology</i> , 0, , .	2.0	0
214	POSITION OF THE ANAI FORMATION IN THE PROTEROZOIC SECTION OF THE BAIKAL SALIENT OF THE SIBERIAN PLATFORM BASEMENT. <i>Geodinamika I Tektonofizika</i> , 2023, 14, .	0.3	0
215	Evolutionary stasis during the Mesoproterozoic Columbia-Rodinia supercontinent transition. <i>Precambrian Research</i> , 2023, 391, 107057.	1.2	2