The influence of the cooling conditions on the cutting to mechanism

Journal of Manufacturing Processes 24, 107-115

DOI: 10.1016/j.jmapro.2016.08.006

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Theoretical Study of the Conditions of Maximum Manifestation of the Error Due to Inhomogeneity of Thermocouple Legs. International Journal of Thermophysics, 2017, 38, 1. | 1.0 | 3 |
| 2 | Performance evaluation of alumina-graphene hybrid nano-cutting fluid in hard turning. Journal of Cleaner Production, 2017, 162, 830-845. | 4.6 | 170 |
| 3 | Minimum quantity lubrication advantages when applied to insert flank face in milling. International Journal of Advanced Manufacturing Technology, 2017, 92, 2391-2399. | 1.5 | 10 |
| 4 | Wear mechanisms and performance of abrasively ground polycrystalline diamond tools of different diamond grains in machining titanium alloy. Journal of Manufacturing Processes, 2017, 29, 320-331. | 2.8 | 43 |
| 5 | Performance of Al ₂ O ₃ nanofluids in minimum quantity lubrication in hard milling of 60Si ₂ Mn steel using cemented carbide tools. Advances in Mechanical Engineering, 2017, 9, 168781401771061. | 0.8 | 60 |
| 6 | Impact of supply conditions of liquid nitrogen on tool wear and surface integrity when machining the Ti-6Al-4V titanium alloy. International Journal of Advanced Manufacturing Technology, 2017, 93, 1199-1206. | 1.5 | 57 |
| 7 | A separate-edge force coefficients' calibration method using specific condition for cutters with variable helix and pitch angles combining the runout effect. International Journal of Advanced Manufacturing Technology, 2017, 93, 1737-1749. | 1.5 | 3 |
| 8 | Thermocouple with adjustable error. , 2017, , . | | O |
| 9 | A New Strategy in Face Milling - Inverse Cutting Technology. Solid State Phenomena, 0, 261, 331-338. | 0.3 | 14 |
| 10 | Wear of carbide inserts during turning of C45 steel in dry cutting conditions and in presence of emulsion mist. E3S Web of Conferences, 2017, 19, 03009. | 0.2 | 3 |
| 11 | The analysis of surface topography during turning of Waspaloy with the application of response surface method. MATEC Web of Conferences, 2017, 136, 02006. | 0.1 | 20 |
| 12 | The analysis of instantaneous tool displacements during precise ball end milling. MATEC Web of Conferences, 2017, 137, 05008. | 0.1 | O |
| 13 | Testing of crimp connections made on a prototype stand. E3S Web of Conferences, 2017, 19, 03029. | 0.2 | 3 |
| 14 | Investigation of the influence of coolant-lubricant modification on selected effects of pull broaching. E3S Web of Conferences, 2017, 19, 03032. | 0.2 | 1 |
| 15 | Effect of friction speed on wear intensity in abrasive soil mass. MATEC Web of Conferences, 2017, 112, 03013. | 0.1 | 0 |
| 16 | Influence of Ranque-Hilsch vortex tube and nitrogen gas assisted MQL in precision turning of Al 6061-T6. Precision Engineering, 2018, 53, 289-299. | 1.8 | 105 |
| 17 | Effects of extreme pressure and anti-wear additives on surface topography and tool wear during MQCL turning of AISI 1045 steel. Journal of Mechanical Science and Technology, 2018, 32, 1585-1591. | 0.7 | 75 |
| 18 | Application of ionic liquids in interrupted minimum quantity lubrication machining of plain medium carbon steel: Effects of ionic liquid properties and cutting conditions. Journal of Manufacturing Processes, 2018, 32, 357-371. | 2.8 | 21 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 20 | Investigation of Heat Distribution in Coated Indexable Tool Inserts. Lecture Notes in Mechanical Engineering, 2018, , 661-670. | 0.3 | 6 |
| 21 | The HSC machining mechanism for TC17 under multimedia mixed minimum quantity lubrication. International Journal of Advanced Manufacturing Technology, 2018, 95, 341-353. | 1.5 | 2 |
| 22 | Measurement of surface characteristics of Ti6Al4V aerospace engineering components in mass finishing process. Measurement: Journal of the International Measurement Confederation, 2018, 115, 279-287. | 2.5 | 15 |
| 23 | Assessment of the effect of borax and boric acid additives in cutting fluids on milling of AISI O2 using MQL system. International Journal of Advanced Manufacturing Technology, 2018, 95, 2005-2013. | 1.5 | 20 |
| 24 | Investigation of the Effect of Workpiece Resolution on Milling Simulation Accuracy in Production Module 3D CAE Software. Tehnicki Vjesnik, 2018, 25, . | 0.3 | 1 |
| 25 | Machinability Investigations of Inconel-800 Super Alloy under Sustainable Cooling Conditions. Materials, 2018, 11, 2088. | 1.3 | 72 |
| 26 | Wear mechanism of the loose layer on the rake face of a new cemented carbide micro groove turning tool. International Journal of Advanced Manufacturing Technology, 2018, 98, 1069-1080. | 1.5 | 3 |
| 27 | Influences of Cutting Speed and Material Mechanical Properties on Chip Deformation and Fracture during High-Speed Cutting of Inconel 718. Materials, 2018, 11, 461. | 1.3 | 38 |
| 28 | A Study of Mechanics in Brittle–Ductile Cutting Mode Transition. Micromachines, 2018, 9, 49. | 1.4 | 27 |
| 29 | Multi-objective optimization of chip-tool interaction parameters using Grey-Taguchi method in MQL-assisted turning. Measurement: Journal of the International Measurement Confederation, 2018, 129, 156-166. | 2.5 | 71 |
| 30 | Determination of Real Clearances Between Cycloidal Speed Reducer Elements by the Application of Heuristic Optimization. Transactions of Famena, 2018, 42, 15-26. | 0.3 | 11 |
| 31 | Surface texture processing for tribological performance improvement of UHMWPE-based water-lubricated bearings. Industrial Lubrication and Tribology, 2018, 70, 1341-1349. | 0.6 | 14 |
| 32 | Effects of Dislocation Density Evolution on Mechanical Behavior of OFHC Copper during High-Speed Machining. Materials, 2019, 12, 2348. | 1.3 | 12 |
| 33 | FEM-Based Study of Precision Hard Turning of Stainless Steel 316L. Materials, 2019, 12, 2522. | 1.3 | 24 |
| 34 | Ecological trends in machining as a key factor in sustainable production – A review. Journal of Cleaner Production, 2019, 218, 601-615. | 4.6 | 301 |
| 35 | Multi-Objective Optimization of Energy Consumption and Surface Quality in Nanofluid SQCL Assisted Face Milling. Energies, 2019, 12, 710. | 1.6 | 63 |
| 36 | Investigation of Chip Deformation and Breaking with a Staggered Teeth BTA Tool in Deep Hole Drilling. Metals, 2019, 9, 46. | 1.0 | 9 |
| 37 | Investigations of Machining Characteristics in the Upgraded MQL-Assisted Turning of Pure Titanium Alloys Using Evolutionary Algorithms. Materials, 2019, 12, 999. | 1.3 | 128 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Surface integrity analysis for high-pressure jet assisted machined Ti-6Al-4V considering cooling pressures and injection positions. Journal of Manufacturing Processes, 2019, 40, 149-159. | 2.8 | 19 |
| 39 | Obtaining Various Shapes of Machined Surface Using a Tool with a Multi-Insert Cutting Edge. Applied Sciences (Switzerland), 2019, 9, 880. | 1.3 | 10 |
| 40 | Thermal Modeling of Tool Temperature Distribution during High Pressure Coolant Assisted Turning of Inconel 718. Materials, 2019, 12, 408. | 1.3 | 27 |
| 41 | Sustainable Lubrication Methods for the Machining of Titanium Alloys: An Overview. Materials, 2019, 12, 3852. | 1.3 | 61 |
| 42 | Machining Performance Measures of High Temperature Heat Resistant Super alloys: A Review. Materials Today: Proceedings, 2019, 18, 4524-4530. | 0.9 | 3 |
| 43 | A Comparison of Machinability in Hard Turning of EN-24 Alloy Steel Under Mist Cooled and Dry Cutting Environments with a Coated Cermet Tool. Journal of Failure Analysis and Prevention, 2019, 19, 115-130. | 0.5 | 27 |
| 44 | The Influence of the Application of EP Additive in the Minimum Quantity Cooling Lubrication Method on the Tool Wear and Surface Roughness in the Process of Turning 316L Steel. Lecture Notes in Mechanical Engineering, 2019, , 254-263. | 0.3 | 1 |
| 46 | Machining characteristics based life cycle assessment in eco-benign turning of pure titanium alloy. Journal of Cleaner Production, 2020, 251, 119598. | 4.6 | 69 |
| 47 | Tool wear and hole quality evaluation in cryogenic Drilling of Inconel 718 superalloy. Tribology International, 2020, 143, 106084. | 3.0 | 80 |
| 48 | Modeling and experimental investigation of drilling force for low-frequency axial vibration-assisted BTA deep hole drilling. International Journal of Advanced Manufacturing Technology, 2020, 111, 1721-1733. | 1.5 | 16 |
| 49 | Effect of Yttrium and Rhenium Ion Implantation on the Performance of Nitride Ceramic Cutting Tools. Materials, 2020, 13, 4687. | 1.3 | 6 |
| 50 | Improvement in friction and wear characteristics using CaF2 as a solid lubricant at different conditions. Metal Powder Report, 2020, , . | 0.3 | 1 |
| 51 | Tribological Performance of Micro-Groove Tools of Improving Tool Wear Resistance in Turning AISI 304 Process. Materials, 2020, 13, 1236. | 1.3 | 6 |
| 52 | Fractal Characteristics of Chip Morphology and Tool Wear in High-Speed Turning of Iron-Based Super Alloy. Materials, 2020, 13, 1020. | 1.3 | 6 |
| 53 | Milling of Ti–6Al–4V under hybrid Al2O3-MWCNT nanofluids considering energy consumption, surface quality, and tool wear: a sustainable machining. International Journal of Advanced Manufacturing Technology, 2020, 107, 4141-4157. | 1.5 | 42 |
| 54 | Evaluation of turning with different cooling-lubricating techniques in terms of surface integrity and tribologic properties. Tribology International, 2020, 148, 106334. | 3.0 | 92 |
| 55 | Support vector regression and genetic-algorithm-based multiobjective optimization of mesoscopic geometric characteristic parameters of ball-end milling tool. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2020, 234, 1333-1345. | 1.5 | 6 |
| 56 | Experimental characterisation of the performance of hybrid cryo-lubrication assisted turning of Ti–6Al–4V alloy. Tribology International, 2021, 153, 106582. | 3.0 | 102 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 57 | Application of hybrid eco-friendly MQL+WCJ technique in AISI 4340 steel grinding for cleaner and greener production. Journal of Cleaner Production, 2021, 283, 124670. | 4.6 | 23 |
| 58 | Metrological analysis of surface quality aspects in minimum quantity cooling lubrication. Measurement: Journal of the International Measurement Confederation, 2021, 171, 108847. | 2.5 | 27 |
| 59 | Studies on chip morphology and modes of tool wear during machining of Ti-6Al-4V using uncoated carbide tool: application of multi-walled carbon nanotubes added rice bran oil as nanocutting fluid. Machining Science and Technology, 2021, 25, 237-287. | 1.4 | 11 |
| 60 | Eco-Friendly Cutting Fluids in Minimum Quantity Lubrication Assisted Machining: A Review on the Perception of Sustainable Manufacturing. International Journal of Precision Engineering and Manufacturing - Green Technology, 2021, 8, 249-280. | 2.7 | 165 |
| 61 | Tool Wear in Disc Milling Grooving of Aircraft Engine Blisk. Iranian Journal of Science and Technology - Transactions of Mechanical Engineering, 2021, 45, 555-566. | 0.8 | 8 |
| 62 | Use and performance of soybean oil based bio-lubricant in reducing specific cutting energy during biomimetic machining. Journal of Manufacturing Processes, 2021, 62, 577-590. | 2.8 | 15 |
| 63 | Experimental study on the evolution of chip morphology, chip formation, and surface topography with cutting parameters, and their relationships in dry milling of cast aluminum alloy with PCD inserter. Journal of Mechanical Science and Technology, 2021, 35, 1651-1662. | 0.7 | 5 |
| 64 | Study on Cutting Chip in Milling GH4169 with Indexable Disc Cutter. Materials, 2021, 14, 3135. | 1.3 | 3 |
| 65 | Forming process and evaluation of chip in machining of high-strength steel by an independent-developed microgroove turning tool. Science Progress, 2021, 104, 003685042110320. | 1.0 | 1 |
| 66 | Influence of Microgroove Structure on Cutting Performance and Chip Morphology during the Turning of Superalloy Inconel 718. Materials, 2021, 14, 4142. | 1.3 | 6 |
| 67 | Recent advances on high performance machining of aerospace materials and composites using vegetable oil-based metal working fluids. Journal of Cleaner Production, 2021, 310, 127459. | 4.6 | 27 |
| 68 | Influence of hybrid Cryo-MQL lubri-cooling strategy on the machining and tribological characteristics of Inconel 718. Tribology International, 2021, 163, 107178. | 3.0 | 76 |
| 69 | Wear Resistance Improvement of Cemented Tungsten Carbide Deep-Hole Drills after Ion Implantation. Materials, 2021, 14, 239. | 1.3 | 23 |
| 70 | Metrological Software Test for Simulating the Method of Determining the Thermocouple Error in Situ During Operation. Measurement Science Review, 2018, 18, 52-58. | 0.6 | 25 |
| 71 | Impact on Machining of AISI H13 Steel Using Coated Carbide Tool under Vegetable Oil Minimum Quantity Lubrication. Materials Performance and Characterization, 2019, 8, 20190154. | 0.2 | 8 |
| 72 | A statistical data-based approach to instability detection and wear prediction in radial turning processes. Eksploatacja I Niezawodnosc, 2018, 20, 405-412. | 1.1 | 3 |
| 73 | A statistical data-based approach to instability detection and wear prediction in radial turning processes. Eksploatacja I Niezawodnosc, 2018, 20, 405-412. | 1.1 | 6 |
| 74 | Testing of beveled crimp connections made on a prototype stand. Archives of Mechanical Technology and Materials, 2018, 38, 15-22. | 0.3 | 3 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 75 | Experimental Studies on Durability of PVD-Based CrCN/CrN-Coated Cutting Blade of Planer Knives Used in the Pine Wood Planing Process. Materials, 2020, 13, 2398. | 1.3 | 16 |
| 76 | TRIBOLOGICAL TESTS OF THE CERAMIC CUTTING TOOLS AFTER YTTRIUM (Y+) AND RHENIUM (Re+) ION IMPLANTATION. Tribologia, 2019, 285, 71-77. | 0.0 | 2 |
| 77 | Temperature detection in cutting zone for different forms of chip shapes during machining process. Sensor Review, 2018, 38, 102-105. | 1.0 | 0 |
| 78 | STUDY OF THE EFFECT OF THE ELECTROLESS NI-P COATING THICKNESS APPLIED ON AW-7075 ALUMINUM ALLOY ON ITS MECHANICAL PROPERTIES. Advances in Science and Technology Research Journal, 2018, 12, 291-297. | 0.4 | 2 |
| 79 | High-Voltage Discharge as a Factor of Increasing the Cutting Properties of Disposable Inserts. Metal Working and Material Science, 2018, 20, 6-17. | 0.0 | 0 |
| 80 | Cutting Forces and Power in Machining Shaping of AlCu4MgSi Aluminium Alloy. Studies in Systems, Decision and Control, 2020, , 151-159. | 0.8 | 0 |
| 81 | Studies the Cold Cooling using Bio-Nanofluids, Characteristics and Applications in Milling Operations on High-Hardness Steels. Rekayasa Mesin, 2019, 10, 77-86. | 0.2 | 1 |
| 82 | Analysis of Tool Wear and Wear Mechanism in Dry Forming Milling for Rail Milling Train. Mechanisms and Machine Science, 2020, , 508-517. | 0.3 | 0 |
| 83 | MODELING OF CUTTING TOOLS WEAR FOR LATHES. Cutting & Tools in Technological System, 2020, . | 0.1 | 1 |
| 84 | A Review: The Use of Nanoparticles in Cutting Fluid as an Effort to Improve the Performance of Hard Machining in Sustainable MQL Systems. IOP Conference Series: Materials Science and Engineering, 0, 1003, 012057. | 0.3 | 0 |
| 85 | Impact of hybrid cooling approach on milling and surface morphological characteristics of Nimonic 80A alloy. Journal of Manufacturing Processes, 2022, 73, 428-439. | 2.8 | 30 |
| 86 | Performance Assessment and Chip Morphology Evaluation of Austenitic Stainless Steel under Sustainable Machining Conditions. Metals, 2021, 11, 1931. | 1.0 | 23 |
| 87 | Analysis of the performance of PVD AlTiN coating with five different Al/Ti ratios during the high-speed turning of stainless steel 304 under dry and wet cooling conditions. Wear, 2022, 492-493, 204213. | 1.5 | 6 |
| 88 | Extreme pressure and antiwear additives for lubricant: academic insights and perspectives. International Journal of Advanced Manufacturing Technology, 2022, 120, 1-27. | 1.5 | 134 |
| 89 | Influence of tool hardness on tool wear, surface roughness and acoustic emissions during turning of AISI 1050. Surface Topography: Metrology and Properties, 2022, 10, 015016. | 0.9 | 9 |
| 90 | Artificial intelligence systems for tool condition monitoring in machining: analysis and critical review. Journal of Intelligent Manufacturing, 2023, 34, 2079-2121. | 4.4 | 90 |
| 91 | Investigations on surface induced tribological characteristics in MQCL assisted machining of duplex stainless steel. Journal of Materials Research and Technology, 2022, 18, 2754-2769. | 2.6 | 12 |
| 92 | Effect of cutting edge radius on end milling Ti–6Al–4V under minimum quantity cooling lubrication – Chip morphology and surface integrity study. Wear, 2022, 498-499, 204307. | 1.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 93 | An experimental investigations on effects of cooling/lubrication conditions in micro milling of additively manufactured Inconel 718. Tribology International, 2022, 173, 107620. | 3.0 | 28 |
| 94 | Understandings the tribological mechanism of Inconel 718 alloy machined under different cooling/lubrication conditions. Tribology International, 2022, 174, 107677. | 3.0 | 33 |
| 95 | A comprehensive review on the grinding process: Advancements, applications and challenges. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2022, 236, 10923-10952. | 1.1 | 26 |
| 96 | Machining performance evaluation and tool wear analysis of dry cutting austenitic stainless steel with variable-length restricted contact tools. Wear, 2022, 504-505, 204423. | 1.5 | 5 |
| 97 | Thermo-physical, tribological and machining characteristics of Hastelloy C276 under sustainable cooling/lubrication conditions. Journal of Manufacturing Processes, 2022, 80, 397-413. | 2.8 | 27 |
| 99 | Online measurement of the elastic recovery value of machined surface in milling titanium alloy. International Journal of Advanced Manufacturing Technology, 2023, 124, 4297-4305. | 1.5 | 2 |
| 100 | Resource saving by optimization and machining environments for sustainable manufacturing: A review and future prospects. Renewable and Sustainable Energy Reviews, 2022, 166, 112660. | 8.2 | 68 |
| 101 | A State of the Art on Simulation andÂModelling Methods in Machining: Future Prospects and Challenges. Archives of Computational Methods in Engineering, 0, , . | 6.0 | 6 |
| 102 | Machinability analysis in high-speed milling of AlSi7Mg alloys under EMQL conditions: An approach toward sustainable manufacturing. Journal of Manufacturing Processes, 2022, 81, 1005-1017. | 2.8 | 8 |
| 103 | Parametric Assessment of Surface Topography and Its Influence on Joint Tightness of Non-Separable Joints for Thin Wall Applications. Applied Sciences (Switzerland), 2022, 12, 8917. | 1.3 | 2 |
| 104 | Determination of machinability metrics of AISI 5140 steel for gear manufacturing using different cooling/lubrication conditions. Journal of Materials Research and Technology, 2022, 21, 893-904. | 2.6 | 11 |
| 105 | Machining of high temperature heat resistant super alloys- a concise review on cooling aspects. IOP Conference Series: Materials Science and Engineering, 2022, 1258, 012034. | 0.3 | 0 |
| 106 | Friction behaviors in the metal cutting process: state of the art and future perspectives. International Journal of Extreme Manufacturing, 2023, 5, 012002. | 6.3 | 10 |
| 107 | Key initiatives to improve the machining characteristics of Inconel-718 alloy: Experimental analysis and optimization. Journal of Materials Research and Technology, 2022, 21, 2704-2720. | 2.6 | 9 |
| 108 | Evaluation of the Role of Dry and MQL Regimes on Machining and Sustainability Index of Strenx 900 Steel. Lubricants, 2022, 10, 301. | 1.2 | 7 |
| 109 | Micro-cutting of holes by centrifugal force. International Journal of Advanced Manufacturing Technology, 0, , . | 1.5 | 1 |
| 110 | Flow field analysis of grinding fluid in double-face grinding. International Journal of Advanced Manufacturing Technology, 2024, 131, 2071-2085. | 1.5 | 1 |
| 111 | Characterization and machine learning-based parameter estimation in MQL machining of a superalloy for developed green nano-metalworking fluids. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2023, 45, . | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 112 | Cutting tool wear minimization in drilling operations of titanium alloy Ti-6Al-4V. Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology, 2023, 237, 1250-1263. | 1.0 | 9 |
| 113 | Applying multi-response optimization for sustainable machining of 316 stainless steel with coconut oil-assisted minimum quantity lubrication. Tribology - Materials, Surfaces and Interfaces, 2023, 17, 48-61. | 0.6 | O |
| 114 | Understanding the Machinability and Energy Consumption of Al-Based Hybrid Composites under Sustainable Conditions. Lubricants, 2023 , 11 , 111 . | 1.2 | 7 |
| 115 | A Critical Review of High-Temperature Tribology and Cutting Performance of Cermet and Ceramic Tool Materials. Lubricants, 2023, 11, 122. | 1.2 | 5 |
| 116 | Response surface methodology-based multi-objective grey relation optimization for impinging jet cooling with Al2O3/water nanofluid on a curved surface. Neural Computing and Applications, 0, , . | 3.2 | 1 |
| 117 | A novel cold air electrostatic minimum quantity lubrication (CAEMQL) technique for the machining of titanium alloys Ti–6Al–4ÂV. International Journal of Advanced Manufacturing Technology, 2023, 126, 3437-3452. | 1.5 | 2 |
| 118 | A review on minimum quantity lubrication technique application and challenges in grinding process using environment-friendly nanofluids. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2023, 45, . | 0.8 | 4 |