

CITATION REPORT

List of articles citing

Perovskite light-emitting diodes based on solution-processed self-organized multiple quantum wells

DOI: 10.1038/nphoton.2016.185
Nature Photonics, 2016, 10, 699-704.

Source: <https://exaly.com/paper-pdf/64267005/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1377	Alternative Type Two-Dimensional/Three-Dimensional Lead Halide Perovskite with Inorganic Sodium Ions as a Spacer for High-Performance Light-Emitting Diodes.		
1376	Polymer-Assisted In Situ Growth of All-Inorganic Perovskite Nanocrystal Film for Efficient and Stable Pure-Red Light-Emitting Devices.		
1375	Phase Distribution and Carrier Dynamics in Multiple-Ring Aromatic Spacer-Based Two-Dimensional Ruddlesden-Popper Perovskite Solar Cells.		
1374	Growth of Nanosized Single Crystals for Efficient Perovskite Light-Emitting Diodes.		
1373	Three-Dimensional Perovskite Nanophotonic Wire Array-Based Light-Emitting Diodes with Significantly Improved Efficiency and Stability.		
1372	Management of perovskite intermediates for highly efficient inverted planar heterojunction perovskite solar cells. 2017 , 5, 3193-3202		82
1371	van der Waals Metal-Organic Framework as an Excitonic Material for Advanced Photonics. 2017 , 29, 1606034		40
1370	An optical dynamic study of MAPbBr single crystals passivated with MAPbCl/I-MAPbBr heterojunctions. 2017 , 19, 4516-4521		32
1369	Observation of Internal Photoinduced Electron and Hole Separation in Hybrid Two-Dimensional Perovskite Films. 2017 , 139, 1432-1435		360
1368	Green light-emitting diodes based on hybrid perovskite films with mixed cesium and methylammonium cations. 2017 , 10, 1329-1335		23
1367	Highly Simplified Tandem Organic Light-Emitting Devices Incorporating a Green Phosphorescence Ultrathin Emitter within a Novel Interface Exciplex for High Efficiency. 2017 , 9, 10955-10962		48
1366	Solution-processed planar white light-emitting diodes based on cadmium-free Cu-In-Zn-S/ZnS quantum dots and polymer. 2017 , 45, 20-25		15
1365	Colloidal metal oxide nanocrystals as charge transporting layers for solution-processed light-emitting diodes and solar cells. 2017 , 46, 1730-1759		77
1364	Quantum-Dot Light-Emitting Diodes for Large-Area Displays: Towards the Dawn of Commercialization. 2017 , 29, 1607022		457
1363	Low-Dimensional-Networked Metal Halide Perovskites: The Next Big Thing. 2017 , 2, 889-896		288
1362	All-inorganic quantum-dot light-emitting diodes based on perovskite emitters with low turn-on voltage and high humidity stability. 2017 , 5, 4565-4570		128
1361	Enhancing the Performance and Stability of Perovskite Nanocrystal Light-Emitting Diodes with a Polymer Matrix. 2017 , 2, 1700003		30

1360	Efficient Red Perovskite Light-Emitting Diodes Based on Solution-Processed Multiple Quantum Wells. 2017 , 29, 1606600	129
1359	Energy and charge transfer cascade in methylammonium lead bromide perovskite nanoparticle aggregates. 2017 , 8, 4371-4380	33
1358	Improving Interfacial Charge Recombination in Planar Heterojunction Perovskite Photovoltaics with Small Molecule as Electron Transport Layer. 2017 , 7, 1700522	139
1357	Influence of surface relaxation of strained layers on atomic resolution ADF imaging. 2017 , 181, 8-16	15
1356	Bright and efficient light-emitting diodes based on MA/Cs double cation perovskite nanocrystals. 2017 , 5, 6123-6128	50
1355	High-Efficiency Perovskite Quantum-Dot Light-Emitting Devices by Effective Washing Process and Interfacial Energy Level Alignment. 2017 , 9, 18054-18060	223
1354	Junction Propagation in Organometal Halide Perovskite-Polymer Composite Thin Films. 2017 , 8, 2412-2419	24
1353	Tailoring the Energy Landscape in Quasi-2D Halide Perovskites Enables Efficient Green-Light Emission. 2017 , 17, 3701-3709	309
1352	Combined optimization of emission layer morphology and hole-transport layer for enhanced performance of perovskite light-emitting diodes. 2017 , 5, 6169-6175	24
1351	Organic-Inorganic Hybrid Perovskite Nanowire Laser Arrays. 2017 , 11, 5766-5773	192
1350	Homoleptic Facial Ir(III) Complexes via Facile Synthesis for High-Efficiency and Low-Roll-Off Near-Infrared Organic Light-Emitting Diodes over 750 nm. 2017 , 29, 4775-4782	97
1349	Ultra-bright and highly efficient inorganic based perovskite light-emitting diodes. 2017 , 8, 15640	557
1348	Engineering charge transport by heterostructuring solution-processed semiconductors. 2017 , 2,	84
1347	Layer-controlled two-dimensional perovskites: synthesis and optoelectronics. 2017 , 5, 5610-5627	47
1346	Nonradiative Losses in Metal Halide Perovskites. 2017 , 2, 1515-1525	234
1345	Broadly tunable metal halide perovskites for solid-state light-emission applications. 2017 , 20, 413-424	145
1344	Suppressed Ion Migration in Low-Dimensional Perovskites. 2017 , 2, 1571-1572	287
1343	Surface plasmon enhanced luminescence from organic-inorganic hybrid perovskites. 2017 , 110, 233113	20

1342	High-Efficiency Solution-Processed Inorganic Metal Halide Perovskite Light-Emitting Diodes. 2017 , 29, 1700579	165
1341	Landau levels and shallow donor states in GaAs/AlGaAs multiple quantum wells at megagauss magnetic fields. 2017 , 95,	2
1340	Structure formation and evolution in semiconductor films for perovskite and organic photovoltaics. 2017 , 32, 1798-1824	14
1339	In Situ Preparation of Metal Halide Perovskite Nanocrystal Thin Films for Improved Light-Emitting Devices. 2017 , 11, 3957-3964	128
1338	Amine-Based Passivating Materials for Enhanced Optical Properties and Performance of Organic-Inorganic Perovskites in Light-Emitting Diodes. 2017 , 8, 1784-1792	180
1337	Highly Efficient Perovskite Light-Emitting Diodes Incorporating Full Film Coverage and Bipolar Charge Injection. 2017 , 8, 1810-1818	86
1336	Luminescence control in hybrid perovskites and their applications. 2017 , 5, 4098-4110	11
1335	Mixed cation hybrid lead halide perovskites with enhanced performance and stability. 2017 , 5, 11450-11461	123
1334	Green-Light-Emitting Diodes based on Tetrabromide Manganese(II) Complex through Solution Process. 2017 , 29, 1605739	113
1333	Highly flexible organometal halide perovskite quantum dot based light-emitting diodes on a silver nanowire/polymer composite electrode. 2017 , 5, 531-538	62
1332	Organometallic Perovskite Metasurfaces. 2017 , 29, 1604268	85
1331	Virtual Issue on Metal-Halide Perovskite Nanocrystals: A Bright Future for Optoelectronics. 2017 , 29, 8915-8917	10
1330	Vacuum-Deposited Organometallic Halide Perovskite Light-Emitting Devices. 2017 , 9, 40516-40522	20
1329	Effects of Organic Cation Length on Exciton Recombination in Two-Dimensional Layered Lead Iodide Hybrid Perovskite Crystals. 2017 , 8, 5177-5183	66
1328	Bication lead iodide 2D perovskite component to stabilize inorganic CsPbI ₃ perovskite phase for high-efficiency solar cells. 2017 , 3, e1700841	450
1327	Improved performance of pure formamidinium lead iodide perovskite light-emitting diodes by moisture treatment. 2017 , 5, 11121-11127	7
1326	Pure zero-dimensional CsPbBr ₃ single crystal rhombohedral microdisks with high luminescence and stability. 2017 , 19, 29092-29098	63
1325	Study on the band alignment of GaN/CH ₃ NH ₃ PbBr ₃ heterojunction by x-ray photoelectron spectroscopy. 2017 , 111, 122103	2

1324	Generalized Self-Doping Engineering towards Ultrathin and Large-Sized Two-Dimensional Homologous Perovskites. 2017 , 56, 14893-14897	68
1323	Highly efficient Cs-based perovskite light-emitting diodes enabled by energy funnelling. 2017 , 53, 12004-12007	71
1322	Generalized Self-Doping Engineering towards Ultrathin and Large-Sized Two-Dimensional Homologous Perovskites. 2017 , 129, 15089-15093	20
1321	Metal-Halide Perovskite Transistors for Printed Electronics: Challenges and Opportunities. 2017 , 29, 1702838	92
1320	High Performance Metal Halide Perovskite Light-Emitting Diode: From Material Design to Device Optimization. 2017 , 13, 1701770	167
1319	Growth mechanism of strongly emitting CHNHPbBr perovskite nanocrystals with a tunable bandgap. 2017 , 8, 996	159
1318	Ultrasensitive flexible broadband photodetectors achieving pA scale dark current. 2017 , 1,	27
1317	Efficient and High-Color-Purity Light-Emitting Diodes Based on In Situ Grown Films of CsPbX (X = Br, I) Nanoplates with Controlled Thicknesses. 2017 , 11, 11100-11107	153
1316	Recent progress of metal halide perovskite photodetectors. 2017 , 5, 11369-11394	96
1315	Centrifugal-Coated Quasi-Two-Dimensional Perovskite CsPbBr Films for Efficient and Stable Light-Emitting Diodes. 2017 , 8, 5415-5421	56
1314	Real-Time Observation of Exciton-Phonon Coupling Dynamics in Self-Assembled Hybrid Perovskite Quantum Wells. 2017 , 11, 10834-10843	120
1313	Route to Stable Lead-Free Double Perovskites with the Electronic Structure of CHNHPbI: A Case for Mixed-Cation [Cs/CHNH/CH(NH)]InBiBr. 2017 , 8, 3917-3924	71
1312	Unveiling Structurally Engineered Carrier Dynamics in Hybrid Quasi-Two-Dimensional Perovskite Thin Films toward Controllable Emission. 2017 , 8, 4431-4438	121
1311	Surface relaxation of strained Ga(P,As)/GaP heterostructures investigated by HAADF STEM. 2017 , 268, 239-247	9
1310	Green Perovskite Distributed Feedback Lasers. 2017 , 7, 11727	61
1309	Field-Effect Transistors Based on van-der-Waals-Grown and Dry-Transferred All-Inorganic Perovskite Ultrathin Platelets. 2017 , 8, 4785-4792	78
1308	Synthesis and Photoluminescence Properties of 2D Phenethylammonium Lead Bromide Perovskite Nanocrystals. 2017 , 1, 1700245	20
1307	Phase-change devices for simultaneous optical-electrical applications. 2017 , 7, 9688	21

1306	Engineered Directional Charge Flow in Mixed Two-Dimensional Perovskites Enabled by Facile Cation-Exchange. 2017 , 121, 21281-21289	33
1305	Vacuum-evaporated all-inorganic cesium lead bromine perovskites for high-performance light-emitting diodes. 2017 , 5, 8144-8149	58
1304	Chemically Addressable Perovskite Nanocrystals for Light-Emitting Applications. 2017 , 29, 1701153	106
1303	Low-Dimensional Organic-Inorganic Halide Perovskite: Structure, Properties, and Applications. 2017 , 10, 3712-3721	78
1302	Ultrapure Green Light-Emitting Diodes Using Two-Dimensional Formamidinium Perovskites: Achieving Recommendation 2020 Color Coordinates. 2017 , 17, 5277-5284	166
1301	Direct Laser Writing of β to β Phase Transformation in Formamidinium Lead Iodide. 2017 , 11, 8072-8083	40
1300	Advances in Small Perovskite-Based Lasers. 2017 , 1, 1700163	199
1299	Lead Halide Perovskite Nanocrystals in the Research Spotlight: Stability and Defect Tolerance. 2017 , 2, 2071-2083	656
1298	Perovskite-based photodetectors: materials and devices. 2017 , 46, 5204-5236	498
1297	Efficient Sky-Blue Perovskite Light-Emitting Devices Based on Ethylammonium Bromide Induced Layered Perovskites. 2017 , 9, 29901-29906	112
1296	Highly compact CsPbBr ₃ perovskite thin films decorated by ZnO nanoparticles for enhanced random lasing. 2017 , 40, 195-202	322
1295	Synthetic Manipulation of Hybrid Perovskite Systems in Search of New and Enhanced Functionalities. 2017 , 10, 3722-3739	10
1294	Ultrafast Electron Dynamics in Solar Energy Conversion. 2017 , 117, 10940-11024	202
1293	Nearly 100% Efficiency Enhancement of CH ₃ NH ₃ PbBr Perovskite Light-Emitting Diodes by Utilizing Plasmonic Au Nanoparticles. 2017 , 8, 3961-3969	60
1292	One-Step Preparation of Cesium Lead Halide CsPbX (X = Cl, Br, and I) Perovskite Nanocrystals by Microwave Irradiation. 2017 , 9, 42919-42927	84
1291	Extremely Low Operating Current Resistive Memory Based on Exfoliated 2D Perovskite Single Crystals for Neuromorphic Computing. 2017 , 11, 12247-12256	201
1290	Inkjet printing for electroluminescent devices: emissive materials, film formation, and display prototypes. 2017 , 10, 329-352	19
1289	Low turn-on voltage perovskite light-emitting diodes with methanol treated PEDOT:PSS as hole transport layer. 2017 , 111, 233304	27

1288	Spontaneous emission enhancement of colloidal perovskite nanocrystals by a photonic crystal cavity. 2017 , 111, 221104	11
1287	Temperature and spectral dependence of CH ₃ NH ₃ PbI ₃ films photoconductivity. 2017 , 110, 222107	12
1286	Enhanced Electroluminescence from ZnO Quantum Dot Light-Emitting Diodes via Introducing Al ₂ O ₃ Retarding Layer and Ag@ZnO Hybrid Nanodots. 2017 , 5, 1700493	16
1285	Benzyl Alcohol-Treated CH ₃ NH ₃ PbBr Nanocrystals Exhibiting High Luminescence, Stability, and Ultralow Amplified Spontaneous Emission Thresholds. 2017 , 17, 7424-7432	85
1284	Stable Graphene-Two-Dimensional Multiphase Perovskite Heterostructure Phototransistors with High Gain. 2017 , 17, 7330-7338	63
1283	Transparent Perovskite Light-Emitting Touch-Responsive Device. 2017 , 11, 11368-11375	28
1282	Cathodoluminescence of Self-Organized Heterogeneous Phases in Multidimensional Perovskite Thin Films. 2017 , 29, 10088-10094	21
1281	Photoluminescence quantum yield exceeding 80% in low dimensional perovskite thin-films via passivation control. 2017 , 53, 8707-8710	40
1280	Melt Processing of Hybrid Organic-Inorganic Lead Iodide Layered Perovskites. 2017 , 29, 6200-6204	40
1279	Perovskite light-emitting devices with a metal-insulator-semiconductor structure and carrier tunnelling. 2017 , 5, 7715-7719	13
1278	Directing nucleation and growth kinetics in solution-processed hybrid perovskite thin-films. 2017 , 60, 617-628	44
1277	Methylammonium Lead Bromide Perovskite Light-Emitting Diodes by Chemical Vapor Deposition. 2017 , 8, 3193-3198	85
1276	Impact of Structural Dynamics on the Optical Properties of Methylammonium Lead Iodide Perovskites. 2017 , 7, 1700286	37
1275	Deterministic Nucleation for Halide Perovskite Thin Films with Large and Uniform Grains. 2017 , 27, 1702180	24
1274	All-inorganic perovskite-based distributed feedback resonator. 2017 , 25, A1154-A1161	20
1273	High-sensitivity optical-fiber-compatible photodetector with an integrated CsPbBr ₃ /graphene hybrid structure. 2017 , 4, 835	34
1272	Amplified Spontaneous Emission Based on 2D Ruddlesden-Popper Perovskites. 2018 , 28, 1707006	88
1271	The Impact of Atmosphere on the Local Luminescence Properties of Metal Halide Perovskite Grains. 2018 , 30, e1706208	116

1270	2D Ruddlesden-Popper Perovskites Microring Laser Array. 2018 , 30, e1706186	135
1269	Fast Postmoisture Treatment of Luminescent Perovskite Films for Efficient Light-Emitting Diodes. 2018 , 14, e1703410	28
1268	Light-emitting diodes of colloidal quantum dots and nanorod heterostructures for future emissive displays. 2018 , 6, 2618-2634	61
1267	Rubidium Doping for Enhanced Performance of Highly Efficient Formamidinium-Based Perovskite Light-Emitting Diodes. 2018 , 10, 9849-9857	48
1266	Improved performance of perovskite photodetectors based on a solution-processed CH ₃ NH ₃ PbI ₃ /SnO ₂ heterojunction. 2018 , 57, 206-210	24
1265	High-Efficiency Polycrystalline Perovskite Light-Emitting Diodes Based on Mixed Cations. 2018 , 12, 2883-2892	84
1264	Graphene/Semiconductor Hybrid Heterostructures for Optoelectronic Device Applications. 2018 , 19, 41-83	124
1263	Quasi-Two-Dimensional Halide Perovskite Single Crystal Photodetector. 2018 , 12, 4919-4929	178
1262	The formation of perovskite multiple quantum well structures for high performance light-emitting diodes. 2018 , 2,	34
1261	A Two-Dimensional Ruddlesden-Popper Perovskite Nanowire Laser Array based on Ultrafast Light-Harvesting Quantum Wells. 2018 , 57, 7748-7752	49
1260	Recent progress in 2D/quasi-2D layered metal halide perovskites for solar cells. 2018 , 6, 11063-11077	144
1259	Quasi-2D Inorganic CsPbBr ₃ Perovskite for Efficient and Stable Light-Emitting Diodes. 2018 , 28, 1801193	85
1258	High Color Rendering Index White-Light Emission from UV-Driven LEDs Based on Single Luminescent Materials: Two-Dimensional Perovskites (CH ₃ CH ₂ NH ₂)PbBr ₂ Cl. 2018 , 10, 15980-15987	60
1257	Acetone vapour-assisted growth of 2D single-crystalline organic lead halide perovskite microplates and their temperature-enhanced photoluminescence.. 2018 , 8, 14527-14531	14
1256	Low Work Function Surface Modifiers for Solution-Processed Electronics: A Review. 2018 , 5, 1701404	35
1255	Cation Dynamics Governed Thermal Properties of Lead Halide Perovskite Nanowires. 2018 , 18, 2772-2779	33
1254	Reduced Efficiency Roll-Off and Enhanced Stability in Perovskite Light-Emitting Diodes with Multiple Quantum Wells. 2018 , 9, 2038-2042	45
1253	The Diversity of Layered Halide Perovskites. 2018 , 48, 111-136	100

1252	Origin of vertical orientation in two-dimensional metal halide perovskites and its effect on photovoltaic performance. 2018 , 9, 1336	228
1251	Energy transfer mechanisms in layered 2D perovskites. 2018 , 148, 134706	47
1250	Observation of enhanced hot phonon bottleneck effect in 2D perovskites. 2018 , 112, 143903	31
1249	Perovskite-Initiated Photopolymerization for Singly Dispersed Luminescent Nanocomposites. 2018 , 30, e1800774	53
1248	A new inorganic-organic hybrid halide perovskite thin film based ammonia sensor. 2018 , 58, 202-206	17
1247	Organic-Inorganic hybrid perovskite quantum dots for light-emitting diodes. 2018 , 6, 4831-4841	49
1246	Hot Biexciton Effect on Optical Gain in CsPbI Perovskite Nanocrystals. 2018 , 9, 2222-2228	43
1245	Organic-Inorganic Hybrid Ruddlesden-Popper Perovskites: An Emerging Paradigm for High-Performance Light-Emitting Diodes. 2018 , 9, 2251-2258	47
1244	Bluish-white-light-emitting diodes based on two-dimensional lead halide perovskite (C ₆ H ₅ C ₂ H ₄ NH ₃) ₂ PbCl ₂ Br ₂ . 2018 , 112, 153901	33
1243	Unravelling Light-Induced Degradation of Layered Perovskite Crystals and Design of Efficient Encapsulation for Improved Photostability. 2018 , 28, 1800305	60
1242	Electrode quenching control for highly efficient CsPbBr perovskite light-emitting diodes via surface plasmon resonance and enhanced hole injection by Au nanoparticles. 2018 , 29, 175203	20
1241	Imaging Heterogeneously Distributed Photo-Active Traps in Perovskite Single Crystals. 2018 , 30, e1705494	22
1240	Influence of A-site cation on the thermal stability of metal halide perovskite polycrystalline films. 2018 , 19, 53-60	14
1239	Enhanced Performance of Red Perovskite Light-Emitting Diodes through the Dimensional Tailoring of Perovskite Multiple Quantum Wells. 2018 , 9, 881-886	83
1238	Suppressed Ion Migration along the In-Plane Direction in Layered Perovskites. 2018 , 3, 684-688	166
1237	Dark electrical bias effects on moisture-induced degradation in inverted lead halide perovskite solar cells measured by using advanced chemical probes. 2018 , 2, 905-914	23
1236	Al ₂ O ₃ -Interlayer-Enhanced Performance of All-Inorganic Silicon-Quantum-Dot Near-Infrared Light-Emitting Diodes. 2018 , 65, 577-583	12
1235	Lead-free/rare earth-free Green-light-emitting crystal based on organic-inorganic hybrid [(C ₁₀ H ₁₆ N) ₂][MnBr ₄] with high emissive quantum yields and large crystal size. 2018 , 1161, 262-266	24

1234	Synthesis and Photocatalytic Application of Stable Lead-Free Cs AgBiBr Perovskite Nanocrystals. 2018 , 14, e1703762	288
1233	Perovskite templating via a bathophenanthroline additive for efficient light-emitting devices. 2018 , 6, 2295-2302	11
1232	In Situ Observation of Light Illumination-Induced Degradation in Organometal Mixed-Halide Perovskite Films. 2018 , 10, 6737-6746	51
1231	Progress and Perspective in Low-Dimensional Metal Halide Perovskites for Optoelectronic Applications. 2018 , 2, 1700186	69
1230	Efficient green light-emitting diodes based on quasi-two-dimensional composition and phase engineered perovskite with surface passivation. 2018 , 9, 570	580
1229	Minimising efficiency roll-off in high-brightness perovskite light-emitting diodes. 2018 , 9, 608	248
1228	Characterization of the Valence and Conduction Band Levels of $n = 1$ 2D Perovskites: A Combined Experimental and Theoretical Investigation. 2018 , 8, 1703468	48
1227	Highly efficient and stable inverted perovskite solar cell employing PEDOT:GO composite layer as a hole transport layer. 2018 , 8, 1070	116
1226	Preferential Orientation of Crystals Induced by Incorporation of Organic Ligands in Mixed-Dimensional Hybrid Perovskite Films. 2018 , 6, 1701311	23
1225	Distributed Feedback Lasers Based on MAPbBr ₃ . 2018 , 3, 1700253	48
1224	Endowing Perovskite Nanocrystals with Circularly Polarized Luminescence. 2018 , 30, e1705011	139
1223	Improving the Stability of Metal Halide Perovskite Materials and Light-Emitting Diodes. 2018 , 30, e1704587	276
1222	Surface ligand modification of cesium lead bromide nanocrystals for improved light-emitting performance. 2018 , 10, 4173-4178	87
1221	Perovskite Excitonics: Primary Exciton Creation and Crossover from Free Carriers to a Secondary Exciton Phase. 2018 , 6, 1700839	25
1220	Highly Efficient Solution-Processable Nanophosphor with Ambipolar Shell. 2018 , 24, 2971-2979	5
1219	Low-Dimensional Perovskites: From Synthesis to Stability in Perovskite Solar Cells. 2018 , 8, 1702073	59
1218	A New Hole Transport Material for Efficient Perovskite Solar Cells With Reduced Device Cost. 2018 , 2, 1700175	28
1217	Fabrication of single phase 2D homologous perovskite microplates by mechanical exfoliation. 2018 , 5, 021001	50

1216	Stable Light-Emitting Diodes Using Phase-Pure Ruddlesden-Popper Layered Perovskites. 2018 , 30, 1704217	210
1215	Highly Luminescent and Stable Perovskite Nanocrystals with Octylphosphonic Acid as a Ligand for Efficient Light-Emitting Diodes. 2018 , 10, 3784-3792	185
1214	High-luminance perovskite light-emitting diodes with high-polarity alcohol solvent treating PEDOT:PSS as hole transport layer. 2018 , 13, 128	18
1213	Lead halide perovskites: Recombining faster, emitting brighter. 2018 , 61, 1135-1136	3
1212	A Two-Dimensional Ruddlesden-Popper Perovskite Nanowire Laser Array based on Ultrafast Light-Harvesting Quantum Wells. 2018 , 130, 7874-7878	15
1211	Lead-Free, Two-Dimensional Mixed Germanium and Tin Perovskites. 2018 , 9, 2518-2522	69
1210	Low dimensional CH ₃ NH ₃ PbBr ₃ cubes for persistent luminescence: Energy variation of electron excitation. 2018 ,	2
1209	Enhanced Exciton and Photon Confinement in Ruddlesden-Popper Perovskite Microplatelets for Highly Stable Low-Threshold Polarized Lasing. 2018 , 30, e1707235	73
1208	Perovskite-quantum dots interface: Deciphering its ultrafast charge carrier dynamics. 2018 , 49, 471-480	18
1207	Exploring the role of spin-triplets and trap states in photovoltaic processes of perovskite solar cells. 2018 , 6, 5055-5062	9
1206	Synthesis and Characterization of Methylammonium Lead Iodide Perovskite and its Application in Planar Hetero-junction Devices. 2018 , 33, 065012	18
1205	Highly Efficient Spectrally Stable Red Perovskite Light-Emitting Diodes. 2018 , 30, e1707093	142
1204	Highly Efficient Visible Colloidal Lead-Halide Perovskite Nanocrystal Light-Emitting Diodes. 2018 , 18, 3157-3164	160
1203	The Relationship between Chemical Flexibility and Nanoscale Charge Collection in Hybrid Halide Perovskites. 2018 , 28, 1706995	20
1202	All-Inorganic Hetero-Structured Cesium Tin Halide Perovskite Light-Emitting Diodes With Current Density Over 900 A cm ⁻² and Its Amplified Spontaneous Emission Behaviors. 2018 , 12, 1800090	38
1201	Diameter engineering on TiO ₂ nanorod arrays for improved hole-conductor-free perovskite solar cells. 2018 , 166, 42-49	15
1200	Growth of Nanosized Single Crystals for Efficient Perovskite Light-Emitting Diodes. 2018 , 12, 3417-3423	88
1199	Correlation of ETL in perovskite light-emitting diodes and the ultra-long rise time in time-resolved electroluminescence. 2018 , 80, 131-136	2

1198	Two-dimensional halide perovskite nanomaterials and heterostructures. 2018 , 47, 6046-6072	244
1197	Self-assembled hierarchical nanostructured perovskites enable highly efficient LEDs via an energy cascade. 2018 , 11, 1770-1778	113
1196	Review Light Emission from Thin Film Solar Cell Materials: An Emerging Infrared and Visible Light Emitter. 2018 , 7, R3102-R3110	8
1195	2D Ruddlesden-Popper Perovskites for Optoelectronics. 2018 , 30, 1703487	423
1194	All-Inorganic Metal Halide Perovskite Nanostructures: From Photophysics to Light-Emitting Applications. 2018 , 2, 1700252	66
1193	On the performance of polymer:organometal halide perovskite composite light emitting devices: The effects of polymer additives. 2018 , 52, 350-355	22
1192	The merit of perovskite's dimensionality; can this replace the 3D halide perovskite?. 2018 , 11, 234-242	157
1191	Optically pumped lasing and electroluminescence of formamidinium perovskite semiconductors prepared by the cast-capping method. 2018 , 57, 03EH05	
1190	Bidentate Ligand-Passivated CsPbI Perovskite Nanocrystals for Stable Near-Unity Photoluminescence Quantum Yield and Efficient Red Light-Emitting Diodes. 2018 , 140, 562-565	537
1189	All-Inorganic Perovskite Quantum Dots/p-Si Heterojunction Light-Emitting Diodes under DC and AC Driving Modes. 2018 , 6, 1700897	25
1188	Highly oriented two-dimensional formamidinium lead iodide perovskites with a small bandgap of 1.51 eV. 2018 , 2, 121-128	72
1187	Localized Exciton Dynamics of Perovskite Material using Monte Carlo Simulation: A Temperature Dependent Study. 2018 ,	
1186	A radial microfluidic platform for higher throughput chemotaxis studies with individual gradient control. 2018 , 18, 3855-3864	23
1185	Tuning optical/electrical properties of 2D/3D perovskite by the inclusion of aromatic cation. 2018 , 20, 30189-30199	18
1184	. 2018 ,	5
1183	Nanoplatelet modulation in 2D/3D perovskite targeting efficient light-emitting diodes. 2018 , 10, 19322-19329	17
1182	Excess charge-carrier induced instability of hybrid perovskites. 2018 , 9, 4981	95
1181	Efficient radical-based light-emitting diodes with doublet emission. 2018 , 563, 536-540	265

1180	Introducing Cations (Zn ²⁺ , Sn ²⁺ and Mg ²⁺) and Anions(Cl) to Tune Mn Photoluminescence Intensity of Doped Perovskite Nanocrystals(CsPbCl ₃). 2018 , 3, 11986-11992		5
1179	High-efficiency perovskite/polymer bulk heterostructure light-emitting diodes. <i>Nature Photonics</i> , 2018 , 12, 783-789	33-9	511
1178	Efficient and stable emission of warm-white light from lead-free halide double perovskites. 2018 , 563, 541-545		835
1177	Increased luminescent efficiency of perovskite light emitting diodes based on modified two-step deposition method providing gradient concentration. 2018 , 6, 111101		3
1176	Perovskite Light-Emitting Devices I Fundamentals and Working Principles. 2018 , 199-221		
1175	Facile synthesis of two-dimensional Ruddlesden-Popper perovskite quantum dots with fine-tunable optical properties. 2018 , 13, 247		38
1174	Stable, Efficient Red Perovskite Light-Emitting Diodes by (H)CsPbI ₃ Phase Engineering. 2018 , 28, 1804285		78
1173	Reversible, Full-Color Luminescence by Post-treatment of Perovskite Nanocrystals. 2018 , 2, 2105-2116		34
1172	The Interaction between Quantum Dots and Graphene: The Applications in Graphene-Based Solar Cells and Photodetectors. 2018 , 28, 1804712		50
1171	High-performance light-emitting diode with poly(ethylene oxide) passivated quasi two dimensional perovskite emitting layer. 2018 , 63, 216-221		17
1170	Large and Ultrastable All-Inorganic CsPbBr Monocrystalline Films: Low-Temperature Growth and Application for High-Performance Photodetectors. 2018 , 30, e1802110		65
1169	Anion-exchange red perovskite quantum dots with ammonium iodine salts for highly efficient light-emitting devices. <i>Nature Photonics</i> , 2018 , 12, 681-687	33-9	785
1168	Tunable Semiconductors: Control over Carrier States and Excitations in Layered Hybrid Organic-Inorganic Perovskites. 2018 , 121, 146401		65
1167	Carrier cascade: Enabling high performance perovskite light-emitting diodes (PeLEDs). 2018 , 11, 91-97		6
1166	Solution-processed perovskite light emitting diodes with efficiency exceeding 15% through additive-controlled nanostructure tailoring. 2018 , 9, 3892		280
1165	Highly efficient room-temperature phosphorescence and afterglow luminescence from common organic fluorophores in 2D hybrid perovskites. 2018 , 9, 8975-8981		73
1164	Manipulating the Trade-off Between Quantum Yield and Electrical Conductivity for High-Brightness Quasi-2D Perovskite Light-Emitting Diodes. 2018 , 28, 1804187		84
1163	Organic-Inorganic Hybrid Passivation Enables Perovskite QLEDs with an EQE of 16.48. 2018 , 30, e1805409		291

1162	Perovskite light-emitting diodes with external quantum efficiency exceeding 20 per cent. 2018 , 562, 245-248	1802
1161	Perovskite light-emitting diodes based on spontaneously formed submicrometre-scale structures. 2018 , 562, 249-253	1116
1160	Donor/Acceptor Charge-Transfer States at Two-Dimensional Metal Halide Perovskite and Organic Semiconductor Interfaces. 2018 , 3, 2708-2712	24
1159	The quantum-confined Stark effect in layered hybrid perovskites mediated by orientational polarizability of confined dipoles. 2018 , 9, 4214	35
1158	Spin-Coated CH ₃ NH ₃ PbBr ₃ Film Consisting of Micron-Scale Single Crystals Assisted with a Benzophenone Crystallizing Agent and Its Application in Perovskite Light-Emitting Diodes. 2018 , 8,	7
1157	Layer-Dependent Rashba Band Splitting in 2D Hybrid Perovskites. 2018 , 30, 8538-8545	66
1156	Stable and Efficient 3D-2D Perovskite-Perovskite Planar Heterojunction Solar Cell without Organic Hole Transport Layer. 2018 , 2, 2706-2721	82
1155	Phase Pure 2D Perovskite for High-Performance 2D-3D Heterostructured Perovskite Solar Cells. 2018 , 30, e1805323	161
1154	Understanding the Role of Lithium Doping in Reducing Nonradiative Loss in Lead Halide Perovskites. 2018 , 5, 1800736	38
1153	Multicolor Heterostructures of Two-Dimensional Layered Halide Perovskites that Show Interlayer Energy Transfer. 2018 , 140, 15675-15683	65
1152	Oriented Quasi-2D Perovskites for High Performance Optoelectronic Devices. 2018 , 30, e1804771	195
1151	Ultra-Bright Near-Infrared Perovskite Light-Emitting Diodes with Reduced Efficiency Roll-off. 2018 , 8, 15496	33
1150	All-Perovskite Emission Architecture for White Light-Emitting Diodes. 2018 , 12, 10486-10492	61
1149	Opportunities and Challenges in Perovskite Light-Emitting Devices. 2018 , 5, 3866-3875	102
1148	General Post-annealing Method Enables High-Efficiency Two-Dimensional Perovskite Solar Cells. 2018 , 10, 33187-33197	52
1147	Rapid, Wet Chemical Fabrication of Radial Junction Electroluminescent Wires. 2018 , 10, 35344-35353	2
1146	Improved performance of CsPbBr ₃ perovskite light-emitting devices by both boundary and interface defects passivation. 2018 , 10, 18315-18322	25
1145	Structural Diversity in White-Light-Emitting Hybrid Lead Bromide Perovskites. 2018 , 140, 13078-13088	214

1144	Interfacial Engineering of Perovskite Quantum-Dot Light-Emitting Devices Using Alkyl Ammonium Salt Layer. 2018 , 31, 329-333	2
1143	Controllable growth of two-dimensional perovskite microstructures. 2018 , 20, 6538-6545	12
1142	Two-Dimensional Organic-Inorganic Hybrid Perovskites: A New Platform for Optoelectronic Applications. 2018 , 30, e1802041	94
1141	Self-Assembled High Quality CsPbBr Quantum Dot Films toward Highly Efficient Light-Emitting Diodes. 2018 , 12, 9541-9548	113
1140	Compositional and orientational control in metal halide perovskites of reduced dimensionality. 2018 , 17, 900-907	252
1139	Ultrafast Carrier Transfer Promoted by Interlayer Coulomb Coupling in 2D/3D Perovskite Heterostructures. 2018 , 12, 1800128	45
1138	Perovskites for Light Emission. 2018 , 30, e1801996	270
1137	Color-stable highly luminescent sky-blue perovskite light-emitting diodes. 2018 , 9, 3541	370
1136	Identifying and controlling phase purity in 2D hybrid perovskite thin films. 2018 , 6, 22215-22225	49
1135	Amplified spontaneous emission in phenylethylammonium methylammonium lead iodide quasi-2D perovskites. 2018 , 20, 15030-15036	34
1134	Electrical, Optical, and Structural Characteristics of CH ₃ NH ₃ PbI ₃ Perovskite Light-Emitting Diodes. 2018 , 215, 1701014	3
1133	Conjugated Polyelectrolytes as Efficient Hole Transport Layers in Perovskite Light-Emitting Diodes. 2018 , 12, 5826-5833	38
1132	Fundamental Carrier Lifetime Exceeding 1 μ s in Cs ₂ AgBiBr ₆ Double Perovskite. 2018 , 5, 1800464	114
1131	Efficient pure green light-emitting diodes based on formamidinium lead bromide perovskite nanocrystals. 2018 , 60, 64-70	6
1130	Highly Efficient Blue-Emitting Bi-Doped Cs ₂ SnCl ₆ Perovskite Variant: Photoluminescence Induced by Impurity Doping. 2018 , 28, 1801131	239
1129	High performance organo-lead halide perovskite light-emitting diodes via surface passivation of phenethylamine. 2018 , 60, 57-63	14
1128	Optical Energy Losses in Organic-Inorganic Hybrid Perovskite Light-Emitting Diodes. 2018 , 6, 1800667	66
1127	Photonics and Optoelectronics of 2D Metal-Halide Perovskites. 2018 , 14, e1800682	128

1126	In Situ Fabricated Perovskite Nanocrystals: A Revolution in Optical Materials. 2018 , 6, 1800380	129
1125	Nanochannel-Assisted Perovskite Nanowires: From Growth Mechanisms to Photodetector Applications. 2018 , 12, 8406-8414	47
1124	Theoretical perspective to light outcoupling and management in perovskite light-emitting diodes. 2018 , 61, 351-358	28
1123	Designing Efficient Energy Funneling Kinetics in Ruddlesden-Popper Perovskites for High-Performance Light-Emitting Diodes. 2018 , 30, e1800818	57
1122	Recent Advances toward High-Efficiency Halide Perovskite Light-Emitting Diodes: Review and Perspective. 2018 , 2, 1700419	145
1121	Precisely Controlling the Grain Sizes with an Ammonium Hypophosphite Additive for High-Performance Perovskite Solar Cells. 2018 , 28, 1802320	53
1120	Photon Upconversion through a Cascade Process of Two-Photon Absorption in CsPbBr ₃ and Triplet-Triplet Annihilation in Porphyrin/Diphenylanthracene. 2018 , 122, 14425-14433	8
1119	Two-dimensional light-emitting materials: preparation, properties and applications. 2018 , 47, 6128-6174	118
1118	Metal Halide Perovskites: From Crystal Formations to Light-Emitting-Diode Applications. 2018 , 2, 1800093	26
1117	Organic/Inorganic metal halide hybrids beyond perovskites. 2018 , 6, 552-569	66
1116	Super air stable quasi-2D organic-inorganic hybrid perovskites for visible light-emitting diodes. 2018 , 26, A66-A74	38
1115	Highly Emissive and Color-Tunable Perovskite Cross-linkers for Luminescent Polymer Networks. 2018 , 10, 28971-28978	13
1114	Significantly improved black phase stability of FAPbI nanowires via spatially confined vapor phase growth in nanoporous templates. 2018 , 10, 15164-15172	39
1113	Dramatically Enhanced Photoluminescence from Femtosecond Laser Induced Micro-/Nanostructures on MAPbBr ₃ Single Crystal Surface. 2018 , 6, 1800411	8
1112	Efficient Light-Emitting Diodes Based on in Situ Fabricated FAPbBr Nanocrystals: The Enhancing Role of the Ligand-Assisted Reprecipitation Process. 2018 , 12, 8808-8816	183
1111	Recent advances toward practical use of halide perovskite nanocrystals. 2018 , 6, 21729-21746	62
1110	Interfacial crosslinked quasi-2D perovskite with boosted carrier transport and enhanced stability. 2018 , 51, 404001	18
1109	Concept of Lattice Mismatch and Emergence of Surface States in Two-dimensional Hybrid Perovskite Quantum Wells. 2018 , 18, 5603-5609	67

1108	Two-Step Growth of 2D Organic-Inorganic Perovskite Microplates and Arrays for Functional Optoelectronics. 2018 , 9, 4532-4538	22
1107	Flexible and Stretchable Smart Display: Materials, Fabrication, Device Design, and System Integration. 2018 , 28, 1801834	221
1106	Efficient Room-Temperature Phosphorescence from Organic-Inorganic Hybrid Perovskites by Molecular Engineering. 2018 , 30, e1707621	83
1105	Photo-induced thiol coupling and CBI activation using nanocrystalline lead-halide perovskite catalysts. 2018 , 8, 4257-4263	63
1104	Metal Halide Perovskites: Synthesis, Ion Migration, and Application in Field-Effect Transistors. 2018 , 14, e1801460	69
1103	Efficient charge separation at multiple quantum well perovskite/PCBM interface. 2018 , 113, 041103	7
1102	Flexible Electronics Based on Micro/Nanostructured Paper. 2018 , 30, e1801588	185
1101	Twin Domains in Organometallic Halide Perovskite Thin-Films. 2018 , 8, 216	11
1100	Two-dimensional organic-inorganic hybrid perovskite: from material properties to device applications. 2018 , 61, 1257-1277	64
1099	Crystallization, Properties, and Challenges of Low-Bandgap SnPb Binary Perovskites. 2018 , 2, 1800146	33
1098	Whispering gallery mode lasing in lead halide perovskite crystals grown in microcapillary. 2018 , 113, 011107	14
1097	Rational Energy Band Alignment and Au Nanoparticles in Surface Plasmon Enhanced Si-Based Perovskite Quantum Dot Light-Emitting Diodes. 2018 , 6, 1800693	24
1096	Charge carrier recombination and ion migration in metal-halide perovskite nanoparticle films for efficient light-emitting diodes. 2018 , 52, 329-335	40
1095	Efficient Near-Infrared Electroluminescence at 840 nm with "Metal-Free" Small-Molecule:Polymer Blends. 2018 , 30, e1706584	34
1094	When Crystals Go Nano The Role of Advanced X-ray Total Scattering Methods in Nanotechnology. 2018 , 2018, 3789-3803	20
1093	Mutual Composition Transformations Among 2D/3D Organolead Halide Perovskites and Mechanisms Behind. 2018 , 2, 1800125	13
1092	Single-crystalline layered metal-halide perovskite nanowires for ultrasensitive photodetectors. 2018 , 1, 404-410	224
1091	Aligned and Graded Type-II Ruddlesden-Popper Perovskite Films for Efficient Solar Cells. 2018 , 8, 1800185	184

1090	A Strategy for Architecture Design of Crystalline Perovskite Light-Emitting Diodes with High Performance. 2018 , 30, e1800251	112
1089	Room-temperature film formation of metal halide perovskites on n-type metal oxides: the catalysis of ZnO on perovskite crystallization. 2018 , 54, 6887-6890	6
1088	Enhancing Performances of Hybrid Perovskite Light Emitting Diodes with Thickness Controlled PMMA Interlayer. 2018 , 91, 1241-1248	14
1087	Improving the stability and efficiency of perovskite light-emitting diodes via an insulating layer of polyethylenimine ethoxylated. 2018 , 201, 359-363	14
1086	Exploration of Near-Infrared-Emissive Colloidal Multinary Lead Halide Perovskite Nanocrystals Using an Automated Microfluidic Platform. 2018 , 12, 5504-5517	99
1085	Chemical regulation of metal halide perovskite nanomaterials for efficient light-emitting diodes. 2018 , 61, 1047-1061	24
1084	Spin control in reduced-dimensional chiral perovskites. <i>Nature Photonics</i> , 2018 , 12, 528-533	33.9 205
1083	Boosted electroluminescence of perovskite light-emitting diodes by pinhole passivation with insulating polymer. 2018 , 51, 405103	7
1082	Probing buried recombination pathways in perovskite structures using 3D photoluminescence tomography. 2018 , 11, 2846-2852	32
1081	Lead halide perovskite quantum dots for light-emitting devices. 2018 , 6, 11868-11877	36
1080	Metal-Doped Lead Halide Perovskites: Synthesis, Properties, and Optoelectronic Applications. 2018 , 30, 6589-6613	324
1079	Bulk Heterojunction-Assisted Grain Growth for Controllable and Highly Crystalline Perovskite Films. 2018 , 10, 31366-31373	11
1078	Photophysics of metal halide perovskites: From materials to devices. 2018 , 57, 090101	42
1077	Trap-Limited Dynamics of Excited Carriers and Interpretation of the Photoluminescence Decay Kinetics in Metal Halide Perovskites. 2018 , 9, 4955-4962	30
1076	Recombination Dynamics Study on Nanostructured Perovskite Light-Emitting Devices. 2018 , 30, e1801370	60
1075	Enhanced Electroluminescence from Organic Light-Emitting Diodes with an Organic-Inorganic Perovskite Host Layer. 2018 , 30, e1802662	17
1074	Efficient Perovskite Light-Emitting Diodes via Tuning Nanoplatelet Distribution and Crystallinity Orientation. 2018 , 5, 1801030	22
1073	Surface Ligand Engineering for Near-Unity Quantum Yield Inorganic Halide Perovskite QDs and High-Performance QLEDs. 2018 , 30, 6099-6107	148

1072	4-3: Solution Synthesis of High-Quality Indium-Nitride Quantum Dots. 2018 , 49, 28-31	2
1071	Efficient perovskite light-emitting diodes based on a solution-processed tin dioxide electron transport layer. 2018 , 6, 6996-7002	16
1070	Charge-transfer versus energy-transfer in quasi-2D perovskite light-emitting diodes. 2018 , 50, 615-622	75
1069	Cuboidal Supraparticles Self-Assembled from Cubic CsPbBr Perovskite Nanocrystals. 2018 , 122, 15706-15712	42
1068	Influence of Bulky Organo-Ammonium Halide Additive Choice on the Flexibility and Efficiency of Perovskite Light-Emitting Devices. 2018 , 28, 1802060	53
1067	High-Efficiency Pure-Color Inorganic Halide Perovskite Emitters for Ultrahigh-Definition Displays: Progress for Backlighting Displays and Electrically Driven Devices. 2018 , 2, 1700382	40
1066	White perovskite based lighting devices. 2018 , 54, 8150-8169	54
1065	Room-Temperature Triple-Ligand Surface Engineering Synergistically Boosts Ink Stability, Recombination Dynamics, and Charge Injection toward EQE-11.6% Perovskite QLEDs. 2018 , 30, e1800764	309
1064	High-Performance Low-Voltage-Driven Phototransistors through CsPbBr ₃ 2D Crystal van der Waals Heterojunctions. 2018 , 6, 1800152	30
1063	CHNHPbBr Quantum Dot-Induced Nucleation for High Performance Perovskite Light-Emitting Solar Cells. 2018 , 10, 22320-22328	26
1062	Enhancement of Stability and Photocatalytic Performance on Hybrid Perovskite with Aniline. 2018 , 4, 1054-1058	7
1061	Luminescent perovskites: recent advances in theory and experiments. 2019 , 6, 2969-3011	109
1060	Self-Assembly of Two-Dimensional Perovskite Nanosheet Building Blocks into Ordered Ruddlesden-Popper Perovskite Phase. 2019 , 141, 13028-13032	42
1059	Stable and bright formamidinium-based perovskite light-emitting diodes with high energy conversion efficiency. 2019 , 10, 3624	68
1058	Surface engineering towards highly efficient perovskite light-emitting diodes. 2019 , 65, 104029	20
1057	Lead-Free Halide Perovskites and Perovskite Variants as Phosphors toward Light-Emitting Applications. 2019 , 11, 31575-31584	71
1056	Efficient blue light-emitting diodes based on quantum-confined bromide perovskite nanostructures. <i>Nature Photonics</i> , 2019 , 13, 760-764	33-9 313
1055	Transient Energy Reservoir in 2D Perovskites. 2019 , 7, 1900971	33

1054	Exciton-Exciton Annihilation in Two-Dimensional Halide Perovskites at Room Temperature. 2019 , 10, 5153-5159	50
1053	Single-phase alkylammonium cesium lead iodide quasi-2D perovskites for color-tunable and spectrum-stable red LEDs. 2019 , 11, 16907-16918	14
1052	Highly stable hybrid perovskite light-emitting diodes based on Dion-Jacobson structure. 2019 , 5, eaaw8072	104
1051	Ligand-Induced Surface Charge Density Modulation Generates Local Type-II Band Alignment in Reduced-Dimensional Perovskites. 2019 , 141, 13459-13467	41
1050	2D Ruddlesden-Popper Perovskite Nanoplate Based Deep-Blue Light-Emitting Diodes for Light Communication. 2019 , 29, 1903861	71
1049	Phase Engineering for Highly Efficient Quasi-Two-Dimensional All-Inorganic Perovskite Light-Emitting Diodes via Adjusting the Ratio of Cs Cation. 2019 , 14, 255	6
1048	Simultaneous Long-Persistent Blue Luminescence and High Quantum Yield within 2D Organic-Metal Halide Perovskite Micro/Nanosheets. 2019 , 131, 15272-15279	21
1047	Simultaneous Long-Persistent Blue Luminescence and High Quantum Yield within 2D Organic-Metal Halide Perovskite Micro/Nanosheets. 2019 , 58, 15128-15135	105
1046	Orange to Red, Emission-Tunable Mn-Doped Two-Dimensional Perovskites with High Luminescence and Stability. 2019 , 11, 34109-34116	45
1045	Effect of organic spacers on electronic, optical and transport properties of two-dimensional layered lead-halide perovskites. 2019 , 169, 109130	3
1044	Towards green antisolvent for efficient CH ₃ NH ₃ PbBr ₃ perovskite light emitting diodes: A comparison of toluene, chlorobenzene, and ethyl acetate. 2019 , 115, 033101	9
1043	Growth modes and quantum confinement in ultrathin vapour-deposited MAPbI ₃ films. 2019 , 11, 14276-14284	29
1042	Device Engineering for All-Inorganic Perovskite Light-Emitting Diodes. 2019 , 9,	20
1041	The Future Is Blue (LEDs): Why Chemistry Is the Key to Perovskite Displays. 2019 , 31, 6003-6032	55
1040	Synthetic Variation and Structural Trends in Layered Two-Dimensional Alkylammonium Lead Halide Perovskites. 2019 , 31, 5592-5607	52
1039	Controlling Solvate Intermediate Growth for Phase-Pure Organic Lead Iodide Ruddlesden-Popper (C ₄ H ₉ NH ₃) ₂ (CH ₃ NH ₃) _n PbI _{3n+1} Perovskite Thin Films. 2019 , 31, 5832-5844	28
1038	Incorporating Large A Cations into Lead Iodide Perovskite Cages: Relaxed Goldschmidt Tolerance Factor and Impact on Exciton-Phonon Interaction. 2019 , 5, 1377-1386	80
1037	A transient-electroluminescence study on perovskite light-emitting diodes. 2019 , 115, 041102	34

1036	ZnO nanocrystals incorporating PEIE and a fluorene-based polyelectrolyte as electron transport layers for pure cesium-containing perovskite light-emitting devices. 2019 , 6, 105304	2
1035	Submillimeter and lead-free Cs ₃ Sb ₂ Br ₉ perovskite nanoflakes: inverse temperature crystallization growth and application for ultrasensitive photodetectors. 2019 , 4, 1372-1379	51
1034	Highly Efficient Light Emitting Diodes Based on In Situ Fabricated FAPbI ₃ Nanocrystals: Solvent Effects of On-Chip Crystallization. 2019 , 7, 1900774	20
1033	High performance from extraordinarily thick organic light-emitting diodes. 2019 , 572, 502-506	98
1032	Solvation effect in precursor solution enables over 16% efficiency in thick 2D perovskite solar cells. 2019 , 7, 19423-19429	19
1031	Performance boosting strategy for perovskite light-emitting diodes. 2019 , 6, 031402	63
1030	Controlling the Property of Edges in Layered 2D Perovskite Single Crystals. 2019 , 10, 3950-3954	28
1029	Single Halide Perovskite/Semiconductor Core/Shell Quantum Dots with Ultrastability and Nonblinking Properties. 2019 , 6, 1900412	78
1028	Anti-Stokes Ultraviolet Luminescence and Exciton Detrapping in the Two-Dimensional Perovskite (CH ₃ CH ₂ NH ₂)PbCl ₂ . 2019 , 10, 4095-4102	19
1027	Defect Engineering in 2D Perovskite by Mn(II) Doping for Light-Emitting Applications. 2019 , 5, 2146-2158	54
1026	Light-Enhanced Ion Migration in Two-Dimensional Perovskite Single Crystals Revealed in Carbon Nanotubes/Two-Dimensional Perovskite Heterostructure and Its Photomemory Application. 2019 , 5, 1857-1865	23
1025	Aurora-B mediated snail phosphorylation is essential for mitotic spindle checkpoint and for preventing chromosomal instability in breast cancer. 2019 , 30, v3	
1024	Ruddlesden-Popper Perovskites: Synthesis and Optical Properties for Optoelectronic Applications. 2019 , 6, 1900941	65
1023	Mechanochromic and Electroluminescence Properties of a Layered Hybrid Perovskite Belonging to the Series. 2019 , 2019, 4527-4531	12
1022	Band structure engineering in metal halide perovskite nanostructures for optoelectronic applications. 2019 , 1, 268-287	65
1021	Recent multiple evidences for high stability of perovskite optoelectronic devices. 2019 , 64, 1731-1732	1
1020	Optimization of Low-Dimensional Components of Quasi-2D Perovskite Films for Deep-Blue Light-Emitting Diodes. 2019 , 31, e1904319	146
1019	High-Performance All-Inorganic Perovskite-Quantum-Dot-Based Flexible Organic Phototransistor Memory with Architecture Design. 2019 , 5, 1900864	21

1018	Halogen Vacancies Enable Ligand-Assisted Self-Assembly of Perovskite Quantum Dots into Nanowires. 2019 , 131, 16223-16227	13
1017	Dimensionally Engineered Perovskite Heterostructure for Photovoltaic and Optoelectronic Applications. 2019 , 9, 1902470	33
1016	Methylammonium-Mediated Crystallization of Cesium-Based 2D/3D Perovskites toward High-Efficiency Light-Emitting Diodes. 2019 , 11, 43452-43459	6
1015	Luminescence of perovskite light-emitting diodes with quasi-core/shell structure enhanced by Al ₂ O ₃ /Ag Bimetallic Nanoparticle. 2019 , 136, 106323	4
1014	Molecular engineering of organic-inorganic hybrid perovskites quantum wells. 2019 , 11, 1151-1157	160
1013	Imaging Excited State Dynamics in Layered 2D Perovskites with Transient Absorption Microscopy. 2019 , 123, 11012-11021	17
1012	Scale-Up Synthesis of Organometal Halide Perovskite Nanocrystals (MAPbX ₃ , X = Cl, Br, and I). 2019 , 7, 19369-19374	13
1011	A Highly Emissive Surface Layer in Mixed-Halide Multication Perovskites. 2019 , 31, e1902374	39
1010	Halogen Vacancies Enable Ligand-Assisted Self-Assembly of Perovskite Quantum Dots into Nanowires. 2019 , 58, 16077-16081	32
1009	The Effect of Annealing Pressure on Perovskite Films and Its Thin-Film Field-Effect Transistors' Performance. 2019 , 216, 1900434	3
1008	Uniform Permutation of Quasi-2D Perovskites by Vacuum Poling for Efficient, High-Fill-Factor Solar Cells. 2019 , 3, 3061-3071	108
1007	Probing the Degradation Chemistry and Enhanced Stability of 2D Organolead Halide Perovskites. 2019 , 141, 18170-18181	31
1006	Two-Photon Up-Conversion Photoluminescence Realized through Spatially Extended Gap States in Quasi-2D Perovskite Films. 2019 , 31, e1901240	16
1005	Nanoreactors for Chemical Synthesis and Biomedical Applications. 2019 , 14, 3240-3250	6
1004	Design of rolling ball control system based on OpenMV. 2019 , 1303, 012102	0
1003	High-Quality Ruddlesden-Popper Perovskite Films Based on In Situ Formed Organic Spacer Cations. 2019 , 31, e1904243	27
1002	Effect of spatial molecular configuration of ZnO/ polyethylenimine hybrid electron injection materials on OLEDs performance. 2019 , 75, 105427	4
1001	Enhanced yield-mobility products in hybrid halide Ruddlesden-Popper compounds with aromatic ammonium spacers. 2019 , 48, 14019-14026	12

1000	High-performance and stable CsPbBr light-emitting diodes based on polymer additive treatment.. 2019 , 9, 27684-27691	17
999	Enabling Self-passivation by Attaching Small Grains on Surfaces of Large Grains toward High-Performance Perovskite LEDs. 2019 , 19, 378-387	20
998	Nanoscale hybrid multidimensional perovskites with alternating cations for high performance photovoltaic. 2019 , 65, 104050	22
997	Long-term stable perovskite solar cells with room temperature processed metal oxide carrier transporters. 2019 , 7, 21085-21095	13
996	Carrier lifetime enhancement in halide perovskite via remote epitaxy. 2019 , 10, 4145	45
995	Monocrystalline perovskite wafers/thin films for photovoltaic and transistor applications. 2019 , 7, 24661-24690	8
994	Broadband white-light emission from supramolecular piperazinium-based lead halide perovskites linked by hydrogen bonds. 2019 , 48, 15074-15090	4
993	Influence of the Organic Chain on the Optical Properties of Two-Dimensional Organic-Inorganic Hybrid Lead Iodide Perovskites. 2019 , 1, 2253-2259	8
992	Understanding the Improvement in the Stability of a Self-Assembled Multiple-Quantum Well Perovskite Light-Emitting Diode. 2019 , 10, 6857-6864	26
991	Highly Efficient Flexible Perovskite Light-Emitting Diodes Using the Modified PEDOT:PSS Hole Transport Layer and Polymer-Silver Nanowire Composite Electrode. 2019 , 11, 39274-39282	11
990	Organic composition tailored perovskite solar cells and light-emitting diodes: Perspectives and advances. 2019 , 14, 100338	8
989	Perovskite quantum dots for light-emitting devices. 2019 , 11, 19119-19139	53
988	Blue perovskite light-emitting diodes: progress, challenges and future directions. 2019 , 11, 2109-2120	147
987	Thermochromic Lead-Free Halide Double Perovskites. 2019 , 29, 1807375	69
986	Versatile Defect Passivation Methods for Metal Halide Perovskite Materials and their Application to Light-Emitting Devices. 2019 , 31, e1805244	59
985	Ag-Doped Halide Perovskite Nanocrystals for Tunable Band Structure and Efficient Charge Transport. 2019 , 4, 534-541	63
984	Ultrafast narrowband exciton routing within layered perovskite nanoplatelets enables low-loss luminescent solar concentrators. 2019 , 4, 197-205	87
983	Thick junction photodiodes based on crushed perovskite crystal/polymer composite films. 2019 , 7, 1859-1863	14

982	Phase control of quasi-2D perovskites and improved light-emitting performance by excess organic cations and nanoparticle intercalation. 2019 , 11, 3546-3556	39
981	DFT study of electronic structure and optical properties of layered two-dimensional CH ₃ NH ₃ PbX ₃ (X=Cl, Br, I). 2019 , 41, 2734-2745	8
980	Engineering Perovskite Nanocrystal Surface Termination for Light-Emitting Diodes with External Quantum Efficiency Exceeding 15%. 2019 , 29, 1807284	55
979	Efficient and Tunable Electroluminescence from In Situ Synthesized Perovskite Quantum Dots. 2019 , 15, e1804947	17
978	Tuning the Luminescence of Layered Halide Perovskites. 2019 , 119, 3104-3139	318
977	Embedded Two-Dimensional Perovskite Nanoplatelets with Air-Stable Luminescence. 2019 , 11, 8436-8442	14
976	Stretchable Organometal-Halide-Perovskite Quantum-Dot Light-Emitting Diodes. 2019 , 31, e1807516	43
975	Understanding the Formation of Vertical Orientation in Two-dimensional Metal Halide Perovskite Thin Films. 2019 , 31, 1336-1343	59
974	High-Efficiency Green InP Quantum Dot-Based Electroluminescent Device Comprising Thick-Shell Quantum Dots. 2019 , 7, 1801602	93
973	Organic interfacial materials for perovskite-based optoelectronic devices. 2019 , 12, 1177-1209	125
972	Bright perovskite light-emitting diodes with improved film morphology and reduced trap density via surface passivation using quaternary ammonium salts. 2019 , 67, 187-193	18
971	Extrinsic and Dynamic Edge States of Two-Dimensional Lead Halide Perovskites. 2019 , 13, 1635-1644	62
970	Metal halide perovskite nanostructures for optoelectronic applications and the study of physical properties. 2019 , 4, 169-188	361
969	Syntheses of two-dimensional propylammonium lead halide perovskite microstructures by a solution route. 2019 , 21, 1458-1465	7
968	Excitons in 2D Organic-Inorganic Halide Perovskites. 2019 , 1, 380-393	93
967	Spontaneous Formation of Nanocrystals in Amorphous Matrix: Alternative Pathway to Bright Emission in Quasi-2D Perovskites. 2019 , 7, 1900269	3
966	Groove-assisted solution growth of lead bromide perovskite aligned nanowires: a simple method towards photoluminescent materials with guiding light properties. 2019 , 3, 1754-1760	2
965	Decreasing Exciton Binding Energy in Two-Dimensional Halide Perovskites by Lead Vacancies. 2019 , 10, 3820-3827	20

964	Modulating optoelectronic properties of organo-metal halide perovskites with unsaturated heterocyclic cations via ring substitution. 2019 , 135, 109078	3
963	Luminescent inorganic-organic hybrid semiconductor materials for energy-saving lighting applications. 2019 , 1, 100008	53
962	Unveiling the synergistic effect of precursor stoichiometry and interfacial reactions for perovskite light-emitting diodes. 2019 , 10, 2818	75
961	Two-dimensional Ruddlesden-Popper perovskite nanosheets: Synthesis, optoelectronic properties and miniaturized optoelectronic devices. 2019 , 17, 100116	9
960	Poly(ethylene oxide)-assisted energy funneling for efficient perovskite light emission. 2019 , 7, 8287-8293	8
959	Electronic Structure Characterization of Soft Semiconductors. 2019 , 6, 1900439	0
958	Spectral-Stable Blue Emission from Moisture-Treated Low-Dimensional Lead Bromide-Based Perovskite Films. 2019 , 6, 1728-1735	13
957	Recent advances in controlling the crystallization of two-dimensional perovskites for optoelectronic device. 2019 , 14, 1	30
956	An efficient TeO ₂ /Ag transparent top electrode for 20%-efficiency bifacial perovskite solar cells with a bifaciality factor exceeding 80%. 2019 , 7, 15156-15163	26
955	From 2D to 1D Electronic Dimensionality in Halide Perovskites with Stepped and Flat Layers Using Propylammonium as a Spacer. 2019 , 141, 10661-10676	36
954	In Situ Observation of Crystallization Dynamics and Grain Orientation in Sequential Deposition of Metal Halide Perovskites. 2019 , 29, 1902319	34
953	Exciton funneling in light-harvesting organic semiconductor microcrystals for wavelength-tunable lasers. 2019 , 5, eaaw2953	23
952	Perovskite white light-emitting diodes based on a molecular blend perovskite emissive layer. 2019 , 7, 8634-8642	31
951	LEDs using halide perovskite nanocrystal emitters. 2019 , 11, 11402-11412	26
950	The Rise of Perovskite Light-Emitting Diodes. 2019 , 10, 3035-3042	73
949	Bright Free Exciton Electroluminescence from Mn-Doped Two-Dimensional Layered Perovskites. 2019 , 10, 3171-3175	22
948	Oriented and Uniform Distribution of Dion-Jacobson Phase Perovskites Controlled by Quantum Well Barrier Thickness. 2019 , 3, 1900090	61
947	High-Efficiency Violet-Emitting All-Inorganic Perovskite Nanocrystals Enabled by Alkaline-Earth Metal Passivation. 2019 , 31, 3974-3983	64

946	Pure Bromide-Based Perovskite Nanoplatelets for Blue Light-Emitting Diodes. 2019 , 3, 1900196	21
945	Exploiting Two-Step Processed Mixed 2D/3D Perovskites for Bright Green Light Emitting Diodes. 2019 , 7, 1900465	13
944	Heterogeneous Photon Recycling and Charge Diffusion Enhance Charge Transport in Quasi-2D Lead-Halide Perovskite Films. 2019 , 19, 3953-3960	50
943	Properties of Excitons and Photogenerated Charge Carriers in Metal Halide Perovskites. 2019 , 31, e1806671	85
942	Effects of Organic Cations on the Structure and Performance of Quasi-Two-Dimensional Perovskite-Based Light-Emitting Diodes. 2019 , 10, 2892-2897	36
941	Phase-Pure Hybrid Layered Lead Iodide Perovskite Films Based on a Two-Step Melt-Processing Approach. 2019 , 31, 4267-4274	26
940	Self-template Synthesis of Metal Halide Perovskite Nanotubes as Functional Cavities for Tailored Optoelectronic Devices. 2019 , 11, 21100-21108	4
939	Flexible Inorganic Light Emitting Diodes Enabled by New Materials and Designs, With Examples of Their Use in Neuroscience Research. 2019 , 1-39	
938	Enhancing the performance of mixed-halide perovskite-based light-emitting devices by organic additive inclusion. 2019 , 253, 88-93	4
937	Unique characteristics of 2D Ruddlesden-Popper (2DRP) perovskite for future photovoltaic application. 2019 , 7, 13860-13872	49
936	Tailoring the Functionality of Organic Spacer Cations for Efficient and Stable Quasi-2D Perovskite Solar Cells. 2019 , 29, 1900221	94
935	Inorganic and Layered Perovskites for Optoelectronic Devices. 2019 , 31, e1807095	67
934	Color Patterning of Luminescent Perovskites via Light-Mediated Halide Exchange with Haloalkanes. 2019 , 31, e1901247	18
933	High-Efficiency Perovskite Light-Emitting Diodes with Synergetic Outcoupling Enhancement. 2019 , 31, e1901517	130
932	Halide Perovskite Nanocrystals for Next-Generation Optoelectronics. 2019 , 15, e1900801	37
931	Spectra stable blue perovskite light-emitting diodes. 2019 , 10, 1868	218
930	Small Cyclic Diammonium Cation Templated (110)-Oriented 2D Halide (X = I, Br, Cl) Perovskites with White-Light Emission. 2019 , 31, 3582-3590	60
929	Reduced-Dimensional Perovskite Enabled by Organic Diamine for Efficient Photovoltaics. 2019 , 10, 2349-2356	73

928	Intralayer A-Site Compositional Engineering of Ruddlesden-Popper Perovskites for Thermostable and Efficient Solar Cells. 2019 , 4, 1216-1224	41
927	Anchored Ligands Facilitate Efficient B-Site Doping in Metal Halide Perovskites. 2019 , 141, 8296-8305	32
926	Solution-Phase Epitaxial Growth of Perovskite Films on 2D Material Flakes for High-Performance Solar Cells. 2019 , 31, e1807689	115
925	Recent Progress in Metal Halide Perovskite Micro- and Nanolasers. 2019 , 7, 1900080	59
924	A Visual Solar UV Sensor Based on Paraffin-Perovskite Quantum Dot Composite Film. 2019 , 11, 16713-16719	12
923	A comprehensive review of doping in perovskite nanocrystals/quantum dots: evolution of structure, electronics, optics, and light-emitting diodes. 2019 , 6, 100036	78
922	Reducing Defects in Halide Perovskite Nanocrystals for Light-Emitting Applications. 2019 , 10, 2629-2640	122
921	White-Light Emission from the Structural Distortion Induced by Control of Halide Composition of Two-Dimensional Perovskites ((CH ₃ CH ₂ NH ₂)PbBrCl). 2019 , 58, 6748-6757	25
920	Light-Emitting Transistors Based on Solution-Processed Heterostructures of Self-Organized Multiple-Quantum-Well Perovskite and Metal-Oxide Semiconductors. 2019 , 5, 1800985	14
919	Bulk- and Nanocrystalline-Halide Perovskite Light-Emitting Diodes. 2019 , 305-341	2
918	Nanomaterials for Polymer and Perovskite Light-Emitting Diodes. 2019 , 371-421	
917	Perovskites for Next-Generation Optical Sources. 2019 , 119, 7444-7477	391
916	Monitoring the morphological evolution in mixed-dimensional lead bromide perovskite films with lamellar-stacked perovskite nanoplatelets. 2019 , 4, 1139-1144	7
915	Metal Halide Perovskite Light-Emitting Devices: Promising Technology for Next-Generation Displays. 2019 , 29, 1902008	203
914	Conjugated Polyelectrolytes as Multifunctional Passivating and Hole-Transporting Layers for Efficient Perovskite Light-Emitting Diodes. 2019 , 31, e1900067	34
913	Blue perovskite light-emitting diodes based on RbX-doped polycrystalline CsPbBr ₃ perovskite films. 2019 , 7, 5596-5603	22
912	Harvesting Triplet Excitons in Lead-Halide Perovskites for Room-Temperature Phosphorescence. 2019 , 31, 2597-2602	31
911	Performance enhancement of perovskite solar cells via material quality improvement assisted by MAI/IPA solution post-treatment. 2019 , 48, 5292-5298	6

910	Room-Temperature Broadband Light Emission from Hybrid Lead Iodide Perovskite-Like Quantum Wells: Terahertz Spectroscopic Investigation of Metastable Defects. 2019 , 10, 1653-1662	12
909	Synthetic control over orientational degeneracy of spacer cations enhances solar cell efficiency in two-dimensional perovskites. 2019 , 10, 1276	144
908	Perovskite and Conjugated Polymer Wrapped Semiconducting Carbon Nanotube Hybrid Films for High-Performance Transistors and Phototransistors. 2019 , 13, 3971-3981	94
907	Impacts of alkaline on the defects property and crystallization kinetics in perovskite solar cells. 2019 , 10, 1112	124
906	Chemical stability and instability of inorganic halide perovskites. 2019 , 12, 1495-1511	335
905	Modulation of recombination zone position for quasi-two-dimensional blue perovskite light-emitting diodes with efficiency exceeding 5. 2019 , 10, 1027	282
904	Tunable Halide Perovskites for Miniaturized Solid-State Laser Applications. 2019 , 7, 1900099	32
903	Efficient Broad-Band Emission from Contorted Purely Corner-Shared One Dimensional (1D) Organic Lead Halide Perovskite. 2019 , 31, 2253-2257	55
902	Rational molecular passivation for high-performance perovskite light-emitting diodes. <i>Nature Photonics</i> , 2019 , 13, 418-424	33.9 638
901	Distinct green electroluminescence from lead-free CsCuBr halide micro-crosses. 2019 , 55, 4554-4557	33
900	Origin and Suppression of the Graded Phase Distribution in Ruddlesden-Popper Perovskite Films for Photovoltaic Application. 2019 , 3, 1800357	19
899	Chiral 2D Perovskites with a High Degree of Circularly Polarized Photoluminescence. 2019 , 13, 3659-3665	161
898	Band Structure Engineering of Interfacial Semiconductors Based on Atomically Thin Lead Iodide Crystals. 2019 , 31, e1806562	49
897	Low-dimensional formamidinium lead perovskite architectures via controllable solvent intercalation. 2019 , 7, 3945-3951	15
896	Tunable Ferroelectricity in Ruddlesden-Popper Halide Perovskites. 2019 , 11, 13523-13532	23
895	Theoretical Prediction of Chiral 3D Hybrid Organic-Inorganic Perovskites. 2019 , 31, e1807628	38
894	Cs _{0.05} (FA _{0.85} MA _{0.15}) _{0.95} Pb(I _{0.85} Br _{0.15}) ₃ based flexible perovskite light-emitting devices with excellent mechanical bending durability. 2019 , 723, 33-38	3
893	Oriented Growth of Ultrathin Single Crystals of 2D Ruddlesden-Popper Hybrid Lead Iodide Perovskites for High-Performance Photodetectors. 2019 , 11, 15905-15912	35

892	Excitonic states and structural stability in two-dimensional hybrid organic-inorganic perovskites. 2019 , 4, 189-200	24
891	Interlayer Interaction Enhancement in Ruddlesden-Popper Perovskite Solar Cells toward High Efficiency and Phase Stability. 2019 , 4, 1025-1033	50
890	Stable, Efficient Near-Infrared Light-Emitting Diodes Enabled by π -Phase Modulation. 2019 , 10, 2101-2107	10
889	Recent progress of the optoelectronic properties of 2D Ruddlesden-Popper perovskites. 2019 , 40, 041901	11
888	Recent progress in perovskite-based photodetectors: the design of materials and structures. 2019 , 4, 1592709	22
887	The Dominant Energy Transport Pathway in Halide Perovskites: Photon Recycling or Carrier Diffusion?. 2019 , 9, 1900185	61
886	Effects of strontium doping on the morphological, structural, and photophysical properties of FASnI ₃ perovskite thin films. 2019 , 7, 031116	12
885	Full visible waveband tunable formamidinium halides hybrid perovskite QDs via anion-exchange route and their high luminous efficiency LEDs. 2019 , 791, 814-821	12
884	Improved Performance of Perovskite Light-Emitting Diodes by Dual Passivation with an Ionic Additive. 2019 , 2, 3336-3342	13
883	Optically pumped lasing of segregated quasi-2D perovskite microcrystals in vertical microcavity at room temperature. 2019 , 114, 131107	14
882	Low-temperature synthesis of all-inorganic perovskite nanocrystals for UV-photodetectors. 2019 , 7, 5488-5496	16
881	Patterning Multicolor Hybrid Perovskite Films via Top-Down Lithography. 2019 , 13, 3823-3829	49
880	Interface and Defect Engineering for Metal Halide Perovskite Optoelectronic Devices. 2019 , 31, e1803515	201
879	Intrinsic Instability of Inorganic-Organic Hybrid Halide Perovskite Materials. 2019 , 31, e1805337	175
878	Manipulating the Phase Distributions and Carrier Transfers in Hybrid Quasi-Two-Dimensional Perovskite Films. 2019 , 3, 1800359	30
877	Recent progress toward perovskite light-emitting diodes with enhanced spectral and operational stability. 2019 , 5, 100028	73
876	Photonics and optoelectronics using nano-structured hybrid perovskite media and their optical cavities. 2019 , 795, 1-51	262
875	Efficient and Stable Low-Dimensional Ruddlesden-Popper Perovskite Solar Cells Enabled by Reducing Tunnel Barrier. 2019 , 10, 1173-1179	34

874	Water-stable and ion exchange-free inorganic perovskite quantum dots encapsulated in solid paraffin and their application in light emitting diodes. 2019 , 11, 5557-5563	29
873	Suppression of non-radiative recombination toward high efficiency perovskite light-emitting diodes. 2019 , 7, 021102	15
872	Tailoring vertical phase distribution of quasi-two-dimensional perovskite films via surface modification of hole-transporting layer. 2019 , 10, 878	76
871	High-Efficiency Red Light-Emitting Diodes Based on Multiple Quantum Wells of Phenylbutylammonium-Cesium Lead Iodide Perovskites. 2019 , 6, 587-594	44
870	Efficient metal halide perovskite light-emitting diodes with significantly improved light extraction on nanophotonic substrates. 2019 , 10, 727	124
869	RbAgBiBr: A Lead-Free Visible Light Absorbing Halide Semiconductor with Improved Stability. 2019 , 58, 4446-4455	20
868	Perovskites [Revisiting the Venerable ABX ₃ Family with Organic Flexibility and New Applications. 2019 , 537-588	2
867	P-13.6: Efficiency Improvement of CsPbI ₃ Quantum dot Light Emitting Diodes via Alkyl Chain Ligand Regulation. 2019 , 50, 970-970	
866	Inorganic perovskite engineering through incorporation of a carboxylic acid containing ligand for performance enhancement in perovskite light-emitting diodes. 2019 , 7, 14141-14147	2
865	Surface/Interface Engineering for Constructing Advanced Nanostructured Light-Emitting Diodes with Improved Performance: A Brief Review. 2019 , 10,	4
864	Picosecond electron trapping limits the emissivity of CsPbCl perovskite nanocrystals. 2019 , 151, 194701	21
863	Efficient sky-blue perovskite light-emitting diodes via photoluminescence enhancement. 2019 , 10, 5633	164
862	Effects of C ₈ H ₁₇ NH ₃ Br additive on properties of CH ₃ NH ₃ PbBr ₃ perovskite thin films. 2019 , 6, 126425	1
861	Enhancing the performance of perovskite light-emitting devices through 1,3,5-tris(2-phenylbenzimidazolyl)benzene interlayer incorporation.. 2019 , 9, 29037-29043	1
860	Widely applicable phosphomolybdic acid doped poly(9-vinylcarbazole) hole transport layer for perovskite light-emitting devices.. 2019 , 9, 30398-30405	0
859	Highly compact and smooth all-inorganic perovskite films for low threshold amplified spontaneous emission from additive-assisted solution processing. 2019 , 7, 15350-15356	10
858	Two-Dimensional Mixed Lead-Tin Halide Perovskites for Visible Light-Emitting Diodes. 2019 ,	
857	The Physics of Light Emission in Halide Perovskite Devices. 2019 , 31, e1803336	137

856	A one-pot method for controlled synthesis and selective etching of organic-inorganic hybrid perovskite crystals. 2019 , 33, 149-154	2
855	Highly bright and low turn-on voltage CsPbBr ₃ quantum dot LEDs via conjugation molecular ligand exchange. 2019 , 12, 109-114	31
854	Efficient CsPbBr ₃ Perovskite Light-Emitting Diodes Enabled by Synergetic Morphology Control. 2019 , 7, 1801534	89
853	Bulk Heterojunction Quasi-Two-Dimensional Perovskite Solar Cell with 1.18 V High Photovoltage. 2019 , 11, 2935-2943	12
852	Strategies to Improve Luminescence Efficiency of Metal-Halide Perovskites and Light-Emitting Diodes. 2019 , 31, e1804595	64
851	Pressure-Engineered Structural and Optical Properties of Two-Dimensional (CHNH)PbI Perovskite Exfoliated nm-Thin Flakes. 2019 , 141, 1235-1241	61
850	Two dimensional metal halide perovskites: Promising candidates for light-emitting diodes. 2019 , 37, 97-110	39
849	Defect Passivation for Red Perovskite Light-Emitting Diodes with Improved Brightness and Stability. 2019 , 10, 380-385	43
848	Alternative Type Two-Dimensional-Three-Dimensional Lead Halide Perovskite with Inorganic Sodium Ions as a Spacer for High-Performance Light-Emitting Diodes. 2019 , 13, 1645-1654	35
847	Efficient and Color-Tunable Quasi-2D CsPbBr ₃ Cl _{3-x} Perovskite Blue Light-Emitting Diodes. 2019 , 6, 667-676	62
846	Chemical Formation and Multiple Applications of Organic-Inorganic Hybrid Perovskite Materials. 2019 , 141, 1406-1414	35
845	Low dimensional metal halide perovskites and hybrids. 2019 , 137, 38-65	173
844	Two-Dimensional Hybrid Halide Perovskites: Principles and Promises. 2019 , 141, 1171-1190	608
843	High Efficiency Blue and Green Light-Emitting Diodes Using Ruddlesden-Popper Inorganic Mixed Halide Perovskites with Butylammonium Interlayers. 2019 , 31, 83-89	171
842	Tunable Deep-Red Electroluminescence From Flexible Quasi-2D Perovskites Light-Emitting Diodes. 2019 , 40, 59-62	8
841	Mixed Lead-Tin Halide Perovskites for Efficient and Wavelength-Tunable Near-Infrared Light-Emitting Diodes. 2019 , 31, e1806105	37
840	Two-dimensional perovskite materials: From synthesis to energy-related applications. 2019 , 11, 61-82	93
839	Impact of Organic Spacers on the Carrier Dynamics in 2D Hybrid Lead-Halide Perovskites. 2019 , 4, 17-25	36

838	Quantum and Dielectric Confinement Effects in Lower-Dimensional Hybrid Perovskite Semiconductors. 2019 , 119, 3140-3192	303
837	Tin-Based Multiple Quantum Well Perovskites for Light-Emitting Diodes with Improved Stability. 2019 , 10, 453-459	43
836	Spectrally Resolved Ultrafast Exciton Transfer in Mixed Perovskite Quantum Wells. 2019 , 10, 419-426	53
835	Ultrafast Charge Separation in Two-Dimensional CsPbBr Perovskite Nanoplatelets. 2019 , 10, 566-573	51
834	Constructing the Electronic Structure of CHNHPbI and CHNHPbBr Perovskite Thin Films from Single-Crystal Band Structure Measurements. 2019 , 10, 601-609	55
833	Effect of perovskite film morphology on device performance of perovskite light-emitting diodes. 2019 , 11, 1505-1514	20
832	Synthetic Approaches for Halide Perovskite Thin Films. 2019 , 119, 3193-3295	293
831	The dependence of chain length of phenylalkylamine on the performance of perovskite light emitting diode. 2019 , 65, 56-62	8
830	High performance and stable all-inorganic perovskite light emitting diodes by reducing luminescence quenching at PEDOT:PSS/Perovskites interface. 2019 , 64, 47-53	46
829	Perovskite Methylammonium Lead Trihalide Heterostructures: Progress and Challenges. 2019 , 18, 1-12	58
828	Recent advances in quantum dot-based light-emitting devices: Challenges and possible solutions. 2019 , 24, 69-93	127
827	An overview on enhancing the stability of lead halide perovskite quantum dots and their applications in phosphor-converted LEDs. 2019 , 48, 310-350	545
826	Bright Orange Electroluminescence from Lead-Free Two-Dimensional Perovskites. 2019 , 4, 242-248	114
825	Bifunctional Organic Spacers for Formamidinium-Based Hybrid Dion-Jacobson Two-Dimensional Perovskite Solar Cells. 2019 , 19, 150-157	140
824	Effects of n-butyl amine incorporation on the performance of perovskite light emitting diodes. 2019 , 30, 105703	9
823	Mixing Entropy-Induced Layering Polydispersity Enabling Efficient and Stable Perovskite Nanocrystal Light-Emitting Diodes. 2019 , 4, 118-125	20
822	2D Perovskite-Based Self-Aligned Lateral Heterostructure Photodetectors Utilizing Vapor Deposition. 2019 , 7, 1801356	32
821	Control of Barrier Width in Perovskite Multiple Quantum Wells for High Performance Green Light-Emitting Diodes. 2019 , 7, 1801575	40

820	Merits and Challenges of Ruddlesden-Popper Soft Halide Perovskites in Electro-Optics and Optoelectronics. 2019 , 31, e1803514	57
819	Recent Advances in Flexible Inorganic Light Emitting Diodes: From Materials Design to Integrated Optoelectronic Platforms. 2019 , 7, 1800936	46
818	Controlled Synthesis and Photonics Applications of Metal Halide Perovskite Nanowires. 2019 , 3, 1800294	30
817	Halide Perovskites for Nonlinear Optics. 2020 , 32, e1806736	124
816	Emerging Self-Emissive Technologies for Flexible Displays. 2020 , 32, e1902391	55
815	Multiple-Quantum-Well Perovskites for High-Performance Light-Emitting Diodes. 2020 , 32, e1904163	70
814	2D and Quasi-2D Halide Perovskites: Applications and Progress. 2020 , 14, 1900435	23
813	Spectrally Stable Ultra-Pure Blue Perovskite Light-Emitting Diodes Boosted by Square-Wave Alternating Voltage. 2020 , 8, 1901094	23
812	All-inorganic perovskite quantum dots CsPbX ₃ (Br/I) for highly sensitive and selective detection of explosive picric acid. 2020 , 379, 122360	27
811	Advances in metal halide perovskite nanocrystals: Synthetic strategies, growth mechanisms, and optoelectronic applications. 2020 , 32, 204-221	74
810	Printable Semiconductors for Backplane TFTs of Flexible OLED Displays. 2020 , 30, 1904588	82
809	Highly oriented perovskites for efficient light-emitting diodes with balanced charge transport. 2020 , 77, 105529	4
808	Reversible Thermochromism and Strong Ferromagnetism in Two-Dimensional Hybrid Perovskites. 2020 , 132, 209-214	14
807	Polyfluorene Copolymers as High-Performance Hole-Transport Materials for Inverted Perovskite Solar Cells. 2020 , 4, 1900384	20
806	Revealing Crystallization Dynamics and the Compositional Control Mechanism of 2D Perovskite Film Growth by In Situ Synchrotron-Based GIXRD. 2020 , 5, 8-16	39
805	Triplet management for efficient perovskite light-emitting diodes. <i>Nature Photonics</i> , 2020 , 14, 70-75	33-9 117
804	Impact of Temperature-Dependent Hydration Water on Perovskite Solar Cells. 2020 , 4, 1900370	4
803	Reversible Thermochromism and Strong Ferromagnetism in Two-Dimensional Hybrid Perovskites. 2020 , 59, 203-208	39

802	Tuning the optical properties of Cs ₂ SnCl ₆ :Bi and Cs ₂ SnCl ₆ :Sb lead-free perovskites via post-annealing for white LEDs. 2020 , 822, 153528	23
801	Interlayer Cross-Linked 2D Perovskite Solar Cell with Uniform Phase Distribution and Increased Exciton Coupling. 2020 , 4, 1900578	24
800	Improved current efficiency of quasi-2D multi-cation perovskite light-emitting diodes: the effect of Cs and K. 2020 , 12, 1571-1579	8
799	Printable CsPbBr perovskite quantum dot ink for coffee ring-free fluorescent microarrays using inkjet printing. 2020 , 12, 2569-2577	30
798	Stabilizing n-type hetero-junctions for NiOx based inverted planar perovskite solar cells with an efficiency of 21.6%. 2020 , 8, 1865-1874	27
797	Mixed-ligand engineering of quasi-2D perovskites for efficient sky-blue light-emitting diodes. 2020 , 8, 1319-1325	27
796	Exciton, Biexciton, and Hot Exciton Dynamics in CsPbBr Colloidal Nanoplatelets. 2020 , 11, 387-394	38
795	Efficient Quasi-Two-Dimensional Perovskite Light-Emitting Diodes with Improved Multiple Quantum Well Structure. 2020 , 12, 1721-1727	18
794	Monodisperse Al-Doped ZnO/Perovskite Nanocapsule. 2020 , 12, 1299-1305	1
793	High-Performance Perovskite Light-Emitting Diode with Enhanced Operational Stability Using Lithium Halide Passivation. 2020 , 132, 4128-4134	6
792	High-Performance Perovskite Light-Emitting Diode with Enhanced Operational Stability Using Lithium Halide Passivation. 2020 , 59, 4099-4105	72
791	Perovskite nanostructures: Leveraging quantum effects to challenge optoelectronic limits. 2020 , 33, 122-140	16
790	Role of Excess FAI in Formation of High-Efficiency FAPbI ₃ -Based Light-Emitting Diodes. 2020 , 30, 1906875	23
789	Surface-2D/Bulk-3D Heterophased Perovskite Nanograins for Long-Term-Stable Light-Emitting Diodes. 2020 , 32, e1905674	36
788	Recent developments in emerging two-dimensional materials and their applications. 2020 , 8, 387-440	227
787	Probing Phase Distribution in 2D Perovskites for Efficient Device Design. 2020 , 12, 3127-3133	21
786	Origin of Open-Circuit Voltage Enhancements in Planar Perovskite Solar Cells Induced by Addition of Bulky Organic Cations. 2020 , 30, 1906763	35
785	Operational stability of perovskite light emitting diodes. 2020 , 3, 012002	57

784	Understanding the Origin of Ultrasharp Sub-bandgap Luminescence from Zero-Dimensional Inorganic Perovskite Cs ₄ PbBr ₆ . 2020 , 3, 192-199		21
783	Large-area near-infrared perovskite light-emitting diodes. <i>Nature Photonics</i> , 2020 , 14, 215-218	33.9	151
782	Narrow Emission from Rb ₃ Sb ₂ I ₉ Nanoparticles. 2020 , 8, 1901606		16
781	Nonradiative Energy Transfer through Distributed Bands in Piezochemically Synthesized Cesium and Formamidinium Lead Halide Perovskites. 2020 , 26, 2133-2137		3
780	A review on the advancements in phosphor-converted light emitting diodes (pc-LEDs): Phosphor synthesis, device fabrication and characterization. 2020 , 109, 100622		156
779	Voltage-Dependent Multicolor Electroluminescent Device Based on Halide Perovskite and Chalcogenide Quantum-Dots Emitters. 2020 , 30, 1907074		14
778	First-Principles Simulation of Carrier Recombination Mechanisms in Halide Perovskites. 2020 , 10, 1902830		31
777	Ion Migration: A Double-Edged Sword for Halide-Perovskite-Based Electronic Devices. 2020 , 4, 1900552		67
776	Crystallographic orientation and layer impurities in two-dimensional metal halide perovskite thin films. 2020 , 38, 010801		15
775	The Low-Dimensional Three-Dimensional Tin Halide Perovskite: Film Characterization and Device Performance. 2020 , 13, 2		26
774	Physical origins of high photoluminescence quantum yield in CsPbI ₃ nanocrystals and their stability. 2020 , 508, 145188		8
773	Understanding the Role of Ion Migration in the Operation of Perovskite Light-Emitting Diodes by Transient Measurements. 2020 , 12, 48845-48853		19
772	Recent Progress in Emerging Near-Infrared Emitting Materials for Light-Emitting Diode Applications. 2020 , 02, 253-281		8
771	New insights into the structure of two-dimensional lead iodide-based perovskites. 2020 , 87, 105935		5
770	Influence of the rate of radiation energy on the charge-carrier kinetics application of all-inorganic CsPbBr perovskite nanocrystals.. 2020 , 10, 34651-34657		8
769	A solvent-based surface cleaning and passivation technique for suppressing ionic defects in high-mobility perovskite field-effect transistors. 2020 , 3, 694-703		43
768	Efficient light-emitting diodes from mixed-dimensional perovskites on a fluoride interface. 2020 , 3, 704-710		67
767	Naphthalenediimide Cations Inhibit 2D Perovskite Formation and Facilitate Subpicosecond Electron Transfer. 2020 , 124, 24379-24390		9

766	Historical Analysis of High-Efficiency, Large-Area Solar Cells: Toward Upscaling of Perovskite Solar Cells. 2020 , 32, e2002202	45
765	Solid-State Ionic Rectification in Perovskite Nanowire Heterostructures. 2020 , 20, 8151-8156	6
764	Carbon Nanomaterials for Halide Perovskites-Based Hybrid Photodetectors. 2020 , 5, 2000643	6
763	Formation of Stable Metal Halide Perovskite/Perovskite Heterojunctions. 2020 , 5, 3443-3451	9
762	Fabrication of centimeter-scale MAPbBr ₃ light-emitting device with high color purity. 2020 , 86, 105931	3
761	Unraveling the Crystallization Kinetics of 2D Perovskites with Sandwich-Type Structure for High-Performance Photovoltaics. 2020 , 32, e2002784	25
760	Simultaneous Low-Order Phase Suppression and Defect Passivation for Efficient and Stable Blue Light-Emitting Diodes. 2020 , 5, 2569-2579	49
759	Organic solid-state lasers: a materials view and future development. 2020 ,	116
758	Light emission from perovskite materials. 2020 , 8, 070401	8
757	Optimizing Performance and Operational Stability of CsPbI ₃ Quantum-Dot-Based Light-Emitting Diodes by Interface Engineering. 2020 , 2, 2525-2534	13
756	Formamidinium-Based Dion-Jacobson Layered Hybrid Perovskites: Structural Complexity and Optoelectronic Properties. 2020 , 30, 2003428	34
755	Highly Efficient, Bright, and Stable Colloidal Quantum Dot Short-Wave Infrared Light-Emitting Diodes. 2020 , 30, 2004445	11
754	Understanding and harnessing the potential of layered perovskite-based absorbers for solar cells. 2020 , 3, 751-778	6
753	Enhanced hole injection assisted by electric dipoles for efficient perovskite light-emitting diodes. 2020 , 1,	11
752	In Situ-Fabricated Perovskite Nanocrystals for Deep-Blue Light-Emitting Diodes. 2020 , 11, 10348-10353	7
751	Unveiling hot carrier relaxation and carrier transport mechanisms in quasi-two-dimensional layered perovskites. 2020 , 8, 25402-25410	13
750	Origin and Suppression of External Quantum Efficiency Roll-Off in Quasi-Two-Dimensional Metal Halide Perovskite Light-Emitting Diodes. 2020 , 124, 27422-27428	7
749	Quantifying Exciton Heterogeneities in Mixed-Phase Organometal Halide Multiple Quantum Wells via Stark Spectroscopy Studies. 2020 , 12, 52538-52548	7

748	In-situ passivation perovskite targeting efficient light-emitting diodes via spontaneously formed silica network. 2020 , 78, 105134	14
747	Fast and Anomalous Exciton Diffusion in Two-Dimensional Hybrid Perovskites. 2020 , 20, 6674-6681	21
746	Perovskite white light-emitting diodes with a perovskite emissive layer blended with rhodamine 6G. 2020 , 8, 12951-12958	14
745	Suppressing Ion Migration Enables Stable Perovskite Light-Emitting Diodes with All-Inorganic Strategy. 2020 , 30, 2001834	32
744	In-situ stabilization strategy for CsPbX ₃ -Silicone resin composite with enhanced luminescence and stability. 2020 , 78, 105150	8
743	A Multi-functional Molecular Modifier Enabling Efficient Large-Area Perovskite Light-Emitting Diodes. 2020 , 4, 1977-1987	70
742	Electroplated Silver-Nickel Core-Shell Nanowire Network Electrodes for Highly Efficient Perovskite Nanoparticle Light-Emitting Diodes. 2020 , 12, 39479-39486	9
741	Trap-Enabled Long-Distance Carrier Transport in Perovskite Quantum Wells. 2020 , 142, 15091-15097	34
740	Intramolecular Band Alignment and Spin-Orbit Coupling in Two-Dimensional Halide Perovskites. 2020 , 11, 6982-6989	14
739	Submillimeter-Scale Zero-Dimensional Cs ₄ PbBr ₆ Perovskite Rods: Fabrication, Optical Properties, and Applications. 2020 , 2, 2408-2417	6
738	Scalable All-Evaporation Fabrication of Efficient Light-Emitting Diodes with Hybrid 2D/3D Perovskite Nanostructures. 2020 , 30, 2002913	18
737	Two-dimensional hybrid organic/inorganic perovskites as emergent ferroelectric materials. 2020 , 128, 060906	13
736	Dimensionality engineering of metal halide perovskites. 2020 , 13, 196-224	13
735	Broad Tunability of Carrier Effective Masses in Two-Dimensional Halide Perovskites. 2020 , 5, 3609-3616	22
734	Perovskites for printed flexible electronics. 2020 , 892, 012011	
733	Growth of Perovskite CsPbBr ₃ Nanocrystals and Their Formed Superstructures Revealed by In Situ Spectroscopy. 2020 , 32, 8877-8884	17
732	Hybrid superlattices of two-dimensional materials and organics. 2020 , 49, 6866-6883	15
731	Progress and Prospects of Solution-Processed Two-Dimensional Semiconductor Nanocrystals. 2020 , 124, 21895-21908	19

730	Large Organic Cations in Quasi-2D Perovskites for High-Performance Light-Emitting Diodes. 2020 , 11, 8502-8510	21
729	Ultrastable Lead-Free Double Perovskite Warm-White Light-Emitting Devices with a Lifetime above 1000 Hours. 2020 , 12, 46330-46339	25
728	5-Ammoniumvaleric acid stabilized mixed-dimensional perovskite submicron platelets with white light emission. 2020 , 2, 4822-4829	1
727	Halide perovskite nanocrystal arrays: Multiplexed synthesis and size-dependent emission. 2020 , 6,	25
726	Single-emissive-layer all-perovskite white light-emitting diodes employing segregated mixed halide perovskite crystals. 2020 , 11, 11338-11343	7
725	Enhancing stability of CsPbBr ₃ nanocrystals light-emitting diodes through polymethylmethacrylate physical adsorption. 2020 , 1, 372-381	4
724	Study on photovoltaic stability and performance by incorporating tetrabutyl phosphonium iodide into the active layer of a perovskite type photovoltaic cell.. 2020 , 10, 31575-31585	2
723	Solution-Processed Epitaxial Growth of Arbitrary Surface Nanopatterns on Hybrid Perovskite Monocrystalline Thin Films. 2020 , 14, 11029-11039	9
722	Quasi-2D perovskite emitters: a boon for efficient blue light-emitting diodes. 2020 , 8, 14334-14347	17
721	Impact of Mesoporous Silicon Template Pore Dimension and Surface Chemistry on Methylammonium Lead Trihalide Perovskite Photophysics. 2020 , 7, 2001138	
720	Self-defect-passivation by Br-enrichment in FA-doped CsFAPbBr quantum dots: towards high-performance quantum dot light-emitting diodes. 2020 , 10, 14758	4
719	Thermal-induced interface degradation in perovskite light-emitting diodes. 2020 , 8, 15079-15085	15
718	Concerted regulation on vertical orientation and film quality of two-dimensional Ruddlesden-Popper perovskite layer for efficient solar cells. 2020 , 63, 1675-1683	5
717	Halide Perovskite Single Crystals: Optoelectronic Applications and Strategical Approaches. 2020 , 13, 4250	10
716	Composition engineering to obtain efficient hybrid perovskite light-emitting diodes. 2020 , 13, 282-290	7
715	Large cation ethylammonium incorporated perovskite for efficient and spectra stable blue light-emitting diodes. 2020 , 11, 4165	113
714	Solution-Processed Quasi-Two-Dimensional/Nanocrystals Perovskite Composite Film Enhances the Efficiency and Stability of Perovskite Light-Emitting Diodes. 2020 , 12, 39720-39729	7
713	Additive Modulated Perovskite Microstructures for High Performance Photodetectors. 2020 , 11,	2

712	Irreversibility in Anion Exchange Between Cesium Lead Bromide and Iodide Nanocrystals Imaged by Single-Particle Fluorescence. 2020 , 124, 27158-27168	2
711	Nonlinear optical properties of halide perovskites and their applications. 2020 , 7, 041313	34
710	Memory Devices via Unipolar Resistive Switching in Symmetric Organic/Inorganic Perovskite Nanoscale Heterolayers. 2020 , 3, 11889-11896	5
709	Strain-activated light-induced halide segregation in mixed-halide perovskite solids. 2020 , 11, 6328	29
708	Improved Electroluminescence Performance of Perovskite Light-Emitting Diodes by a New Hole Transporting Polymer Based on the Benzocarbazole Moiety. 2020 , 12, 51756-51765	9
707	Accessing Highly Oriented Two-Dimensional Perovskite Films via Solvent-Vapor Annealing for Efficient and Stable Solar Cells. 2020 , 20, 8880-8889	50
706	Magnetizing lead-free halide double perovskites. 2020 , 6,	25
705	Alternative Organic Spacers for More Efficient Perovskite Solar Cells Containing Ruddlesden-Popper Phases. 2020 , 142, 19705-19714	42
704	Blue Perovskite Nanocrystal Light-Emitting Devices via the Ligand Exchange with Adamantane Diamine. 2020 , 8, 2000289	26
703	Cation doping and strain engineering of CsPbBr ₃ -based perovskite light emitting diodes. 2020 , 8, 6640-6653	15
702	Efficient Blue Perovskite Light-Emitting Diodes Boosted by 2D/3D Energy Cascade Channels. 2020 , 30, 2001732	62
701	Improving the Quality and Luminescence Performance of All-Inorganic Perovskite Nanomaterials for Light-Emitting Devices by Surface Engineering. 2020 , 16, e1907089	28
700	Potassium-Induced Phase Stability Enables Stable and Efficient Wide-Bandgap Perovskite Solar Cells. 2020 , 4, 2000098	18
699	Stabilizing the Electroluminescence of Halide Perovskites with Potassium Passivation. 2020 , 5, 1804-1813	29
698	Position-locking of volatile reaction products by atmosphere and capping layers slows down photodecomposition of methylammonium lead triiodide perovskite.. 2020 , 10, 17534-17542	10
697	Dimensional Tailoring of Ultrahigh Vacuum Annealing-Assisted Quantum Wells for the Efficiency Enhancement of Perovskite Light-Emitting Diodes. 2020 , 12, 24965-24970	2
696	Manganese Doping Stabilizes Perovskite Light-Emitting Diodes by Reducing Ion Migration. 2020 , 2, 1522-1528	16
695	Novel 3D photoactive direct bandgap perovskites CsBiPbX ₆ : Ab initio structure and electronic properties. 2020 , 183, 109819	1

694	Colloidal quantum dot hybrids: an emerging class of materials for ambient lighting. 2020 , 8, 10676-10695	18
693	Blue perovskite light-emitting diodes (LEDs): A minireview. 2020 , 48, 616-636	6
692	A Highly Sensitive Single Crystal Perovskite-Graphene Hybrid Vertical Photodetector. 2020 , 16, e2000733	25
691	Jahn-Teller distortion-driven robust blue-light-emitting perovskite nanoplatelets. 2020 , 20, 100668	7
690	Characterizing the Efficiency of Perovskite Solar Cells and Light-Emitting Diodes. 2020 , 4, 1206-1235	24
689	Samarium-Doped Metal Halide Perovskite Nanocrystals for Single-Component Electroluminescent White Light-Emitting Diodes. 2020 , 5, 2131-2139	61
688	All-vacuum-deposited inorganic cesium lead halide perovskite light-emitting diodes. 2020 , 8, 051113	22
687	Microcavity top-emission perovskite light-emitting diodes. 2020 , 9, 89	50
686	Anharmonic Molecular Vibrational Probes of Dynamical Organic-Inorganic Interactions in Two-Dimensional Hybrid Lead Iodide Perovskites. 2020 , 124, 13942-13955	5
685	Modulation of Broadband Emissions in Two-Dimensional <100>-Oriented Ruddlesden-Popper Hybrid Perovskites. 2020 , 5, 2149-2155	33
684	Circularly Polarized Photoluminescence from Chiral Perovskite Thin Films at Room Temperature. 2020 , 14, 7610-7616	44
683	Two-dimensional halide perovskites featuring semiconducting organic building blocks. 2020 , 4, 3400-3418	25
682	Nanoscale Electronic Properties of Triplet-State-Engineered Halide Perovskites. 2020 , 124, 14811-14817	3
681	Graphene-Insulator-Semiconductor Ultraviolet Light-Responsive Nitride LEDs for Multi-Applications. 2020 , 2, 2104-2112	1
680	Direct assessment of structural order and evidence for stacking faults in layered hybrid perovskite films from X-ray scattering measurements. 2020 , 8, 12790-12798	6
679	Humidity Sensing Properties of Organometallic Perovskite CH ₃ NH ₃ PbI ₃ . 2020 , 5, 6705-6708	4
678	Synergistic effect of the anti-solvent bath method and improved annealing conditions for high-quality triple cation perovskite thin films.. 2020 , 10, 18139-18146	8
677	Crystallisation control of drop-cast quasi-2D/3D perovskite layers for efficient solar cells. 2020 , 1,	39

676	Efficient quasi-two dimensional perovskite light-emitting diodes using a cage-type additive. 2020 , 8, 9845-9853	5
675	Thickness-dependent carrier lifetime and mobility for MAPbBr ₃ single crystals. 2020 , 14, 100240	5
674	Surface-Plasmon-Enhanced Perovskite Light-Emitting Diodes. 2020 , 16, e2001861	17
673	Effects of different alkyl chain-length C _n H _{2n+1} NH ₃ Br additions on the properties of CH ₃ NH ₃ PbBr ₃ perovskite thin films. 2020 , 107, 110127	
672	Green perovskite light-emitting diodes with simultaneous high luminance and quantum efficiency through charge injection engineering. 2020 , 65, 1832-1839	15
671	How Exciton Interactions Control Spin-Depolarization in Layered Hybrid Perovskites. 2020 , 20, 5678-5685	9
670	Layered perovskite materials: key solutions for highly efficient and stable perovskite solar cells. 2020 , 83, 086502	23
669	Exciton recombination mechanisms in solution grown single crystalline CsPbBr ₃ perovskite. 2020 , 226, 117471	14
668	Porous Organic Polymers as Promising Electrode Materials for Energy Storage Devices. 2020 , 2000154	23
667	Growth of metal halide perovskite materials. 2020 , 63, 1438-1463	13
666	Wettability-Guided Screen Printing of Perovskite Microlaser Arrays for Current-Driven Displays. 2020 , 32, e2001999	32
665	Interface Engineering by Employing Zeolitic Imidazolate Framework-8 (ZIF-8) as the Only Scaffold in the Architecture of Perovskite Solar Cells. 2020 , 3, 3134-3143	20
664	Chiral-perovskite optoelectronics. 2020 , 5, 423-439	191
663	Co-Interlayer Engineering toward Efficient Green Quasi-Two-Dimensional Perovskite Light-Emitting Diodes. 2020 , 30, 1910167	26
662	Minute-Scale Rapid Crystallization of a Highly Dichroic 2D Hybrid Perovskite Crystal toward Efficient Polarization-Sensitive Photodetector. 2020 , 8, 2000149	14
661	Bidirectional optical signal transmission between two identical devices using perovskite diodes. 2020 , 3, 156-164	56
660	Crystal structure and luminescence properties of lead-free metal halides (C ₆ H ₅ CH ₂ NH ₃) ₃ MBr ₆ (M = Bi and Sb). 2020 , 8, 7322-7329	28
659	Environmentally Friendly InP-Based Quantum Dots for Efficient Wide Color Gamut Displays. 2020 , 5, 1316-1327	64

658	Efficient All-Inorganic Perovskite Light-Emitting Diodes with Improved Operation Stability. 2020 , 12, 18084-18090	33
657	New lead bromide chiral perovskites with ultra-broadband white-light emission. 2020 , 8, 5673-5680	25
656	Highly efficient and stable CsPbBr ₃ perovskite quantum dots by encapsulation in dual-shell hollow silica spheres for WLEDs. 2020 , 7, 2060-2071	20
655	Phase Distribution and Carrier Dynamics in Multiple-Ring Aromatic Spacer-Based Two-Dimensional Ruddlesden-Popper Perovskite Solar Cells. 2020 , 14, 4871-4881	60
654	Rational Interface Engineering for Efficient Flexible Perovskite Light-Emitting Diodes. 2020 , 14, 6107-6116	58
653	Quo vadis, perovskite emitters?. 2020 , 152, 130901	11
652	Boosting Efficiency and Curtailing the Efficiency Roll-Off in Green Perovskite Light-Emitting Diodes via Incorporating Ytterbium as Cathode Interface Layer. 2020 , 12, 18761-18768	17
651	Building on soft hybrid perovskites: highly oriented metal oxides as electron transport and moisture resistant layers. 2020 , 10, 1871-1878	1
650	Modulation of ligand conjugation for efficient FAPbBr ₃ based green light-emitting diodes. 2020 , 4, 1383-1389	3
649	CsPbBr ₃ Nanocrystal Films: Deviations from Bulk Vibrational and Optoelectronic Properties. 2020 , 30, 1909904	17
648	Sensitized Molecular Triplet and Triplet Excimer Emission in Two-Dimensional Hybrid Perovskites. 2020 , 11, 2247-2255	18
647	Improved Performance for Thermally Evaporated Perovskite Light-Emitting Devices via Defect Passivation and Carrier Regulation. 2020 , 12, 15928-15933	17
646	Tailoring the Surface Morphology and Phase Distribution for Efficient Perovskite Electroluminescence. 2020 , 11, 5877-5882	7
645	Efficient Energy Funnelling by Engineering the Bandgap of a Perovskite: Förster Resonance Energy Transfer or Charge Transfer?. 2020 , 11, 5963-5971	7
644	Impacts of the Hole Transport Layer Deposition Process on Buried Interfaces in Perovskite Solar Cells. 2020 , 1, 100103	6
643	Direct Observation of Competition between Amplified Spontaneous Emission and Auger Recombination in Quasi-Two-Dimensional Perovskites. 2020 , 11, 5734-5740	17
642	Unveiling the Morphology Effect on the Negative Capacitance and Large Ideality Factor in Perovskite Light-Emitting Diodes. 2020 , 12, 34265-34273	22
641	Light Out-Coupling Management in Perovskite LEDs—What Can We Learn from the Past?. 2020 , 30, 2002570	26

640	In Situ Grazing-Incidence Wide-Angle Scattering Reveals Mechanisms for Phase Distribution and Disorientation in 2D Halide Perovskite Films. 2020 , 32, e2002812	51
639	Modulating the optical and electrical properties of MAPbBr single crystals via voltage regulation engineering and application in memristors. 2020 , 9, 111	22
638	Two novel neutral and ionic Ir(III) complexes based on the same bipolar main ligand: a comparative study of their photophysical properties and applications in solution-processed red organic light-emitting diodes. 2020 , 44, 11310-11315	1
637	Theoretical Progress on the Relationship between the Structures and Properties of Perovskite Solar Cells. 2020 , 3, 2000022	4
636	Temperature-induced localized exciton dynamics in mixed lead-free based CH ₃ NH ₃ Pb _{1-x} Sn _x I ₃ perovskite materials. 2020 , 10, 065331	2
635	Sensing of explosive vapor by hybrid perovskites: Effect of dimensionality. 2020 , 8, 071106	8
634	Solution-Grown Large-Sized Single-Crystalline 2D/3D Perovskite Heterostructure for Self-Powered Photodetection. 2020 , 8, 2000311	11
633	Challenges, myths, and opportunities of electron microscopy on halide perovskites. 2020 , 128, 010901	21
632	In Situ Growth of 3D/2D (CsPbBr ₃ /CsPbBr ₂) Perovskite Heterojunctions toward Optoelectronic Devices. 2020 , 11, 6007-6015	33
631	Sensory Adaptation and Neuromorphic Phototransistors Based on CsPb(BrI) Perovskite and MoS ₂ Hybrid Structure. 2020 , 14, 9796-9806	42
630	High-Performance Quasi-2D Perovskite Light-Emitting Diodes Via Poly(vinylpyrrolidone) Treatment. 2020 , 15, 34	8
629	A Cocktail of Multiple Cations in Inorganic Halide Perovskite toward Efficient and Highly Stable Blue Light-Emitting Diodes. 2020 , 5, 1062-1069	56
628	Band-Edge Luminescence from Oxide and Halide Perovskite Semiconductors. 2020 , 15, 709-717	4
627	Mesoporous Matrices as Hosts for Metal Halide Perovskite Nanocrystals. 2020 , 8, 1901868	14
626	Efficient Energy Funneling in Quasi-2D Perovskites: From Light Emission to Lasing. 2020 , 32, e1906571	68
625	Organic additive engineering toward efficient perovskite light-emitting diodes. 2020 , 2, 1095-1108	15
624	Gradient heterostructure perovskite single crystals enable the improvement of radiative recombination for scintillator application. 2020 , 22, 6970-6974	12
623	Enhancing photoluminescence quantum efficiency of metal halide perovskites by examining luminescence-limiting factors. 2020 , 8, 020904	13

622	Advances in two-dimensional organic-inorganic hybrid perovskites. 2020 , 13, 1154-1186	239
621	Critical Role of Organic Spacers for Bright 2D Layered Perovskites Light-Emitting Diodes. 2020 , 7, 1903202	29
620	Stability of Perovskite Light Sources: Status and Challenges. 2020 , 8, 1902012	26
619	Efficient Perovskite Solar Cells by Reducing Interface-Mediated Recombination: a Bulky Amine Approach. 2020 , 10, 2000197	100
618	An effective strategy to boost 3D perovskite light-emitting diode performance via solvent mixing strategy. 2020 , 222, 117120	4
617	Uniform and Large-Area Cesium-Based Quasi-2D Perovskite Light-Emitting Diodes Using Hot-Casting Method. 2020 , 7, 1902158	13
616	Two-dimensional cyclohexane methylamine based perovskites as stable light absorbers for solar cells. 2020 , 201, 13-20	4
615	Nanochemical Investigation of Degradation in Organic-Inorganic Hybrid Perovskite Films Using Infrared Nanoscopy. 2020 , 124, 3915-3922	7
614	Materials chemistry and engineering in metal halide perovskite lasers. 2020 , 49, 951-982	143
613	Structural and spectral dynamics of single-crystalline Ruddlesden-Popper phase halide perovskite blue light-emitting diodes. 2020 , 6, eaay4045	53
612	Cation Diffusion Guides Hybrid Halide Perovskite Crystallization during the Gel Stage. 2020 , 132, 6035-6043	2
611	Waterproof Flexible InP@ZnSeS Quantum Dot Light-Emitting Diode. 2020 , 8, 1901362	11
610	Effects of Hydrogen Bonds between Polymeric Hole-Transporting Material and Organic Cation Spacer on Morphology of Quasi-Two-Dimensional Perovskite Grains and Their Performance in Light-Emitting Diodes. 2020 , 12, 9440-9447	7
609	Long-lived charge separation in two-dimensional ligand-perovskite heterostructures. 2020 , 152, 044711	16
608	X-Ray Microscopy of Halide Perovskites: Techniques, Applications, and Prospects. 2020 , 10, 1903170	24
607	Long-range exciton transport and slow annihilation in two-dimensional hybrid perovskites. 2020 , 11, 664	90
606	Mixed-Dimensional Naphthylmethylammonium-Methylammonium Lead Iodide Perovskites with Improved Thermal Stability. 2020 , 10, 429	29
605	Layered-Perovskite Nanowires with Long-Range Orientational Order for Ultrasensitive Photodetectors. 2020 , 32, e1905298	30

604	Cation Diffusion Guides Hybrid Halide Perovskite Crystallization during the Gel Stage. 2020 , 59, 5979-5987	19
603	Efficient near-infrared light-emitting diodes based on quantum dots in layered perovskite. <i>Nature Photonics</i> , 2020 , 14, 227-233	33-9 91
602	Transition Dipole Moments of = 1, 2, and 3 Perovskite Quantum Wells from the Optical Stark Effect and Many-Body Perturbation Theory. 2020 , 11, 716-723	14
601	High-Brightness Perovskite Light-Emitting Diodes Using a Printable Silver Microflake Contact. 2020 , 12, 11428-11437	6
600	Structurally Stable and Highly Enhanced Luminescent Perovskite Based on Quasi-Two-Dimensional Structures upon Addition of Guanidinium Cations. 2020 , 124, 4414-4420	10
599	Structural and spectroscopic studies of a nanostructured silicon-perovskite interface. 2020 , 12, 4498-4505	1
598	Dual Passivation of Perovskite Defects for Light-Emitting Diodes with External Quantum Efficiency Exceeding 20%. 2020 , 30, 1909754	114
597	Strong Linearly Polarized Photoluminescence and Electroluminescence from Halide Perovskite/Azobenzene Dye Composite Film for Display Applications. 2020 , 8, 1901824	9
596	Auger Effect Assisted Perovskite Electroluminescence Modulated by Interfacial Minority Carriers. 2020 , 30, 1909222	18
595	Low-dimensional metal halide perovskites and related optoelectronic applications. 2020 , 2, 341-378	36
594	A two-dimensional bilayered DionJacobson-type perovskite hybrid with a narrow bandgap for broadband photodetection. 2020 , 7, 1394-1399	16
593	Highly Luminescent and Stable Green Quasi-2D Perovskite-Embedded Polymer Sheets by Inkjet Printing. 2020 , 30, 1910817	29
592	Fluoroaromatic Cation-Assisted Planar Junction Perovskite Solar Cells with Improved VOC and Stability: The Role of Fluorination Position. 2020 , 4, 2000107	36
591	Insulator as Efficient Hole Injection Layer in Perovskite Light-Emitting Device via MIS Contact. 2020 , 8, 1902177	8
590	All-Perovskite Integrated X-Ray Detector with Ultrahigh Sensitivity. 2020 , 8, 2000273	33
589	Mixed 2D/3D perovskite with fine phase control modulated by a novel cyclopentanamine hydrobromide for better stability in light-emitting diodes. 2020 , 393, 124787	4
588	Low-dimensionality perovskites yield high electroluminescence. 2020 , 65, 1057-1060	8
587	Reduced-dimensional perovskite photovoltaics with homogeneous energy landscape. 2020 , 11, 1672	102

586	High-performance blue perovskite light-emitting diodes based on the far-field plasmonic effect of gold nanoparticles. 2020 , 8, 6615-6622	7
585	Frenkel-Holstein Hamiltonian applied to absorption spectra of quaterthiophene-based 2D hybrid organic-inorganic perovskites. 2020 , 152, 144702	2
584	Two-dimensional Ruddlesden-Popper layered perovskite for light-emitting diodes. 2020 , 8, 040901	10
583	Efficient Interconnection in Perovskite Tandem Solar Cells. 2020 , 4, 2000093	20
582	Designed growth and patterning of perovskite nanowires for lasing and wide color gamut phosphors with long-term stability. 2020 , 73, 104801	39
581	Prominent Heat Dissipation in Perovskite Light-Emitting Diodes with Reduced Efficiency Droop for Silicon-Based Display. 2020 , 11, 3689-3698	23
580	Directional Light Emission from Layered Metal Halide Perovskite Crystals. 2020 , 11, 3458-3465	16
579	High-Performance Perovskite-Based Light-Emitting Diodes from the Conversion of Amorphous Spin-Coated Lead Bromide with Phenethylamine Doping. 2020 , 5, 8697-8706	3
578	Ultra-small interlayer spacing and nano channels in anionic layered perovskite Cs ₂ Pb(SCN) ₂ I ₂ enable efficient photoelectric conversion. 2021 , 64, 61-72	5
577	Two-dimensional materials for light emitting applications: Achievement, challenge and future perspectives. 2021 , 14, 1912-1936	11
576	Two-dimensional Ruddlesden-Popper layered perovskite solar cells based on phase-pure thin films. 2021 , 6, 38-45	155
575	Enhancing the efficiency of green perovskite-QDs-based light-emitting devices by controlling interfacial defects with diamine molecules. 2021 , 403, 126339	4
574	Advanced variants of LEDs. 2021 , 127-152	
573	Current trends and innovations. 2021 , 253-270	3
572	The Key Role of the Interface in the Highly Sensitive Mechanochromic Luminescence Properties of Hybrid Perovskites. 2021 , 133, 847-852	0
571	Composition optimization of lead-free double perovskite Cs ₂ AgIn _{1-x} BixCl ₆ for efficient and stable photoluminescence. 2021 , 854, 156930	8
570	Boosting the efficiency of quasi-2D perovskites light-emitting diodes by using encapsulation growth method. 2021 , 80, 105511	30
569	Surface structures and equilibrium shapes of layered 2D Ruddlesden-Popper perovskite crystals from density functional theory calculations. 2021 , 26, 101745	3

568	Two-dimensional halide perovskite-based solar cells: Strategies for performance and stability enhancement. 2021 , 25, 100213	1
567	FAPbBr ₃ perovskite quantum dots red Light-Emitting diodes with double confinement layer structure. 2021 , 264, 114969	1
566	Mn 2+ -Doped Metal Halide Perovskites: Structure, Photoluminescence, and Application. 2021 , 15, 2000334	48
565	Deterministic fabrication of arbitrary vertical heterostructures of two-dimensional Ruddlesden-Popper halide perovskites. 2021 , 16, 159-165	43
564	The influence of Cd-alloying on the light-emission properties of 2D butylammonium lead chloride perovskite. 2021 , 282, 128847	
563	High Quality CsPbI ₃ Br _x Thin Films Enabled by Synergetic Regulation of Fluorine Polymers and Amino Acid Molecules for Efficient Pure Red Light Emitting Diodes. 2021 , 9, 2001684	6
562	Recent progress in all-inorganic metal halide nanostructured perovskites: Materials design, optical properties, and application. 2021 , 16, 1	11
561	High-Performance Blue Perovskite Light-Emitting Diodes Enabled by Efficient Energy Transfer between Coupled Quasi-2D Perovskite Layers. 2021 , 33, e2005570	74
560	Interfacial Potassium-Guided Grain Growth for Efficient Deep-Blue Perovskite Light-Emitting Diodes. 2021 , 31, 2006736	42
559	CsPbBr ₃ perovskite detectors with 1.4% energy resolution for high-energy X-rays. <i>Nature Photonics</i> , 2021 , 15, 36-42	33-9 79
558	Morphology control of perovskite films: a two-step, all solution process for conversion of lead selenide into methylammonium lead iodide. 2021 , 5, 1410-1417	4
557	Kinetic Molecular Cationic Control of Defect-Induced Broadband Light Emission in 2D Hybrid Lead Iodide Perovskites. 2021 , 12, 101-110	9
556	Fluorescence enhancement of perovskite nanocrystals using photonic crystals. 2021 , 9, 908-915	10
555	Low-Dimensional Metal Halide Perovskite Photodetectors. 2021 , 33, e2003309	138
554	Thermally Stable Quantum Rods, Covering Full Visible Range for Display and Lighting Application. 2021 , 17, e2004487	4
553	Surface-induced phase engineering and defect passivation of perovskite nanograins for efficient red light-emitting diodes. 2021 , 13, 340-348	11
552	Carrier Dynamics and Evaluation of Lasing Actions in Halide Perovskites. 2021 , 3, 34-46	11
551	Boosting the performance of CsPbBr ₃ -based perovskite light-emitting diodes via constructing nanocomposite emissive layers. 2021 , 9, 916-924	5

550	Elucidation of the Formation Mechanism of Highly Oriented Multiphase Ruddlesden-Popper Perovskite Solar Cells. 2021 , 6, 249-260	21
549	Ampholytic interface induced in situ growth of CsPbBr ₃ for highly efficient perovskite light-emitting diodes. 2021 , 9, 1025-1033	3
548	The Key Role of the Interface in the Highly Sensitive Mechanochromic Luminescence Properties of Hybrid Perovskites. 2021 , 60, 834-839	3
547	Metal halide perovskites for light-emitting diodes. 2021 , 20, 10-21	322
546	Amplified spontaneous emission in thin films of quasi-2D BAMAPbBr lead halide perovskites. 2021 , 13, 8893-8900	4
545	Ruddlesden Popper 2D perovskites as Li-ion battery electrodes.	6
544	Stability of the CsPbI ₃ perovskite: from fundamentals to improvements. 2021 , 9, 11124-11144	26
543	Carrier dynamic process in all-inorganic halide perovskites explored by photoluminescence spectra. 2021 , 9, 151	14
542	The 2D Halide Perovskite Rulebook: How the Spacer Influences Everything from the Structure to Optoelectronic Device Efficiency. 2021 , 121, 2230-2291	171
541	The Path to Enlightenment: Progress and Opportunities in High Efficiency Halide Perovskite Light-Emitting Devices. 2021 , 8, 386-404	12
540	Microsteganography on all inorganic perovskite micro-platelets by direct laser writing. 2021 , 13, 14450-14459	5
539	All-inorganic tin-doped Cs ₂ BiAgCl ₆ double perovskites with stable blue photoluminescence for WLEDs. 2021 , 9, 8862-8873	2
538	Efficient all-inorganic perovskite light-emitting diodes enabled by manipulating the crystal orientation. 2021 , 9, 11064-11072	5
537	Organic-inorganic hybrid and inorganic halide perovskites: structural and chemical engineering, interfaces and optoelectronic properties. 2021 , 54, 133002	11
536	High-efficiency of 15.47% for two-dimensional perovskite solar cells processed by blade coating with non-thermal assistance. 2021 , 9, 9851-9858	1
535	Two-dimensional halide perovskites: synthesis, optoelectronic properties, stability, and applications. 2021 , 13, 12394-12422	12
534	Optoelectronic devices based on the integration of halide perovskites with silicon-based materials. 2021 , 9, 20919-20940	0
533	Real-Time Blinking Suppression of Perovskite Quantum Dots by Halide Vacancy Filling. 2021 , 15, 2831-2838	18

532	A bromide-induced highly oriented low-dimensional Ruddlesden-Popper phase for efficient and stable perovskite solar cells. 2021 , 9, 15068-15075	1
531	Halide perovskites for light emission and artificial photosynthesis: Opportunities, challenges, and perspectives. 2021 , 3, e12074	6
530	Warm white-light emitting silica films prepared using lead-free double perovskite QDs. 2021 , 50, 9804-9811	1
529	Low-Dimensional-Networked Perovskites with A-Site-Cation Engineering for Optoelectronic Devices. 2021 , 5, e2001147	11
528	Magnetic perovskite nanoparticles for latent fingerprint detection. 2021 , 13, 12038-12044	2
527	Research progress on two-dimensional (2D) halide organic-inorganic hybrid perovskites. 2021 , 5, 3950-3978	5
526	Self-Powered All-Inorganic Perovskite Photodetectors with Fast Response Speed. 2021 , 16, 6	5
525	Morphology optimization of perovskite films for efficient sky-blue light emitting diodes via a novel green anti-solvent dimethyl carbonate.	2
524	Continuous production of ultrathin organic-inorganic Ruddlesden-Popper perovskite nanoplatelets via a flow reactor. 2021 , 13, 13108-13115	7
523	Single crystal of two-dimensional mixed-halide copper-based perovskites with reversible thermochromism. 2021 , 9, 3264-3270	7
522	Using steric hindrance to manipulate and stabilize metal halide perovskites for optoelectronics. 2021 , 12, 7231-7247	14
521	Towards superior X-ray detection performance of two-dimensional halide perovskite crystals by adjusting the anisotropic transport behavior. 2021 , 9, 13209-13219	8
520	Research Progress of Composition and Structure Design in Perovskites for High Performance Light-emitting Diodes. 2021 , 79, 223	1
519	Tetrazine molecules as an efficient electronic diversion channel in 2D organic-inorganic perovskites. 2021 , 8, 1547-1560	9
518	Performance and stability improvements in metal halide perovskite with intralayer incorporation of organic additives. 2021 , 9, 16281-16338	9
517	Recent Advances and Opportunities of Lead-Free Perovskite Nanocrystal for Optoelectronic Application. 2021 , 2021, 1-38	12
516	Layer number dependent ferroelasticity in 2D Ruddlesden-Popper organic-inorganic hybrid perovskites. 2021 , 12, 1332	10
515	Recent Progress on Patterning Strategies for Perovskite Light-Emitting Diodes toward a Full-Color Display Prototype. 2021 , 1, 2000050	15

514	Double Charge Transfer Dominates in Carrier Localization in Low Bandgap Sites of Heterogeneous Lead Halide Perovskites. 2021 , 31, 2010076	10
513	Neural Networks for Analysis of Optical Properties in 2D Layered Hybrid Lead Halide Perovskites. 2021 , 125, 5251-5259	2
512	Electroluminescence Principle and Performance Improvement of Metal Halide Perovskite Light-Emitting Diodes. 2021 , 9, 2002167	20
511	Efficient and Bright Pure-Blue All-Inorganic Perovskite Light-Emitting Diodes from an Ecofriendly Alloy. 2021 , 12, 1747-1753	15
510	Two-Dimensional Dion-Jacobson Structure Perovskites for Efficient Sky-Blue Light-Emitting Diodes. 2021 , 6, 908-914	21
509	Mapping the Trap-State Landscape in 2D Metal-Halide Perovskites Using Transient Photoluminescence Microscopy. 2021 , 9, 2001875	3
508	Layer-by-layer anionic diffusion in two-dimensional halide perovskite vertical heterostructures. 2021 , 16, 584-591	36
507	Crystallinity-dependent device characteristics of polycrystalline 2D n = 4 Ruddlesden-Popper perovskite photodetectors. 2021 , 32, 185203	6
506	Unraveling the Energy Landscape and Energy Funneling Modulated by Hole Transport Layer for Highly Efficient Perovskite LEDs. 2021 , 15, 2000495	3
505	Precise Ligand Tuning Emission of Mn-Doped CsPbCl Nanocrystals by the Amount of Sulfonates. 2021 , 12, 1838-1846	11
504	Perovskite Quantum Dots with Ultralow Trap Density by Acid Etching-Driven Ligand Exchange for High Luminance and Stable Pure-Blue Light-Emitting Diodes. 2021 , 33, e2006722	63
503	Metal Halide Perovskites for Laser Applications. 2021 , 31, 2010144	60
502	Recent progress in two-dimensional Ruddlesden-Popper perovskite based heterostructures. 2021 , 8, 022006	5
501	Distributed feedback laser with methylammonium lead bromide embedded in channel-type waveguides. 2021 , 60, SBBH11	1
500	High-performance quasi-2D perovskite light-emitting diodes: from materials to devices. 2021 , 10, 61	67
499	Critical role of additive-induced molecular interaction on the operational stability of perovskite light-emitting diodes. 2021 , 5, 618-630	42
498	Emerging Low-Dimensional Crystal Structure of Metal Halide Perovskite Optoelectronic Materials and Devices. 2021 , 2, 2000133	11
497	Perovskite Light-Emitting Diodes with Near Unit Internal Quantum Efficiency at Low Temperatures. 2021 , 33, e2006302	7

496	Room Temperature Light-Mediated Long-Range Coupling of Excitons in Perovskites. 2021 , 9, 2001835	1
495	The photophysics of Ruddlesden-Popper perovskites: A tale of energy, charges, and spins. 2021 , 8, 011318	9
494	Solvent Engineering of the Precursor Solution toward Large-Area Production of Perovskite Solar Cells. 2021 , 33, e2005410	57
493	Halide Perovskite Light-Emitting Diode Technologies. 2021 , 9, 2002128	29
492	Highly Efficient Halide Perovskite Light-Emitting Diodes via Molecular Passivation. 2021 , 133, 8418-8424	2
491	Optimization of Composition with Reduced Phase Impurity in Quasi-2D Perovskite for Electroluminescence. 2021 , 2, 2000164	5
490	Lewis Base Passivation of Quasi-2D Ruddlesden-Popper Perovskite for Order of Magnitude Photoluminescence Enhancement and Improved Stability. 2021 , 3, 1572-1582	12
489	Highly Efficient Halide Perovskite Light-Emitting Diodes via Molecular Passivation. 2021 , 60, 8337-8343	21
488	Lead-Free Organic-Perovskite Hybrid Quantum Wells for Highly Stable Light-Emitting Diodes. 2021 , 15, 6316-6325	28
487	Polarized Photoluminescence from Lead Halide Perovskites. 2002236	5
486	Recent progress on defect modulation for highly efficient metal halide perovskite light-emitting diodes. 2021 , 22, 100946	4
485	Efficient and bright warm-white electroluminescence from lead-free metal halides. 2021 , 12, 1421	38
484	Suppression of temperature quenching in perovskite nanocrystals for efficient and thermally stable light-emitting diodes. <i>Nature Photonics</i> , 2021 , 15, 379-385	33-9 94
483	Energy-Funneling Process in Quasi-2D Perovskite Light-Emitting Diodes. 2021 , 12, 2593-2606	17
482	Perovskite Light-Emitting Diodes with External Quantum Efficiency Exceeding 22% via Small-Molecule Passivation. 2021 , 33, e2007169	77
481	Energy vs Charge Transfer in Manganese-Doped Lead Halide Perovskites.. 2021 , 6, 1869-1878	12
480	Tailoring Color-Tunable Dual Emissions of Mn ²⁺ -Alloyed Two-Dimensional Perovskite Quantum Wells. 2021 , 33, 2847-2854	10
479	High-performance large-area quasi-2D perovskite light-emitting diodes. 2021 , 12, 2207	58

478	Energy Conversion in Single-Crystal-to-Single-Crystal Phase Transition Materials. 2100324	6
477	Phase Tailoring of Ruddlesden-Popper Perovskite at Fixed Large Spacer Cation Ratio. 2021 , 17, e2100560	3
476	Nanocrystalline Polymorphic Energy Funnels for Efficient and Stable Perovskite Light-Emitting Diodes. 2021 , 6, 1821-1830	10
475	Synthesis of 0D Manganese-Based Organic-Inorganic Hybrid Perovskite and Its Application in Lead-Free Red Light-Emitting Diode. 2021 , 31, 2100855	24
474	Low Roll-Off and High Stable Electroluminescence in Three-Dimensional FAPbI Perovskites with Bifunctional-Molecule Additives. 2021 , 21, 3738-3744	14
473	Perovskite random lasers: a tunable coherent light source for emerging applications. 2021 , 32,	13
472	Strongly Luminescent Dion-Jacobson Tin Bromide Perovskite Microcrystals Induced by Molecular Proton Donors Chloroform and Dichloromethane. 2021 , 31, 2102182	7
471	Effects of Choline Chloride in Lead Bromide Layer and Methylammonium Bromide Precursor on Perovskite Conversion and Optoelectronic Properties of Perovskite-Based Light-Emitting Diodes. 2021 , 3, 2035-2043	3
470	Charge Carrier Dynamics in Sn-Doped Two-Dimensional Lead Halide Perovskites Studied by Terahertz Spectroscopy. 2021 , 9,	1
469	Materials, photophysics and device engineering of perovskite light-emitting diodes. 2021 , 84,	18
468	Recent progress of integrated circuits and optoelectronic chips. 2021 , 64, 1	14
467	Tailoring quasi-2D perovskite thin films via nanocrystals mediation for enhanced electroluminescence. 2021 , 411, 128511	3
466	Operationally Stable Perovskite Light Emitting Diodes with High Radiance. 2021 , 9, 2100586	6
465	Nonlinear Perceptual Color Space Coded by Additive Digital Pulses.	0
464	Continuous-Wave Vertical Cavity Surface-Emitting Lasers based on Single Crystalline Lead Halide Perovskites. 2021 , 9, 2001982	3
463	Chiral 2D-Perovskite Nanowires for Stokes Photodetectors. 2021 , 143, 8437-8445	29
462	In-Situ and Reversible Enhancement of Photoluminescence from CsPbBr ₃ Nanoplatelets by Electrical Bias. 2021 , 9, 2100346	2
461	Solution-Processed Large-Scale Concentric-Ring Laser on Two-Dimensional Ruddlesden-Popper Perovskites Thin Films. 2021 , 9, 2100193	4

460	High visible-light photocatalytic performance of stable lead-free Cs ₂ AgBiBr ₆ double perovskite nanocrystals. 2021 , 397, 27-35	14
459	Strategies Toward Efficient Blue Perovskite Light-Emitting Diodes. 2021 , 31, 2100516	24
458	Electron Beam Irradiation of Lead Halide Perovskite Solar Cells: Dedoping of Organic Hole Transport Materials despite Hardness of the Perovskite Layer. 2021 , 13, 24824-24832	4
457	Improved stability and efficiency of perovskite via a simple solid diffusion method. 2021 , 18, 100374	8
456	Enhanced Electrochemical Stability by Alkylammonium in Dion-Jacobson Perovskite toward Ultrastable Light-Emitting Diodes. 2021 , 9, 2100243	5
455	Exploiting a Multiphase Pure Formamidinium Lead Perovskite for Efficient Green-Light-Emitting Diodes. 2021 , 13, 23067-23073	4
454	Exciton Self-Trapping Dynamics in 1D Perovskite Single Crystals: Effect of Quantum Tunnelling. 2021 , 12, 4509-4516	8
453	Two-dimensional halide perovskite quantum-well emitters: A critical review. 2021 , 3, e12104	8
452	Showerhead-assisted chemical vapor deposition of CsPbBr ₃ films for LED applications. 2021 , 36, 1813-1823	2
451	Progress toward blue-emitting (460-475 nm) nanomaterials in display applications. 2021 ,	8
450	The Past, Present, and Future of Metal Halide Perovskite Light-Emitting Diodes. 2021 , 1, 2000072	17
449	Stable and Efficient Blue-Emitting CsPbBr Nanoplatelets with Potassium Bromide Surface Passivation. 2021 , 17, e2101359	7
448	Unraveling the Role of Crystallization Dynamics on Luminescence Characteristics of Perovskite Light-Emitting Diodes. 2021 , 15, 2100023	9
447	Reaction kinetics of the thermal decomposition of MAPbI ₃ thin films. 2021 , 5,	1
446	Spin-Orbit Coupling Is the Key to Promote Asynchronous Photoinduced Charge Transfer of Two-Dimensional Perovskites. 2021 , 1, 1178-1186	3
445	Excess Ion-Induced Efficiency Roll-Off in High-Efficiency Perovskite Light-Emitting Diodes. 2021 , 13, 28546-28554	5
444	Dependence of the Radiative Efficiency of Quasi-2D Perovskite Light-Emitting Diodes on the Multi-Quantum-Well Composition. 2021 , 125, 12241-12250	0
443	Emerging new-generation white light-emitting diodes based on luminescent lead-free halide perovskites and perovskite derivatives.	3

442	Shedding Light on the Stability and Structure-Property Relationships of Two-Dimensional Hybrid Lead Bromide Perovskites. 2021 , 33, 5085-5107	9
441	Core-shell CsPbBr ₃ @Cs ₄ PbBr ₆ nanocrystals dispersed in thermoplastic polyurethane as writeable heat-resistant fluorescent inks. 2021 , 865, 158768	5
440	Low-dimensional perovskite materials and their optoelectronics. 2021 , 3, 1039	6
439	All-Inorganic Quantum-Dot LEDs Based on a Phase-Stabilized δ -CsPbI ₃ Perovskite. 2021 , 133, 16300-16306	1
438	Two-dimensional perovskites for photovoltaics. 2021 , 14, 100117	10
437	State of the Art and Prospects for Halide Perovskite Nanocrystals. 2021 , 15, 10775-10981	222
436	Memory Seeds Enable High Structural Phase Purity in 2D Perovskite Films for High-Efficiency Devices. 2021 , 33, e2007176	18
435	Layered Hybrid Formamidinium Lead Iodide Perovskites: Challenges and Opportunities. 2021 , 54, 2729-2740	8
434	Phase Aggregation Suppression of Homogeneous Perovskites Processed in Ambient Condition toward Efficient Light-Emitting Diodes. 2021 , 31, 2103399	5
433	High-performance quasi-2D perovskite solar cells with power conversion efficiency over 20% fabricated in humidity-controlled ambient air. 2021 , 427, 130949	5
432	Exciton versus free carrier emission: Implications for photoluminescence efficiency and amplified spontaneous emission thresholds in quasi-2D and 3D perovskites. 2021 , 49, 35-35	5
431	Non-toxic near-infrared light-emitting diodes. 2021 , 24, 102545	4
430	Stable blue perovskite light-emitting diodes achieved by optimization of crystal dimension through zinc bromide addition. 2021 , 414, 128774	17
429	All-Inorganic Quantum-Dot LEDs Based on a Phase-Stabilized δ -CsPbI Perovskite. 2021 , 60, 16164-16170	59
428	Incorporating Guanidinium as Perovskite-Cation of Two-Dimensional Metal Halide for Crystal-Array Photodetectors. 2021 , 16, 1925-1929	2
427	Pure Red Light-Emitting Diodes Based on Quantum Confined Quasi-Two-Dimensional Perovskites with Cospacer Cations. 2021 , 6, 2386-2394	11
426	Advances in metal halide perovskite lasers: synthetic strategies, morphology control, and lasing emission. 2021 , 3,	16
425	Recent Progress on Perovskite Surfaces and Interfaces in Optoelectronic Devices. 2021 , 33, e2006004	30

4 ²⁴	Transformation between the Dark and Bright Self-Trapped Excitons in Lead-Free Double-Perovskite CsNaBiCl under Pressure. 2021 , 12, 7285-7292	4
4 ²³	Ultrasensitive Photodetectors Promoted by Interfacial Charge Transfer from Layered Perovskites to Chemical Vapor Deposition-Grown MoS. 2021 , 17, e2102461	4
4 ²²	Highly Efficient Pure-Blue Light-Emitting Diodes Based on Rubidium and Chlorine Alloyed Metal Halide Perovskite. 2021 , 33, e2100783	25
4 ²¹	Fluorescence enhancement of perovskite nanocrystals by flexible photonic crystals and its application in optical strain gauge. 2021 , 119, 033302	3
4 ²⁰	Solvent-Vapor Atmosphere Controls the in Situ Crystallization of Perovskites. 2021 , 3, 1172-1180	2
4 ¹⁹	Transformation and degradation of metal halide perovskites induced by energetic electrons and their practical implications. 2021 , 5, 032001	1
4 ¹⁸	Multiple-quantum-well perovskite for hole-transport-layer-free light-emitting diodes. 2021 ,	2
4 ¹⁷	Tuning Organic Room-Temperature Phosphorescence through the Confinement Effect of Inorganic Micro/Nanostructures. 2021 , 2, 2100044	9
4 ¹⁶	ELECTRONIC AND OPTICAL MODIFICATION OF ORGANIC-HYBRID PEROVSKITES. 2021 , 28, 2140010	0
4 ¹⁵	Room-temperature continuous-wave vertical-cavity surface-emitting lasers based on 2D layered organic/organic hybrid perovskites. 2021 , 9, 071106	5
4 ¹⁴	Domain Controlling by Compound Additive toward Highly Efficient Quasi-2D Perovskite Light-Emitting Diodes. 2021 , 31, 2103890	21
4 ¹³	Quantifying Capacitive and Diffusion-Controlled Charge Storage from 3D Bulk to 2D Layered Halide Perovskite-Based Porous Electrodes for Efficient Supercapacitor Applications. 2021 , 125, 16946-16954	10
4 ¹²	Elucidating the Spatial Dynamics of Charge Carriers in Quasi-Two-Dimensional Perovskites. 2021 , 13, 35133-35141	3
4 ¹¹	Manipulated Crystallization and Passivated Defects for Efficient Perovskite Solar Cells via Addition of Ammonium Iodide. 2021 , 13, 34053-34063	3
4 ¹⁰	Origin of anomalous band-gap bowing in two-dimensional tin-lead mixed perovskite alloys. 2021 , 104,	2
4 ⁰⁹	Structural and Electronic Properties of Intertwined Defect in Ruddlesden-Popper 2D Perovskites Study Using Density Functional Theory Calculations. 2021 , 3, 205	
4 ⁰⁸	Decoupling the Positive and Negative Aging Processes of Perovskite Light-Emitting Diodes Using a Thin Interlayer of Ionic Liquid. 2021 , 12, 7783-7791	3
4 ⁰⁷	Inorganic Ruddlesden-Popper Faults in Cesium Lead Bromide Perovskite Nanocrystals for Enhanced Optoelectronic Performance. 2021 , 13, 38579-38585	3

406	Advances and Challenges in Two-Dimensional Organic-Inorganic Hybrid Perovskites Toward High-Performance Light-Emitting Diodes. 2021 , 13, 163	17
405	Advances in solution-processed near-infrared light-emitting diodes. <i>Nature Photonics</i> , 2021 , 15, 656-669	25
404	Unveiling the additive-assisted oriented growth of perovskite crystallite for high performance light-emitting diodes. 2021 , 12, 5081	57
403	Promoting Energy Transfer via Manipulation of Crystallization Kinetics of Quasi-2D Perovskites for Efficient Green Light-Emitting Diodes. 2021 , 33, e2102246	25
402	Operational and Spectral Stability of Perovskite Light-Emitting Diodes. 2021 , 6, 3114-3131	11
401	Water-Soluble Conjugated Polyelectrolyte Hole Transporting Layer for Efficient Sky-Blue Perovskite Light-Emitting Diodes. 2021 , 17, e2101477	7
400	Efficient Blue Light Emitting Diodes Based On Europium Halide Perovskites. 2021 , 33, e2101903	27
399	2D/3D Halide Perovskites for Optoelectronic Devices. 2021 , 9, 715157	1
398	Band Edge Control of Quasi-2D Metal Halide Perovskites for Blue Light-Emitting Diodes with Enhanced Performance. 2103299	7
397	Emerging light-emitting diodes for next-generation data communications. 2021 , 4, 559-572	20
396	Large-area fabrication: The next target of perovskite light-emitting diodes*. 2021 , 30, 088502	1
395	Interfacial "Anchoring Effect" Enables Efficient Large-Area Sky-Blue Perovskite Light-Emitting Diodes. 2021 , 8, e2102213	15
394	Microstructure-Assisted Luminescence in Perovskite Devices. 2100084	2
393	Surface Modulation of Halide Perovskite Films for Efficient and Stable Solar Cells.	0
392	Fabrications of Halide Perovskite Single-Crystal Slices and Their Applications in Solar Cells, Photodetectors, and LEDs.	2
391	Novel MAPbBr ₃ perovskite/ polymer nanocomposites with luminescence and self-healing properties: In situ fabrication and structure characterization. 2021 , 119, 111405	1
390	Contactless Determination of Optimal Chloride Concentration for Power Conversion Efficiency in CH ₃ NH ₃ Pb(Cl,I) ₃ Using Photoluminescence Spectroscopy. 2021 , 8, 412	
389	Narrow-Band Violet-Light-Emitting Diodes Based on Stable Cesium Lead Chloride Perovskite Nanocrystals. 3545-3554	7

388	Perovskite Light-Emitting Diodes with EQE Exceeding 28% through a Synergetic Dual-Additive Strategy for Defect Passivation and Nanostructure Regulation. 2021 , 33, e2103268	94
387	Atomic-scale imaging of CH ₃ NH ₃ PbI ₃ structure and its decomposition pathway. 2021 , 12, 5516	10
386	Enhanced performance of spectra stable blue perovskite light-emitting diodes through Poly(9-vinylcarbazole) interlayer incorporation. 2021 , 96, 106259	1
385	Elucidating the Role of Substrates on Domain Distribution of Quasi-2D Perovskites for Blue Light-Emitting Diodes. 2021 , 3, 4056-4065	0
384	Doublet luminescence due to the coexistence of excitons and electron-hole plasmas in the optically excited CH ₃ NH ₃ PbBr ₃ single crystal.	1
383	Relationships between Distortions of Inorganic Framework and Band Gap of Layered Hybrid Halide Perovskites. 2021 , 33, 7518-7526	7
382	Efficient Perovskite White Light-Emitting Diode Based on an Interfacial Charge-Confinement Structure. 2021 , 13, 44991-45000	3
381	On the Origin of Room-Temperature Amplified Spontaneous Emission in CsPbBr ₃ Single Crystals. 2021 , 33, 7185-7193	2
380	High-performance and stable perovskite photodetector with mixed 2D/3D perovskite surface passivation layer.	2
379	2D Hybrid Halide Perovskites: Structure, Properties, and Applications in Solar Cells. 2021 , 17, e2103514	15
378	Polymerized Hybrid Perovskites with Enhanced Stability, Flexibility, and Lattice Rigidity. 2021 , 33, e2104842	12
377	Grain-Specific Transitions Determine the Band Edge Luminescence in Dion-Jacobson Type 2D Perovskites. 2100892	0
376	Advances and Challenges in Tin Halide Perovskite Nanocrystals. 1541-1557	3
375	A review of low-dimensional metal halide perovskites for blue light emitting diodes. 2021 , 883, 160727	11
374	Modulating electronic properties of pyridinium lead halide perovskites via fluorinated methyl substituents. 2021 , 273, 125139	3
373	Influence of surface passivation on perovskite CsPbBr ₃ quantum dots and application of high purity red light-emitting diodes. 2022 , 892, 162140	7
372	Metal Halide Perovskite/2D Material Heterostructures: Syntheses and Applications.. 2021 , 5, e2000937	6
371	Photophysics of 2D Organic-Inorganic Hybrid Lead Halide Perovskites: Progress, Debates, and Challenges. 2021 , 8, 2001843	24

370	Eu ²⁺ ions as an antioxidant additive for Sn-based perovskite light-emitting diodes. 2021 , 9, 12079-12085	3
369	Towards efficient near-infrared fluorescent organic light-emitting diodes. 2021 , 10, 18	15
368	Large-area and efficient perovskite light-emitting diodes via low-temperature blade-coating. 2021 , 12, 147	51
367	The impact of cation and anion pairing in ionic salts on surface defect passivation in cesium lead bromide nanocrystals. 2021 , 9, 991-999	
366	Anchoring of Formamidinium Lead Bromide Quantum Dots on TiC Nanosheets for Efficient Photocatalytic Reduction of CO. 2021 , 13, 6180-6187	21
365	Lead-Free Halide Perovskites for Light Emission: Recent Advances and Perspectives. 2021 , 8, 2003334	52
364	Organic/inorganic hybrid thin film light-emitting devices: interfacial engineering and device physics. 2021 , 9, 1484-1519	7
363	Reducing the impact of Auger recombination in quasi-2D perovskite light-emitting diodes. 2021 , 12, 336	100
362	Stable FAPbI_3 Perovskite Nanowire Arrays with Preferential Crystallographic Orientation for Highly Sensitive Photodetectors. 2019 , 29, 1808741	57
361	Electron-Beam-Related Studies of Halide Perovskites: Challenges and Opportunities. 2020 , 10, 1903191	27
360	Unravelling the role of band-offset landscape on the recombination zone dynamics in perovskite light-emitting diodes. 2021 , 2, 624-631	4
359	High efficiency perovskite light-emitting diodes of ligand-engineered colloidal formamidinium lead bromide nanoparticles. 2017 , 38, 51-58	162
358	Perovskite Multiple Quantum Wells on Layered Materials toward Narrow-Band Green Emission for Backlight Display Applications. 2020 , 12, 27386-27393	7
357	Boosting Perovskite Light-Emitting Diode Performance via Tailoring Interfacial Contact. 2018 , 10, 24320-24326	70
356	Surface Ligand Engineering for Efficient Perovskite Nanocrystal-Based Light-Emitting Diodes. 2019 , 11, 8428-8435	76
355	Spectral Instability of Layered Mixed Halide Perovskites Results from Anion Phase Redistribution and Selective Hole Injection. 2021 , 15, 1486-1496	8
354	Light Propagation and Radiative Exciton Transport in Two-Dimensional Layered Perovskite Microwires. 2021 , 8, 276-282	7
353	Dimension control of in situ fabricated CsPbClBr nanocrystal films toward efficient blue light-emitting diodes. 2020 , 11, 6428	65

352	Polymer/Perovskite blend light-emitting diodes using a self-compensated heavily doped polymeric anode. 2020 , 8, 021101	7
351	Roadmap on organic/inorganic hybrid perovskite semiconductors and devices. 2021 , 9, 109202	28
350	The strategies for preparing blue perovskite light-emitting diodes. 2020 , 41, 051203	7
349	Role of lattice distortion and A site cation in the phase transitions of methylammonium lead halide perovskites. 2018 , 2,	16
348	Band gap evolution in Ruddlesden-Popper phases. 2019 , 3,	15
347	Enhancing the electroluminescence of perovskite light-emitting diodes by optimizing the morphology of perovskite film to suppress leakage current. 2020 , 59, 7975-7980	4
346	Broadband emission of double perovskite CsNaAgInBiCl:Mn for single-phosphor white-light-emitting diodes. 2019 , 44, 4757-4760	18
345	Tunable green lasing from circular grating distributed feedback based on CH ₃ NH ₃ PbBr ₃ perovskite. 2019 , 9, 2006	12
344	Bio-inspired materials as interfacial layers for high performance perovskite photodetectors. 2019 , 9, 3968	2
343	2D organic-inorganic hybrid perovskite materials for nonlinear optics. 2020 , 9, 1787-1810	35
342	Quasi-2D lead halide perovskite gain materials toward electrical pumping laser. 2021 , 10, 2167-2180	5
341	Recent advancements and perspectives on light management and high performance in perovskite light-emitting diodes. 2021 , 10, 2103-2143	11
340	Two-dimensional perovskites with alternating cations in the interlayer space for stable light-emitting diodes. 2021 , 10, 2145-2156	6
339	Back-Contact Perovskite Solar Cells. 2019 , 1, 1-10	4
338	Perovskite LEDs. 2019 , 1, 1-5	3
337	Halide Homogenization for High-Performance Blue Perovskite Electroluminescence. 2020 , 2020, 9017871	20
336	Applications of organic additives in metal halide perovskite light-emitting diodes. 2019 , 68, 158505	5
335	Blue perovskite light-emitting diodes: opportunities and challenges. 2019 , 68, 158503	5

- 334 High efficiency green perovskite light-emitting diodes based on exciton blocking layer. **2020**, 69, 038501 1
- 333 Improvement of Photoluminescence of Perovskite CH₃NH₃PbI₃ by Adding Additional CH₃NH₃I during Grinding. **2021**, 38, 087801 1
- 332 Charge-Carrier Transport in Quasi-2D Ruddlesden-Popper Perovskites Solar Cells. **2021**, e2106822 15
- 331 A recent advances of blue perovskite light emitting diodes for next generation displays. **2021**, 42, 101608 2
- 330 Power Dependent Hot Carrier Cooling Dynamics in Trioctylphosphine Capped CsPbBr₃ Perovskite Quantum Dots Using Ultrafast Spectroscopy. **2021**, 6, 10165-10177 3
- 329 Deep-Red Perovskite Light-Emitting Diodes Based on One-Step-Formed [CsPbI] Cuboid Crystallites. **2021**, 33, e2105699 8
- 328 Toward Microlasers with Artificial Structure Based on Single-Crystal Ultrathin Perovskite Films. **2021**, 21, 8650-8656 4
- 327 Spacer Cation Alloying in Ruddlesden-Popper Perovskites for Efficient Red Light-Emitting Diodes with Precisely Tunable Wavelengths. **2021**, 33, e2104381 11
- 326 Strong Optical, Electrical, and Raman in-Plane Anisotropy in Corrugated Two-Dimensional Perovskite. **2021**, 125, 22630-22642 1
- 325 Realizing White Emission of Single-Layer Dual-Color Perovskite Light-Emitting Devices by Modulating the Electroluminescence Emission Spectra. **2021**, 12, 10197-10203 6
- 324 Efficient Sky-Blue Light-Emitting Diodes Based on Oriented Perovskite Nanoplates. 2101525 4
- 323 Structure-Property Relationships and Idiosyncrasies of Bulk, 2D Hybrid Lead Bromide Perovskites. 2
- 322 Enhanced Efficiency and Stability of Quasi-2D Perovskite Light-Emitting Diodes with Crosslinkable Alkenyl Amine Cations. 2101475 4
- 321 A-site phase segregation in mixed cation perovskite. **2021**, 100064 4
- 320 Quasi-2D CsPbBr₃/I₃ Composite Thin Films for Efficient and Stable Red Perovskite Light-Emitting Diodes. 2101419 2
- 319 Efficient light-emitting diodes based on oriented perovskite nanoplatelets. **2021**, 7, eabg8458 23
- 318 Perovskite energy funnels for efficient white emission. **2021**, 608, 1202-1211 2
- 317 Molecular design of two-dimensional perovskite cations for efficient energy cascade in perovskite light-emitting diodes. **2021**, 119, 154101 1

- 316 Intramolecular triplet energy transfer in two-dimensional hybrid perovskite nanosheets. **2021**, 785, 139132 2
- 315 Organometal halide perovskite light-emitting diodes with laminated carbon nanotube electrodes. **2017**,
- 314 Efficient light-emitting diodes based on in-situ self-assembled Perovskite nanocrystals. **2018**,
- 313 Efficient light-emitting diodes based on in-situ self-assembled perovskite nanocrystals. **2018**, 8, 1 2
- 312 Rashba effect in perovskites and its influences on carrier recombination. **2019**, 68, 158506 3
- 311 Recent progress of ion migration in organometal halide perovskite. **2019**, 68, 158801 8
- 310 Research progress of efficient green perovskite light emitting diodes. **2019**, 68, 158504 3
- 309 Ultrafast photophysics of metal halide perovskite multiple quantum wells: device implications and reconciling band alignment. **2019**,
- 308 Tailoring the electron and hole dimensionality to achieve efficient and stable metal halide perovskite scintillators. **2021**, 10, 2249-2256 3
- 307 Interlayer Triplet-Sensitized Luminescence in Layered Two-Dimensional Hybrid Metal-Halide Perovskites. 4079-4096 3
- 306 Deciphering the Carrier Transport Properties in Two-Dimensional Perovskites via Surface-Enhanced Raman Scattering. **2021**, 17, e2103756 0
- 305 Ultrahigh Color Rendering in RGB Perovskite Micro-Light-Emitting Diode Arrays with Resonance-Enhanced Photon Recycling for Next Generation Displays. 2101642 4
- 304 Near-Unity Quantum Yield and Superior Stable Indium-Doped CsPbBr₃ Perovskite Quantum Dots for Pure Red Light-Emitting Diodes. 2101517 2
- 303 Temperature Induced Anomalous Exciton Localization Dynamics of CH₃NH₃Pb(I_{1-x}Br_x)₃ Perovskite Material: A Monte Carlo Simulation. **2020**,
- 302 Suppressing the defects in cesium-based perovskites via polymeric interlayer assisted crystallization control. 2
- 301 P-type Thin Film Transistor-Like Effects in Organic Light-Emitting Diodes Array: the Origin of Lateral Leakage. **2021**, 1-1 0
- 300 Efficient and stable blue perovskite light emitting diodes based on defect passivation. **2020**, 69, 138502 1
- 299 Photoluminescence Properties. **2021**, 207-228

298	High-Efficiency Top-Emitting Green Perovskite Light Emitting Diode with Quasi Lambertian Emission. 2101137	0
297	Energy Funneling in Quasi-2D Ruddlesden-Popper Perovskites: Charge Transfer versus Resonant Energy Transfer. 2100283	0
296	Recent Progress in Perovskite-Based Reversible Photon-Electricity Conversion Devices. 2108926	5
295	Effects of C ₄ H ₉ NH ₃ Br additive on properties of CH ₃ NH ₃ PbBr ₃ perovskite thin films. 2020, 15, 732-735	0
294	Nucleation-controlled growth of ultra-small perovskite quantum dots for bright blue light-emitting diodes.	0
293	Chiral 1D perovskite microwire arrays for circularly polarized light detection. 2022, 9, 100086	3
292	Defect Behaviors in Perovskite Light-Emitting Diodes. 1702-1728	5
291	Transformation of Quasi-2D Perovskite into 3D Perovskite Using Formamidinium Acetate Additive for Efficient Blue Light-Emitting Diodes. 2105164	8
290	Efficient Zn-Alloyed Low-Toxicity Quasi-Two-Dimensional Pure-Red Perovskite Light-Emitting Diodes. 2021, 13, 55412-55419	2
289	High performance sky-blue perovskite light-emitting diodes enabled by a bifunctional phosphate molecule. 2021, 897, 162727	1
288	Perovskite luminescent solar concentrators for photovoltaics.	2
287	Interpreting the Time-Resolved Photoluminescence of Quasi-2D Perovskites. 2021, 8, 2101326	3
286	Toward Stable and Efficient Perovskite Light-Emitting Diodes. 2109495	17
285	Spectral Stable Blue-Light-Emitting Diodes via Asymmetric Organic Diamine Based Dion-Jacobson Perovskites. 2021, 143, 19711-19718	6
284	Blue light-emitting diodes based on halide perovskites: Recent advances and strategies. 2021, 51, 222-222	14
283	Vacuum-Evaporated Lead Halide Perovskite LEDs.	1
282	Ambient Fabrication of Efficient Triple Cation Perovskite-Based Near-Infrared Light-Emitting Diodes.	1
281	Ion Migration in Perovskite Light Emitting Diodes: Mechanism, Characterizations, and Material and Device Engineering. 2021, e2108102	17

280	Evolution of the Nature of Excitons and Electronic Couplings in Hybrid 2D Perovskites as a Function of Organic Cation Conjugation. 2108662	4
279	Phase-Pure Quasi-2D Perovskite by Protonation of Neutral Amine. 2021 , 12, 11323-11329	1
278	Perovskite White Light Emitting Diodes: Progress, Challenges, and Opportunities. 2021 ,	18
277	Perovskite Light - Emitting Diode Technologies. 2022 , 345-381	
276	Stabilization Techniques of Lead Halide Perovskite for Photovoltaic Applications. 2100710	3
275	The evolution and future of metal halide perovskite-based optoelectronic devices. 2021 , 4, 3814-3834	6
274	Amplified Spontaneous Emission in low dimensional lead halide perovskites: An overview. 2021 , 12, 100115	0
273	Advanced Epitaxial Growth of LEDs on Van Der Waals Materials. 2021 , 87-114	
272	Gateway towards recent developments in quantum dot-based light-emitting diodes.. 2022 ,	3
271	Layer number-dependent optoelectronic characteristics of quasi-2D PBA ₂ (MAPbBr ₃) _n 1PbBr ₄ perovskite films. 2021 , 9, 17033-17041	1
270	The effect of organic cation dynamics on the optical properties in (PEA) ₂ (MA)[Pb ₂ I ₇] perovskite dimorphs. 2021 , 9, 17050-17060	
269	Ionic liquid-induced deposition of perovskite quantum dot films with a photoluminescence quantum yield of over 85. 2021 ,	1
268	Shedding light on the energy applications of emerging 2D hybrid organic-inorganic halide perovskites.. 2022 , 25, 103753	2
267	Electrode Engineering in Halide Perovskite Electronics: Plenty of Room at the Interfaces.. 2022 , e2108616	12
266	The hole transport layer with ammonia-modified to improve luminescence efficiency of all-inorganic perovskite light-emitting diodes. 2022 , 101, 106418	
265	Dimension tailoring via antisolvent enables efficient perovskite light-emitting diodes. 2022 , 17, 100170	0
264	Magnetic field effects in non-magnetic luminescent materials: from organic semiconductors to halide perovskites. 2022 ,	
263	Precursor Tailoring Enables Alkylammonium Tin Halide Perovskite Phosphors for Solid-State Lighting. 2111346	4

- 262 Interfacial Chemistry Triggers Ultrafast Radiative Recombination in Metal Halide Perovskites.
- 261 Hole Transport Layer Free Perovskite Light-Emitting Diodes With High-Brightness and Air-Stability Based on Solution-Processed CsPbBr₂-CsPbBr₃ Composites Films.. **2022**, 10, 828322
- 260 Low-dimensional phase suppression and defect passivation of quasi-2D perovskites for efficient electroluminescence and low-threshold amplified spontaneous emission.. **2022**, 1
- 259 On the optical anisotropy in 2D metal-halide perovskites.. **2021**, 3
- 258 Solvent strategies toward high-performance perovskite light-emitting diodes. 1
- 257 Long-Range-Ordered Assembly of Micro-/Nanostructures at Superwetting Interfaces.. **2021**, e2106857 8
- 256 Stabilization of Metastable Halide Perovskite Lattices in the 2D Limit.. **2022**, e2108556 7
- 255 MOF-triggered formation of MAPbBr₃@PbBr(OH) with enhanced stability. **2022**, 10, 616-625 1
- 254 Two-Dimensional Dion-Jacobson Perovskite (NH₄CH₃NH₂)CsPbBr₃ with High X-ray Sensitivity and Peak Discrimination of μ Particles.. **2022**, 1187-1193 4
- 253 ZnO-Based Electron-Transporting Layers for Perovskite Light-Emitting Diodes: Controlling the Interfacial Reactions.. **2022**, 13, 694-703 2
- 252 Interface engineering improves the performance of green perovskite light-emitting diodes. 1
- 251 Ultrasensitive Photodetectors Based on Strongly Interacted Layered-Perovskite Nanowires.. **2022**, 1
- 250 Probe of the excitonic transitions and lifetimes in quasi-2D organic/inorganic halide perovskites. **2022**, 12, 015114
- 249 Spatial Heterogeneity of n-Phases Leads to Different Photophysical Properties in Quasi-Two-Dimensional Methylammonium Lead Bromide Perovskite. **2022**, 126, 478-486 1
- 248 Size Segregation and Atomic Structural Coherence in Spontaneous Assemblies of Colloidal Cesium Lead Halide Nanocrystals. **2022**, 34, 594-608 3
- 247 Surface Passivation Using Two Dimensional Perovskites Towards Efficient and Stable Perovskite Solar Cells. **2021**, e2105635 35
- 246 Design of two-dimensional halide perovskite composites for optoelectronic applications and beyond. **2022**, 3, 756-778 2
- 245 Low-Threshold Blue Quasi-2D Perovskite Laser through Domain Distribution Control.. **2022**, 5

244	Slow Hot-Carrier-Cooling in a 2D Lead-Iodide Perovskite Film and Its Photovoltaic Device. 2022 , 126, 2374-2382	1
243	Amplified Spontaneous Emission with a Low Threshold from Quasi-2D Perovskite Films via Phase Engineering and Surface Passivation. 2102563	3
242	Interfacial chemistry triggers ultrafast radiative recombination in metal halide perovskites.. 2022 ,	2
241	Mechanochromic Luminescence of Composites Based on (CH ₃ NH ₃)PbBr ₃ and Layered HPs: Influence of 2D Components and Interface Multilayered Phases.	
240	Bright and efficient sky-blue perovskite light-emitting diodes via doping of π -conjugated molecule tetraphenylethylene. 2022 , 102, 106441	
239	12-Crown-4 ether assisted in-situ grown perovskite crystals for ambient stable light emitting diodes. 2022 , 95, 107000	2
238	Pressure-induced two-dimensional to three-dimensional structural phase transition in 2H-type layered lead iodide PbI ₂ . 2022 , 120, 052106	4
237	Improved hole injection for CsPbI ₃ nanocrystals based light-emitting diodes via coevaporation of hole transport layer. 2022 , 120, 061101	1
236	Composition-Dependent Optoelectronic Properties of Mixed 2D/3D Metal Halide Perovskite Films for Light-Emitting Diodes.	1
235	Thermally Activated Charge Transfer in Dual-Emission Mn ²⁺ -Alloyed Perovskite Quantum Wells for Luminescent Thermometers.	5
234	Photoluminescence Enhancement in Thin Two-Dimensional Ruddlesden-Popper Perovskites by Spiro-OMeTAD.	0
233	Exploration of the Defect Passivation in Perovskite Materials Using Organic Spacer Cations. 2102253	1
232	Near-unity photoluminescence quantum yield Mn-doped two-dimensional halide perovskite platelets via hydrobromic acid-assisted synthesis. 2022 , 245, 118790	2
231	Efficient charge transfer from organometal lead halide perovskite nanocrystals to free base meso-tetraphenylporphyrins. 2022 , 4, 1779-1785	1
230	Operational Stability Issues and Challenges in Metal Halide Perovskite Light-Emitting Diodes.. 2022 , 1962-19718	
229	Revealing a Zinc Oxide/Perovskite Luminescence Quenching Mechanism Targeting Low-Roll-off Light-Emitting Diodes.. 2022 , 13, 3121-3129	3
228	High-Performance Blue Perovskite Light-Emitting Diodes Enabled by a Sacrificial Agent Maleic Anhydride.	1
227	Multifunctional π -Conjugated Additives for Halide Perovskite.. 2022 , e2105307	5

226	Suppressing the Formation of High n-Phase and 3D Perovskites in the Fabrication of Ruddlesden-Popper Perovskite Thin Films by Bulky Organic Cation Engineering.	2
225	Strategies to Enhance Light Emission from Two-Dimensional Perovskite Light-Emitting Diodes: Challenges and Future Opportunities.	1
224	Generalized Ab Initio Nonadiabatic Dynamics Simulation Methods from Molecular to Extended Systems.. 2022 ,	1
223	Temperature-Dependent Optical Properties of Perovskite Quantum Dots with Mixed-A-Cations.. 2022 , 13,	1
222	Large-Area and Efficient Sky-Blue Perovskite Light-Emitting Diodes via Blade-Coating.. 2022 , e2108939	6
221	Lattice strain suppresses point defect formation in halide perovskites. 1	5
220	Improving the performance of organic lead ^{II} in laminated perovskite solar cells from the perspective of device simulation. 2022 , 54, 1	0
219	Spacer Organic Cation Engineering for Quasi Two-dimensional Metal Halide Perovskites and the Optoelectronic Application.	1
218	Vapor-Phase Deposition of Highly Luminescent Embedded Perovskite Nanocrystals. 2102809	1
217	Lasing from Laminated Quasi-2D/3D Perovskite Planar Heterostructures. 2200772	2
216	Lead-Free Chiral 2D Double Perovskite Microwire Arrays for Circularly Polarized Light Detection. 2022 , 10, 2102227	1
215	Fabrication of Large-Area Uniform Nanometer-Thick Functional Layers and Their Stacks for Flexible Quantum Dot Light-Emitting Diodes.. 2022 , 6, e2101030	0
214	Toward eco-friendly and stable halide perovskite-inspired materials for light-emitting devices applications by dimension classification: Recent advances and opportunities. 2022 , 4,	0
213	Coordinated Anionic Inorganic Module - An Efficient Approach Towards Highly Efficient Blue-Emitting Copper Halide Ionic Hybrid Structures. 2021 ,	4
212	Coordinated Anionic Inorganic ModuleAn Efficient Approach Towards Highly Efficient Blue-Emitting Copper Halide Ionic Hybrid Structures. 2022 , 134,	0
211	Mode-locking operation of Er-doped fiber laser with (PEA) ₂ (CsPbBr ₃) _n -1PbBr ₄ perovskite saturable absorber.	1
210	Perovskites: Weaving a Network of Knowledge Beyond Photovoltaics.	0
209	Harvesting the Triplet Excitons of Quasi-Two-Dimensional Perovskite toward Highly Efficient White Light-Emitting Diodes.. 2022 , 3674-3681	

208	Large-Scale Production of Ligand-Engineered Robust Lead Halide Perovskite Nanocrystals by a Droplet-Based Microreactor System.. 2022 , e2200740	0
207	From film to ring: Quasi-circular inorganic lead halide perovskite grain induced growth of uniform lead silicate glass ring structure. 2022 , 120, 161604	
206	Efficient NIR Perovskite Light-Emitting Diodes Enabled by Incorporating an Anthracene Derivative as a Bifunctional Electron Transport Layer.	1
205	Developments and challenges ahead in blue perovskite light-emitting devices. 2022 ,	0
204	Tunable lanthanum doping in double perovskite films for read-only memory. 2022 ,	1
203	Suppressing thermal quenching via defect passivation for efficient quasi-2D perovskite light-emitting diodes.. 2022 , 11, 69	16
202	Controlling Electron Transport towards Efficient All-Solution-Processed Quantum Dot Light Emitting Diodes.	0
201	Highly Efficient Quasi-2D Green Perovskite Light-Emitting Diodes with Bifunctional Amino Acid. 2200276	3
200	Controllable Acceleration and Deceleration of Charge Carrier Transport in Metal-Halide Perovskite Single-Crystal by Cs-Cation Induced Bandgap Engineering.. 2022 , e2107680	1
199	Regulation of energy band and luminescence properties in blue quasi-2D lead bromide perovskite via lattice strain. 2022 , 120, 172101	
198	Electrohydrodynamic Jet-Printed MAPbBr ₃ Perovskite/Polyacrylonitrile Nanostructures for Water-Stable, Flexible, and Transparent Displays.	1
197	Molecularly Controlled Quantum Well Width Distribution and Optoelectronic Properties in Quasi-2D Perovskite Light-Emitting Diodes.. 2022 , 4098-4103	2
196	Exciton-Phonon Coupling of Chiral One-Dimensional Lead-Free Hybrid Metal Halides at Room Temperature.. 2022 , 4073-4081	1
195	Multicolor Biexciton Lasers Based on 2D Perovskite Single Crystalline Flakes. 2200238	2
194	Multifunctional and Transformative Metaphotonics with Emerging Materials.. 2022 ,	4
193	Mixed Halide Ordering as a Tool for the Stabilization of Ruddlesden-Popper Structures.	1
192	All Optical Switching through Anisotropic Gain of CsPbBr Single Crystal Microplatelet.. 2022 ,	10
191	Revealing the vertical structure of in-situ fabricated perovskite nanocrystals films toward efficient pure red light-emitting diodes. 2022 ,	2

- 190 Efficient Perovskite Light-Emitting Diodes with a Siloxane-Blended Organic Hole Transport Layer. 2200003
- 189 Charge-carrier dynamics and regulation strategies in perovskite light-emitting diodes: From materials to devices. **2022**, 9, 021308 4
- 188 Thermochromic Cs AgBiBr Single Crystal with Decreased Band Gap through Order-Disorder Transition.. **2022**, e2201943 3
- 187 Enhanced spectral stability of blue perovskite light-emitting diodes via multidentate amine-based ligand. **2022**, 120, 203502 1
- 186 Boosted Charge-Carrier Transport in Triple-Cation Perovskites by Ultrasonic Vibration Post Treatment. 2101286
- 185 Exploration of charge transport materials to improve the radiation tolerance of lead halide perovskite solar cells. 1
- 184 Recent Progress in the Stability of Red-Emissive Perovskite Nanocrystals for Light-Emitting Diodes. 1233-1254 4
- 183 X-ray diffraction of photovoltaic perovskites: Principles and applications. **2022**, 9, 021310 4
- 182 Controlling Intrinsic Quantum Confinement in Formamidinium Lead Triiodide Perovskite through Cs Substitution. 1
- 181 Charge Carrier and Exciton Dynamics in Perovskites Revealed by Time-Integrated Photoluminescence after Double-Pulse Excitation. 2200152 1
- 180 Domain controlling and defect passivation for efficient quasi-2D perovskite LEDs. **2022**, 43, 050201 0
- 179 Reversible phase transition for switchable second harmonic generation in 2D perovskite microwires. 0
- 178 Amine-Terminated Carbon Dots Linking Hole Transport Layer and Vertically Oriented Quasi-2D Perovskites through Hydrogen Bonds Enable Efficient LEDs. 6
- 177 Phase-change perovskite metasurfaces for dynamic color tuning. **2022**, 1
- 176 Bandgap and dimension regulation of CsPbI₃ perovskite through a bromine-terminated ligand for efficient pure red electroluminescence.
- 175 Halide Perovskite Single Crystals: Growth, Characterization, and Stability for Optoelectronic Applications. 4
- 174 Engineering van der Waals Materials for Advanced Metaphotonics. 2
- 173 Perovskite Light-emitting Diodes. **2022**, 555-599

172	Metal Halide Perovskites for Red-emission Light-emitting Diodes.	2
171	High-Efficiency Sky-Blue Perovskite Light-Emitting Diodes via the Trade-Off between the Electron-Phonon Coupling Loss and Defect Passivation.	0
170	Probing Lattice Dynamics in Two-Dimensional Inorganic Pseudohalide Perovskites with Ultrafast Infrared Spectroscopy. 2022 , 126, 10145-10158	1
169	Core-shell carbon-polymer quantum dot passivation for near infrared perovskite light emitting diodes.	
168	Trade-off between the Performance and Stability of Perovskite Light-Emitting Diodes with Excess Halides. 5179-5185	1
167	Ion Migration in Halide Perovskites. 2022 , 101-128	0
166	Light-Controlled Reconfigurable Optical Synapse Based on Carbon Nanotubes/2D Perovskite Heterostructure for Image Recognition. 2022 , 14, 28221-28229	1
165	A nano-liter droplet-based microfluidic reactor serves as continuous large-scale production of inorganic perovskite nanocrystals.	1
164	Sum Frequency Generation Vibrational Spectra of Perovskite Nanocrystals at the Single-Nanocrystal and Ensemble Levels.	0
163	Synthesis and Characterization of (FA) ₃ (HEA) ₂ Pb ₃ I ₁₁ : A Rare Example of $\langle 110 \rangle$ -Oriented Multilayered Halide Perovskites. 2022 , 34, 5780-5790	1
162	Inkjet Printing Efficient Defined-Pixel Matrix Perovskite Light-Emitting Diodes with a Polar Polymer Modification Layer. 2200370	0
161	Thermal decomposition kinetics of FAPbI ₃ thin films. 2022 , 6,	0
160	High-performance flexible perovskite photodetectors based on single-crystal-like two-dimensional Ruddlesden-Popper thin films.	2
159	Hole Concentration Reduction in CuI by Zn Substitution and its Mechanism: Toward Device Applications.	0
158	Ultralow-voltage operation of light-emitting diodes. 2022 , 13,	5
157	18-Crown-6 Additive to Enhance Performance and Durability in Solution-Processed Halide Perovskite Electronics. 2202298	0
156	Revealing Charge Transfer Dynamics in Methylammonium Lead Bromide Perovskites via Transient Photoluminescence Characterization.	
155	Stability of perovskite materials and devices. 2022 ,	2

- 154 Solvent-Free Preparation and Moderate Congruent Melting Temperature of Layered Lead Iodide Perovskites for Thin-Film Formation.
- 153 Narrowing the Phase Distribution of Quasi-2D Perovskites for Stable Deep-Blue Electroluminescence. 2201807 4
- 152 Solvent-Free Preparation and Moderate Congruent Melting Temperature of Layered Lead Iodide Perovskites for Thin-Film Formation.
- 151 Brightness and Lifetime Improved Light-Emitting Diodes from Sr-Doped Quasi-Two-Dimensional Perovskite Layers. 2023, 28, 131-140 0
- 150 In-situ Transmission Electron Microscopy Study of the Impact of External Electric Field in 2D Perovskites. 2022, 28, 846-848
- 149 Stable Yellow Light-Emitting Diodes Based on Quasi-Two-Dimensional Perovskites.
- 148 Deep Learning for Additive Screening in Perovskite Light-Emitting Diodes.
- 147 Deep Learning for Additive Screening in Perovskite Light-Emitting Diodes. 2
- 146 Red Perovskite Light-emitting Diodes with Efficiency Exceeding 25% Realized by Cospacer Cations. 2204460 15
- 145 Highest EQE of NIR PeLEDs With p-i-n Architecture Achieved via Surface Passivation and Lithium Fluoride Ultrathin Interfacial Layer.
- 144 Mass Transfer Printing of Metal-Halide Perovskite Films and Nanostructures. 2203529 0
- 143 High-Efficiency Blue Perovskite Light-Emitting Diodes with Improved Photoluminescence Quantum Yield via Reducing Trap-Induced Recombination and Exciton-Exciton Annihilation. 2203962 3
- 142 Deep-Blue Electroluminescence of Perovskites with Reduced Dimensionality Achieved by Manipulating Adsorption-Energy Differences. 0
- 141 Sellotape Exfoliated Layered Quasi-2D Perovskite Thin Film for Efficient Light-Emitting Diodes. 2200885 1
- 140 Enhanced efficiency and stability of DionJacobson quasi-two-dimensional perovskite solar cells by additive. 2022, 55, 414002
- 139 Electronic-Ionic Transport in MAPbBr₃ Single Crystal: The Evidence of Super-Linear Power Law in AC Conductivity. 2022, 126, 14305-14311 0
- 138 Spectrally Stable Blue Light-Emitting Diodes Based on All-Inorganic Halide Perovskite Films. 2022, 12, 2906
- 137 Deep-Blue Electroluminescence of Perovskites with Reduced Dimensionality Achieved by Manipulating Adsorption-Energy Differences. 2

136	Vacuum Evaporation of High-Quality CsPbBr ₃ Thin Films for Efficient Light-Emitting Diodes. 2022 , 17,	0
135	A roadmap for the commercialization of perovskite light emitters.	11
134	Vapor-Assisted In Situ Recrystallization for Efficient Tin-Based Perovskite Light-Emitting Diodes. 2203180	3
133	Direct Detection of Near-Infrared Circularly Polarized Light via Precisely Designed Chiral Perovskite Heterostructures. 2022 , 14, 36781-36788	0
132	Quantum dots enhanced stability of in-situ fabricated perovskite nanocrystals based light-emitting diodes: Electrical field distribution effects. 2022 ,	1
131	Stability of Perovskite Light-Emitting Diodes: Existing Issues and Mitigation Strategies Related to both Material and Device Aspects. 2205217	3
130	Chiral Lead-Free Double Perovskite Single-Crystalline Microwire Arrays for Anisotropic Second-Harmonic Generation.	1
129	Exciton Transfer Dynamics and Annihilation in RubidiumCesium-Alloyed, Quasi-Two-Dimensional Perovskite. 2022 , 9, 578	
128	Incorporation of Cesium ions in FAPbBr ₃ quantum dots: Spectroscopic characterization for light-emitting application. 2022 , 139, 104469	0
127	Recent promise of lead-free halide perovskites in optoelectronic applications. 2023 , 451, 138926	0
126	Phase control of quasi-2D perovskite thin films by adding MAPbI ₃ in the precursor solution. 2022 , 51, 13919-13927	0
125	First-principles study of lead-free Ge-based 2D RuddlesdenPopper hybrid perovskites for solar cell applications. 2022 , 24, 21052-21060	0
124	Grain engineering for improved charge carrier transport in two-dimensional lead-free perovskite field-effect transistors. 2022 , 9, 2633-2643	2
123	Perovskite-transition metal dichalcogenides heterostructures: recent advances and future perspectives. 2022 , 1, 220006-220006	2
122	A mechanistic study of the dopant-induced breakdown in halide perovskites using solid state energy storage devices.	0
121	High Efficient Cesium Copper Halide-Based Light Emitting Diodes with an insulating layer. 2022 ,	0
120	Manipulated Interface for Enhanced Energy Cascade in Quasi-2D Blue Perovskite Light-Emitting Diodes. 3345-3352	0
119	Photo-induced macro/mesoscopic scale ion displacement in mixed-halide perovskites: ring structures and ionic plasma oscillations. 2022 , 11,	2

118	Liquid-Phase van der Waals Epitaxy of a Few-Layer and Unit-Cell Thick Ruddlesden-Popper Halide Perovskite. 2022 , 144, 17588-17596	0
117	High-Performance Perovskite Light-Emitting Diodes Enabled by Passivating Defect and Constructing Dual Energy-Transfer Pathway through Functional Perovskite Nanocrystals. 2207445	4
116	Direct Characterization of Type-I Band Alignment in 2D Ruddlesden-Popper Perovskites. 2202333	0
115	Modulation of the carrier balance of lead-halide perovskite nanocrystals by polyelectrolyte hole transport layers for near-infrared light-emitting diodes. 2022 , 8, e10504	0
114	Superior External Quantum Efficiency of LEDs via Quasi-2D Perovskite Crystals Implanted with Phenethylammonium Acetate.	0
113	Recent Progress of Eco-friendly Lead-free Halide Perovskite Light-Emitting Diodes. 2022 , 25, 332-355	0
112	Restructuring and Reshaping of CsPbX ₃ Perovskites by Lithium Salts. 2201296	0
111	Manipulating the inorganic motif by kinetic control of antimony halide organic-inorganic hybrid materials for larger Stokes shift and significantly enhanced quantum efficiency.	1
110	Effects of Ammonium and Alkali Metal Additives on Anisotropic Photoconductivities and Solar Cell Efficiencies of Two-Dimensional Lead Halide Perovskites. 2022 , 126, 17894-17903	0
109	Graphene/Cs ₂ PbI ₂ Cl ₂ van der Waals heterostructure with tunable Schottky barriers and contact types. 2022 , 132, 165101	0
108	Electroluminescence of Halide Perovskite Single Crystals Showing Stochastically Active Multiple Emitting Centers. 2022 , 126, 17826-17835	1
107	Excitons at the Phase Transition of 2D Hybrid Perovskites.	0
106	Promoting Energy Transfer Between Quasi-2D Perovskite Layers Toward Highly Efficient Red Light-Emitting Diodes. 2204638	0
105	In-Situ Halide Exchange of Cesium Lead Halide Perovskites for Blue Light-Emitting Diodes. 2207111	3
104	Direct observation of photoinduced carrier blocking in mixed-dimensional 2D/3D perovskites and the origin. 2022 , 13,	3
103	Light-Induced Degradation of Metal-Free Organic Perovskites. 2022 , 13, 9848-9854	0
102	Flexible perovskite light-emitting diodes: Progress, challenges and perspective.	0
101	Size matters - Amplified spontaneous emission limited by accumulation of dark excitons in thin quasi-2D perovskites.	0

- 100 Short Aromatic Diammonium Ions Modulate Distortions in 2D Lead Bromide Perovskites for Tunable White-Light Emission. 2
- 99 Reconfiguring band-edge states and charge distribution of organic semiconductor-incorporated 2D perovskites via pressure gating. **2022**, 8, 3
- 98 Reduced Self-Absorption of Quasi-2D Perovskites and Their Application in Color Conversion Layers. 2202118 0
- 97 Recent progress and future prospects on halide perovskite nanocrystals for optoelectronics and beyond. **2022**, 25, 105371 2
- 96 One-step synthesis of multi-colored ZnO nanoparticles for white light-emitting diodes. **2022**, 252, 119425 0
- 95 Brightening thiocyanate-anion layered perovskite through internal stress modulated nano phase segregation. 0
- 94 Degradation mechanisms of perovskite light-emitting diodes under electrical bias. **2022**, 1 1
- 93 Hot-carrier tunable abnormal nonlinear absorption conversion in quasi-2D perovskite. **2022**, 13, 2
- 92 Self-Assembled Bilayer Microstructure Improves Quasi-2D Perovskite Light-Emitting Diodes. 1
- 91 Planar defect-free pure red perovskite light-emitting diodes via metastable phase crystallization. **2022**, 8, 1
- 90 Confinement-Tunable Transition Dipole Moment Orientation in Perovskite Nanoplatelet Solids and Binary Blends. 0
- 89 Red Perovskite Light-Emitting Diodes: Recent Advances and Perspectives. 2200608 0
- 88 Preparation, properties and applications of two-dimensional superlattices. 0
- 87 Review on promising roles of alkali metals toward highly efficient perovskite light-emitting diodes. 0
- 86 Lead-free DionJacobson halide perovskites CsMX₂Y₂ (M = Sb, Bi and X, Y = Cl, Br, I) used for optoelectronic applications via first principle calculations. **2023**, 174, 111157 0
- 85 Dual-function perovskite light-emitting/sensing devices for optical interactive display. **2022**, 11, 1
- 84 Synergistic passivation and stepped-dimensional perovskite analogs enable high-efficiency near-infrared light-emitting diodes. **2022**, 13, 1
- 83 Single-Crystalline Layered Metal-Halide Perovskite Microwires with Intercalated Molecules for Ultraviolet Photodetectors. 2201465 0

- 82 Controllable Preparation of Ag-SiO₂ Composite Nanoparticles and Their Applications in Fluorescence Enhancement. **2023**, 16, 201 ○
- 81 Improving the efficiency of near-IR perovskite LEDs via surface passivation and ultrathin interfacial layers. **2022**, 3, 101170 ○
- 80 Antisolvent Choice Determines the Domain Distribution of Quasi-2D Perovskite for Blue-Emitting Perovskites-Based Light Emitting Devices. 2202029 ○
- 79 Morphology and Luminescence Regulation for CsPbBr₃ Perovskite Light-Emitting Diodes by Controlling Growth of Low-Dimensional Phases. **2022**, 14, 56374-56383 ○
- 78 Comprehensive Passivation for High-Performance Quasi-2D Perovskite LEDs. 2206927 1
- 77 High-Radiance Near-Infrared Perovskite Light-Emitting Diodes with Improved Roll-Off Degradation. 2202043 ○
- 76 A universal all-solid synthesis for high throughput production of halide perovskite. **2022**, 13, ○
- 75 Efficient and Bright Deep-red Light-emitting Diodes Based on a Lateral 0D/3D perovskite Heterostructure. 2207301 ○
- 74 Six-Photon Excited Self-Trapped Excitons Photoluminescence in Lead-Free Halide Perovskite. 2202634 ○
- 73 Illustrating the Key Role of Hydrogen Bonds in Fabricating Pure-Phase Two-Dimensional Perovskites. ○
- 72 Holy Water: Photo-Brightening in Quasi-2D Perovskite Films under Ambient Enables Highly Performing Light-Emitting Diodes. 2209249 ○
- 71 High efficiency pure blue perovskite quantum dot light-emitting diodes based on formamidinium manipulating carrier dynamics and electron state filling. **2022**, 11, ○
- 70 Compact-Type Quasi-2D Perovskite Based on Two Conventional 3D Perovskites. ○
- 69 The current state of the art in internal additive materials and quantum dots for improving efficiency and stability against humidity in perovskite solar cells. **2022**, 8, e11878 ○
- 68 All-inorganic non-perovskite copper halides for light emission. **2022**, 3, 101171 1
- 67 Two/Quasi-two-dimensional Perovskite-based Heterostructures: Construction, Properties and Applications. ○
- 66 Rapid crystallization-driven high-efficiency phase-pure deep-blue Ruddlesden-Popper perovskite light-emitting diodes. **2023**, 5, ○
- 65 Large-area waterproof and durable perovskite luminescent textiles. **2023**, 14, ○

- 64 Spacer cation engineering in Ruddlesden-Popper perovskites for efficient red light-emitting diodes with recommendation 2020 color coordinates. **2023**, 156454 ○
- 63 Evidence of defect-induced broadband light emission from 2D AgBi double perovskites grown at liquid-liquid interfaces. **2023**, 158, 011101 ○
- 62 Healing Aged Metal Halide Perovskite Toward Robust Optoelectronic Devices: Mechanisms, Strategies, and Perspectives. **2023**, 108219 ○
- 61 Two-dimensional organic-inorganic hybrid perovskite ferroelastics: (PEA)₂[CdCl₄], (3-FPEA)₂[CdCl₄], and (4-FPEA)₂[CdCl₄]. ○
- 60 Core/Shell ZnO/ZnS Nanoparticle Electron Transport Layers Enable Efficient All-Solution-Processed Perovskite Light-Emitting Diodes. 2207260 ○
- 59 Effective Inhibition of Phase Segregation in Wide-bandgap Perovskites with Alkali Halides Additives to Improve the Stability of Solar Cells. ○
- 58 Metal Halide Perovskite for next-generation optoelectronics: progresses and prospects. **2023**, 3, ○
- 57 Suppressing Auger Recombination of Perovskite Quantum Dots for Efficient Pure-Blue-Light-Emitting Diodes. **2023**, 8, 731-739 4
- 56 Inorganic Halide Perovskite Quantum Dots: A Versatile Nanomaterial Platform for Electronic Applications. **2023**, 15, ○
- 55 Universal Molecular Control Strategy for Scalable Fabrication of Perovskite Light-Emitting Diodes. **2023**, 23, 985-992 ○
- 54 Spatial Control of the Hole Accumulation Zone for Hole-Dominated Perovskite Light-Emitting Diodes by Inserting a CsAc Layer. **2023**, 15, 7044-7052 ○
- 53 3D Printing of Arbitrary Perovskite Nanowire Heterostructures. 2212146 ○
- 52 Halide perovskite for light-emitting diodes. **2023**, 267-300 ○
- 51 2D Organic Materials: Status and Challenges. 2203889 ○
- 50 A hole injection monolayer enables cost-effective perovskite light-emitting diodes. ○
- 49 Suppressing phase disproportionation in quasi-2D perovskite light-emitting diodes. **2023**, 14, 1
- 48 Structural effects on halide perovskite properties. **2023**, 57-89 ○
- 47 Interfacial modification for the fabrication of Silicon-based green perovskite Light-Emitting diodes. **2023**, 616, 156547 ○

- 46 Control of n-Phase Distribution in Quasi Two-Dimensional Perovskite for Efficient Blue Light-Emitting Diodes. ○
- 45 Pressure-induced distinct excitonic properties of 2D perovskites with isomeric organic molecules for spacer cations. **2023**, 15, 6234-6242 ○
- 44 All-inorganic 2D/3D $Cs_x+2Pb_{x+1}(SCN)_2(I/Br)_{3x+2}$ perovskites. **2023**, 47, 6639-6644 ○
- 43 Light-Emitting Organic Semiconductor-Incorporated Perovskites: Fundamental Properties and Device Applications. **2023**, 14, 2034-2046 ○
- 42 Manipulating Local Lattice Distortion for Spectrally Stable and Efficient Mixed-halide Blue Perovskite LEDs. ○
- 41 In-situ solution processed zinc Oxide as electron transport layer for High-performance perovskite Light-emitting diodes. **2023**, 819, 140441 ○
- 40 Controlling the formation energy of perovskite phase via surface polarity of substrate for efficient pure-blue light-emitting diodes. **2023**, 464, 142707 ○
- 39 The fatigue effects in red emissive CdSe based QLED operated around turn-on voltage. **2023**, 158, 131101 ○
- 38 Recent Progress in Blue Perovskite LEDs. **2022**, 32, 449-457 ○
- 37 Navigating the Site-Distinct Energy Conversion Properties of Perovskite Quantum Wells. **2023**, 8, 1236-1265 ○
- 36 Metal Halide Perovskite Nanocrystal Superlattice: Self-Assembly and Optical Fingerprints. **2023**, 35, ○
- 35 Composition and structure regulation of Ruddlesden-Popper perovskite for light-emitting diodes applications. **2023**, 11, 3448-3458 ○
- 34 Improved Performance of All-Inorganic Perovskite Light-emitting Diodes via Nanostructured Stamp Imprinting. ○
- 33 Review of Defect Passivation for NiO_x-Based Inverted Perovskite Solar Cells. **2023**, 6, 2098-2121 ○
- 32 Achieving Efficient Light-Emitting Diodes by Controlling Phase Distribution of Quasi-2D Perovskites. **2023**, 9, ○
- 31 High-Efficiency Quasi-2D Perovskite Light-Emitting Diodes Using a Dual-Additive Strategy Guided by Preferential Additive-Precursor Interactions. 2202808 ○
- 30 Glutamine Induced High-Quality Perovskite Film to Improve the Efficiency of NIR Perovskite Light-Emitting Diodes. 2207520 ○
- 29 Mobile Trions in Electrically Tunable 2D Hybrid Perovskites. 2210221 ○

- 28 Unlocking the Potential of Blue Perovskite Light-Emitting Diodes for Active-Matrix Displays. 2202894 ○
- 27 Disentangling Dual Emission Dynamics in Lead Bromide Perovskite. 2202866 ○
- 26 Anisotropic emission of orientation-controlled mixed-dimensional perovskites for light-emitting devices. **2023**, ○
- 25 Manipulating Local Lattice Distortion for Spectrally Stable and Efficient Mixed-halide Blue Perovskite LEDs. ○
- 24 Light-Emitting Device Based on Amplified Spontaneous Emission. 2200908 ○
- 23 In-situ growth of low-dimensional perovskite-based insular nanocrystals for highly efficient light emitting diodes. **2023**, 12, ○
- 22 Impact of light illumination on the surface structure of two-dimensional Ruddlesden-Popper perovskite in the fabrication process. **2023**, 5, 024011 ○
- 21 Fabry-Pérot Oscillation and Resonance Energy Transfer: Mechanism for Ultralow-Threshold Optically and Electrically Driven Random Laser in Quasi-2D Ruddlesden-Popper Perovskites. **2023**, 17, 5373-5386 ○
- 20 Multiphoton excited singlet/triplet mixed self-trapped exciton emission. **2023**, 14, ○
- 19 Tunable Warm to Cool White Light Emission from La-Doped and Na-Alloyed Cs₂AgInCl₆ Double Perovskites for Efficient Light-Emitting Diode Applications. **2023**, 1, 802-809 ○
- 18 In-Situ Interfacial Reaction Induced Amino-Rich Oxide Surface to Grow High-Quality FAPbBr₃ Crystals for Efficient Inverted Light-Emitting Diodes. **2023**, 5, 1179-1187 ○
- 17 Ionic Liquid Passivation for High-Performance Sky-Blue Quasi-2D Perovskite Light-Emitting Diodes. 2202721 ○
- 16 Less-ordered phase distribution of quasi-2D perovskites for deep-blue light-emitting diodes enabled by a deep eutectic solvent. **2023**, 118, 106792 ○
- 15 Optical properties of two-dimensional perovskites. **2023**, 18, ○
- 14 All-inorganic lead halide perovskite nanocrystals applied in advanced display devices. ○
- 13 Role of a corrugated Dion-Jacobson 2D perovskite as an additive in 3D MAPbBr₃ perovskite-based light emitting diodes. ○
- 12 Vacuum-deposited perovskite CsPbBr₃ thin-films for temperature-stable Si based pure-green all-inorganic light-emitting diodes. **2023**, ○
- 11 Exploring, Identifying, and Removing the Efficiency-Limiting Factor of Mixed-Dimensional 2D/3D Perovskite Solar Cells. **2023**, 56, 959-970 ○

- 10 Ultrafast self-powered CsPbCl₃ ultraviolet photodetectors with choline chloride for surface passivation and charge transport regulation. ○
- 9 Morphology-Controlled Vapor-Phase Nanowire Growth with Ruddlesden-Popper Lead Bromide Perovskite. ○
- 8 Indirect Bandgap Emission of the Metal Halide Perovskite FAPbI₃ at Low Temperatures. 3805-3810 ○
- 7 Impact of organic/inorganic wavefunction delocalization on the electronic and optical properties of one-dimensional hybrid perovskites. ○
- 6 Controllable Transformation of 2D Perovskite for Multifunctional Sensing Properties. ○
- 5 Spin-Flip Raman Scattering on Electrons and Holes in Two-Dimensional (PEA)₂PbI₄ Perovskites. ○
- 4 Perovskite Light-Emitting Diodes. **2023**, 53-71 ○
- 3 Hybrid composites for optoelectronics. **2023**, 253-276 ○
- 2 Photonic van der Waals integration from 2D materials to 3D nanomembranes. ○
- 1 Color-Stable Two-Dimensional Tin-Based Perovskite Light-Emitting Diodes: Passivation Effects of Diphenylphosphine Oxide Derivatives. ○