CITATION REPORT List of articles citing

2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS

DOI: 10.1093/europace/euw295 Europace, 2016, 18, 1609-1678.

Source: https://exaly.com/paper-pdf/64450320/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|--|-----|-----------|
| 1487 | New Oral Anticoagulants: General Features and Review of Pivotal Clinical Trials. 2016 , 16, 178 | | 1 |
| 1486 | High prevalence of modifiable stroke risk factors identified in a pharmacy-based screening programme. 2016 , 3, e000515 | | 32 |
| 1485 | Role of hospitalists in the diagnosis of atrial fibrillation for the management of cryptogenic stroke patients. 2016 , 44, 274-278 | | |
| 1484 | Identifying the predictors of hematoma after device implantation: Closing in on the suspects with an aim to prevent the menace?. 2016 , 16, 157-158 | | |
| 1483 | Catheter ablation for atrial flutter: a survey by the European Heart Rhythm Association and Canadian Heart Rhythm Society. <i>Europace</i> , 2016 , 18, 1880-1885 | 3.9 | 7 |
| 1482 | Clinical characteristics of complex aortic plaque in patients with non-valvular atrial fibrillation. 2017 , 230, 85-90 | | 3 |
| 1481 | More About the Risk of Ibrutinib-associated Bleeding. 2017 , 17, 326-327 | | 1 |
| 1480 | Chemical cardioversion of recent-onset atrial fibrillation in the emergency department using vernakalant hydrochloride achieves safe and rapid restoration of sinus rhythm and facilitates same day discharge. 2017 , 186, 903-908 | | 5 |
| 1479 | PITX2-dependent gene regulation in atrial fibrillation and rhythm control. 2017 , 595, 4019-4026 | | 32 |
| 1478 | Prevention of Bleeding in Atrial Fibrillation. 2017 , 376, 994 | | 1 |
| 1477 | Use of rivaroxaban in patients with stroke. 2017 , 38, 745-754 | | 1 |
| 1476 | Chronic obstructive pulmonary disease predicts higher incidence and in hospital mortality for atrial fibrillation. An observational study using hospital discharge data in Spain (2004-2013). 2017 , 236, 209-2015. | 215 | 13 |
| 1475 | Exercise-based cardiac rehabilitation for adults with atrial fibrillation. 2017 , 2, CD011197 | | 36 |
| 1474 | Adjunctive ablation strategies improve the efficacy of pulmonary vein isolation in non-paroxysmal atrial fibrillation: a systematic review and meta-analysis. 2017 , 15, 227-235 | | 4 |
| 1473 | Calcium-mediated cellular triggered activity in atrial fibrillation. 2017 , 595, 4001-4008 | | 32 |
| 1472 | Anticoagulation in Atrial Fibrillation: Is the Paradigm Really Shifting?. 2017, 69, 786-788 | | 3 |
| 1471 | Benefits of Emergency Departments' Contribution to Stroke Prophylaxis in Atrial Fibrillation: The EMERG-AF Study (Emergency Department Stroke Prophylaxis and Guidelines Implementation in Atrial Fibrillation). 2017 , 48, 1344-1352 | | 13 |

| 1470 | Atrial fibrillation: a mechanism or just a bystander?. <i>Europace</i> , 2017 , 19, 1413-1415 | 3.9 | |
|------------------------------|---|-----|--------------|
| 1469 | Optimizing Implantable Cardioverter-Defibrillator Remote Monitoring: A Practical Guide. 2017 , 3, 315-32 | 28 | 17 |
| 1468 | Safety and efficacy of pulmonary vein isolation using a surround flow catheter with contact force measurement capabilities: A multicenter registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 762-767 | 2.7 | 16 |
| 1467 | Digoxin versus placebo, no intervention, or other medical interventions for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. 2017 , 6, 71 | | 5 |
| 1466 | Comparison of the three conventional methods for the postoperative atrial fibrillation prediction. 2017 , 34, 831-834 | | 5 |
| 1465 | Stroke rates vary substantially across cohorts of patients with atrial fibrillation. 2017 , 22, 110 | | |
| 1464 | Characteristics of PR interval as predictor for atrial fibrillation: association with biomarkers and outcomes. 2017 , 106, 767-775 | | 19 |
| 1463 | First description of a double-wall balloon breach during cryoballoon ablation for atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2017 , 28, 953-955 | 2.7 | 1 |
| 1462 | Nonvitamin K-dependent oral anticoagulants (NOACs) in chronic kidney disease patients with atrial fibrillation. 2017 , 155, 38-47 | | 24 |
| | | | |
| 1461 | Rationale and design of the Apixaban for the Reduction of Thrombo-Embolism in Patients With Device-Detected Sub-Clinical Atrial Fibrillation (ARTESIA) trial. 2017 , 189, 137-145 | | 170 |
| 1461 1460 | | | 0 |
| | Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. 2017 , 189, 137-145 Renal failure caused by a partly calcified aortic aneurysm in a patient with dabigatran therapy: A | | |
| 1460 | Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. 2017, 189, 137-145 Renal failure caused by a partly calcified aortic aneurysm in a patient with dabigatran therapy: A case report. 2017, 96, e6789 Dabigatran etexilate: appropriate use in patients with chronic kidney disease and in the elderly patients. 2017, 12, 425-435 CHADS-VASc Score (Congestive Heart Failure, Hypertension, Age \$\mathbb{I}\$5 [Doubled], Diabetes Mellitus, Prior Stroke or Transient Ischemic Attack [Doubled], Vascular Disease, Age 65-74, Female) for Stroke in Asian Patients With Atrial Fibrillation: A Korean Nationwide Sample Cohort Study. 2017, | | 0 |
| 1460 1459 | Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. 2017, 189, 137-145 Renal failure caused by a partly calcified aortic aneurysm in a patient with dabigatran therapy: A case report. 2017, 96, e6789 Dabigatran etexilate: appropriate use in patients with chronic kidney disease and in the elderly patients. 2017, 12, 425-435 CHADS-VASc Score (Congestive Heart Failure, Hypertension, Age \$\mathbb{I}\$5 [Doubled], Diabetes Mellitus, Prior Stroke or Transient Ischemic Attack [Doubled], Vascular Disease, Age 65-74, Female) for | | 0 |
| 1460 1459 1458 | Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. 2017, 189, 137-145 Renal failure caused by a partly calcified aortic aneurysm in a patient with dabigatran therapy: A case report. 2017, 96, e6789 Dabigatran etexilate: appropriate use in patients with chronic kidney disease and in the elderly patients. 2017, 12, 425-435 CHADS-VASc Score (Congestive Heart Failure, Hypertension, Age 15 [Doubled], Diabetes Mellitus, Prior Stroke or Transient Ischemic Attack [Doubled], Vascular Disease, Age 65-74, Female) for Stroke in Asian Patients With Atrial Fibrillation: A Korean Nationwide Sample Cohort Study. 2017, 48, 1524-1530 Resumption of anticoagulation after major bleeding decreases the risk of stroke in patients with | | o 6 76 |
| 1460 1459 1458 1457 | Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. 2017, 189, 137-145 Renal failure caused by a partly calcified aortic aneurysm in a patient with dabigatran therapy: A case report. 2017, 96, e6789 Dabigatran etexilate: appropriate use in patients with chronic kidney disease and in the elderly patients. 2017, 12, 425-435 CHADS-VASc Score (Congestive Heart Failure, Hypertension, Age \$\mathbb{I}\$5 [Doubled], Diabetes Mellitus, Prior Stroke or Transient Ischemic Attack [Doubled], Vascular Disease, Age 65-74, Female) for Stroke in Asian Patients With Atrial Fibrillation: A Korean Nationwide Sample Cohort Study. 2017, 48, 1524-1530 Resumption of anticoagulation after major bleeding decreases the risk of stroke in patients with atrial fibrillation. 2017, 22, 107-108 Clinical background including anticoagulant therapy in patients with atrial fibrillation in a | | o 6 76 |
| 1460 1459 1458 1457 | Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. 2017, 189, 137-145 Renal failure caused by a partly calcified aortic aneurysm in a patient with dabigatran therapy: A case report. 2017, 96, e6789 Dabigatran etexilate: appropriate use in patients with chronic kidney disease and in the elderly patients. 2017, 12, 425-435 CHADS-VASc Score (Congestive Heart Failure, Hypertension, Age \$\mathbb{I}\$5 [Doubled], Diabetes Mellitus, Prior Stroke or Transient Ischemic Attack [Doubled], Vascular Disease, Age 65-74, Female) for Stroke in Asian Patients With Atrial Fibrillation: A Korean Nationwide Sample Cohort Study. 2017, 48, 1524-1530 Resumption of anticoagulation after major bleeding decreases the risk of stroke in patients with atrial fibrillation. 2017, 22, 107-108 Clinical background including anticoagulant therapy in patients with atrial fibrillation in a community-based survey: the Saitama AF Registry. 2017, 32, 1382-1389 Clinical scores for outcomes of rhythm control or arrhythmia progression in patients with atrial | | o 6 76 2 |

| 1452 | [Choosing wisely recommendations in angiology]. 2017 , 58, 532-538 | 0 |
|------|---|----|
| 1451 | Long-term benefits of education by emergency care nurses at discharge of patients with atrial fibrillation. 2017 , 35, 7-12 | 15 |
| 1450 | Contemporary Atrial Fibrillation Management: A Comparison of the Current AHA/ACC/HRS, CCS, and ESC Guidelines. 2017 , 33, 965-976 | 68 |
| 1449 | Significant reduction in procedure duration in remote magnetic-guided catheter ablation of atrial fibrillation using the third-generation magnetic navigation system. 2017 , 49, 219-226 | 9 |
| 1448 | Associations of Abdominal Obesity and New-Onset Atrial Fibrillation in the General Population. 2017 , 6, | 55 |
| 1447 | Repetitive atrial activation during ongoing atrial fibrillation-comparison using different mapping algorithms: preliminary findings. 2017 , 49, 67-74 | 3 |
| 1446 | Surrogate endpoints in heart failure: (once again) use with caution. 2017 , 19, 563-565 | |
| 1445 | The quest for equilibrium: exploring the thin red line between bleeding and ischaemic risks in the management of acute coronary syndromes in chronic kidney disease patients. 2017 , 32, 1967-1976 | 11 |
| 1444 | Comentario al artilulo Introduccii i i del suplemento sobre tratamiento de la fibrilaci i auricular. 2017 , 24, 423-424 | |
| 1443 | Relationship between rotors and complex fractionated electrograms in atrial fibrillation using a novel computational analysis. 2017 , 36, 233-238 | 5 |
| 1442 | Characteristics of the new AtriCure cryoFORM [©] cryoablation probe for the surgical treatment of cardiac arrhythmias. 2017 , 14, 255-262 | 2 |
| 1441 | Hopes and disappointments with antiarrhythmic drugs. 2017 , 237, 71-74 | 25 |
| 1440 | Electrical treatment of atrial arrhythmias in heart failure patients implanted with a dual defibrillator CRT device. Results from the TRADE-HF study. 2017 , 236, 181-186 | 1 |
| 1439 | Hypertension and Atrial Fibrillation: An Intimate Association of Epidemiology, Pathophysiology, and Outcomes. 2017 , 30, 733-755 | 37 |
| 1438 | Is echocardiography valid and reproducible in patients with atrial fibrillation? A systematic review. Europace, 2017 , 19, 1427-1438 | 38 |
| 1437 | NOACs for Stroke Prevention in Atrial Fibrillation With Valve Disease: Filling the Gaps. 2017 , 69, 1383-1385 | 1 |
| 1436 | Designing an optimal screening program for unknown atrial fibrillation: a cost-effectiveness analysis. <i>Europace</i> , 2017 , 19, 1650-1656 | 8 |
| 1435 | Mujer de 48 a ô s con taquiarritmia. 2017 , 12, 2344.e1-2344.e3 | |

| 1434 | Efficacy and safety of dronedarone in the treatment of patients with atrial fibrillation. 2017, 16, 1407-1412 | 9 |
|------|---|-----|
| 1433 | Older Adults at Risk for Atrial Fibrillation Lack Knowledge and Confidence to Seek Treatment for Signs and Symptoms. 2017 , 3, | 7 |
| 1432 | Antiarrhythmic Drug Management of Atrial Fibrillation. 2017, 87-104 | |
| 1431 | Evaluating the morphology of the left atrial appendage by a transesophageal echocardiographic 3-dimensional printed model. 2017 , 96, e7865 | 8 |
| 1430 | Discovery methods of coagulation-inhibiting drugs. 2017 , 12, 1195-1205 | 14 |
| 1429 | Management of Arrhythmias in Athletes: Atrial Fibrillation, Premature Ventricular Contractions, and Ventricular Tachycardia. 2017 , 19, 86 | 8 |
| 1428 | Screening of older patients for atrial fibrillation in general practice: Current evidence and its implications for future practice. 2017 , 23, 246-253 | 11 |
| 1427 | Homocysteine in non-valvular atrial fibrillation: Role and clinical implications. 2017 , 475, 85-90 | 12 |
| 1426 | Short-term dabigatran interruption before cardiac rhythm device implantation: multi-centre experience from the RE-LY trial. <i>Europace</i> , 2017 , 19, 1630-1636 | 10 |
| 1425 | Left atrial appendage occluder implantation in Europe: indications and anticoagulation post-implantation. Results of the European Heart Rhythm Association Survey. <i>Europace</i> , 2017 , 19, 1737-1742 | 27 |
| 1424 | Frailty syndrome: an emerging clinical problem in the everyday management of clinical arrhythmias. The results of the European Heart Rhythm Association survey. <i>Europace</i> , 2017 , 19, 1896-1902 | 36 |
| 1423 | Incidence of Previously Undiagnosed Atrial Fibrillation Using Insertable Cardiac Monitors in a High-Risk Population: The REVEAL AF Study. 2017 , 2, 1120-1127 | 135 |
| 1422 | Combined Cryoballoon and Radiofrequency Ablation Versus Radiofrequency Ablation Alone for Long-Standing Persistent Atrial Fibrillation. 2017 , 354, 586-596 | 7 |
| 1421 | Apixaban, rivaroxaban, and dabigatran use in patients undergoing catheter ablation for atrial fibrillation using the second-generation cryoballoon. 2017 , 40, 1095-1099 | 7 |
| 1420 | Cardiac mapping and pulmonary vein isolation using a novel ablation catheter with tip minielectrodes. 2017 , 40, 1200-1205 | 3 |
| 1419 | Bleeding risk of apixaban, dabigatran, and low-dose rivaroxaban compared with warfarin in Japanese patients with non-valvular atrial fibrillation: a propensity matched analysis of administrative claims data. 2017 , 33, 1955-1963 | 30 |
| 1418 | Atrial Fibrillation in Athletes: A Lesson in the Virtue of Moderation. 2017 , 3, 921-928 | 23 |
| 1417 | Persistence With Dabigatran Therapy at 2 Years in Patients With Atrial Fibrillation. 2017 , 70, 1573-1583 | 28 |

| 1416 | Direct oral anticoagulant reversal: how, when and issues faced. 2017 , 10, 1005-1022 | 2 |
|------|--|----|
| 1415 | Atrial Fibrillation and Hypertension. 2017 , 70, 854-861 | 62 |
| 1414 | Severity of Hypertension Correlates with Risk of Thromboembolic Stroke. 2017 , 10, 368-373 | 1 |
| 1413 | CHADS-VASc Score for Identifying Truly Low-Risk Atrial Fibrillation for Stroke: A Korean Nationwide Cohort Study. 2017 , 48, 2984-2990 | 56 |
| 1412 | Percutaneous Closure of Left Atrial Appendage affects Mid-Term Release of MR-proANP. <i>Scientific Reports</i> , 2017 , 7, 9028 | 2 |
| 1411 | Consensus Statement on Surgical Treatment of Atrial Fibrillation (CSCVS - The Czech Society of Cardiovascular Surgery). 2017 , 59, e302-e304 | |
| 1410 | 2017 consensus of the Asia Pacific Heart Rhythm Society on stroke prevention in atrial fibrillation. 2017 , 33, 345-367 | 93 |
| 1409 | Idarucizumab for the treatment of hemorrhage and dabigatran reversal in patients requiring urgent surgery or procedures. 2017 , 17, 1275-1296 | 9 |
| 1408 | Incorporating Comprehensive Management of Direct Oral Anticoagulants into Anticoagulation Clinics. 2017 , 37, 1284-1297 | 14 |
| 1407 | Catheter Ablation of Atrial Fibrillation: An Overview for Clinicians. 2017 , 34, 1897-1917 | 59 |
| 1406 | The current technical options for minimally invasive surgical treatment of atrial fibrillation. 2017 , 59, e312-e316 | |
| 1405 | Vitamin K Antagonists Versus Novel Oral Anticoagulants for Elective Electrical Cardioversion of Atrial Fibrillation. 2017 , 24, e553-e558 | 2 |
| 1404 | Relationship between rotors and complex fractionated electrograms in atrial fibrillation using a novel computational analysis. 2017 , 36, 233-238 | 5 |
| 1403 | Atrial-selective K channel blockers: potential antiarrhythmic drugs in atrial fibrillation?. 2017 , 95, 1313-1318 | 19 |
| 1402 | Ablative Radiotherapy as a Noninvasive Alternative to Catheter Ablation for Cardiac Arrhythmias. 2017 , 19, 79 | 29 |
| 1401 | [Tachycardic Arrhythmias in the Emergency Room - State of the Art]. 2017 , 142, 1118-1122 | |
| 1400 | The preference of the physicians in diagnosis and treatment of cardiovascular diseases. 2017 , 3, 11-15 | 1 |
| 1399 | Warfarin Use in Patients With Atrial Fibrillation Undergoing Hemodialysis: A Nationwide Population-Based Study. 2017 , 48, 2472-2479 | 25 |

| 1398 | Comparison of the CHADS-VASc, CHADS, HAS-BLED, ORBIT, and ATRIA Risk Scores in Predicting Non-Vitamin K Antagonist Oral Anticoagulants-Associated Bleeding in Patients With Atrial Fibrillation. 2017 , 120, 1549-1556 | 36 |
|------|---|-----|
| 1397 | Comparison of vernakalant and ranolazine in atrial fibrillation. 2017 , 18, 663-668 | 2 |
| 1396 | Effects of exercise training on exercise capacity, cardiac function, BMI, and quality of life in patients with atrial fibrillation: a meta-analysis of randomized-controlled trials. 2017 , 40, 193-201 | 15 |
| 1395 | Catheter ablation of left atrial arrhythmias on uninterrupted oral anticoagulation with vitamin K antagonists: What is the relationship between international normalized ratio, activated clotting 2.7 time, and procedure-related complications?. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 1415-1422 | 1 |
| 1394 | The anti-influenza drug oseltamivir reduces atrial fibrillation in an experimental whole-heart model. 2017 , 390, 1155-1161 | 7 |
| 1393 | Direct oral anticoagulants in patients with hypertrophic cardiomyopathy and atrial fibrillation. 2017 , 248, 232-238 | 31 |
| 1392 | Atrial fibrillation in patients with severe mental disorders and the risk of stroke, fatal thromboembolic events and bleeding: a nationwide cohort study. 2017 , 7, e018209 | 13 |
| 1391 | Navigating the choice of oral anticoagulation therapy for atrial fibrillation in the NOAC era. 2017 , 8, 165-176 | 11 |
| 1390 | Clinical significance of atrial high-rate episodes for thromboembolic events in Japanese population. 2017 , 9, e010954 | 10 |
| 1389 | Percutaneous Left Atrial Appendage Closure: Current Devices and Clinical Outcomes. 2017, 10, | 53 |
| 1388 | Renal Outcomes in Anticoagulated Patients With Atrial Fibrillation. 2017, 70, 2621-2632 | 118 |
| 1387 | NOACs and atrial fibrillation: Incidence and predictors of left atrial thrombus in the real world. 2017 , 249, 179-183 | 44 |
| 1386 | Can we spice up our Christmas dinner?: Busting the myth of the 'Chinese restaurant syndrome'. 2017 , 25, 664-668 | 3 |
| 1385 | [Current indications for left atrial appendage occlusion]. 2017 , 28, 381-387 | |
| 1384 | [Recent and upcoming randomized trials for left atrial appendage occlusion: Need for a definite assessment of the situation]. 2017 , 28, 395-402 | 0 |
| 1383 | Cryoballoon ablation in atrial fibrillation: Advantages and drawbacks. 2017 , 36 Suppl 1, 19-24 | 3 |
| 1382 | Prospective use of Ablation Index targets improves clinical outcomes following ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 1037-1047 | 96 |
| 1381 | Cryoablation for treatment of cardiac arrhythmias: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2017 , 19, 303-307 | 5 |

| 1380 | Current practice of Dutch cardiologists in detecting and diagnosing atrial fibrillation: results of an online case vignette study. 2017 , 25, 567-573 | | 3 |
|------|---|-----|-----|
| 1379 | EWOLUTION-The next evolution in appendage closure?. 2017 , 14, 1309-1310 | | |
| 1378 | Is it reasonable to use a lower DOAC dose in some patients with VTE? NO. 2017, 12, 565-567 | | 1 |
| 1377 | Anticoagulation after coronary stenting: a systemic review. 2017 , 123, 79-89 | | 2 |
| 1376 | Symptomatic atrial fibrillation and risk of cardiovascular events: data from the Euro Heart Survey. <i>Europace</i> , 2017 , 19, 1922-1929 | 3.9 | 20 |
| 1375 | Usefulness of left ventricular speckle tracking echocardiography and novel measures of left atrial structure and function in diagnosing paroxysmal atrial fibrillation in ischemic stroke and transient ischemic attack patients. 2017 , 33, 1921-1929 | | 12 |
| 1374 | Atrial high-rate episodes and stroke prevention. <i>Europace</i> , 2017 , 19, 169-179 | 3.9 | 58 |
| 1373 | Device-detected subclinical atrial tachyarrhythmias: definition, implications and management-an European Heart Rhythm Association (EHRA) consensus document, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de | 3.9 | 137 |
| 1372 | Screening for atrial fibrillation: a European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaciñ Cardñca y Electrofisiologñ (SOLAECE). Europace, 2017, | 3.9 | 135 |
| 1371 | Antithrombotic therapy in atrial fibrillation associated with valvular heart disease: a joint consensus document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology Working Group on Thrombosis, endorsed by the ESC Working Group on Valvular Heart | 3.9 | 75 |
| 1370 | Elective electrical cardioversion of atrial fibrillation in patients with implantable devicesthsight of left atrium. 2017 , 655, 266-271 | | |
| 1369 | Cryoballoon ablation in atrial fibrillation: Advantages and drawbacks. 2017 , 36, 19-24 | | |
| 1368 | Optimal dose of dabigatran for the prevention of thromboembolism with minimal bleeding risk in Korean patients with atrial fibrillation. <i>Europace</i> , 2017 , 19, iv1-iv9 | 3.9 | 23 |
| 1367 | Renal Function, Time in Therapeutic Range and Outcomes in Warfarin-Treated Atrial Fibrillation Patients: A Retrospective Analysis of Nationwide Registries. 2017 , 117, 2291-2299 | | 14 |
| 1366 | Recent advances in rhythm control for atrial fibrillation. 2017 , 6, 1796 | | 8 |
| 1365 | DOAC use in patients with chronic kidney disease. 2017 , 37, 286-294 | | О |
| 1364 | Non-vitamin K antagonist oral anticoagulants compared with warfarin at different levels of INR control in atrial fibrillation: A meta-analysis of randomized trials. 2017 , 244, 196-201 | | 13 |
| 1363 | Emergency Surgery in a Critically Ill Patient with Major Drug-Induced Bleeding and Severe Ischaemic Heart Failure. 2017 , 3, 34-38 | | |

| 1362 | Left Atrial Appendage Thrombi Formation in Japanese Non-Valvular Atrial Fibrillation Patients During Anticoagulation Therapy - Warfarin vs. Direct Oral Anticoagulants. 2017 , 81, 645-651 | 27 |
|------|--|----|
| 1361 | PATIENTS WITH ATRIAL FIBRILLATION IN MULTIDISCIPLINARY HOSPITAL: STRUCTURE OF HOSPITALIZATION, CONCOMITANT CARDIOVASCULAR DISEASES AND DRUG TREATMENT (DATA OF RECVASA AF-TULA REGISTRY). 2017 , 13, 495-505 | 7 |
| 1360 | The Significance Of Troponin Elevation In Atrial Fibrillation. 2017 , 9, 1530 | 16 |
| 1359 | Oral loading of propafenone: restoring its role before restoring rhythm-authors' reply. <i>Europace</i> , 2017 , 19, 1903-1904 | 1 |
| 1358 | Optimum Risk Assessment for Stroke in Atrial Fibrillation: Should We Hold the Status Quo or Consider Magnitude Synergism and Left Atrial Appendage Anatomy?. 2017 , 6, 161-166 | 8 |
| 1357 | Complications of Atrial Fibrillation Cryoablation. 2017 , 10, 1620 | 9 |
| 1356 | Catheter Ablation of Atrial Fibrillation: Where Are We?. 2017, 2, 203-227 | |
| 1355 | Left ventricular ejection fraction and left atrium diameter related to new-onset atrial fibrillation following acute myocardial infarction: a systematic review and meta-analysis. 2017 , 8, 81137-81144 | 5 |
| 1354 | Effectiveness of catheter ablation of atrial fibrillation: are we at the dawn of a new era?. 2017 , 9, 3630-3634 | 1 |
| 1353 | SMOKING AS A RISK FACTOR OF CARDIOVASCULAR AND CEREBROVASCULAR DISEASES: PREVALENCE, IMPACT ON PROGNOSIS, POSSIBLE SMOKING CESSATION STRATEGIES AND THEIR EFFECTIVENESS. Part 1. Smoking Prevalence and Impact on Prognosis. 2017 , 13, 871-879 | 3 |
| 1352 | Atrial Fibrillation Screening through Combined Timing Features of Short Single-Lead Electrocardiograms. 2017 , | 2 |
| 1351 | Risk of cardiovascular events and incident atrial fibrillation in patients without prior atrial fibrillation: Implications for expanding the indications for anticoagulation. 2018 , 199, 137-143 | 3 |
| 1350 | Elevated soluble ST2 concentration may involve in the progression of atrial fibrillation. 2018 , 480, 138-142 | 13 |
| 1349 | Using light to fight atrial fibrillation. 2018 , 114, 635-637 | 3 |
| 1348 | Very long-term outcomes after a single catheter ablation procedure for the treatment of atrial fibrillation-the protective role of antiarrhythmic drug therapy. 2018 , 52, 39-45 | 8 |
| 1347 | Preventability of serious thromboembolic and bleeding events related to the use of oral anticoagulants: a prospective study. 2018 , 84, 1544-1556 | 11 |
| 1346 | Multimorbidity and co-morbidity in atrial fibrillation and effects on survival: findings from UK Biobank cohort. <i>Europace</i> , 2018 , 20, f329-f336 | 35 |
| 1345 | Gender Differences in the Pathogenesis and Management of Heart Disease. 2018 , | 1 |

| 1344 | High Incidence of Occult Atrial Fibrillation in Asian Patients with Cryptogenic Stroke. 2018 , 27, 2182-2186 | 5 | 7 |
|------|---|-----|----|
| 1343 | Introduction. 2018, 1-6 | | |
| 1342 | Association between atrial fibrillation, atrial enlargement, and left ventricular geometric remodeling. <i>Scientific Reports</i> , 2018 , 8, 6366 | 1.9 | 52 |
| 1341 | Perioperative Management of Anticoagulants. 2018 , 175-195 | | |
| 1340 | Left atrial deformation as a potent predictor for paroxysmal atrial fibrillation in patients with end-stage renal disease. 2018 , 34, 1393-1401 | | 3 |
| 1339 | A prospective 5-year follow-up after population-based systematic screening for atrial fibrillation. <i>Europace</i> , 2018 , 20, f306-f311 | 3.9 | 17 |
| 1338 | Therapeutic Decisions in Atrial Fibrillation for Stroke Prevention: The Role of Aversion to Ambiguity and Physicians' Risk Preferences. 2018 , 27, 2088-2095 | | 5 |
| 1337 | Evidence and Indications for Percutaneous Closure of the Left Atrial Appendage. 2018 , 71, 700-702 | | 1 |
| 1336 | Percutaneous Closure of Left Atrial Appendage significantly affects Lipidome Metabolism. Scientific Reports, 2018 , 8, 5894 | 1.9 | 4 |
| 1335 | Rabbit model to simulate the residual conduction gaps after radiofrequency ablation on the anterior wall of left atrial appendage. 2018 , 53, 1-8 | | O |
| 1334 | Atrial fibrillation ablation using cryoballoon technology: Recent advances and practical techniques. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 932-943 | 2.7 | 20 |
| 1333 | Left atrial geometry and outcome of atrial fibrillation ablation: results from the multicentre LAGO-AF study. 2018 , 19, 1002-1009 | | 32 |
| 1332 | Impact of body mass index on mortality and hospitalisation of patients with atrial fibrillation. 2018 , 17, 627-636 | | 6 |
| 1331 | NOAKs zur Schlaganfallprßention bei Vorhofflimmern. 2018 , 14, 87-97 | | |
| 1330 | Patient-Reported Outcomes in Relation to Continuously Monitored Rhythm Before and During 2 Years After Atrial Fibrillation Ablation Using a Disease-Specific and a Generic Instrument. 2018 , 7, | | 8 |
| 1329 | Transcatheter Therapies for Structural Heart Diseases. 2018 , 337-347 | | |
| 1328 | Contemporary approach to stroke prevention in atrial fibrillation: Risks, benefits, and new options. 2018 , 28, 469-480 | | О |
| 1327 | Idarucizumab-facilitated intravenous thrombolysis in acute stroke with dabigatran: Two cases with hemorrhagic transformation. 2018 , 388, 155-157 | | 11 |

| 1326 | The why, when and how to test for obstructive sleep apnea in patients with atrial fibrillation. 2018 , 107, 617-631 | 30 |
|------------------------------|--|------------------------------|
| 1325 | Contemporary stroke prevention strategies in 11 096 European patients with atrial fibrillation: a report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term 3.9 General Registry. <i>Europace</i> , 2018 , 20, 747-757 | 81 |
| 1324 | Editor's Choice - Frailty and the management of patients with acute cardiovascular disease: A position paper from the Acute Cardiovascular Care Association. 2018 , 7, 176-193 | 39 |
| 1323 | A clinical approach to arrhythmias revisited in 2018: From ECG over noninvasive and invasive electrophysiology to advanced imaging. 2018 , 26, 182-189 | 5 |
| 1322 | Bleeding with oral anticoagulant dabigatran is highly associated with occult cancers in atrial fibrillation patients. 2018 , 14, 27-36 | 4 |
| 1321 | La fibrilacifi auricular y su comportamiento en la mujer. 2018 , 25, 139-143 | |
| 1320 | Atrial Fibrillation and Cause-Specific Risks of Pulmonary Embolism and Ischemic Stroke. 2018, 7, | 15 |
| 1319 | Use of non-vitamin K oral anticoagulants in people with atrial fibrillation and diabetes mellitus. 2018 , 35, 548-556 | 13 |
| 1318 | Landiolol for managing atrial fibrillation in post-cardiac surgery. 2018 , 20, A4-A9 | 9 |
| | | |
| 1317 | Landiolol for managing atrial fibrillation in intensive care. 2018 , 20, A15-A18 | 5 |
| 1317 | Landiolol for managing atrial fibrillation in intensive care. 2018 , 20, A15-A18 Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1799:979 | |
| | | |
| 1316 | Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1799: 979 Atherothrombosis and Thromboembolism: Position Paper from the Second Maastricht Consensus | 9726 |
| 1316 | Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1799-979 Atherothrombosis and Thromboembolism: Position Paper from the Second Maastricht Consensus Conference on Thrombosis. 2018 , 118, 229-250 | 9726 32 |
| 1316 1315 1314 | Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1799-379 Atherothrombosis and Thromboembolism: Position Paper from the Second Maastricht Consensus Conference on Thrombosis. 2018 , 118, 229-250 Catheter Ablation for Atrial Fibrillation with Heart Failure. 2018 , 378, 417-427 Antithrombotic therapy use and clinical outcomes following thrombo-embolic events in patients | 9726 32 950 |
| 1316 1315 1314 1313 | Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1799-979 Atherothrombosis and Thromboembolism: Position Paper from the Second Maastricht Consensus Conference on Thrombosis. 2018 , 118, 229-250 Catheter Ablation for Atrial Fibrillation with Heart Failure. 2018 , 378, 417-427 Antithrombotic therapy use and clinical outcomes following thrombo-embolic events in patients with atrial fibrillation: insights from ARISTOTLE. 2018 , 4, 75-81 Quality of oral anticoagulation with vitamin K antagonists in 'real-world' patients with atrial | 9726 32 950 4 |
| 1316 1315 1314 1313 | Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1799-979 Atherothrombosis and Thromboembolism: Position Paper from the Second Maastricht Consensus Conference on Thrombosis. 2018 , 118, 229-250 Catheter Ablation for Atrial Fibrillation with Heart Failure. 2018 , 378, 417-427 Antithrombotic therapy use and clinical outcomes following thrombo-embolic events in patients with atrial fibrillation: insights from ARISTOTLE. 2018 , 4, 75-81 Quality of oral anticoagulation with vitamin K antagonists in 'real-world' patients with atrial fibrillation: a report from the prospective multicentre FANTASIIA registry. <i>Europace</i> , 2018 , 20, 1435-144 ³⁻⁹ | 9726 32 950 4 33 |

| 1308 | Antiarrhythmic drugs-clinical use and clinical decision making: a consensus document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology (ESC) Working Group on Cardiovascular Pharmacology, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific | 3.9 | 81 |
|------|--|------------------|-----|
| 1307 | Heart Rhythm Society (APHRS) and International Society of Cardiovascular Pharmacotherapy (ISCP). Association of left ventricular late gadolinium enhancement with left atrial low voltage areas in patients with atrial fibrillation. <i>Europace</i> , 2018 , 20, 1606-1611 | 3.9 | 2 |
| 1306 | Advances in cardiac cellular electrophysiology´- Relevance for clinical translation. 2018 , 29, 1-3 | | |
| 1305 | Landiolol for rate control management of atrial fibrillation in patients with cardiac dysfunction. 2018 , 20, A19-A24 | | 5 |
| 1304 | Atrial fibrillation ablation long-term outcomes: is there light at the end of the tunnel?. <i>Europace</i> , 2018 , 20, 1065-1066 | 3.9 | |
| 1303 | Therapeutic Ultrasound for the Heart: State of the Art. 2018 , 39, 227-235 | | 4 |
| 1302 | The HAS-BLED, ATRIA, and ORBIT Bleeding Scores in Atrial Fibrillation Patients Using Non-Vitamin K Antagonist Oral Anticoagulants. 2018 , 131, 574.e13-574.e27 | | 29 |
| 1301 | Discrepancies between the use of MDRD-4 IDMS and CKD-EPI equations, instead of the Cockcroft ault equation, in the determination of the dosage of direct oral anticoagulants in patients with non-valvular atrial fibrillation. 2018 , 150, 85-91 | | |
| 1300 | Safety and long-term effectiveness of paroxysmal atrial fibrillation ablation with a contact force-sensing catheter: real-world experience from a prospective, multicentre observational cohort registry. <i>Europace</i> , 2018 , 20, f410-f418 | 3.9 | 14 |
| 1299 | Improving procedural and one-year outcome after contact force-guided pulmonary vein isolation: the role of interlesion distance, ablation index, and contact force variability in the 'CLOSE'-protocol. <i>Europace</i> , 2018 , 20, f419-f427 | 3.9 | 127 |
| 1298 | Thoracoscopic left atrial appendage clipping as novel treatment option for peri-device leakage. <i>Europace</i> , 2018 , 20, 955 | 3.9 | 1 |
| 1297 | The role of pro-fibrotic biomarkers in paroxysmal and persistent atrial fibrillation. 2018 , 103, 63-68 | | 26 |
| 1296 | Coronary sinus signal amplitude predicts left atrial scarring. 2017, 1-6 | | 1 |
| 1295 | Combining Watchman left atrial appendage closure and catheter ablation for atrial fibrillation: multicentre registry results of feasibility and safety during implant and 30 days follow-up. <i>Europace</i> , 2018 , 20, 949-955 | 3.9 | 33 |
| 1294 | Predictors, management, and outcome of cardioversion failure early after atrial fibrillation ablation. <i>Europace</i> , 2018 , 20, 1428-1434 | 3.9 | 14 |
| 1293 | Percutaneous left atrial appendage occlusion in atrial fibrillation patients with a contraindication to oral anticoagulation: a focused review. <i>Europace</i> , 2018 , 20, 1412-1419 | 3.9 | 11 |
| 1292 | Commentary: PLAAF score as a novel predictor of long-term outcome after second-generation cryoballoon pulmonary vein isolation. <i>Europace</i> , 2018 , 20, f286-f287 | 3.9 | 1 |
| 1291 | Impact of pre-admission oral anticoagulation on ischaemic stroke volume, lesion pattern, and frequency of intracranial arterial occlusion in patients with atrial fibrillation. <i>Europace</i> , 2018 , 20, 1758-1 | 7 6 3 | 1 |

| 1290 | Surgical ablation of atrial fibrillation: a systematic review and meta-analysis of randomized controlled trials. <i>Europace</i> , 2018 , 20, 1442-1450 | 3.9 | 26 |
|------|--|------|----|
| 1289 | The influence of progression of atrial fibrillation on quality of life: a report from the Euro Heart Survey. <i>Europace</i> , 2018 , 20, 929-934 | 3.9 | 15 |
| 1288 | Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , 2018 , 20, 395-407 | 3.9 | 66 |
| 1287 | Burden of atrial high-rate episodes and risk of stroke: a systematic review. <i>Europace</i> , 2018 , 20, 1420-14 | 23.9 | 24 |
| 1286 | Nonvitamin K Antagonist Oral Anticoagulants Use in Patients with Atrial Fibrillation and Bioprosthetic Heart Valves/Prior Surgical Valve Repair: A Multicenter Clinical Practice Experience. 2018 , 44, 364-369 | | 27 |
| 1285 | Telemonitoring-based feedback improves adherence to non-vitamin K antagonist oral anticoagulants intake in patients with atrial fibrillation. 2018 , 39, 1394-1403 | | 35 |
| 1284 | Optimal nonvitamin K antagonist oral anticoagulant therapy in a warfarin-sensitive patient after left atrial appendage closure: A case report. 2018 , 97, e0683 | | 2 |
| 1283 | Periprocedural anticoagulation during left atrial ablation: interrupted and uninterrupted vitamin K-antagonists or uninterrupted novel anticoagulants. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 71 | 2.3 | 7 |
| 1282 | Percutaneous left atrial appendage closure with complex anatomy by using the staged 'kissing-Watchman' technology with double devices. 2018 , 265, 58-61 | | 12 |
| 1281 | Postprocedural LGE-CMR comparison of laser and radiofrequency ablation lesions after pulmonary vein isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1065-1072 | 2.7 | 11 |
| 1280 | Significantly Elevated C-Reactive Protein Levels After Epicardial Clipping of the Left Atrial Appendage. 2018 , 13, 125-131 | | 1 |
| 1279 | Comparison of treatment outcomes between convergent procedure and catheter ablation for paroxysmal atrial fibrillation evaluated with implantable loop recorder monitoring. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1073-1080 | 2.7 | 5 |
| 1278 | Medical and Interventional Outcomes in Pediatric Lone Atrial Fibrillation. 2018, 4, 638-648 | | 6 |
| 1277 | Dynamic Changes of CHA2DS2-VASc Score and the Risk of Ischaemic Stroke in Asian Patients with Atrial Fibrillation: A Nationwide Cohort Study. 2018 , 118, 1296-1304 | | 76 |
| 1276 | Optimal combination strategy of left atrial appendage closure plus catheter ablation in a single procedure in patients with nonvalvular atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1089-1095 | 2.7 | 9 |
| 1275 | Implant success and safety of left atrial appendage occlusion in end stage renal disease patients: Peri-procedural outcomes from an Italian dialysis population. 2018 , 262, 38-42 | | 15 |
| 1274 | Lipid profile and incidence of atrial fibrillation: A prospective cohort study in China. 2018 , 41, 314-320 | | 29 |
| 1273 | Ischfhischer und hfhorrhagischer Schlaganfall. 2018 , 47, 96-104 | | |

| 1272 | High mobility group box 1 was associated with thrombosis in patients with atrial fibrillation. 2018 , 97, e0132 | | 5 |
|------|---|---|-----|
| 1271 | To teach an old dog new tricks: The limits of CHADS-VASc in patients with atrial fibrillation and cancer. 2018 , 25, 994-995 | | 3 |
| 1270 | Role of NT-proANP and NT-proBNP in patients with atrial fibrillation: Association with atrial fibrillation progression phenotypes. 2018 , 15, 1132-1137 | | 30 |
| 1269 | Device-Related Thrombosis After Percutaneous Left Atrial Appendage Occlusion for Atrial Fibrillation. 2018 , 71, 1528-1536 | | 149 |
| 1268 | Updated Survey on Interventional Electrophysiology: 5-Year Follow-Up of Infrastructure, Procedures, and Training Positions in Germany. 2018 , 4, 820-827 | | 10 |
| 1267 | Landiolol for managing post-operative atrial fibrillation. 2018 , 20, A10-A14 | | 6 |
| 1266 | A RAndomized Trial to compare the acute reconnection after pulmonary vein ISolation with Laser-BalloON versus radiofrequency Ablation: RATISBONA trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 733-739 | 7 | 15 |
| 1265 | Second-generation cryoballoon ablation as a first-line treatment of symptomatic atrial fibrillation: Two-year outcome and predictors of recurrence after a single procedure. 2018 , 259, 76-81 | | 14 |
| 1264 | Systematic screening for atrial fibrillation in a 65-year-old population with risk factors for stroke: data from the Akershus Cardiac Examination 1950 study. <i>Europace</i> , 2018 , 20, f299-f305 |) | 16 |
| 1263 | Alteracifi del strain auricular izquierdo como predictor de fibrilacifi auricular de nuevo comienzo tras recambio valvular aftico, independientemente del tamaô de la aurfiula izquierda. 2018 , 71, 466-476 | | 12 |
| 1262 | Impact of prophylactic cavotricuspid isthmus ablation in atrial fibrillation recurrence after a first pulmonary vein isolation procedure. 2018 , 259, 82-87 | | 11 |
| 1261 | Arrhythmias in congenital heart disease: a position paper of the European Heart Rhythm Association (EHRA), Association for European Paediatric and Congenital Cardiology (AEPC), and the European Society of Cardiology (ESC) Working Group on Grown-up Congenital heart disease, | 9 | 120 |
| 1260 | Non-vitamin K antagonist use in the cryoballoon technique using a purse-string suture closure. 2018 , 259, 103-104 | | |
| 1259 | Impact of chronic kidney disease on Watchman implantation: experience with 300 consecutive left atrial appendage closures at a single center. 2018 , 33, 1068-1075 | | 15 |
| 1258 | Choice and Outcomes of Rate Control versus Rhythm Control in Elderly Patients with Atrial Fibrillation: A Report from the REPOSI Study. 2018 , 35, 365-373 | | 13 |
| 1257 | Pacientes con fibrilaciñ auricular atendidos en consulta de atenciñ primaria de una instituciñ de alta complejidad. 2018 , 25, 124-130 | | 3 |
| 1256 | Incidence and Clinical Significance of New-Onset Device-Detected Atrial Tachyarrhythmia: A Meta-Analysis. 2018 , 11, e005393 | | 15 |
| 1255 | Combined atrial fibrillation ablation and left atrial appendage closure: long-term follow-up from a large multicentre registry. <i>Europace</i> , 2018 , 20, 1783-1789 | 9 | 38 |

| 1254 | Atrial fibrillation patterns are associated with arrhythmia progression and clinical outcomes. 2018 , 104, 1608-1614 | | 10 | |
|------|---|-------------|----|--|
| 1253 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on arrhythmias and cognitive function: what is the best practice?. 2018 , 15, e37-e60 | | 16 | |
| 1252 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on arrhythmias and cognitive function: what is the best practice?. <i>Europace</i> , 2018 , 20, 1399-1421 | 3.9 | 41 | |
| 1251 | European Heart Rhythm Association (EHRA) position paper on arrhythmia management and device therapies in endocrine disorders, endorsed by Asia Pacific Heart Rhythm Society (APHRS) and Latin American Heart Rhythm Society (LAHRS). <i>Europace</i> , 2018 , 20, 895-896 | 3.9 | 13 | |
| 1250 | Major knowledge gaps and system barriers to guideline implementation among European physicians treating patients with atrial fibrillation: a European Society of Cardiology international educational needs assessment. <i>Europace</i> , 2018 , 20, 1919-1928 | 3.9 | 25 | |
| 1249 | Impact of left atrial volume, sphericity, and fibrosis on the outcome of catheter ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 740-746 | 2.7 | 25 | |
| 1248 | Significant reduction of radiation exposure in cryoballoon-based pulmonary vein isolation. <i>Europace</i> , 2018 , 20, 608-613 | 3.9 | 9 | |
| 1247 | Non-vitamin K-dependent oral anticoagulants have a positive impact on ischaemic stroke severity in patients with atrial fibrillation. <i>Europace</i> , 2018 , 20, 569-574 | 3.9 | 24 | |
| 1246 | Prognostic value of elevated high-sensitivity cardiac troponin T in patients admitted to an emergency department with atrial fibrillation. <i>Europace</i> , 2018 , 20, 582-588 | 3.9 | 13 | |
| 1245 | Concerns about the European society of cardiology atrial fibrillation guidelines. <i>Europace</i> , 2018 , 20, 215 | -3.96 | | |
| 1244 | Very long-term outcome following transcatheter ablation of atrial fibrillation. Are results maintained after 10 years of follow up?. <i>Europace</i> , 2018 , 20, 443-450 | 3.9 | 33 | |
| 1243 | Stroke and bleeding with non-vitamin K antagonist oral anticoagulant or warfarin treatment in patients with non-valvular atrial fibrillation: a population-based cohort study. <i>Europace</i> , 2018 , 20, 420-42 | <u>1</u> 89 | 38 | |
| 1242 | Does atrial fibrillation cause cognitive decline and dementia?. Europace, 2018, 20, 408-419 | 3.9 | 61 | |
| 1241 | Family history of atrial fibrillation as a predictor of atrial substrate and arrhythmia recurrence in patients undergoing atrial fibrillation catheter ablation. <i>Europace</i> , 2018 , 20, 921-928 | 3.9 | 7 | |
| 1240 | Prevalence and predictors of low voltage zones in the left atrium in patients with atrial fibrillation. <i>Europace</i> , 2018 , 20, 956-962 | 3.9 | 40 | |
| 1239 | Elevated homocysteine increases the risk of left atrial/left atrial appendage thrombus in non-valvular atrial fibrillation with low CHA2DS2-VASc score. <i>Europace</i> , 2018 , 20, 1093-1098 | 3.9 | 16 | |
| 1238 | Outcomes after catheter ablation and cardioversion in patients with non-valvular atrial fibrillation: results from the prospective, observational XANTUS study. <i>Europace</i> , 2018 , 20, e87-e95 | 3.9 | 11 | |
| 1237 | Cardioversion of atrial fibrillation in a real-world setting: non-vitamin K antagonist oral anticoagulants ensure a fast and safe strategy compared to warfarin. <i>Europace</i> , 2018 , 20, 1078-1085 | 3.9 | 17 | |

| 1236 | Non-vitamin K antagonist oral anticoagulants in atrial fibrillation patients undergoing elective cardioversion. <i>Europace</i> , 2018 , 20, 565-568 | 3.9 | 22 |
|------|---|-------|----|
| 1235 | Temporal pattern/episode duration-based classification of atrial fibrillation as paroxysmal vs. persistent: is it time to develop a more integrated prognostic score to optimize management?. <i>Europace</i> , 2018 , 20, f288-f298 | 3.9 | 9 |
| 1234 | Epicardial left atrial appendage AtriClip occlusion reduces the incidence of stroke in patients with atrial fibrillation undergoing cardiac surgery. <i>Europace</i> , 2018 , 20, e105-e114 | 3.9 | 46 |
| 1233 | Triple therapy with dual antiplatelet treatment and direct oral anticoagulants. 2018, 47, e20 | | |
| 1232 | Hyperuricemia is associated with an increased prevalence of paroxysmal atrial fibrillation in patients with type 2 diabetes referred for clinically indicated 24-h Holter monitoring. 2018 , 41, 223-231 | | 14 |
| 1231 | Pathophysiological and therapeutic implications in patients with atrial fibrillation and heart failure. 2018 , 23, 27-36 | | 27 |
| 1230 | Atrial fibrillation is associated with decreased total cerebral blood flow and brain perfusion. <i>Europace</i> , 2018 , 20, 1252-1258 | 3.9 | 55 |
| 1229 | Does CHA2DS2-VASc score predict ischaemic stroke in chronic obstructive pulmonary disease?. <i>Europace</i> , 2018 , 20, 729 | 3.9 | |
| 1228 | Elective Cardioversion in the Era of Novel Oral Anticoagulants - Does a Nurse Administered Verbal Questionnaire for Compliance Negate the Need for Routine Transoesophageal Echocardiography?. 2018 , 27, 989-994 | | 2 |
| 1227 | Second generation cryoballoon ablation for persistent atrial fibrillation: an updated meta-analysis. 2018 , 107, 182-192 | | 28 |
| 1226 | Preoperative Use of Oral Beta-Adrenergic Blocking Agents and the Incidence of New-Onset Atrial Fibrillation After Cardiac Surgery. A Systematic Review and Meta-Analysis. 2018 , 27, 310-321 | | 15 |
| 1225 | Pulmonary vein isolation cryoablation for patients with persistent and long-standing persistent atrial fibrillation: Clinical outcomes from the real-world multicenter observational project. 2018 , 15, 363 | 3-368 | 43 |
| 1224 | Atrial function is altered in lone paroxysmal atrial fibrillation in male endurance veteran athletes. 2018 , 19, 145-153 | | 24 |
| 1223 | Prevalence and predictive factors of left atrial tachycardia occurring after second-generation cryoballoon ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 46-54 | 2.7 | 7 |
| 1222 | Dosing issues with non-vitamin K antagonist oral anticoagulants for the treatment of non-valvular atrial fibrillation: Why we should not underdose our patients. 2018 , 111, 85-94 | | 22 |
| 1221 | Shared Decision-Making as the Future of Emergency Cardiology. 2018 , 34, 117-124 | | 18 |
| 1220 | Single trans-septal access technique for left atrial intracardiac echocardiography to guide left atrial appendage closure. 2018 , 91, 356-361 | | 8 |
| 1219 | Development and validation of a risk score for predicting atrial fibrillation recurrence after a first catheter ablation procedure - ATLAS score. <i>Europace</i> , 2018 , 20, f428-f435 | 3.9 | 50 |

| 1218 | Confidence in the Use of Direct Oral Anticoagulants in the Acute Phase of Nonvalvular Atrial Fibrillation-Related Ischemic Stroke Over the Years: A Real-World Single-Center Study. 2018 , 27, 76-82 | 5 |
|------|---|----|
| 1217 | An updated meta-analysis of novel oral anticoagulants versus vitamin K antagonists for uninterrupted anticoagulation in atrial fibrillation catheter ablation. 2018 , 15, 107-115 | 42 |
| 1216 | 'It's like a frog leaping about in your chest': Illness and treatment perceptions in persistent atrial fibrillation. 2018 , 23, 3-21 | 5 |
| 1215 | An illness-specific version of the Revised Illness Perception Questionnaire in patients with atrial fibrillation (AF IPQ-R): Unpacking beliefs about treatment control, personal control and symptom triggers. 2018 , 33, 499-517 | 7 |
| 1214 | [Oral anticoagulation in atrial fibrillation: What is the guideline for using new drugs?]. 2018, 44, 297-303 | O |
| 1213 | Safety of Uninterrupted Periprocedural Edoxaban Versus Phenprocoumon for Patients Who Underwent Left Atrial Catheter Ablation Procedures. 2018 , 121, 445-449 | 14 |
| 1212 | How to perform posterior wall isolation in catheter ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 345-352 | 13 |
| 1211 | Update on the use of direct oral anticoagulants for the prevention and treatment of thromboembolism. 2018 , 14, 89-99 | |
| 1210 | Safety and efficacy analysis of one-stop intervention for treating nonvalvular atrial fibrillation. 2018 , 41, 28-34 | 5 |
| 1209 | Fatal attraction - A brief pathophysiology of the interaction between atrial fibrillation and myocardial ischemia. 2018 , 254, 132-135 | 9 |
| 1208 | Retrospective Evaluation of the Effect of Heart Rate on Survival in Dogs with Atrial Fibrillation. 2018 , 32, 86-92 | 16 |
| 1207 | Prediction of Incident Atrial Fibrillation According to Gender in Patients With Ischemic Stroke From a Nationwide Cohort. 2018 , 121, 437-444 | 12 |
| 1206 | Sex Differences in Atrial Fibrillation. 2018 , 34, 429-436 | 33 |
| 1205 | Use of Non-Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation Patients with Malignancy: Clinical Practice Experience in a Single Institution and Literature Review. 2018 , 44, 370-376 | 29 |
| 1204 | Detection of new atrial fibrillation in patients with cardiac implanted electronic devices and factors associated with transition to higher device-detected atrial fibrillation burden. 2018 , 15, 376-383 | 55 |
| 1203 | Use of oral anticoagulants in German nursing home residents: drug use patterns and predictors for treatment choice. 2018 , 84, 590-601 | 8 |
| 1202 | Influence of abdominal obesity and habitual behaviors on incident atrial fibrillation in Japanese. Journal of Cardiology, 2018 , 71, 118-124 | 10 |
| 1201 | Effects of angiotensin-neprilysin inhibition compared to angiotensin inhibition on ventricular arrhythmias in reduced ejection fraction patients under continuous remote monitoring of implantable defibrillator devices. 2018 , 15, 395-402 | 91 |

| 1200 | Impaired Left Atrial Strain as a Predictor of New-onset Atrial Fibrillation After Aortic Valve Replacement Independently of Left Atrial Size. 2018 , 71, 466-476 | 9 |
|------|---|----|
| 1199 | Complications of pulmonary vein isolation in atrial fibrillation: predictors and comparison between four different ablation techniques: Results from the MIddelheim PVI-registry. <i>Europace</i> , 2018 , 20, 1279-1286 | 36 |
| 1198 | Relationship between left ventricular diastolic dysfunction and very late recurrences after multiple procedures for atrial fibrillation ablation. 2018 , 33, 41-48 | 4 |
| 1197 | Discrepancies between the use of MDRD-4 IDMS and CKD-EPI equations, instead of the Cockcroft-Gault equation, in the determination of the dosage of direct oral anticoagulants in patients with non-valvular atrial fibrillation. 2018 , 150, 85-91 | 8 |
| 1196 | Patients with atrial fibrillation and coronary artery disease - Double trouble. 2018 , 63, 30-35 | 73 |
| 1195 | Empowerment of athletes with cardiac disorders: a new paradigm. <i>Europace</i> , 2018 , 20, 1243-1251 3.9 | 8 |
| 1194 | Role of Hypertension and Other Clinical Variables in Prognostication of Patients Presenting to the Emergency Department With Major Bleeding Events. 2018 , 17, 139-146 | 6 |
| 1193 | Lessons from the current European Heart Rhythm Association consensus document on screening for atrial fibrillation. 2018 , 19, 222-224 | 3 |
| 1192 | Significantly Elevated C-Reactive Protein Levels after Epicardial Clipping of the Left Atrial Appendage. 2018 , 13, 125-131 | 1 |
| 1191 | WarfarinSeerla predictive tool based on SMOTE-random forest to improve warfarin dose prediction in Chinese patients. 2018 , | 4 |
| 1190 | Genetik von Vorhofflimmern. 2018 , 7, 204-210 | |
| 1189 | Dynamic stroke risk scores of atrial fibrillation. 2018 , 10, 1332-1334 | 2 |
| 1188 | Dabigatran as an alternative for atrial thrombosis resistant to rivaroxaban: A case report. 2018 , 97, e13623 | 2 |
| 1187 | A link between cytotoxicity in cell culture and gastrointestinal side effects of oral anticoagulants: bench-to-bedside. 2018 , 119, 706-712 | 1 |
| 1186 | Surgical left atrial appendage occlusion during cardiac surgery: A systematic review and meta-analysis. 2018 , 10, 242-249 | 11 |
| 1185 | Peri-interventional embolization of left atrial appendage occlusion devices: two manoeuvers of successful retrieval. 2018 , 2, yty001 | 4 |
| 1184 | Short-term Heart Function Change of Catheter Ablation in Persistent Atrial Fibrillation and Heart Failure: A Meta-analysis of Randomized Controlled Trials. 2018 , 9, | |
| 1183 | 6 PBM im nicht chirurgischen Bereich. 2018 , | |

| 1182 | Stroke Risk Stratification for Atrial Fibrillation Patients With Hypertrophic Cardiomyopathy. 2018 , 72, 2409-2411 | | 12 |
|------|--|-----|----|
| 1181 | A Renal Function Based Trade-Off Analysis of Non-vitamin K Antagonist Oral Anticoagulants in Nonvalvular Atrial Fibrillation. 2018 , 9, 1644 | | 4 |
| 1180 | Direct oral anticoagulant use and subsequent start of proton pump inhibitors as proxy for gastric complaints. 2018 , 27, 1371-1378 | | |
| 1179 | Anticoagulation Therapy for Atrial Fibrillation in Patients With Alzheimer's Disease. 2018 , 49, 2844-2850 |) | 3 |
| 1178 | The Dipyridamole Added to Dual Antiplatelet Therapy in Cerebral Infarction After First Acute Myocardial Infarction: A Nationwide, Case-Control Study. 2018 , 9, 1003 | | 2 |
| 1177 | [The challenge of antitrombotic treatment prescription in older adults with atrial fibrillation. Does age justify the anti-thrombotic strategy in elderly patients with atrial fibrillation?]. 2018 , 53, 317-318 | | 2 |
| 1176 | Risk of reoperation in bioprosthetic valve patients with indication for long-term anticoagulation. Results from the observational retrospective multicentre PLECTRUM study. 2018 , 5, e000837 | | 3 |
| 1175 | Patients with Atrial Fibrillation and Chronic Kidney Disease More Often Undergo Angioplasty of Left Main Coronary Artery - a 867 Patient Study. 2018 , 43, 1796-1805 | | 2 |
| 1174 | Chronic Kidney Disease Increases Atrial Fibrillation Inducibility: Involvement of Inflammation, Atrial Fibrosis, and Connexins. 2018 , 9, 1726 | | 16 |
| 1173 | Epidemiological Characteristics of Atrial Fibrillation in Southern China: Results from the Guangzhou Heart Study. <i>Scientific Reports</i> , 2018 , 8, 17829 | 4.9 | 20 |
| 1172 | Is there a difference in rhythm outcome between patients undergoing first line versus second line paroxysmal atrial fibrillation ablation?. <i>PLoS ONE</i> , 2018 , 13, e0208994 | 3.7 | 2 |
| 1171 | Cardiac tamponade in catheter ablation of atrial fibrillation: German-wide analysis of 21 141 procedures in the Helios atrial fibrillation ablation registry (SAFER). <i>Europace</i> , 2018 , 20, 1944-1951 | 3.9 | 45 |
| 1170 | SPECTRO-TEMPORAL ECG ANALYSIS FOR ATRIAL FIBRILLATION DETECTION. 2018, | | 6 |
| 1169 | Circulating proteomic patterns in AF related left atrial remodeling indicate involvement of coagulation and complement cascade. <i>PLoS ONE</i> , 2018 , 13, e0198461 | 3.7 | 6 |
| 1168 | Muscle Thickness and Curvature Influence Atrial Conduction Velocities. 2018 , 9, 1344 | | 5 |
| 1167 | Atrial Structural Remodeling Gene Variants in Patients with Atrial Fibrillation. <i>BioMed Research International</i> , 2018 , 2018, 4862480 | 3 | 4 |
| 1166 | Repeat ablation for paroxysmal atrial fibrillation - Does adenosine play a role in predicting pulmonary vein reconnection patterns?. 2018 , 18, 203-207 | | 2 |
| 1165 | Atrial fibrillation and medication treatment among centenarians: Are all very old patients treated the same?. 2018 , 18, 1634-1640 | | 2 |

| 1164 | The cessation of oral anticoagulation following left atrial appendage surgery. 2018, 14, 407-415 | | О |
|------|---|-----|----|
| 1163 | Channelopathies in Heart Disease. 2018, | | |
| 1162 | Atrial fibrillation in Ethalassemia Major Patients: Diagnosis, Management and Therapeutic Options. 2018 , 42, 189-193 | | 10 |
| 1161 | Direct oral anticoagulants for the treatment of venous thromboembolism in cancer patients: Potential for drug-drug interactions. 2018 , 132, 169-179 | | 29 |
| 1160 | Antithrombotic therapies for elderly patients: handling problems originating from their comorbidities. 2018 , 13, 1675-1690 | | 4 |
| 1159 | Left-Atrial Appendage Occluders: Recent Advances and Unresolved Issues. 2018 , 515-533 | | |
| 1158 | Opposite relations of epicardial adipose tissue to left atrial size in paroxysmal and permanent atrial fibrillation. 2018 , 6, 2050312118799908 | | 4 |
| 1157 | Progression From Paroxysmal to Sustained Atrial Fibrillation Is Associated With Increased Adverse Events. 2018 , 49, 2301-2308 | | 39 |
| 1156 | Associations between socioeconomic status, atrial fibrillation, and outcomes: a systematic review. 2018 , 16, 857-873 | | 12 |
| 1155 | DOAC use in patients with chronic kidney disease. 2018 , 47, 146-154 | | 1 |
| 1154 | Atrial fibrillation progression and outcome in patients with young-onset atrial fibrillation. <i>Europace</i> , 2018 , 20, 1750-1757 | 3.9 | 21 |
| 1153 | Treatment of Atrial Fibrillation in Patients with Co-existing Heart Failure and Reduced Ejection Fraction: Time to Revisit the Management Guidelines?. 2018 , 7, 91-94 | | 11 |
| 1152 | Prognostic impact of digoxin use for rate control of atrial fibrillation in patients \$\mathbb{Q}\$5 years of age. 2018 , 88, 954 | | |
| 1151 | WHAT DO PATIENTS WITH ATRIAL FIBRILLATION KNOW ABOUT STROKE AND SYSTEMIC EMBOLISM PREVENTION? DATA OF THE PRIMA-TERRA REGISTRY. 2018 , 14, 229-234 | | |
| 1150 | Is the time between first diagnosis of paroxysmal atrial fibrillation and cryoballoon ablation a predictor of efficacy?. 2018 , 19, 446-452 | | 6 |
| 1149 | Antiarrhythmic drugs-clinical use and clinical decision making: a consensus document from EHRA and ESC WG on Cardiovascular Pharmacology endorsed by HRS, APHRS, and ISCP-Authors' reply. <i>Europace</i> , 2018 , 20, 1873-1874 | 3.9 | O |
| | | | |
| 1148 | Rhythm-control vs rate-control in the elderly: When to do it and which drug to prefer?. 2018, 88, 949 | | |

| 1146 | Stroke Risk and Treatment in Patients with Atrial Fibrillation and Low CHADS-VASc Scores: Findings From the ORBIT-AF I and II Registries. 2018 , 7, e008764 | | 6 |
|------|---|-----|----|
| 1145 | Mapping of persistent atrial fibrillation: Learning to walk, step by step. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1489-1492 | 2.7 | |
| 1144 | Multiple biomarkers and arrhythmia outcome following catheter ablation of atrial fibrillation: The Guangzhou Atrial Fibrillation Project. 2018 , 34, 617-625 | | 4 |
| 1143 | A randomized clinical trial of early invasive intervention for atrial fibrillation (EARLY-AF) - methods and rationale. 2018 , 206, 94-104 | | 13 |
| 1142 | Idarucizumab-facilitated intravenous thrombolysis in acute ischemic stroke: A therapeutic strategy requiring further investigation. 2018 , 394, 144-145 | | 1 |
| 1141 | Zum Beitrag: Medikamentße Therapie kardiologischer Erkrankungen im Alter. 2018 , 113, 982 | | |
| 1140 | Direct current cardioversion. <i>Medicine</i> , 2018 , 46, 663 | 0.6 | |
| 1139 | Detection of atrial fibrillation from ECG recordings using decision tree ensemble with multi-level features. 2018 , 39, 094008 | | 15 |
| 1138 | Indications and use of, and incidence of major bleeding with, antithrombotic agents in myelodysplastic syndrome. 2018 , 73, 24-28 | | 2 |
| 1137 | How Heart Rate Should Be Controlled in Patients with Atherosclerosis and Heart Failure. 2018 , 20, 54 | | 2 |
| 1136 | Antiarrhythmic drugs for atrial fibrillation: Imminent impulses are emerging. 2018, 21, 11-15 | | 19 |
| 1135 | Perceptions and experiences of MediYoga among patients with paroxysmal atrial fibrillation-An interview study. 2018 , 41, 29-34 | | 1 |
| 1134 | Patient-Reported Treatment Satisfaction with Dabigatran versus Warfarin in Patients with Non-Valvular Atrial Fibrillation in China. 2018 , 118, 1815-1822 | | 11 |
| 1133 | Cardiac magnetic resonance using late gadolinium enhancement and atrial T1 mapping predicts poor outcome in patients with atrial fibrillation after catheter ablation therapy. <i>Scientific Reports</i> , 2018 , 8, 13618 | 4.9 | 15 |
| 1132 | Withdrawal of oral anticoagulants 3 months after successful radiofrequency catheter ablation in patients with atrial fibrillation: A meta-analysis. 2018 , 41, 1391-1400 | | 9 |
| 1131 | Distinct Occurrence of Proarrhythmic Afterdepolarizations in Atrial Versus Ventricular Cardiomyocytes: Implications for Translational Research on Atrial Arrhythmia. 2018 , 9, 933 | | 3 |
| 1130 | Outcomes Among Patients With Atrial Fibrillation and Appropriate Anticoagulation Control. 2018 , 72, 1357-1365 | | 12 |
| 1129 | Prognostic Significance and Risk of Atrial Fibrillation of Wolff-Parkinson-White Syndrome in Patients With Hypertrophic Cardiomyopathy. 2018 , 122, 1546-1550 | | 2 |

| 1128 | Atrial Rotor Dynamics Under Complex Fractional Order Diffusion. 2018 , 9, 975 | | 10 |
|------|--|---|----|
| 1127 | Ideal Blood Pressure in Patients With Atrial Fibrillation. 2018 , 72, 1233-1245 | | 63 |
| 1126 | Ventricular arrhythmia and death among atrial fibrillation patients using anti-arrhythmic drugs. 2018 , 205, 118-127 | | 17 |
| 1125 | In-hospital mortality of patients with atrial arrhythmias: insights from the German-wide Helios hospital network of 161 502 patients and 34 025 arrhythmia-related procedures. 2018 , 39, 3947-3957 | | 31 |
| 1124 | Moving beyond description to intervention to improve self-management knowledge for patients with atrial fibrillation. 2018 , 272, 225-226 | | 1 |
| 1123 | Antiplatelet Treatment for Catheter-Based Interventions in High-Risk Patients: Current Guidelines and Expert Opinion. 2018 , 38, 229-235 | | 1 |
| 1122 | Characterization of circRNA-associated ceRNA networks in patients with nonvalvular persistent atrial fibrillation. 2019 , 19, 638-650 | | 14 |
| 1121 | Automatic Identification of Atrial Fibrillation by Spectral Analysis of Fibrillatory Waves. 2018, | | 4 |
| 1120 | Role of the anticoagulant monitoring service in 2018: beyond warfarin. 2018, 2018, 348-352 | | 9 |
| 1119 | Strengths and weaknesses of 'real-world' studies involving non-vitamin K antagonist oral anticoagulants. 2018 , 5, e000788 | | 51 |
| 1118 | Association of Surgical Left Atrial Appendage Occlusion With Subsequent Stroke and Mortality Among Patients Undergoing Cardiac Surgery. 2018 , 319, 2116-2126 | | 69 |
| 1117 | Atrial fibrillation in dialysis patients: is there a place for non-vitamin K antagonist oral anticoagulants?. 2018 , 50, 1633-1642 | | 1 |
| 1116 | Anticoagulation Resumption After Intracerebral Hemorrhage. 2018 , 20, 32 | | 27 |
| 1115 | Periprocedural Complications in Patients Undergoing Catheter Ablation of Atrial Fibrillation Without Discontinuation of a Vitamin K Antagonist and Direct Oral Anticoagulants. 2018 , 82, 1552-1557 | | 7 |
| 1114 | Symptom Burden of Atrial Fibrillation and Its Relation to Interventions and Outcome in Europe. 2018 , 7, | | 9 |
| 1113 | Increased burden of comorbidities and risk of cardiovascular death in atrial fibrillation patients in Europe over ten years: A comparison between EORP-AF pilot and EHS-AF registries. 2018 , 55, 28-34 | | 37 |
| 1112 | The net clinical benefit of the antithrombotic protection in prosthetic mechanical valves: Changing the paradigm. 2018 , 267, 77-78 | | |
| 1111 | Structuring (right) atrial fibrillation: location matters. <i>Europace</i> , 2018 , 20, 906-907 | 9 | 2 |

| 1110 | Pacemaker-detected severe sleep apnoea predicts new-onset atrial fibrillation: Author's reply. <i>Europace</i> , 2018 , 20, 2047-2048 | 3.9 | |
|------|--|-----|-----|
| 1109 | Excessive exercise in endurance athletes: Is atrial fibrillation a possible consequence?. 2018 , 43, 973-97 | '6 | 7 |
| 1108 | Recurrence rate of atrial fibrillation after the first clinical episode: A prospective evaluation using continuous cardiac rhythm monitoring. 2018 , 41, 594-600 | | 12 |
| 1107 | [Biomarkers and atrial fibrillation: Prediction of recurrences and thromboembolic events after rhythm control management]. 2018 , 29, 219-227 | | 2 |
| 1106 | Non-vitamin K antagonist oral anticoagulants in atrial fibrillation patients with bioprosthetic valves. 2018 , 1-6 | | 4 |
| 1105 | Integrated care to reduce atrial fibrillation burden: do not underrate the overweight!. <i>Europace</i> , 2018 , 20, 1875-1876 | 3.9 | |
| 1104 | Sex differences in cardiac arrhythmia: a consensus document of the European Heart Rhythm Association, endorsed by the Heart Rhythm Society and Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2018 , 20, 1565-1565ao | 3.9 | 108 |
| 1103 | Edoxaban therapy increases treatment satisfaction and reduces utilization of healthcare resources: an analysis from the EdoxabaN vs. warfarin in subjectS UndeRgoing cardiovErsion of atrial fibrillation (ENSURE-AF) study. <i>Europace</i> , 2018 , 20, 1936-1943 | 3.9 | 14 |
| 1102 | Evidencia e indicaciones del cierre percuttieo de la orejuela izquierda. 2018, 71, 700-702 | | 3 |
| 1101 | The long-term efficacy of concomitant maze IV surgery in patients with atrial fibrillation. 2018 , 19, 20-2 | 26 | 4 |
| 1100 | High rate of recurrence at long-term follow-up after new-onset atrial fibrillation during acute myocardial infarction. <i>Europace</i> , 2018 , 20, e179-e188 | 3.9 | 15 |
| 1099 | Heart Failure and Stroke. 2018 , 15, 287-296 | | 7 |
| 1098 | TIMI-AF score and cardiovascular events in vitamin K antagonists-naße outpatients with atrial fibrillation. 2018 , 41, 1252-1258 | | 3 |
| 1097 | Introduction of Non-Vitamin K Antagonist Anticoagulants Strongly Increased the Rate of Anticoagulation in Hospitalized Geriatric Patients with Atrial Fibrillation. 2018 , 35, 859-869 | | 2 |
| 1096 | Vitamin K antagonist use and renal function in pre-dialysis patients. 2018 , 10, 623-630 | | 4 |
| 1095 | Left atrial thrombus despite continuous direct oral anticoagulant or warfarin therapy in patients with atrial fibrillation: insights into rates and timing of thrombus resolution. 2018 , 53, 159-167 | | 5 |
| 1094 | Left Atrial Appendages Occlusion: Current Status and Prospective. 2018, 48, 692-704 | | 15 |
| 1093 | Electrocardiography Screening for Atrial Fibrillation: We Can Do Better. 2018 , 3, 1144-1145 | | 5 |

| 1092 | Non-vitamin K Antagonist Oral Anticoagulants vs. Warfarin at Risk of Fractures: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2018 , 9, 348 | 39 | |
|------|---|----|--|
| 1091 | Aerobic Interval Training Prevents Age-Dependent Vulnerability to Atrial Fibrillation in Rodents. 2018 , 9, 206 | 3 | |
| 1090 | Real-Time Rotational Activity Detection in Atrial Fibrillation. 2018, 9, 208 | 10 | |
| 1089 | Center experience does not influence long-term outcome and peri-procedural complications after cryoballoon ablation of paroxysmal atrial fibrillation: Data on 860 patients from the real-world multicenter observational project. 2018 , 272, 130-136 | 15 | |
| 1088 | Effectiveness and usability of an online tailored education platform for atrial fibrillation patients undergoing a direct current cardioversion or pulmonary vein isolation. 2018 , 272, 123-129 | 21 | |
| 1087 | Non-cardioembolic risk factors in atrial fibrillation-associated ischemic stroke. <i>PLoS ONE</i> , 2018 , 13, e0203062 | 14 | |
| 1086 | Efficacy of cryoballoon ablation in patients with paroxysmal atrial fibrillation without time to pulmonary vein isolation assessment. 2018 , 272, 118-122 | 9 | |
| 1085 | Noninvasive Assessment of Atrial Fibrillation Complexity in Relation to Ablation Characteristics and Outcome. 2018 , 9, 929 | 9 | |
| 1084 | Edoxaban Management in Diagnostic and Therapeutic Procedures (EMIT-AF/VTE)-Trial design. 2018 , 41, 1123-1129 | 4 | |
| 1083 | Patients with cancer and atrial fibrillation treated with doacs: A prospective cohort study. 2018 , 269, 152-157 | 22 | |
| 1082 | Effect of ABCB1 genetic polymorphisms on the transport of rivaroxaban in HEK293 recombinant cell lines. <i>Scientific Reports</i> , 2018 , 8, 10514 | 6 | |
| 1081 | Vorhofflimmern: Diagnostik und was ein Neurologe darßer wissen sollte 2018 , 49, 97-104 | | |
| 1080 | The relationship of early recurrence of atrial fibrillation and the 3-month integrity of the ablation lesion set. <i>Scientific Reports</i> , 2018 , 8, 9875 | 7 | |
| 1079 | Usefulness of Short-Lasting Episodes of Supraventricular Arrhythmia (Micro-Atrial Fibrillation) as a Risk Factor for Atrial Fibrillation. 2018 , 122, 1179-1184 | 7 | |
| 1078 | Predictive value of unshielded magnetocardiographic mapping to differentiate atrial fibrillation patients from healthy subjects. 2018 , 23, e12569 | 3 | |
| 1077 | Sex-Based Differences in Outcomes of Oral Anticoagulation in Patients With Atrial Fibrillation. 2018 , 72, 271-282 | 37 | |
| 1076 | Force Trends and Pulsatility for Catheter Contact Identification in Intracardiac Electrograms during Arrhythmia Ablation. 2018 , 18, | 2 | |
| 1075 | Age Threshold for Ischemic Stroke Risk in Atrial Fibrillation. 2018 , 49, 1872-1879 | 19 | |

| 1074 | Ensembling convolutional and long short-term memory networks for electrocardiogram arrhythmia detection. 2018 , 39, 114002 | 25 |
|------|---|----|
| 1073 | Sex differences in cardiac electrophysiology. 2018 , 96, 985-990 | 13 |
| 1072 | Analysis of the microRNA signature in left atrium from patients with valvular heart disease reveals their implications in atrial fibrillation. <i>PLoS ONE</i> , 2018 , 13, e0196666 | 14 |
| 1071 | The best of two worlds? Pulmonary vein isolation using a novel radiofrequency ablation catheter incorporating contact force sensing technology and 56-hole porous tip irrigation. 2018 , 107, 1003-1012 | 17 |
| 1070 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on arrhythmias and cognitive function: What is the best practice?. 2018 , 34, 99-123 | 7 |
| 1069 | Incidence, predictive factors, management, and survival impact of atrial fibrillation in non-Hodgkin lymphoma. 2018 , 97, 1633-1640 | 5 |
| 1068 | Variability in Non-Vitamin K Antagonist Oral Anticoagulants Dose Adjustment in Atrial Fibrillation Patients With Renal Dysfunction: The Influence of Renal Function Estimation Formulae. 2018 , 34, 1010-1018 | 23 |
| 1067 | Atrial Fibrillation Detection During 24-Hour Ambulatory Blood Pressure Monitoring: Comparison With 24-Hour Electrocardiography. 2018 , 72, 110-115 | 11 |
| 1066 | Feasibility and outcomes of atrial fibrillation screening using intermittent electrocardiography in a primary healthcare setting: A cross-sectional study. <i>PLoS ONE</i> , 2018 , 13, e0198069 | 11 |
| 1065 | A survey of reasons for continuing warfarin therapy in the era of direct oral anticoagulants in Japanese patients with atrial fibrillation: the SELECT study. 2018 , 12, 135-143 | 15 |
| 1064 | Prevalence, Safety, and Effectiveness of Oral Anticoagulant Use in People with and without Dementia or Cognitive Impairment: A Systematic Review and Meta-Analysis. 2018 , 65, 489-517 | 10 |
| 1063 | The changing landscape of thromboprophylaxis for atrial fibrillation: insights from the ISPAF-2 survey. 2018 , 13, 1005-1007 | О |
| 1062 | Using the MB-LATER score for predicting arrhythmia outcome after catheter ablation for atrial fibrillation: The Guangzhou atrial fibrillation project. 2018 , 72, e13247 | 8 |
| 1061 | Clinical analysis of antithrombotic treatment and occurrence of stroke in elderly patients with nonvalvular persistent atrial fibrillation. 2018 , 41, 1353-1357 | 4 |
| 1060 | Prediction of electro-anatomical substrate and arrhythmia recurrences using APPLE, DR-FLASH and MB-LATER scores in patients with atrial fibrillation undergoing catheter ablation. <i>Scientific Reports</i> , 4.9 2018 , 8, 12686 | 28 |
| 1059 | External electrical cardioversion in patients with cardiac implantable electronic devices: Is it safe and is immediate device interrogation necessary?. 2018 , 41, 1336-1340 | 4 |
| 1058 | The Use of Direct Oral Anticoagulants for Prevention of Stroke and Systemic Embolic Events in East Asian Patients with Nonvalvular Atrial Fibrillation. 2018 , 3, 215-226 | |
| 1057 | Preferential regional distribution of atrial fibrosis in posterior wall around left inferior pulmonary vein as identified by late gadolinium enhancement cardiac magnetic resonance in patients with 3.9 atrial fibrillation. <i>Europace</i> , 2018 , 20, 1959-1965 | 32 |

| 1056 | The safety and efficacy of non-vitamin K antagonist oral anticoagulants in atrial fibrillation in the elderly. 2018 , 265, 118-124 | | 13 |
|------|--|------|-----|
| 1055 | Recomendaciones preventivas cardiovasculares. Actualizacifi PAPPS 2018. 2018 , 50 Suppl 1, 4-28 | | 10 |
| 1054 | Relation of Atrial Premature Complexes During Exercise Stress Testing to the Risk for the Development of Atrial Fibrillation in Patients Undergoing Cardiac Rehabilitation. 2018 , 122, 395-399 | | 0 |
| 1053 | Net clinical benefit of patent foramen ovale closure in patients with cryptogenic stroke: Meta-analysis and meta-regression of randomized trials. 2018 , 266, 75-80 | | 4 |
| 1052 | Translating guidelines into practice for the management of atrial fibrillation: results of an European Heart Rhythm Association Survey. <i>Europace</i> , 2018 , 20, 1382-1387 | 3.9 | 11 |
| 1051 | Methodologic Differences Across Studies of Patients With Atrial Fibrillation Lead to Varying Estimates of Stroke Risk. 2018 , 7, | | 3 |
| 1050 | Gender-differences in prevalence and outcome of ischemic stroke and promoting factors of atrial thrombi. 2018 , 22, 68 | | |
| 1049 | Trends and Variation in Oral Anticoagulant Choice in Patients with Atrial Fibrillation, 2010-2017. 2018 , 38, 907-920 | | 107 |
| 1048 | Role of cardiovascular implantable electronic devices in delivering individualized disease-guided management of patients with non-valvular atrial fibrillation and high bleeding risk. 2019 , 74, 131-139 | | 5 |
| 1047 | European Heart Rhythm Association (EHRA) consensus document on management of arrhythmias and cardiac electronic devices in the critically ill and post-surgery patient, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of | 3.9 | 48 |
| 1046 | Inguinal vascular complications after ablation of atrial fibrillation: an economic impact assessment. <i>Europace</i> , 2019 , 21, 91-98 | 3.9 | 4 |
| 1045 | Prediction of electro-anatomical substrate using APPLE score and biomarkers. <i>Europace</i> , 2019 , 21, 54-5 | 93.9 | 17 |
| 1044 | Management of atrial fibrillation in the emergency room and in the cardiology ward: the BLITZ AF study. <i>Europace</i> , 2019 , 21, 230-238 | 3.9 | 13 |
| 1043 | Detection of atrial fibrillation with a smartphone camera: first prospective, international, two-centre, clinical validation study (DETECT AF PRO). <i>Europace</i> , 2019 , 21, 41-47 | 3.9 | 72 |
| 1042 | Real-world vs. randomized trial outcomes in similar populations of rivaroxaban-treated patients with non-valvular atrial fibrillation in ROCKET AF and XANTUS. <i>Europace</i> , 2019 , 21, 421-427 | 3.9 | 2 |
| 1041 | Early recurrence in paroxysmal versus sustained atrial fibrillation in patients with acute ischaemic stroke. 2019 , 4, 55-64 | | 2 |
| 1040 | Primary stroke prevention: a paradigm shift focusing on silent paroxysmal atrial fibrillation. 2019 , 112, 247-249 | | 2 |
| 1039 | Acute electrophysiologic effects of the polyphenols resveratrol and piceatannol in rabbit atria. 2019 , 46, 94-98 | | 4 |

| 1038 | Atrial Fibrillation and Malignancy: The Clinical Performance of Non-Vitamin K Oral Anticoagulants-A Systematic Review. 2019 , 45, 205-214 | | 20 |
|------|--|-------------|-----|
| 1037 | Clinical outcomes of solitary atrial flutter patients using anticoagulation therapy: a national cohort study. <i>Europace</i> , 2019 , 21, 313-321 | 3.9 | 15 |
| 1036 | cardiovascular interventions: a joint consensus document of the European Heart Rhythm | 3.9 | 155 |
| 1035 | Association (EHRA), European Society of Cardiology Working Group on Thrombosis, European Fibrillatory conduction in a simulated two-dimensional model of human atrial tissue: effect of the interaction of two ectopic focil 2019 , 95, 577-591: Rhythm So. <i>Europace</i> , 2019 , 21, 192-193 | | |
| 1034 | Transfemoral vascular access in electrophysiology: should we exclusively rely on ultrasound guidance?. <i>Europace</i> , 2019 , 21, 361-362 | 3.9 | |
| 1033 | Atrial fibrillation and coronary stenting: is the AUGUSTUS trial the end of triple therapy?. 2019 , 15, 319-3 | 21 | |
| 1032 | CHA2DS2-VASc score performance to predict stroke after acute decompensated heart failure with and without reduced ejection fraction. <i>Europace</i> , 2019 , 21, 1639-1645 | 3.9 | 3 |
| 1031 | Integrated specialized atrial fibrillation clinics reduce all-cause mortality: post hoc analysis of a randomized clinical trial. <i>Europace</i> , 2019 , 21, 1785-1792 | 3.9 | 16 |
| 1030 | High prevalence of hyperlipidaemia in patients with AV re-entry tachycardia and AV nodal re-entry tachycardia. <i>Scientific Reports</i> , 2019 , 9, 11502 | 4.9 | 3 |
| 1029 | Integrated care for the management of atrial fibrillation: what are the key components and important outcomes?. <i>Europace</i> , 2019 , 21, 1759-1761 | 3.9 | 2 |
| 1028 | Prospective evaluation of iatrogenic atrial septal defect after cryoballoon or radiofrequency catheter ablation of atrial fibrillation-"EVITA" study. 2019 , 56, 19-27 | | 1 |
| 1027 | New mapping tools to assess lesion in atrial fibrillation. <i>Europace</i> , 2019 , 21, iii2-iii4 | 3.9 | 2 |
| 1026 | Oral anticoagulation in patients with atrial fibrillation and acute ischaemic stroke: design and baseline data of the prospective multicentre Berlin Atrial Fibrillation Registry. <i>Europace</i> , 2019 , 21, 1621- | ₹632 | 3 |
| 1025 | Opportunistic Screening for Atrial Fibrillation in the Pharmacies: A Population-Based Cross-Sectional Study. 2019 , 26, 339-344 | | 5 |
| 1024 | Subtypes of atrial fibrillation with concomitant valvular heart disease derived from electronic health records: phenotypes, population prevalence, trends and prognosis. <i>Europace</i> , 2019 , 21, 1776-1784 | 3 .9 | 13 |
| 1023 | Evolutionary synthetic minority oversampling technique with random forest for warfarin dose prediction in Chinese patients. 2019 , | | 1 |
| 1022 | Real-world outcomes of rivaroxaban treatment in patients with nonvalvular atrial fibrillation and worsening renal function. <i>Journal of Cardiology</i> , 2019 , 74, 501-506 | 3 | 1 |
| 1021 | Predictive validity of automated oscillometric blood pressure monitors for screening atrial fibrillation: a systematic review and meta-analysis. 2019 , 16, 503-514 | | 1 |

| 1020 | Atrial high-rate episodes: prevalence, stroke risk, implications for management, and clinical gaps in evidence. <i>Europace</i> , 2019 , 21, 1459-1467 | 3.9 | 24 |
|------|---|-----|----|
| 1019 | Self-Reported Daytime Sleepiness and Sleep-Disordered Breathing in Patients With Atrial Fibrillation: SNOozE-AF. 2019 , 35, 1457-1464 | | 25 |
| 1018 | Wrist band photoplethysmography in detection of individual pulses in atrial fibrillation and algorithm-based detection of atrial fibrillation. <i>Europace</i> , 2019 , 21, 1031-1038 | 3.9 | 14 |
| 1017 | Parathormone, vitamin D and the risk of atrial fibrillation in older adults: A prospective study. 2019 , 29, 939-945 | | 6 |
| 1016 | Left atrial appendage orifice diameter measured with trans-esophageal echocardiography is independently related with peri-device leakage after Watchman device implantation. 2019 , 35, 1831-18 | 339 | 4 |
| 1015 | Left Atrial Appendage Management with the Watchman Device during Hybrid Ablation of Atrial Fibrillation. 2019 , 2019, 4525084 | | 1 |
| 1014 | Vernakalant for cardioversion of recent-onset atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2019 , 21, 1159-1166 | 3.9 | 9 |
| 1013 | Changes in Management Following Detection of Previously Unknown Atrial Fibrillation by an Insertable Cardiac Monitor (from the REVEAL AF Study). 2019 , 124, 864-870 | | 4 |
| 1012 | Safety and efficacy of dronedarone from clinical trials to real-world evidence: implications for its use in atrial fibrillation. <i>Europace</i> , 2019 , 21, 1764-1775 | 3.9 | 5 |
| 1011 | Oral anticoagulation for subclinical atrial tachyarrhythmias detected by implantable cardiac devices: an international survey of the AF-SCREEN Group. 2019 , 296, 65-70 | | 9 |
| 1010 | Vernakalant in Atrial Fibrillation: A Relatively New Weapon in the Armamentarium Against an Old Enemy. 2019 , 13, 1177392819861114 | | 4 |
| 1009 | Heterogeneous Effects of Fibroblast-Myocyte Coupling in Different Regions of the Human Atria Under Conditions of Atrial Fibrillation. 2019 , 10, 847 | | 11 |
| 1008 | Rate or Rhythm Control in Older Atrial Fibrillation Patients: Risk of Fall-Related Injuries and Syncope. 2019 , 67, 2023-2030 | | 8 |
| 1007 | Association of Asymmetric Dimethylarginine and Diastolic Dysfunction in Patients with Hypertrophic Cardiomyopathy. 2019 , 9, | | 2 |
| 1006 | Cardiac arrhythmias in the emergency settings of acute coronary syndrome and revascularization: an European Heart Rhythm Association (EHRA) consensus document, endorsed by the European Association of Percutaneous Cardiovascular Interventions (EAPCI), and European Acute | 3.9 | 33 |
| 1005 | Cardiovascular Care Association (ACCA). Europace, 2019 , 21, 1603-1604 Influence of risk factors in the ESC-EHRA EORP atrial fibrillation ablation long-term registry. 2019 , 42, 1365-1373 | | 10 |
| 1004 | Effect of Concomitant Atrial Fibrillation on In-Hospital Outcomes of Non-ST-Elevation-Acute Coronary Syndrome-Related Hospitalizations in the United States. 2019 , 124, 465-475 | | 8 |
| 1003 | Atrial fibrillation and anticoagulation in patients with breast cancer. 2019 , 53, 247-254 | | 4 |

| 1002 | Entropy Mapping Approach for Functional Reentry Detection in Atrial Fibrillation: An In-Silico Study. 2019 , 21, | 4 |
|------|--|----|
| 1001 | Heart Failure Differentially Modulates Natural (Sinoatrial Node) and Ectopic (Pulmonary Veins) Pacemakers: Mechanism and Therapeutic Implication for Atrial Fibrillation. 2019 , 20, | 2 |
| 1000 | Biology, Culture and Society, Factors Configuring Health From a Gender Perspective. Has Cardiology Overcome the Challenge?. 2019 , 72, 800-802 | |
| 999 | The FEM simulation and experiment of quenching distortion of a U-shape sample and the sensitivity analysis of material properties. 2019 , 6, 116539 | 2 |
| 998 | Altered fibrin clot properties and fibrinolysis in patients with atrial fibrillation: practical implications. <i>Europace</i> , 2020 , 22, 185-194 | 5 |
| 997 | Mortality risk in atrial fibrillation: the role of aspirin, vitamin K and non-vitamin K antagonists. 2019 , 41, 1536-1544 | 1 |
| 996 | Trends and Predictors of Oral Anticoagulant Use in People with Alzheimer's Disease and the General Population in Australia. 2019 , 70, 733-745 | 5 |
| 995 | Atrial Fibrillation in Active Cancer Patients: Expert Position Paper and Recommendations. 2019 , 72, 749-759 | 15 |
| 994 | Gender and age differences in symptoms and health-related quality of life in patients with atrial fibrillation referred for catheter ablation. 2019 , 42, 1431-1439 | 9 |
| 993 | Antithrombotic treatment for newly diagnosed atrial fibrillation in relation to patient age: the GLORIA-AF registry programme. <i>Europace</i> , 2020 , 22, 47-57 | 9 |
| 992 | Combining left atrial appendage closure and catheter ablation for atrial fibrillation: 2-year outcomes from a multinational registry. <i>Europace</i> , 2020 , 22, 225-231 | 15 |
| 991 | Cardiac Arrhythmias and Pregnancy. 2019 , 220-251 | |
| 990 | The appropriateness of antiplatelet and anticoagulant drug prescriptions in hospitalized patients in an internal medicine ward. 2021 , 33, 2849-2855 | 2 |
| 989 | [Catheter ablation of atrial fibrillation : Status quo]. 2019 , 30, 343-348 | |
| 988 | Beneficial effect of left atrial appendage closure during cardiac surgery: a meta-analysis of 280 '585 patients. 2020 , 57, 252-262 | 7 |
| 987 | Applying the Capability, Opportunity, and Motivation Behaviour Model (COM-B) to Guide the Development of Interventions to Improve Early Detection of Atrial Fibrillation. 2019 , 13, 1179546819885134 | 6 |
| 986 | Safety of Using Direct Oral Anticoagulants in Patients with Atrial Fibrillation and Chronic Kidney Disease. 2019 , 15, 530-537 | 2 |
| 985 | A New Biomarker in Atrial Fibrillation: Monocyte Chemoattractant Protein-1-Induced Protein. 2019 , | |

| 984 | External electrical and pharmacological cardioversion for atrial fibrillation, atrial flutter or atrial tachycardias: a network meta-analysis. 2019 , | | 78 |
|-----|--|-----|----|
| 983 | Risk of ischemic stroke and utility of CHA DS -VASc score in women and men with atrial fibrillation. 2019 , 42, 1003-1009 | | 12 |
| 982 | Catheter Ablation for Atrial Fibrillation in Patients with Hemophilia or von Willebrand Disease. 2019 , 3, e335-e339 | | 2 |
| 981 | Differences In Gastrointestinal Safety Profiles Among Novel Oral Anticoagulants: Evidence From A Network Meta-Analysis. 2019 , 11, 911-921 | | 13 |
| 980 | Same-day discharge in selected patients undergoing atrial fibrillation ablation. 2019 , 42, 1448-1455 | | 24 |
| 979 | Targeted therapy of underlying conditions improves quality of life in patients with persistent atrial fibrillation: results of the RACE 3 study. <i>Europace</i> , 2019 , 21, 563-571 | 3.9 | 14 |
| 978 | Case Report of Endovascular Thrombectomy in Severe Acute Ischemic Stroke After Dabigatran Reversal with Idarucizumab. 2019 , 2, 155-157 | | |
| 977 | Diagnosis and Management of Left Atrium Appendage Thrombosis in Atrial Fibrillation Patients Undergoing Cardioversion. 2019 , 55, | | 9 |
| 976 | Sex effect on efficacy of pulmonary vein cryoablation in patients with atrial fibrillation: data from the multicenter real-world 1STOP project. 2019 , 56, 9-18 | | 7 |
| 975 | Impact of monitoring on detection of arrhythmia recurrences in the ESC-EHRA EORP atrial fibrillation ablation long-term registry. <i>Europace</i> , 2019 , 21, 1802-1808 | 3.9 | 5 |
| 974 | Atrial fibrillation in patients with end-stage renal disease on hemodialysis: Magnitude of the problem and new approach to oral anticoagulation. 2019 , 3, 578-588 | | 13 |
| 973 | No impact of sports practice before or after atrial fibrillation ablation on procedure efficacy in athletes: a case-control study. <i>Europace</i> , 2019 , 21, 1833-1842 | 3.9 | 3 |
| 972 | Long-term outcomes of cryoballoon-based left atrial appendage isolation in addition to pulmonary vein isolation in persistent atrial fibrillation. <i>Europace</i> , 2019 , 21, 1653-1662 | 3.9 | 13 |
| 971 | Maastricht antiarrhythmic drug evaluator (MANTA): A computational tool for better understanding of antiarrhythmic drugs. 2019 , 148, 104444 | | 9 |
| 970 | [Dizziness As A Symptom Of Cardiac Diseases]. 2019 , 144, 807-820 | | О |
| 969 | Predicting cardiac electrical response to sodium-channel blockade and Brugada syndrome using polygenic risk scores. 2019 , 40, 3097-3107 | | 33 |
| 968 | Programming Pacemakers to Reduce and Terminate Atrial Fibrillation. 2019 , 21, 127 | | 4 |
| 967 | Novel Models for the Prediction of Left Atrial Appendage Thrombus in Patients with Chronic Nonvalvular Atrial Fibrillation. 2019 , 2019, 1496535 | | 6 |

| 966 | Atrial fibrillation with percutaneous coronary intervention: Navigating the minefield of antithrombotic therapies. 2019 , 289, 118-125 | 4 |
|-----|---|----|
| 965 | Atrial Fibrillation in Patients with Acute Pulmonary Embolism: Clinical Significance and Impact on Prognosis. <i>BioMed Research International</i> , 2019 , 2019, 7846291 | 13 |
| 964 | An Update on the Development and Feasibility Assessment of Canadian Quality Indicators for Atrial Fibrillation and Atrial Flutter. 2019 , 1, 198-205 | 4 |
| 963 | Very late arrhythmia recurrences in patients with sinus rhythm within the first year after catheter ablation: The Leipzig Heart Center AF Ablation Registry. <i>Europace</i> , 2019 , 21, 1646-1652 | 1 |
| 962 | Facilitated electrical cardioversion: does the selection of the antiarrhythmic drug matter?. 2019 , 24, 100416 | O |
| 961 | Efficacy and Safety of Uninterrupted Periprocedural Edoxaban in Patients Undergoing Catheter Ablation for Atrial Fibrillation - The Prospective KYU-RABLE Study. 2019 , 83, 2017-2024 | 11 |
| 960 | Poor enhancement pattern of left atrial appendage in cardiac computed tomography is associated with stroke in persistent atrial fibrillation patients. 2019 , 11, 3315-3324 | 3 |
| 959 | Atrial Fibrillation and Stroke. A Review on the Use of Vitamin K Antagonists and Novel Oral Anticoagulants. 2019 , 55, | 5 |
| 958 | Impact of Body Mass Index on the Outcomes of Catheter Ablation of Atrial Fibrillation: A European Observational Multicenter Study. 2019 , 8, e012253 | 19 |
| 957 | Combined single-session cardiovascular magnetic resonance: stress perfusion and three-dimensional pulmonary vein angiography for stratification of atrial fibrillation patients with 3.9 chest pain syndromes prior to catheter ablation. <i>Europace</i> , 2019 , 21, 1809-1816 | 3 |
| 956 | Atrial-Specific Gene Transfer. 2019 , 124, 180-182 | |
| 955 | Clinical evidence of autonomic dysfunction due to atrial fibrillation: implications for rhythm control strategy. 2019 , 54, 299-307 | 4 |
| 954 | Long-Term Implications of Atrial Fibrillation in Patients With Degenerative Mitral Regurgitation. 2019 , 73, 264-274 | 24 |
| 953 | Estado actual de la anticoagulacifi de pacientes con fibrilacifi auricular y cficer de mama. 2019 , 72, 589-591 | 1 |
| 952 | Early repolarization pattern as a predictor of atrial fibrillation recurrence following radiofrequency pulmonary vein isolation. 2019 , 24, e12627 | 3 |
| 951 | Synergy of pulmonary vein isolation and catheter renal denervation in atrial fibrillation complicated with uncontrolled hypertension: Mapping the renal sympathetic nerve and pulmonary vein (the pulmonary vein isolation plus renal denervation strategy)?. Journal of Cardiovascular | 5 |
| 950 | Clinical and Radiological Characteristics of Vitamin K Versus Non-Vitamin K Antagonist Oral Anticoagulation-Related Intracerebral Hemorrhage. 2019 , 31, 56-65 | 2 |
| 949 | Thoracoscopic ablation for the treatment of atrial fibrillation: a systematic outcome analysis of a multicentre cohort. <i>Europace</i> , 2019 , 21, 893-899 | 8 |

| 948 | commentary: Cryoballoon vs. radiofrequency ablation for atrial fibrillation-a study of outcome and safety based on the ESC-EHRA atrial fibrillation ablation long-term registry and the Swedish catheter ablation registry. <i>Europace</i> , 2019 , 21, 529-530 | 3.9 | |
|-----|--|-----|----|
| 947 | Direct results of a prospective randomized study comparing ablation with the nMARQ catheter and the PVAC catheter used with and without a 3D system (MAPER 3D Study). 2019 , 15, 78-85 | | 3 |
| 946 | Burden-based classification of atrial fibrillation predicts multiple-procedure success of pulmonary vein isolation. <i>Journal of Cardiology</i> , 2019 , 74, 53-59 | 3 | 4 |
| 945 | TGFI and HGF regulate CTGF expression in human atrial fibroblasts and are involved in atrial remodelling in patients with rheumatic heart disease. 2019 , 23, 3032-3039 | | 10 |
| 944 | Benefits of Rhythm Control and Rate Control in Recent-onset Atrial Fibrillation: The HERMES-AF Study. 2019 , 26, 1034-1043 | | 9 |
| 943 | Predictors of acute hospital mortality and length of stay in patients with new-onset atrial fibrillation: a first-hand experience from a medical emergency team response provider. 2019 , 49, 969-97 | 7 | 2 |
| 942 | Persistence and outcomes of non-vitamin K antagonist oral anticoagulants versus warfarin in patients with non-valvular atrial fibrillation. 2019 , 28, 1839-1846 | | 10 |
| 941 | Rationale, design, and endpoints of the 'DEvice-Detected CArdiac Tachyarrhythmic Events and Sleep-disordered Breathing (DEDiCATES)' study: Prospective multicenter observational study of device-detected tachyarrhythmia and sleep-disordered breathing. 2019 , 280, 69-73 | | 4 |
| 940 | Real-time magnetic resonance imaging-guided cardiac electrophysiology: the long road to clinical routine. 2019 , 20, 136-137 | | |
| 939 | Common source of miscalculation and misclassification of P-wave negativity and P-wave terminal force in lead V1. 2019 , 53, 85-88 | | 14 |
| 938 | Varll de 70 aês con trastorno sensitivomotor de instauracill aguda en extremidades izquierdas. 2019 , 12, 4143-4143.e4 | | |
| 937 | Performance of the CHADS-VASc score in predicting new onset atrial fibrillation during hospitalization for community-acquired pneumonia. 2019 , 62, 24-28 | | 8 |
| 936 | Association between the use of contact force-sensing catheters and cardiac tamponade in atrial fibrillation ablation. 2019 , 55, 137-143 | | 4 |
| 935 | The importance of identifying conduction breakthrough sites across the mitral isthmus by elaborate mapping for mitral isthmus linear ablation. <i>Europace</i> , 2019 , 21, 950-960 | 3.9 | 11 |
| 934 | Clinical pharmacist led hospital-wide direct oral anticoagulant stewardship program. 2019 , 8, 19 | | 15 |
| 933 | Hypertrophic Cardiomyopathy in Patients with Atrial Fibrillation: Prevalence and Associated Stroke Risks in a Nationwide Cohort Study. 2019 , 119, 285-293 | | 26 |
| 932 | Reproducibility and accuracy of late gadolinium enhancement cardiac magnetic resonance measurements for the detection of left atrial fibrosis in patients undergoing atrial fibrillation ablation procedures. <i>Europace</i> , 2019 , 21, 724-731 | 3.9 | 22 |
| 931 | Oral anticoagulation in very elderly patients with atrial fibrillation: Results from the prospective multicenter START2-REGISTER study. <i>PLoS ONE</i> , 2019 , 14, e0216831 | 3.7 | 12 |

| 930 | Renal function and outcomes after catheter ablation of patients with atrial fibrillation: The Guangzhou atrial fibrillation ablation registry. 2019 , 112, 420-429 | 10 |
|-----|---|------|
| 929 | Current status of anticoagulation in patients with breast cancer and atrial fibrillation. 2019 , 46, 163-169 | 8 |
| 928 | Withdrawal Notice: Atrial Fibrillation and Hypertension: Quo Vadis□2019, | 2 |
| 927 | Corrigendum to: Mont L. Thoracoscopic maze: yes, we can, but should we?. <i>Europace</i> , 2019 , 21, 839 3.9 | |
| 926 | Efficacy of catheter ablation for atrial fibrillation in patients with congenital heart disease. Europace, 2019 , 21, 1334-1344 | 15 |
| 925 | Risk Factors for Atrial Fibrillation in People With Type 1 Diabetes: An Observational Cohort Study of 36,258 Patients From the Swedish National Diabetes Registry. 2019 , 42, 1530-1538 | 11 |
| 924 | Recurrent event survival analysis predicts future risk of hospitalization in patients with paroxysmal and persistent atrial fibrillation. <i>PLoS ONE</i> , 2019 , 14, e0217983 | 1 |
| 923 | Prevalence of atrial fibrillation in the Italian elderly population and projections from 2020 to 2060 for Italy and the European Union: the FAI Project. <i>Europace</i> , 2019 , 21, 1468-1475 | 52 |
| 922 | Association of sex and atrial fibrillation therapies with patient-reported outcomes. 2019 , 105, 1642-1648 | 10 |
| 921 | Atrial fibrillation, an obscured cause of pulmonary embolism can be revealed by adding to Wells criteria. 2019 , 67, 1042-1047 | 1 |
| 920 | 5-Year Experience of In-Hospital Outcomes After Percutaneous Left Atrial Appendage Closure in Germany. 2019 , 12, 1044-1052 | 9 |
| 919 | Atrial Fibrillation in Heart Failure-Diagnostic, Therapeutic, and Prognostic Relevance. 2019 , 16, 108-115 | O |
| 918 | CHADS-VASc score and left atrial volume dilatation synergistically predict incident atrial fibrillation in hypertension: an observational study from the Campania Salute Network registry. <i>Scientific</i> 4.9 <i>Reports</i> , 2019 , 9, 7888 | 3 |
| 917 | Rate and rhythm therapy in patients with atrial fibrillation and the risk of pacing and bradyarrhythmia. 2019 , 16, 1348-1356 | 1 |
| 916 | Efficacy and safety of left atrial appendage closure in non-valvular atrial fibrillation in patients over 75 years. 2019 , 34, 1858-1865 | 5 |
| 915 | Management of anticoagulation in patients undergoing leadless pacemaker implantation. 2019 , 16, 1849-1 | 8546 |
| 914 | Time-to-isolation-guided cryoballoon ablation reduces oesophageal and mediastinal alterations detected by endoscopic ultrasound: results of the MADE-PVI trial. <i>Europace</i> , 2019 , 21, 1325-1333 | 11 |
| 913 | Association of Preoperative Renin-Angiotensin System Inhibitors With Prevention of Postoperative Atrial Fibrillation and Adverse Events: A Systematic Review and Meta-analysis. 2019 , 2, e194934 | 8 |

| 912 | Disordered gut microbiota and alterations in metabolic patterns are associated with atrial fibrillation. 2019 , 8, | | 47 |
|-----|--|-----|----|
| 911 | The complex interaction between atrial fibrillation and heart failure in elderly patients. 2019 , 89, | | 1 |
| 910 | Left atrial appendage closure in atrial fibrillation patients with prior major bleeding or ineligible for oral anticoagulation. 2019 , 27, 613-620 | | 1 |
| 909 | Alterskardiologie. 2019 , 15, 135-154 | | |
| 908 | Outcomes of cryoballoon or radiofrequency ablation in symptomatic paroxysmal or persistent atrial fibrillation. <i>Europace</i> , 2019 , 21, 1313-1324 | 3.9 | 43 |
| 907 | Catheter ablation of atrial fibrillation in patients with heart failure with reduced ejection fraction: Real world experience from six European centers. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1270-1277 | 2.7 | 3 |
| 906 | Clinical Applications of Natriuretic Peptides in Heart Failure and Atrial Fibrillation. 2019, 20, | | 12 |
| 905 | Repeat Ablation for Atrial Fibrillation Recurrence Post Cryoballoon or Radiofrequency Ablation in the FIRE AND ICE Trial. 2019 , 12, e007247 | | 51 |
| 904 | Body mass index and body fat distribution and new-onset atrial fibrillation: Substudy of the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. 2019 , 29, 692-700 | | 5 |
| 903 | Augmented intelligence decision tool for stroke prediction combines factors from CHA DS -VASc and the intermountain risk score for patients with atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1452-1461 | 2.7 | 4 |
| 902 | Time-dependent prediction of arrhythmia recurrences during long-term follow-up in patients undergoing catheter ablation of atrial fibrillation: The Leipzig Heart Center AF Ablation Registry. <i>Scientific Reports</i> , 2019 , 9, 7112 | 4.9 | 5 |
| 901 | Incidence of early pulmonary vein reconnections using different energy sources for pulmonary vein isolation: Multielectrode phased radiofrequency vs second-generation cryoballoon. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1428-1435 | 2.7 | 4 |
| 900 | The clip and the tip: Lessons learned from ablation of atrial fibrillation in patients postpercutaneous mitral valve repair. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1207-1214 | 2.7 | 3 |
| 899 | Less dementia and stroke in low-risk patients with atrial fibrillation taking oral anticoagulation. 2019 , 40, 2327-2335 | | 50 |
| 898 | Catheter ablation for treatment of atrial fibrillation in patients with heart failure with reduced ejection fraction: A systematic review and meta-analysis. 2019 , 35, 171-181 | | 6 |
| 897 | Left atrial appendage closure with WATCHMAN in Asian patients: 2 year outcomes from the WASP registry. 2019 , 23, 100358 | | 20 |
| 896 | Anti-arrhythmic therapy in athletes. 2019 , 144, 306-314 | | |
| 895 | Heparin dosing in uninterrupted anticoagulation with dabigatran vs. warfarin in atrial fibrillation ablation: RE-CIRCUIT study. <i>Europace</i> , 2019 , 21, 879-885 | 3.9 | 5 |

| 894 | Long-term safety and efficacy of combined percutaneous LAA and PFO/ASD closure: a single-center experience (LAAC combined PFO/ASD closure). 2019 , 16, 429-435 | 3 |
|-----|---|----|
| 893 | Atria-selective antiarrhythmic drugs in need of alliance partners. 2019 , 145, 104262 | 18 |
| 892 | Atrial fibrillation screening with photo-plethysmography through a smartphone camera. <i>Europace</i> , 2019 , 21, 1167-1175 | 33 |
| 891 | Short- and long-term outcomes of alcohol septal ablation for hypertrophic obstructive cardiomyopathy in patients with mild left ventricular hypertrophy: a propensity score matching analysis. 2019 , 40, 1681-1687 | 17 |
| 890 | Study on the relationship between telomere length changes and recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1117-1124 ^{2.7} | 5 |
| 889 | Reproducibility of acute pulmonary vein isolation guided by the ablation index. 2019 , 42, 874-881 | 11 |
| 888 | Invasive therapies for patients with concomitant heart failure and atrial fibrillation. 2019 , 24, 821-829 | 1 |
| 887 | Importance of monitoring zones in the detection of arrhythmias in patients with implantable cardioverter-defibrillators under remote monitoring. 2019 , 38, 11-16 | 5 |
| 886 | Plasma FABP4 levels are associated with left atrial fat volume in persistent atrial fibrillation and predict recurrence after catheter ablation. 2019 , 292, 131-135 | 5 |
| 885 | Red Cell Distribution Width as a Novel Marker for Different Types of Atrial Fibrillation in Low and High Altitude. 2019 , 2019, 6291964 | 4 |
| 884 | "Pill-in-the-Pocket" Treatment of Propafenone Unmasks ECG Brugada Pattern in an Atrial Fibrillation Patient With a Common SCN5A R1193Q Polymorphism. 2019 , 10, 353 | 4 |
| 883 | Is the presence of left atrial diverticulum associated with recurrence in patients undergoing catheter ablation for atrial fibrillation?. 2019 , 4, e25-e31 | 2 |
| 882 | Idiopathic atrial fibrillation patients rapidly outgrow their low thromboembolic risk: a´10-year follow-up study. 2019 , 27, 487-497 | 4 |
| 881 | Association of Autoantibodies against M2-Muscarinic Acetylcholine Receptor with Atrial Fibrosis in Atrial Fibrillation Patients. 2019 , 2019, 8271871 | 6 |
| 880 | Consider temporal aggressive rhythm control before ICD implantation in patients with heart failure with reduced ejection fraction. <i>Europace</i> , 2019 , 21, 835-837 | |
| 879 | Association between antithrombotic treatment and outcomes at 1-year follow-up in patients with atrial fibrillation: the EORP-AF General Long-Term Registry. <i>Europace</i> , 2019 , 21, 1013-1022 | 28 |
| 878 | Atrial fibrillation ablation in practice: assessing CABANA generalizability. 2019, 40, 1257-1264 | 63 |
| 877 | Mechanism, underlying substrate and predictors of atrial tachycardia following atrial fibrillation ablation using the second-generation cryoballoon. <i>Journal of Cardiology</i> , 2019 , 73, 497-506 | 9 |

| 876 | Safety and Efficacy of Triple Antithrombotic Therapy with Dabigatran versus Vitamin K Antagonist in Atrial Fibrillation Patients: A Pilot Study. <i>BioMed Research International</i> , 2019 , 2019, 5473240 | 3 | 6 |
|-----|---|-----|---|
| 875 | Sex differences in rate and rhythm control for atrial fibrillation. <i>Europace</i> , 2019 , 21, 690-697 | 3.9 | 7 |
| 874 | Association between echocardiographic parameters and biomarkers in probands with atrial fibrillation and different PR interval lengths: Insight from the epidemiologic LIFE Adult Study. <i>PLoS ONE</i> , 2019 , 14, e0212627 | 3.7 | 1 |
| 873 | Aspirin use in central retinal arterial occlusion to prevent ischaemic stroke: a retrospective cohort study in Taiwan. 2019 , 9, e025455 | | 2 |
| 872 | Ischemic stroke during anticoagulant interruption by healthcare professionals in stroke patients with atrial fibrillation. 2019 , 400, 113-118 | | 4 |
| 871 | Successful catheter ablation of atrial fibrillation improves but not reverses the abnormalities of left atrial mechanics and energy loss. 2019 , 36, 752-760 | | 5 |
| 870 | Occurrence of significant long PR intervals in patients implanted for sinus node dysfunction and monitored with SafeREThe PRECISE study. 2019 , 112, 153-161 | | 2 |
| 869 | Antithrombotic treatment in patients with atrial fibrillation and acute coronary syndromes: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2019 , 21, 1116-1125 | 3.9 | 8 |
| 868 | Pre- and post-treatment with amiodarone for elective electrical cardioversion of atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2019 , 21, 856-863 | 3.9 | 5 |
| 867 | Leukoaraiosis is an independent predictor of intracranial hemorrhage in patients with atrial fibrillation. 2019 , 47, 527-532 | | 3 |
| 866 | Pulmonary Vein Isolation for Atrial Fibrillation. 2019 , 222-234.e4 | | |
| 865 | Ablation of Persistent and Long-Standing Persistent Atrial Fibrillation. 2019, 292-304.e4 | | |
| 864 | Intravenous antazoline, a first-generation antihistaminic drug with antiarrhythmic properties, is a suitable agent for pharmacological cardioversion of atrial fibrillation induced during pulmonary vein isolation due to the lack of influence on atrio-venous conduction and high clinical | | 3 |
| 863 | effectiveness (AntaEP Study). 2019 , 85, 1552-1558 Consensus in cardiology on non-vitamin-K oral anticoagulants for patients with atrial fibrillation. 2019 , 35, 1571-1582 | | 1 |
| 862 | Postoperative atrial fibrillation after aortic valve replacement is a risk factor for long-term atrial fibrillation. 2019 , 29, 378-385 | | 9 |
| 861 | Role of SK channel activation in determining the action potential configuration in freshly isolated human atrial myocytes from the SKArF study. 2019 , 512, 684-690 | | 4 |
| 860 | In-silico study of the ionic current gradients determining left-to-right atrial frequencies during paroxysmal atrial fibrillation. 2019 , 95, 1129-1139 | | 1 |
| 859 | Tailored Practical Management of Patients With Atrial Fibrillation: A Risk Factor-Based Approach. <i>Frontiers in Cardiovascular Medicine</i> , 2019 , 6, 17 | 5.4 | 4 |

| 858 | Novel Oral Anticoagulants for the Prevention of Stroke in Patients with Atrial Fibrillation and Hypertension: A Meta-Analysis. 2019 , 19, 477-485 | | 0 |
|-----|---|---|----|
| 857 | Cost-effectiveness and screening performance of ECG handheld machine in a population screening programme: The Belgian Heart Rhythm Week screening programme. 2019 , 26, 964-972 | | 7 |
| 856 | Cryoballoon ablation for persistent atrial fibrillation in patients without left atrial fibrosis. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 999-1004 | 7 | 7 |
| 855 | Summary and Consensus of Guidelines for Cardiac Mapping and Ablation. 2019 , 1174-1181 | | |
| 854 | Cryoablation for paroxysmal and persistent AF in patients with structural heart disease and preserved ejection fraction: Clinical outcomes from 1STOP, a multicenter observational project. Journal of Cardiology, 2019, 74, 19-26 | | 8 |
| 853 | Procedural success, safety and patients satisfaction after second ablation of atrial fibrillation in the elderly: results from the German Ablation Registry. 2019 , 108, 1354-1363 | | 15 |
| 852 | Importance of monitoring zones in the detection of arrhythmias in patients with implantable cardioverter-defibrillators under remote monitoring. 2019 , 38, 11-16 | | 5 |
| 851 | Digitalis therapy is associated with higher comorbidities and poorer prognosis in patients undergoing ablation of atrial arrhythmias: data from the German Ablation Registry. 2019 , 108, 1083-1092 | | 3 |
| 850 | Hybrid atrial fibrillation ablation in patients with persistent atrial fibrillation or failed catheter ablation. 2019 , 27, 142-151 | | 7 |
| 849 | Critical inflammatory mechanisms underlying arrhythmias. 2019 , 44, 121-129 | | 12 |
| 848 | Atrial Fibrillation Ablation Should Be First-line Therapy in Patients with Heart Failure Reduced Ejection Fraction. 2019 , 37, 185-195 | | |
| 847 | Thoracoscopic vs. catheter ablation for atrial fibrillation: long-term follow-up of the FAST randomized trial. <i>Europace</i> , 2019 , 21, 746-753 | 9 | 15 |
| 846 | Thoracoscopic maze: yes, we can, but should we?. <i>Europace</i> , 2019 , 21, 838-839 | 9 | O |
| 845 | A left common pulmonary vein: Anatomical variant predicting good outcomes of repeat catheter ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 717-726 | 7 | 3 |
| 844 | Pulmonary vein reconnections or substrate in the left atrium: what is the reason for atrial fibrillation recurrences? A dialogue on a pressing clinical situation. <i>Europace</i> , 2019 , 21, i12-i20 | 9 | 6 |
| 843 | Rheumatic Mitral Valve Stenosis: Diagnosis and Treatment Options. 2019 , 21, 14 | | 13 |
| 842 | Successful transseptal puncture and cryoballoon ablation of symptomatic paroxysmal atrial fibrillation via jugular access in a patient with bilateral thrombotic femoral vein occlusion. 2019 , 5, 347-350 | 0 | 2 |
| 841 | Short and long-term changes in platelet and inflammatory biomarkers after cryoballoon and radiofrequency ablation. 2019 , 285, 128-132 | | 4 |

| 840 | Ibrutinib increases the risk of hypertension and atrial fibrillation: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0211228 | 3.7 | 55 |
|-----|--|---------------|----|
| 839 | Real-world outcomes of the Xarelto Post-Authorization Safety & Effectiveness Study in Japanese Patients with Atrial Fibrillation (XAPASS). <i>Journal of Cardiology</i> , 2019 , 74, 60-66 | 3 | 19 |
| 838 | Nurse-performed venous sheath removal in patients undergoing radiofrequency catheter ablation for atrial fibrillation: a randomised study. 2019 , 18, 332-339 | | О |
| 837 | High-sensitivity cardiac troponin T as an independent predictor of stroke in patients admitted to an emergency department with atrial fibrillation. <i>PLoS ONE</i> , 2019 , 14, e0212278 | 3.7 | 10 |
| 836 | Real World Comparison of Rivaroxaban and Warfarin in Korean Patients with Atrial Fibrillation: Propensity Matching Cohort Analysis. 2019 , 55, 54-61 | | 11 |
| 835 | Early experience of thoracoscopic vs. catheter ablation for atrial fibrillation. <i>Europace</i> , 2019 , 21, 738-74. | 53.9 | 3 |
| 834 | Anticoagulant treatment in elderly patients with atrial fibrillation: a position paper. 2019 , 17, 341-354 | | |
| 833 | Selecciñ de lo mejor del a ô 2018 en denervaciñ simp f ica renal en el tratamiento de la hipertensiñ arterial. 2019 , 54, 51-57 | | 2 |
| 832 | Silent cerebral infarcts following pulmonary vein isolation with different atrial fibrillation ablation techniques - incidence and risk factors 2022 , 18, 632-638 | | 1 |
| 831 | ICUSI questionnaire validation. Quality of anticoagulation in patients with atrial fibrillation treated with vitamin K antagonists. 2019 , 54, 165-172 | | 3 |
| 830 | Assisting Electrophysiological Substrate Quantification in Atrial Fibrillation Ablation. 2019, | | |
| 829 | The potential antiarrhythmic properties of sacubitril/valsartan: a case report. 2019 , 20, 780-782 | | O |
| 828 | Thyroid dysfunction in patients with suspected or documented supraventricular tachyarrhythmia. 2019 , 20, | | |
| 827 | EHRA White Paper: knowledge gaps in arrhythmia management-status 2019. Europace, 2019 , 21, 993-99 | 9 4 .9 | 23 |
| 826 | Left ventricular fibrosis by extracellular volume fraction and the risk of atrial fibrillation recurrence after catheter ablation. 2019 , 9, 578-585 | | 1 |
| 825 | Management of asymptomatic arrhythmias: a European Heart Rhythm Association (EHRA) consensus document, endorsed by the Heart Failure Association (HFA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of Southern Africa | 3.9 | 30 |
| 824 | Anticoagulation adherence and its associated factors in patients with atrial fibrillation: a cross-sectional study. 2019 , 9, e029974 | | 2 |
| 823 | First report of a comparative patient-oriented perspective on the use of non-vitamin-K oral anticoagulants or vitamin-K antagonists in atrial fibrillation: patients' experiences, side-effects and practical problems leading to non-adherence. 2019 , 27, 596-604 | | 2 |

| 822 | Net benefit of oral anticoagulants in patients with atrial fibrillation and active cancer: a nationwide cohort study. <i>Europace</i> , 2020 , 22, 58-65 | 3.9 | 7 |
|-----|---|-----|----|
| 821 | Net clinical benefit of non-vitamin K antagonist oral anticoagulants in atrial fibrillation and chronic kidney disease: a trade-off analysis from four phase III clinical trials. 2019 , 9, 410-419 | | 10 |
| 820 | Differentiation of atrial fibrillation progression phenotypes using Troponin T. 2019 , 297, 61-65 | | 2 |
| 819 | Alterskardiologie. 2019 , 1, 111-130 | | |
| 818 | Imbalance of ER and Mitochondria Interactions: Prelude to Cardiac Ageing and Disease?. 2019 , 8, | | 22 |
| 817 | Comparison of transesophageal echocardiography findings after different anticoagulation strategies in patients with atrial fibrillation: a systematic review and meta-analysis. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 261 | 2.3 | 2 |
| 816 | Management and outcomes of real-world use of non-vitamin-K oral anticoagulants (NOACs) in patients with atrial fibrillation: experience of a dedicated NOAC clinic. 2019 , 27, 605-612 | | 0 |
| 815 | Inverse Correlation Between Left Atrial Appendage Function and CHADS-VASc Score in Patients with Atrial Flutter. <i>Scientific Reports</i> , 2019 , 9, 17864 | 4.9 | 1 |
| 814 | Update on Direct Oral Anticoagulants in Atrial Fibrillation Patients Undergoing Cardiac Interventional Procedures: From Clinical Trials to Real-World Evidence. 2020 , 75, 185-199 | | 2 |
| 813 | Use of direct oral anticoagulants in very elderly patients: a case report of apixaban in an ultracentenary patient. 2019 , 20, 403-405 | | 3 |
| 812 | Directed Networks as a Novel Way to Describe and Analyze Cardiac Excitation: Directed Graph Mapping. 2019 , 10, 1138 | | 17 |
| 811 | Influence of heart rate control on exercise capacity and quality of life in patients with permanent atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 308 | 2.3 | 2 |
| 810 | Atrial Fibrillation and Stroke Risk in Patients With Cancer: A Primer for Oncologists. 2019 , 15, 641-650 | | 7 |
| 809 | Predictive value of CHA2DS2-VASc scores regarding the risk of stroke and all-cause mortality in patients with atrial fibrillation (CONSORT compliant). 2019 , 98, e16560 | | 10 |
| 808 | Practical guide to choosing dabigatran 150 mg twice daily or apixaban 5 mg twice daily for patients with atrial fibrillation. 2019 , 14, 153-155 | | |
| 807 | Corrigendum to: Subtypes of atrial fibrillation with concomitant valvular heart disease derived from electronic health records: phenotypes, population prevalence, trends and prognosis. <i>Europace</i> , 2019 , 21, 1784 | 3.9 | 1 |
| 806 | The neurologist's approach to cerebral infarct and transient ischaemic attack in patients receiving anticoagulant treatment for non-valvular atrial fibrillation: ANITA-FA study. 2019 , 26, 230-237 | | 8 |
| 805 | Remote vs. conventional navigation for catheter ablation of atrial fibrillation: insights from prospective registry data. 2019 , 108, 298-308 | | 8 |

| 804 | Stroke prevention in patients with atrial flutter: many questions still unanswered. <i>Europace</i> , 2019 , 21, 186-187 |) | 2 |
|-----|---|--------------|----|
| 803 | Safety and efficacy of cryoballoon ablation for the treatment of atrial fibrillation in elderly patients. 2019 , 108, 167-174 | | 19 |
| 802 | Clinical scores used for the prediction of negative events in patients undergoing catheter ablation for atrial fibrillation. 2019 , 42, 320-329 | | 17 |
| 801 | Anticoagulation in patients with atrial fibrillation and heart failure: Insights from the NCDR PINNACLE-AF registry. 2019 , 42, 339-345 | | 9 |
| 800 | Relations between baseline burden, maximum duration, and relative reduction of atrial fibrillation: Insights from continuous monitoring in rhythm control. <i>Journal of Cardiovascular Electrophysiology</i> , 2. 7 2019 , 30, 178-182 | 7 | 3 |
| 799 | How do aging and comorbidities impact risk of ischemic stroke in patients with atrial fibrillation. 2019 , 29, 386-391 | | 1 |
| 798 | Left atrial epicardial adipose tissue radiodensity is associated with electrophysiological properties of atrial myocardium in patients with atrial fibrillation. 2019 , 29, 3027-3035 | | 11 |
| 797 | Performance of an atrial fibrillation detection algorithm using continuous pulse wave monitoring. 2019 , 24, e12615 | | 6 |
| 796 | The relationship between serum indoxyl sulfate and the renal function after catheter ablation of atrial fibrillation in patients with mild renal dysfunction. 2019 , 34, 641-649 | | 5 |
| 795 | Massive air embolism caused by an atrioesophageal fistula following isolation of the pulmonary veins for atrial fibrillation. 2019 , 5, 101-104 | | 3 |
| 794 | Performance of the ABC Scores for Assessing the Risk of Stroke or Systemic Embolism and Bleeding in Patients With Atrial Fibrillation in ENGAGE AF-TIMI 48. 2019 , 139, 760-771 | | 54 |
| 793 | Wearable and implantable diagnostic monitors in early assessment of atrial tachyarrhythmia burden. <i>Europace</i> , 2019 , 21, 377-382 | 9 | 6 |
| 792 | A novel protocol for initial heparin administration during catheter ablation for atrial fibrillation in patients taking direct oral anticoagulants. 2019 , 34, 832-841 | | 2 |
| 791 | An Ensemble Model With Clustering Assumption for Warfarin Dose Prediction in Chinese Patients. 2019 , 23, 2642-2654 | | 8 |
| 790 | Atrial fibrillation history impact on catheter ablation outcome. Findings from the ESC-EHRA Atrial Fibrillation Ablation Long-Term Registry. 2019 , 42, 313-320 | | 7 |
| 789 | Perioperative bridging of vitamin K antagonist treatment in patients with atrial fibrillation: only a very small group of patients benefits. <i>Europace</i> , 2019 , 21, 716-723 | 9 | 2 |
| 788 | Comparison between linear and focal ablation of complex fractionated atrial electrograms in patients with non-paroxysmal atrial fibrillation: a prospective randomized trial. <i>Europace</i> , 2019 , 21, 598-60 | } | 5 |
| 787 | Impact of anatomical features of the left atrial appendage on outcomes after cryoablation for atrial fibrillation. 2019 , 13, 105-112 | | 3 |

| 786 | Performance of bleeding risk scores in dialysis patients. 2019 , 34, 1223-1231 | 13 |
|-----|--|----|
| 785 | Differences in safety and efficacy of oral anticoagulants in patients with non-valvular atrial fibrillation: A Bayesian analysis. 2019 , 73, e13308 | 6 |
| 784 | Cryoballoon ablation of atrial fibrillation is effectively feasible without previous imaging of pulmonary vein anatomy: insights from the 1STOP project. 2019 , 55, 267-275 | 6 |
| 783 | Long-term outcome of catheter ablation for atrial tachyarrhythmias in patients with atrial septal defect. 2019 , 54, 217-224 | 2 |
| 782 | Risk Factors for Mitral Valve Surgery: Atrial Fibrillation and Pulmonary Hypertension. 2019 , 23, 57-69 | 2 |
| 781 | Design and rationale of the Edoxaban Treatment in routiNe clinical prActice for patients with Atrial Fibrillation in Europe (ETNA-AF-Europe) study. 2019 , 20, 97-104 | 13 |
| 780 | Effectiveness and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Patients With Atrial Fibrillation With Hypertrophic Cardiomyopathy: A Nationwide Cohort Study. 2019 , 155, 354-363 | 39 |
| 779 | Lessons learned from cryoballon pulmonary vein isolation in elderly patients - Should we go "cold for the old"?. 2019 , 278, 149-150 | 1 |
| 778 | Performance of idarucizumab as antidote of dabigatran in daily clinical practice. <i>Europace</i> , 2019 , 21, 414-3430 | 23 |
| 777 | Mechanisms of sex differences in atrial fibrillation: role of hormones and differences in electrophysiology, structure, function, and remodelling. <i>Europace</i> , 2019 , 21, 366-376 | 31 |
| 776 | Hemoptysis as a side effect of cryoballoon pulmonary vein isolation in atrial fibrillation: a retrospective case-control study. 2019 , 54, 231-236 | 3 |
| 775 | Real-World Comparison of Classes îC and îII Antiarrhythmic Drugs as an Initial Rhythm Control Strategy in Newly Diagnosed Atrial Fibrillation: From the TREAT-AF Study. 2019 , 5, 231-241 | 6 |
| 774 | Left atrial catheter ablation in patients with previously implanted left atrial appendage closure devices. <i>Europace</i> , 2019 , 21, 428-433 | 4 |
| 773 | Adenosine plasma level in patients with paroxysmal or persistent atrial fibrillation and normal heart during ablation procedure and/or cardioversion. 2019 , 15, 45-52 | 12 |
| 772 | Morphological determinators of platelet activation status in patients with atrial fibrillation. 2019 , 279, 90-95 | 5 |
| 771 | The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019 , 21, 572-580 | 5 |
| 770 | Cryoballoon ablation beyond paroxysmal atrial fibrillation. 2019 , 34, 23-28 | 3 |
| 769 | Atrial fibrillation: Not just an electric and single organ disease. 2019 , 26, 185-186 | 1 |

| 768 | Digitalis Promotes Ventricular Arrhythmias in Flecainide- and Ranolazine-Pretreated Hearts. 2019 , 19, 237-243 | 3 |
|--------------------------|---|---------------|
| 767 | What can we use to predict late recurrence after catheter ablation of atrial fibrillation?. 2019 , 276, 154-155 | 1 |
| 766 | Evaluation of a novel cardioversion intervention for atrial fibrillation: the Ottawa AF cardioversion protocol. <i>Europace</i> , 2019 , 21, 708-715 | 14 |
| 765 | Two causes of palpitations, detected by photoplethysmography on a mobile phone. 2019 , 27, 56-57 | |
| 764 | Combination of left atrial appendage closure and catheter ablation in a single procedure for patients with atrial fibrillation: Multicenter experience. 2019 , 118, 891-897 | 12 |
| 763 | German Cardiac Society Working Group on Cellular Electrophysiology state-of-the-art paper: impact of molecular mechanisms on clinical arrhythmia management. 2019 , 108, 577-599 | 11 |
| 762 | Physicians' views on patient participation in choice of oral anticoagulants in atrial fibrillation-a qualitative study. 2019 , 124, 416-422 | 1 |
| 761 | Catheter ablation of atrial fibrillation with nonfluoroscopic catheter visualization-a prospective randomized comparison. 2019 , 54, 35-42 | 2 |
| 760 | Successful radiofrequency catheter ablation of atrial fibrillation is associated with improvement in left ventricular energy loss and mechanics abnormalities. 2019 , 35, 427-435 | 4 |
| | Time trends in use of the CHADS and CHA DS VASc scores, and the geographical and specialty | |
| 759 | uptake of these scores from a popular online clinical decision tool and medical reference. 2019 , 73, e13280 | 4 |
| 759 75 ⁸ | | 4 |
| | uptake of these scores from a popular online clinical decision tool and medical reference. 2019 , 73, e13280 | 2 |
| 75 ⁸ | uptake of these scores from a popular online clinical decision tool and medical reference. 2019 , 73, e13280 Risk Stratification in Atrial Fibrillation. 2019 , 47-66 Positive impact of pulmonary vein isolation on biventricular pacing in nonresponders to cardiac | |
| 75 ⁸ | uptake of these scores from a popular online clinical decision tool and medical reference. 2019 , 73, e13280 Risk Stratification in Atrial Fibrillation. 2019 , 47-66 Positive impact of pulmonary vein isolation on biventricular pacing in nonresponders to cardiac resynchronization therapy. 2019 , 16, 416-423 | 2 |
| 75 ⁸ 757 756 | uptake of these scores from a popular online clinical decision tool and medical reference. 2019, 73, e13280 Risk Stratification in Atrial Fibrillation. 2019, 47-66 Positive impact of pulmonary vein isolation on biventricular pacing in nonresponders to cardiac resynchronization therapy. 2019, 16, 416-423 Impact of body mass index on the outcome of catheter ablation of atrial fibrillation. 2019, 105, 244-250 Current Status of Antithrombotic Therapy in Patients With Breast Cancer and Atrial Fibrillation. | 2 |
| 758 757 756 755 | uptake of these scores from a popular online clinical decision tool and medical reference. 2019, 73, e13280 Risk Stratification in Atrial Fibrillation. 2019, 47-66 Positive impact of pulmonary vein isolation on biventricular pacing in nonresponders to cardiac resynchronization therapy. 2019, 16, 416-423 Impact of body mass index on the outcome of catheter ablation of atrial fibrillation. 2019, 105, 244-250 Current Status of Antithrombotic Therapy in Patients With Breast Cancer and Atrial Fibrillation. 2019, 72, 589-591 Evolutionary Ensemble Learning Algorithm to Modeling of Warfarin Dose Prediction for Chinese. | 34 |
| 758 757 756 755 754 | uptake of these scores from a popular online clinical decision tool and medical reference. 2019, 73, e13280 Risk Stratification in Atrial Fibrillation. 2019, 47-66 Positive impact of pulmonary vein isolation on biventricular pacing in nonresponders to cardiac resynchronization therapy. 2019, 16, 416-423 Impact of body mass index on the outcome of catheter ablation of atrial fibrillation. 2019, 105, 244-250 Current Status of Antithrombotic Therapy in Patients With Breast Cancer and Atrial Fibrillation. 2019, 72, 589-591 Evolutionary Ensemble Learning Algorithm to Modeling of Warfarin Dose Prediction for Chinese. 2019, 23, 395-406 Hierarchical Algorithms for Causality Retrieval in Atrial Fibrillation Intracavitary Electrograms. 2019, | 2 34 15 |

(2020-2019)

| 75° | The Translation of Knowledge Into Practice in the Management of Atrial Fibrillation in Singapore. 2019 , 28, 605-614 | О |
|-----|---|----|
| 749 | Ischemic stroke in atrial fibrillation patients: don't put the blame always on heart. <i>Hellenic Journal of Cardiology</i> , 2020 , 61, 208-209 | 4 |
| 748 | Incidence and pattern of conduction gaps after pulmonary vein isolation with the endoscopic ablation system. 2020 , 57, 465-471 | 6 |
| 747 | Action Potential Triangulation Explains Acute Proarrhythmic Effect of Aliskiren in a Whole-Heart Model of Atrial Fibrillation. 2020 , 20, 49-57 | 3 |
| 746 | Septal total atrial conduction time for prediction of atrial fibrillation in embolic stroke of unknown source: a pilot study. 2020 , 109, 205-214 | 9 |
| 745 | Myeloperoxidase in atrial fibrillation: association with progression, origin and influence of renin-angiotensin system antagonists. 2020 , 109, 324-330 | 10 |
| 744 | Long-term development of radiation exposure, fluoroscopy time and contrast media use in daily routine in cryoballoon ablations after implementation of intracardiac echocardiography and other radioprotective measures: experiences from a large single-centre cohort. 2020 , 58, 169-175 | 4 |
| 743 | Comparison of Outcomes Using the First and Second Generation Cryoballoon to Treat Atrial Fibrillation. 2020 , 29, 452-459 | 3 |
| 742 | Role of HDACs in cardiac electropathology: Therapeutic implications for atrial fibrillation. 2020 , 1867, 118459 | 5 |
| 741 | MediYoga as a part of a self-management programme among patients with paroxysmal atrial fibrillation - a randomised study. 2020 , 19, 74-82 | 4 |
| 740 | Risk prediction of new AF: is there a role for artificial intelligence?. 2020 , 27, 1325-1327 | 2 |
| 739 | Is Atrial Fibrillation a Stroke Risk Factor or Risk Marker? An Appraisal Using the Bradford Hill Framework for Causality. 2020 , 29, 86-93 | 6 |
| 738 | Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. <i>Europace</i> , 2020 , 22, 74-83 | 6 |
| 737 | The optimal drug adherence to maximize the efficacy and safety of non-vitamin K antagonist oral anticoagulant in real-world atrial fibrillation patients. <i>Europace</i> , 2020 , 22, 547-557 | 23 |
| 736 | Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. 2020 , 6, 14-21 | 2 |
| 735 | The safety of discontinuation of oral anticoagulation therapy after apparently successful atrial fibrillation ablation: a report from the Chinese Atrial Fibrillation Registry study. <i>Europace</i> , 2020 , 22, 90-99. | 16 |
| 734 | Diagnosis and management of left atrial appendage thrombus in patients with atrial fibrillation undergoing cardioversion or percutaneous left atrial procedures: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2020 , 22, 162-169 | 14 |
| 733 | Decoding Cardiac Electrophysiology. 2020 , | |

| 732 | Long-term outcome after totally thoracoscopic ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 40-45 | 6 |
|------------------|--|----|
| 731 | Dabigatran Persistence and Outcomes Following Discontinuation in Atrial Fibrillation Patients from the GLORIA-AF Registry. 2020 , 125, 383-391 | 10 |
| 730 | Detecting Atrial Fibrillation and Atrial Flutter in Daily Life Using Photoplethysmography Data. 2020 , 24, 1610-1618 | 14 |
| 729 | A comparison of acute procedural outcomes within four generations of cryoballoon catheters utilized in the real-world multicenter experience of 1STOP. <i>Journal of Cardiovascular</i> 2.7 <i>Electrophysiology</i> , 2020 , 31, 80-88 | 7 |
| 728 | Ivabradine for chronic heart rate control in persistent atrial fibrillation. Design of the BRAKE-AF project. 2020 , 73, 368-375 | 3 |
| 727 | PREvention of recurrent arrhythmias with Mediterranean diet (PREDIMAR) study in patients with atrial fibrillation: Rationale, design and methods. 2020 , 220, 127-136 | 5 |
| 726 | Intermittent vs continuous electrocardiogram event recording for detection of atrial fibrillation-Compliance and ease of use in an ambulatory elderly population. 2020 , 43, 355-362 | 7 |
| 725 | Cost-Effectiveness of Extended and One-Time Screening Versus No Screening for Non-Valvular Atrial Fibrillation in the USA. 2020 , 18, 533-545 | 3 |
| 724 | Safety and Effectiveness of Direct Oral Anticoagulants vs Warfarin in People With Atrial Fibrillation and Dementia. 2020 , 21, 1058-1064.e6 | 13 |
| 723 | Paroxysmal atrial fibrillation recurrence after redo procedure-ablation modality impact. 2020 , 57, 77-85 | 2 |
| 722 | Cryoballoon catheter ablation versus antiarrhythmic drugs as a first-line therapy for patients with paroxysmal atrial fibrillation: Rationale and design of the international Cryo-FIRST study. 2020 , 222, 64-72 | 8 |
| 721 | Trends in preadmission oral anticoagulant use and clinical outcome in atrial fibrillation patients admitted with acute stroke in Denmark. 2020 , 6, 112-120 | O |
| 720 | Improved brain perfusion after electrical cardioversion of atrial fibrillation. <i>Europace</i> , 2020 , 22, 530-537 3.9 | 13 |
| 719 | Atrial fibrillation progression risk factors and associated cardiovascular outcome in well-phenotyped patients: data from the AF-RISK study. <i>Europace</i> , 2020 , 22, 352-360 | 23 |
| 718 | New-onset postoperative atrial fibrillation after heart surgery. 2020 , 64, 145-155 | 13 |
| 717 | Persistent atrial fibrillation in heart failure with preserved ejection fraction: Prognostic relevance and association with clinical, imaging and invasive haemodynamic parameters. 2020 , 50, e13184 | 4 |
| 716 | Direct comparisons of effectiveness and safety of treatment with Apixaban, Dabigatran and Rivaroxaban in atrial fibrillation. 2020 , 185, 135-141 | 6 |
| 7 1 5 | Temporal relations between atrial fibrillation and ischaemic stroke and their prognostic impact on mortality. <i>Europace</i> , 2020 , 22, 522-529 | 5 |

(2020-2020)

| 714 | Acute Limb Ischemia Secondary to Patent Foramen Ovale-Mediated Paradoxical Embolism: A Case Report and Systematic Review of the Literature. 2020 , 66, 668.e5-668.e10 | | 5 |
|-----|---|-----|----|
| 713 | Do computerized clinical decision support systems improve the prescribing of oral anticoagulants? A systematic review. 2020 , 187, 79-87 | | 5 |
| 712 | Prevalence, risk factors, and type of sleep apnea in patients with paroxysmal atrial fibrillation. 2020 , 26, 100447 | | 14 |
| 711 | Monitoring the dynamics of acute radiofrequency ablation lesion formation in thin-walled atria - a simultaneous optical and electrical mapping study. 2020 , 65, 327-341 | | 2 |
| 710 | The unmeasured burden: Contribution of depression and psychological stress to patient-reported outcomes in atrial fibrillation. 2020 , 302, 75-80 | | 5 |
| 709 | Adjunctive percutaneous ablation targeting epicardial arrhythmogenic structures in patients of atrial fibrillation with recurrence after multiple procedures. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 401-409 | 2.7 | 2 |
| 708 | Personalized monitoring of electrical remodelling during atrial fibrillation progression via remote transmissions from implantable devices. <i>Europace</i> , 2020 , 22, 704-715 | 3.9 | 8 |
| 707 | Impact of oral anticoagulation in patients with atrial fibrillation at very low thromboembolic risk. 2020 , 106, 845-851 | | 1 |
| 706 | New artificial intelligence prediction model using serial prothrombin time international normalized ratio measurements in atrial fibrillation patients on vitamin K antagonists: GARFIELD-AF. 2020 , 6, 301-30 |)9 | 15 |
| 705 | Ablation strategies for different types of atrial fibrillation in Europe: results of the ESC-EORP EHRA Atrial Fibrillation Ablation Long-Term registry. <i>Europace</i> , 2020 , 22, 558-566 | 3.9 | 4 |
| 704 | Catheter ablation for atrial fibrillation and left atrial appendage occlusion: to combine in a single procedure?. <i>Europace</i> , 2020 , 22, 179-180 | 3.9 | 1 |
| 703 | Non-vitamin K antagonist oral anticoagulants in patients with hypertrophic cardiomyopathy and atrial fibrillation: a systematic review and meta-analysis. 2020 , 50, 311-317 | | 9 |
| 702 | The association between patterns of atrial fibrillation, anticoagulation, and cardiovascular events. <i>Europace</i> , 2020 , 22, 195-204 | 3.9 | 13 |
| 701 | Which patients with atrial fibrillation undergo an ablation procedure today in Europe? A report from the ESC-EHRA-EORP Atrial Fibrillation Ablation Long-Term and Atrial Fibrillation General Pilot Registries. <i>Europace</i> , 2020 , 22, 250-258 | 3.9 | 2 |
| 700 | Sex-related differences in risk factors, outcome, and quality of life in patients with permanent atrial fibrillation: results from the RACE II study. <i>Europace</i> , 2020 , 22, 1619-1627 | 3.9 | 7 |
| 699 | Determinants of sinus rhythm maintenance in patients with early-persistent atrial fibrillation and heart failure. 2020 , 109, 787-789 | | 2 |
| 698 | Increased detection of suspected atrial fibrillation in elderly and female hypertensive patients through home blood pressure monitoring: the HOME-AF study. 2020 , 38, 441-447 | | 1 |
| 697 | Catheter Ablation of Atrial Fibrillation: State of the Art and Future Perspectives. 2020 , 9, 45-58 | | 27 |

| 696 | Surgical left atrial appendage occlusion in patients with atrial fibrillation undergoing mechanical heart valve replacement. 2020 , 133, 1891-1899 | | 2 |
|-----|---|-----|----|
| 695 | Comparative Effectiveness and Safety of Oral Anticoagulants Across Kidney Function in Patients With Atrial Fibrillation. 2020 , 13, e006515 | | 4 |
| 694 | Association between body mass index and mortality in atrial fibrillation patients with and without diabetes mellitus: Insights from a multicenter registry study in China. 2020 , 30, 2242-2251 | | 2 |
| 693 | Plugs for left atrial appendage occlusion: an overview of available devices. 2020 , 17, 1145-1154 | | |
| 692 | Atrial Fibrillation Identification With PPG Signals Using a Combination of Time-Frequency Analysis and Deep Learning. 2020 , 8, 172692-172706 | | 3 |
| 691 | Shifts in gut microbiome and metabolome are associated with risk of recurrent atrial fibrillation. 2020 , 24, 13356-13369 | | 11 |
| 690 | Protocol, rationale and design of DAbigatran for Stroke PreVention In Atrial Fibrillation in MoDerate or Severe Mitral Stenosis (DAVID-MS): a randomised, open-label study. 2020 , 10, e038194 | | 4 |
| 689 | Indications and Outcome in Patients Undergoing Left Atrial Appendage Closure-The Austrian LAAC Registry. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 2 |
| 688 | Risk Assessment Using Risk Scores in Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 5 |
| 687 | Evaluating Serum Heat Shock Protein Levels as Novel Biomarkers for Atrial Fibrillation. 2020 , 9, | | 7 |
| 686 | One-stop hybrid procedure combining catheter ablation and left atrial appendage closure increases long-term risk for adverse events in patients with atrial fibrillation. 2020 , 43, 1358-1365 | | 4 |
| 685 | COVID-19 associated atrial fibrillation: Incidence, putative mechanisms and potential clinical implications. 2020 , 30, 100631 | | 47 |
| 684 | One-year outcome and durability of pulmonary vein isolation after prospective use of ablation index for catheter ablation in patients with persistent atrial fibrillation. 2021 , 62, 143-151 | | 0 |
| 683 | Self-reported treatment burden in patients with atrial fibrillation: quantification, major determinants, and implications for integrated holistic management of the arrhythmia. <i>Europace</i> , 2020 , 22, 1788-1797 | 3.9 | 12 |
| 682 | Awareness, Knowledge, and Utility of RCT Data vs RWE: Results From a Survey of US Cardiologists: Real-world Evidence in Clinical Decision Making. 2020 , 14, 1179546820953410 | | 1 |
| 681 | Comparative efficacy and safety of catheter ablation interventions for atrial fibrillation: comprehensive network meta-analysis of randomized controlled trials. 2021 , 62, 199-211 | | 1 |
| 680 | New Predictor of Very Late Recurrence After Catheter Ablation of Atrial Fibrillation Using Holter Electrocardiogram Parameters. 2020 , 133, 71-76 | | 3 |
| 679 | Catheter Ablation for Atrial Fibrillation in Patients With Concurrent Heart Failure. 2020, 137, 45-54 | | 5 |

| 678 | Frauen und Arrhythmien. 2020 , 16, 75-90 | |
|--------------------------|---|----|
| 677 | Screening for atrial fibrillation: predicted sensitivity of short, intermittent electrocardiogram recordings in an asymptomatic at-risk population. <i>Europace</i> , 2020 , 22, 1781-1787 | 13 |
| 676 | Predictive role of early recurrence of atrial fibrillation after cryoballoon ablation. <i>Europace</i> , 2020 , 22, 1798-1804 | 8 |
| 675 | Canada-wide mixed methods analysis evaluating the reasons for inappropriate emergency department presentation in patients with a history of atrial fibrillation: the multicentre AF-ED trial. 2020 , 10, e033482 | O |
| 674 | Assessing Anticoagulation Management and Shared Decision-Making Documentation From Providers Participating in the SUPPORT-AF II Study. 2020 , 40, 76-80 | |
| 673 | [Smart decisions in rhythmology: What should we know? What should be do? What do we still have to learn?]. 2020 , 31, 328-333 | Ο |
| 672 | Patient perception of anticoagulant treatment for stroke prevention (RE-SONANCE study). 2020 , 7, e001202 | 2 |
| 671 | [Management of acute complications during electrophysiological procedures]. 2020 , 31, 381-387 | О |
| 670 | Monitoring and follow-up after atrial fibrillation ablation. 2020 , 521-531 | |
| | | |
| 669 | Management of arrhythmias in pregnancy. 2020 , 821-826 | |
| 669 668 | Management of arrhythmias in pregnancy. 2020 , 821-826 Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. <i>BMC Medical Genomics</i> , 2020 , 13, 104 | 6 |
| | Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. BMC Medical | 6 |
| 668 | Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. <i>BMC Medical Genomics</i> , 2020 , 13, 104 Real-world cost-effectiveness of rivaroxaban and apixaban vs VKA in stroke prevention in | |
| 668 | Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. <i>BMC Medical Genomics</i> , 2020 , 13, 104 Real-world cost-effectiveness of rivaroxaban and apixaban vs VKA in stroke prevention in non-valvular atrial fibrillation in the UK. 2020 , 8, 1782164 Wide-Band Dielectric Imaging and the Novel Cryoballoon-Occlusion Tool to Guide | 2 |
| 668 667 666 | Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. BMC Medical Genomics, 2020, 13, 104 Real-world cost-effectiveness of rivaroxaban and apixaban vs VKA in stroke prevention in non-valvular atrial fibrillation in the UK. 2020, 8, 1782164 Wide-Band Dielectric Imaging and the Novel Cryoballoon-Occlusion Tool to Guide Cryoballoon-Based Pulmonary Vein Isolation. 2020, 13, e008507 Exercise-based cardiac rehabilitation improves physical fitness in patients with permanent atrial | 2 |
| 668 667 666 | Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. BMC Medical Genomics, 2020, 13, 104 Real-world cost-effectiveness of rivaroxaban and apixaban vs VKA in stroke prevention in non-valvular atrial fibrillation in the UK. 2020, 8, 1782164 Wide-Band Dielectric Imaging and the Novel Cryoballoon-Occlusion Tool to Guide Cryoballoon-Based Pulmonary Vein Isolation. 2020, 13, e008507 Exercise-based cardiac rehabilitation improves physical fitness in patients with permanent atrial fibrillation IA randomized controlled study. 2020, 3, 415-425 Vascular Endothelial Growth Factor (VEGF) Inhibitor Cardiotoxicity: What Should We Know?. 2020, | 2 |
| 668 667 666 665 | Identification of potential crucial genes in atrial fibrillation: a bioinformatic analysis. BMC Medical Genomics, 2020, 13, 104 Real-world cost-effectiveness of rivaroxaban and apixaban vs VKA in stroke prevention in non-valvular atrial fibrillation in the UK. 2020, 8, 1782164 Wide-Band Dielectric Imaging and the Novel Cryoballoon-Occlusion Tool to Guide Cryoballoon-Based Pulmonary Vein Isolation. 2020, 13, e008507 Exercise-based cardiac rehabilitation improves physical fitness in patients with permanent atrial fibrillation IA randomized controlled study. 2020, 3, 415-425 Vascular Endothelial Growth Factor (VEGF) Inhibitor Cardiotoxicity: What Should We Know?. 2020, 22, 1 ASK FOR IT: An Internet-based educational program for patients with atrial fibrillation - Results from a pilot study and design of the randomized, controlled, multicenter ASK FOR IT study 2020, | 6 |

Timing of cardioversion in atrial fibrillation: the sooner the better?. 2020, 22, L41-L43

| 659 | Red Cell Distribution Width and Risk of Atrial Fibrillation and Subsequent Thromboembolism: The Troms (5) tudy. 2020 , 4, e280-e287 | | 1 |
|-----|--|-----|---|
| 658 | Comorbidity burden in patients undergoing left atrial appendage closure. 2020, | | 1 |
| 657 | Hemorrhage Risk Profiles among Different Antithrombotic Regimens: Evidence from a Real-World Analysis of Postmarketing Surveillance Data. 2020 , 1 | | 4 |
| 656 | Bleeding Events in Patients 75 Years of Age and Older Under Long-term Anticoagulant Therapy: A Real-life Study. 2020 , 19, 131-138 | | 2 |
| 655 | Why Follow-up Examinations After Left Atrial Appendage Closure Are Important: Detection of Complications During Follow-up and How to Deal with Them. 2020 , 22, 113 | | 1 |
| 654 | The prognostic value of soluble suppression of tumourigenicity 2 and galectin-3 for sinus rhythm maintenance after cardioversion due to persistent atrial fibrillation in patients with normal left ventricular systolic function. <i>Europace</i> , 2020 , 22, 1470-1479 | 3.9 | 3 |
| 653 | Long-term outcome of patients with invasive electrophysiology procedure-related cardiac tamponade. <i>Europace</i> , 2020 , 22, 1547-1557 | 3.9 | 1 |
| 652 | Electroanatomic guidance versus conventional fluoroscopy during transseptal puncture for atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2607-2613 | 2.7 | 1 |
| 651 | Management of Anticoagulant Treatment and Anticoagulation-Related Complications in Nonagenarians. 2020 , 40, 292-300 | | 3 |
| 650 | Real-Time Ventricular Cancellation in Unipolar Atrial Fibrillation Electrograms. 2020, 8, 789 | | 1 |
| 649 | Predictors of recurrence of atrial fibrillation within the first 3 months after ablation. <i>Europace</i> , 2020 , 22, 1337-1344 | 3.9 | 5 |
| 648 | Modified SAMe-TTR score for predicting the therapeutic range of digoxin. 2021 , 46, 359-366 | | О |
| 647 | The CHADS-VASc score and Geriatric Multidimensional Assessment tools in elderly patients with persistent atrial fibrillation undergoing electrical cardioversion. A link with arrhythmia relapse?. 2020 , 82, 56-61 | | 3 |
| 646 | [Is There Still a Need for Medical Antiarrhythmic Therapy?]. 2020, 145, 526-535 | | O |
| 645 | Electrophysiological effects of non-vitamin K antagonist oral anticoagulants on atrial repolarizing potassium channels. <i>Europace</i> , 2020 , 22, 1409-1418 | 3.9 | O |
| 644 | Stroke prevention and guideline adherent antithrombotic treatment in elderly patients with atrial fibrillation: A real-world experience. 2020 , 99, e21209 | | 2 |
| 643 | Prescription of oral anticoagulants and antiplatelets for stroke prophylaxis in atrial fibrillation: nationwide time series ecological analysis. <i>Europace</i> , 2020 , 22, 1311-1319 | 3.9 | 9 |

(2020-2021)

| 642 | The RITHMI study: diagnostic ability of a heart rhythm monitor for automatic detection of atrial fibrillation. 2021 , 74, 602-607 | | 1 |
|-----|---|-----|----|
| 641 | Influence of ablation index on the incidence of cardiac tamponade complicating pulmonary vein isolation. 2021 , 46, 228-234 | | Ο |
| 640 | DBCSMOTE: a clustering-based oversampling technique for data-imbalanced warfarin dose prediction. <i>BMC Medical Genomics</i> , 2020 , 13, 152 | 3.7 | 3 |
| 639 | The Predictive Value of Tissue Doppler Indices for Early Recurrence of Atrial Fibrillation After Electrical Cardioversion. 2020 , 15, 1917-1925 | | Ο |
| 638 | Advantages and challenges for noninvasive atrial fibrillation ablation. 2021 , 62, 319-327 | | 1 |
| 637 | Letter to the Editor in Response to Nous et al 2020. 2020 , 132, 182-183 | | |
| 636 | Venous Thromboembolism in COVID-19. 2020 , 120, 1642-1653 | | 25 |
| 635 | Etiology of atrial fibrillation in patients with complex congenital heart disease - for a better treatment strategy. <i>Journal of Cardiology</i> , 2020 , 76, 438-445 | 3 | 2 |
| 634 | Non-vitamin K antagonist oral anticoagulants for stroke prevention in atrial fibrillation: safety issues in the elderly. 2020 , 13, 1309-1327 | | 2 |
| 633 | Acute conduction recurrence of mitral isthmus: Incidence, clinical characteristics, and implications. 2020 , 43, 1564-1571 | | 4 |
| 632 | New-onset paroxysmal atrial fibrillation in acute myocardial infarction: increased risk of stroke. 2020 , 10, e039600 | | 3 |
| 631 | Left atrial emptying fraction determined during atrial fibrillation predicts maintenance of sinus rhythm after direct current cardioversion in patients with persistent atrial fibrillation. <i>PLoS ONE</i> , 2020 , 15, e0238002 | 3.7 | 3 |
| 630 | The implications of catheter ablation for solitary atrial flutter in preventing stroke risk: a nationwide population-based cohort study. <i>Europace</i> , 2020 , 22, 1558-1566 | 3.9 | |
| 629 | Machine learning does not improve upon traditional regression in predicting outcomes in atrial fibrillation: an analysis of the ORBIT-AF and GARFIELD-AF registries. <i>Europace</i> , 2020 , 22, 1635-1644 | 3.9 | 7 |
| 628 | Left Atrial Appendage Thrombus Formation Despite Continuous Non-Vitamin K Antagonist Oral Anticoagulant Therapy in Atrial Fibrillation Patients Undergoing Electrical Cardioversion or Catheter Ablation: A Comparison of Dabigatran and Rivaroxaban. 2020 , 2020, 1206402 | | |
| 627 | The differences of atrial thrombus locations and variable response to anticoagulation in nonvalvular atrial fibrillation with ventricular cardiomyopathy. 2020 , 36, 1016-1022 | | 2 |
| 626 | Cardiac arrhythmia catheter ablation procedures guided by x-ray imaging: N-acetylcysteine protection against radiation-induced cellular damage (CARAPACE study): study design. 2021 , 61, 577-58 | 32 | 2 |
| 625 | Exploring Patients' Values and Preferences for Initial Atrial Fibrillation Education. 2020 , 35, 445-455 | | 2 |

| 624 | Evaluation of drug therapy problems, medication adherence and treatment satisfaction among heart failure patients on follow-up at a tertiary care hospital in Ethiopia. <i>PLoS ONE</i> , 2020 , 15, e0237781 $^{3.7}$ | 3 |
|-----|---|----|
| 623 | Management of catheter ablation in arrhythmia patients during the coronavirus disease 2019 epidemic. 2020 , 7, 4032 | 1 |
| 622 | Diagnosis and Management of Patients with Heart Failure with Preserved Ejection Fraction (HFpEF): Current Perspectives and Recommendations. 2020 , 16, 769-785 | 10 |
| 621 | Surgical ablation for atrial fibrillation: Breaking the bank or worth every penny?. 2020, 35, 3455-3457 | |
| 620 | Novel Wide-Band Dielectric Imaging System and Occlusion Tool to Guide Cryoballoon-Based Pulmonary Vein Isolation: Feasibility and First Insights. 2020 , 13, e009219 | 5 |
| 619 | What do we do about atrial high rate episodes?. 2020 , 22, O42-O52 | 12 |
| 618 | Relationship between device-detected subclinical atrial fibrillation and heart failure in patients with cardiac resynchronization therapy defibrillator. 2020 , 43, 1517-1523 | 2 |
| 617 | Motivation of overweight patients with atrial fibrillation to lose weight or to follow a weight loss management program: a cross-sectional study. 2021 , 76, 494-503 | 1 |
| 616 | Left atrial wall dyskinesia assessed during contractile phase as a predictor of atrial fibrillation recurrence after electrical cardioversion performed due to persistent atrial fibrillation. 2020 , 99, e23333 | O |
| 615 | Bleeding risk with rivaroxaban compared with vitamin K antagonists in patients aged 80 years or older with atrial fibrillation. 2021 , 107, 1376-1382 | 16 |
| 614 | Genetic Variants Associated with Non-Alcoholic Fatty Liver Disease Do Not Associate with Measures of Sub-Clinical Atherosclerosis: Results from the IMPROVE Study. 2020 , 11, | 1 |
| 613 | Atrial fibrillation monitoring with wrist-worn photoplethysmography-based wearables: State-of-the-art review 2020 , 1, 45-51 | 5 |
| 612 | Quality of Life and Health Care Utilization in the CIRCA-DOSE Study. 2020, 6, 935-944 | 13 |
| 611 | Revisiting Antiarrhythmic Drug Therapy for Atrial Fibrillation: Reviewing Lessons Learned and Redefining Therapeutic Paradigms. 2020 , 11, 581837 | 8 |
| 610 | On-demand mobile health infrastructures to allow comprehensive remote atrial fibrillation and risk factor management through teleconsultation. 2020 , 43, 1232-1239 | 21 |
| 609 | Role of Catheter Ablation as a First-Line Treatment for Atrial Fibrillation. 2020 , 22, 1 | |
| 608 | How to estimate the potential clinical benefit associated with left atrial appendage closure? Authors' reply. <i>Europace</i> , 2020 , 22, 1756 | 4 |
| 607 | Editorial: Innovative Approaches to Tackle Atrial Fibrillation: From Bench to Bedside. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 566239 | |

| 606 | Pulmonary Vein Activity Organization to Determine Atrial Fibrillation Recurrence: Preliminary Data from a Pilot Study. 2020 , 8, 1813 | | 1 |
|--------------------------|--|-----|--------|
| 605 | Clinical efficacy and safety of radiofrequency catheter ablation for atrial fibrillation in patients aged B 0 years. 2020 , 43, 814-821 | | 1 |
| 604 | Ten-year follow-up after endocardial point-by-point cryoablation for paroxysmal atrial fibrillation. 2021 , 76, 425-430 | | |
| 603 | Benefit of ultra-high-density mapping-guided radiofrequency reablation in pulmonary vein isolation non-responders after initial cryoballoon procedure. <i>Europace</i> , 2020 , 22, 906-915 | 3.9 | 3 |
| 602 | Burden and correlates of atrial fibrillation among hypertensive patients attending a tertiary hospital in Tanzania. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 235 | 2.3 | 1 |
| 601 | Use of oral anticoagulants after ischaemic stroke in patients with atrial fibrillation and cancer. 2020 , 288, 457-468 | | 5 |
| 600 | Comparison of healthcare costs among patients with non-valvular atrial fibrillation treated with warfarin who switched to a novel oral anticoagulant. 2020 , 11, 133-140 | | 1 |
| 599 | Cell-Free Circulating Mitochondrial DNA: A Potential Blood-Based Marker for Atrial Fibrillation. 2020 , 9, | | 8 |
| 598 | Catheter ablation for the management of atrial fibrillation: current technical perspectives. 2020, 7, | | 4 |
| 597 | Pharmacologic TWIK-Related Acid-Sensitive K+ Channel (TASK-1) Potassium Channel Inhibitor A293 Facilitates Acute Cardioversion of Paroxysmal Atrial Fibrillation in a Porcine Large Animal Model. 2020 , 9, e015751 | | 10 |
| | | | |
| 596 | Percutaneous left atrial appendage closure for cerebrovascular accident prevention: rationale, indications, technical aspects, clinical results and future perspective. 2020 , 16, 237-250 | | 1 |
| 596 | · · · · · · · · · · · · · · · · · · · | 5.1 | 9 |
| | indications, technical aspects, clinical results and future perspective. 2020 , 16, 237-250 Clinical Outcome of Edoxaban vs. Vitamin K Antagonists in Patients with Atrial Fibrillation and Diabetes Mellitus: Results from a Multicenter, Propensity-Matched, Real-World Cohort Study. | 5.1 | |
| 595 | indications, technical aspects, clinical results and future perspective. 2020 , 16, 237-250 Clinical Outcome of Edoxaban vs. Vitamin K Antagonists in Patients with Atrial Fibrillation and Diabetes Mellitus: Results from a Multicenter, Propensity-Matched, Real-World Cohort Study. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 9 |
| 595 594 | indications, technical aspects, clinical results and future perspective. 2020 , 16, 237-250 Clinical Outcome of Edoxaban vs. Vitamin K Antagonists in Patients with Atrial Fibrillation and Diabetes Mellitus: Results from a Multicenter, Propensity-Matched, Real-World Cohort Study. <i>Journal of Clinical Medicine</i> , 2020 , 9, Profile of Obesity and Comorbidities in Elderly Patients with Heart Failure. 2020 , 15, 547-556 Association of Ischemic Stroke, Major Bleeding, and Other Adverse Events With Warfarin Use vs Non-vitamin K Antagonist Oral Anticoagulant Use in Patients With Atrial Fibrillation With a History | | 9 |
| 595 594 593 | indications, technical aspects, clinical results and future perspective. 2020, 16, 237-250 Clinical Outcome of Edoxaban vs. Vitamin K Antagonists in Patients with Atrial Fibrillation and Diabetes Mellitus: Results from a Multicenter, Propensity-Matched, Real-World Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, Profile of Obesity and Comorbidities in Elderly Patients with Heart Failure. 2020, 15, 547-556 Association of Ischemic Stroke, Major Bleeding, and Other Adverse Events With Warfarin Use vs Non-vitamin K Antagonist Oral Anticoagulant Use in Patients With Atrial Fibrillation With a History of Intracranial Hemorrhage. 2020, 3, e206424 | | 9 |
| 595 594 593 592 | indications, technical aspects, clinical results and future perspective. 2020, 16, 237-250 Clinical Outcome of Edoxaban vs. Vitamin K Antagonists in Patients with Atrial Fibrillation and Diabetes Mellitus: Results from a Multicenter, Propensity-Matched, Real-World Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, Profile of Obesity and Comorbidities in Elderly Patients with Heart Failure. 2020, 15, 547-556 Association of Ischemic Stroke, Major Bleeding, and Other Adverse Events With Warfarin Use vs Non-vitamin K Antagonist Oral Anticoagulant Use in Patients With Atrial Fibrillation With a History of Intracranial Hemorrhage. 2020, 3, e206424 Incomplete Left Atrial Appendage Closure Successfully Treated With a Redo Procedure. 2020, 21, 69-7. Reproducibility of pulmonary vein isolation guided by the ablation index: 1-year outcome of the AIR. | 72 | 9 4 14 |

| 588 | The predictive value of a concise classification of left atrial appendage morphology to thrombosis in non-valvular atrial fibrillation patients. 2020 , 43, 789-795 | 5 |
|-----|---|----|
| 587 | Rationale, considerations, and goals for atrial fibrillation centers of excellence: A Heart Rhythm Society perspective. 2020 , 17, 1804-1832 | 13 |
| 586 | Innovative tools for atrial fibrillation ablation. 2020 , 17, 555-563 | 3 |
| 585 | Pharmacological inhibition of sodium-proton-exchanger subtype 3-mediated sodium absorption in the gut reduces atrial fibrillation susceptibility in obese spontaneously hypertensive rats. 2020 , 28, 100534 | 2 |
| 584 | Effects of amiodarone on rodent ventricular cardiomyocytes: Novel perspectives from a cellular model of Long QT Syndrome Type 3. 2020 , 255, 117814 | 3 |
| 583 | A COMPLEX ORDER MODEL OF ATRIAL ELECTRICAL PROPAGATION FROM FRACTAL POROUS CELL MEMBRANE. 2020 , 28, 2050106 | 6 |
| 582 | Are the atrial natriuretic peptides a missing link predicting low-voltage areas in atrial fibrillation? Introducing the novel biomarker-based atrial fibrillation substrate prediction (ANP) score. 2020 , 43, 762-768 | 9 |
| 581 | The management of atrial fibrillation in heart failure: an expert panel consensus. 2021 , 26, 1345-1358 | 6 |
| 580 | Thrombus in the left atrial appendage in patients with atrial fibrillation treated with non-vitamin K antagonist oral anticoagulants in clinical practice-A multicenter registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2005-2012 | 1 |
| 579 | Totally thoracoscopic ablation: a unilateral right-sided approach. 2020 , 58, 1088-1090 | 2 |
| 578 | Atrial Fibrillation in Older Patients with Syncope and Dementia: Insights from the Syncope and Dementia Registry. 2020 , 21, 1238-1242 | 4 |
| 577 | Is Catheter Ablation Better Than Antiarrhythmic Drugs for the Treatment of Atrial Fibrillation?. 2020 , 29, 131-140 | |
| 576 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. Europace, 2020, 22, 1147-1148 | 25 |
| 575 | Short-term anticoagulation after acute cardioversion of early-onset atrial fibrillation. 2020 , 50, e13316 | 1 |
| 574 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. | 11 |
| 573 | 2020 , 36, 553-607 Characteristics and Prognosis of Patients With Nonvalvular Atrial Fibrillation and Significant Valvular Heart Disease Referred for Electrical Cardioversion. 2020 , 128, 84-91 | 1 |
| 572 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. 2020, 17, e269-e316 | 7 |
| 571 | Opportunistic screening versus usual care for diagnosing atrial fibrillation in general practice: a cluster randomised controlled trial. 2020 , 70, e427-e433 | 17 |

| 570 | Direct oral anticoagulants across the heart failure spectrum: the precision medicine era. 2020 , 1 | | 1 |
|-----|---|-----|---|
| 569 | Symptoms and quality of life in patients with coexistent atrial fibrillation and atrial flutter. 2020 , 29, 100556 | | 1 |
| 568 | Beyond CHADS-VASc in atrial fibrillation: the atrium and the risk of stroke. 2020 , 22, E30-E33 | | 1 |
| 567 | Safety and Efficacy of Oral Anticoagulants Therapies in Patients With Atrial Fibrillation Undergoing Percutaneous Coronary Intervention: A Network Meta-Analysis. 2020 , 25, 399-408 | | 1 |
| 566 | Association of Atrial Fibrillation Without Cardiovascular Comorbidities and Stroke Risk: From the REGARDS Study. 2020 , 9, e016380 | | 6 |
| 565 | Arginine derivatives in atrial fibrillation progression phenotypes. 2020 , 98, 999-1008 | | Ο |
| 564 | The WATCHMAN left atrial appendage closure device for patients with atrial fibrillation: current status and future perspectives. 2020 , 17, 615-626 | | 3 |
| 563 | "Preventive" pacing in patients with tachy-brady syndrome (TBS): Confirming a common practice. 2020 , 74, e13583 | | 1 |
| 562 | Combination of Oral Anticoagulants and Single Antiplatelets versus Triple Therapy in Nonvalvular Atrial Fibrillation and Acute Coronary Syndrome: Stroke Prevention among Asians. 2020 , 29, 88-97 | | 2 |
| 561 | Cryoballoon or radiofrequency ablation? Alternating technique for repeat procedures in patients with atrial fibrillation. 2020 , 43, 687-697 | | 2 |
| 560 | Pharmacologic cardioversion of recent-onset atrial fibrillation: a systematic review and network meta-analysis. <i>Europace</i> , 2020 , 22, 854-869 | 3.9 | 5 |
| 559 | RIVAroxaban TWICE daily for lysis of thrombus in the left atrial appendage in patients with non-valvular atrial fibrillation: the RIVA-TWICE study. 2020 , 16, 289-296 | | 6 |
| 558 | Effect of CES1 and ABCB1 genotypes on the pharmacokinetics and clinical outcomes of dabigatran etexilate in patients with atrial fibrillation and chronic kidney disease. 2020 , 35, | | 8 |
| 557 | Pulmonary vein isolation treats symptomatic AF in a patient with Lamin A/C mutation: case report and review of the literature. 2020 , 109, 1070-1075 | | O |
| 556 | Characteristics and outcomes of atrial fibrillation in patients without traditional risk factors: an RE-LY AF registry analysis. <i>Europace</i> , 2020 , 22, 870-877 | 3.9 | 9 |
| 555 | Effect of concomitant antiplatelet agents on clinical outcomes in the edoxaban vs warfarin in subjects undergoing cardioversion of atrial fibrillation (ENSURE-AF) randomized trial. 2020 , 109, 1374-13 | 880 | 2 |
| 554 | Beneficial Effect of Flecainide Controlled Release on the Quality of Life of Patients with Atrial Fibrillation-the REFLEC-CR Study. 2020 , 34, 383-389 | | 1 |
| 553 | Quantitative and Qualitative Analysis on Sex and Gender in Preparatory Material for National Medical Examination in Germany and the United States. 2020 , 7, 2382120519894253 | | 3 |

| 552 | Elevated 🛮-Adrenergic Receptor Autoantibody Levels Increase Atrial Fibrillation Susceptibility by Promoting Atrial Fibrosis. 2020 , 11, 76 | | 3 |
|-----|--|-----|----|
| 551 | Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020 , 22, 724-731 | 3.9 | 18 |
| 550 | Combined Therapy of Catheter Ablation and Left Atrial Appendage Closure for Patients with Atrial Fibrillation: A Case-Control Study. 2020 , 2020, 8615410 | | 7 |
| 549 | Characteristics and 2-year outcomes of dabigatran treatment in patients with heart failure and atrial fibrillation: GLORIA-AF. 2020 , 7, 2679-2689 | | 1 |
| 548 | Trimethylamine N-oxide in atrial fibrillation progression. 2020 , 29, 100554 | | 6 |
| 547 | Atrial Fibrillation and Mitral Regurgitation: Clinical Performance of Direct Oral Anticoagulants in a Real-World Setting. 2020 , 25, 564-569 | | 1 |
| 546 | Use, Persistence, Efficacy, and Safety of Apixaban in Patients with Non-Valvular Atrial Fibrillation in Unselected Patients in Germany. Results of the Prospective Apixaban in Atrial Fibrillation (APAF) Registry. 2020 , 9, 467-478 | | 2 |
| 545 | A risk stratification scoring system for new-onset atrial fibrillation after ischemic stroke: A National cohort study. 2020 , 99, e20881 | | 1 |
| 544 | A general presentation on how to carry out a CHARMS analysis for prognostic multivariate models. 2020 , 39, 3207-3225 | | 1 |
| 543 | Posterior box isolation as an adjunctive ablation strategy with the second-generation cryoballoon for paroxysmal atrial fibrillation: a comparison with standard cryoballoon pulmonary vein isolation. 2021 , 61, 313-319 | | 7 |
| 542 | Dual Pathway Inhibition for Vascular Protection in Patients with Atherosclerotic Disease: Rationale and Review of the Evidence. 2020 , 120, 1147-1158 | | 13 |
| 541 | Atrial fibrillation ablation in heart failure patients: improved systolic function after cryoballoon pulmonary vein isolation. 2020 , 7, 2258-2267 | | 5 |
| 540 | Implantable loop recorders for cardiac dysrhythmia monitoring. 2020 , 16, 725-733 | | 2 |
| 539 | Association of clinical predictors with recurrence of atrial fibrillation after catheter ablation. 2020 , 25, e12787 | | 5 |
| 538 | Risk of major bleeding among users of direct oral anticoagulants combined with interacting drugs: A population-based nested case-control study. 2020 , 86, 1150-1164 | | 22 |
| 537 | High Predictive Value of Adenosine Provocation in Predicting Atrial Fibrillation Recurrence After Pulmonary Vein Isolation With Visually Guided Laser Balloon Compared With Radiofrequency Ablation. 2020 , 84, 404-410 | | 3 |
| 536 | Feasibility, safety, and acute efficacy of the fourth-generation cryoballoon for ablation of atrial fibrillation: Another step forward?. 2020 , 43, 394-400 | | 8 |
| 535 | Cardiac adverse events during stem cell transplantation for hematological malignancies: A single centre experience. 2020 , 59, 102653 | | 1 |

(2020-2020)

| 534 | Subclinical atherosclerosis is associated with incident atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2020 , 22, 991-1000 | 9 | 5 |
|-----|--|-----|----|
| 533 | Atrial fibrillation surgery with a focus on patients with reduced left ventricular function and heart failure. <i>Europace</i> , 2020 , 22, 517-521 | 9 | 1 |
| 532 | Expert opinion on continuous rhythm monitoring of patients with atrial fibrillation for candidates or patients who have already undergone ablation. 2020 , 305, 76-81 | | 1 |
| 531 | The role of atrial sensing for new-onset atrial arrhythmias diagnosis and management in single-chamber implantable cardioverter-defibrillator recipients: Results from the THINGS registry. 2.7 Journal of Cardiovascular Electrophysiology, 2020 , 31, 846-853 | 7 | 9 |
| 530 | Differences in anticoagulation strategy and outcome in atrial fibrillation patients with chronic kidney disease: a CODE-AF registry study. 2020 , 21, | | |
| 529 | 2019 ESC guidelines on pulmonary embolism: Novelties and unanswered questions. 2020 , 74, 1-4 | | 3 |
| 528 | Atrial Fibrillation After Cardiac Surgery: Electrophysiological Mechanism and Outcome. 2020 , 109, 1765-17 | 772 | 3 |
| 527 | Management of atrial fibrillation in patients with chronic kidney disease in clinical practice: a joint European Heart Rhythm Association (EHRA) and European Renal Association/European Dialysis and Transplantation Association (ERA/EDTA) physician-based survey. <i>Europace</i> , 2020 , 22, 496-505 | 9 | 13 |
| 526 | A Catheter-Deployable Soft Robotic Inflatable Basket for Enhanced Conformability to the Left Atrium of the Heart. 2020 , 9, e1900951 | | 4 |
| 525 | Left atrial sphericity as a marker of atrial remodeling: Comparison of atrial fibrillation patients and controls. 2020 , 304, 69-74 | | 9 |
| 524 | Prediction models for atrial fibrillation applicable in the community: a systematic review and meta-analysis. <i>Europace</i> , 2020 , 22, 684-694 | 9 | 19 |
| 523 | The Difference in the Changes of Indoxyl Sulfate after Catheter Ablation among Atrial Fibrillation Patients with and without Kidney Dysfunction. <i>Scientific Reports</i> , 2020 , 10, 513 | 9 | |
| 522 | Cardioversion of atrial fibrillation and atrial flutter revisited: current evidence and practical guidance for a common procedure. <i>Europace</i> , 2020 , 22, 1149-1161 | 9 | 19 |
| 521 | DNA Damage, an Innocent Bystander in Atrial Fibrillation and Other Cardiovascular Diseases?. Frontiers in Cardiovascular Medicine, 2020 , 7, 67 | 4 | 5 |
| 520 | Gender-specific association between body mass index and all-cause mortality in patients with atrial fibrillation. 2020 , 43, 706-714 | | 4 |
| 519 | Prognostic Value of Subclinical Coronary Artery Disease in Atrial Fibrillation Patients Identified by Coronary Computed Tomography Angiography. 2020 , 126, 16-22 | | 6 |
| 518 | Adverse Drug Reactions during Real-Life Use of Direct Oral Anticoagulants in Italy: An Update Based on Data from the Italian National Pharmacovigilance Network. 2020 , 10, 266-276 | | 8 |
| 517 | Electrophysiological Procedures in Patients With Coagulation Disorders - A Systemic Review. 2020 , 84, 875-882 | | |

| 516 | Clinical profile and outcome of familial versus non-familial atrial fibrillation. 2020, 314, 70-74 | | 2 |
|-----|---|-----|----|
| 515 | Brief episodes of rapid irregular atrial activity (micro-AF) are a risk marker for atrial fibrillation: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 167 | 2.3 | 3 |
| 514 | Clinical characteristics and antithrombotic prescription in elderly hospitalized atrial fibrillation patients: A cross-sectional analysis of a Swedish single-center clinical cohort. 2020 , 27, 100505 | | 3 |
| 513 | Anticoagulation and amiodarone for new atrial fibrillation after coronary artery bypass grafting: Prescription patterns and 30-day outcomes in the United States and Canada. 2021 , 162, 616-624.e3 | | 13 |
| 512 | Predicting recurrent atrial fibrillation after catheter ablation: a systematic review of prognostic models. <i>Europace</i> , 2020 , 22, 748-760 | 3.9 | 20 |
| 511 | P-wave indices as predictors of atrial fibrillation. 2020 , 25, e12751 | | 6 |
| 510 | Meta-analysis of pulmonary vein isolation ablation for atrial fibrillation conventional vs low- and zero-fluoroscopy approaches. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1403-1412 | 2.7 | 5 |
| 509 | miR-21 and NT-proBNP Correlate with Echocardiographic Parameters of Atrial Dysfunction and Predict Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 10 |
| 508 | Paroxysmal and persistent atrial fibrillation ablation outcomes with the pulmonary vein ablation catheter GOLD duty-cycled phased radiofrequency ablation catheter: quality of life and 12-month efficacy results from the GOLD Atrial Fibrillation Registry. <i>Europace</i> , 2020 , 22, 888-896 | 3.9 | 8 |
| 507 | Evaluation of stroke incidence with duty-cycled multielectrode-phased radiofrequency ablation of persistent atrial fibrillation results of the VICTORY AF Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1289-1297 | 2.7 | O |
| 506 | Two cases of successful recanalization for acute cerebral artery embolism during perioperative period of radiofrequency ablation for atrial fibrillation. 2020 , 25, e12754 | | 1 |
| 505 | Reconduction After Second-Generation Cryoballoon-Based Pulmonary Vein Isolation - Impact of Different Ablation Strategies. 2020 , 84, 902-910 | | 10 |
| 504 | Risk Factors Associated With Ischemic Stroke in Japanese Patients With Nonvalvular Atrial Fibrillation. 2020 , 3, e202881 | | 15 |
| 503 | Second-generation cryoballoon-based pulmonary vein isolation: Lessons from a five-year follow-up. 2020 , 312, 73-80 | | 6 |
| 502 | Preoperative direct oral anticoagulants treatment and all-cause mortality in elderly patients with hip fracture: A retrospective cohort study. 2020 , 189, 48-54 | | 3 |
| 501 | [Atrial Fibrillation: How Important is Rhythm Control Therapy?]. 2020, 145, 543-549 | | О |
| 500 | Impact of Sustained Cardiac Tachyarrhythmias Recorded in Coronary Intensive Care Unit on Shortand Long-Term Mortality and Duration of Hospitalization. 2021 , 36, 775-782 | | 1 |
| 499 | Left atrial appendage closure in patients with chronic kidney disease: results from the German multicentre LAARGE registry. 2021 , 110, 12-20 | | 8 |

(2021-2021)

| 498 | Impact of re-definition of paroxysmal and persistent atrial fibrillation in the 2012 and 2016 European Society of Cardiology atrial fibrillation guidelines on outcomes after pulmonary vein isolation. 2021 , 60, 115-123 | O |
|-----|--|----|
| 497 | Clinical efficacy of "ICE-FIRE" ablation for non-paroxysmal atrial fibrillation. 2021, 60, 205-211 | O |
| 496 | Safety of catheter ablation of atrial fibrillation in cancer survivors. 2021 , 60, 419-426 | 2 |
| 495 | Pulmonary vein isolation using second-generation single-shot devices: not all the same?. 2021 , 60, 521-528 | 2 |
| 494 | Meta-analysis of the safety and efficacy of using minimally interrupted novel oral anticoagulants in patients undergoing catheter ablation for atrial fibrillation. 2021 , 60, 407-417 | 2 |
| 493 | Adenosine usage during AF ablation in Europe and selected long-term findings from the ESC-EHRA EORP Atrial Fibrillation Ablation Long-Term registry. 2021 , 60, 395-406 | 1 |
| 492 | Long-term clinical outcomes after single freeze cryoballoon ablation for paroxysmal atrial fibrillation: a 5-year follow-up. 2021 , 61, 87-93 | 3 |
| 491 | Acute success and safety of the second-generation PVAC GOLD phased RF ablation catheter for atrial fibrillation. 2021 , 60, 261-270 | О |
| 490 | Assessing absolute stroke risk in patients with atrial fibrillation using a risk factor-based approach. 2021 , 7, f3-f10 | 7 |
| 489 | Outcomes on safety and efficacy of left atrial appendage occlusion in end stage renal disease patients undergoing dialysis. 2021 , 34, 63-73 | 12 |
| 488 | Modeling and Estimation of Temporal Episode Patterns in Paroxysmal Atrial Fibrillation. 2021, 68, 319-329 | 2 |
| 487 | Right drug, wrong dosage: insights from the PAVE-AF antithrombotic study in older patients with atrial fibrillation. 2021 , 51, 81-88 | 4 |
| 486 | Endocrinology and Systemic Diseases. 2021 , | |
| 485 | Postoperative Atrial Fibrillation After Cardiac Surgery: A Systematic Review and Meta-Analysis. 2021 , 111, 544-554 | 19 |
| 484 | Screen-detected atrial fibrillation predicts mortality in elderly subjects. <i>Europace</i> , 2021 , 23, 29-38 3.9 | 11 |
| 483 | Patients with diabetes mellitus and atrial fibrillation treated with non-vitamin K antagonist oral anticoagulants: meta-analysis of eight outcomes in 58´634 patients across four randomized controlled trials. 2021 , 7, f40-f49 | 5 |
| 482 | Cessation of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation. 2020, | |
| 481 | Mobile health applications for the detection of atrial fibrillation: a systematic review. <i>Europace</i> , 2021 , 23, 11-28 | 12 |

| 480 | Direct oral anticoagulants versus vitamin K antagonists in patients with atrial fibrillation and cancer a meta-analysis. 2021 , 51, 419-429 | | 10 |
|-----|---|-----|----|
| 479 | Atrial fibrillation and the risk of ischaemic strokes or intracranial haemorrhages: comparisons of the catheter ablation, medical therapy, and non-atrial fibrillation population. <i>Europace</i> , 2021 , 23, 529-538 | 3.9 | 8 |
| 478 | A survey on the management of new onset atrial fibrillation in critically ill patients with septic shock. 2021 , 61, 18-20 | | 3 |
| 477 | Cryoablation vs. radiofrequency ablation of the atrioventricular node in patients with His-bundle pacing. <i>Europace</i> , 2021 , 23, 421-430 | 3.9 | 3 |
| 476 | Periprocedural anticoagulation in the uninterrupted edoxaban vs. vitamin K antagonists for ablation of atrial fibrillation (ELIMINATE-AF) trial. <i>Europace</i> , 2021 , 23, 65-72 | 3.9 | |
| 475 | Comparative data on left atrial appendage occlusion efficacy and clinical outcomes by age group in the Amplatzer Amulet Occluder Observational Study. <i>Europace</i> , 2021 , 23, 238-246 | 3.9 | 2 |
| 474 | Changing paradigms: from prevention of thromboembolic events to improved survival in patients with atrial fibrillation. <i>Europace</i> , 2021 , 23, 837-843 | 3.9 | 5 |
| 473 | Effect of alcohol consumption on the risk of adverse events in atrial fibrillation: from the COmparison study of Drugs for symptom control and complication prEvention of Atrial Fibrillation (CODE-AF) registry. <i>Europace</i> , 2021 , 23, 548-556 | 3.9 | 6 |
| 472 | Spontaneous activation under atrial fibrosis: A model using complex order derivatives. 2021 , 95, 10561 | 8 | 3 |
| 471 | Safety of conscious sedation in electroanatomical mapping procedures and cryoballoon pulmonary vein isolation. 2021 , 36, 561-567 | | 1 |
| 470 | Pulmonary vein isolation alone vs. more extensive ablation with defragmentation and linear ablation of persistent atrial fibrillation: the EARNEST-PVI trial. <i>Europace</i> , 2021 , 23, 565-574 | 3.9 | 3 |
| 469 | The interpretation of CHA2DS2-VASc score components in clinical practice: a joint survey by the European Heart Rhythm Association (EHRA) Scientific Initiatives Committee, the EHRA Young Electrophysiologists, the Association of Cardiovascular Nursing and Allied Professionals, and the | 3.9 | 3 |
| 468 | Anatomical targets and expected outcomes of catheter-based ablation of atrial fibrillation in 2020. 2021 , 44, 341-359 | | 2 |
| 467 | SETAP: epidemiology and prevention of stroke and transient ischaemic attack in Czech patients with atrial fibrillation. <i>Europace</i> , 2021 , 23, 539-547 | 3.9 | O |
| 466 | Prediction of low-voltage areas using modified APPLE score. <i>Europace</i> , 2021 , 23, 575-580 | 3.9 | 4 |
| 465 | Thromboembolism in Patients with Hypertrophic Cardiomyopathy. 2021 , 18, 727-735 | | O |
| 464 | Discontinuation of oral anticoagulation in atrial fibrillation and risk of ischaemic stroke. 2020, | | 5 |
| 463 | Duration of atrial high-rate episodes and CHADS-VASc score to predict cardiovascular and cerebrovascular events in patients with dual chamber permanent pacemakers. <i>Journal of Cardiology</i> , 2021 , 77, 166-173 | 3 | 4 |

| 462 | A survey of pathways for mechano-electric coupling in the atria. 2021 , 159, 136-145 | 1 |
|-----|---|----|
| 461 | Improvement in quality of life and cardiac function after catheter ablation for asymptomatic persistent atrial fibrillation. 2021 , 37, 11-19 | 2 |
| 460 | Novel Score to Predict Very Late Recurrences After Catheter Ablation of Atrial Fibrillation. 2021 , 141, 49-55 | O |
| 459 | Atrial fibrillation detection using heart rate variability and atrial activity: A hybrid approach. 2021 , 169, 114452 | 10 |
| 458 | IoT medical image detection and rivaroxaban prevent thrombosis in patients with atrial fibrillation. 2021 , 81, 103685 | 1 |
| 457 | The use of intravenous amiodarone in patients with atrial fibrillation and Wolff-Parkinson-White syndrome. 2021 , 44, 35-43 | 3 |
| 456 | Previously Undetected Obstructive Sleep Apnea in Patients With New-Onset Atrial Fibrillation. 2021 , 138, 46-52 | 1 |
| 455 | The impact of left atrium size on selection of the pulmonary vein isolation method for atrial fibrillation: Cryoballoon or radiofrequency catheter ablation. 2021 , 231, 82-92 | 6 |
| 454 | Estudio RITHMI, capacidad diagnitica de un monitor de ritmo cardiaco para la deteccifi automitica de fibrilacifi auricular. 2021 , 74, 602-607 | О |
| 453 | Quality indicators for the care and outcomes of adults with atrial fibrillation. <i>Europace</i> , 2021 , 23, 494-49 5 .9 | 23 |
| 452 | Implementation of an on-demand app-based heart rate and rhythm monitoring infrastructure for the management of atrial fibrillation through teleconsultation: TeleCheck-AF. <i>Europace</i> , 2021 , 23, 345-3 $\frac{32}{2}$ | 25 |
| 451 | Long-term impact of the burden of new-onset atrial fibrillation in patients with acute myocardial infarction: results from the NOAFCAMI-SH registry. <i>Europace</i> , 2021 , 23, 196-204 | 3 |
| 450 | The 4S-AF Scheme (Stroke Risk; Symptoms; Severity of Burden; Substrate): A Novel Approach to In-Depth Characterization (Rather than Classification) of Atrial Fibrillation. 2021 , 121, 270-278 | 45 |
| 449 | Prescriber compliance to direct oral anticoagulant labels and impact on outcomes in Thailand. 2021 , 87, 1390-1400 | O |
| 448 | Piezo1 and BKCa channels in human atrial fibroblasts: interplay and remodelling in atrial fibrillation. | 1 |
| 447 | Relationships between paroxysmal atrial fibrillation, total oxidant status, and DNA damage. 2021 , 40, 5-10 | 4 |
| 446 | CHARGE-AF in a national routine primary care electronic health records database in the Netherlands: validation for 5-year risk of atrial fibrillation and implications for patient selection in atrial fibrillation screening. 2021 , 8, | 9 |
| 445 | Large-scale screening studies for atrial fibrillation - is it worth the effort?. 2021 , 289, 474-492 | 1 |

| 444 | Quality evaluation of patient educational resources for catheter ablation treatment of atrial fibrillation. 2021 , | О |
|-----|---|----|
| 443 | Transcatheter ablation for atrial fibrillation in patients with hypertrophic cardiomyopathy: Long-term results and clinical outcomes. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 657-666 | 3 |
| 442 | Usability and Perceived Usefulness of the AFib 2gether[Mobile App in a Clinical Setting: Single-Arm Intervention Study (Preprint). | |
| 441 | Predictive value of H FPEF score in patients with heart failure with preserved ejection fraction. 2021 , 8, 1244-1252 | 11 |
| 440 | Left Atrial Diameter and Atrial Ectopic Burden in Patients with Embolic Stroke of Undetermined Source: Risk Stratification of Atrial Fibrillation with Insertable Cardiac Monitor Analysis. 2021 , 17, 213-219 | 2 |
| 439 | Cost-effectiveness analysis of dabigatran, rivaroxaban and warfarin in the prevention of stroke in patients with atrial fibrillation in China. 2021 , 21, 96 | 3 |
| 438 | Relationships between paroxysmal atrial fibrillation, total oxidant status, and DNA damage. 2021 , 40, 5-10 | |
| 437 | Switching between direct oral anticoagulants: a systematic review and meta-analysis. 2021 , 52, 560-566 | O |
| 436 | Anatomical insights into posterior wall isolation in patients with atrial fibrillation: A hypothesis to protect the esophagus. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 270-278 | 1 |
| 435 | Atrial fibrillation and obstructive sleep apnea in African populations: uncovering a neglected association. 2021 , 39, 55 | |
| 434 | Impact of sex differences on outcomes in patients with non-valvular atrial fibrillation undergoing left atrial appendage closure: A single-center experience. 2021 , 18, 1990-1998 | 1 |
| 433 | Atrial fibrillation, diabetes and anticoagulation with direct oral anticoagulants: time to reconsider duration of the disease to evaluate the bleeding risk?. 2021 , 76, 461-463 | |
| 432 | AF Radiofrequency Ablation Using CARTO 3D System. 2021 , 189-192 | |
| 431 | Risk Stratification For and Use of DOAC Therapies for Stroke Prevention in Patient with Atrial Fibrillation. 2021 , 93-119 | |
| 430 | Improvement of Maximal Exercise Performance After Catheter-Ablation of Atrial Fibrillation and Its Prognostic Significance for Long-Term Rhythm Outcome. 2021 , 10, e017445 | 2 |
| 429 | The Effects of Educational Programs on Knowledge, International Normalized Ratio, Warfarin Adherence, and Warfarin-Related Complications in Patients Receiving Warfarin Therapy: An Integrative Review. 2021 , | 1 |
| 428 | Genetically-determined body mass index and the risk of atrial fibrillation progression in men and women. <i>PLoS ONE</i> , 2021 , 16, e0246907 | 1 |
| 427 | Redefining the Standard for Atrial Fibrillation: A Patient-centric Report. 2021 , 16, | |

| 426 | Serum miR-222 is independently associated with atrial fibrillation in patients with degenerative valvular heart disease. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 98 | 2.3 | 1 |
|---------------------------------|--|------------------------------------|--------------------------------|
| 425 | Typical atrial flutter but not fibrillation predicts coronary artery disease in formerly healthy patients. <i>Europace</i> , 2021 , 23, 1227-1236 | 3.9 | |
| 424 | Single procedural outcomes in the setting of percutaneous ablation for persistent atrial fibrillation: a propensity-matched score comparison between different strategies. 2021 , 1 | | 4 |
| 423 | Sex-specific contemporary trends in incidence, prevalence and survival of patients with non-valvular atrial fibrillation: A long-term real-world data analysis. <i>PLoS ONE</i> , 2021 , 16, e0247097 | 3.7 | 3 |
| 422 | Pre-procedural proton pump inhibition is associated with fewer peri-oesophageal lesions after cryoballoon pulmonary vein isolation. <i>Scientific Reports</i> , 2021 , 11, 4728 | 4.9 | 1 |
| 421 | Trends in Stroke Prevention between 2014 and 2018 in Hospitalized Atrial Fibrillation Patients. 2021 , 2021, 6657776 | | |
| 420 | Prediction of Paroxysmal Atrial Fibrillation From Complexity Analysis of the Sinus Rhythm ECG: A Retrospective Case/Control Pilot Study. 2021 , 12, 570705 | | 1 |
| 419 | Impact of catheter ablation in patients with atrial flutter and concurrent heart failure. <i>Heart Rhythm O2</i> , 2021 , 2, 53-63 | 1.5 | O |
| 418 | Middle East Treatment Strategies and Clinical Outcomes in Patients with Atrial Fibrillation: One-Year Follow-up Data from Garfield-AF Study. 2021 , 38, 2391-2405 | | 1 |
| | | | |
| 417 | Epidemiology of Atrial Fibrillation: Geographic/Ecological Risk Factors, Age, Sex, Genetics. 2021 , 13, 1- | 23 | 12 |
| 4 ¹ 7 | Epidemiology of Atrial Fibrillation: Geographic/Ecological Risk Factors, Age, Sex, Genetics. 2021, 13, 1-Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, | 23 5.1 | 12 O |
| | Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of</i> | | |
| 416 | Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10, The Use of Novel Non-Vitamin K Antagonist Oral Anticoagulants Following Closure of the Left | 5.1 | 0 |
| 416 415 | Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10, The Use of Novel Non-Vitamin K Antagonist Oral Anticoagulants Following Closure of the Left Atrial Appendage: Preliminary Results of Clinical Follow-Up. 2021 , 15, 1067-1073 Acute safety, efficacy, and advantages of a novel cryoballoon ablation system for pulmonary vein | 5.1 | 0 |
| 416 415 414 | Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10, The Use of Novel Non-Vitamin K Antagonist Oral Anticoagulants Following Closure of the Left Atrial Appendage: Preliminary Results of Clinical Follow-Up. 2021 , 15, 1067-1073 Acute safety, efficacy, and advantages of a novel cryoballoon ablation system for pulmonary vein isolation in patients with paroxysmal atrial fibrillation: initial clinical experience. <i>Europace</i> , 2021 , 23, 12. Smartphone electrocardiogram for detecting atrial fibrillation after a cerebral ischaemic event: a | 5.1 23 7 -924 | o o 43 ³ |
| 416 415 414 413 | Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10, The Use of Novel Non-Vitamin K Antagonist Oral Anticoagulants Following Closure of the Left Atrial Appendage: Preliminary Results of Clinical Follow-Up. 2021 , 15, 1067-1073 Acute safety, efficacy, and advantages of a novel cryoballoon ablation system for pulmonary vein isolation in patients with paroxysmal atrial fibrillation: initial clinical experience. <i>Europace</i> , 2021 , 23, 12 Smartphone electrocardiogram for detecting atrial fibrillation after a cerebral ischaemic event: a multicentre randomized controlled trial. <i>Europace</i> , 2021 , 23, 1016-1023 | 5.1 23 ³ -924 3.9 | 0 0 43 ³ 5 |
| 416 415 414 413 412 | Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10, The Use of Novel Non-Vitamin K Antagonist Oral Anticoagulants Following Closure of the Left Atrial Appendage: Preliminary Results of Clinical Follow-Up. 2021 , 15, 1067-1073 Acute safety, efficacy, and advantages of a novel cryoballoon ablation system for pulmonary vein isolation in patients with paroxysmal atrial fibrillation: initial clinical experience. <i>Europace</i> , 2021 , 23, 12 Smartphone electrocardiogram for detecting atrial fibrillation after a cerebral ischaemic event: a multicentre randomized controlled trial. <i>Europace</i> , 2021 , 23, 1016-1023 Long-term ECG monitoring. 2021 , 67, 16-21 Single-dose oral anti-arrhythmic drugs for cardioversion of recent-onset atrial fibrillation: a | 5.1 23 ³ -924 3.9 | 0 0 43 ³ 5 |

| 408 | Post-Cardiac Surgery Atrial Fibrillation: Risks, Mechanisms, Prevention, and Management. 2021 , 13, 133 | 3-140 | 0 |
|-----|--|--------|-----|
| 407 | Predictive value of CHA2DS2-VASc score combined with hs-CRP for new-onset atrial fibrillation in elderly patients with acute myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 175 | 2.3 | O |
| 406 | Assessment of the relationship between semaphorin4D level and recurrence after catheter ablation in paroxysmal atrial fibrillation. 2021 , 26, 468-476 | | 1 |
| 405 | The RACE to the EAST. In pursuit of rhythm control therapy for atrial fibrillation-a dedication to Harry Crijns. <i>Europace</i> , 2021 , 23, ii34-ii39 | 3.9 | 1 |
| 404 | Role of genetics in atrial fibrillation management. <i>Europace</i> , 2021 , 23, ii4-ii8 | 3.9 | O |
| 403 | Antithrombotic Management and Long-Term Outcomes of Patients with Atrial Fibrillation. Insights from CRAFT Trial. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 1 |
| 402 | Catheter ablation of atrial fibrillation in patients with hypertrophic cardiomyopathy: a European observational multicentre study. <i>Europace</i> , 2021 , 23, 1409-1417 | 3.9 | 4 |
| 401 | New Avenues for Optimal Treatment of Atrial Fibrillation and Stroke Prevention. 2021 , 52, 1490-1499 | | 1 |
| 400 | Impact of chronic kidney disease on atrial fibrillation recurrence following radiofrequency and cryoballoon ablation: A meta-analysis. 2021 , 75, e14173 | | 1 |
| 399 | Posterior Left Atrial Adipose Tissue Attenuation Assessed by Computed Tomography and Recurrence of Atrial Fibrillation After Catheter Ablation. 2021 , 14, e009135 | | 5 |
| 398 | Ranolazine in the prevention and treatment of atrial fibrillation: A protocol for meta-analysis. 2021 , 100, e25437 | | |
| 397 | Atrial Fibrillation, Oral Anticoagulants, and Concomitant Active Cancer: Benefits and Risks. 2021 , 5, e17 | '6-e18 | 2 3 |
| 396 | Thoracoscopic ablation delays progression from paroxysmal to persistent atrial fibrillation. 2021, | | 2 |
| 395 | 2021 European Heart Rhythm Association Practical Guide on the Use of Non-Vitamin K Antagonist Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Europace</i> , 2021 , 23, 1612-1676 | 3.9 | 99 |
| 394 | Initial Experience and Results of Combined Treatment for Atrial Fibrillation: Catheter Ablation with High-Power Short Duration Ablation and Left Atrial Appendage Closure. 2021 , 69-78 | | |
| 393 | Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , 2021 , 23, 1324-1342 | 3.9 | 4 |
| 392 | Obstructive sleep apnoea testing and management in atrial fibrillation patients: a joint survey by the European Heart Rhythm Association (EHRA) and the Association of Cardiovascular Nurses and Allied Professions (ACNAP). <i>Europace</i> , 2021 , 23, 1677-1684 | 3.9 | 7 |
| 391 | Analysis of the ESC/EACTS 2020 Atrial Fibrillation Guidelines With Perioperative Implications. 2021 , | | O |

| 390 | Gender differences in comorbidities and risk factors in ischemic stroke patients with a history of atrial fibrillation. 2021 , 21, 209 | | 5 |
|-----|---|-----|---|
| 389 | Implementation of oral anticoagulation treatment guidelines in patients with newly diagnosed atrial fibrillation. 2021 , | | 1 |
| 388 | Adherence to direct oral anticoagulant treatment for atrial fibrillation in the Netherlands: A surveillance study. 2021 , 30, 1027-1036 | | 1 |
| 387 | Treatment success and its predictors as well as the complications of catheter ablation for atrial fibrillation in a high-volume centre. 2021 , 1 | | 1 |
| 386 | Cardiac I-mIBG scintigraphy for prediction of catheter ablation outcome in patients with atrial fibrillation. 2021 , 1 | | 3 |
| 385 | Thrombotic Events and Anticoagulants in Beta-thalassemia Patients with Focus on Anticoagulants for Atrial Fibrillation: A Brief Review. 2021 , 100912 | | 3 |
| 384 | Patient activation level and its associated factors in adults with chronic pain: A cross-sectional survey. 2021 , 100, e25929 | | О |
| 383 | Non-vitamin K antagonist oral anticoagulation versus left atrial appendage occlusion for primary and secondary stroke prevention after cardioembolic stroke. 2021 , 40, 357-365 | | |
| 382 | Antithrombotic treatment management in low stroke risk patients undergoing cardioversion of atrial fibrillation . <i>Europace</i> , 2021 , 23, 1502-1507 | 3.9 | |
| 381 | Percutaneous left atrial appendage occlusion: A review of current devices, clinical evidence, patient selection, and post procedural antithrombotic management. 2021 , 66, 92-100 | | 1 |
| 380 | Cardiac arrhythmias in patients with COVID-19: Lessons from 2300 telemetric monitoring days on the intensive care unit. 2021 , 66, 102-107 | | 3 |
| 379 | Non-vitamin K antagonist oral anticoagulation versus left atrial appendage occlusion for primary and secondary stroke prevention after cardioembolic stroke. 2021 , 40, 357-365 | | 2 |
| 378 | ESC-Leitlinie 2020 zum Vorhofflimmern: Was ist neu, was ist wichtig, was ist zu tun?. 2021 , 10, 192-200 | | |
| 377 | A rare case of vernakalant-induced 1:1 atrial flutter during chemical cardioversion of atrial fibrillation requiring emergency direct current cardioversion. 2021 , 16, 1-4 | | |
| 376 | Directed graph mapping exceeds phase mapping in discriminating true and false rotors detected with a basket catheter in a complex in-silico excitation pattern. 2021 , 133, 104381 | | 3 |
| 375 | First-line treatment of persistent and long-standing persistent atrial fibrillation with single-stage hybrid ablation: a 2-year follow-up study. <i>Europace</i> , 2021 , 23, 1568-1576 | 3.9 | 1 |
| 374 | Prevalence, Epidemiological Characteristics, and Pharmacotherapy of Coronary Artery Disease among Patients with Atrial Fibrillation: Data from Jo-Fib Study. 2021 , 57, | | О |
| 373 | Reclassification, Thromboembolic, and Major Bleeding Outcomes Using Different Estimates of Renal Function in Anticoagulated Patients With Atrial Fibrillation: Insights From the PREFER-in-AF and PREFER-in-AF Prolongation Registries. 2021 , 14, e006852 | | 3 |

| 372 | Atrial fibrillation is a predictor of nonobstructive coronary artery disease in elective angiography in old age: a cross-sectional study in Poland and Russia. 2021 , 1 | | О |
|-----|---|---|----|
| 371 | Conduction Disorders during Sinus Rhythm in Relation to Atrial Fibrillation Persistence. <i>Journal of Clinical Medicine</i> , 2021 , 10, | Ĺ | 1 |
| 370 | The Closing Argument for Surgical Left Atrial Appendage Occlusion. 2021, 384, 2154-2155 | | 2 |
| 369 | Clinical Efficacy and Safety Comparison of Rivaroxaban and Dabigatran for Nonvalvular Atrial Fibrillation Patients Undergoing Percutaneous Left Atrial Appendage Closure Operation. 2021 , 12, 614762 | ! | О |
| 368 | 2020 Clinical practice guidelines for Supraventricular tachycardia in adults. 2021 , 26, 4484 | | 3 |
| 367 | Treated with preventive anticoagulation therapy in atrial fibrillation: The patients' perspective. 2021 , | | |
| 366 | Blood pressure-lowering treatment for the prevention of cardiovascular events in patients with atrial fibrillation: An individual participant data meta-analysis. 2021 , 18, e1003599 | | 5 |
| 365 | JCS/JHRS 2019 guideline on non-pharmacotherapy of cardiac arrhythmias. 2021 , 37, 709-870 | | 22 |
| 364 | Assessment and management of cardiovascular disease in the intensive care unit. 2021, | | О |
| 363 | The Effects of Compression on the Detection of Atrial Fibrillation in ECG Signals. 2021 , 11, 5908 | | O |
| 362 | Atrial fibrillation and risk of venous thromboembolism: a Swedish Nationwide Registry Study. <i>Europace</i> , 2021 , 23, 1913-1921 |) | 2 |
| 361 | Neurologists' attitudes and options for anticoagulation therapy in central China. 2021 , 75, e14305 | | O |
| 360 | Differences in activated clotting time and total unfractionated heparin dose during pulmonary vein isolation in patients on different anticoagulation therapy. 2021 , 44, 1177-1182 | | 4 |
| 359 | Optimal timing of contrast-enhanced three-dimensional magnetic resonance left atrial angiography before pulmonary vein ablation. 2021 , 28, 558-565 | | O |
| 358 | Fluoroscopy and contrast media use in cryoballoon ablation of atrial fibrillation using a novel imaging system. 2021 , 1 | | 1 |
| 357 | Efficacy and safety of the GOLD FORCE multicentre randomized clinical trial: multielectrode phased radiofrequency vs. irrigated radiofrequency single-tip catheter with contact force ablation 3.9 for treatment of symptomatic paroxysmal atrial fibrillation. <i>Europace</i> , 2021 , 23, 1931-1938 |) | O |
| 356 | Analysis of the Correlation of Galectin-3 Concentration with the Measurements of Echocardiographic Parameters Assessing Left Atrial Remodeling and Function in Patients with Persistent Atrial Fibrillation. 2021 , 11, | | О |
| 355 | CHA2DS2-VASc and HAS-BLED scores are not associated with cardiac defibrillators therapies. 2021 , 63, 304-311 | | |

| 354 | Kommentar zu den Leitlinien (2020) der ESC zur Diagnose und Behandlung von Vorhofflimmern. 2021 , 15, 354-363 | | О |
|-----|--|-----|----|
| 353 | Renal Denervation for Patients With Atrial Fibrillation. 2021 , 23, 126 | | 1 |
| 352 | High anatomical accuracy of a novel high-resolution wide-band dielectric imaging system in cryoballoon-based ablation. 2021 , 44, 1504-1515 | | O |
| 351 | Sex Differences in Outcomes Following Left Atrial Appendage Closure. 2021 , 96, 1845-1860 | | 2 |
| 350 | Prognostic impact of the presence of chronic kidney disease on percutaneous left trial appendage closure for atrial fibrillation: A single center experience. 2021 , | | O |
| 349 | Prognostic impact of atrial fibrillation in patients with severe acute respiratory syndrome coronavirus 2 infection. 2021 , 100, e26993 | | 2 |
| 348 | Lack of authentic atrial fibrillation in commonly used murine atrial fibrillation models. | | |
| 347 | Association between risk of obstructive sleep apnea and cognitive performance, frailty, and quality of life among older adults with atrial fibrillation. 2021 , | | Ο |
| 346 | Catheter ablation for atrial fibrillation in HFpEF patients-A propensity-score-matched analysis. Journal of Cardiovascular Electrophysiology, 2021 , 32, 2357-2367 | 2.7 | 1 |
| 345 | Evaluating outcomes of same-day discharge after catheter ablation for atrial fibrillation in a real-world cohort. <i>Heart Rhythm O2</i> , 2021 , 2, 333-340 | 1.5 | 1 |
| 344 | Systematic review of treatment gaps in oral anticoagulant use in atrial fibrillation. 2021 , 4, 100053 | | |
| 343 | Factors influencing the outcome of cardiogenic cerebral embolism: a literature review. 2021 , 1-9 | | 1 |
| 342 | Late limb ischemia diagnosis in a child. 2021 , 46, 241-245 | | |
| 341 | Outcomes of Elderly Patients Undergoing Left Atrial Appendage Closure. 2021 , 10, e021973 | | O |
| 340 | Effect of Continuous Positive Airway Pressure on Arrhythmia in Atrial Fibrillation and Sleep Apnea: A Randomized Controlled Trial. 2021 , 204, 573-582 | | 8 |
| 339 | Impact of single versus double transseptal puncture on outcome and complications in pulmonary vein isolation procedures. 2021 , 28, 671-677 | | 1 |
| 338 | Early Rhythm Control Therapy in Patients With Atrial Fibrillation and Heart Failure. 2021 , 144, 845-858 | | 14 |
| 337 | Long-term outcome of left atrial appendage occlusion with multiple devices. 2021 , 344, 66-72 | | Ο |

| 336 | Anticoagulation use and the risk of stroke and major bleeding in patients on hemodialysis: From the VIVALDI, a population-based prospective cohort study. 2021 , 19, 2984-2996 | | O |
|-----|--|---|---|
| 335 | Association between pericoronary adipose tissue attenuation and outcome after second-generation cryoballoon ablation for atrial fibrillation. 2021 , 94, 20210361 | | O |
| 334 | Impact of renin-angiotensin system inhibitors on long-term clinical outcomes of patients with rheumatic heart disease. 2021 , | | 2 |
| 333 | Mobile health technologies in the diagnosis and management of atrial fibrillation. 2022 , 37, 1-9 | | O |
| 332 | Second-generation cryoballoon versus contact force radiofrequency ablation for atrial fibrillation: an updated meta-analysis of evidence from randomized controlled trials. <i>Scientific Reports</i> , 2021 , 11, 17907 | 9 | 2 |
| 331 | Piezo1 and BK channels in human atrial fibroblasts: Interplay and remodelling in atrial fibrillation. 2021 , 158, 49-62 | | 6 |
| 330 | Anticoagulation, therapy of concomitant conditions, and early rhythm control therapy: a detailed analysis of treatment patterns in the EAST - AFNET 4 trial. <i>Europace</i> , 2021 , | 9 | 2 |
| 329 | Wie antikoaguliert man Itere und fragile Patienten?. 2021 , 8, 203-212 | | |
| 328 | Quercetin improves atrial fibrillation through inhibiting TGF-//Smads pathway via promoting MiR-135b expression. 2021 , 93, 153774 | | 3 |
| 327 | Homocysteine (HCY) levels in patients with atrial fibrillation (AF): A meta-analysis. 2021 , e14738 | | O |
| 326 | Artificial Intelligence-Enabled ECG to Identify Silent Atrial Fibrillation in Embolic Stroke of Unknown Source. 2021 , 30, 105998 | | 4 |
| 325 | The association between late-phase early recurrence within the blanking period after atrial fibrillation catheter ablation and long-term recurrence: Insights from a large-scale multicenter study. 2021 , 341, 39-45 | | 2 |
| 324 | The use of cardiac computed tomography angiography in the assessment of percutaneous left atrial appendage closure '- Review and experts recommendations endorsed by the Socit frantise d'imagerie cardiaque et vasculaire diagnostique et interventionnelle. 2021, 102, 586-592 | | Ο |
| 323 | Clinical utility of rhythm control by electrical cardioversion to assess the association between self-reported symptoms and rhythm status in patients with persistent atrial fibrillation. 2021 , 36, 100870 | | O |
| 322 | Atrial heat shock protein levels are associated with early postoperative and persistence of atrial fibrillation. 2021 , 18, 1790-1798 | | 2 |
| 321 | Factors associated with poor prognosis in patients with atrial fibrillation: An emergency department perspective the EMERG-AF study. 2021 , 50, 270-277 | | O |
| 320 | Altered Expression of Circadian Clock Genes in Patients with Atrial Fibrillation Is Associated with Atrial High-Rate Episodes and Left Atrial Remodeling. 2021 , 11, | | 1 |
| 319 | The Acetylcholine-Activated Potassium Current Inhibitor XAF-1407 Terminates Persistent Atrial Fibrillation in Goats. 2020 , 11, 608410 | | 2 |

| 318 | Clinical determinants of early spontaneous conversion to sinus rhythm in patients with atrial fibrillation. 2021 , 29, 255-261 | 1 |
|-----|---|----|
| 317 | First-line management of paroxysmal atrial fibrillation: is it time for a 'pill in the bin' approach? A discussion on the STOP AF First, EARLY AF, Cryo-FIRST, and EAST-AF NET 4 clinical trials. <i>Europace</i> , 3.9 2021 , | 1 |
| 316 | Radiation exposure in cryoballoon ablation compared to radiofrequency ablation with three-dimensional electroanatomic mapping in atrial fibrillation patients. 2021 , 32, 99-107 | |
| 315 | Patients with acute myocardial infarction and atrial fibrillation: association of anaemia with risk of in-hospital bleeding, stroke and other death causes. 2021 , 26, 163-167 | 1 |
| 314 | Cryoablation for pulmonary veins isolation in obese patients with atrial fibrillation compared to nonobese patients. 2021 , 44, 306-317 | О |
| 313 | Evolutionary synthetic oversampling technique and cocktail ensemble model for warfarin dose prediction with imbalanced data. 2021 , 33, 11203 | 2 |
| 312 | Atrial Fibrillation. 2021 , 384, 353-361 | 21 |
| 311 | Epigenetics of muscle disorders. 2021 , 279-308 | |
| 310 | Impact of Endocrine Disorders on the Heart. 2019 , 1-37 | 1 |
| 309 | Perfil de pacientes con fibrilacifi auricular no valvular tratados con rivaroxaban en Espa â : la desigualdad en el acceso a los anticoagulantes orales directos (estudio HEROIC). 2018 , 53, 159-165 | 4 |
| 308 | Clip the appendage, contain the clot: A small case series. 2020 , 6, 845-846 | 1 |
| 307 | Impact of Left Atrial Appendage Closure on LAA Thrombus Formation and Thromboembolism After LAA Isolation. 2020 , 6, 1687-1697 | 6 |
| 306 | Analysis of Risk Factors Independently Associated with Cognitive Impairment in Patients with Permanent Atrial Fibrillation: A Cross-sectional Observational Study. 2020 , 29, 104895 | 1 |
| 305 | Biologā, cultura y sociedad, ingredientes que configuran la perspectiva de gĥero en salud, ¿un reto superado en cardiologā?. 2019 , 72, 800-802 | 2 |
| 304 | Abordaje de la fibrilaciñ auricular en pacientes con cheer activo. Documento de consenso de expertos y recomendaciones. 2019 , 72, 749-759 | 5 |
| 303 | Ivabradina para el control cr [®] ico de la frecuencia cardiaca en fibrilaci [®] auricular permanente. Dise ° del proyecto BRAKE-AF. 2020 , 73, 368-375 | 7 |
| 302 | Efficacy and Safety of Oral Anticoagulants in Patients with Systolic Heart Failure in Sinus Rhythm: A Systematic Review and Meta-analysis of Randomized Controlled Trials and Cohort Studies. 2020 , 4, e383-e392 | 2 |
| 301 | Methodological considerations for investigating oral anticoagulation persistence in atrial fibrillation. 2021 , 7, 251-260 | Ο |

| 300 | A collective European experience with left atrial appendage suture ligation using the LARIAT+ device. <i>Europace</i> , 2020 , 22, 924-931 | 3.9 | 3 |
|-----|---|---------------|----|
| 299 | Restoration of sinus rhythm by pulmonary vein isolation improves heart failure with preserved ejection fraction in atrial fibrillation patients. <i>Europace</i> , 2020 , 22, 1328-1336 | 3.9 | 10 |
| 298 | Non-vitamin K oral anticoagulants and risk of fractures: a systematic review and meta-analysis. <i>Europace</i> , 2021 , 23, 39-48 | 3.9 | 3 |
| 297 | Atrial fibrillation burden: an update-the need for a CHA2DS2-VASc-AFBurden score. <i>Europace</i> , 2021 , 23, 665-673 | 3.9 | 5 |
| 296 | Utilization and perception of same-day discharge in electrophysiological procedures and device implantations: an EHRA survey. <i>Europace</i> , 2021 , 23, 149-156 | 3.9 | 5 |
| 295 | Impact of catheter ablation therapy for atrial fibrillation on healthcare expenditures in a middle European cohort. <i>Europace</i> , 2020 , 22, 576-583 | 3.9 | 3 |
| 294 | ECG Restitution Analysis and Machine Learning to Detect Paroxysmal Atrial Fibrillation: Insight from the Equine Athlete as a Model for Human Athletes 2021 , 2, zqaa031 | | 4 |
| 293 | Efficacy and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Patients With Atrial Fibrillation and Chronic Kidney Disease Stage G4: A Single-Center Experience. 2020 , 76, 671-677 | | 3 |
| 292 | Directed networks as a novel way to describe and analyze cardiac excitation: Directed Graph mapping. | | 1 |
| 291 | A Proof of Concept for Computational Fluid Dynamic Analysis of the Left Atrium in Atrial Fibrillation on a Patient-Specific Basis. 2020 , 142, | | 18 |
| 290 | Real-world evaluation of perception, convenience and anticoagulant treatment satisfaction of patients with atrial fibrillation switched from long-term vitamin K antagonist treatment to dabigatran. 2020 , 7, | | 1 |
| 289 | Management of tachyarrhythmias in pregnancy - A review. 2020 , 13, 159-173 | | 2 |
| 288 | Predisposing factors for atrial fibrillation in the elderly. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 179-18 | 34 1.7 | 27 |
| 287 | Effect of advanced age on plasma homocysteine levels and its association with ischemic stroke in non-valvular atrial fibrillation. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 743-749 | 1.7 | 12 |
| 286 | Atrial fibrillation and frailty. Journal of Geriatric Cardiology, 2020, 17, 105-109 | 1.7 | 6 |
| 285 | Control of Anticoagulation Therapy in Patients with Atrial Fibrillation Treated with Warfarin: A Study from the Chinese Atrial Fibrillation Registry. 2019 , 25, 4691-4698 | | 8 |
| 284 | Association of Obesity Measures with Atrial Fibrillation Recurrence After Cryoablation in Patients with Paroxysmal Atrial Fibrillation. 2020 , 26, e920429 | | 1 |
| 283 | Antithrombotic therapy strategies for atrial fibrillation patients undergoing percutaneous coronary intervention: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0186449 | 3.7 | 9 |

| 282 | Hemorrhagic manifestations of cerebral amyloid angiopathy: from pathogenesis to clinical significance. 2018 , 10, 4-11 | 9 |
|-------------|--|-----------------|
| 281 | Atrial Fibrillation and Heart Failure: How Should We Manage Our Patients?. 2016 , 5, 162-163 | 1 |
| 2 80 | Supraventricular Arrhythmias in Patients with Adult Congenital Heart Disease. 2017 , 6, 42-49 | 6 |
| 279 | Atrial Fibrosis: Translational Considerations for the Management of AF Patients. 2019 , 8, 37-41 | 5 |
| 278 | Individualised Approaches for Catheter Ablation of AF: Patient Selection and Procedural Endpoints. 2019 , 8, 184-190 | 7 |
| 277 | [Circular Sympathetic Pulmonary Artery Denervation in Cardiac Surgery Patients With Mitral Valve Defect, Atrial Fibrillation and High Pulmonary Hypertension]. 2020 , 60, 35-42 | 4 |
| 276 | [Combined Approach for Management of the Chronic Heart Failure with Preserved Left Ventricular Ejection Fraction and Permanent Atrial Fibrillation: a Case Report]. 2020 , 60, 157-160 | 1 |
| 275 | [Effectiveness of the Cox Maze-IV Procedure in Cardiac Surgery Patients With Atrial Fibrillation]. 2020 , 60, 991 | 2 |
| 274 | Efficacy and Safety Outcomes of Catheter Ablation of Non-valvular Atrial Fibrillation in Korean Practice: Analysis of Nationwide Claims Data. 2018 , 19, 14-21 | 2 |
| 273 | Comparing the ORBIT and HAS-BLED bleeding risk scores in anticoagulated atrial fibrillation patients: a systematic review and meta-analysis. 2017 , 8, 109703-109711 | 14 |
| 272 | Monitoring for AF: Identifying the Burden of Atrial Fibrillation and Assessing Post-Ablation. 2017, 8, 2575-258 | 32 ₄ |
| 271 | Influence of Severe Carotid Stenosis on Cognition, Depressive Symptoms and Quality of Life. 2017 , 13, 168-180 | 5 |
| 270 | A Web-Based Clinical System for Cohort Surveillance of Specific Clinical Effectiveness and Safety Outcomes: A Cohort Study of Non-Vitamin K Antagonist Oral Anticoagulants and Warfarin. 2019 , 7, e13329 | 1 |
| 269 | Validation of Single Centre Pre-Mobile Atrial Fibrillation Apps for Continuous Monitoring of Atrial Fibrillation in a Real-World Setting: Pilot Cohort Study. 2019 , 21, e14909 | 12 |
| 268 | The Health Buddies App as a Novel Tool to Improve Adherence and Knowledge in Atrial Fibrillation Patients: A Pilot Study. 2017 , 5, e98 | 25 |
| 267 | Switching across direct oral anticoagulants: a real-life-setting pilot prospective study. 2021 , 22, 453-458 | 2 |
| 266 | Usefulness of Sacubitril/Valsartan in reduction of atrial fibrillation burden in a patient with ICD delivering inappropriate therapies. A new possibility?. 2020 , 62, 336-339 | 5 |
| 265 | Cardiovascular complications of cancers and anti-cancer therapy. 2017 , 63, 200-209 | 5 |
| | | |

| 264 | Safety of Catheter Ablation of Atrial Fibrillation Under Uninterrupted Rivaroxaban Use. 2020 , 114, 435-442 | 1 |
|-----|---|----|
| 263 | 2018 KHRS Expert Consensus Recommendation for Oral Anticoagulants Choice and Appropriate Doses: Specific Situation and High Risk Patients. 2018 , 93, 110-132 | 6 |
| 262 | 2018 KHRS Practical Guide on the Use of Non-Vitamin K Antagonist Oral Anticoagulants in Korean Patients with Atrial Fibrillation: How to Initiate and Organize the Follow-up. 2019 , 94, 17-39 | 1 |
| 261 | Comparison of the Efficancy and Complication Rates of the Hybrid Maze, Complete Cox-Maze and Catheter Ablation in the Treatment of Atrial Fibrillation. 2017 , 9, 1543 | 5 |
| 260 | Acute Procedural Complications of Cryoballoon Ablation: A Comprehensive Review. 2019 , 12, 2208 | 3 |
| 259 | A Very Late and Persistent Thrombosis after Left Atrial Appendage Occlusion. 2019 , 20, 175-177 | 2 |
| 258 | European position paper on the management of patients with patent foramen ovale. General approach and left circulation thromboembolism. 2019 , 14, 1389-1402 | 61 |
| 257 | Will SPYRAL HTN-OFF MED change my practice? SPYRAL HTN-OFF MED: a prospective, randomised, sham-controlled trial on renal denervation in the absence of antihypertensive medications. 2018 , 14, e603-e606 | 2 |
| 256 | Clinical Practice and Guidelines for Managing Antithrombotics before and after Endoscopy: A National Survey Study. 2020 , 14, 316-322 | 4 |
| 255 | Evaluation of Mortality in Atrial Fibrillation: Clinical Outcomes in Digital Electrocardiography (CODE) Study. 2020 , 15, 48 | 5 |
| 254 | Pharmacological Prophylaxis of Atrial Fibrillation After Surgical Myocardial Revascularization. 2019 , 73, 19-22 | 6 |
| 253 | Echocardiographic assessment of left atrial morphology and function to predict maintenance of sinus rhythm after electrical cardioversion in patients with non-valvular persistent atrial fibrillation and normal function or mild dysfunction of left ventricle. 2020 , 27, 246-253 | 4 |
| 252 | Anticoagulation in Atrial Fibrillation Patients. | 1 |
| 251 | Atrial fibrillation and psychological factors: a systematic review. 2017 , 5, e3537 | 13 |
| 250 | Usability and Perceived Usefulness of the AFib 2gether Mobile App in a Clinical Setting: Single-Arm Intervention Study. 2021 , 5, e27016 | О |
| 249 | Stereotactic Arrhythmia Radioablation as a Novel Treatment Approach for Cardiac Arrhythmias: Facts and Limitations. 2021 , 9, | |
| 248 | Feasibility of the AtriClip Pro Left Atrium Appendage Elimination Device via the Transverse Sinus in Minimally Invasive Mitral Valve Surgery. 2021 , 54, 383-388 | 2 |
| 247 | Thromboembolic and bleeding risks in edoxaban patients with pacemaker and cardiac monitoring procedures: Outcomes of the Global EMIT program. 2021 , | |

| 246 | Starting dose and dose adjustment of non-vitamin K antagonist oral anticoagulation agents in a nationwide cohort of patients with atrial fibrillation. <i>Scientific Reports</i> , 2021 , 11, 20689 | 2 |
|-----|--|----|
| 245 | Why Did All Patients with Atrial Fibrillation and High Risk of Stroke Not Receive Oral Anticoagulants? Results of the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical</i> 5.1 <i>Medicine</i> , 2021 , 10, | 1 |
| 244 | Emergency Department capacity to initiate thromboprophylaxis in patients with atrial fibrillation and thrombotic risk after discharge: URGFAICS cohort analysis. 2021 , 1 | |
| 243 | Difficult issues in the management of patients with atrial fibrillation: a neurologist's point of view. 2021 , 13, 4-13 | 2 |
| 242 | Overview of Acute Ischemic Stroke Evaluation and Management. 2021 , 9, | 5 |
| 241 | Shifting from vitamin K antagonists to non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: predictors, patterns and temporal trends. <i>BMC Cardiovascular Disorders</i> , 2021 2.3, 21, 493 | O |
| 240 | Catheter ablation for persistent atrial fibrillation: A multicenter randomized trial of pulmonary vein isolation (PVI) versus PVI with posterior left atrial wall isolation (PWI) - The CAPLA study. 2022 , 243, 210-220 | 1 |
| 239 | Randomized controlled clinical trials versus real-life atrial fibrillation patients treated with oral anticoagulants. Do we treat the same patients?. 2020 , 27, 590-599 | 1 |
| 238 | Pulmonary Arteriovenous Malformation Associated with Atrial Fibrillation Which Needed Oral Anticoagulants. 2016 , 7, | |
| 237 | Vagal denervation in atrial fibrillation ablation: A comprehensive review. 2017 , 18, 142-148 | 13 |
| 236 | Antikoagulafilterapie dabigatranem vs rivaroxabanem u seniorlve vku nad 65 let: porovnfildat "head to head". 2017 , 63, 289-291 | |
| 235 | Prognostic Value of Inferior Shift of P wave Axis after Catheter Ablation for Longstanding Persistent Atrial Fibrillation based on Dallas Lesion Set Including Anterior Line. 2017 , 18, 66-76 | |
| 234 | Uninterrupted Dabigatran versus Warfarin for Ablation in Atrial Fibrillation 2017, 18, 148-150 | |
| 233 | Targeting Atrial Fibrillation Patients for Left Atrial Appendage Occlusion with Epicardial Closing Devices. 2018 , 4, 53 | |
| 232 | Gender Differences in Atrial Fibrillation: Incidence, Mechanistic Basis of the Differences and Treatment Options. 2018 , 271-285 | |
| 231 | Voltage-Gated Calcium Channels and Their Roles in Cardiac Electrophysiology. 2018 , 77-96 | 1 |
| 230 | The Influence of CYP4F2 Polymorphisms on Warfarin Doses in Korean Patients with a Variety of Diseases. 2018 , 4, 7-10 | |
| 229 | Circulating proteomic patterns in AF related left atrial remodeling indicate involvement of coagulation and complement cascade. | O |

Fibrilacifi auricular en el anciano. 2018, 22, 1-7 228 Atrial Fibrillation in Cancer. 2019, 113-121 227 Nachbehandlung: Patientenversorgung nach interventionellen Eingriffen. 226 Software for assessment of bleeding risk scores in atrial fibrillation. 2018, 13, 457-457 225 Resolution of left atrial appendage thrombus with dabigatran after unsuccessful therapy with 224 rivaroxaban. 2018, 13, 323-323 The combination of atrial fibrillation and obstructive sleep apnea IIs there a connection?. 2018, 119-124 223 2 Atrial fibrillation and concerns in some groups of patients: elderly patients, pregnant women, 222 co-existing hypertrophic cardiomyopathy and WPW syndrome. 2018, 4, 7-11 Beneficios y riesgos de los anticoagulantes orales en la fibrilacifi auricular. 2019, 18, 9-14 221 Human Atrial Electrophysiological Models Under Fractional Derivative: Depolarization and 220 Repolarization Dynamics During Normal and Fibrillation Conditions. 2019, 440-450 PADN procedure in patients with mitral valve disease, atrial fibrillation and high pulmonary 219 hypertension. **2019**, 12, 450 Remote Monitoring of Cardiac Implantable Electronic Devices in Cardiovascular Diseases of the 218 Elderly. 2019, 09, 500-506 Optimal Choice of Pharmacological Therapy - Prevention of Stroke and Assessment of Bleeding 217 Risk in Patients with Atrial Fibrillation. 2019, 10, 85 An Online Clinical Surveillance System to Assess the Clinical Effectiveness and Safety of 216 Non-vitamin K Antagonist Oral Anticoagulants and Warfarin (Preprint). Novel Oral Anticoagulants IDo Real-world Data Support our Expectations?. 2019, 5, 48 215 2018 Korean Heart Rhythm Society Guidelines for Non-Vitamin K Antagonist Oral Anticoagulants. 214 1 2019, 94, 57-82 "AF HeartTeam" Guided Indication for Stand-alone Thoracoscopic Left Atrial Ablation and Left 213 Atrial Appendage Closure. 2019, 11, 2039 Ulinsulto gydymo protokolo ribildu klinikiniai mechaninii trombektomijos atvejai Pushing the boundaries of mechanical thrombectomy protocol for acute stroke management: two case reports. 212 2019, 22, 338-343 Comparison of two modes of long-term ECG monitoring to assess the efficacy of catheter ablation 211 for paroxysmal atrial fibrillation. 2019, 163, 54-60

210 Atria score to predict atrial fibrillation in acute ischemic stroke patients.

| 209 | Development of Software for Choosing Therapeutic Modalities in Atrial Fibrillation. 2019 , 14, 3-11 | |
|-----|--|---|
| 208 | Recent advances in diagnosis and management of atrial fibrillation. 2019, 91, 11-18 | 4 |
| 207 | Rhythm Control in AF: Have We Reached the Last Frontier?. 2019 , 14, 77-81 | 1 |
| 206 | [Specific Features of the Course of Acute Coronary Syndrome in Patients with Newly Developed Atrial Fibrillation in Clinical Practice According to the Data of the Register of Acute Coronary Syndrome]. 2019 , 59, 19-25 | |
| 205 | [Personalized approach for direct oral anticoagulant prescription: from theory to practice]. 2019 , 91, 111-120 | 3 |
| 204 | Korean Heart Rhythm Society 2019 Practical Guidelines on Antithrombotic Therapy for AF Patients Undergoing Percutaneous Coronary Intervention or Structural Heart Disease Intervention. 2019 , 94, 330-342 | |
| 203 | Atrial Fibrillation: Community Screening Events Improve Awareness in Older Adults. 2019 , 45, 31-38 | |
| 202 | A patient with permanent atrial fibrillation and very high bleeding risk I when is the optimal time to refer for left atrial appendage occluder device implantation?. 2019 , 14, 252-253 | |
| 201 | Antithrombotic therapy in patients with atrial fibrillation and coronary artery disease. 2019 , 9, 123-128 | 1 |
| 200 | Current management approaches to patients with atrial fibrillation and percutaneous coronary intervention. 2019 , 2, 12-17 | |
| 199 | Ablation of Atrial Fibrillation and Atrial Tachycardia. 2020 , 73-86 | |
| 198 | Schlaganfall. 2020 , 25-39 | |
| 197 | Atrial fibrillation and CHA2DS2VASc score of 1 - is there a problem in clinical practice?. 2020 , 25, 3738 | |
| 196 | [Control of ventricular rate in permanent atrial fibrillation: cardio-protec-tion and tissue hemodynamics]. 2020 , 60, 30-36 | |
| 195 | Identification of atrial fibrillation in secondary care diabetes and vascular clinics: a pilot study. 2020 , 16, 179-188 | |
| 194 | Variations in follow-up after atrial fibrillation ablation. 2020 , 33, 602-610 | O |
| 193 | Selected intriguing forms of treatment for chronic heart failure lata from international observational registries. 2020 , 7, 1-6 | |

| 192 | Parameters used in the control of ventricular rate in patients with permanent atrial fibrillation. 2020 , 27, 34-39 | |
|-----|--|---|
| 191 | Atrial fibrillation ablation I the value of AF burden monitoring in the long-term follow-up. 2020 , 2, 9-13 | |
| 190 | The convergent procedure: a hybrid approach for long lasting persistent atrial fibrillation ablation. 2020 , 61, 369-375 | 1 |
| 189 | Enhancing Healthcare AccessBmartphone Apps in Arrhythmia Screening: Viewpoint (Preprint). | |
| 188 | [Atrial Fibrillation After Coronary Artery Bypass Surgery: Risk Factors, Prevention and Treatment]. 2020 , 60, 134-148 | 1 |
| 187 | Difficult Atrial Fibrilation Rate-Control and Digitalis Toxicity in Mitral-Valve Prolapse Patient with Hyperthyroidism. 2020 , 1, 57 | |
| 186 | Short coupling interval with high burden of atrial ectopy predicts recurrence after atrial fibrillation ablation. 2021 , 1 | |
| 185 | DAAT: A New Method to Train Convolutional Neural Network on Atrial Fibrillation Detection. 2020 , 280-290 | Ο |
| 184 | Schlaganfall als periprozedurale Komplikation kardialer Interventionen. 2020 , 39, 836-842 | Ο |
| 183 | Safety and Effectiveness of Rivaroxaban in Combination with Various Antiarrhythmic Drugs in Patients with Non-Permanent Atrial Fibrillation. 2021 , 21, 459-469 | 2 |
| 182 | ECMO Simulation in Patients with Cardiac Disease. 2021 , 207-223 | |
| 181 | Recurrent ischemic stroke in patients with atrial fibrillation: frequency, heterogeneity, prevention. 2020 , 7-16 | 2 |
| 180 | Predictors of recurrence after durable pulmonary vein isolation for paroxysmal atrial fibrillation. <i>Europace</i> , 2021 , 23, 861-867 | 0 |
| 179 | Utilisation du scanner cardiaque dans le bilan de fermeture percutane de lauricule gauche. 2020 , 3, 365-374 | |
| 178 | Specific Cardiovascular Diseases and Competitive Sports Participation: Arrhythmias. 2020, 303-316 | |
| 177 | Precise Drug Sequential Therapy Can Improve the Cardioversion Rate of Atrial Fibrillation with Valvular Disease after Radiofrequency Ablation. 2020 , 2204, 145-159 | |
| 176 | Exercise in Specific Diseases: Atrial Fibrillation. 2020 , 1029-1044 | |
| 175 | Andexanet Alfa and its Clinical Application. 2020 , 14, 20 | |

| 174 | Clinical utility and prognostic implications of the novel 4S-AF scheme to characterize and evaluate patients with atrial fibrillation: a report from ESC-EHRA EORP-AF Long-Term General Registry <i>Europace</i> , 2021 , | 3.9 | O |
|-----|--|-----|---|
| 173 | Quand ablater ou pas une fibrillation atriale ?. 2020 , 2020, 3-8 | | |
| 172 | Safety and Efficacy of Cryoballoon Ablation for the Treatment of Atrial Fibrillation in Diabetic Patients. 2020 , 12, 2285 | | |
| 171 | Left atrial shape is independent predictor of arrhythmia recurrence after catheter ablation for atrial fibrillation: A shape statistics study <i>Heart Rhythm O2</i> , 2021 , 2, 622-632 | 1.5 | O |
| 170 | Safety and Effectiveness of Pharmacologic Conversion of Atrial Fibrillation and Flutter: Results of Multicenter Trial. Part II: Assessment of Safety. 2021 , 17, 668-673 | | 1 |
| 169 | Experiñcia de um Centro Brasileiro com Crioablaß para Isolamento Eltrico das Veias Pulmonares na Fibrilaß Atrial Paroxstica e Persistente lResultados Preliminares no Brasil. 2020 , | | |
| 168 | Treatment of atrial fibrillation: a comprehensive review and practice guide. 2020, 31, 153-158 | | 1 |
| 167 | Detection of Atrial Fibrillation Using a Wrist Photoplethysmogram: A Prospective Study on Patients Undergoing Catheter Ablation or Electrical Cardioversion (Preprint). | | |
| 166 | The quality of prior antithrombotic therapy and the severity of ischemic stroke in atrial fibrillation. 2020 , 12, 18-23 | | |
| 165 | [How to anticoagulate elderly and fragile patients?]. 2020, 145, 1562-1568 | | |
| 164 | Impact of Endocrine Disorders on the Heart. 2021 , 59-95 | | |
| 163 | Anticoagulation in Patients with Heart Failure and Sinus Rhythm. 2020 , 61, 1204-1211 | | О |
| 162 | [Cardiovascular preventive recommendations. PAPPS 2020 update]. 2020 , 52 Suppl 2, 5-31 | | О |
| 161 | Edoxaban Treatment in routiNe clinical prActice in patients with non-valvular Atrial Fibrillation (ETNA-AF) in Iberia: Baseline data. 2020 , 39, 651-662 | | |
| 160 | Internet-Delivered Exposure-Based Therapy for Symptom Preoccupation in Atrial Fibrillation: Uncontrolled Pilot Trial (Preprint). | | |
| 159 | Body Composition in Patients with Atrial Fibrillation. 2019 , 35, 484-492 | | 3 |
| 158 | CIED implantation in elderly patients: a single-center experience. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 460-462 | 1.7 | 1 |
| 157 | Remote Monitoring of Atrial High Rate Episodes in Pacemaker Patients. The Rapid Study Design. | | 2 |

| 156 | Opportunistic screening for atrial fibrillation with a single lead device in geriatric patients. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 149-154 | 1.7 | 1 |
|-----|--|-----|---|
| 155 | [Pharmacist-led anticoagulation monitoring can significantly improve the effectiveness and safety of warfarin for patients during hospitalization]. 2020 , 40, 544-549 | | 1 |
| 154 | Pulmonary vein isolation implemented by second-generation cryoballoon for treating hypertrophic cardiomyopathy patients with symptomatic atrial fibrillation: a case-control study. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 476-485 | 1.7 | 1 |
| 153 | [Success rate of one-stop procedure for atrial fibrillation ablation and its impact on cardiac function: a propensity-matched study]. 2020 , 40, 1415-1421 | | 1 |
| 152 | Effects of angiotensin-converting enzyme inhibitor and angiotensin II receptor blocker on one-year outcomes of patients with atrial fibrillation: insights from a multicenter registry study in China. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 750-758 | 1.7 | |
| 151 | Prognostic Effect of Restoring Sinus Rhythm in Patients with New-Onset Atrial Fibrillation during Acute Coronary Syndrome. 2021 , 37, 155-165 | | 1 |
| 150 | Sleep Disorders and Atrial Fibrillation: Current Situation and Future Directions. 2018, 7, e1416 | | |
| 149 | Exercise and Atrial Fibrillation: Some Good News and Some Bad News. 2018 , 7, e1401 | | |
| 148 | Short-term observation of direct oral anticoagulant use in an atrial fibrillation patient with high bleeding risk and kidney transplant: a case report. <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 692-696 | 1.7 | |
| 147 | Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. 2021 , 1 | | 3 |
| 146 | Is Progression From Paroxysmal to Sustained Atrial Fibrillation Bad News?. 2021, | | 1 |
| 145 | Comparison of the HAS-BLED versus ORBIT Scores in Predicting Major Bleeding Among Asians Receiving the Direct-Acting Oral Anticoagulants. 2021 , | | O |
| 144 | Left atrial appendage size is a marker of atrial fibrillation recurrence after radiofrequency catheter ablation in patients with persistent atrial fibrillation. 2021 , | | 1 |
| 143 | Diabetes und Herz: Kardiovaskulfes Risiko trotz Symptomfreiheit. | | |
| 142 | The interpretation of cryoballoon ablation of atrial fibrillation: Consensus of Chinese experts (English version). 2021 , 6, 77 | | |
| 141 | Exploratory Evaluation of Rhythm Control by Dronedarone in Combination With Low-Dose Rivaroxaban, Warfarin, Antiplatelet, or None of the Antithrombotic Therapy in High-Risk Patients With Non-Permanent Atrial Fibrillation: A Retrospective Cohort Study 2021 , 27, 10760296211052968 | | |
| 140 | Lack of authentic atrial fibrillation in commonly used murine atrial fibrillation models <i>PLoS ONE</i> , 2022 , 17, e0256512 | 3.7 | 1 |
| 139 | Prognostic Value of Troponin in Patients with Atrial Fibrillation Admitted to an Emergency Department: Review and Meta-Analysis 2020 , 13, 2346 | | |

| 138 | Multidimensional Fibrillatory Waves Analysis for Improved Electrical Cardioversion Outcome Prediction in Persistent Atrial Fibrillation. 2020 , | | |
|-----|--|-----|---|
| 137 | Serial Magnetic Resonance Imaging after Electrical Cardioversion of Recent Onset Atrial Fibrillation in Anticoagulant-Nalle Patients - A Prospective Study Exploring Clinically Silent Cerebral Lesions 2020 , 13, 2271 | | 1 |
| 136 | Atrial Fibrillation and Hypertension: "Quo Vadis" 2022, | | О |
| 135 | Transseptal Puncture in Patients with Septal Occluder Devices during Catheter Ablation of Atrial Fibrillation. 2021 , | | Ο |
| 134 | Prevalence of recommended anticoagulation by guidelines preadmission and its impact on the incidence of acute myocardial infarction (AMI) and in-hospital outcomes after AMI in atrial fibrillation patients 2022 , 1 | | |
| 133 | Warfarin Usage in Patients with Atrial Fibrillation Undergoing Hemodialysis in Indonesian Population 2022 , 101104 | | Ο |
| 132 | Atrial fibrillation and stroke: importance of left atrium as assessed by echocardiography 2022, 1 | | 1 |
| 131 | Clinical characteristics and prognostic factors of atrial fibrillation at a tertiary center of Pakistan - From a South-Asian perspective - A cross-sectional study 2022 , 73, 103128 | | |
| 130 | 2019 Chinese expert consensus statement on left atrial appendage closure in patients with atrial fibrillation 2022 , | | Ο |
| 129 | OUP accepted manuscript. <i>Europace</i> , | 3.9 | 1 |
| 128 | Optimal timing of anticoagulation after acute ischemic stroke with atrial fibrillation (OPTIMAS): Protocol for a randomized controlled trial 2022 , 17474930211057722 | | 3 |
| 127 | Acute oesophageal safety of high-power short duration with 50 W for atrial fibrillation ablation <i>Europace</i> , 2022 , | 3.9 | О |
| 126 | Sustained atrial fibrillation is related to a higher severity of stroke in patients taking direct oral anticoagulants 2022 , 434, 120172 | | |
| 125 | Drug-Induced Atrial Fibrillation / Atrial Flutter. 2022 , 17, 1-18 | | |
| 124 | Systematic review and meta-analysis of randomized controlled trials on safety and effectiveness of oral anticoagulants for atrial fibrillation in older people 2022 , 1 | | 0 |
| 123 | Estimated incidence of previously undetected atrial fibrillation on a 14-day continuous electrocardiographic monitor and associated risk of stroke <i>Europace</i> , 2022 , | 3.9 | 2 |
| 122 | Identification of Atrial Fibrillation-Related lncRNA Based on Bioinformatic Analysis 2022, 2022, 8307 | 975 | 1 |
| 121 | Smartphone applications managing antithrombotic therapy: a scoping literature review (Preprint). | | |

Dual Pathway of Inhibition and Vascular Protection in Patients with Atherosclerotic Disease. **2021**, 280-300

| 119 | Stroke and Systemic Thromboembolism according to CHADS-VASc Score in Contemporary Korean Patients with Atrial Fibrillation 2022 , 63, 317-324 | O |
|-----|--|---|
| 118 | The ALSTER-FLX Registry: 3-Month outcomes after left atrial appendage occlusion using a next-generation device, a matched-pair analysis to EWOLUTION 2022 , | 0 |
| 117 | Echocardiographic Parameters to Predict Atrial Fibrillation in Clinical Routine-The EAHsy-AF Risk Score <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 851474 | 1 |
| 116 | Idarucizumab reverses dabigatran-induced anticoagulation in treatment of gastric bleeding: A case report 2022 , 10, 2537-2542 | 1 |
| 115 | Prevalence and Rate of Resolution of Left Atrial Thrombus in Patients with Non-Valvular Atrial Fibrillation: A Two-Center Retrospective Real-World Study <i>Journal of Clinical Medicine</i> , 2022 , 11, | 1 |
| 114 | Computed tomography measurement for left atrial appendage closure 2022, 1 | O |
| 113 | Association between left atrial epicardial fat, left atrial volume, and the severity of atrial fibrillation <i>Europace</i> , 2022 , | 1 |
| 112 | ATRIAL FIBRILLATION ABLATION SUCCESS RATE - A RETROSPECTIVE MULTICENTER STUDY 2022 , 101161 | О |
| 111 | Impact of longitudinal data-completeness of electronic health record data on risk score misclassification 2022 , | Ο |
| 110 | Impact of recording length and other arrhythmias on atrial fibrillation detection from wrist photoplethysmogram using smartwatches <i>Scientific Reports</i> , 2022 , 12, 5364 | О |
| 109 | Prevalence and factors associated with atrial fibrillation in older patients with obstructive sleep apnea 2022 , 22, 204 | O |
| 108 | Comparison of the Mid-Term Outcomes of Robotic Magnetic Navigation-Guided Radiofrequency Ablation versus Cryoballoon Ablation for Persistent Atrial Fibrillation 2022 , 9, | 2 |
| 107 | Left atrial thrombus and smoke resolution in patients with atrial fibrillation under chronic oral anticoagulation 2022 , 1 | 1 |
| 106 | Barriers to prescribing oral anticoagulants to inpatients aged 80 years and older with nonvalvular atrial fibrillation: a cross-sectional study 2022 , 22, 263 | О |
| 105 | Impact of the left common ostium following pulmonary vein isolation in AF : Systematic review and meta-analysis. | O |
| 104 | Lewy body dementia is associated with an increased risk of atrial fibrillation: A case-control study 2022 , 99, 62-65 | |
| 103 | Effect of Mineralocorticoid Receptor Antagonists on the Prognosis of Patients with Ventricular Tachyarrhythmias. 2021 , 1-11 | |

(2018-2021)

| 102 | Cryoballoon Ablation for the Treatment of Atrial Fibrillation in Patients With Concomitant Heart Failure and Either Reduced or Preserved Left Ventricular Ejection Fraction: Results From the Cryo AF Global Registry. 2021 , e021323 | | 2 |
|-----|--|-----|---|
| 101 | Worldwide trends in oral anticoagulant use in patients with atrial fibrillation from 2010 to 2018: a systematic review and meta-analysis <i>Europace</i> , 2021 , | 3.9 | 3 |
| 100 | Symptoms and health-related quality of life 5 years after catheter ablation of atrial fibrillation 2021 , | | 1 |
| 99 | Predicting Phrenic Nerve Palsy in Patients Undergoing Atrial Fibrillation Ablation With the Cryoballoon-Does Sex Matter?. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 746820 | 5.4 | Ο |
| 98 | Diagnosis and management of arrhythmias in pregnancy Europace, 2021, | 3.9 | O |
| 97 | Second versus fourth generation of cryoballoon catheters: the 1STOP real-world multicenter experience 2022 , | | |
| 96 | Image_1.JPEG. 2020 , | | |
| 95 | Image_2.JPEG. 2020 , | | |
| 94 | Image_3.JPEG. 2020 , | | |
| 93 | Image_4.JPEG. 2020 , | | |
| 92 | Presentation_1.PDF. 2018 , | | |
| 91 | DataSheet1.docx. 2018, | | |
| 90 | Image1.tif. 2018 , | | |
| 89 | Image2.tif. 2018 , | | |
| 88 | Table1.DOCX. 2018 , | | |
| 87 | Table2.DOCX. 2018 , | | |
| 86 | Table3.DOCX. 2018 , | | |
| 85 | Table4.DOCX. 2018 , | | |

| 84 | Table5.DOCX. 2018 , | | |
|----|---|-----|---|
| 83 | Table_1.DOCX. 2019 , | | |
| 82 | Table_1.DOCX. 2018 , | | |
| 81 | Data_Sheet_1.docx. 2018, | | |
| 80 | Data_Sheet_1.pdf. 2019 , | | |
| 79 | Image1.TIF. 2018 , | | |
| 78 | Image2.TIF. 2018 , | | |
| 77 | Video1.MP4. 2018 , | | |
| 76 | Video2.MP4. 2018 , | | |
| 75 | Video3.MP4. 2018 , | | |
| 74 | Video4.MP4. 2018 , | | |
| 73 | Video5.MP4. 2018 , | | |
| 72 | Video6.MP4. 2018 , | | |
| 71 | Video7.MP4. 2018 , | | |
| 70 | Biomarkers in the clinical management of patients with atrial fibrillation and heart failure <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 908-951 | 1.7 | 2 |
| 69 | Impact of Oral Anticoagulation on Inhospital Mortality of Patients with Hip Fracture Analysis of Nationwide Hospitalization Data. SSRN Electronic Journal, | 1 | |
| 68 | Cryoballoon Ablation for Treatment of Atrial Fibrillation in a Chinese Population: Five-Year Outcomes and Predictors of Recurrence After a Single Procedure <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 836392 | 5.4 | |
| 67 | Stereotactic Radiotherapy Ablation and Atrial Fibrillation: Technical Issues and Clinical Expectations Derived From a Systematic Review <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 849201 | 5.4 | 1 |

| 66 | Atrial fibrillation ablation with advanced radiofrequency catheter versus second-generation cryoballoon catheter <i>Journal of Comparative Effectiveness Research</i> , 2022 , | 2.1 | | |
|----|--|-----|---|--|
| 65 | Left Atrial Thrombus in Atrial Fibrillation/Flutter Patients in Relation to Anticoagulation Strategy: LATTEE Registry. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2705 | 5.1 | Ο | |
| 64 | Temporal Trends in Oral Anticoagulant Prescription in Atrial Fibrillation Patients between 2004 and 2019 International Journal of Environmental Research and Public Health, 2022, 19, | 4.6 | O | |
| 63 | Atrial fibrillation in hypertrophic cardiomyopathy-a contemporary mini review <i>Hellenic Journal of Cardiology</i> , 2022 , | 2.1 | О | |
| 62 | The pre-ablation triglyceride-glucose index predicts late recurrence of atrial fibrillation after radiofrequency ablation in non-diabetic adults <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 219 | 2.3 | 1 | |
| 61 | Resting heart rate and incident atrial fibrillation: A stratified Mendelian randomization in the AFGen consortium <i>PLoS ONE</i> , 2022 , 17, e0268768 | 3.7 | 0 | |
| 60 | Net clinical benefit of anticoagulant therapy from a neurologist's perspective: A review. <i>Consilium Medicum</i> , 2022 , 24, 79-84 | 1.9 | 1 | |
| 59 | Novel tissue-pressure sensing technology using a wide-band dielectric imaging system: An in vivo study. <i>Journal of Cardiology</i> , 2022 , | 3 | | |
| 58 | Left Atrial Appendage Mechanical Dispersion Assessed by Speckle-Tracking Echocardiography as a Determinant of Left Atrial Appendage Blood Stasis in Patients With Atrial Fibrillation. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, | 5.4 | | |
| 57 | DIFFERENCES IN OUTCOMES AMONG PATIENTS WITH ATRIAL FIBRILLATION UNDERGOING CATHETER ABLATION WITH VERSUS WITHOUT INTRACARDIAC ECHOCARDIOGRAPHY. <i>Journal of Cardiovascular Electrophysiology</i> , | 2.7 | 1 | |
| 56 | A Newly Defined CHA2DS2-VA Score for Predicting Obstructive Coronary Artery Disease in Patients with Atrial Fibrillation Cross-Sectional Study of Older Persons Referred for Elective Coronary Angiography. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3462 | 5.1 | | |
| 55 | Prognostic impact of the presence of chronic kidney disease on percutaneous left trial appendage closure for atrial fibrillation: A single center experience. <i>Nefrologia</i> , 2022 , | 0.4 | O | |
| 54 | Left atrial epicardial adipose tissue is closely associated with left atrial appendage flow velocity in patients with nonvalvular atrial fibrillation. <i>Scientific Reports</i> , 2022 , 12, | 4.9 | | |
| 53 | Antithrombotic dilemmas in stroke medicine: new data, unsolved challenges. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , jnnp-2020-325249 | 5.5 | | |
| 52 | Growth Differentiation Factor 15 and the Subsequent Risk of Atrial Fibrillation: The Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , | 5.5 | O | |
| 51 | Direct current cardioversion. <i>Medicine</i> , 2022 , | 0.6 | | |
| 50 | Usefulness of systemic immune-inflammation index in predicting atrial fibrillation recurrence after direct current cardioversion. <i>Biomarkers in Medicine</i> , | 2.3 | 0 | |
| 49 | Identification of genes and key pathways underlying the pathophysiological association between nonalcoholic fatty liver disease and atrial fibrillation. <i>BMC Medical Genomics</i> , 2022 , 15, | 3.7 | O | |

| 48 | A Cohort Study on the Safety and Efficacy of Warfarin and Rivaroxaban in Anticoagulant Therapy in Patients with Atrial Fibrillation Study. <i>BioMed Research International</i> , 2022 , 2022, 1-9 | 3 |
|----|---|-------------|
| 47 | Detection of left atrial appendage thrombus by dual-energy computed tomography-derived imaging biomarkers in patients with atrial fibrillation. <i>Frontiers in Cardiovascular Medicine</i> , 9, | 5.4 |
| 46 | Evidence gaps pertaining to high-risk medications - Commentary on anticoagulation in new onset postoperative atrial fibrillation. <i>Heart Rhythm O2</i> , 2022 , | 1.5 |
| 45 | Wie antikoaguliert man Itere und fragile Patienten?. 2022 , 04, 161-172 | |
| 44 | Geographic and temporal variation in the treatment and outcomes of atrial fibrillation: a population-based analysis of national quality indicators. 2022 , 10, E702-E713 | 0 |
| 43 | Electrical cardioversion of atrial arrhythmias with cardiac amyloidosis in the era of direct oral anticogulants. | O |
| 42 | Left atrial strain and recurrence of atrial fibrillation after thoracoscopic surgical ablation: a subanalysis of the AFACT study. | О |
| 41 | Role of circulating long non-coding RNA for the improvement of the predictive ability of the CHA2DS2NASc score in patients with atrial fibrillation. Publish Ahead of Print, | O |
| 40 | Atrial Fibrillation in Heart Failure: Rate or Rhythm Control Strategy. | |
| 39 | Trough Concentration Deficiency of Rivaroxaban in Patients with Nonvalvular Atrial Fibrillation Leading to Thromboembolism Events. 2022 , Publish Ahead of Print, | O |
| 38 | Inferior Vena Cava as a Trigger for Paroxysmal Atrial Fibrillation. 2022 , 8, 983-993 | О |
| 37 | Stroke Prevention in Atrial Fibrillation. 2022, | |
| 36 | Women with atrial fibrillation undergoing pulmonary vein isolation are more symptomatic but improve more in health-related quality of life and symptom burden than men. 2022 , 56, 316-324 | 0 |
| 35 | Whether it is safe to start anticoagulation after intracranial hemorrhage within 2 weeks: A systematic review and meta-analysis. | |
| 34 | The Arf6/PIP5K pathway activates IKACh in cigarette smoke mediated atrial fibrillation. 2022 , 100, 1104 | 75 o |
| 33 | Kryoballon ile Tek Merkezde Atriyal Fibrilasyon Ablasyonu Deneyimi. 2022 , 5, 179-189 | O |
| 32 | Heart failure and the risk of left atrial thrombus formation in patients with atrial fibrillation or atrial flutter. | 1 |
| 31 | COVID-19 and arrhythmia: The factors associated and the role of myocardial electrical impulse propagation. An observational study based on cardiac telemetric monitoring. 9, | O |

| 30 | Predictive value of HMGB1 for atrial fibrillation recurrence after cryoballoon ablation in paroxysmal atrial fibrillation patients. | O |
|----|---|---|
| 29 | Percutaneous Left Atrial Appendage Occlusion in Comparison to Non-Vitamin K Antagonist Oral Anticoagulant Among Patients With Atrial Fibrillation. 2022 , 11, | 1 |
| 28 | A descriptive cross-sectional study of self-management in patients with nonvalvular atrial fibrillation. 2022 , 101, e30781 | 0 |
| 27 | Visit-to-visit SBP variability and risk of atrial fibrillation in middle-aged and older populations. 2022 , 40, 2521-2527 | Ο |
| 26 | Management of pregnant patients with pulmonary arterial hypertension. 9, | Ο |
| 25 | Pathophysiology and Treatment Progress of Elderly Patients with Chronic Heart Failure Complicated with Atrial Fibrillation. 2022 , 12, 11065-11072 | Ο |
| 24 | Fall 42 Die Nephrektomie. 2022 , 19-35 | Ο |
| 23 | Heart failure in patients with atrial fibrillation: Insights from Polish part of the EORP-AF general long-term registry. | Ο |
| 22 | Incremental value of the combined brain-cardiac CT protocol on prediction of atrial fibrillation after stroke. 239698732211381 | Ο |
| 21 | Kalp YetmezliflOlan Hastalarda CHA2DS2-VASc Skoru ve Sol VentrikflApikal Trombozu fikisi. | Ο |
| 20 | Patient selection, peri-procedural management, and ablation techniques for catheter ablation of atrial fibrillation: an EHRA survey. | 1 |
| 19 | Issues of improving the management of patients with ischemic stroke on the background of atrial fibrillation. 2022 , 14, 115-121 | Ο |
| 18 | Novel oral anticoagulant use in adults with congenital heart disease: a single-center experience report. 2023 , 75, | 0 |
| 17 | Effect of Catheter Ablation Using Pulmonary Vein Isolation With vs Without Posterior Left Atrial Wall Isolation on Atrial Arrhythmia Recurrence in Patients With Persistent Atrial Fibrillation. 2023 , 329, 127 | 1 |
| 16 | Catheter ablation of Atrial Fibrillation with a Multi-electrode Radiofrequency balloon; First and early two centre experience in Europe. | 0 |
| 15 | New atrial arrhythmia occurrence in single chamber implantable cardioverter defibrillator patients: A real-world investigation. | Ο |
| 14 | Cardiovascular assessment before liver transplantation. 2023 , 309-326 | O |
| 13 | Targeted Atrial Fibrillation Therapy and Risk Stratification Using Atrial Alternans. 2023 , 10, 36 | O |

| 12 | Catheter Ablation for Atrial Fibrillation in Structural Heart Disease: A Review. 2023, 12, 1431 | 0 |
|----|---|---|
| 11 | Comparison of His P urkinje Conduction System Pacing with Atrial V entricular Node Ablation and Pharmacotherapy in HFpEF Patients with Recurrent Persistent Atrial Fibrillation (HPP-AF study). | O |
| 10 | Left atrial appendage occlusion. 2023 , 18, e1038-e1065 | O |
| 9 | Left atrial appendage filling defects restricted to the early phase of cardiac computed tomography is significantly associated with ischemic stroke. 2023 , 98, 16-21 | O |
| 8 | The Nine RNA Methylation Regulatory Gene Signature Is Associated with the Pathogenesis of Atrial Fibrillation by Modulating the Immune Microenvironment in the Atrial Tissues. 2023 , 2023, 1-16 | О |
| 7 | Wearable Devices in Cardiovascular Medicine. 2023 , 132, 652-670 | O |
| 6 | Identification of m6A regulator-mediated RNA methylation modification patterns and key immune-related genes involved in atrial fibrillation. | О |
| 5 | Intensivtherapie bei Herzrhythmusstflungen. 2023, 1-20 | O |
| 4 | Review: Sex-related differences in the treatment of cardiac arrhythmia. 2023, 244, 108388 | О |
| 3 | Left atrial CT volume and CHA2DS2-VASc score predict early pulmonary vein stump thrombus after left upper lobectomy. 2023 , 13, | O |
| 2 | Comparative Effectiveness and Safety of Oral Anticoagulants by Dementia Status in Older Patients With Atrial Fibrillation. 2023 , 6, e234086 | О |
| 1 | Medico-economic comparison of two anticoagulant treatment strategies: Vitamin K antagonists vs. direct oral anticoagulants in older adults in nursing homes in France. The MIKADOIstudy. 2023 , 18, e0283604 | O |