CITATION REPORT List of articles citing

High-performance thermoelectric nanocomposites from nanocrystal building blocks

DOI: 10.1038/ncomms10766 Nature Communications, 2016, 7, 10766.

Source: https://exaly.com/paper-pdf/64778183/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
210	Thermoelectric properties of semiconductor-metal composites produced by particle blending. 2016 , 4, 104813		38
209	Synthesis and Thermoelectric Properties of Noble Metal Ternary Chalcogenide Systems of AgAuBe in the Forms of Alloyed Nanoparticles and Colloidal Nanoheterostructures. 2016 , 28, 7017-702	8	18
208	FeO@NiFeO Nanoparticles with Enhanced Electrocatalytic Properties for Oxygen Evolution in Carbonate Electrolyte. 2016 , 8, 29461-29469		30
207	Large scale production of high efficient and robust p-type Bi-Sb-Te based thermoelectric materials by powder metallurgy. 2016 , 112, 485-494		32
206	Pd2Sn [010] nanorods as a highly active and stable ethanol oxidation catalyst. 2016 , 4, 16706-16713		52
205	Paper Thermoelectrics: Merging Nanotechnology with Naturally Abundant Fibrous Material. 2016 , 8, 22182-9		19
204	Insights into the Ligand Shell, Coordination Mode, and Reactivity of Carboxylic Acid Capped Metal Oxide Nanocrystals. 2016 , 81, 1216-1223		7
203	Thermoelectric properties of copper chalcogenide alloys deposited via the solution-phase using a thiolamine solvent mixture. 2016 , 6, 99905-99913		16
202	Construction of a 3D porous network of copper film via a template-free deposition method with superior mechanical and electrical properties for micro-energy devices. 2016 , 3, 085014		5
201	Enhanced thermoelectric properties of PbBiS prepared with hydrothermal synthesis and microwave sintering. 2017 , 46, 2129-2136		11
200	Bottom-up design of de novo thermoelectric hybrid materials using chalcogenide resurfacing. 2017 , 5, 3346-3357		37
199	2D Chalcogenide Nanoplate Assemblies for Thermoelectric Applications. 2017 , 29, 1700070		45
198	Enhancing thermoelectric power factor at low temperature. 2017,		
197	Compound Copper Chalcogenide Nanocrystals. 2017 , 117, 5865-6109		493
196	Controllably Manipulating Three-Dimensional Hybrid Nanostructures for Bulk Nanocomposites with Large Energy Products. 2017 , 17, 2985-2993		126
195	Bottom-up engineering of thermoelectric nanomaterials and devices from solution-processed nanoparticle building blocks. 2017 , 46, 3510-3528		127
194	Solution-Processed CuSe Nanocrystal Films with Bulk-Like Thermoelectric Performance. 2017 , 7, 2765		17

(2017-2017)

193	Manganese Copper Sulfide Nanocomposites: Structure Tailoring and Photo/Electrocatalytic Hydrogen Generation. 2017 , 9, 4148-4154	6
192	Thermal transport in nanocrystalline Si and SiGe by ab initio based Monte Carlo simulation. 2017 , 7, 44254	29
191	Minority Carrier Blocking to Enhance the Thermoelectric Performance of Solution-Processed BiSbTe Nanocomposites via a Liquid-Phase Sintering Process. 2017 , 9, 12501-12510	36
190	Dramatically enhanced thermoelectric performance of MoS2 by introducing MoO2 nanoinclusions. 2017 , 5, 2004-2011	48
189	Solution-based synthesis and processing of Sn- and Bi-doped Cu3SbSe4 nanocrystals, nanomaterials and ring-shaped thermoelectric generators. 2017 , 5, 2592-2602	53
188	Tunable porous nanoallotropes prepared by post-assembly etching of binary nanoparticle superlattices. 2017 , 358, 514-518	92
187	Direct photolithographic patterning of cuprous oxide thin films via photoelectrodeposition. 2017 , 5, 21765-21772	3
186	Doping of thermoelectric PbSe with chemically inert secondary phase nanoparticles. 2017 , 5, 10881-10887	21
185	Advances in thermoelectric materials research: Looking back and moving forward. 2017, 357,	964
184	Surface-Engineered Cationic Nanocrystals Stable in Biological Buffers and High Ionic Strength Solutions. 2017 , 29, 9416-9428	23
183	Tuning -Type Transport in Bottom-Up-Engineered Nanocrystalline Pb Chalcogenides Using Alkali Metal Chalcogenides as Capping Ligands. 2017 , 29, 7093-7097	21
182	Engineered carbon nanotubes reinforced polymer composites for enhanced thermoelectric performance. 2017 , 4, 105002	3
181	Bottom Up Chalcogenide Thermoelectric Materials from Solution-Processed Nanostructures. 2017 , 4, 1700517	10
180	Nanostructured Materials: Enhancing the Thermoelectric Performance. 2017 , 15-35	1
179	Large Voltage Generation of Flexible Thermoelectric Nanocrystal Thin Films by Finger Contact. 2017 , 7, 1700972	26
178	Enhanced thermoelectric performance of BiTe through uniform dispersion of single wall carbon nanotubes. 2017 , 28, 415402	12
177	Processing of advanced thermoelectric materials. 2017 , 60, 1347-1364	55
176	Designing hybrid architectures for advanced thermoelectric materials. 2017 , 1, 2457-2473	30

175	Detecting patchy nanoparticle assembly at the single-particle level. 2017 , 9, 10344-10349	6
174	ZnO Nanocrystal Networks Near the Insulator-Metal Transition: Tuning Contact Radius and Electron Density with Intense Pulsed Light. 2017 , 17, 4634-4642	25
173	Thermoelectric characteristics of nanocomposites made of HgSe and Ag nanoparticles for flexible thermoelectric devices. 2017 , 10, 683-689	4
172	Thermoelectric Transport in Nanocomposites. 2017 , 10,	24
171	The single-crystal multinary compound Cu2ZnSnS4 as an environmentally friendly high-performance thermoelectric material. 2018 , 11, 051203	17
170	Graphene network in copper sulfide leading to enhanced thermoelectric properties and thermal stability. 2018 , 49, 267-273	74
169	Effect of Dislocation Arrays at Grain Boundaries on Electronic Transport Properties of Bismuth Antimony Telluride: Unified Strategy for High Thermoelectric Performance. 2018 , 8, 1800065	26
168	Enhanced thermoelectric performance of Bi85Sb15-graphene composite by modulation carrier transport and density of state effective mass. 2018 , 745, 331-340	14
167	Thermoelectric conversion of waste heat from IC engine-driven vehicles: A review of its application, issues, and solutions. 2018 , 42, 2595-2614	21
166	Soft Chemistry, Coloring and Polytypism in Filled Tetrahedral Semiconductors: Toward Enhanced Thermoelectric and Battery Materials. 2018 , 24, 3650-3658	8
165	Engineering Bulk, Layered, Multicomponent Nanostructures with High Energy Density. 2018 , 14, e1800619	64
164	Effects of anion and cation doping on the thermoelectric properties of n-type PbS. 2018 , 38, 3512-3517	11
163	Modulation of Carrier Type in Nanocrystal-in-Matrix Composites by Interfacial Doping. 2018 , 30, 2544-2549	1
162	Intra- and inter-nanocrystal charge transport in nanocrystal films. 2018 , 10, 8042-8057	8
161	Effect of 2D MoS 2 and Graphene interfaces with CoSb 3 nanoparticles in enhancing thermoelectric properties of 2D MoS 2 -CoSb 3 and Graphene-CoSb 3 nanocomposites. 2018 , 44, 10628-10634	14
160	Crystallographically Textured Nanomaterials Produced from the Liquid Phase Sintering of Bi SbTe Nanocrystal Building Blocks. 2018 , 18, 2557-2563	63
159	Realizing high thermoelectric performance in Te nanocomposite through Sb2Te3 incorporation. 2018 , 20, 7729-7738	15
158	Simultaneous improvement in electrical conductivity and Seebeck coefficient of PEDOT:PSS by N pressure-induced nitric acid treatment 2018 , 8, 36563-36570	12

Tin Diselenide Molecular Precursor for Solution-Processable Thermoelectric Materials. 2018, 130, 17309-173147 157 Geometrically Enhanced Thermoelectric Effects in Graphene Nanoconstrictions. 2018, 18, 7719-7725 156 30 Mechanistic Understanding of the Growth Kinetics and Dynamics of Nanoparticle Superlattices by 155 21 Coupling Interparticle Forces from Real-Time Measurements. 2018, 12, 12778-12787 Doubling the thermoelectric power factor of earth abundant tin nitride thin films through tuned 154 (311) orientation by magnetron sputtering. **2018**, 124, 185107 Tin Diselenide Molecular Precursor for Solution-Processable Thermoelectric Materials. 2018, 57, 17063-17068 12 153 Synthesis of Phosphonic Acid Ligands for Nanocrystal Surface Functionalization and Solution 16 152 Processed Memristors. 2018, 30, 8034-8039 Amorphous nickel nanophases inducing ferromagnetism in equiatomic NiTi alloy. 2018, 161, 47-53 151 10 Effects of chalcogen composition on the thermoelectric properties in $Cu2ZnSn(S1Ik Se \times)4$ single 150 4 crystals. 2018, 57, 101201 Topological doping effects in 2D chalcogenide thermoelectrics. 2018, 5, 045008 5 149 Doping and Surface Effects of CuFeS2 Nanocrystals Used in Thermoelectric Nanocomposites. 2018, 148 15 4, 982-991 High Thermoelectric Performance in Crystallographically Textured n-Type BiTeSe Produced from 147 73 Asymmetric Colloidal Nanocrystals. 2018, 12, 7174-7184 Nanoscale self-assembly of thermoelectric materials: a review of chemistry-based approaches. 146 36 **2018**, 29, 432001 Probing Solvent Ligand Interactions in Colloidal Nanocrystals by the NMR Line Broadening. 2018, 145 72 30. 5485-5492 CuAgSe nanocrystals: colloidal synthesis, characterization and their thermoelectric performance. 144 4 2018, 53, 14998-15008 Colloidal Synthesis and Thermoelectric Properties of CuFeSeINanocrystals. 2017, 8, 143 17 Charge Transport Modulation in PbSe Nanocrystal Solids by Au Ag Nanoparticle Doping. 2018, 12, 9091-9100 16 142 Expanding the IDD Phase Space: Soft Synthesis of Polytypic Ternary and Binary Zinc Antimonides. 141 10 2018, 30, 6173-6182 Lead-Chalcogenide Colloidal-Quantum-Dot Solids: Novel Assembly Methods, Electronic Structure 140 35 Control, and Application Prospects. 2018, 30, 1800082

Thermoelectric properties of atomic force microscopy probes electrochemically layered with porous platinum. **2019**, 6, 085042

138	Ag-Nanoinclusion-Induced Enhanced Thermoelectric Properties of Ag2S. 2019 , 2, 6383-6394		24
137	Highly charged interface trap states in PbS1⊠ govern electro-thermal transport. 2019 , 7, 071105		
136	Local nanostructures enhanced the thermoelectric performance of n-type PbTe. 2019 , 7, 18458-18467		30
135	Thermoelectric power generation: from new materials to devices. 2019 , 377, 20180450		70
134	Effects of Ge addition on thermoelectric properties in a nanocomposite of MnSi and SiGe thin films. 2019 , 7, 100374		4
133	Ultrasound-Assisted Photo-Reduction Synthesis of Ag/Bi2WO6 Microspheres for Photocatalytic H2 Evolution. 2019 , 11, 6391-6397		7
132	Driving the polymerization of PEDOT:PSS by means of a nanoporous template: Effects on the structure. 2019 , 185, 121941		4
131	Phonon-engineered solids constructed from nanocrystals. 2019 , 7, 081124		5
130	The Trouble with ODE: Polymerization during Nanocrystal Synthesis. 2019 , 19, 7411-7417		30
129	Nanocrystal superlattices as phonon-engineered solids and acoustic metamaterials. <i>Nature Communications</i> , 2019 , 10, 4236	17.4	13
128	Role of graphite on the thermoelectric performance of Sb2Te3/graphite nanocomposite. 2019 , 125, 195105		8
127	Interplay between Short- and Long-Ranged Forces Leading to the Formation of Ag Nanoparticle Superlattice. 2019 , 15, e1901966		14
126	Highly Passivated n-Type Colloidal Quantum Dots for Solution-Processed Thermoelectric Generators with Large Output Voltage. 2019 , 9, 1901244		9
125	Complex electronic structure and compositing effect in high performance thermoelectric BiCuSeO. <i>Nature Communications</i> , 2019 , 10, 2814	17.4	46
124	Precision Interface Engineering of an Atomic Layer in Bulk BiTe Alloys for High Thermoelectric Performance. 2019 , 13, 7146-7154		41
123	Configurations of Nanocubes Floating and Clustering on Liquid Surfaces. 2019 , 10, 3592-3597		2
122	Tuning Transport Properties in Thermoelectric Nanocomposites through Inorganic Ligands and Heterostructured Building Blocks. 2019 , 13, 6572-6580		17

(2020-2019)

121	Bi2Te3 NanoplateslSelective Growth Morphology on Different Interfaces for Enhancing Thermoelectric Properties. 2019 , 19, 3639-3646	16
120	Improving the Thermoelectric Properties of the Half-Heusler Compound VCoSb by Vanadium Vacancy. 2019 , 12,	6
119	Ligand-Mediated Band Engineering in Bottom-Up Assembled SnTe Nanocomposites for Thermoelectric Energy Conversion. 2019 , 141, 8025-8029	28
118	Detecting spatial rearrangement of individual gold nanoparticle heterodimers. 2019 , 21, 10146-10151	2
117	3D Thermally Cross-Linked Graphene Aerogel E nhanced Silicone Rubber Elastomer as Thermal Interface Material. 2019 , 6, 1900147	26
116	Reentrant phase behavior of nanoparticle solutions probed by small-angle scattering. 2019 , 42, 17-32	6
115	Enhancement of Thermoelectric Performance for n-Type PbS through Synergy of Gap State and Fermi Level Pinning. 2019 , 141, 6403-6412	48
114	Enhancing the thermoelectric performance of Cu1.8S by Sb/Sn co-doping and incorporating multiscale defects to scatter heat-carrying phonons. 2019 , 7, 4026-4031	14
113	From thermoelectricity to phonoelectricity. 2019 , 6, 021305	9
112	Facilely synthesized Cu:PbS nanoparticles and their structural, morphological, optical, dielectric and electrical studies for optoelectronic applications. 2019 , 96, 16-23	49
111	Critical role of nanoinclusions in silver selenide nanocomposites as a promising room temperature thermoelectric material. 2019 , 7, 2646-2652	32
110	Growth of CuSbS2 Single Crystal as an Environmentally Friendly Thermoelectric Material. 2019 , 216, 1800861	5
109	Low-Temperature-Processed Colloidal Quantum Dots as Building Blocks for Thermoelectrics. 2019 , 9, 1803049	11
108	Tailoring electronic and thermal transport properties of CaO(CaMnO3)m-based (m=1 and m=1) composites for thermoelectric power generation. 2019 , 164, 481-492	5
107	Enhanced thermoelectric performance of Cu2ZnSnS4 (CZTS) by incorporating Ag nanoparticles. 2019 , 45, 2060-2068	19
106	A flexible, scalable, and self-powered mid-infrared detector based on transparent PEDOT: PSS/graphene composite. 2020 , 156, 339-345	38
105	Facile in situ solution synthesis of SnSe/rGO nanocomposites with enhanced thermoelectric performance. 2020 , 8, 1394-1402	70
104	Modelling a Segmented Skutterudite-Based Thermoelectric Generator to Achieve Maximum Conversion Efficiency. 2020 , 10, 408	9

103	Enhanced figure of merit in La0.95Sr0.05CoO3/Ag nanocomposites. 2020, 31, 2976-2985	O
102	Tin(IV) Methylselenolate as a Low Temperature SnSe Precursor and Conductive Glue Between Colloidal Nanocrystals. 2020 , 6, 442-450	1
101	Influence of the Ligand Stripping on the Transport Properties of Nanoparticle-Based PbSe Nanomaterials. 2020 , 3, 2120-2129	5
100	Band modification of tin nitride thin films for green energy generation. 2020 , 138, 109294	1
99	Printable and Stretchable Temperature-Strain Dual-Sensing Nanocomposite with High Sensitivity and Perfect Stimulus Discriminability. 2020 , 20, 6176-6184	40
98	Hierarchically nanostructured thermoelectric materials: challenges and opportunities for improved power factors. 2020 , 93, 1	3
97	Synthesis of small AgBbIIe nanocrystals with composition control. 2020 , 8, 15985-15989	2
96	Ultralow Thermal Conductivity and Large Figure of Merit in Low-Cost and Nontoxic Core-Shell Cu@CuO Nanocomposites. 2020 , 12, 54742-54751	5
95	Routes for advancing SnTe thermoelectrics. 2020 , 8, 16790-16813	39
94	Manipulation of planar oxygen defect arrangements in multifunctional magn[] titanium oxide hybrid systems: from energy conversion to water treatment. 2020 , 13, 5080-5096	6
93	Transport properties of AgPb16SbTe18 prepared by the inclusion of nano AgSbTe2 into PbTe matrix. 2020 , 31, 17381-17385	
92	Bismuth tellurideflopper telluride nanocomposites from heterostructured building blocks. 2020 , 8, 14092-14	09 9
91	Controlling Electronic States of Few-walled Carbon Nanotube Yarn via Joule-annealing and p-type Doping Towards Large Thermoelectric Power Factor. 2020 , 10, 7307	6
90	Rapid Photonic Processing of High-Electron-Mobility PbS Colloidal Quantum Dot Transistors. 2020 , 12, 31591-31600	9
89	Thermoelectric properties of half-Heusler high-entropy Ti2NiCoSn1-xSb1+x ($x = 0.5, 1$) alloys with VEC>18. 2020 , 186, 375-380	7
88	Inorganic thermoelectric materials: A review. 2020 , 44, 6170-6222	47
87	Nonequilibrium Thermodynamics of Colloidal Gold Nanocrystals Monitored by Ultrafast Electron Diffraction and Optical Scattering Microscopy. 2020 , 14, 4792-4804	13
86	Effects of Preparation Methods on the Thermoelectric Performance of SWCNT/BiTe Bulk Composites. 2020 , 13,	2

(2021-2020)

85	A Comprehensive Review of Strategies and Approaches for Enhancing the Performance of Thermoelectric Module. 2020 , 13, 3142	16
84	Assembly, Stability, and Electrical Properties of Sparse Crystalline Silicon Nanoparticle Networks Applied to Solution-Processed Field-Effect Transistors. 2020 , 2, 692-700	2
83	Room-temperature conversion of CuSe to CuAgSe nanoparticles to enhance the photocatalytic performance of their composites with TiO. 2020 , 49, 3580-3591	9
82	Quantitative prediction of grain boundary thermal conductivities from local atomic environments. Nature Communications, 2020 , 11, 1854	17
81	Sb2Te3/graphite nanocomposite: A comprehensive study of thermal conductivity. 2021 , 7, 545-555	1
80	The tactics of thermoelectric scaffolds with its advancements in engineering applications. 2021 , 60, 1-24	2
79	Exploiting the Lability of Metal Halide Perovskites for Doping Semiconductor Nanocomposites. 2021 , 6, 581-587	6
78	SnSe, the rising star thermoelectric material: a new paradigm in atomic blocks, building intriguing physical properties. 2021 , 8, 1847-1865	9
77	Advances in the applications of thermoelectric materials. 2021 , 313-337	
76	Thermoelectric Properties of PbSe Nanocomposites from Solution-Processed Building Blocks. 2021 , 4, 2014-2019	6
75	Synthesis, Bottom up Assembly and Thermoelectric Properties of Sb-Doped PbS Nanocrystal Building Blocks. 2021 , 14,	1
74	Thermoelectric Performance Enhancement in BiSbTe Alloy by Microstructure Modulation via Cyclic Spark Plasma Sintering with Liquid Phase. 2021 , 31, 2009681	28
73	AgBiSe2 Colloidal Nanocrystals for Use in Solar Cells. 2021 , 4, 2887-2894	5
72	Dopant-Assisted Matrix Stabilization Enables Thermoelectric Performance Enhancement in n-Type Quantum Dot Films. 2021 , 13, 18999-19007	Ο
71	Dimensionality effects in high-performance thermoelectric materials: Computational and experimental progress in energy harvesting applications. e1547	3
70	Bottom-Up Engineering Strategies for High-Performance Thermoelectric Materials. 2021 , 13, 119	15
69	Facile preparation of flexible all organic PEDOT:PSS/methyl cellulose thermoelectric composite film by a screen printing process. 2021 , 276, 116752	3
68	Photoinduced Self-Assembly of Carbon Nitride Quantum Dots. 2021 , 60, 19413-19418	8

67	Photoinduced Self-Assembly of Carbon Nitride Quantum Dots. 2021, 133, 19562-19567	O
66	Doping-mediated stabilization of copper vacancies to promote thermoelectric properties of Cu2⊠S. 2021 , 85, 105991	6
65	Colloidal quantum dot electronics. 2021 , 4, 548-558	49
64	Improved thermoelectric performance of Cu2O-Cr/Sn composite powder. 2021 , 777, 138722	5
63	Realizing high doping efficiency and thermoelectric performance in n-type SnSe polycrystals via bandgap engineering and vacancy compensation. 2021 , 20, 100452	3
62	Al doping induced high thermoelectric performance in Cu2ZnSnS4 nanoparticles synthesized by the hydrothermal method. 2021 , 47, 35356-35356	3
61	Ink-Lithography for Property Engineering and Patterning of Nanocrystal Thin Films. 2021 , 15, 15667-15675	8
60	An easy-to-work precursor and low-temperature method for synthesis of ultrafine and high purity SnS and PbS semiconductor nanoparticles. 2021 , 131, 108767	O
59	Enhanced Thermoelectric Performance by Surface Engineering in SnTe-PbS Nanocomposites. 2021 , 14,	O
58	Optimizing thermocouple's ZT through design innovation. 2021 , 11, 19338	1
57	Reinforcement of power factor in N-type multiphase thin film of Si1 GexSny by mitigating the opposing behavior of Seebeck coefficient and electrical conductivity. 2021 , 119, 113903	5
56	Defect Engineering in Solution-Processed Polycrystalline SnSe Leads to High Thermoelectric Performance. 2021 ,	13
55	Dramatically enhanced Seebeck coefficient in GeMnTe-NaBiTe alloys by tuning the Spin's thermodynamic entropy. 2021 , 23, 17866-17872	О
54	Environmentally friendly thermoelectric sulphide Cu2ZnSnS4 single crystals achieving a 1.6 dimensionless figure of merit ZT. 2021 , 9, 15595-15604	5
53	Experimental and Ab Initio Study of Cu2SnS3 (CTS) Polymorphs for Thermoelectric Applications. 2021 , 125, 178-188	6
52	Tin Selenide Molecular Precursor for the Solution Processing of Thermoelectric Materials and Devices. 2020 , 12, 27104-27111	9
51	The constitution of the Table and the state of the state	2
	Thermal transport in ZnO nanocrystal networks synthesized by nonthermal plasma. 2020, 4,	_

49	The Importance of Surface Adsorbates in Solution-Processed Thermoelectric Materials: The Case of SnSe. 2021 , e2106858	4
48	Testing and Modeling of Functionally Graded Aluminum-Doped Zinc Oxide Using Spark Plasma Sintering and Discrete Powder Layers of Varying Composition. 2100483	О
47	Growth and thermoelectric characterization of chalcopyrite ZnSnSb2 with pseudocubic structure. 2021 , 110417	
46	Nanomaterials for Building and Protection. 2017 , 91-110	1
45	Interfacial engineering effect and bipolar conduction of Ni- doped MoS2 nanostructures for thermoelectric application. 2021 , 895, 162493	2
44	PbS-Pb-CuS Composites for Thermoelectric Application. 2021 , 13, 51373-51382	2
43	CoreBhell nanostructures for better thermoelectrics.	2
42	Quantitatively predicting modal thermal conductivity of nanocrystalline Si by full-band Monte Carlo simulations. 2021 , 104,	3
41	Formation Mechanism of Well-Ordered Densely Packed Nanoparticle Superlattices Deposited from Gas Phase on Template-Free Surfaces. 2021 , 16, 172	
40	Room temperature aqueous-based synthesis of copper-doped lead sulfide nanoparticles for thermoelectric application. 2021 , 433, 133837	1
39	Enhanced Thermoelectric Performance by Strong Phonon Scattering at the Heterogeneous Interfaces of the MgSn/MgSb High-Content Nanocomposite. 2021 , 13, 56164-56170	1
38	Heat Management by Colloidal Self-assembly. 2022 , 493-538	
37	Combined effects of indium nanoinclusion and Se-deficiency on thermoelectric performance of n-type indium selenide. 2022 , 901, 163653	1
36	Cheap, Large-Scale, and High-Performance Graphite-Based Flexible Thermoelectric Materials and Devices with Supernormal Industry Feasibility 2022 ,	1
35	Effect of Nanostructuring of the Surface of a Lead Sulfide Crystal in Plasma on the Optical Reflection Spectra. 2022 , 16, 134-139	
34	A Review on Doped/Composite Bismuth Chalcogenide Compounds for Thermoelectric Device Applications: Various Synthesis Techniques and Challenges. 2022 , 51, 2014-2042	О
33	Synthesis, microstructure, and thermoelectric properties of Sb-Based high entropy alloys. 2022 , 143, 107495	О
32	A versatile, heat-resisting, electrocatalytic active graphene framework by in-situ formation of boron nitride quantum dots. 2022 , 192, 123-132	1

31	Suppressing thermal conductivity of nano-grained thermoelectric material using acoustically hard nanoparticles. 2021 , 130, 235106	O
30	Valence Disproportionation of GeS in the PbS Matrix Forms PbGeS Inclusions with Conduction Band Alignment Leading to High n-Type Thermoelectric Performance 2022 ,	4
29	Enhancements of thermoelectric performance in n-type Bi2Te3-based nanocomposites through incorporating 2D Mxenes. 2022 ,	0
28	High-performance lead-free cubic GeTe-based thermoelectric alloy. 2022 , 100902	1
27	Major Challenges Toward the Development of Efficient Thermoelectric Materials: From High Figure-of-Merit (zT) Materials to Devices. 2022 , 103-141	
26	Nanocrystal Ordering Enhances Thermal Transport and Mechanics in Single-Domain Colloidal Nanocrystal Superlattices.	
25	Rational design, two-step synthesis of Cu2GeS3 crystal with enhanced thermoelectric performance by Te alloying.	
24	Surface Functionalization of Surfactant-Free Particles: a Strategy to Tailor the Properties of Nanocomposites for Enhanced Thermoelectric Performance.	O
23	Energy-Saving Pathways for Thermoelectric Nanomaterial Synthesis: Hydrothermal/Solvothermal, Microwave-Assisted, Solution-Based, and Powder Processing. 2106052	10
22	Surface Functionalization of Surfactant-Free Particles: a Strategy to Tailor the Properties of Nanocomposites for Enhanced Thermoelectric Performance.	1
21	Lattice expansion enables interstitial doping to achieve a high average ZT in n -type PbS.	3
20	Experimental performance evaluation of a convective thermoelectric building envelope for building heating and cooling. 2022 , 273, 112376	O
19	Characterization of polycrystalline SnSe2 thin films for thermoelectric applications grown by single-stage horizontal tube furnace (SSHTF). 2022 , 133, 112797	
18	Performance evaluation of Bi2Te3-xSex (0.10 lX []].80) thermoelectric nanostructured materials. 2022 , 4, 100063	1
17	Realizing zT > 2 in Environment-Friendly Monoclinic Cu2S 🛭 Tetragonal Cu1.96S Nano-Phase Junctions for Thermoelectrics.	O
16	Realizing zT > 2 in Environment-Friendly Monoclinic Cu2S lTetragonal Cu1.96S Nano-Phase Junctions for Thermoelectrics.	O
15	Insights into the Classification of Nanoinclusions of Composites for Thermoelectric Applications.	O
14	Solution-Processed Inorganic Thermoelectric Materials: Opportunities and Challenges.	1

CITATION REPORT

13	Atmospheric water generation in arid regions 🛭 perspective on deployment challenges for the Middle East. 2022 , 49, 103163	1
12	Enhanced Thermoelectric Performance of Nanostructured Nickel-Doped Ag2Te.	O
11	Improving thermoelectric properties of Cu2O powder via interface modification. 2022 , 357, 114982	1
10	Advances in Versatile GeTe Thermoelectrics from Materials to Devices. 2208272	O
9	Improving thermoelectric performance of half-Heusler Ti0.2Hf0.8CoSb0.8Sn0.2 compounds via the introduction of excessive Ga and Co-deficiencies. 2022 ,	O
8	Tellurium/Polymers for Flexible Thermoelectrics: Status and Challenges.	O
7	PbS nanostructures: A review of recent advances. 2023 , 100305	3
6	Advances in Ionic Thermoelectrics: From Materials to Devices. 2203692	O
5	High thermoelectric power factor of Sr doped Bi2Te3 thin film through energy filtering effect. 2023 , 143, 106719	O
4	Strategies to advance earth-abundant PbS thermoelectric. 2023 , 465, 142785	O
3	Development of Nanostructured Bi2Te3 with High Thermoelectric Performance by Scalable Synthesis and Microstructure Manipulations. 2023 , 15, 13012-13024	O
2	Improved Thermoelectric Figure of Merit in Polyol Method-Prepared Cu1⊠BixS (x ௴.06) Nanosheets.	O
1	Thermoelectric Performance of Surface-Engineered Cu1.5NTellu2Se Nanocomposites.	O