

Association of pain and CNS structural changes after sp

Scientific Reports

6, 18534

DOI: [10.1038/srep18534](https://doi.org/10.1038/srep18534)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Emerging Role of HMGB1 in Neuropathic Pain: A Potential Therapeutic Target for Neuroinflammation. <i>Journal of Immunology Research</i> , 2016, 2016, 1-9.	0.9	51
2	Commentary: Non-invasive Brain Stimulation, a Tool to Revert Maladaptive Plasticity in Neuropathic Pain. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 544.	1.0	7
3	Activation of KCNQ Channels Suppresses Spontaneous Activity in Dorsal Root Ganglion Neurons and Reduces Chronic Pain after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 1260-1270.	1.7	49
4	Usefulness of laser-evoked potentials and quantitative sensory testing in the diagnosis of neuropathic spinal cord injury pain: a multiple case study. <i>Spinal Cord</i> , 2017, 55, 575-582.	0.9	14
5	Neuroplasticity of Supraspinal Structures Associated with Pathological Pain. <i>Anatomical Record</i> , 2017, 300, 1481-1501.	0.8	40
6	Improved Diagnosis of Cervical Spondylotic Myelopathy with Contact Heat Evoked Potentials. <i>Journal of Neurotrauma</i> , 2017, 34, 2045-2053.	1.7	40
7	Assessments of sensory plasticity after spinal cord injury across species. <i>Neuroscience Letters</i> , 2017, 652, 74-81.	1.0	3
9	Relationship between brainstem neurodegeneration and clinical impairment in traumatic spinal cord injury. <i>NeuroImage: Clinical</i> , 2017, 15, 494-501.	1.4	15
10	Factors Affecting Volume Changes of the Somatosensory Cortex in Patients with Spinal Cord Injury: To Be Considered for Future Neuroprosthetic Design. <i>Frontiers in Neurology</i> , 2017, 8, 662.	1.1	7
11	Brain Gray Matter Atrophy after Spinal Cord Injury: A Voxel-Based Morphometry Study. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 211.	1.0	36
12	Neuronal-Glial Interactions Maintain Chronic Neuropathic Pain after Spinal Cord Injury. <i>Neural Plasticity</i> , 2017, 2017, 1-14.	1.0	90
13	Chromaffin cell transplantation for neuropathic pain after spinal cord injury: a report of two cases. <i>Journal of Neurorestoratology</i> , 2017, Volume 5, 47-50.	1.1	2
14	Progressive neurodegeneration following spinal cord injury. <i>Neurology</i> , 2018, 90, e1257-e1266.	1.5	97
15	Brain changes after spinal cord injury, a quantitative meta-analysis and review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 90, 272-293.	2.9	57
16	Cortical morphometric changes after spinal cord injury. <i>Brain Research Bulletin</i> , 2018, 137, 107-119.	1.4	35
17	A critical evaluation of validity and utility of translational imaging in pain and analgesia: Utilizing functional imaging to enhance the process. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 84, 407-423.	2.9	22
18	Assessment of synchronous neural activities revealed by regional homogeneity in individuals with acute eye pain: a resting-state functional magnetic resonance imaging study. <i>Journal of Pain Research</i> , 2018, Volume 11, 843-850.	0.8	20
19	Whether Visual-related Structural and Functional Changes Occur in Brain of Patients with Acute Incomplete Cervical Cord Injury: A Multimodal Based MRI Study. <i>Neuroscience</i> , 2018, 393, 284-294.	1.1	27

#	ARTICLE	IF	CITATIONS
20	Quantitative MRI of rostral spinal cord and brain regions is predictive of functional recovery in acute spinal cord injury. <i>NeuroImage: Clinical</i> , 2018, 20, 556-563.	1.4	46
21	7 Tesla magnetic resonance imaging of caudal anterior cingulate and posterior cingulate cortex atrophy in patients with trigeminal neuralgia. <i>Magnetic Resonance Imaging</i> , 2018, 51, 144-150.	1.0	15
22	Guiding Device for Precision Grafting of Peripheral Nerves in Complete Thoracic Spinal Cord Injury: Design and Sizing for Clinical Trial. <i>Frontiers in Neurology</i> , 2018, 9, 356.	1.1	1
23	MRI in traumatic spinal cord injury: from clinical assessment to neuroimaging biomarkers. <i>Lancet Neurology</i> , The, 2019, 18, 1123-1135.	4.9	125
24	Guidelines for the conduct of clinical trials in spinal cord injury: Neuroimaging biomarkers. <i>Spinal Cord</i> , 2019, 57, 717-728.	0.9	40
25	Pathological pain processing in mouse models of multiple sclerosis and spinal cord injury: contribution of plasma membrane calcium ATPase 2 (PMCA2). <i>Journal of Neuroinflammation</i> , 2019, 16, 207.	3.1	14
26	Post-Transcriptional Regulation of Soluble Guanylate Cyclase that Governs Neuropathic Pain in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 1331-1338.	1.2	9
27	Residual descending motor pathways influence spasticity after spinal cord injury. <i>Annals of Neurology</i> , 2019, 86, 28-41.	2.8	44
28	Specific Brain Morphometric Changes in Spinal Cord Injury: A Voxel-Based Meta-Analysis of White and Gray Matter Volume. <i>Journal of Neurotrauma</i> , 2019, 36, 2348-2357.	1.7	17
29	Effects of continuous theta-burst stimulation of the primary motor and secondary somatosensory areas on the central processing and the perception of trigeminal nociceptive input in healthy volunteers. <i>Pain</i> , 2019, 160, 172-186.	2.0	11
30	Differences in Cortical Gray Matter Atrophy of Paraplegia and Tetraplegia after Complete Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 2045-2051.	1.7	23
31	Sensorimotor plasticity after spinal cord injury: a longitudinal and translational study. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 68-82.	1.7	19
32	Inconsistency between cortical reorganization and functional connectivity alteration in the sensorimotor cortex following incomplete cervical spinal cord injury. <i>Brain Imaging and Behavior</i> , 2020, 14, 2367-2377.	1.1	13
33	Characteristic cerebral structural changes identified using voxel-based morphometry in patients with post-surgical chronic myelopathic pain. <i>Spinal Cord</i> , 2020, 58, 467-475.	0.9	4
34	Altered Topological Properties of Brain Structural Covariance Networks in Patients With Cervical Spondylotic Myelopathy. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 364.	1.0	11
35	Alterations in power spectral density in motor- and pain-related networks on neuropathic pain after spinal cord injury. <i>NeuroImage: Clinical</i> , 2020, 28, 102342.	1.4	9
36	On the Relationship Between White Matter Structure and Subjective Pain. Lessons From an Acute Surgical Pain Model. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 558703.	1.0	4
37	Neuroimmune System as a Driving Force for Plasticity Following CNS Injury. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 187.	1.8	25

#	ARTICLE	IF	CITATIONS
38	Ventral posterior nucleus volume is associated with neuropathic pain intensity in neuromyelitis optica spectrum disorders. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 46, 102579.	0.9	14
39	Extrapyramidal plasticity predicts recovery after spinal cord injury. <i>Scientific Reports</i> , 2020, 10, 14102.	1.6	7
40	Tracking the neurodegenerative gradient after spinal cord injury. <i>NeuroImage: Clinical</i> , 2020, 26, 102221.	1.4	18
41	Central Nervous System Reorganization and Pain After Spinal Cord Injury: Possible Targets for Physical Therapy—A Systematic Review of Neuroimaging Studies. <i>Physical Therapy</i> , 2020, 100, 946-962.	1.1	8
42	The Reorganization of Insular Subregions in Individuals with Below-Level Neuropathic Pain following Incomplete Spinal Cord Injury. <i>Neural Plasticity</i> , 2020, 2020, 1-9.	1.0	13
43	Metabolites of neuroinflammation relate to neuropathic pain after spinal cord injury. <i>Neurology</i> , 2020, 95, e805-e814.	1.5	25
44	Heritability of cervical spinal cord structure. <i>Neurology: Genetics</i> , 2020, 6, e401.	0.9	7
45	Disentangling the Effects of Spinal Cord Injury and Related Neuropathic Pain on Supraspinal Neuroplasticity: A Systematic Review on Neuroimaging. <i>Frontiers in Neurology</i> , 2019, 10, 1413.	1.1	18
46	Regional Hyperexcitability and Chronic Neuropathic Pain Following Spinal Cord Injury. <i>Cellular and Molecular Neurobiology</i> , 2020, 40, 861-878.	1.7	29
47	Virtual reality for the treatment of neuropathic pain in people with spinal cord injuries: A scoping review. <i>Journal of Spinal Cord Medicine</i> , 2021, 44, 8-18.	0.7	36
48	Modelling of level allodynia after mid-thoracic contusion in the rat. <i>European Journal of Pain</i> , 2021, 25, 801-816.	1.4	3
49	Investigation of Cerebral White Matter Changes After Spinal Cord Injury With a Measure of Fiber Density. <i>Frontiers in Neurology</i> , 2021, 12, 598336.	1.1	3
50	Peripheral Nerve-Derived Stem Cell Spheroids Induce Functional Recovery and Repair after Spinal Cord Injury in Rodents. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4141.	1.8	10
51	From acute to long-term alterations in pain processing and modulation after spinal cord injury. <i>Pain</i> , 2021, Publish Ahead of Print, .	2.0	4
52	Microstructural plasticity in nociceptive pathways after spinal cord injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 863-871.	0.9	10
53	Altered Functional Connectivity of the Primary Visual Cortex in Patients With Iridocyclitis and Assessment of Its Predictive Value Using Machine Learning. <i>Frontiers in Immunology</i> , 2021, 12, 660554.	2.2	12
54	Supraspinal nociceptive networks in neuropathic pain after spinal cord injury. <i>Human Brain Mapping</i> , 2021, 42, 3733-3749.	1.9	19
55	Brain changes correlate with neuropathic pain in patients with neuromyelitis optica spectrum disorders. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 53, 103048.	0.9	5

#	ARTICLE	IF	CITATIONS
56	Human Pluripotent Stem Cells for Spinal Cord Injury. <i>Current Stem Cell Research and Therapy</i> , 2020, 15, 135-143.	0.6	9
57	The Potential Role of Glycogen Synthase Kinase-3 β in Neuropathy-Induced Apoptosis in Spinal Cord. <i>Basic and Clinical Neuroscience</i> , 2020, 11, 15-30.	0.3	6
59	Devil's advocate: Why past and future animal models of neuropathic pain in spinal cord injury are without merit. , 2022, , 113-123.		0
60	The antibodies to glutamate receptors as potential biomarkers for the spinal cord injury. <i>Russian Journal of Neurosurgery</i> , 2020, 22, 41-48.	0.1	0
61	Neuroinflammatory remodeling of the anterior cingulate cortex as a key driver of mood disorders in gastrointestinal disease and disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 133, 104497.	2.9	25
62	Rethinking the Body in the Brain after Spinal Cord Injury. <i>Journal of Clinical Medicine</i> , 2022, 11, 388.	1.0	14
63	Comparison of multicenter <scp>MRI</scp> protocols for visualizing the spinal cord gray matter. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 849-859.	1.9	4
64	NT3 treatment alters spinal cord injury-induced changes in the gray matter volume of rhesus monkey cortex. <i>Scientific Reports</i> , 2022, 12, 5919.	1.6	5
65	Roles of neuronal toll-like receptors in neuropathic pain and central nervous system injuries and diseases. <i>Brain, Behavior, and Immunity</i> , 2022, 102, 163-178.	2.0	17
67	Impact of injury duration on a sensorimotor functional network in complete spinal cord injury. <i>Journal of Neuroscience Research</i> , 2022, 100, 1765-1774.	1.3	6
68	Future Treatment of Neuropathic Pain in Spinal Cord Injury: The Challenges of Nanomedicine, Supplements or Opportunities?. <i>Biomedicines</i> , 2022, 10, 1373.	1.4	4
69	¹⁸ F-FDG positron emission tomography imaging of cortical reorganization in spinal trauma. <i>Indian Journal of Nuclear Medicine</i> , 2022, 37, 126.	0.1	1
70	Distinct basolateral amygdala excitatory inputs mediate the somatosensory and aversive-affective components of pain. <i>Journal of Biological Chemistry</i> , 2022, 298, 102207.	1.6	4
71	Motor Neuroplastic Effects of a Novel Paired Stimulation Technology in an Incomplete Spinal Cord Injury Animal Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9447.	1.8	3
72	Disrupted interhemispheric functional connectivity in primary angle-closure glaucoma: a functional MRI study: voxel-mirrored homotopic connectivity in primary angle-closure glaucoma patients. <i>NeuroReport</i> , 2022, 33, 604-611.	0.6	4
73	Brain morphology changes after spinal cord injury: A voxel-based meta-analysis. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	4
74	Lateralized Supraspinal Functional Connectivity Correlate with Pain and Motor Dysfunction in Rat Hemiconfusion Cervical Spinal Cord Injury. <i>Neurotrauma Reports</i> , 2022, 3, 421-432.	0.5	2
75	Dynamics of progressive degeneration of major spinal pathways following spinal cord injury: A longitudinal study. <i>NeuroImage: Clinical</i> , 2023, 37, 103339.	1.4	1

#	ARTICLE	IF	CITATIONS
76	Spinal cord atrophy after spinal cord injury – A systematic review and meta-analysis. <i>NeuroImage: Clinical</i> , 2023, 38, 103372.	1.4	3
77	Spinal cord injury in mice amplifies anxiety: A novel light-heat conflict test exposes increased salience of anxiety over heat. <i>Experimental Neurology</i> , 2023, 364, 114382.	2.0	3
78	Resting state functional connectivity differentiation of neuropathic and nociceptive pain in individuals with chronic spinal cord injury. <i>NeuroImage: Clinical</i> , 2023, 38, 103414.	1.4	2