## CITATION REPORT List of articles citing

Identification and Resection of Clipped Node Decreases the False-negative Rate of Sentinel Lymph Node Surgery in Patients Presenting With Node-positive Breast Cancer (To-T4, N1-N2) Who Receive Neoadjuvant Chemotherapy: Results From ACOSOG Z1071 (Alliance)

DOI: 10.1097/sla.0000000000001375 Annals of Surgery, 2016, 263, 802-7.

Source: https://exaly.com/paper-pdf/65036199/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
315	13th st. Gallen international breast cancer conference 2013: primary therapy of early breast cancer evidence, controversies, consensus - opinion of a german team of experts (zurich 2013). <b>2013</b> , 8, 221-9		65
314	Management of locally advanced breast cancer-perspectives and future directions. <b>2015</b> , 12, 147-62		79
313	14th St. Gallen International Breast Cancer Conference 2015: Evidence, Controversies, Consensus - Primary Therapy of Early Breast Cancer: Opinions Expressed by German Experts. <b>2015</b> , 10, 211-9		31
312	Selective surgical localization of axillary lymph nodes containing metastases in patients with breast cancer: a prospective feasibility trial. <b>2015</b> , 150, 137-43		109
311	Primary Therapy of Patients with Early Breast Cancer: Evidence, Controversies, Consensus: Opinions of German Specialists to the 14th St. Gallen International Breast Cancer Conference 2015 (Vienna 2015). <b>2015</b> , 75, 556-565		16
310	Targeting and limiting surgery for patients with node-positive breast cancer. <b>2015</b> , 13, 149		15
309	Can a seed-sized tool from Texas spare clinically node positive breast cancer patients from a complete axillary dissection?. <b>2016</b> , 5, 450-2		1
308	The Impact of Neoadjuvant Treatment on Surgical Options and Outcomes. <b>2016</b> , 23, 3093-9		10
307	Trends and controversies in multidisciplinary care of the patient with breast cancer. <b>2016</b> , 53, 559-595		4
306	Axillary Staging After Neoadjuvant Chemotherapy for Breast Cancer: A´Pilot Study Combining Sentinel Lymph Node Biopsy with Radioactive Seed Localization of Pre-treatment Positive Axillary Lymph Nodes. <b>2016</b> , 27, 282-284		
305	Nomograms for Predicting Axillary Response to Neoadjuvant Chemotherapy in Clinically Node-Positive Patients with Breast Cancer. <b>2016</b> , 23, 3501-3509		41
304	Is sentinel lymph node biopsy a viable alternative to complete axillary dissection following neoadjuvant chemotherapy in women with node-positive breast cancer at diagnosis? An updated meta-analysis involving 3,398 patients. <b>2016</b> , 212, 969-981		71
303	What Is a False Negative Sentinel Node Biopsy: Definition, Reasons and Ways to Minimize It?. <b>2016</b> , 78, 396-401		14
302	Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy for Patients with Axillary Metastases: Can We Avoid the Unavoidable?. <b>2016</b> , 23, 3429-3431		3
301	How Often Is Treatment Effect 1dentified in Axillary Nodes with a Pathologic Complete Response After Neoadjuvant Chemotherapy?. <b>2016</b> , 23, 3475-3480		22
300	Editorial: Management Based on Risk: Individualizing the Care of the Breast Cancer Patient. <b>2016</b> , 23, 3083-7		1
299	[Assessment of sentinel lymph node biopsy in patients receiving neoadjuvant chemotherapy in breast cancer: before or after?]. <b>2016</b> , 44, 345-9		1

298	Improved Axillary Evaluation Following Neoadjuvant Therapy for Patients With Node-Positive Breast Cancer Using Selective Evaluation of Clipped Nodes: Implementation of Targeted Axillary Dissection. <b>2016</b> , 34, 1072-8	430
297	Ten-Year Outcomes of Patients With Breast Cancer With Cytologically Confirmed Axillary Lymph Node Metastases and Pathologic Complete Response After Primary Systemic Chemotherapy. <b>2016</b> , 2, 508-16	70
296	Breast conserving surgery and locoregional control after neoadjuvant chemotherapy. 2017, 43, 865-874	8
295	Preoperative Prediction of Node-Negative Disease After Neoadjuvant Chemotherapy in Patients Presenting with Node-Negative or Node-Positive Breast Cancer. <b>2017</b> , 24, 2518-2525	13
294	Axillary Nodal Management Following Neoadjuvant Chemotherapy: A Review. 2017, 3, 549-555	118
293	Combined PET-CT and axillary lymph node marking with radioactive iodine seeds (MARI procedure) for tailored axillary treatment in node-positive breast cancer after neoadjuvant therapy. <b>2017</b> , 104, 1188-119	6 <sup>38</sup>
292	Is Axillary Lymph Node Dissection Necessary After a Positive Sentinel Lymph Node Biopsy?. <b>2017</b> , 51, 165-178	8
291	The success of sentinel lymph node biopsy after neoadjuvant therapy: A single institution review. <b>2017</b> , 214, 1096-1101	6
290	An Update on Randomized Clinical Trials in Breast Cancer. <b>2017</b> , 26, 587-620	6
289	Sentinel node biopsy in early breast cancer. A review on recent and ongoing randomized trials. <b>2017</b> , 36, 14-19	13
288	[Sentinel lymph node biopsy and neoadjuvant treatment in breast cancer]. 2017, 104, 892-901	2
287	Localizing the Clipped Node in Patients with Node-Positive Breast Cancer Treated with Neoadjuvant Chemotherapy: Early Learning Experience and Challenges. <b>2017</b> , 24, 3011-3016	69
286	Use of Sentinel Lymph Node Dissection After Neoadjuvant Chemotherapy in Patients with Node-Positive Breast Cancer at Diagnosis: Practice Patterns of American Society of Breast Surgeons Members. <b>2017</b> , 24, 2925-2934	38
285	Vorgehen bei limitiertem axillæm Lymphknotenbefall des Mammakarzinoms. <b>2017</b> , 20, 38-48	
284	The intraoperative assessment of sentinel nodes - Standards and controversies. <b>2017</b> , 34 Suppl 1, S64-S69	16
283	Axillary Ultrasound Before Neoadjuvant Chemotherapy for Breast Cancer: Don't Discount the Benefits Yet!. <b>2017</b> , 24, 618-620	3
282	Breast cancer. <b>2017</b> , 389, 1134-1150	923
281	Axillary Ultrasound: For All, for None, to Diagnose Positive Nodes, or to Support Avoiding Sentinel Lymph Node Biopsy Altogether. <b>2017</b> , 24, 64-69	10

280	Major Reduction in Axillary Lymph Node Dissections After Neoadjuvant Systemic Therapy for Node-Positive Breast Cancer by combining PET/CT and the MARI Procedure. <b>2018</b> , 25, 1512-1520	40
279	Enhanced Axillary Evaluation Using Reflector-Guided Sentinel Lymph Node Biopsy: A Prospective Feasibility Study and Comparison With Conventional Lymphatic Mapping Techniques. <b>2018</b> , 18, e869-e874	24
278	Neoadjuvant systemic treatment for breast cancer in Italy: The Italian Society of Surgical Oncology (SICO) Breast Oncoteam survey. <b>2018</b> , 44, 1157-1163	4
277	Axillary tumour burden in women with one abnormal node on ultrasound compared to women with multiple abnormal nodes. <b>2018</b> , 73, 391-395	9
276	Surgical management of the axilla in early breast cancer. <b>2018</b> , 55, 47-65	3
275	Review of Novel Sentinel Lymph Node Biopsy Techniques in Breast Cancer Patients Treated With Neoadjuvant Chemotherapy. <b>2018</b> , 18, e555-e559	14
274	Surgical Management of Triple-Negative Breast Cancer. <b>2018</b> , 55-69	1
273	Therapeutic Value of Axillary Node Dissection and Selective Management of the Axilla in Small Breast Cancers. <b>2018</b> , 590-603.e4	
272	Surgical Management of Early Breast Cancer. <b>2018</b> , 643-662.e4	
271	Principles of Preoperative Therapy for Operable Breast Cancer. <b>2018</b> , 814-818.e2	
271 270	Principles of Preoperative Therapy for Operable Breast Cancer. 2018, 814-818.e2  Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast cancer and negative or positive axillary node at diagnosis. 2018, 37, 63-70	0
	Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast	0 13
270	Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast cancer and negative or positive axillary node at diagnosis. <b>2018</b> , 37, 63-70  Meta-analysis of neoadjuvant therapy and its impact in facilitating breast conservation in operable	
270 269	Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast cancer and negative or positive axillary node at diagnosis. <b>2018</b> , 37, 63-70  Meta-analysis of neoadjuvant therapy and its impact in facilitating breast conservation in operable breast cancer. <b>2018</b> , 105, 469-481	13
270 269 268	Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast cancer and negative or positive axillary node at diagnosis. 2018, 37, 63-70  Meta-analysis of neoadjuvant therapy and its impact in facilitating breast conservation in operable breast cancer. 2018, 105, 469-481  Axillary Ultrasound Fine Needle Aspiration Biopsy: Is There a Role in the Post Z-0011 Era?. 2018, 41, 702-707  Prospective Feasibility Trial of Sentinel Lymph Node Biopsy in the Setting of Inflammatory	13
270 269 268	Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast cancer and negative or positive axillary node at diagnosis. 2018, 37, 63-70  Meta-analysis of neoadjuvant therapy and its impact in facilitating breast conservation in operable breast cancer. 2018, 105, 469-481  Axillary Ultrasound Fine Needle Aspiration Biopsy: Is There a Role in the Post Z-0011 Era?. 2018, 41, 702-707  Prospective Feasibility Trial of Sentinel Lymph Node Biopsy in the Setting of Inflammatory Breast Cancer. 2018, 18, e73-e77  Lymph node wire localization post-chemotherapy: Towards improving the false negative sentinel	13 3 21
270 269 268 267 266	Review of the role of the sentinel node biopsy in neoadjuvant chemotherapy in women with breast cancer and negative or positive axillary node at diagnosis. 2018, 37, 63-70  Meta-analysis of neoadjuvant therapy and its impact in facilitating breast conservation in operable breast cancer. 2018, 105, 469-481  Axillary Ultrasound Fine Needle Aspiration Biopsy: Is There a Role in the Post Z-0011 Era?. 2018, 41, 702-707  Prospective Feasibility Trial of Sentinel Lymph Node Biopsy in the Setting of Inflammatory Breast Cancer. 2018, 18, e73-e77  Lymph node wire localization post-chemotherapy: Towards improving the false negative sentinel lymph node biopsy rate in breast cancer patients. 2018, 48, 69-73	13 3 21 13

262	Hygroscopic sonographically detectable clips form characteristic breast and lymph node pseudocysts. <b>2018</b> , 31, 62-67	5
261	ASO Author Reflections: Tailoring of Targeted Axillary Dissection-Intraoperative Nodal Evaluation Reduces Second Operations. <b>2018</b> , 25, 634-635	
260	Tailored axillary surgery with or without axillary lymph node dissection followed by radiotherapy in patients with clinically node-positive breast cancer (TAXIS): study protocol for a multicenter, randomized phase-III trial. <b>2018</b> , 19, 667	41
259	ASO Author Reflections: Moving Forward De-escalation of Axillary Surgery After Neoadjuvant Treatment in Breast Cancer. <b>2018</b> , 25, 638-639	6
258	Management of the axilla after neo-adjuvant chemotherapy for breast cancer: Sentinel node biopsy and radiotherapy considerations. <b>2018</b> , 24, 902-910	3
257	Meta-analysis of sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with initial biopsy-proven node-positive breast cancer. <b>2018</b> , 105, 1541-1552	60
256	ASO Author Reflections: Improving Patient Selection for Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy. <b>2018</b> , 25, 640-641	0
255	The Evolution of the Current Indications for Sentinel Lymph Node Biopsy in Breast Cancer. <b>2018</b> , 90, 186-194	1
254	Management of the Axilla in the Patient with Breast Cancer. <b>2018</b> , 98, 747-760	5
253	Wire localization of clip-marked axillary lymph nodes in breast cancer patients treated with primary systemic therapy. <b>2018</b> , 44, 1307-1311	58
252	Predicting Non-sentinel Lymph Node Metastases in Patients with a Positive Sentinel Lymph Node After Neoadjuvant Chemotherapy. <b>2018</b> , 25, 2867-2874	11
251	Surgical Management of Breast Cancer Treated with Neoadjuvant Therapy. <b>2018</b> , 13, 238-243	5
250	Feasibility of Charcoal Tattooing of Cytology-Proven Metastatic Axillary Lymph Node at Diagnosis and Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Breast Cancer Patients. <b>2018</b> , 50, 801-812	45
249	Intraoperative Touch Imprint Cytology in Targeted Axillary Dissection After Neoadjuvant Chemotherapy for Breast Cancer Patients with Initial Axillary Metastasis. <b>2018</b> , 25, 3150-3157	6
248	Ultrasound-Guided Invasive Methods in the Diagnosis of Breast Diseases. 2018, 305-322	
247	Intraoperative Pathologic Evaluation with Targeted Axillary Dissection: Editorial for "Intraoperative Touch Imprint Cytology in Targeted Axillary Dissection After Neoadjuvant Chemotherapy Among Breast Cancer Patients with Initial Axillary Metastasis". <b>2018</b> , 25, 3112-3114	3
246	The predictive value of sentinel node biopsy in early breast cancer after neo-adjuvant chemotherapy: A prospective study. <b>2018</b> , 229, 108-111	2
245	Improved False-Negative Rates with Intraoperative Identification of Clipped Nodes in Patients Undergoing Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy. <b>2018</b> , 25, 3030-3036	24

244	Decreasing Use of Axillary Dissection in Node-Positive Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. <b>2018</b> , 25, 2596-2602	35
243	Breast tissue markers: Why? What's out there? How do I choose?. <b>2018</b> , 52, 123-136	16
242	Contemporary Evaluation of Breast Lymph Nodes in Anatomic Pathology. 2018, 150, 4-17	7
241	Surgical Standards for Management of the Axilla in Breast Cancer Clinical Trials with Pathological Complete Response Endpoint. <b>2018</b> , 4, 26	12
240	Neoadjuvant therapy for breast cancer treatment: an expert panel recommendation from the Brazilian Society of Breast Surgeons 2018. <b>2018</b> , 172, 265-272	5
239	Conservative Management of Positive Axilla After Neoadjuvant Systemic Therapy-The Need for, and Review of, Techniques Used for Lymph Node Localization. <b>2018</b> , 18, e739-e742	3
238	A Review of Options for Localization of Axillary Lymph Nodes in the Treatment of Invasive Breast Cancer. <b>2019</b> , 26, 805-819	30
237	Radiofrequency identification tag localization is comparable to wire localization for non-palpable breast lesions. <b>2019</b> , 177, 735-739	19
236	Patterns in the Use of Axillary Operations for Patients with Node-Positive Breast Cancer After Neoadjuvant Chemotherapy: A National Cancer Database (NCDB) Analysis. <b>2019</b> , 26, 3305-3311	10
235	Surgical Management of the Axilla in Clinically Node-Positive Patients Receiving Neoadjuvant Chemotherapy: A National Cancer Database Analysis. <b>2019</b> , 26, 3517-3525	20
234	Sentinel Node Lymph Node Surgery After Neoadjuvant Therapy: Principles and Techniques. <b>2019</b> , 26, 3040-3045	7
233	When Can We Avoid Postmastectomy Radiation Following Primary Systemic Therapy?. <b>2019</b> , 21, 95	10
232	Ultrasound-guided dual-localization for axillary nodes before and after neoadjuvant chemotherapy with clip and activated charcoal in breast cancer patients: a feasibility study. <b>2019</b> , 19, 859	13
231	Patterns of Axillary Management in Stages 2 and 3 Hormone Receptor-Positive Breast Cancer by Initial Treatment Approach. <b>2019</b> , 26, 4326-4336	17
230	AGO Recommendations for the Diagnosis and Treatment of Patients with Early Breast Cancer: Update 2019. <b>2019</b> , 14, 224-245	53
229	Reprint of: Breast tissue markers: Why? What's out there? How do I choose?. <b>2019</b> , 55, 196-212	1
228	Axillary Surgery Following Neoadjuvant Chemotherapy - Multidisciplinary Guidance From the Association of Breast Surgery, Faculty of Clinical Oncology of the Royal College of Radiologists, UK Breast Cancer Group, National Coordinating Committee for Breast Pathology and British Society of	24
227	Breast Radiology. 2019, 31, 664-668  Node positive breast cancer: Concordance between baseline PET/CT and sentinel node assessment after neoadjuvant therapy. 2019, 30, 1-5	1

226	Feasibility of Magnetic Seeds for Preoperative Localization of Axillary Lymph Nodes in Breast Cancer Treatment. <b>2019</b> , 213, 953-957	28
225	Validation of the targeted axillary dissection technique in the axillary staging of breast cancer after neoadjuvant therapy: Preliminary results. <b>2019</b> , 30, 52-57	19
224	Debating the Optimal Approach to Nodal Management After Pathologic Complete Response to Neoadjuvant Chemotherapy in Patients With Breast Cancer. <b>2019</b> , 39, 42-48	7
223	The Sentinel Lymph Node Biopsy Using Indocyanine Green Fluorescence Plus Radioisotope Method Compared With the Radioisotope-Only Method for Breast Cancer Patients After Neoadjuvant Chemotherapy: A Prospective, Randomized, Open-Label, Single-Center Phase 2 Trial. <b>2019</b> , 26, 2409-2416	15
222	Sentinel lymph node biopsy in N+ breast cancer with conversion into N0 after neoadjuvant chemotherapy. <b>2019</b> , 38, 140-146	
221	Pretreatment Tattoo Marking of Suspicious Axillary Lymph Nodes: Reliability and Correlation with Sentinel Lymph Node. <b>2019</b> , 26, 2452-2458	16
220	Sentinel Node Biopsy After Neoadjuvant Systemic Therapy for Breast Cancer: The Method Matters. <b>2019</b> , 26, 2316-2318	2
219	Diagnostic Accuracy of Different Surgical Procedures for Axillary Staging After Neoadjuvant Systemic Therapy in Node-positive Breast Cancer: A Systematic Review and Meta-analysis. <i>Annals of 7.8 Surgery</i> , <b>2019</b> , 269, 432-442	74
218	Does Neoadjuvant Chemotherapy for Breast Cancer Affect Lymph Node Harvest Rates?. <b>2019</b> , 85, 690-694	
217	Accuracy of Intraoperative Frozen Section of Sentinel Lymph Nodes After Neoadjuvant Chemotherapy for Breast Carcinoma. <b>2019</b> , 43, 1377-1383	6
216	Challenges to I-125 Seed Localization of Metastatic Axillary Lymph Nodes Following Neoadjuvant Chemotherapy. <b>2019</b> , 1, 223-229	3
215	Breast MRI and tumour biology predict axillary lymph node response to neoadjuvant chemotherapy for breast cancer. <b>2019</b> , 19, 91	10
214	Targeted axillary dissection in breast cancer by marking lymph node metastasis with a magnetic seed before starting neoadjuvant treatment. <b>2019</b> , 2019, rjz344	11
213	Role of Elective Nodal Irradiation in Patients With ypN0 After Neoadjuvant Chemotherapy Followed by Breast-Conserving Surgery (KROG 16-16). <b>2019</b> , 19, 78-86	4
212	Surgical Management of the Axilla in Breast Cancer Patients with Negative Sentinel Lymph Node: A Method to Reduce False-Negative Rate. <b>2019</b> , 43, 1047-1053	4
211	Sentinel lymph node biopsy in N+ breast cancer with conversion into N0 after neoadjuvant chemotherapy. <b>2019</b> , 38, 140-146	1
210	Feasibility of fine-needle aspiration for assessing responses to chemotherapy in metastatic nodes marked with clips in breast cancer: A prospective registry study. <b>2019</b> , 125, 365-373	10
209	Does Lymph Node Status Prior to Neoadjuvant Chemotherapy Influence the Number of Sentinel Nodes Removed?. <b>2019</b> , 26, 336-342	5

208	Does use of axillary ultrasound in clinically node-negative patients receiving neo-adjuvant systemic therapy for breast cancer lead to surgical overtreatment?. <b>2020</b> , 26, 120-124	O
207	Sonographic features of benign and malignant axillary nodes post-neoadjuvant chemotherapy. <b>2020</b> , 26, 182-187	7
206	Ultrasound guided tattooing of axillary lymph nodes in breast cancer patients prior to neoadjuvant therapy, and identification of tattooed nodes at the time of surgery. <b>2020</b> , 46, 1041-1045	18
205	Imaging-Based Approach to Axillary Lymph Node Staging and Sentinel Lymph Node Biopsy in Patients With Breast Cancer. <b>2020</b> , 214, 249-258	17
204	Subtype-Guided F-FDG PET/CT in Tailoring Axillary Surgery Among Patients with Node-Positive Breast Cancer Treated with Neoadjuvant Chemotherapy: A Feasibility Study. <b>2020</b> , 25, e626-e633	6
203	Targeted axillary dissection after neoadjuvant systemic therapy in patients with node-positive breast cancer. <b>2020</b> , 90, 332-338	11
202	Is axillary lymph node dissection necessary for positive preoperative aspiration cytology lymph node results?. <b>2020</b> , 46, 504-510	O
201	Breast and axillary surgery in malignant breast disease: a review focused on literature of 2018 and 2019. <b>2020</b> , 32, 91-99	4
200	The Landmark Series: Axillary Management in Breast Cancer. <b>2020</b> , 27, 724-729	14
199	Management of the clinically positive axilla. <b>2020</b> , 26, 35-38	O
198	Axillary ultrasound for prediction of response to neoadjuvant therapy in the context of surgical strategies to axillary dissection in primary breast cancer: a systematic review of the current literature. <b>2020</b> , 301, 341-353	23
197	Multidisciplinary considerations in the treatment of triple-negative breast cancer. <b>2020</b> , 70, 432-442	1
196	Feasibility of preoperative tattooing of percutaneously biopsied axillary lymph node: an experimental pilot study. <b>2020</b> , 6, 140	
195	Sentinel lymph node biopsy in breast cancerlin updated overview. <b>2020</b> , 52, 268-276	2
194	Feasibility of Axillary Lymph Node Localization and Excision Using Radar Reflector Localization. <b>2021</b> , 21, e189-e193	8
193	Axillary ultrasound during neoadjuvant systemic therapy in triple-negative breast cancer patients. <b>2020</b> , 130, 109170	O
192	Modern surgical treatment of breast cancer. <b>2020</b> , 56, 95-107	12
191	The Radiologist Role in a Breast Multidisciplinary Tumor Board. <b>2020</b> , 2, 372-381	1

190	Enhancing the Critical Role of Core Needle Biopsy in Breast Cancer. <b>2020</b> , 92, 76-84	
189	The problem of axillary staging in breast cancer after neoadjuvant chemotherapy. Role of targeted axillary dissection and types of lymph node markers. <b>2020</b> , 98, 510-515	
188	A nomogram for predicting axillary pathologic complete response in hormone receptor-positive breast cancer with cytologically proven axillary lymph node metastases. <b>2020</b> , 126 Suppl 16, 3819-3829	5
187	Node-Positive Patients Treated with Neoadjuvant Chemotherapy Can Be Spared Axillary Lymph Node Dissection with Wireless Non-Radioactive Localizers. <b>2020</b> , 27, 4819-4827	12
186	Neo-Adjuvant chemotherapy and its affects to the axilla-Can we safely downgrade axillary surgery to mirror the approach in the breast. <b>2020</b> , 26, 1667-1672	
185	Sentinel Node Biopsy Versus Low Axillary Sampling in Predicting Nodal Status of Postchemotherapy Axilla in Women With Breast Cancer. <b>2020</b> , 6, 1546-1553	4
184	Axillary surgery in breast cancer: An updated historical perspective. <b>2020</b> , 47, 341-352	15
183	Leveraging Neoadjuvant Chemotherapy to Minimize the Burden of Axillary Surgery: a Review of Current Strategies and Surgical Techniques. <b>2020</b> , 12, 317-325	
182	Occult breast cancer: Where are we at?. <b>2020</b> , 54, 211-215	11
181	Ultrasound visibility of select breast biopsy markers for targeted axillary node localization following neoadjuvant treatment: simulation using animal tissue models. <b>2020</b> , 184, 185-192	4
180	Breast Cancer. <b>2020</b> , 49-100	
179	Targeted Axillary Dissection for Patients Who Convert to Clinically Node Negative After Neoadjuvant Chemotherapy for Node-Positive Breast Cancer. <b>2020</b> , 12, 391-397	
178	Sentinel lymph node biopsy should be considered for clinically node-negative breast cancer regardless of mutation status. <b>2020</b> , 8, 1183	
177	The problem of axillary staging in breast cancer after neoadjuvant chemotherapy. Role of targeted axillary dissection and types of lymph node markers. <b>2020</b> , 98, 510-515	2
176	Omitting surgery for early breast cancer showing clinical complete response to primary systemic therapy. <b>2020</b> , 50, 629-634	2
175	Management of the Axilla after Neoadjuvant Systemic Therapy. <b>2020</b> , 21, 54	O
174	Pathologic evaluation of response to neoadjuvant therapy drives treatment changes and improves long-term outcomes for breast cancer patients. <b>2020</b> , 26, 1189-1198	3
173	Omission of axillary lymph node dissection after neoadjuvant chemotherapy for clinically node-positive breast cancer: How can we select patients?. <b>2020</b> , 26, 1869-1870	O

172	Selecting Node-Positive Patients for Axillary Downstaging with Neoadjuvant Chemotherapy. <b>2020</b> , 27, 4515-4522	24
171	Would Removal of All Ultrasound Abnormal Metastatic Lymph Nodes Without Sentinel Lymph Node Biopsy Be Accurate in Patients with Breast Cancer with Neoadjuvant Chemotherapy?. <b>2020</b> , 25, e1621-e1627	13
170	Molecular Breast Imaging in Clinical Practice. <b>2020</b> , 215, 277-284	5
169	Axillary management for patients with breast cancer after neoadjuvant chemotherapy: Results of a survey among Brazilian breast surgeons. <b>2020</b> , 122, 1247-1251	2
168	A New Model Incorporating Axillary Ultrasound After Neoadjuvant Chemotherapy to Predict Non-Sentinel Lymph Node Metastasis in Invasive Breast Cancer. <b>2020</b> , 12, 965-972	4
167	Combined positive axillary lymph node marking with iodine-125 seeds and sentinel lymph node biopsy in breast cancer patients treated with neoadjuvant chemotherapy. <b>2020</b> , 39, 75-83	
166	Detection of Nonpalpable Tiny Axillary Lymph Nodes Surrounded by Adipose Tissue Using a Near-Infrared Camera. <b>2020</b> , 18, 455-463	1
165	Extent of axillary surgery in inflammatory breast cancer: a survival analysis of 3500 patients. <b>2020</b> , 180, 207-217	8
164	Initial results of a novel technique of clipped node localization in breast cancer patients postneoadjuvant chemotherapy: Skin Mark clipped Axillary nodes Removal Technique (SMART trial). <b>2020</b> , 9, 1978-1985	10
163	Role of MRI to Assess Response to Neoadjuvant Therapy for Breast Cancer. <b>2020</b> , 52,	12
162	Axillary Nodal Evaluation in Breast Cancer: State of the Art. 2020, 295, 500-515	36
161	Management of the axilla following neoadjuvant chemotherapy for breast cancer- A change in practice. <b>2021</b> , 19, 1-7	3
160	Combining Wire Localization of Clipped Nodes with Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Node-Positive Breast Cancer: Preliminary Results from a Prospective Study. <b>2021</b> , 28, 958-967	5
159	Is Breast Magnetic Resonance Imaging an Accurate Predictor of Nodal Status After Neoadjuvant Chemotherapy?. <b>2021</b> , 257, 412-418	3
158	Leveraging the increased rates of pathologic complete response after neoadjuvant treatment in breast cancer to de-escalate surgical treatments. <b>2021</b> , 123, 71-79	3
157	Hospital System Adoption of Magnetic Seeds for Wireless Breast and Lymph Node Localization. <b>2021</b> , 28, 3223-3229	3
156	Advantages of preoperative localization and surgical resection of metastatic axillary lymph nodes using magnetic seeds after neoadjuvant chemotherapy in breast cancer. <b>2021</b> , 36, 28-33	6
155	ASO Author Reflections: Magnetic Seed Localization and Tracers Add Value to Multidisciplinary Breast Programs. <b>2021</b> , 28, 3230-3231	

154	Long-term standard sentinel node biopsy after neoadjuvant treatment in breast cancer: a single institution ten-year follow-up. <b>2021</b> , 47, 804-812	38
153	Oncologic Safety of Sentinel Lymph Node Biopsy Alone After Neoadjuvant Chemotherapy for Breast Cancer. <b>2021</b> , 28, 2621-2629	11
152	Management of the Axilla. <b>2021</b> , 197-208	
151	Axillary Primary and Breast Cancer Management. <b>2021</b> , 13, 42-48	
150	Breast conservation and axillary management after primary systemic therapy in patients with early-stage breast cancer: the Lucerne toolbox. <b>2021</b> , 22, e18-e28	13
149	Ultrasound Evaluation of the Axilla in the Breast Imaging Setting. <b>2021</b> , 37, 43-51	
148	Targeted axillary dissection standard oder noch experimentell?. 2021, 54, 156-163	
147	The Role of Oncotype DX Recurrence Score in Predicting Axillary Response After Neoadjuvant Chemotherapy in Breast Cancer. <b>2021</b> , 28, 1320-1325	6
146	The Multidisciplinary Approach to Breast Cancer Management. <b>2021</b> , 137-156	
145	Selective Extirpation of Tattooed Lymph Node in Combination with Sentinel Lymph Node Biopsy in the Management of Node-Positive Breast Cancer Patients after Neoadjuvant Systemic Therapy <b>2021</b> , 16, 623-629	
144	Different strategies in marking axillary lymph nodes in breast cancer patients undergoing neoadjuvant medical treatment: a systematic review. <b>2021</b> , 186, 607-615	3
143	The Evolving Role of Marked Lymph Node Biopsy (MLNB) and Targeted Axillary Dissection (TAD) after Neoadjuvant Chemotherapy (NACT) for Node-Positive Breast Cancer: Systematic Review and Pooled Analysis. <b>2021</b> , 13,	5
142	Progression of Metastasis through Lymphatic System. <b>2021</b> , 10,	10
141	Approaching Neoadjuvant Therapy in the Management of Early-Stage Breast Cancer. <b>2021</b> , 13, 199-211	4
140	Locoregional therapy in breast cancer patients treated with neoadjuvant chemotherapy. <b>2021</b> , 21, 865-875	
139	Sentinel lymph node BIOPSY after neoadjuvant therapy in breast cancer patients with lymph node involvement at diagnosis. Could wire localization of clipped node improve our results?. <b>2021</b> , 19, 344-350	О
138	Surgical Management of the Axilla in Clinically Node-Positive Breast Cancer Patients Converting to Clinical Node Negativity through Neoadjuvant Chemotherapy: Current Status, Knowledge Gaps, and Rationale for the EUBREAST-03 AXSANA Study. <b>2021</b> , 13,	15
137	Neoadjuvant Chemotherapy in Breast Cancer: Review of the Evidence and Conditions That Facilitated Its Use during the Global Pandemic. <b>2021</b> , 28, 1338-1347	1

136	Can one stop nucleic acid sampling (OSNA) predict nodal positivity following neoadjuvant chemotherapy? A prospective cohort study of 293 patients. <b>2021</b> , 27, 581-585	O
135	Targeted Axillary Dissection in Node-Positive Breast Cancer: A Retrospective Study and Cost Analysis. <b>2021</b> , 13, e14610	0
134	Axillary response rates to neoadjuvant chemotherapy in breast cancer patients with advanced nodal disease. <b>2021</b> , 124, 25-32	1
133	Long-term tracing and staining of carbon nanoparticles for axillary lymph node in patients with local advanced breast cancer treated with neoadjuvant chemotherapy. <b>2021</b> ,	Ο
132	Intermediary clip placement to assist accurate axillary lymph node localization. 2021, 73, 96-100	2
131	New horizons in imaging and surgical assessment of breast cancer lymph node metastasis. <b>2021</b> , 187, 311-322	3
130	Impact of Breast Cancer Pretreatment Nodal Burden and Disease Subtype on Axillary Surgical Management. <b>2021</b> , 261, 67-73	Ο
129	Breast MRI for Evaluation of Response to Neoadjuvant Therapy. <b>2021</b> , 41, 665-679	5
128	The Clinical Relevance of Target Lymph Node Biopsy after Primary Systemic Therapy in Initially Node-Positive Breast Cancer Patients. <b>2021</b> , 13,	1
127	Sentinel lymph node assessment in breast cancer-an update on current recommendations. <b>2021</b> , 1	3
126	Clinical Trials and Breast Cancer Disparities. <b>2021</b> , 13, 186-196	Ο
125	Clinical practice guidelines for visualized percutaneous breast tissue clips: Chinese Society of Breast Surgery (CSBrS) practice guideline 2021. <b>2021</b> , 134, 1768-1770	
124	Breast Cancer Staging: Updates in the , 8th Edition, and Current Challenges for Radiologists, From the Special Series on Cancer Staging. <b>2021</b> , 217, 278-290	3
123	Regional Nodal Irradiation for Clinically Node-Positive Breast Cancer Patients With Pathologic Negative Nodes After Neoadjuvant Chemotherapy. <b>2021</b> ,	1
122	Early reflector localization improves the accuracy of localization and excision of a previously positive axillary lymph node following neoadjuvant chemotherapy in patients with breast cancer. <b>2021</b> , 189, 121-130	0
121	Surgical Management of the Axilla of HER2+ Breast Cancer in the Z1071 Era: A Propensity-Score-Matched Analysis of the NCDB. <b>2021</b> , 28, 8777-8788	
120	Optimal Management for Residual Disease Following Neoadjuvant Systemic Therapy. <b>2021</b> , 22, 79	3
119	Is ultrasound-guided fine needle aspiration biopsy of axillary lymph nodes a viable alternative to sentinel lymph node biopsy?. <b>2021</b> , 49, 1099-1109	1

118	Is image-guided core needle biopsy of borderline axillary lymph nodes in breast cancer patients clinically helpful?. <b>2021</b> ,	О
117	Molecular Breast Imaging: A Scientific Review. <b>2021</b> , 3, 416-426	1
116	Axillary response according to neoadjuvant single or dual human epidermal growth factor receptor 2 (HER2) blockade in clinically node-positive, HER2-positive breast cancer. <b>2021</b> , 149, 1585-1592	2
115	Advantages and Challenges of Using Breast Biopsy Markers.	1
114	Surgical Axillary Staging Before Neoadjuvant Chemotherapy: Who Gets It and Why We Should Avoid It. <b>2021</b> , 28, 5788-5797	1
113	Current Surgical Management of Inflammatory Breast Cancer. <b>2021</b> , 28, 5461-5467	O
112	Influence of Imaging Features and Technique on US-guided Tattoo Ink Marking of Axillary Lymph Nodes Removed at Sentinel Lymph Node Biopsy in Women With Breast Cancer. <b>2021</b> , 3, 583-590	
111	Magnetic-Guided Axillary UltraSound (MagUS) Sentinel Lymph Node Biopsy and Mapping in Patients with Early Breast Cancer. A Phase 2, Single-Arm Prospective Clinical Trial. <b>2021</b> , 13,	2
110	Feasibility and validation of the targeted axillary dissection technique in the axillary staging of breast cancer after neoadjuvant therapy: Definitive results. <b>2021</b> , 38, 101636	1
109	Recent Advances and Concepts in SLNB (Sentinel Lymph Node Biopsy) and Management of SLNB Positive Axilla in Carcinoma Breast. 1	
108	Axillary ultrasonography combined with pre-operative wire localisation of clipped node in nodal restaging after neoadjuvant chemotherapy in node positive breast cancer patients: a pilot study. <b>2021</b> , 94, 20210788	1
107	Development of a predictive score of axillary lymph node dissection based on targeted axillary dissection in patients with breast cancer diagnosis, affected lymph nodes, and neoadjuvant treatment. <b>2021</b> , 38, 101629	1
106	Customizing local and systemic therapies for women with early breast cancer: the St. Gallen International Consensus Guidelines for treatment of early breast cancer 2021. <b>2021</b> , 32, 1216-1235	44
105	Favorable outcome with sentinel lymph node biopsy alone after neoadjuvant chemotherapy in clinically node positive breast cancer at diagnosis: Turkish Multicentric NEOSENTI-TURK MF-18-02-study. <b>2021</b> , 47, 2506-2514	2
104	Association of the initial number of sonographically abnormal nodes with nodal pathological response and its implication. <b>2021</b> , 78, 19-21	
103	Feasibility and reliability of sentinel lymph node biopsy after neoadjuvant chemotherapy in breast cancer patients with positive axillary nodes at initial diagnosis: An up-to-date meta-analysis of 3,578 patients. <b>2021</b> , 59, 256-269	1
102	Using Ultrasound Color Doppler Twinkling to Identify Biopsy Markers in the Breast and Axilla. <b>2021</b> , 47, 3122-3134	0
101	Tailored axillary surgery in patients with clinically node-positive breast cancer: Pre-planned feasibility substudy of TAXIS (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBG 101). <b>2021</b> , 60, 98-110	1

100	Carbon tattooing for targeted lymph node biopsy after primary systemic therapy in breast cancer: prospective multicentre TATTOO trial. <b>2021</b> , 108, 302-307	13
99	False Negativity of Targeted Axillary Dissection in Breast Cancer. <b>2021</b> , 16, 532-538	1
98	Prospective Registry Trial Assessing the Use of Magnetic Seeds to Locate Clipped Nodes After Neoadjuvant Chemotherapy for Breast Cancer Patients. <b>2021</b> , 28, 4277-4283	7
97	Combined procedure of marking axillary positive node with iodine-125 seed and sentinel lymph node biopsy in breast cancer patients treated with neoadjuvant chemotherapy. <b>2020</b> , 39, 75-83	O
96	Locoregional Management After Neoadjuvant Chemotherapy. <b>2020</b> , 38, 2281-2289	14
95	Axillary staging in breast cancer patients treated with neoadjuvant chemotherapy in two Dutch phase III studies. <b>2017</b> , 8, 46557-46564	5
94	Axillary management after neoadjuvant treatment. <b>2020</b> , 75, 400-407	1
93	Techniques for Improving Ultrasound Visualization of Biopsy Markers in Axillary Lymph Nodes. <b>2020</b> , 10, 21	3
92	Assessment of sentinel lymph node biopsy after neoadjuvant chemotherapy for breast cancer in two subgroups: Initially node negative and node positive converted to node negative - A systemic review and meta-analysis. <b>2019</b> , 24, 18	12
91	Extended Sentinel Node Biopsy in Breast Cancer Patients who Achieve Complete Nodal Response with Neoadjuvant Chemotherapy. <b>2020</b> , 16, 99-105	2
90	To Look or Not to Look? Yes to Nodal Ultrasound!.	2
89	Axillary Ultrasound Evaluation in Breast Cancer Patients: A Multidisciplinary Viewpoint and Middle Ground.	1
88	AGO Recommendations for the Surgical Therapy of the Axilla After Neoadjuvant Chemotherapy: 2021 Update. <b>2021</b> , 81, 1112-1120	2
87	SAVI SCOUT <sup>[]</sup> localization of metastatic axillary lymph node prior to neoadjuvant chemotherapy for targeted axillary dissection: a pilot study. <b>2021</b> , 191, 107	1
86	Conserving the axilla in breast cancer. <b>2020</b> , 14, 1090	
85	Imaging Evaluation of the Axilla National Survey of Clinical Practice Among Radiologists.	
84	Axillary Imaging Following a New Invasive Breast Cancer DiagnosisA Radiologist⊠ Dilemma.	1
83	Evaluation of the Axillary Surgery Performed in Clinically Node-Positive Breast Cancer Patients Following Neoadjuvant Chemotherapy. <b>2021</b> , 31348211050803	

82	Multidisciplinary Management of Breast Cancer With Extensive Regional Nodal Involvement. <b>2020</b> , 38, 2290-2298	2
81	Locoregional Management of Early-Stage Breast Cancer. <b>2020</b> , 18, 937-940	
80	Sentinel Lymph Node in Early Breast Cancer: Evidence, Techniques, and Controversies. 2021, 93-118	
79	Therapiealgorithmen ftldas Mammakarzinom. <b>2021</b> , 27, 1165-1174	
78	De-Escalation of Breast Cancer Surgery Following Neoadjuvant Systemic Therapy <b>2022</b> , 18, 6-12	
77	Surgical Management of the Axilla in Node-Negative and Node-Positive Disease at Diagnosis. <b>2022</b> , 207-218	
76	How Often Does Retrieval of a Clipped Lymph Node Change Adjuvant Therapy Recommendations? A Prospective, Consecutive, Patient Cohort Study <b>2022</b> , 1	1
75	Questions of axillary region surgery in breast cancer patients after systemic neoadjuvant therapy. <b>2022</b> , 17, 56-65	
74	Representativeness of the Index Lymph Node for Total Nodal Basin in Pathologic Response Assessment After Neoadjuvant Checkpoint Inhibitor Therapy in Patients With Stage III Melanoma <b>2022</b> ,	O
73	Nanoparticle-assisted axillary staging: an alternative approach after neoadjuvant chemotherapy in patients with pretreatment node-positive breast cancers <b>2022</b> , 1	O
72	After neoadjuvant therapy, axillary sentinel lymph node frozen sections from breast cancer patients are accurately diagnosed using telepathology. <b>2022</b> , 13, 100092	1
71	Sentinel Lymph Node Methods in Breast Cancer 2022,	O
70	ASO Author Reflections: Is It Necessary to Routinely Clip and Localize the Biopsy-Proven Malignant Lymph Node?. <b>2022</b> , 1	
69	Biopsia del ganglio centinela y diseccilì axilar dirigida en mujeres con clicer de mama y axila positiva en el momento del diagnlitico: caminando hacia el futuro. <b>2022</b> ,	
68	AGO-Empfehlungen zur operativen Therapie der Axilla nach neoadjuvanter Chemotherapie: Update 2021. <b>2022</b> , 19, 56-64	
67	Axillary Management: How Has Neoadjuvant Chemotherapy Changed Our Surgical Approach?. <b>2022</b> , 14, 1-7	
66	Initial experience with targeted axillary dissection after neoadjuvant therapy in breast cancer patients <b>2022</b> , 1	O
65	BreastScreening-AI: Evaluating medical intelligent agents for human-AI interactions <b>2022</b> , 127, 102285	6

64	A Clinical-Radiomics Model for Predicting Axillary Pathologic Complete Response in Breast Cancer With Axillary Lymph Node Metastases <b>2021</b> , 11, 786346	0
63	Imaging of the Axilla and Approaches to Node-Negative Versus Node-Positive Disease at Presentation. <b>2022</b> , 65-84	
62	Nomogram for predicting axillary lymph node pathological response in node-positive breast cancer patients after neoadjuvant chemotherapy <b>2021</b> , 135, 333-340	O
61	Neoadjuvant approach in patients with early breast cancer: patient assessment, staging, and planning <b>2021</b> ,	1
60	Guidelines for Imaging During Neoadjuvant Systemic Therapy. <b>2022</b> , 85-121	
59	Pathology of Neoadjuvant Systemic Therapy Response. <b>2022</b> , 269-290	
58	Radioguided Surgery for Breast Cancer. <b>2022</b> , 1-46	
57	Surgery after Neoadjuvant Chemotherapy: A Clip-Based Technique to Improve Surgical Outcomes, a Single-Center Experience <b>2022</b> , 14,	O
56	Diagnostic accuracy of de-escalated surgical procedure in axilla for node-positive breast cancer patients treated with neoadjuvant systemic therapy: A systematic review and meta-analysis <b>2022</b> ,	
55	ACR Appropriateness Criteria Imaging of the Axilla <b>2022</b> , 19, S87-S113	
54	Estadificacili ganglionar tras terapia sistlinica primaria en mujeres con clicer de mama y afectacili ganglionar al diagnilitico. <b>2022</b> ,	
53	Nanomaterials Based on Natural Polyphenol Compounds in the Surgical Treatment of Breast Cancer. <b>2022</b> , 226, 260-276	
52	Lymph node staging after primary systemic therapy in women with breast cancer and lymph node involvement at diagnosis. <b>2022</b> ,	
51	The Role of Surgery in Managing Primary and Metastatic Breast Cancer. <b>2022</b> , 395-406	
50	Breast Cancer, Version 3.2022, NCCN Clinical Practice Guidelines in Oncology. <b>2022</b> , 20, 691-722	16
49	ʃltrendek az axilla seb§zi kezel§Ben eml∰ esetB. <b>2022</b> , 75, 169-178	
48	Regional Nodal Management After Preoperative Systemic Therapy. <b>2022</b> , 32, 228-236	O
47	Current Surgical Innovations in the Treatment of Breast Cancer.	

46	Update on Sentinel Node Pathology in Breast Cancer. 2022,	1
45	Evaluation of Axillary Lymph Node Marking with Magseed Defore and after Neoadjuvant Systemic Therapy in Breast Cancer Patients: MAGNET Study. <b>2022</b> , 2022, 1-8	O
44	Locoregional Management of Breast Cancer: A Chronological Review. <b>2022</b> , 29, 4647-4664	
43	Locoregional recurrence and survival outcomes in breast cancer treated with modern neoadjuvant chemotherapy: A contemporary population-based analysis. <b>2022</b> ,	
42	Ultrasound-guided radar reflector localization of axillary lymph nodes facilitates targeted axillary dissection. <b>2022</b> ,	
41	Multidisciplinary considerations in the management of breast cancer patients receiving neoadjuvant chemotherapy. <b>2022</b> , 101191	
40	This is the Moment□	0
39	Is Nodal Clipping Beneficial for Node-Positive Breast Cancer Patients Receiving Neoadjuvant Chemotherapy?.	Ο
38	Neoadjuvant Chemotherapy for Breast Cancer: The Ultimate Bpy[]	
37	Multiple-parameter MRI after neoadjuvant systemic therapy combining clinicopathologic features in evaluating axillary pathologic complete response in patients with clinically Node-Positive breast cancer.	
36	Exploiting the advantages of a wireless seed localization system that differentiates between the seeds: Breast cancer resection following neoadjuvant chemotherapy.	
35	Feasibility of targeted axillary dissection for de-escalation of surgical treatment after neoadjuvant chemotherapy in breast cancer. <b>2022</b> , 101823	1
34	Avoiding Axillary Management Pitfalls After Neoadjuvant Chemotherapy.	
33	Radioguided Surgery for Breast Cancer. <b>2022</b> , 1549-1593	O
32	Factors Associated With Ultrasound Color Doppler Twinkling by Breast Biopsy Markers: In Vitro and Ex Vivo Evaluation of 35 Commercially Available Markers.	1
31	Accuracy of ultrasound-guided targeted fine-needle aspiration in assessing nodal response in node-positive breast cancer after neoadjuvant chemotherapy: a prospective feasibility study.	O
30	Improved false-negative rates using a novel patient selection flowchart in initially biopsy-proven node-positive breast cancer undergoing blue-dye alone guided sentinel lymph node biopsy after neoadjuvant chemotherapy.	0
29	Breast cancer: an up-to-date review and future perspectives.	3

28	Diagnostic Accuracy of Radioactive Iodine Seed Placement in the Axilla With Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Node-Positive Breast Cancer.	5
27	Reporting of Surgically Removed Lymph Nodes for Breast Tumors: Recommendations From the International Collaboration on Cancer Reporting. <b>2022</b> , 146, 1308-1318	O
26	Prediction of axillary lymph node pathological complete response to neoadjuvant therapy using nomogram and machine learning methods. 12,	0
25	Surgical options of the breast and clinical outcomes of breast cancer patients after neoadjuvant chemotherapy: A single-center retrospective study. 12,	O
24	Radar reflector guided axillary surgery in node positive breast cancer patients. 2022, 19, 791-795	0
23	Ultrasonographic Detection and Surgical Retrieval of a Nonmetallic Twinkle Marker in Breast Cancer: Pilot Study. <b>2022</b> , 4,	O
22	In this house believes that: Sentinel node biopsy alone is better than TAD after NACT for cN+ patients (12023, 67, 21-25)	2
21	Surgical Management of the Axilla for Breast Cancer. <b>2023</b> , 37, 51-77	O
20	Localizing Positive Axillary Lymph Nodes in Breast Cancer Patients Post Neoadjuvant Therapy. <b>2023</b> , 283, 288-295	0
19	Biopsy of the sentinel lymph node and targeted axillary lymph node dissection in patients with breast cancer after neoadjuvant chemotherapy. <b>2022</b> , 11, 44	O
18	A novel nomogram containing efficacy indicators to predict axillary pathologic complete response after neoadjuvant systemic therapy in breast cancer. 13,	0
17	Concomitant Use of Biopsy Clips and Wire Localization in Invasive Breast Cancer is Associated with Successful Clip Retrieval. <b>2022</b> ,	O
16	Pathology of neoadjuvant therapy and immunotherapy testing for breast cancer. 2023, 82, 170-188	1
15	Contemporary approaches to the axilla in breast cancer. <b>2022</b> ,	O
14	Axillary ultrasound after neoadjuvant therapy reduces the false-negative rate of sentinel lymph node biopsy in patients with cytologically node-positive breast cancer.	O
13	Axillary lymph node dissection: Dead or still alive?. <b>2023</b> ,	O
12	Clinical utility of axillary nodal markers in breast cancer. 2023,	O
11	Feasibility of Ultrasound-Guided Localization for Clipped Metastatic Axillary Lymph Nodes After Neoadjuvant Chemotherapy in Breast Cancer Patients: A Pilot Study. <b>2023</b> , 26, 77	O

## CITATION REPORT

10	Breast cancer and clinically negative status after neoadjuvant chemotherapy. 32,	О
9	Recent Advances in Optimizing Radiation Therapy Decisions in Early Invasive Breast Cancer. <b>2023</b> , 15, 1260	О
8	Surgical Planning after Neoadjuvant Treatment in Breast Cancer: A Multimodality Imaging-Based Approach Focused on MRI. <b>2023</b> , 15, 1439	О
7	Choice of the optimal metastatic lymph node marking in patients with breast cancer. <b>2023</b> , 13, 11-16	О
6	Targeted axillary dissection using Radioguided Occult Lesion Localization technique in the clinically negative marked lymph node after neoadjuvant treatment in breast cancer patients. <b>2023</b> ,	O
5	Longitudinal MRI-based fusion novel model predicts pathological complete response in breast cancer treated with neoadjuvant chemotherapy: a multicenter, retrospective study. <b>2023</b> , 58, 101899	o
4	Selective Axillary Dissection after Neoadjuvant Chemotherapy in Patients with Lymph-Node-Positive Breast Cancer (CLYP Study): The Radio-Guided Occult Lesion Localization Technique for Biopsy-Proven Metastatic Lymph Nodes. <b>2023</b> , 15, 2046	O
3	Image-Guided Localization Techniques for Metastatic Axillary Lymph Nodes in Breast Cancer; What Radiologists Should Know. <b>2023</b> , 15, 2130	o
2	SPECT/CT Lymphoscintigraphy Accurately Localizes Clipped and Sentinel Nodes After Neoadjuvant Chemotherapy in Node-Positive Breast cancer. Publish Ahead of Print,	O
1	Uncertainties and Controversies in Axillary Management of Patients with Breast Cancer. <b>2023</b> , 102556	o