

ATRIAS: Design and validation of a tether-free 3D-capable

International Journal of Robotics Research

35, 1497-1521

DOI: [10.1177/0278364916648388](https://doi.org/10.1177/0278364916648388)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Mechanics-based design of underactuated robotic walking gaits: Initial experimental realization. , 2016, , .		5
2	Experimental Evaluation of Deadbeat Running on the ATRIAS Biped. IEEE Robotics and Automation Letters, 2017, 2, 1085-1092.	3.3	22
3	Robot Simulations Based on Bipedal Spring-Mass Model With Variable Slack Length and Stiffness. IEEE Access, 2017, 5, 1156-1163.	2.6	3
4	Robust optimal planning and control of non-periodic bipedal locomotion with a centroidal momentum model. International Journal of Robotics Research, 2017, 36, 1211-1242.	5.8	26
5	Template model inspired leg force feedback based control can assist human walking. , 2017, 2017, 473-478.		22
6	A force direction control method for robotic bipedal walking based on a reduced order model. , 2017, , .		4
7	GOAT: A legged robot with 3D agility and virtual compliance. , 2017, , .		28
8	Development of torque controllable leg for running robot, AiDIN-IV. , 2017, , .		7
10	Control of Motion and Compliance. , 2017, , 135-346.		3
11	Spine morphology and energetics: how principles from nature apply to robotics. Bioinspiration and Biomimetics, 2018, 13, 036002.	1.5	29
12	Morphological and control criteria for self-stable underwater hopping. Bioinspiration and Biomimetics, 2018, 13, 016001.	1.5	18
13	Coupling Reduced Order Models via Feedback Control for 3D Underactuated Bipedal Robotic Walking. , 2018, , .		22
14	An Overview on Principles for Energy Efficient Robot Locomotion. Frontiers in Robotics and AI, 2018, 5, 129.	2.0	60
15	A Novel Design of Extended Coaxial Spherical Joint Module for a New Modular Type-Multiple DOFs Robotic Platform. , 2018, , .		3
16	Bipedal Hopping: Reduced-Order Model Embedding via Optimization-Based Control. , 2018, , .		51
17	Energetic Efficiency of a Compositional Controller on a Monoped With an Articulated Leg and SLIP Dynamics. , 2018, , .		3
18	An Analytical Study on Trotting at Constant Velocity and Height. , 2018, , .		5
19	Towards a Passive Adaptive Planar Foot with Ground Orientation and Contact Force Sensing for Legged Robots. , 2018, , .		20

#	ARTICLE	IF	CITATIONS
20	A Framework for Modeling Closed Kinematic Chains with a Focus on Legged Robots. , 2018, , .		0
21	Torque-Based Dynamic Walking - A Long Way from Simulation to Experiment. , 2018, , .		27
22	A Switchable Parallel Elastic Actuator and its Application to Leg Design for Running Robots. IEEE/ASME Transactions on Mechatronics, 2018, 23, 2681-2692.	3.7	37
23	Design and Benchtop Validation of a Powered Knee-Ankle Prosthesis with High-Torque, Low-Impedance Actuators. , 2018, 2018, 2788-2795.		38
24	The effects of electroadhesive clutch design parameters on performance characteristics. Journal of Intelligent Material Systems and Structures, 2018, 29, 3804-3828.	1.4	56
25	Investigation of a Bipedal Platform for Rapid Acceleration and Braking Manoeuvres. , 2018, , .		5
26	Control for balance of Legged-Wheel Hybrid Robot (LWHR) by regulating ground reaction force with kinematic coupling. , 2018, , .		1
27	Mammals repel mosquitoes with their tails. Journal of Experimental Biology, 2018, 221, .	0.8	19
28	Facilitating Model-Based Control Through Software-Hardware Co-Design. , 2018, , .		18
29	Dynamic Motion Generation in a Hexapod Robot Using Fixed-point Trajectories of a Simple Model with Period Scaling. , 2018, , .		0
30	Dynamic Locomotion Gaits of a Compliantly Actuated Quadruped With SLIP-Like Articulated Legs Embodied in the Mechanical Design. IEEE Robotics and Automation Letters, 2018, 3, 3908-3915.	3.3	29
31	Time-variable, event-based walking control for biped robots. International Journal of Advanced Robotic Systems, 2018, 15, 172988141876891.	1.3	4
32	Walking and Running with Passive Compliance: Lessons from Engineering: A Live Demonstration of the ATRIAS Biped. IEEE Robotics and Automation Magazine, 2018, 25, 23-39.	2.2	53
33	Dynamic bipedal locomotion over stochastic discrete terrain. International Journal of Robotics Research, 2018, 37, 1537-1553.	5.8	25
34	Control of Planar Spring-Mass Running Through Virtual Tuning of Radial Leg Damping. IEEE Transactions on Robotics, 2018, 34, 1370-1383.	7.3	11
35	Learning from outside the viability kernel: Why we should build robots that can fall with grace. , 2018, , .		1
36	Using Deep Reinforcement Learning to Learn High-Level Policies on the ATRIAS Biped. , 2019, , .		33
37	Delays in perception and action for improving walk-to-run transition stability in bipedal gait. Nonlinear Dynamics, 2019, 97, 1685-1698.	2.7	0

#	ARTICLE	IF	CITATIONS
38	Development of A Parallel-elastic Robot Leg for Loaded Jumping. , 2019, , .		1
39	Nimble Limbs - Intelligent attachable legs to create walking robots from variously shaped objects. , 2019, , .		4
40	Force-controllable Quadruped Robot System with Capacitive-type Joint Torque Sensor. , 2019, , .		8
41	Terrain-blind walking of planar underactuated bipeds via velocity decomposition-enhanced control. International Journal of Robotics Research, 2019, 38, 1307-1323.	5.8	20
43	AI in Locomotion: Quadruped Bionic Mobile Robot. Communications in Computer and Information Science, 2019, , 445-451.	0.4	2
44	Effective locomotion at multiple stride frequencies using proprioceptive feedback on a legged microrobot. Bioinspiration and Biomimetics, 2019, 14, 056001.	1.5	19
45	Robust compound control of dynamic bipedal robots. Mechatronics, 2019, 59, 154-167.	2.0	9
46	Minimizing Energy Consumption and Peak Power of Series Elastic Actuators: A Convex Optimization Framework for Elastic Element Design. IEEE/ASME Transactions on Mechatronics, 2019, 24, 1334-1345.	3.7	37
47	A Robot Design Method for Weight Saving Aimed at Dynamic Motions: Design of Humanoid JAXON3-P and Realization of Jump Motions. , 2019, , .		11
48	Mechanistic Properties of Five-bar Parallel Mechanism for Leg Structure Based on Spring Loaded Inverted Pendulum. , 2019, , .		3
49	A Novel 4-DoF Robotic Link Mechanism with E-CoSMo: Kinematics Based Torque Analysis. , 2019, , .		5
50	A deep reinforcement learning based approach towards generating human walking behavior with a neuromuscular model. , 2019, , .		9
51	Mechanical Structure Design of a Robot Leg with a Parallel Rod Mechanism with Low Moment of Inertia. , 2019, , .		0
52	Control of a High Performance Bipedal Robot using Viscoelastic Liquid Cooled Actuators. , 2019, , .		13
53	Ankle Torque During Mid-Stance Does Not Lower Energy Requirements of Steady Gaits. , 2019, , .		0
54	SLIP-Based Control of Bipedal Walking Based on Two-Level Control Strategy. Robotica, 2020, 38, 1434-1449.	1.3	6
55	Baleka: A Bipedal Robot for Studying Rapid Maneuverability. Frontiers in Mechanical Engineering, 2020, 6, .	0.8	2
56	Dynamic, Robust Locomotion for a Non-Anthropomorphic Biped. , 2020, , .		2

#	ARTICLE	IF	CITATIONS
57	Morphological Computation Increases From Lower- to Higher-Level of Biological Motor Control Hierarchy. <i>Frontiers in Robotics and AI</i> , 2020, 7, 511265.	2.0	3
58	Development and Analysis of a Closed-Chain Wheel-Leg Mobile Platform. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2020, 33, .	1.9	4
59	Virtual Point Control for Step-Down Perturbations and Downhill Slopes in Bipedal Running. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 586534.	2.0	1
60	Survey on model-based biped motion control for humanoid robots. <i>Advanced Robotics</i> , 2020, 34, 1353-1369.	1.1	20
61	Walking Control Based on Step Timing Adaptation. <i>IEEE Transactions on Robotics</i> , 2020, 36, 629-643.	7.3	35
62	Control of ATRIAS in three dimensions: Walking as a forced-oscillation problem. <i>International Journal of Robotics Research</i> , 2020, 39, 774-796.	5.8	10
63	Towards More Possibilities: Motion Planning and Control for Hybrid Locomotion of Wheeled-Legged Robots. <i>IEEE Robotics and Automation Letters</i> , 2020, 5, 3723-3730.	3.3	20
64	Design and control of the rapid legged platform GAZELLE. <i>Mechatronics</i> , 2020, 66, 102319.	2.0	13
65	Plantar Tactile Feedback for Biped Balance and Locomotion on Unknown Terrain. <i>International Journal of Humanoid Robotics</i> , 2020, 17, 1950036.	0.6	9
66	Achieving Versatile Energy Efficiency With the WANDERER Biped Robot. <i>IEEE Transactions on Robotics</i> , 2020, 36, 959-966.	7.3	15
67	Local stability of PD controlled bipedal walking robots. <i>Automatica</i> , 2020, 114, 108841.	3.0	22
68	Bio-inspired neuromuscular reflex based hopping controller for a segmented robotic leg. <i>Bioinspiration and Biomimetics</i> , 2020, 15, 026007.	1.5	14
69	A survey on modularity and distributivity in series-parallel hybrid robots. <i>Mechatronics</i> , 2020, 68, 102367.	2.0	35
70	Sagittal SLIP-anchored task space control for a monopode robot traversing irregular terrain. <i>Frontiers of Mechanical Engineering</i> , 2020, 15, 193-208.	2.5	4
71	Transient contact-impact behavior for passive walking of compliant bipedal robots. <i>Extreme Mechanics Letters</i> , 2021, 42, 101076.	2.0	2
72	Toward Reactive Walking: Control of Biped Robots Exploiting an Event-Based FSM. <i>IEEE Transactions on Robotics</i> , 2022, 38, 683-698.	7.3	7
73	A Topological Approach to Gait Generation for Biped Robots. <i>IEEE Transactions on Robotics</i> , 2022, 38, 699-718.	7.3	6
74	Controllable Height Hopping of a Parallel Legged Robot. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1421.	1.3	7

#	ARTICLE	IF	CITATIONS
75	Bipedal Humanoid Hardware Design: a Technology Review. Current Robotics Reports, 2021, 2, 201-210.	5.1	27
76	Stiffness Modulation in a Humanoid Robotic Leg and Knee. IEEE Robotics and Automation Letters, 2021, 6, 2563-2570.	3.3	9
77	Kinematics Analysis of Leg Configuration of An Ostrich Bionic Biped Robot. , 2021, , .		2
78	Experimental study of event-based neural network control on parallel manipulator. Mechatronics, 2021, 75, 102514.	2.0	6
79	Torque Curve Optimization of Ankle Push-Off in Walking Bipedal Robots Using Genetic Algorithm. Sensors, 2021, 21, 3435.	2.1	5
80	Hybrid Parallel Compliance Allows Robots to Operate With Sensorimotor Delays and Low Control Frequencies. Frontiers in Robotics and AI, 2021, 8, 645748.	2.0	8
81	Development of a Quadruped Robot System With Torque-Controllable Modular Actuator Unit. IEEE Transactions on Industrial Electronics, 2021, 68, 7263-7273.	5.2	16
82	Anisotropic compliance of robot legs improves recovery from swing-phase collisions. Bioinspiration and Biomimetics, 2021, 16, 056001.	1.5	5
83	A Compliant Leg Structure for Terrestrial and Aquatic Walking Robots. Lecture Notes in Networks and Systems, 2022, , 69-80.	0.5	0
84	An Analytical and Modular Software Workbench for Solving Kinematics and Dynamics of Series-Parallel Hybrid Robots. Journal of Mechanisms and Robotics, 2020, 12, .	1.5	20
85	An Analytical and Modular Software Workbench for Solving Kinematics and Dynamics of Series-Parallel Hybrid Robots. , 2019, , .		7
86	Development of active self-melting bolt and its application to self-healing structure. Transactions of the JSME (in Japanese), 2018, 84, 18-00123-18-00123.	0.1	2
87	Fast Online Trajectory Optimization for the Bipedal Robot Cassie. , 0, , .		75
88	A Unified Optimization Framework and New Set of Performance Metrics for Robot Leg Design. , 2021, , .		1
89	The dynamic effect of mechanical losses of transmissions on the equation of motion of legged robots. , 2021, , .		3
90	Dynamic Walking Analysis of an Underactuated Biped Robot with Asymmetric Structure. International Journal of Humanoid Robotics, 2021, 18, .	0.6	8
91	Design and Implementation of Symmetric Legged Robot for Highly Dynamic Jumping and Impact Mitigation. Sensors, 2021, 21, 6885.	2.1	3
92	Reuleaux Triangle-Based Two Degrees of Freedom Bipedal Robot. Robotics, 2021, 10, 114.	2.1	0

#	ARTICLE	IF	CITATIONS
93	Simplified Triped Robot for Analysis of Three-Dimensional Gait Generation. Journal of Robotics and Mechatronics, 2017, 29, 528-535.	0.5	3
94	Legged Robots, Design of. , 2020, , 1-11.		0
95	Design and Development of the Cassino Biped Locomotor. Journal of Mechanisms and Robotics, 2020, 12, .	1.5	2
96	Series Elastic Actuation. , 2020, , 1-12.		1
97	A Momentum-Based Foot Placement Strategy for Stable Postural Control of Robotic Spring-Mass Running with Point Feet. , 2020, , .		1
98	Contact Force Estimation and Regulation of a Position-controlled Floating Base System without Joint Torque Information. , 2020, , .		2
99	A transformable human-carrying wheelâ€“leg mobility for daily use. , 2021, , .		1
100	Human balance control in 3D running based on virtual pivot point concept. Journal of Experimental Biology, 2022, 225, .	0.8	4
101	Leg Configuration Analysis and Prototype Design of Biped Robot Based on Spring Mass Model. Actuators, 2022, 11, 75.	1.2	1
102	Mechanical Design and Analysis of a Novel Three-Legged, Compact, Lightweight, Omnidirectional, Serialâ€“Parallel Robot with Compliant Agile Legs. Robotics, 2022, 11, 39.	2.1	7
103	UPed: A Quadruped Robot Platform to Study Directional Leg Compliance. Journal of Mechanisms and Robotics, 0, , 1-23.	1.5	3
104	BirdBot achieves energy-efficient gait with minimal control using avian-inspired leg clutching. Science Robotics, 2022, 7, eabg4055.	9.9	31
105	Design and Dynamic Analysis of a Compliant Leg Configuration towards the Biped Robotâ€™s Spring-Like Walking. Journal of Intelligent and Robotic Systems: Theory and Applications, 2022, 104, 1.	2.0	9
106	Entrainment-Based Control for Underactuated Compass- Like Biped Robot. , 2021, , .		2
107	Design and Analysis of the Leg Configuration for Biped Robotsâ€™ Spring-like Walking. , 2021, , .		4
108	Design of BRAVER - a bipedal robot actuated via proprioceptive electric motor. , 2021, , .		0
109	Highly Dynamic Bipedal Locomotion via an Improved Virtual Model Algorithm. , 2021, , .		1
110	Explosive Electric Actuator and Control for Legged Robots. Engineering, 2022, 12, 39-47.	3.2	7

#	ARTICLE	IF	CITATIONS
120	Design and Dynamic Locomotion Control of Quadruped Robot with Perception-Less Terrain Adaptation. <i>Cyborg and Bionic Systems</i> , 2022, 2022, .	3.7	22
121	Development and Analysis of a Biped Robot with Prismatic Compliance. , 2022, , .		2
122	Bipedal Walking on Constrained Footholds: Momentum Regulation via Vertical COM Control. , 2022, , .		8
123	Implementation of a Large-Scale Biped Robot Using Serial-Parallel Hybrid Leg Mechanism. , 2022, , .		0
124	A unified framework for measuring interplane and intraplane coupling in spatial biped robots. <i>Autonomous Robots</i> , 0, , .	3.2	0
125	A bioinspired robotic knee with controlled joint surfaces and adjustable ligaments. <i>Bioinspiration and Biomimetics</i> , 2022, 17, 066006.	1.5	1
126	Single-Leg Forward Hopping via Nonlinear Modes. , 2022, , .		3
127	Analysis of Redundancy and Elasticity of Actuators in Hopping Control of Bipedal Robot CARL Based on SLIP Model. <i>Mechanisms and Machine Science</i> , 2023, , 207-238.	0.3	0
128	Humanoid Biped Robot Locomotion via Quadratic Programming with Compound Constraints. <i>Procedia Computer Science</i> , 2022, 209, 67-75.	1.2	0
129	Conversion of Elastic Energy Stored in the Legs of a Hexapod Robot into Propulsive Force. <i>Lecture Notes in Computer Science</i> , 2022, , 91-102.	1.0	1
130	Learning-Based Design and Control for Quadrupedal Robots With Parallel-Elastic Actuators. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 1611-1618.	3.3	6
131	Comparative Model Evaluation with a Symmetric Three-Link Swimming Robot. , 2022, , .		0
132	Construction of a Simulator to Reproduce Changes in Running due to Motion Strategies Using Spring-Loaded Inverted Pendulum Model. , 2022, , .		0
133	Whole-Body Control with Motion/Force Transmissibility for Parallel-Legged Robot. , 2022, , .		1
134	Diaphragm Ankle Actuation for Efficient Series Elastic Legged Robot Hopping. , 2022, , .		2
135	TDE2-MBRL: Energy-exchange Dynamics Learning with Task Decomposition for Spring-loaded Bipedal Robot Locomotion. , 2022, , .		2
136	Parameter optimization and stability prediction of the Dual-SLIP model using evolutionary algorithms and ANN. , 2022, , .		0
137	Generative Design of XingT, A Human-sized Heavy-duty Bipedal Robot. , 2022, , .		0

#	ARTICLE	IF	CITATIONS
138	Direct Encoding of Tunable Stiffness Into an Origami-Inspired Jumping Robot Leg. Journal of Mechanisms and Robotics, 2024, 16, .	1.5	2
139	Slack-based tunable damping leads to a trade-off between robustness and efficiency in legged locomotion. Scientific Reports, 2023, 13, .	1.6	0
140	Embodying Quasi-Passive Modal Trotting and Pronking in a Sagittal Elastic Quadruped. IEEE Robotics and Automation Letters, 2023, 8, 2285-2292.	3.3	1
141	A Compact, Two-Part Torsion Spring Architecture. , 2023, , .		0
142	Nonlinear Model Predictive Control of a 3D Hopping Robot: Leveraging Lie Group Integrators for Dynamically Stable Behaviors. , 2023, , .		0
143	Multi-segmented Adaptive Feet for Versatile Legged Locomotion in Natural Terrain. , 2023, , .		0
147	Biarticular Muscles Improve the Stability of a Neuromechanical Model of the Rat Hindlimb. Lecture Notes in Computer Science, 2023, , 20-37.	1.0	0
149	Hopping Motion on Heavy-Legged Bipedal Robot Based on SLIP Model and Whole Body Control. , 2023, , .		0
150	Time Optimal Planning-Based High-Speed Running Motion Generation for Humanoid Robots with Safety Constraints. , 2023, , .		0
155	A Novel Approximation for the Spring Loaded Inverted Pendulum Model of Locomotion. , 2023, , .		0
156	Development of A Dynamic Quadruped with Tunable, Compliant Legs. , 2023, , .		0
157	Spring Loaded Inverted Pendulum Model Based Musculoskeletal Biped Robot Design and Sequential Jumping Experiment. , 2023, , .		0
158	Bipedal Running: Bioinspired Fundamentals for versatile Humanoid Robot Locomotion. , 2023, , .		0
159	Design and Development of the MIT Humanoid: A Dynamic and Robust Research Platform. , 2023, , .		0
161	Humanoid Robot Co-Design: Coupling Hardware Design with Gait Generation via Hybrid Zero Dynamics. , 2023, , .		0
164	A Simulation Based Approach to Designing a Bipedal Robot. , 2023, , .		0