

CITATION REPORT

List of articles citing

The Economic Burden of Post-prandial Hyperglycemia (PPH) Among People with Type 1 and Type 2 Diabetes in Three Countries

DOI: 10.1007/s13300-016-0154-2
Diabetes Therapy, 2016, 7, 75-90.

Source: <https://exaly.com/paper-pdf/65156755/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
21	Understanding Post-Prandial Hyperglycemia in Patients with Type 1 and Type 2 Diabetes: A Web-based Survey in Germany, the UK, and USA. <i>Diabetes Therapy</i> , 2016 , 7, 335-48	3.6	19
20	Economic burden of PPH substantial. <i>PharmacoEconomics & Outcomes News</i> , 2016 , 752, 10-10	0.1	
19	Understanding bolus insulin dose timing: the characteristics and experiences of people with diabetes who take bolus insulin. <i>Current Medical Research and Opinion</i> , 2017 , 33, 639-645	2.5	13
18	Pharmacological Properties of Faster-Acting Insulin Aspart. <i>Current Diabetes Reports</i> , 2017 , 17, 101	5.6	17
17	Pharmakologische Eigenschaften des schneller wirksamen Insulins aspart (Faster-acting Insulin aspart). <i>Diabetologie Und Stoffwechsel</i> , 2017 , 12, 386-396	0.7	
16	Efficacy of Cellular Therapy for Diabetic Foot Ulcer: A Meta-Analysis of Randomized Controlled Clinical Trials. <i>Cell Transplantation</i> , 2017 , 26, 1931-1939	4	10
15	Mesenchymal Stem Cells Improve Healing of Diabetic Foot Ulcer. <i>Journal of Diabetes Research</i> , 2017 , 2017, 9328347	3.9	68
14	A small dose of whey protein co-ingested with mixed-macronutrient breakfast and lunch meals improves postprandial glycemia and suppresses appetite in men with type 2 diabetes: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 550-557	7	31
13	Postprandial glucose and healthcare resource use: a cross-sectional survey of adults with diabetes treated with basal-bolus insulin. <i>Journal of Medical Economics</i> , 2018 , 21, 66-73	2.4	9
12	Diabetes Management and Healthcare Resource Use When Intensifying from Basal Insulin to Basal-Bolus: A Survey of Type 2 Diabetes Patients. <i>Diabetes Therapy</i> , 2018 , 9, 1931-1944	3.6	6
11	The value of fast-acting insulin aspart compared with insulin aspart for patients with diabetes mellitus treated with bolus insulin from a UK health care system perspective. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2018 , 9, 187-197	4.5	4
10	How often patients on insulin therapy measure postprandial glycemia and modify insulin doses accordingly? From an on-line survey in insulin-treated diabetes patients in Spain. <i>Diabetes Research and Clinical Practice</i> , 2019 , 154, 43-51	7.4	1
9	Post-Basal Insulin Intensification and Healthcare Resource Use in Type 2 Diabetes: A Web-Based Physician Survey in the United States and United Kingdom. <i>Diabetes Therapy</i> , 2019 , 10, 1323-1336	3.6	3
8	Towards a better understanding of postprandial hyperglycemic episodes in people with diabetes: impact on daily functioning. <i>Current Medical Research and Opinion</i> , 2019 , 35, 525-533	2.5	2
7	Intralesional allogeneic adipose-derived stem cells application in chronic diabetic foot ulcer: Phase I/2 safety study. <i>Foot and Ankle Surgery</i> , 2021 , 27, 636-642	3.1	5
6	Ultra-Rapid Lispro Improves Postprandial Glucose Control and Time in Range in Type 1 Diabetes Compared to Lispro: PRONTO-T1D Continuous Glucose Monitoring Substudy. <i>Diabetes Technology and Therapeutics</i> , 2020 , 22, 853-860	8.1	7
5	A low dose of simvastatin enhanced the therapeutic efficacy of mesenchymal stem cell (MSC) transplantation in skin wound healing in diabetic mice associated with increases in pAkt, SDF-1, and angiogenesis.		1

- 4 Glycemic control after switching to faster aspart in adults with type 1 diabetes.. *Journal of Endocrinological Investigation*, **2022**, 1 5.2
- 3 Postprandial glucose is correlated with an increasing risk of liver fibrosis in Chinese patients with nonalcoholic fatty liver disease. *Diabetes and Metabolism*, **2022**, 101377 5.4 ○
- 2 Weight Management, Micronutrients, and Supplements in Diabetes. ○
- 1 Increased Time in Range with Ultra Rapid Lispro Treatment in Participants with Type 2 Diabetes: PRONTO-Time in Range. ○