

CITATION REPORT

List of articles citing

Template-free preparation of macro/mesoporous g-C₃N₄/TiO₂ heterojunction photocatalysts with enhanced visible light photocatalytic activity

DOI: 10.1016/j.apcatb.2016.01.026

Applied Catalysis B: Environmental, 2016, 187, 47-58.

Source: <https://exaly.com/paper-pdf/65361986/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
516	Preparation of hierarchical micro/nanostructured Bi ₂ S ₃ -WO ₃ composites for enhanced photocatalytic performance. 2016 , 685, 812-819		45
515	Facile synthesis of novel CaFe ₂ O ₄ /g-C ₃ N ₄ nanocomposites for degradation of methylene blue under visible-light irradiation. 2016 , 480, 126-136		82
514	Graphitic Carbon Nitride (g-C ₃ N ₄)-Based Photocatalysts for Artificial Photosynthesis and Environmental Remediation: Are We a Step Closer To Achieving Sustainability?. 2016 , 116, 7159-329		4018
513	Coupling membrane catalysis and biodegradation for nitric oxide removal in a novel hybrid catalytic membrane biofilm reactor. 2016 , 296, 154-161		12
512	Photocatalytic Degradation of Safranin T and Rhodamine on Nanoparticles of Rutile Modified with C ₃ N ₄ . 2016 , 52, 227-232		
511	The flux growth of single-crystalline CoTiO polyhedral particles and improved visible-light photocatalytic activity of heterostructured CoTiO/g-CN composites. 2016 , 45, 17748-17758		45
510	Novel TiO/CN Photocatalysts for Photocatalytic Reduction of CO and for Photocatalytic Decomposition of NO. 2016 , 120, 8564-8573		127
509	High-quality spinel LiCoTiO ₄ single crystals with co-exposed {111} and {110} facets: flux growth, formation mechanism, magnetic behavior and their application in photocatalysis. 2016 , 18, 6926-6933		9
508	Rational construction of Z-scheme Ag ₂ CrO ₄ /g-C ₃ N ₄ composites with enhanced visible-light photocatalytic activity. 2016 , 390, 357-367		113
507	Liquid-exfoliation of layered MoS ₂ for enhancing photocatalytic activity of TiO ₂ /g-C ₃ N ₄ photocatalyst and DFT study. 2016 , 389, 496-506		102
506	Novel spindle-shaped nanoporous TiO ₂ coupled graphitic g-C ₃ N ₄ nanosheets with enhanced visible-light photocatalytic activity. 2016 , 42, 18443-18452		71
505	Facile synthesis of carbon-doped graphitic C ₃ N ₄ @MnO ₂ with enhanced electrochemical performance. 2016 , 6, 83209-83216		53
504	Synthesis and optical properties of TDQD and effective CO ₂ reduction using a TDQD-photosensitized TiO ₂ film. 2016 , 330, 30-36		9
503	Enhanced photo-Fenton-like process over Z-scheme CoFeO/g-CN Heterostructures under natural indoor light. 2016 , 23, 21833-21845		83
502	Electron acceptor of Ni decorated porous carbon nitride applied in photocatalytic hydrogen production. 2016 , 18, 31534-31541		61
501	Green synthesis of BiOBr modified Bi ₂ O ₂ CO ₃ nanocomposites with enhanced visible-responsive photocatalytic properties. 2016 , 6, 106046-106053		19
500	Highly efficient Ag ₆ Si ₂ O ₇ /WO ₃ photocatalyst based on heterojunction with enhanced visible light photocatalytic activities. 2016 , 6, 103289-103295		26

499	Synthesis of flower-like TiO ₂ microsphere/graphene composite for removal of organic dye from water. 2016 , 99, 378-388	50
498	Synthesis of highly dispersed silver doped g-C ₃ N ₄ nanocomposites with enhanced visible-light photocatalytic activity. 2016 , 98, 223-230	90
497	Photocatalytic degradation of clofibric acid by g-CN/P25 composites under simulated sunlight irradiation: The significant effects of reactive species. 2017 , 172, 193-200	66
496	Metal-Organic Framework Photosensitized TiO ₂ Co-catalyst: A Facile Strategy to Achieve a High Efficiency Photocatalytic System. 2017 , 23, 3931-3937	24
495	Fabrication of Heterostructured g-C ₃ N ₄ /Ag-TiO ₂ Hybrid Photocatalyst with Enhanced Performance in Photocatalytic Conversion of CO ₂ Under Simulated Sunlight Irradiation. 2017 , 402, 198-207	82
494	A new ribbon-ignition method for fabricating p-CuO/n-CeO ₂ heterojunction with enhanced photocatalytic activity. 2017 , 403, 699-706	34
493	Novel Ag ₂ MoO ₄ /g-C ₃ N ₄ heterojunction catalysts with highly enhanced visible-light-driven photocatalytic activity. 2017 , 7, 2163-2171	53
492	Hydrothermal synthesis of graphene/TiO ₂ /CdS nanocomposites as efficient visible-light-driven photocatalysts. 2017 , 194, 172-175	27
491	Combination of ternary Fe ₃ O ₄ /TiO ₂ /CuO nanocomposites and nanographene platelets: High performance photo and sonocatalysis. 2017 ,	
490	Role of precursors on the photophysical properties of carbon nitride and its application for antibiotic degradation. 2017 , 24, 8609-8618	44
489	In-situ growth of mesoporous Nb ₂ O ₅ microspheres on g-C ₃ N ₄ nanosheets for enhanced photocatalytic H ₂ evolution under visible light irradiation. 2017 , 42, 6683-6694	35
488	Black TiO ₂ nanobelts/g-CN nanosheets Laminated Heterojunctions with Efficient Visible-Light-Driven Photocatalytic Performance. 2017 , 7, 41978	168
487	Electrospinning Preparation of Nanostructured g-CN/BiVO ₄ Composite Films with an Enhanced Photoelectrochemical Performance. 2017 , 33, 4694-4701	68
486	Compact and uniform TiO ₂ @g-C ₃ N ₄ core-shell quantum heterojunction for photocatalytic degradation of tetracycline antibiotics. <i>Applied Catalysis B: Environmental</i> , 2017 , 217, 57-64	21.8 223
485	Insight into synergistically enhanced adsorption and visible light photocatalytic performance of Z-scheme heterojunction of SrTiO ₃ (La,Cr)-decorated WO ₃ nanosheets. 2017 , 412, 279-289	31
484	Construction of ultrafine TiO ₂ nanoparticle and SnNb ₂ O ₆ nanosheet 0D/2D heterojunctions with abundant interfaces and significantly improved photocatalytic activity. 2017 , 7, 2308-2317	34
483	Titanium dioxide and cadmium sulfide co-sensitized graphitic carbon nitride nanosheets composite photocatalysts with superior performance in phenol degradation under visible-light irradiation. 2017 , 490, 154-162	53
482	Fabrication of TiO ₂ -doped single layer graphitic-C ₃ N ₄ and its visible-light photocatalytic activity. 2017 , 186, 226-232	17

481	Facile in-situ design strategy to disperse TiO ₂ nanoparticles on graphene for the enhanced photocatalytic degradation of rhodamine 6G. <i>Applied Catalysis B: Environmental</i> , 2017 , 218, 208-219	21.8	125
480	Tryptone based synthesis of TiO ₂ @graphite carbon heterojunction with enhanced Photoreduction activity under visible light. 2017 , 99, 71-74		2
479	Easy synthesis of TiO ₂ /g-C ₃ N ₄ heterostructure photocatalyst with large surface area and excellent photocatalytic activity. 2017 , 43, S664-S670		27
478	Surface-engineering strategies for g-C ₃ N ₄ as efficient visible-light photocatalyst. 2017 , 6, 57-62		12
477	Morphology and defects regulation of carbon nitride by hydrochloric acid to boost visible light absorption and photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2017 , 217, 629-636	21.8	68
476	Enhanced photocatalytic activity by the construction of a TiO ₂ /carbon nitride nanosheets heterostructure with high surface area via direct interfacial assembly. 2017 , 10, 2193-2209		57
475	In situ hydrothermal synthesis of g-C ₃ N ₄ /TiO ₂ heterojunction photocatalysts with high specific surface area for Rhodamine B degradation. 2017 , 411, 400-410		204
474	Ag ₆ Mo ₁₀ O ₃₃ /g-C ₃ N ₄ 1D-2D hybridized heterojunction as an efficient visible-light-driven photocatalyst. 2017 , 432, 285-291		32
473	Efficient Photocatalytic Bilirubin Removal over the Biocompatible Core/Shell P25/g-CN Heterojunctions with Metal-free Exposed Surfaces under Moderate Green Light Irradiation. 2017 , 7, 44338		13
472	Mechanisms on the Sterilization Performance of Fluorocarbon Resin Composite Coatings Enhanced by g-C ₃ N ₄ /TiO ₂ . 2017 , 27, 353-362		12
471	CdIn ₂ S ₄ /g-C ₃ N ₄ heterojunction photocatalysts: enhanced photocatalytic performance and charge transfer mechanism. 2017 , 7, 231-237		44
470	TaOC chemical bond enhancing charge separation between Ta ⁴⁺ doped Ta ₂ O ₅ quantum dots and cotton-like g-C ₃ N ₄ . <i>Applied Catalysis B: Environmental</i> , 2017 , 205, 271-280	21.8	56
469	A Composite Polymeric Carbon Nitride with In Situ Formed Isotype Heterojunctions for Highly Improved Photocatalysis under Visible Light. 2017 , 13, 1603182		41
468	Photocatalytic decomposition of N ₂ O over TiO ₂ /g-C ₃ N ₄ photocatalysts heterojunction. 2017 , 396, 1685-1695	81	
467	Meso-g-C ₃ N ₄ /g-C ₃ N ₄ nanosheets laminated homojunctions as efficient visible-light-driven photocatalysts. 2017 , 42, 25969-25979		53
466	Ternary-component reduced graphene oxide aerogel constructed by g-C ₃ N ₄ /BiOBr heterojunction and graphene oxide with enhanced photocatalytic performance. 2017 , 729, 162-170		39
465	Bimetallic zeolitic imidazolate frameworks-derived porous carbon-based materials with efficient synergistic microwave absorption properties: the role of calcining temperature. 2017 , 7, 46436-46444		27
464	Synthesis of TiO@g-CN core-shell nanorod arrays with Z-scheme enhanced photocatalytic activity under visible light. 2017 , 508, 419-425		46

463	Facile fabrication of mesoporous g-C ₃ N ₄ /TiO ₂ photocatalyst for efficient degradation of DNBP under visible light irradiation. 2017 , 426, 1271-1280		31
462	Rational design of carbon-doped TiO ₂ modified g-C ₃ N ₄ via in-situ heat treatment for drastically improved photocatalytic hydrogen with excellent photostability. 2017 , 41, 1-9		140
461	In situ decoration of plasmonic Au nanoparticles on graphene quantum dots-graphitic carbon nitride hybrid and evaluation of its visible light photocatalytic performance. 2017 , 28, 395703		43
460	Fabrication of Bi modified Bi ₂ S ₃ pillared g-C ₃ N ₄ photocatalyst and its efficient photocatalytic reduction and oxidation performances. 2017 , 426, 427-436		60
459	2D graphitic-C ₃ N ₄ hybridized with 1D flux-grown Na-modified K ₂ Ti ₆ O ₁₃ nanobelts for enhanced simulated sunlight and visible-light photocatalytic performance. 2017 , 7, 4064-4078		60
458	Titania with Alkaline Treated Graphitic Carbon Nitride (g-C ₃ N ₄) to Improve Photocatalysis Properties. 2017 , 205, 012023		0
457	Water purification by polymer nanocomposites: an overview. 2017 , 3, 47-66		131
456	Synergetic activation of peroxymonosulfate by Co ₃ O ₄ modified g-C ₃ N ₄ for enhanced degradation of diclofenac sodium under visible light irradiation. <i>Applied Catalysis B: Environmental</i> , 2017 , 218, 810-818 ^{1.8}	21.8	191
455	Decoration of TiO ₂ nanotube arrays by graphitic-C ₃ N ₄ quantum dots with improved photoelectrocatalytic performance. 2017 , 394, 479-487		66
454	Facile synthesis of SiO ₂ @Cu _x O@TiO ₂ heterostructures for catalytic reductions of 4-nitrophenol and 2-nitroaniline organic pollutants. 2017 , 393, 110-118		44
453	Photocorrosion inhibition and high-efficiency photoactivity of porous g-C ₃ N ₄ /Ag ₂ CrO ₄ composites by simple microemulsion-assisted co-precipitation method. <i>Applied Catalysis B: Environmental</i> , 2017 , 204, 78-88	21.8	145
452	Recent Advances in Graphene Based TiO ₂ Nanocomposites (GTiO ₂ Ns) for Photocatalytic Degradation of Synthetic Dyes. 2017 , 7, 305		92
451	Simultaneous photocatalytic and microbial degradation of dye-containing wastewater by a novel g-C ₃ N ₄ -P25/photosynthetic bacteria composite. 2017 , 12, e0172747		15
450	Mechanistic Characteristics of Surface Modified Organic Semiconductor g-C ₃ N ₄ /Nanotubes Alloyed with Titania. 2017 , 10,		25
449	One-step synthesis of nanostructured g-C ₃ N ₄ /TiO ₂ composite for highly enhanced visible-light photocatalytic H ₂ evolution. <i>Applied Catalysis B: Environmental</i> , 2018 , 230, 260-268	21.8	274
448	Mesocrystalline Ta ₂ O ₅ nanosheets supported PdPt nanoparticles for efficient photocatalytic hydrogen production. 2018 , 43, 8232-8242		19
447	Fabrication of 2D SnS/g-CN heterojunction with enhanced H ₂ evolution during photocatalytic water splitting. 2018 , 524, 313-324		104
446	Polymeric Carbon Nitride with Localized Aluminum Coordination Sites as a Durable and Efficient Photocatalyst for Visible Light Utilization. 2018 , 8, 4241-4256		84

445	Enhancing photocatalytic performance by constructing ultrafine TiO ₂ nanorods/g-C ₃ N ₄ nanosheets heterojunction for water treatment. 2018 , 63, 683-690		40
444	Ba ₅ Ta ₄ O ₁₅ Nanosheet/AgVO ₃ Nanoribbon Heterojunctions with Enhanced Photocatalytic Oxidation Performance: Hole Dominated Charge Transfer Path and Plasmonic Effect Insight. 2018 , 6, 6682-6692		74
443	Effects of calcining temperature on formation of hierarchical TiO ₂ /g-C ₃ N ₄ hybrids as an effective Z-scheme heterojunction photocatalyst. 2018 , 441, 1012-1023		114
442	Self-assembled hierarchical direct Z-scheme g-C ₃ N ₄ /ZnO microspheres with enhanced photocatalytic CO ₂ reduction performance. 2018 , 441, 12-22		256
441	Synthesis of Fe- or Ag-doped TiO ₂ /MWCNT nanocomposite thin films and their visible-light-induced catalysis of dye degradation and antibacterial activity. 2018 , 44, 2667-2683		28
440	Template-free Fabrication of ZnS/TiO ₂ Photocatalyst with Macrochannels. 2018 , 65, 252-258		5
439	Ti ³⁺ self-doped mesoporous black TiO ₂ /SiO ₂ /g-C ₃ N ₄ sheets heterojunctions as remarkable visible-light-driven photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2018 , 226, 499-508	21.8	103
438	Fabrication of a TiO ₂ trapped meso/macroporous g-C ₃ N ₄ heterojunction photocatalyst and understanding its enhanced photocatalytic activity based on optical simulation analysis. 2018 , 5, 481-489		19
437	Unique bar-like sulfur-doped C ₃ N ₄ /TiO ₂ nanocomposite: Excellent visible light driven photocatalytic activity and mechanism study. 2018 , 436, 873-881		29
436	Novel Z-scheme BiOBr/reduced graphene oxide/protonated g-C ₃ N ₄ photocatalyst: Synthesis, characterization, visible light photocatalytic activity and mechanism. 2018 , 437, 51-61		101
435	Covalently bonded 2D/2D O-g-C ₃ N ₄ /TiO ₂ heterojunction for enhanced visible-light photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2018 , 237, 1130-1138	21.8	89
434	Synthesis and properties of Ag/ZnO/g-C ₃ N ₄ ternary micro/nano composites by microwave-assisted method. 2018 , 5, 015021		14
433	In situ synthesis of g-CN/TiO heterojunction nanocomposites as a highly active photocatalyst for the degradation of Orange II under visible light irradiation. 2018 , 25, 19122-19133		12
432	Removal of <i>Microcystis aeruginosa</i> and Microcystin-LR using a graphitic-C ₃ N ₄ /TiO ₂ floating photocatalyst under visible light irradiation. 2018 , 348, 380-388		71
431	Fabrication of a Novel ZnO/NiMoO ₄ Nanocomposite and Evaluation of Its Visible Light Driven Photocatalytic Performance. 2018 , 17, 743-750		7
430	Self-modification of g-C ₃ N ₄ with its quantum dots for enhanced photocatalytic activity. 2018 , 8, 2617-2623		51
429	Plasmon-resonance-enhanced visible-light photocatalytic activity of Ag quantum dots/TiO ₂ microspheres for methyl orange degradation. 2018 , 80, 1-5		13
428	Template-free synthesis of three-dimensional porous CdS/TiO ₂ with high stability and excellent visible photocatalytic activity. 2018 , 212, 69-77		29

427	The p-n-type Bi ₅ O ₇ I-modified porous C ₃ N ₄ nano-heterojunction for enhanced visible light photocatalysis. 2018 , 747, 788-795	32
426	Unconventionally prepared TiO ₂ /g-C ₃ N ₄ photocatalysts for photocatalytic decomposition of nitrous oxide. 2018 , 430, 335-347	56
425	An ingenious strategy of preparing TiO ₂ /g-C ₃ N ₄ heterojunction photocatalyst: In situ growth of TiO ₂ nanocrystals on g-C ₃ N ₄ nanosheets via impregnation-calcination method. 2018 , 433, 963-974	50
424	Highly ordered TiO nanotube arrays wrapped with g-CN nanoparticles for efficient charge separation and increased photoelectrocatalytic degradation of phenol. 2018 , 344, 369-380	167
423	Mechanisms on the enhanced sterilization performance of fluorocarbon resin composite coatings modified by g-C ₃ N ₄ /Bi ₂ MoO ₆ under the visible-light. 2018 , 350, 10-16	23
422	The visible light hydrogen production of the Z-Scheme Ag ₃ PO ₄ /Ag/g-C ₃ N ₄ nanosheets composites. 2018 , 53, 1978-1986	39
421	Rapid synthesis of rutile TiO ₂ nano-flowers by dealloying Cu ₆₀ Ti ₃₀ Y ₁₀ metallic glasses. 2018 , 428, 328-337	12
420	Improved visible-light activities for degrading pollutants on TiO/g-CN nanocomposites by decorating SPR Au nanoparticles and 2,4-dichlorophenol decomposition path. 2018 , 342, 715-723	138
419	Organosilica Nanotube Templates: One-Pot Synthesis of Carbon-Modified Polymeric Carbon Nitride Nanorods for Photocatalysis. 2018 , 10, 581-589	18
418	Ti ³⁺ -TiO ₂ /g-C ₃ N ₄ mesostructured nanosheets heterojunctions as efficient visible-light-driven photocatalysts. 2018 , 357, 90-99	127
417	Mesocrystalline Ti ³⁺ +TiO ₂ hybridized g-C ₃ N ₄ for efficient visible-light photocatalysis. 2018 , 128, 21-30	87
416	In-depth understanding of core-shell nanoarchitecture evolution of g-C ₃ N ₄ @C, N co-doped anatase/rutile: Efficient charge separation and enhanced visible-light photocatalytic performance. 2018 , 436, 302-318	45
415	Fabrication of flower-like direct Z-scheme Bi ₂ O ₃ /g-C ₃ N ₄ photocatalyst with enhanced visible light photoactivity for Rhodamine B degradation. 2018 , 436, 162-171	90
414	Photocatalytic Performance of ZnO/g-C ₃ N ₄ for Removal of Phenol under Simulated Sunlight Irradiation. 2018 , 144, 04017091	40
413	High-efficiency removal of rhodamine B dye in water using g-C ₃ N ₄ and TiO ₂ co-hybridized 3D graphene aerogel composites. 2018 , 194, 96-103	53
412	Synthesis of core-shell TiO ₂ @g-C ₃ N ₄ hollow microspheres for efficient photocatalytic degradation of rhodamine B under visible light. 2018 , 430, 263-272	137
411	Enhanced photocatalytic activity of electrospun nanofibrous TiO ₂ /g-C ₃ N ₄ heterojunction photocatalyst under simulated solar light. 2018 , 430, 243-252	49
410	Preparation of graphitic carbon nitride with nitrogen-defects and its photocatalytic performance in the degradation of organic pollutants under visible light. 2018 , 46, 871-878	7

409	Preparation and characterization of graphene/TiO ₂ nanocomposite for enhanced photodegradation of Rhodamine-B dye. 2018 , 44, 263-270	40
408	Simultaneous morphology, band structure, and defect optimization of graphitic carbon nitride microsphere by the precursor concentration to boost photocatalytic activity. 2018 , 33, 3917-3927	9
407	Preparation and characterization of photocatalytic TiO ₂ /WO ₃ films on functionalized stainless steel. 2018 , 29, 19909-19922	3
406	One-Step Synthesis Heterostructured g-C ₃ N ₄ /TiO ₂ Composite for Rapid Degradation of Pollutants in Utilizing Visible Light. 2018 , 8,	39
405	Titanium Phosphate Nanoplates Modified With AgBr@Ag Nanoparticles: A Novel Heterostructured Photocatalyst With Significantly Enhanced Visible Light Responsive Activity. 2018 , 6, 489	10
404	Few Layered BiOBr with Expanded Interlayer Spacing and Oxygen Vacancies for Efficient Decomposition of Real Oil Field Produced Wastewater. 2018 , 6, 13739-13746	32
403	Carbon nitrides and metal nanoparticles: from controlled synthesis to design principles for improved photocatalysis. 2018 , 47, 7783-7817	167
402	WS and C-TiO Nanorods Acting as Effective Charge Separators on g-C ₃ N ₄ to Boost Visible-Light Activated Hydrogen Production from Seawater. 2018 , 11, 4077-4085	50
401	Ultrathin Hexagonal SnS ₂ Nanosheets Coupled with Tetragonal CuInS ₂ Nanosheets as 2D/2D Heterojunction Photocatalysts Toward High Visible-Light Photocatalytic Activity and Stability. 2018 , 148, 1990-2000	6
400	In Situ Fabrication of Foamed Titania Carbon Nitride Nanocomposite and Its Synergetic Visible-Light Photocatalytic Performance. 2018 , 57, 8152-8159	22
399	Synthesis and photocatalytic activity of mesoporous g-C ₃ N ₄ /MoS ₂ hybrid catalysts. 2018 , 5, 180187	22
398	Promotion of phenol photodecomposition and the corresponding decomposition mechanism over g-C ₃ N ₄ /TiO ₂ nanocomposites. 2018 , 453, 320-329	42
397	Carbon-doped golden wattle-like TiO ₂ microspheres with excellent visible light photocatalytic activity: Simultaneous in-situ carbon doping and single-crystal nanorod self-assembly. 2018 , 448, 78-87	18
396	In-situ growth of ZnIn ₂ S ₄ decorated on electrospun TiO ₂ nanofibers with enhanced visible-light photocatalytic activity. 2018 , 706, 68-75	24
395	Novel formation of Bi@BiFe-glycolate hollow spheres and their conversion into Bi ₂ O ₃ /BiFeO ₃ composite hollow spheres with enhanced activity and durability in visible photocatalysis. 2018 , 42, 10697-10703	7
394	Copper octacarboxyphthalocyanine as sensitizer of graphitic carbon nitride for efficient dye degradation under visible light irradiation. 2018 , 563, 127-136	23
393	Facile in situ construction of mediator-free direct Z-scheme g-C ₃ N ₄ /CeO ₂ heterojunctions with highly efficient photocatalytic activity. 2018 , 51, 275302	80
392	ZnO nanoparticles implanted in TiO ₂ macrochannels as an effective direct Z-scheme heterojunction photocatalyst for degradation of RhB. 2018 , 456, 666-675	95

391	Molybdenum disulfide (MoS ₂) as a co-catalyst for photocatalytic degradation of organic contaminants: A review. 2018 , 118, 40-58		61
390	Defective Anatase TiO Mesocrystal Growth In Situ on g-C N Nanosheets: Construction of 3D/2D Z-Scheme Heterostructures for Highly Efficient Visible-Light Photocatalysis. 2018 , 24, 13311-13321		42
389	Hybrid reduced graphene oxide/TiO ₂ /graphitic carbon nitride composites with improved photocatalytic activity for organic pollutant degradation. 2018 , 124, 1		15
388	Nitrogen Defects-Rich 0D/2D Fe ₂ O ₃ /g-C ₃ N ₄ Z-Scheme Photocatalyst for Enhanced Photooxidation and H ₂ Evolution Efficiencies. 2018 , 13, 1850086		13
387	Assembly of TiO ₂ ultrathin nanosheets with surface lattice distortion for solar-light-driven photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2018 , 239, 317-323	21.8	49
386	TiO/g-CN for Visible Light Photocatalytic Oxidation of Hypophosphite: Effect of Mass Ratio of TiO/g-CN. 2018 , 6, 313		9
385	Design of a Photoactive Bimetallic Cu-Au@g-C ₃ N ₄ Catalyst for Visible Light Driven Hydroxylation of the Benzene Reaction through C-H Activation. 2018 , 2018, 3849-3858		15
384	Fabrication of highly efficient TiO ₂ /C ₃ N ₄ visible light driven photocatalysts with enhanced photocatalytic activity. 2018 , 1173, 428-438		37
383	Recent Progress on Titanium Dioxide Nanomaterials for Photocatalytic Applications. 2018 , 11, 3023-3047		158
382	Enhanced Photocatalytic Activity of La ³⁺ -Doped TiO ₂ Nanotubes with Full Wave-Band Absorption. 2018 , 47, 5291-5295		5
381	Rapid removal of sulfamethoxazole from simulated water matrix by visible-light responsive iodine and potassium co-doped graphitic carbon nitride photocatalysts. 2018 , 210, 1099-1107		21
380	Photocatalytic NO oxidation on N-doped TiO ₂ /g-C ₃ N ₄ heterojunction: Enhanced efficiency, mechanism and reaction pathway. 2018 , 458, 77-85		56
379	High Efficient Visible-Light Photocatalytic Performance of Cu/ZnO/rGO Nanocomposite for Decomposing of Aqueous Ammonia and Treatment of Domestic Wastewater. 2018 , 6, 219		28
378	Visible-light-driven activity and synergistic mechanism of TiO@g-CN heterostructured photocatalysts fabricated through a facile and green procedure for various toxic pollutants removal. 2018 , 29, 315601		20
377	Controlled fabrication of TiO ₂ /C ₃ N ₄ core-shell nanowire arrays: a visible-light-responsive and environmental-friendly electrode for photoelectrocatalytic degradation of bisphenol A. 2018 , 53, 11015-11026 ¹⁴		
376	Morphology and band structure regulation of graphitic carbon nitride microspheres by solvothermal temperature to boost photocatalytic activity. 2018 , 124, 1		15
375	Integrating MoS ₂ on sulfur-doped porous g-C ₃ N ₄ iostype heterojunction hybrids enhances visible-light photocatalytic performance. 2018 , 768, 766-774		40
374	Porous MoP network structure as co-catalyst for H ₂ evolution over g-C ₃ N ₄ nanosheets. 2018 , 462, 822-830		92

373	Visible light photocatalytic degradation of MB using UiO-66/g-CN heterojunction nanocatalyst. 2018 , 212, 523-532		100
372	RuC@g-C3N4(H+)/TiO2 visible active photocatalyst: Facile fabrication and Z-scheme carrier transfer mechanism. 2018 , 458, 33-42		7
371	Preparation of magnetic g-C3N4/Fe3O4/TiO2 photocatalyst for visible light photocatalytic application. 2018 , 763, 844-853		23
370	g-C3N4/BiYO3 Composite for Photocatalytic Hydrogen Evolution. 2018 , 3, 5891-5899		16
369	ZnO nanorod arrays grown on g-CN micro-sheets for enhanced visible light photocatalytic H evolution.. 2019 , 9, 24483-24488		15
368	Heterostructured WO3/RGO/protonated g-C3N4 three-layer nanosheets for enhanced visible-light photocatalytic activity. 2019 , 496, 143639		10
367	Solar-driven efficient degradation of emerging contaminants by g-C3N4-shielding polyester fiber/TiO2 composites. <i>Applied Catalysis B: Environmental</i> , 2019 , 258, 117960	21.8	42
366	Fabrication of highly efficient heterostructured Ag-CeO2/g-C3N4 hybrid photocatalyst with enhanced visible-light photocatalytic activity. 2019 , 37, 1269-1278		21
365	Application of efficient photocatalytic process using a novel BiVO/TiO2-NaY zeolite composite for removal of acid orange 10 dye in aqueous solutions: Modeling by response surface methodology (RSM). 2019 , 7, 103253		26
364	Phosphorous doped carbon nitride nanobelts for photodegradation of emerging contaminants and hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 257, 117931	21.8	105
363	Less is more: Enhancement of photocatalytic activity of g-C3N4 nanosheets by site-selective atomic layer deposition of TiO2. 2019 , 494, 508-518		14
362	Enhanced photocatalytic and photoelectrochemical performance of g-C3N4/BiVO4 heterojunction: A combined experimental and theoretical study. 2019 , 9, 055225		9
361	Yolk-shell CdS@void@TiO2 composite particles with photocorrosion resistance for enhanced dye removal and hydrogen evolution. 2019 , 30, 1965-1975		15
360	Interfacial coupling promoting hydrogen sulfide splitting on the staggered type II g-C3N4/r-TiO2 heterojunction. 2019 , 377, 122-132		32
359	ZnO/ZnFe2O4 Janus Hollow Nanofibers with Magnetic Separability for Photocatalytic Degradation of Water-Soluble Organic Dyes. 2019 , 2, 4879-4890		17
358	A Facile Preparation Strategy for TiO2 Spheres by Direct Hydrolysis. 2019 , 5, 1263-1266		3
357	Dual sensitization effect and conductive structure of Fe3O4@mTiO2/C photocatalyst towards superior photodegradation activity for bisphenol A under visible light. 2019 , 382, 111902		6
356	One-pot hydrothermal synthesis of TiO2/RCN heterojunction photocatalyst for production of hydrogen and rhodamine B degradation. 2019 , 493, 202-211		8

355	Phosphorus and sulphur co-doping of g-C ₃ N ₄ nanotubes with tunable architectures for superior photocatalytic H ₂ evolution. 2019 , 44, 20042-20055		31
354	C ₃ N ₄ -digested 3D construction of hierarchical metallic phase MoS ₂ nanostructures. 2019 , 7, 18388-18396		18
353	Functionalized Hybridization of 2D Nanomaterials. 2019 , 6, 1901837		40
352	Novel nano-architected water splitting photoanodes based on TiO ₂ -nanorod mats surface sensitized by ZIF-67 coatings. 2019 , 44, 30949-30964		18
351	TiO ₂ /Graphitic Carbon Nitride Nanosheets for the Photocatalytic Degradation of Rhodamine B under Simulated Sunlight. 2019 , 2, 7255-7265		25
350	Fabrication of Ag/AgBr/TiO ₂ composites with enhanced solar-light photocatalytic properties. 2019 , 583, 123968		15
349	Hydrogen bond interactions within OH-CQDs/fiber-like carbon nitride for enhanced photodegradation and hydrogen evolution. 2019 , 495, 143558		18
348	Energy transfer by plasmon-induced local electromagnetic field in Au-based TiO ₂ plasmonic photocatalysts. 2019 , 45, 5203-5215		5
347	Highly efficient TiO ₂ /AgBr/PANI heterojunction with enhanced visible light photocatalytic activity towards degradation of organic dyes. 2019 , 30, 17020-17031		4
346	Enhanced Light-Driven Hydrogen-Production Activity Induced by Accelerated Interfacial Charge Transfer in Donor-Acceptor Conjugated Polymers/TiO Hybrid. 2019 , 25, 3362-3368		6
345	NiSe as an effective co-catalyst coupled with TiO ₂ for enhanced photocatalytic hydrogen evolution. 2019 , 44, 4821-4831		50
344	Soluble g-C ₃ N ₄ nanosheets: Facile synthesis and application in photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 247, 70-77	21.8	146
343	A simple method to prepare g-CN-TiO/waste zeolites as visible-light-responsive photocatalytic coatings for degradation of indoor formaldehyde. 2019 , 368, 468-476		67
342	Facile Coengineering of Oxygen Defects and Highly Active {110} Facets in TiO ₂ Nanorods for Efficient Water Splitting. 2019 , 19, 1680-1688		14
341	Visible-light responsive g-C ₃ N ₄ coupled with ZnS nanoparticles via a rapid microwave route: Characterization and enhanced photocatalytic activity. 2019 , 488, 360-369		24
340	The enhanced photocatalytic properties of MnO/g-CN heterostructure for rapid sterilization under visible light. 2019 , 377, 227-236		73
339	A Cocrystal Precursor Strategy for Carbon-Rich Graphitic Carbon Nitride toward High-Efficiency Photocatalytic Overall Water Splitting. 2019 , 16, 22-30		28
338	Design and synthesis of porous C ₃ N ₄ /TiO ₂ @ZIF-8 multi-component nano-system via pyrolysis strategy with high adsorption capacity and visible light photocatalytic activity. 2019 , 288, 109548		18

337	Enhanced Removal of Toxic Cr(VI) in Wastewater by Synthetic TiO ₂ /g-C ₃ N ₄ Microspheres/rGO Photocatalyst under Irradiation of Visible Light. 2019 , 58, 8979-8989		21
336	Electrospun Mesoporous InVO /TiO Nanobelts with Enhanced Photocatalytic Properties. 2019 , 95, 1122-1130		3
335	Visible light-driven g-C ₃ N ₄ @ZnO heterojunction photocatalyst synthesized via atomic layer deposition with a specially designed rotary reactor. 2019 , 487, 206-210		29
334	Hydrothermal synthesis of Fe ₃ O ₄ /TiO ₂ /g-C ₃ N ₄ : Advanced photocatalytic application. 2019 , 488, 887-895		34
333	Quasi-full-visible-light absorption by D35-TiO ₂ /g-C ₃ N ₄ for synergistic persulfate activation towards efficient photodegradation of micropollutants. <i>Applied Catalysis B: Environmental</i> , 2019 , 256, 117759	21.8	89
332	3D/2D direct Z-scheme heterojunctions of hierarchical TiO ₂ microflowers/g-C ₃ N ₄ nanosheets with enhanced charge carrier separation for photocatalytic H ₂ evolution. 2019 , 149, 618-626		136
331	An efficient and stable narrow bandgap carbon dot-brookite composite over other CD-TiO ₂ polymorphs in rhodamine B degradation under LED light. 2019 , 45, 14173-14181		10
330	Construction of Schottky-type Ag-loaded fiber-like carbon nitride photocatalysts for tetracycline elimination and hydrogen evolution. 2019 , 485, 70-80		24
329	Enhanced Visible-Light-Induced Photoactivity of Type-II CeO ₂ /g-C ₃ N ₄ Nanosheet toward Organic Pollutants Degradation. 2019 , 7, 9699-9708		80
328	Defect-mediated Z-scheme BiO _{2-x} /Bi ₂ O _{2.75} photocatalyst for full spectrum solar-driven organic dyes degradation. <i>Applied Catalysis B: Environmental</i> , 2019 , 254, 98-112	21.8	96
327	Synthesis of g-C ₃ N ₄ Nanosheet/TiO ₂ Heterojunctions Inspired by Bioadhesion and Biomineralization Mechanism. 2019 , 58, 5516-5525		19
326	Defective borate-decorated polymer carbon nitride: Enhanced photocatalytic NO removal, synergy effect and reaction pathway. <i>Applied Catalysis B: Environmental</i> , 2019 , 249, 266-274	21.8	34
325	Double-shell structural polyaniline-derived TiO ₂ hollow spheres for enhanced photocatalytic activity. 2019 , 44, 555-564		5
324	Enhanced organic pollutant photodegradation via adsorption/photocatalysis synergy using a 3D g-C ₃ N ₄ /TiO ₂ free-separation photocatalyst. 2019 , 370, 287-294		166
323	Synthesis of CoFe ₂ O ₄ and CoFe ₂ O ₄ /g-C ₃ N ₄ nanocomposite via honey mediated sol-gel auto combustion method and hydrothermal method with enhanced photocatalytic and efficient Pb ²⁺ adsorption property. 2019 , 6, 055501		15
322	TiO _{2-x} /Ag ₃ PO ₄ photocatalyst: Oxygen vacancy dependent visible light photocatalytic performance and BPA degradative pathway. 2019 , 97, 1-10		43
321	Direct electrospinning method for the construction of Z-scheme TiO ₂ /g-C ₃ N ₄ /RGO ternary heterojunction photocatalysts with remarkably ameliorated photocatalytic performance. 2019 , 40, 458-469		75
320	Constructing nitrogen vacancy introduced g-C ₃ N ₄ p-n homojunction for enhanced photocatalytic activity. 2019 , 7, 102984		33

319	Novel multilayer TiO heterojunction decorated by low g-CN content and its enhanced photocatalytic activity under UV, visible and solar light irradiation. 2019 , 9, 5932	8
318	Hydrogen production from bio-derived biphasic photoreforming over a raspberry-like amphiphilic Ag ₂ O-TiO ₂ /SiO ₂ catalyst. 2019 , 370, 646-657	22
317	Recent Advances in the Aspects of Architectural Photocatalysts and its Application. 2019 , 6, 3-19	1
316	Convenient and Recyclable TiO ₂ /g-C ₃ N ₄ Photocatalytic Coating: Layer-by-Layer Self-assembly Construction on Cotton Fabrics Leading to Improved Catalytic Activity under Visible Light. 2019 , 58, 3978-3987 ²³	
315	An inverse opal TiO/g-CN composite with a heterojunction for enhanced visible light-driven photocatalytic activity. 2019 , 48, 3486-3495	36
314	Polymeric carbon nitride coated Nb-TiO ₂ nanorod arrays with enhanced photoelectrocatalytic activity under visible light irradiation. 2019 , 101, 113-116	6
313	A highly stable metal-organic framework derived phosphorus doped carbon/Cu ₂ O structure for efficient photocatalytic phenol degradation and hydrogen production. 2019 , 7, 6062-6079	33
312	Recent advances in structure design for enhancing photocatalysis. 2019 , 54, 8831-8851	35
311	UV-Induced Photodegradation of Naproxen Using a Nano FeOOH Composite: Degradation Kinetics and Photocatalytic Mechanism. 2019 , 7, 847	6
310	Surface modification of porous g-C ₃ N ₄ materials using a waste product for enhanced photocatalytic performance under visible light. 2019 , 21, 5934-5944	19
309	Nanostructured Materials for Treating Aquatic Pollution. 2019 ,	2
308	Nanostructured Metallic Oxides for Water Remediation. 2019 , 91-119	1
307	Core/Shell Structure of Mesoporous Carbon Spheres and g-C ₃ N ₄ for Acid Red 18 Decolorization. 2019 , 9, 1007	5
306	Atomic layer deposition with rotary reactor for uniform hetero-junction photocatalyst, g-CN@TiO core-shell structures.. 2019 , 9, 33180-33186	15
305	Salt-template-assisted construction of honeycomb-like structured g-C ₃ N ₄ with tunable band structure for enhanced photocatalytic H ₂ production. <i>Applied Catalysis B: Environmental</i> , 2019 , 240, 64-71 ^{1.8}	89
304	Facile oxalic acid-assisted construction of laminated porous N-deficient graphitic carbon nitride: Highly efficient visible-light-driven hydrogen evolution photocatalyst. 2019 , 33, 1-8	19
303	Fabrication of a novel g-C ₃ N ₄ /Carbon nanotubes/Ag ₃ PO ₄ Z-scheme photocatalyst with enhanced photocatalytic performance. 2019 , 234, 183-186	32
302	BiOBr _x I _{1-x} /BiOBr heterostructure engineering for efficient molecular oxygen activation. 2019 , 356, 34-42	52

301	Light-Driven Sustainable Hydrogen Production Utilizing TiO ₂ Nanostructures: A Review. 2019 , 3, 1800184	91
300	Continuous Photocatalysis Based on Layer-by-Layer Assembly of Separation-Free TiO ₂ /Reduced Graphene Oxide Film Catalysts with Increased Charge Transfer and Active Site. 2019 , 2019, 721-729	5
299	g-C ₃ N ₄ /B doped g-C ₃ N ₄ quantum dots heterojunction photocatalysts for hydrogen evolution under visible light. 2019 , 44, 618-628	52
298	2D/2D Heterostructured UNiMOF/g-C ₃ N ₄ for Enhanced Photocatalytic H ₂ Production under Visible-Light Irradiation. 2019 , 7, 2492-2499	52
297	Synergetic promotional effect of oxygen vacancy-rich ultrathin TiO ₂ and photochemical induced highly dispersed Pt for photoreduction of CO ₂ with H ₂ O. <i>Applied Catalysis B: Environmental</i> , 2019 , 244, 919-930	21.8 81
296	Facile synthesis of bimodal macroporous g-C ₃ N ₄ /SnO ₂ nanohybrids with enhanced photocatalytic activity. 2019 , 64, 44-53	19
295	Hollowsphere Nanoheterojunction of g-CN@TiO with High Visible Light Photocatalytic Property. 2019 , 35, 779-786	51
294	Enhanced persulfate-mediated photocatalytic oxidation of bisphenol A using bioelectricity and a g-C ₃ N ₄ /Fe ₂ O ₃ heterojunction. 2019 , 359, 933-943	96
293	Synergistic effects of phosphorous/sulfur co-doping and morphological regulation for enhanced photocatalytic performance of graphitic carbon nitride nanosheets. 2019 , 54, 1593-1605	34
292	Design of visible-light photocatalysts by coupling of inorganic semiconductors. 2019 , 335, 3-19	26
291	Facile preparation of KBiO ₃ /g-C ₃ N ₄ composites with microwave irradiation for photocatalytic hydrogen production. 2019 , 94, 3440-3446	5
290	Revealing the role of kapok fibre as bio-template for In-situ construction of C-doped g-C ₃ N ₄ @C, N co-doped TiO ₂ core-shell heterojunction photocatalyst and its photocatalytic hydrogen production performance. 2019 , 476, 205-220	46
289	Designing visible-light-driven photocatalyst of Ag ₃ PO ₄ /CeO ₂ for enhanced photocatalytic activity under low light irradiation. 2019 , 30, 415-423	5
288	Construction of 2D SnS ₂ /g-C ₃ N ₄ Z-scheme composite with superior visible-light photocatalytic performance. 2019 , 467-468, 56-64	60
287	Visible-light degradation of sulfonamides by Z-scheme ZnO/g-CN heterojunctions with amorphous FeO as electron mediator. 2019 , 538, 256-266	72
286	Construction of TiO ₂ -Fe-C ₃ N ₄ compound: Promotion of interfacial charge transfer effect through facile energy level alignment. 2019 , 781, 140-148	13
285	Ag ₂ O nanoparticles decorated TiO ₂ nanofibers as a p-n heterojunction for enhanced photocatalytic decomposition of RhB under visible light irradiation. 2019 , 465, 902-910	89
284	Review on the interface engineering in the carbonaceous titania for the improved photocatalytic hydrogen production. 2020 , 45, 7584-7615	24

283	3D-Printed Grids with Polymeric Photocatalytic System as Flexible Air Filter. <i>Applied Catalysis B: Environmental</i> , 2020 , 262, 118307	21.8	16
282	Enhanced photocatalytic H ₂ evolution by deposition of metal nanoparticles into mesoporous structure of g-C ₃ N ₄ . 2020 , 585, 124067		13
281	Highly flexible, core-shell heterostructured, and visible-light-driven titania-based nanofibrous membranes for antibiotic removal and E. coli inactivation. 2020 , 379, 122269		71
280	TiO@C core@shell nanocomposites: A single precursor synthesis of photocatalyst for efficient solar water treatment. 2020 , 381, 120883		19
279	Structural design of hexagonal/monoclinic WO ₃ phase junction for photocatalytic degradation. 2020 , 121, 110614		32
278	In-situ synthesis of mesoporous TiO ₂ -Cu ₂ ZnSnS ₄ heterostructured nanocomposite for enhanced photocatalytic degradation. 2020 , 505, 144540		10
277	MOF-derived the direct Z-scheme g-C ₃ N ₄ /TiO ₂ with enhanced visible photocatalytic activity. 2020 , 93, 123-130		22
276	Ultrathin g-C ₃ N ₄ nanosheet with hierarchical pores and desirable energy band for highly efficient H ₂ O ₂ production. <i>Applied Catalysis B: Environmental</i> , 2020 , 267, 118396	21.8	76
275	One-step synthesis of phosphorus/oxygen co-doped g-CN/anatase TiO Z-scheme photocatalyst for significantly enhanced visible-light photocatalysis degradation of enrofloxacin. 2020 , 386, 121634		55
274	Effect of cations on the structure, physico-chemical properties and photocatalytic behaviors of silver-doped zeolite Y. 2020 , 293, 109800		6
273	Metal-Free Enhanced Photocatalytic Activation of Dioxygen by g-C ₃ N ₄ Doped with Abundant Oxygen-Containing Functional Groups for Selective N-Deethylation of Rhodamine B. 2020 , 10, 6		7
272	In Situ Construction of Ag/TiO/g-CN Heterojunction Nanocomposite Based on Hierarchical Co-Assembly with Sustainable Hydrogen Evolution. 2019 , 10,		128
271	Bi@Bi ₄ Ti ₃ O ₁₂ /TiO ₂ films on glass with photocatalytic and self-cleaning performance. 2020 , 103, 3104-3118		1
270	Flexible TiO/PVDF/g-CN Nanocomposite with Excellent Light Photocatalytic Performance. 2019 , 12,		7
269	The enhanced photodegradation of bisphenol A by TiO/CN composites. 2020 , 182, 109090		23
268	Synthesis of BiOF/TiO ₂ Heterostructures and Their Enhanced Visible-Light Photocatalytic Activity. 2020 , 2020, 253-260		2
267	Mechanistic studies on peroxymonosulfate activation by g-C ₃ N ₄ under visible light for enhanced oxidation of light-inert dimethyl phthalate. 2020 , 41, 322-332		31
266	In ₂ O ₃ /boron doped g-C ₃ N ₄ heterojunction catalysts with remarkably enhanced visible-light photocatalytic efficiencies. 2020 , 504, 144241		15

265	Polydopamine-induced fabrication of Ag-TiO ₂ hollow nanospheres and their application in visible-light photocatalysis. 2020 , 586, 124283		8
264	Hierarchical hetero-architectures of in-situ g-C ₃ N ₄ -coupled Fe-doped ZnO micro-flowers with enhanced visible-light photocatalytic activities. 2020 , 506, 145017		22
263	Low temperature dealloying preparation of extremely fine double-levels nano-SnO ₂ particles with excellent photocatalytic properties. 2020 , 506, 144970		4
262	Hydrothermally synthesis of MWCNT/N-TiO ₂ /UiO-66-NH ₂ ternary composite with enhanced photocatalytic performance for ketoprofen. 2020 , 111, 107669		22
261	Graphic C ₃ N ₄ -assisted dispersion of graphene to improve the corrosion resistance of waterborne epoxy coating. 2020 , 139, 105448		16
260	Performance optimization of CdS precipitated graphene oxide/polyacrylic acid composite for efficient photodegradation of chlortetracycline. 2020 , 388, 121780		18
259	Rational combination of covalent-organic framework and nano TiO ₂ by covalent bonds to realize dramatically enhanced photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2020 , 266, 118586	21.8	73
258	Low-temperature in situ fabrication of porous S-doped g-C ₃ N ₄ nanosheets using gaseous-bubble template for enhanced visible-light photocatalysis. 2020 , 46, 28481-28489		19
257	Study on the preparation of the hierarchical porous CX-TiO composites and their selective degradation of PHE solubilized in soil washing eluent. 2020 , 260, 127588		0
256	Theoretical study on transport-scheme conversion of g-C ₃ N ₄ /TiO ₂ heterojunctions by oxygen vacancies. 2020 , 531, 147318		13
255	Photoreduction of CO ₂ in the presence of CH ₄ over g-C ₃ N ₄ modified with TiO ₂ nanoparticles at room temperature. 2020 , 6, 938-938		7
254	CN/iodine-doped CN homojunction powder catalysts with excellent visible-light photocatalytic properties. 2020 , 373, 488-496		4
253	Highly efficient g-C ₃ N ₄ /Cr-ZnO nanocomposites with superior photocatalytic and antibacterial activity. 2020 , 401, 112776		52
252	Efficient photocatalytic hydrogen production using an NH ₄ TiOF ₃ /TiO ₂ /g-C ₃ N ₄ composite with a 3D camellia-like Z-scheme heterojunction structure. 2020 , 46, 26689-26697		13
251	In situ synthesis of exfoliation TiO ₂ @C hybrids with enhanced photocatalytic hydrogen evolution activity. 2020 , 530, 147283		10
250	Significantly Enhanced Photoluminescence Performance of NiS(NiS and NiS)/ZnO Nanorods by a Hydrothermal Method. 2020 , 59, 17184-17190		3
249	Z-Scheme mechanism study of ternary BiPO ₄ /reduced graphene oxide/protonated g-C ₃ N ₄ photocatalyst with interfacial electric field mediating for the effective photocatalytic degradation of tetracycline. 2020 , 31, 14886-14900		2
248	A high performance and low cost poly(dibenzothiophene-S,S-dioxide)@TiO ₂ composite with hydrogen evolution rate up to 51.5 mmol h ⁻¹ g ⁻¹ . 2020 , 8, 18292-18301		8

247	Heterostructured g-CN/TiO Photocatalysts Prepared by Thermolysis of g-CN/MIL-125(Ti) Composites for Efficient Pollutant Degradation and Hydrogen Production. 2020 , 10,	9
246	A promising Z-scheme heterojunction via loading Ag/AgCl into porous Co ₃ O ₄ derived from ZIF-67 for visible light driven photocatalysis. 2020 , 307, 110530	9
245	Photo-induced synthesis of nanostructured Pt-on-Au/g-C ₃ N ₄ composites for visible light photocatalytic hydrogen production. 2020 , 55, 15574-15587	9
244	Visible-light-driven photocatalytic selective organic oxidation reactions. 2020 , 8, 20897-20924	28
243	Investigation on the Mechanism and Inner Impetus of Photogenerated Charge Transfer in WO ₃ /ZnO Heterojunction Photocatalysts. 2020 , 124, 27916-27929	17
242	Photocatalytic nitrogen fixation on transition metal modified TiO ₂ nanosheets under simulated sunlight. 2020 , 44, 19924-19932	4
241	In situ synthesis of ultrafine TiO ₂ nanoparticles modified g-C ₃ N ₄ heterojunction photocatalyst with enhanced photocatalytic activity. 2020 , 247, 116932	46
240	In-situ route for the graphitized carbon/TiO ₂ composite photocatalysts with enhanced removal efficiency to emerging phenolic pollutants. 2020 , 41, 1378-1392	7
239	g-C ₃ N ₄ nano-fragments as highly efficient hydrogen evolution photocatalysts: Boosting effect of nitrogen vacancy. 2020 , 599, 117618	45
238	Large-sized nano-TiO ₂ /SiO ₂ mesoporous nanofilmconstructed macroporous photocatalysts with excellent photocatalytic performance. 2020 , 14, 163-176	2
237	C ₃ N ₄ modified with single layer ZIF67 nanoparticles for efficient photocatalytic degradation of organic pollutants under visible light. 2020 , 41, 1894-1905	13
236	Au nanoparticles-doped g-C ₃ N ₄ nanocomposites for enhanced photocatalytic performance under visible light illumination. 2020 , 46, 22090-22101	33
235	Preparation and photocatalytic activity of g-C ₃ N ₄ /TiO ₂ heterojunctions under solar light illumination. 2020 , 46, 21431-21438	11
234	Facile fabrication of hollow carbon nitride microspheres with mesoporous structures: When ethanol meets cyanamide. 2020 , 53, 186-191	1
233	Preparation and Kinetics of g-C ₃ N ₄ /TiO ₂ Nanomaterials for the Photodegradation of Pyridine Under Solar-Light Irradiation. 2020 , 5, 6389-6402	2
232	Origin of the enhanced photocatalytic activity of graphitic carbon nitride nanocomposites and the effects of water constituents. 2020 , 167, 852-862	5
231	Efficient photocatalytic degradation of 2-chloro-4,6-dinitroresorcinol in salty industrial wastewater using glass-supported TiO ₂ . 2020 , 37, 536-545	3
230	Vacancy enriched ultrathin TiMgAl-layered double hydroxide/graphene oxides composites as highly efficient visible-light catalysts for CO ₂ reduction. <i>Applied Catalysis B: Environmental</i> , 2020 , 270, 118878	21.8 25

229	Nanotube confinement-induced g-C ₃ N ₄ /TiO ₂ nanorods with rich oxygen vacancies for enhanced photocatalytic water decontamination. 2020 , 126, 1	2
228	InP/TiO ₂ heterojunction for photoelectrochemical water splitting under visible-light. 2020 , 45, 11615-11624	7
227	What Is the Transfer Mechanism of Photoexcited Charge Carriers for g-C ₃ N ₄ /TiO ₂ Heterojunction Photocatalysts? Verification of the Relative p <i>n</i> Junction Theory. 2020 , 124, 8561-8575	27
226	Mesoporous TiO ₂ /g-CN composites with O-Ti-N bridge for improved visible-light photodegradation of enrofloxacin. 2020 , 724, 138280	14
225	g-CN- and polyaniline-co-modified TiO ₂ nanotube arrays for significantly enhanced photocatalytic degradation of tetrabromobisphenol A under visible light. 2020 , 252, 126468	19
224	Supercritical CO ₂ produces the visible-light-responsive TiO ₂ /COF heterojunction with enhanced electron-hole separation for high-performance hydrogen evolution. 2020 , 13, 983-988	13
223	Silver as solid-state electron mediator in MoS ₂ /Ag ₂ AgVO ₃ Z-Scheme heterostructures for photocatalytic H ₂ generation. 2020 , 830, 154527	21
222	Synthesis and High Visible Light Photocatalytic Activity of Ternary Brookite-g-C ₃ N ₄ -BiOBr Composite. 2020 , 15, 2050045	2
221	TiO ₂ nanosheet/ultra-thin layer g-C ₃ N ₄ core-shell structure: Bifunctional visible-light photocatalyst for H ₂ evolution and removal of organic pollutants from water. 2020 , 528, 146930	11
220	Soft-template assisted construction of superstructure TiO ₂ /SiO ₂ /g-C ₃ N ₄ hybrid as efficient visible-light photocatalysts to degrade berberine in seawater via an adsorption-photocatalysis synergy and mechanism insight. <i>Applied Catalysis B: Environmental</i> , 2020 , 268, 118751	21.8 49
219	Heterojunction C ₃ N ₄ /MoO ₃ microcomposite for highly efficient photocatalytic oxidation of Rhodamine B. 2020 , 511, 145595	26
218	One-Step Synthesis of Visible-Responsive Diatomite/g-C ₃ N ₄ Composite and its Catalytic Degradation for Cr(VI). 2020 , 993, 1391-1400	
217	AgO-decorated electrospun BiVO ₄ nanofibers with enhanced photocatalytic performance.. 2020 , 10, 6114-61205	
216	Step-scheme NiO/BiOI heterojunction photocatalyst for rhodamine photodegradation. 2020 , 511, 145499	62
215	In situ fabrication of 2D/3D g-C ₃ N ₄ /Ti ₃ C ₂ (MXene) heterojunction for efficient visible-light photocatalytic hydrogen evolution. 2020 , 515, 145922	59
214	Porous graphitic carbon nitride for solar photocatalytic applications. 2020 , 5, 765-786	79
213	Enhanced photocatalytic activity under visible light by the synergistic effects of plasmonics and Ti ³⁺ -doping at the Ag/TiO _{2-x} heterojunction. 2020 , 46, 10667-10677	32
212	In-situ grown of g-C ₃ N ₄ /Ti ₃ C ₂ /TiO ₂ nanotube arrays on Ti meshes for efficient degradation of organic pollutants under visible light irradiation. 2020 , 594, 124511	32

211	Graphene-supported TiO ₂ : study of promotion of charge carrier in photocatalytic water splitting and methylene blue dye degradation. 2020 , 3, 127-140	54
210	A novel porous Fe ₃ O ₄ /Titanosilicate/g-C ₃ N ₄ ternary nanocomposites: Synthesis, characterization and their enhanced photocatalytic activity on Rhodamine B degradation under sunlight irradiation. 2020 , 34, 101141	13
209	Preparation and characterization of g-C ₃ N ₄ /Ag ₃ TiO ₂ ternary hollowsphere nanoheterojunction catalyst with high visible light photocatalytic performance. 2020 , 823, 153851	44
208	Bird-nest structured ZnO/TiO ₂ as a direct Z-scheme photoanode with enhanced light harvesting and carriers kinetics for highly efficient and stable photoelectrochemical water splitting. <i>Applied Catalysis B: Environmental</i> , 2020 , 267, 118599	21.8 62
207	Efficient Photocatalytic Degradation and Adsorption of Tetracycline over Type-II Heterojunctions Consisting of ZnO Nanorods and K-Doped Exfoliated g-C ₃ N ₄ Nanosheets. 2020 , 59, 2860-2873	29
206	Z-scheme heterostructure of Fe-doped SnO ₂ decorated layered g-C ₃ N ₄ with enhanced photocatalytic activity under simulated solar light irradiation. 2020 , 101, 109769	13
205	Two-dimensional/two-dimensional Z-scheme photocatalyst of graphitic carbon nitride/bismuth vanadate for visible-light-driven photocatalytic synthesis of imines. 2020 , 46, 16157-16165	30
204	A review on TiO ₂ /g-C ₃ N ₄ visible-light- responsive photocatalysts for sustainable energy generation and environmental remediation. 2020 , 8, 103896	97
203	Enhanced Photoelectrochemical Performance of g-C ₃ N ₄ /TiO ₂ Heterostructure by the Cooperation of Oxygen Vacancy and Protonation Treatment. 2020 , 167, 066513	3
202	Excellent Photocatalytic Efficiency of t-ZrO ₂ /g-C ₃ N ₄ Photocatalyst for Pollutants Degradation: Experiment and theory. 2020 , 104, 106202	1
201	Solar light responsive TiO ₂ -ZnO, modified with graphitic carbon nitride nano-sheet for degradation of AB29. 2020 , 95, 2674	4
200	Higher dye degradation using a visible-light photocatalyst made of mesoporous graphitic carbon nitride prepared with the Tween-40 surfactant. 2020 , 18, 1413-1422	7
199	Large-scale synthesis of flexible TiO ₂ /N-doped carbon nanofibres: A highly efficient all-day-active photocatalyst with electron storage capacity. 2020 , 46, 12538-12547	11
198	High value-added fluorescence upconversion agents-assisted nano-semiconductors for efficient wide spectral response photocatalysis: Exerting energy transfer effect and applications. 2021 , 39, 243-260	5
197	Sulfur-doped g-C ₃ N ₄ /TiO ₂ S-scheme heterojunction photocatalyst for Congo Red photodegradation. 2021 , 42, 56-68	219
196	CQDs decorated oxygen vacancy-rich CeO ₂ /BiOCl heterojunctions for promoted visible light photoactivity towards chromium (VI) reduction and rhodamine B degradation. 2021 , 859, 157837	12
195	Graphitic carbon nitride (g-C ₃ N ₄)-based nanostructured materials for photodynamic inactivation: Synthesis, efficacy and mechanism. 2021 , 404, 126528	25
194	Enhancement of Cr(VI) removal efficiency via adsorption/photocatalysis synergy using electrospun chitosan/g-CN/TiO nanofibers. 2021 , 253, 117200	43

193	Enhanced visible-light photocatalysis of clofibric acid using graphitic carbon nitride modified by cerium oxide nanoparticles. 2021 , 405, 124204	13
192	Microwave-aided synthesis of BiOI/g-C ₃ N ₄ composites and their enhanced catalytic activities for Cr(VI) removal. 2021 , 762, 138143	12
191	Polycrystalline TiO ₂ particles synthesized via one-step rapid heating method as electrons transfer intermediate for Rhodamine B removal. 2021 , 257, 123784	5
190	MOF-Derived Mesoporous g-C ₃ N ₄ /TiO ₂ Heterojunction with Enhanced Photocatalytic Activity. 2021 , 151, 1961-1975	7
189	Preparation of ultra-thin TiO ₂ shell by peroxo titanium complex (PTC) solution-based green surface modification, and photocatalytic activity of homo-core/shell TiO ₂ . 2021 , 540, 148399	6
188	Modulating photoelectrochemical water splitting performance by constructing a type-II heterojunction between g-C ₃ N ₄ and BiOI. 2021 , 45, 2010-2018	15
187	Multifunctional 3D GO/g-C ₃ N ₄ /TiO ₂ foam for oil-water separation and dye adsorption. 2021 , 541, 148638	14
186	Defect enrich ultrathin TiO nanosheets for rapid adsorption and visible light mediated PPCPs degradation. 2021 , 268, 128782	4
185	Selective removal of organic and inorganic air pollutants by adjusting the g-C ₃ N ₄ /TiO ₂ ratio. 2021 , 361, 37-42	5
184	One-step hydrothermal synthesis of g-C ₃ N ₄ /TiO ₂ /BiOBr layered hybrid photocatalyst with enhanced visible light degradation of tetracycline. 2021 , 261, 02083	
183	Z-Scheme versus type-II junction in g-C ₃ N ₄ /TiO ₂ and g-C ₃ N ₄ /SrTiO ₃ /TiO ₂ heterostructures. 2021 , 11, 3589-3598	5
182	Extending the π -conjugated molecules on TiO ₂ for the selective photocatalytic aerobic oxidation of sulfides triggered by visible light. 2021 , 5, 2127-2135	4
181	The photocatalytic performance of ternary g-C ₃ N ₄ /Bi ₂ O ₃ /TiO ₂ heterojunction composite for degradation of organic pollutants under visible and ultraviolet light. 2021 , 32, 2146-2157	0
180	Fabrication of g-C ₃ N ₄ /Y-TiO ₂ Z-scheme heterojunction photocatalysts for enhanced photocatalytic activity.	1
179	Interfacial properties of g-C ₃ N ₄ /TiO ₂ heterostructures studied by DFT calculations. 2021 , 30, 017101	4
178	Visible light active Zr- and N-doped TiO ₂ coupled g-C ₃ N ₄ heterojunction nanosheets as a photocatalyst for the degradation of bromoxynil and Rh B along with the H ₂ evolution process.	0
177	Hydrothermally activated TiO ₂ nanoparticles with a C-dot/g-C ₃ N ₄ heterostructure for photocatalytic enhancement. 2021 , 3, 4089-4097	3
176	Integration of zirconium-based metal-organic framework with CdS for enhanced photocatalytic conversion of CO to CO. 2021 , 13, 16977-16985	2

175	Fluorine-regulated surface chemical state of titanium dioxide (TiO ₂) and decolourisation mechanism of methylene blue. 2021 , 18, 71	
174	Study on the catalytic activities of g-C ₃ N ₄ @TiO ₂ hollow microspheres under UV-visible light. 2021 , 32, 5104-5115	1
173	Asymmetric Multipole Plasmon-Mediated Catalysis Shifts the Product Selectivity of CO Photoreduction toward C Products. 2021 , 13, 7248-7258	16
172	Z-scheme TiO ₂ /g-C ₃ N ₄ composites prepared by hydrothermal assisted thermal polymerization with enhanced visible light photocatalytic activity. 2021 , 47, 1503-1518	6
171	A synergistic boost of photo-activity of ZnO for photocatalytic degradation of methylene blue by Ag decoration and Fe doping. 2021 , 286, 129250	5
170	Engineering Nanostructure-Interface of Photoanode Materials Toward Photoelectrochemical Water Oxidation. 2021 , 33, e2005389	23
169	Synergistic effect of hierarchical structure and Z-scheme heterojunction constructed by CdS nanoparticles and nanoflower-structured Co ₉ S ₈ with significantly enhanced photocatalytic hydrogen production performance. 2021 , 409, 113160	12
168	Development of Heavy Metal-Free Photocatalytic RhB Decomposition System Using a Biodegradable Plastic Substrate. 2021 , 5, 11	
167	S-scheme heterojunction ZnO/g-C ₃ N ₄ shielding polyester fiber composites for the degradation of MB. 2021 , 36, 045025	4
166	Photocatalytic oxidation removal of fluoride ion in wastewater by g-C ₃ N ₄ /TiO ₂ under simulated visible light. 2021 , 4, 339-349	28
165	Superoxide generated by blue light photocatalysis of g-CN/TiO for selective conversion of amines. 2021 , 195, 110851	7
164	Fabrication of monoclinic BiVO ₄ photocatalyst film and its photocatalytic activity for organic pollutant removal. 2021 , 112, 397-404	0
163	Facile fabrication of ordered assembled TiO ₂ /g-C ₃ N ₄ nanosheets with enhanced photocatalytic activity. 2021 , 47, 15594-15603	6
162	Boron- and europium-co-doped g-C ₃ N ₄ nanosheets: Enhanced photocatalytic activity and reaction mechanism for tetracycline degradation. 2021 , 47, 16256-16268	8
161	Visible-light-response g-C ₃ N ₄ @N,S-TiO ₂ nanocomposites for superior photocatalysis and photoelectrochemical performance. 2021 , 866, 158964	9
160	Fabrication of graphitic carbon nitride-based nanocomposites photocatalyst for degradation of organic pollutants: A Review. 2021 , 796, 012010	
159	Combination of Au-Ag Plasmonic Nanoparticles of Varied Compositions with Carbon Nitride for Enhanced Photocatalytic Degradation of Ibuprofen under Visible Light. 2021 , 14,	3
158	K ⁺ co-doping in crystalline polymeric carbon nitride for highly improved photocatalytic hydrogen evolution. 2021 , 46, 26318-26328	6

157	3D interconnected porous g-C ₃ N ₄ hybridized with Fe ₂ O ₃ quantum dots for enhanced photo-Fenton performance. 2021 , 555, 149677		11
156	The pre-acidizing corrosion on the surface of TiO ₂ enhanced the photocatalytic activity of g-C ₃ N ₄ /TiO ₂ . 2021 , 32, 21083-21092		
155	The origin of enhanced photocatalytic activity in g-CN/TiO heterostructure revealed by DFT calculations. 2021 , 593, 133-141		14
154	Advanced carbon sequestration by the hybrid system of photobioreactor and microbial fuel cell with novel photocatalytic porous framework. 2021 , 333, 125182		4
153	Ni integrated S-gC ₃ N ₄ /BiOBr based Type-II heterojunction as a durable catalyst for photoelectrochemical water splitting. 2021 , 173, 507-519		4
152	Degradation of tetracycline hydrochloride by ultrafine TiO ₂ nanoparticles modified g-C ₃ N ₄ heterojunction photocatalyst: Influencing factors, products and mechanism insight. 2021 ,		5
151	Highly efficient purification of emerging pollutants and bacteria in natural water by g-C ₃ N ₄ -sheltered fibers containing TiO ₂ . 2021 , 559, 149839		5
150	Construction of Reusable PMMA/Ag/g-C ₃ N ₄ /Ag Hybrid Substrates with Plasmonic-Enhanced Intrinsic Raman Signals for Quantitative SERS Detection and Green Degradation. 2021 , 9, 12885-12898		5
149	Photocatalytic water purification with graphitic C ₃ N ₄ -based composites: Enhancement, mechanisms, and performance. 2021 , 24, 101118		4
148	Designing heterointerface in BiOBr/g-C ₃ N ₄ photocatalyst to enhance visible-light-driven photocatalytic performance in water purification. 2021 , 624, 126796		5
147	Comparative study of MoS ₂ /MoO ₃ , g-C ₃ N ₄ /MoO ₃ heterojunction films and their improved photocatalytic activity. 2021 , 127, 1		2
146	Novel VUV/g-CN system with high adaptability to varied environmental conditions and outstanding degradation capacity for chlorophenols. 2021 , 419, 126473		2
145	Advantageous roles of phosphate decorated octahedral CeO ₂ {111}/g-C ₃ N ₄ in boosting photocatalytic CO ₂ reduction: Charge transfer bridge and Lewis basic site. <i>Applied Catalysis B: Environmental</i> , 2021 , 294, 120257	21.8	41
144	Effectiveness of photocatalysis of MMT-supported TiO and TiO nanotubes for rhodamine B degradation. 2021 , 280, 130802		11
143	MoS ₂ based nanocomposites: An excellent material for energy and environmental applications. 2021 , 9, 105836		14
142	Mesoporous TiO ₂ @g-C ₃ N ₄ composite: construction, characterization, and boosting indigo carmine dye destruction. 2021 , 118, 108491		14
141	The photocatalytic degradation of sodium diclofenac in different water matrices using g-C ₃ N ₄ nanosheets: A study of the intermediate by-products and mechanism. 2021 , 9, 105827		7
140	Performance and mechanism involved in the cascade oxidation of Mn(II) and As(III) by Bi ₂ .15WO ₆ under alkaline conditions. 2021 , 9, 106196		3

139	Tailored fabrication of TiO ₂ /In ₂ O ₃ hybrid mesoporous nanofibers towards enhanced photocatalytic performance. 2021 , 629, 127455		9
138	Photoelectrocatalytic PNP removal using C ₃ N ₄ nanosheets/Fe ₂ O ₃ nanoarrays photoanode: Performance, mechanism and degradation pathways. 2021 , 565, 150597		4
137	A facile synthesis of high-crystalline g-C ₃ N ₄ nanosheets with closed self-assembly strategy for enhanced photocatalytic H ₂ evolution. 2021 , 881, 160551		18
136	Engineered defect-rich TiO/g-CN heterojunction: A visible light-driven photocatalyst for efficient degradation of phenolic wastewater. 2022 , 286, 131696		2
135	Enhanced photocatalytic activity of kaolinite-TiO ₂ -graphene oxide composite with a porous stacking structure. 2022 , 889, 161682		4
134	Solar irradiated selective nitroaromatics reduction over plasmonic Ag-TiO ₂ : Deposition time dependent size growth and oxidation state of co-catalyst. 2022 , 429, 132385		1
133	Visible-light degradation of antibiotics catalyzed by titania/zirconia/graphitic carbon nitride ternary nanocomposites: a combined experimental and theoretical study. <i>Applied Catalysis B: Environmental</i> , 2022 , 300, 120633	21.8	16
132	Nanoscale Multidimensional Pd/TiO ₂ /g-C ₃ N ₄ Catalyst for Efficient Solar-Driven Photocatalytic Hydrogen Production. 2021 , 11, 59		2
131	Application of g-C ₃ N ₄ -based Materials for the Efficient Removal and Degradation of Pollutants in Water and Wastewater Treatment. 2021 , 95-119		
130	Facile preparation of PAN@Ag ₂ O/TiO ₂ nanofibers with enhanced photocatalytic activity and reusability toward oxidation of As(III). 2020 , 55, 11310-11324		4
129	N-doped bamboo-like carbon nanotubes loading Co as ideal electrode material towards superior catalysis performance. 2020 , 45, 8703-8714		10
128	Fabrication of rGO and g-CN co-modified TiO nanotube arrays photoelectrodes with enhanced photocatalytic performance. 2020 , 577, 75-85		27
127	Novel Z-scheme AgPO/FeO-activated biochar photocatalyst with enhanced visible-light catalytic performance toward degradation of bisphenol A. 2020 , 398, 123025		48
126	Selective Photocatalytic Oxidation of Benzyl Alcohol at Ambient Conditions using Spray-Dried g-C ₃ N ₄ /TiO ₂ Granules. 2020 , 490, 110927		11
125	Double Insurance of Continuous Band Structure and N-C Layer Induced Prolonging of Carrier Lifetime to Enhance the Long-Wavelength Visible-Light Catalytic Activity of N-Doped InO. 2021 , 60, 1160-1171	5	
124	Construction of heterostructure based on hierarchical Bi ₂ MoO ₆ and g-C ₃ N ₄ with ease for impressive performance in photoelectrocatalytic water splitting and supercapacitor. 2020 , 10, 2427-2442		24
123	Special Z-scheme Cu ₃ P/TiO ₂ Hetero-junction for Efficient Photocatalytic Hydrogen Evolution from Water. 2021 , 162331		7
122	Synthesis and photocatalytic activity of g-C ₃ N ₄ /ZnO composite microspheres under visible light exposure. 2021 ,		6

121	Photocatalytic Degradation of Rhodamine B Using Carbon-Doped Carbon Nitride under Visible Light. 2020 , 30, 279-284	0
120	Influence of TiO ₂ conjunct with different g-C ₃ N ₄ mass ratios on photocatalytic activity: visible and UV degradation of organic pollutant. 2021 , 32, 28321	0
119	Synthesis and characterisation of Li-modified g-C ₃ N ₄ . 2021 ,	
118	Simultaneous achievements of doping and structure engineering in carbon nitride for photocatalytic degradation. 2022 , 138, 106277	1
117	Glucose-tailored SnO ₂ /TiO ₂ /RGO ternary composite for degradation of organic pollutants. 2022 , 161, 110442	1
116	Improvement of Fe ²⁺ /peroxymonosulfate oxidation of organic pollutants by promoting Fe ²⁺ regeneration with visible light driven g-C ₃ N ₄ photocatalysis. 2022 , 430, 132828	6
115	2D/2D Heterostructure of Metal-Free Ultrathin Graphdiyne/Carbon Nitride Nanosheets for Enhanced Photocatalytic Reduction of Carbon Dioxide with Water.	0
114	Creating triazine units to bridge carbon nitride with titania for enhanced hydrogen evolution performance. 2021 , 608, 2768-2768	0
113	In-situ growth of TiO ₂ @B-doped g-C ₃ N ₄ core-shell nanospheres for boosts the photocatalytic detoxification of emerging pollutants with mechanistic insight. 2021 , 577, 151924	3
112	Layered g-C ₃ N ₄ /TiO ₂ nanocomposites for efficient photocatalytic water splitting and CO ₂ reduction: A review. 2021 , 23, 100904	7
111	Hierarchical TiO ₂ spheroids decorated g-C ₃ N ₄ nanocomposite for solar driven hydrogen production and water depollution. 2021 ,	2
110	S-scheme g-C ₃ N ₄ /TiO ₂ /CFs heterojunction composites with multi-dimensional through-holes and enhanced visible-light photocatalytic activity. 2021 , 48, 8196-8196	0
109	The photocatalytic degradation of naproxen with g-C ₃ N ₄ and visible light: Identification of primary by-products and mechanism in tap water and ultrapure water. 2022 , 10, 106964	2
108	In-situ construction of core-shell structured TiB ₂ -TiO ₂ @g-C ₃ N ₄ for efficient photocatalytic degradation. 2022 , 579, 152201	3
107	One-step calcination synthesis of accordion-like MXene-derived TiO ₂ @C coupled with g-C ₃ N ₄ : Z-scheme heterojunction for enhanced photocatalytic NO removal. 2022 , 285, 120329	0
106	Transition metal oxide-based materials for visible-light-photocatalysis. 2022 , 153-183	0
105	Solvothermal synthesis of Cu ₂ O nano-microspheres with high visible-light adsorption properties. 2022 , 37, 533-542	
104	Study on the homogeneous design of ultra-thin protonated g-C ₃ N ₄ composite TiO ₂ hollow spheres and its photocatalytic performance for RHB. 2022 , 33, 4482	0

103	Oxidative removal of As(III) by polyacrylonitrile@Ag-Ag ₂ O/schwertmannite nanofiber under visible light. 152808372110569	
102	Montmorillonite induced assembly of multi-element doped g-C ₃ N ₄ nanosheets with enhanced activity for Rhodamine B photodegradation. 2022 , 218, 106432	1
101	Highly efficient photocatalytic degradation for antibiotics and mechanism insight for Bi ₂ S ₃ /g-C ₃ N ₄ with fast interfacial charges transfer and excellent stability. 2022 , 15, 103689	3
100	Facile fabrication of novel Z-scheme g-CN nanosheets/ BiOI photocatalysts with highly rapid photodegradation of RhB under visible light irradiation.. 2022 , 616, 453-464	0
99	Turning UV Light-Active BiOF into Visible Light-Active BiOF by Forming a Heterojunction with g-C ₃ N ₄ and Its Photoelectrochemical Water Splitting Performance in Reverse Osmosis-Rejected Wastewater. 2022 , 126, 79-90	2
98	Enhance the Photocatalytic Performance of TiO ₂ Nano-Semiconductor by Simultaneously Doping of Transition and Lanthanide Elements for the C-C Homocoupling Reaction Under Sunlight Irradiation.	
97	Activating oxygen deficient TiO in the visible region by BiMoO for CO photoreduction to methanol.. 2022 ,	2
96	Continuous g-CN layer-coated porous TiO fibers with enhanced photocatalytic activity toward H ₂ evolution and dye degradation.. 2022 , 12, 10258-10266	1
95	Significant Improvement of Photocatalytic Activity of TiO ₂ /g-C ₃ N ₄ Composite Synthesized by the Aiding of Hydrothermal Method. 2022 , 17,	0
94	Exceptional removal of methylene blue and p-aminophenol dye over novel TiO ₂ /RGO nanocomposites by tandem adsorption-photocatalytic processes. 2022 , 5, 217-231	1
93	Fabrication and characterization of a TiBs@MCN cable-like photocatalyst with high photocatalytic performance under visible light irradiation. 2022 , 46, 6319-6329	0
92	Selectively Lighting Up Singlet Oxygen via Aggregation-Induced Electrochemiluminescence Energy Transfer.. 2022 ,	3
91	Metal Halide Perovskite-Based Heterojunction Photocatalysts.. 2022 ,	6
90	Metal Halide Perovskite-Based Heterojunction Photocatalysts.	1
89	Photochemical stability of g-C ₃ N ₄ in the gas phase. 2022 , 107647	
88	The influence of synthesis conditions on the visible-light triggered photocatalytic activity of g-C ₃ N ₄ /TiO ₂ composites used in AOPs. 2022 , 107656	1
87	Enhance the photocatalytic performance of TiO ₂ nano-semiconductor by simultaneously doping of transition and lanthanide elements for the C C homocoupling reaction under sunlight irradiation. 2022 , 30, 100858	0
86	Construction a novel Co ₂ P/TiO ₂ Z-scheme junction for efficient solar-driven photocatalytic H ₂ evolution.	0

85	Electrorheological properties of titanium oxide loaded C3N4 composites. 2022 , 282, 125941	0
84	In-situ synthesis of Cu ₂ ZnSnS ₄ /g-C3N4 heterojunction for superior visible light-driven CO ₂ reduction. 2022 , 165, 110694	1
83	Intrinsic carbon defects induced nickel phosphate/carbon photocatalyst for high performance bacterial disinfection. 2022 , 438, 135624	2
82	Construction of a novel N-doped oxygen vacancy-rich TiO ₂ N-TiO ₂ /g-C3N4 S-scheme heterostructure for visible light driven photocatalytic degradation of 2,4-dinitrophenylhydrazine. 2022 , 908, 164586	1
81	-CN: Properties, Pore Modifications, and Photocatalytic Applications.. 2021 , 12,	10
80	Hydroxyl-Rich Porous Silica Nanosheets Decorated with Oxygen-Doped Carbon Nitride Nanoparticles for Photocatalytic Degradation of Rhodamine B. 2022 , 5, 818-831	3
79	Environmentally Friendly g-CN/Sepiolite Fiber for Enhanced Degradation of Dye under Visible Light.. 2022 , 27,	
78	Direct Z-scheme heterojunction rutile-TiO ₂ /g-C3N4 catalyst constructed by solid grinding method for photocatalysis degradation. 2022 , 111558	1
77	g-C3N4/TiO ₂ S-scheme heterojunction photocatalyst with enhanced photocatalytic Carbamazepine degradation and mineralization. 2022 , 113971	4
76	Engineering continuous charge steps in multiple 2D-semiconductor hetero-interface for rapidly photocatalytic dye-degradation and disinfection. 2022 , 592, 153348	1
75	Presentation_1.PDF. 2018 ,	
74	Table_1.DOCX. 2018 ,	
73	Interface Engineering of TiO ₂ /G-C3n4 2d/2d Heterostructures for Enhanced Antibiotic Degradation and Cr(VI) Reduction.	
72	Preparation of TiO ₂ -CNT-Ag Ternary Composite Film with Enhanced Photocatalytic Activity via Plasma-Enhanced Chemical Vapor Deposition. 2022 , 12, 508	0
71	Boosting the Photocatalytic H ₂ Evolution and Benzylamine Oxidation using 2/1D g-CN/TiO ₂ Nanoheterojunction.. 2022 ,	2
70	A self-cleaning membrane based on NG/g-C3N4 and graphene oxide with enhanced nanofiltration performance.	0
69	Facile Synthesis of Ternary Dual Z-scheme G-C3n4/Bi ₂ moO ₆ /CeO ₂ Photocatalyst with Enhanced 4-Chlorophenol Removal: Degradation Pathways and Mechanism.	
68	Ag nanoparticle-decorated Bi ₂ O ₃ -TiO ₂ heterogeneous nanotubular photocatalysts for enhanced degradation of organic contaminants. 2022 , 129233	2

67	Preparation of a novel composite g-C ₃ N ₄ /TiO ₂ /NiWO ₄ with enhanced photocatalytic activity toward the degradation of rhodamine B.	
66	Sea-Urchin Carbon Nitride with Carbon Vacancies (C-v) and Oxygen Substitution (O-s) for Photodegradation of Tetracycline: Performance, Mechanism Insight and Pathways. 2022 , 137053	1
65	Synthesis and characterisation of TiO ₂ /g-C ₃ N ₄ as photocatalyst for photodegradation of dyes, phenol and caffeine. 1-21	0
64	Facile Synthesis with TiO ₂ Xerogel and Urea Enhanced Aniline Aerofoam Degradation Performance of Direct Z-Scheme Heterojunction TiO ₂ /g-C ₃ N ₄ Composite. 2022 , 15, 3613	0
63	CVD Assisted Synthesis of Macro/Mesoporous TiO ₂ /g-C ₃ N ₄ S-Scheme Heterojunction for Enhanced Photocatalytic Hydrogen Evolution. 2200056	3
62	Preparation and Photocatalytic and Antibacterial Activities of Micro/Nanostructured TiO ₂ -Based Photocatalysts for Application in Orthopedic Implants. 2022 , 9,	1
61	The excellent photocatalytic capability of TiO ₂ @C/O-doped g-C ₃ N ₄ heterojunction photocatalyst. 2022 , 129351	0
60	Coordination Chemistry Engineered Polymeric Carbon Nitride Photoanode with Ultralow Onset Potential for Water Splitting.	0
59	Coordination Chemistry Engineered Polymeric Carbon Nitride Photoanode with Ultralow Onset Potential for Water Splitting.	1
58	Photoactivation of peroxymonosulfate by wood pulp cellulose biochar/g-C ₃ N ₄ composite for diclofenac degradation: the radical and nonradical pathways. 2022 , 4,	0
57	The mesoscale mechanism of P-dopant defects and interface synergy for phenols degradation.	
56	Magnetically Separable Mesoporous Fe ₃ O ₄ @g-C ₃ N ₄ as a Multifunctional Material for Metallic Ion Adsorption, Oil Removal from the Aqueous Phase, Photocatalysis, and Efficient Synergistic Photoactivated Fenton Reaction.	1
55	Construction of a double heterojunction between graphite carbon nitride and anatase TiO ₂ with co-exposed (101) and (001) faces for enhanced photocatalytic degradation. 2022 , 12, 20206-20216	0
54	Facile fabrication of the Ag nanoparticles decorated graphitic carbon nitride photocatalyst film for indoor air purification under visible light. 2022 , 222, 109402	0
53	Study on the design and photocatalytic performance of TiO ₂ @g-C ₃ N ₄ /Ag/Ag ₂ O ternary heterojunction nanomaterials. 2022 , 169, 110876	0
52	Facile synthesis of porous isotype heterojunction g-C ₃ N ₄ for enhanced photocatalytic degradation of RhB under visible light. 2022 , 128, 109227	2
51	Carbon dots incorporated in hierarchical macro/mesoporous g-C ₃ N ₄ /TiO ₂ as an all-solid-state Z-scheme heterojunction for enhancement of photocatalytic H ₂ evolution under visible light. 2022 , 601, 154167	1
50	Effect of Surface Plasmon Resonance and the Heterojunction on Photoelectrochemical Activity of Metal-Loaded TiO ₂ Electrodes under Visible Light Irradiation.	0

- 49 AuAg Nanoparticles Grafted on TiO₂@N-Doped Porous Carbon: Improved Depletion of Ciprofloxacin under Visible Light through Plasmonic Photocatalysis. **2022**, 12, 2524
- 48 Mineral-Supported Photocatalysts: A Review of Materials, Mechanisms and Environmental Applications. **2022**, 15, 5607 3
- 47 In-situ-construction of BiOI/UiO-66 heterostructure via nanoplate-on-octahedron: A novel p-n heterojunction photocatalyst for efficient sulfadiazine elimination. **2022**, 138624 1
- 46 Bi-functional Cu-TiO₂/CuO photocatalyst for large-scale synergistic treatment of waste sewage containing organics and heavy metal ions. 0
- 45 Efficient photocatalysis of carbon coupled TiO₂ to degrade pollutants in wastewater |A review. **2022**, 18, 100737 0
- 44 Construction of nanosized MoP decorated highly crystalline carbon nitride sphere as an excellent photocatalyst for boosted photocatalytic hydrogen production. **2022**, 33, 104354 0
- 43 Facile Synthesis of Ternary Dual Z-Scheme g-C₃N₄/Bi₂MoO₆/CeO₂ Photocatalyst with Enhanced 4-Chlorophenol Removal: Degradation Pathways and Mechanism. 0
- 42 g-C₃N₄/CoTiO₃ S-scheme heterojunction for enhanced visible light hydrogen production through photocatalytic pure water splitting. **2022**, 43, 2548-2557 0
- 41 Multi-anions-coupled electronic states in Cl-doped BiOBr induce highly efficient decomposition of tetracycline hydrochloride. **2023**, 158, 112045 0
- 40 Interface Nanoarchitectonics of TiO₂/g-C₃N₄ 2D/2D Heterostructures for Enhanced Antibiotic Degradation and Cr(VI) Reduction. **2022**, 38, 11068-11079 1
- 39 TiO₂-modified g-C₃N₄ nanocomposite for photocatalytic degradation of organic dyes in aqueous solution. **2022**, 8, e10683 2
- 38 Supramolecular Precursor Strategy to Construct g-C₃N₄/Silica Hybrid Nanosheets for Photocatalytic Degradation of Dye and Antibiotic Pollutants. **2022**, 12, 3108 0
- 37 Recent advances in covalent organic framework (COF) nanotextures with band engineering for stimulating solar hydrogen production: A comprehensive review. **2022**, 47, 34323-34375 0
- 36 Enhanced visible-light photocatalytic activity with Fe₂O₃/ZnO@C/g-C₃N₄ heterojunction: Characterization, kinetics, and mechanisms. **2022**, 377, 134511 1
- 35 S-g-C₃N₄/NTiO₂@PTFE Membrane for Photocatalytic Degradation of Tetracycline. **2022**, 7, 0
- 34 Hollow TiO₂/g-C₃N₄ nanocomposite for photodegradation of volatile organic carbons under visible-light. 1-21 0
- 33 Preparation of a Z-Type g-C₃N₄/(A-R)TiO₂ Composite Catalyst and Its Mechanism for Degradation of Gaseous and Liquid Ammonia. **2022**, 23, 13131 0
- 32 Co-catalyst free direct Z-scheme photocatalytic system with simultaneous hydrogen evolution and degradation of organic pollutants. **2022**, 0

- 31 Facile preparation of recyclable and flexible BiOBr@TiO₂/PU-SF composite porous membrane for efficient photocatalytic degradation of mineral flotation wastewater. **2022**, 50, 103127 1
- 30 Facile synthesis of ternary dual Z-scheme g-C₃N₄/Bi₂MoO₆/CeO₂ photocatalyst with enhanced 4-chlorophenol removal: Degradation pathways and mechanism. **2022**, 315, 120436 0
- 29 Boosting the Performance of Formate Dehydrogenase by Silver Nanoclusters for Photoreduction of CO₂ to Formate. **2022**, 10, 14888-14896 0
- 28 Porous Graphitic Carbon Nitride Nanostructures and Their Application in Photocatalytic Hydrogen Evolution Reaction. **2022**, 133-163 0
- 27 Synergistic mechanism and degradation kinetics for atrazine elimination by integrated N-ZnO/g-C₃N₄/solar light/oxidant. 0
- 26 Defect Engineering in g-C₃N₄ Quantum-Dot-Modified TiO₂ Nanofiber: Uncovering Novel Mechanisms for the Degradation of Tetracycline in Coexistence with Cu²⁺. 1
- 25 Facile Synthesis of Cr₂O₃ Embedded g-C₃N₄ Composites with Excellent Visible-Light Photocatalytic. 0
- 24 Evidence of direct Z-scheme triazine-based g-C₃N₄/BiOI (001) heterostructures: a hybrid density functional investigation. **2022**, 25, 847-856 0
- 23 Engineering bimetallic capture sites on hierarchically porous carbon electrode for efficient phosphate electrosorption: multiple active centers and excellent electrochemical properties. 0
- 22 Designing novel step-scheme heterojunction g-C₃N₄/TMCs/GO with effective charge transfer for photocatalytic degradation of organic pollutant under visible light. **2023**, 306, 122736 0
- 21 Facile construction of 0D/2D In₂O₃/Bi₂WO₆ Z-scheme heterojunction with enhanced photocatalytic activity for antibiotics removal. **2023**, 937, 168362 0
- 20 Hierarchical ZnS layers-coated Ti³⁺-TiO₂ nanostructures for boosted visible-light photocatalytic norfloxacin degradation. **2022**, 130814 0
- 19 Solar-driven hybrid photo-Fenton degradation of persistent antibiotic ciprofloxacin by zinc ferrite-titania heterostructures: degradation pathway, intermediates, and toxicity analysis. 0
- 18 g-C₃N₄/TiO₂ uniformly distributed microspheres: preparation for enhanced photocatalytic performance by co-calcination. **2023**, 34, 0
- 17 Synergetic Adsorption/Photocatalytic Activated Fenton System via Iron-Doped g-C₃N₄/GO Hybrid for Complex Wastewater. **2023**, 13, 88 0
- 16 3D chrysanthemum-like g-C₃N₄/TiO₂ as an efficient visible-light-driven Z-scheme hybrid photocatalyst for tetracycline degradation. 0
- 15 The impact of Carbon Quantum Dots (CQDs) on the photocatalytic activity of TiO₂ under UV and visible light. **2023**, 51, 103465 0
- 14 Facile fabrication of three-dimensional nanofibrous foams of cellulose@g-C₃N₄@Cu₂O with superior visible-light photocatalytic performance. **2023**, 303, 120455 1

- 13 Photocatalytic degradation and bacterial disinfection applications of graphitic carbon nitride. **2023**, 157-206 ○
- 12 Preparation and Properties of g-C₃N₄-TiO₂ Cement-Based Materials Supported by Recycled Concrete Powder. **2023**, 13, 312 ○
- 11 Role of Interfacial Built-In Electric Field Induced by Fluorine Selective Substitution-Doped g-C₃N₄ in Photocatalysis of the g-C₃N₄/TiO₂-B(001) Heterostructure: Type-II or Z-Scheme Photocatalytic Mechanism?. **2023**, 127, 1828-1840 1
- 10 Direct Z-scheme g-C₃N₄/TiO₂ heterojunction porous nanotubes: An ingenious synthesis strategy to enhance photocatalytic activity. **2023**, 11, 109366 ○
- 9 Boosting solar-driven N₂ to NH₃ conversion using defect-engineered TiO₂/CuO heterojunction photocatalyst. **2023**, 620, 156812 ○
- 8 Influence of the calcination duration of g-C₃N₄/TiO₂ "eggs-toast-like" photocatalyst on the visible-light triggered photocatalytic oxidation of bisphenol A. **2023**, 947, 169585 ○
- 7 g-C₃N₄/ZnWO₄ nanocomposites as efficient and stable S-scheme photocatalysts for hydrogen evolution. **2023**, 160, 107445 ○
- 6 TiO₂/black phosphorus heterojunction modified by Ag nanoparticles for efficient photoelectrochemical water splitting. **2023**, 301, 127624 ○
- 5 Hydrothermal supramolecular preorganization synthesis of multi-morphological g-C₃N₄/Fe₂O₃ for photocatalytic removal of indoor formaldehyde under visible light. **2023**, 11, 109395 ○
- 4 Removal of antibiotics from black water by a membrane filtration-visible light photocatalytic system. **2023**, 53, 103605 ○
- 3 Synthesis of Ag₃PO₄/Ag₄P₂O₇ by microwave-hydrothermal method for enhanced UV-visible photocatalytic performance. **2023**, 13, ○
- 2 Fabrication of FeTCPP@CNNS for Efficient Photocatalytic Performance of p-Nitrophenol under Visible Light. **2023**, 13, 732 ○
- 1 Interfacial effects of Fe₂O₃@Co₃O₄ on the thermal decomposition of ammonium perchlorate. **2023**, 112291 ○