

# CITATION REPORT

List of articles citing

**Subthalamic nucleus phase-amplitude coupling  
correlates with motor impairment in Parkinsons disease**

**DOI: 10.1016/j.clinph.2016.01.015**

**Clinical Neurophysiology, 2016, 127, 2010-9.**

**Source:** <https://exaly.com/paper-pdf/65507470/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
142	Evaluation of Phase-Amplitude Coupling in Resting State Magnetoencephalographic Signals: Effect of Surrogates and Evaluation Approach. <b>2016</b> , 10, 120		6
141	GPI Oscillatory Activity Differentiates Tics from the Resting State, Voluntary Movements, and the Unmedicated Parkinsonian State. <b>2016</b> , 10, 436		32
140	Therapeutic Applications of BCI Technologies. <b>2017</b> , 47, 37-52		26
139	Adaptive Deep Brain Stimulation for Movement Disorders: The Long Road to Clinical Therapy. <b>2017</b> , 32, 810-819		118
138	Toward an electrophysiological "sweet spot" for deep brain stimulation in the subthalamic nucleus. <b>2017</b> , 38, 3377-3390		117
137	Physiological Markers of Motor Inhibition during Human Behavior. <b>2017</b> , 40, 219-236		130
136	Movement-related beta oscillations show high intra-individual reliability. <b>2017</b> , 147, 175-185		26
135	Brain Oscillations and the Importance of Waveform Shape. <b>2017</b> , 21, 137-149		245
134	Comparison of oscillatory activity in subthalamic nucleus in Parkinson's disease and dystonia. <b>2017</b> , 98, 100-107		31
133	Is Broadband Gamma Activity Pathologically Synchronized to the Beta Rhythm in Parkinson's Disease?. <i>Journal of Neuroscience</i> , <b>2017</b> , 37, 9347-9349	6.6	6
132	Pallidal low flow $\beta$ phase-amplitude coupling inversely correlates with Parkinson disease symptoms. <i>Clinical Neurophysiology</i> , <b>2017</b> , 128, 2165-2178	4.3	26
131	Low-beta cortico-pallidal coherence decreases during movement and correlates with overall reaction time. <b>2017</b> , 159, 1-8		19
130	Localization of beta and high-frequency oscillations within the subthalamic nucleus region. <b>2017</b> , 16, 175-183		43
129	What Have We Learned About Movement Disorders from Functional Neurosurgery?. <b>2017</b> , 40, 453-477		14
128	Evaluation of the safety and immunomodulatory effects of sargramostim in a randomized, double-blind phase 1 clinical Parkinson's disease trial. <b>2017</b> , 3, 10		70
127	Subthalamic oscillations and phase amplitude coupling are greater in the more affected hemisphere in Parkinson's disease. <i>Clinical Neurophysiology</i> , <b>2017</b> , 128, 128-137	4.3	40
126	Innovations in deep brain stimulation methodology. <b>2017</b> , 32, 11-19		80

125	Communication between Brain Areas Based on Nested Oscillations. <b>2017</b> , 4,		123
124	Phase-amplitude coupling and epileptogenesis in an animal model of mesial temporal lobe epilepsy. <b>2018</b> , 114, 111-119		27
123	Identifying Phase-Amplitude Coupling in Cyclic Alternating Pattern using Masking Signals. <i>Scientific Reports</i> , <b>2018</b> , 8, 2649	4-9	17
122	Pallidal deep brain stimulation modulates excessive cortical high $\beta$ phase amplitude coupling in Parkinson disease. <b>2018</b> , 11, 607-617		29
121	Auf dem Weg zur adaptiven Hirnstimulation. <b>2018</b> , 40, 179-188		2
120	Characterizing the effects of deep brain stimulation with magnetoencephalography: A review. <b>2018</b> , 11, 481-491		17
119	Incongruent visual feedback during a postural task enhances cortical alpha and beta modulation in patients with Parkinson's disease. <i>Clinical Neurophysiology</i> , <b>2018</b> , 129, 1357-1365	4-3	4
118	Occurrence of thalamic high frequency oscillations in patients with different tremor syndromes. <i>Clinical Neurophysiology</i> , <b>2018</b> , 129, 959-966	4-3	5
117	Unilateral deep brain stimulation suppresses alpha and beta oscillations in sensorimotor cortices. <b>2018</b> , 174, 201-207		26
116	Characteristics of Globus Pallidus Internus Local Field Potentials in Hyperkinetic Disease. <b>2018</b> , 9, 934		9
115	Resting Tremor Detection in Parkinson's Disease with Machine Learning and Kalman Filtering. <b>2019</b> , 2018,		14
114	Realtime phase-amplitude coupling analysis of micro electrode recorded brain signals. <b>2018</b> , 13, e0204260		2
113	Oophorectomy Reduces Estradiol Levels and Long-Term Spontaneous Neurovascular Recovery in a Female Rat Model of Focal Ischemic Stroke. <b>2018</b> , 11, 338		7
112	An update on adaptive deep brain stimulation in Parkinson's disease. <b>2018</b> , 33, 1834-1843		48
111	Dorsal and ventral cortices are coupled by cross-frequency interactions during working memory. <b>2018</b> , 178, 277-286		18
110	Pallidal stimulation in Parkinson disease differentially modulates local and network $\beta$ activity. <b>2018</b> , 15, 056016		15
109	Movement-Modulation of Local Power and Phase Amplitude Coupling in Bilateral Globus Pallidus Interna in Parkinson Disease. <b>2018</b> , 12, 270		12
108	Generic dynamic causal modelling: An illustrative application to Parkinson's disease. <b>2018</b> , 181, 818-830		19

107	Local field potentials of subthalamic nucleus contain electrophysiological footprints of motor subtypes of Parkinson's disease. <b>2018</b> , 115, E8567-E8576		34
106	Functional Mechanisms of Deep Brain Stimulation in Dystonia. 345-351		1
105	Beta burst coupling across the motor circuit in Parkinson's disease. <b>2018</b> , 117, 217-225		65
104	Empirical analysis of phase-amplitude coupling approaches. <b>2019</b> , 14, e0219264		3
103	Bifurcation structure determines different phase-amplitude coupling patterns in the activity of biologically plausible neural networks. <b>2019</b> , 202, 116031		10
102	Neural Circuit and Clinical Insights from Intraoperative Recordings During Deep Brain Stimulation Surgery. <b>2019</b> , 9,		4
101	Deep brain stimulation for Parkinson's disease modulates high-frequency evoked and spontaneous neural activity. <b>2019</b> , 130, 104522		21
100	Proactive control without midfrontal control signals? The role of midfrontal oscillations in preparatory conflict adjustments. <b>2019</b> , 148, 107747		6
99	Characterization of pallidocortical motor network in Parkinson's disease through complex network analysis. <b>2019</b> , 16, 066034		3
98	Anodal tDCS modulates cortical activity and synchronization in Parkinson's disease depending on motor processing. <b>2019</b> , 22, 101689		11
97	Changing views of the pathophysiology of Parkinsonism. <b>2019</b> , 34, 1130-1143		39
96	Effect of levodopa on electroencephalographic biomarkers of the parkinsonian state. <i>Journal of Neurophysiology</i> , <b>2019</b> , 122, 290-299	3-2	17
95	A systematic review of MEG-based studies in Parkinson's disease: The motor system and beyond. <b>2019</b> , 40, 2827-2848		21
94	Electrophysiological differences between upper and lower limb movements in the human subthalamic nucleus. <i>Clinical Neurophysiology</i> , <b>2019</b> , 130, 727-738	4-3	19
93	An update on best practice of deep brain stimulation in Parkinson's disease. <b>2019</b> , 12, 1756286419838096		41
92	Deep Brain Stimulation Programming 2.0: Future Perspectives for Target Identification and Adaptive Closed Loop Stimulation. <b>2019</b> , 10, 314		37
91	Synchronised spiking activity underlies phase amplitude coupling in the subthalamic nucleus of Parkinson's disease patients. <b>2019</b> , 127, 101-113		33
90	Computer Aided Diagnosis System for multiple sclerosis disease based on phase to amplitude coupling in covert visual attention. <b>2019</b> , 169, 9-18		31

89	Dopamine substitution alters effective connectivity of cortical prefrontal, premotor, and motor regions during complex bimanual finger movements in Parkinson's disease. <b>2019</b> , 190, 118-132		10
88	Distinct subthalamic coupling in the ON state describes motor performance in Parkinson's disease. <b>2020</b> , 35, 91-100		14
87	Improved detection of Parkinsonian resting tremor with feature engineering and Kalman filtering. <i>Clinical Neurophysiology</i> , <b>2020</b> , 131, 274-284	4-3	23
86	High density microelectrode recording predicts span of therapeutic tissue activation volumes in subthalamic deep brain stimulation for Parkinson disease. <b>2020</b> , 13, 412-419		10
85	Eight cylindrical contact lead recordings in the subthalamic region localize beta oscillations source to the dorsal STN. <b>2020</b> , 146, 105090		5
84	Identification of nonlinear features in cortical and subcortical signals of Parkinson's Disease patients via a novel efficient measure. <b>2020</b> , 223, 117356		3
83	Mapping of subthalamic nucleus using microelectrode recordings during deep brain stimulation. <i>Scientific Reports</i> , <b>2020</b> , 10, 19241	4-9	4
82	Altered Pallidocortical Low-Beta Oscillations During Self-Initiated Movements in Parkinson Disease. <b>2020</b> , 14, 54		1
81	Functional segregation and integration within the human subthalamic nucleus from a micro- and meso-level perspective. <b>2020</b> , 131, 103-113		5
80	Evoked potentials reveal neural circuits engaged by human deep brain stimulation. <b>2020</b> , 13, 1706-1718		4
79	Subthalamic Single Cell and Oscillatory Neural Dynamics of a Dyskinetic Medicated Patient With Parkinson's Disease. <b>2020</b> , 14, 391		4
78	Waveform changes with the evolution of beta bursts in the human subthalamic nucleus. <i>Clinical Neurophysiology</i> , <b>2020</b> , 131, 2086-2099	4-3	4
77	Neuroimaging and electrophysiology meet invasive neurostimulation for causal interrogations and modulations of brain states. <b>2020</b> , 220, 117144		3
76	Subthalamic nucleus activity dynamics and limb movement prediction in Parkinson's disease. <b>2020</b> , 143, 582-596		20
75	Debugging Adaptive Deep Brain Stimulation for Parkinson's Disease. <b>2020</b> , 35, 555-561		35
74	Subthalamic beta oscillations correlate with dopaminergic degeneration in experimental parkinsonism. <i>Experimental Neurology</i> , <b>2021</b> , 335, 113513	5-7	9
73	Spatiotemporal features of $\beta$ -phase-amplitude coupling in Parkinson's disease derived from scalp EEG. <b>2021</b> , 144, 487-503		9
72	Modulation of beta bursts in subthalamic sensorimotor circuits predicts improvement in bradykinesia. <b>2021</b> , 144, 473-486		18

71	Spectral characteristics of subthalamic nucleus local field potentials in Parkinson's disease: Phenotype and movement matter. <b>2021</b> , 53, 2804-2818	4
70	Modelling and prediction of the dynamic responses of large-scale brain networks during direct electrical stimulation. <b>2021</b> , 5, 324-345	20
69	Electroceutically induced subthalamic high-frequency oscillations and evoked compound activity may explain the mechanism of therapeutic stimulation in Parkinson's disease. <b>2021</b> , 4, 393	0
68	Towards adaptive deep brain stimulation: clinical and technical notes on a novel commercial device for chronic brain sensing.	4
67	High-Frequency Oscillations in the Pallidum: A Pathophysiological Biomarker in Parkinson's Disease?. <b>2021</b> , 36, 1332-1341	1
66	Device profile of the percept PC deep brain stimulation system for the treatment of Parkinson's disease and related disorders. <b>2021</b> , 18, 319-332	12
65	Is there a single beta oscillation band interfering with movement in Parkinson's disease?. <b>2021</b> , 54, 4381	1
64	Differential dopaminergic modulation of spontaneous cortico-subthalamic activity in Parkinson's disease. <b>2021</b> , 10,	2
63	Functional Differences in the Neural Substrates of Auditory Cognition as a Consequence of Music Training.	
62	Interlayer connectivity reconstruction for multilayer brain networks using phase oscillator models. <b>2021</b> , 23, 063065	5
61	A novel beamformer-based imaging of phase-amplitude coupling (BIPAC) unveiling the inter-regional connectivity of emotional prosody processing in women with primary dysmenorrhea. <b>2021</b> , 18,	1
60	Local field potentials in Parkinson's disease: A frequency-based review. <b>2021</b> , 155, 105372	7
59	Cross-frequency phase-amplitude coupling in repetitive movements in patients with Parkinson's disease.	
58	Towards adaptive deep brain stimulation: clinical and technical notes on a novel commercial device for chronic brain sensing. <b>2021</b> , 18,	10
57	Adaptive Closed-Loop Deep Brain Stimulator Coding Techniques for Target Detections in Parkinson's. 1-16	2
56	Movement-related changes in pallidocortical synchrony differentiate action execution and observation in humans. <i>Clinical Neurophysiology</i> , <b>2021</b> , 132, 1990-2001	4-3 1
55	Peaks in the beta band of the human subthalamic nucleus: a case for low beta and high beta activity. <b>2021</b> , 1-9	0
54	Neuronal biomarkers of Parkinson's disease are present in healthy aging. <b>2021</b> , 243, 118512	4

53	Subthalamic dynamic neural states correlate with motor symptoms in Parkinson's Disease. <i>Clinical Neurophysiology</i> , <b>2021</b> , 132, 2789-2797	4-3	0
52	Rapid motor fluctuations reveal short-timescale neurophysiological biomarkers of Parkinson's disease. <b>2020</b> , 17, 046042		3
51	Sevoflurane and Parkinson's Disease: Subthalamic Nucleus Neuronal Activity and Clinical Outcome of Deep Brain Stimulation. <b>2020</b> , 132, 1034-1044		4
50	Tensorpac : an open-source Python toolbox for tensor-based Phase-Amplitude Coupling measurement in electrophysiological brain signals.		0
49	Tensorpac: An open-source Python toolbox for tensor-based phase-amplitude coupling measurement in electrophysiological brain signals. <b>2020</b> , 16, e1008302		7
48	Pulsatile desynchronizing delayed feedback for closed-loop deep brain stimulation. <b>2017</b> , 12, e0173363		46
47	Suppression of spontaneous oscillations in high-frequency stimulated neuron models. <b>2017</b> , 56, 223-238		7
46	Improving the Standard for Deep Brain Stimulation Therapy: Target Structures and Feedback Signals for Adaptive Stimulation. Current Perspectives and Future Directions. <b>2018</b> , 10, e2468		3
45	Influence of inter-electrode distance on subthalamic nucleus local field potential recordings in Parkinson's disease. <i>Clinical Neurophysiology</i> , <b>2021</b> , 133, 29-38	4-3	1
44	Synchronised spiking activity underlies phase amplitude coupling in the subthalamic nucleus of Parkinson's disease patients.		0
43	Movement-related changes in pallidocortical synchrony differentiate action execution and observation in humans.		
42	Future Perspectives: Adaptive Deep Brain Stimulation. <b>2020</b> , 49-65		3
41	Rapid Motor Fluctuations Reveal Short-Timescale Neurophysiological Biomarkers of Parkinson's Disease.		
40	Neurophysiological network dynamics of pitch change detection.		
39	Differential dopaminergic modulation of spontaneous cortico-subthalamic activity in Parkinson's disease.		
38	Quantitative Electroencephalography as a Biomarker for Cognitive Dysfunction in Parkinson's Disease.. <i>Frontiers in Aging Neuroscience</i> , <b>2021</b> , 13, 804991	5-3	0
37	Towards guided and automated programming of subthalamic area stimulation in Parkinson's disease.. <i>Brain Communications</i> , <b>2022</b> , 4, fcac003	4-5	0
36	Adaptive deep brain stimulation: Retuning Parkinson's disease.. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , <b>2022</b> , 184, 273-284	3	2

35	Brain oscillations and Parkinson disease.. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , <b>2022</b> , 184, 259-271	3	
34	Novel approaches for quantifying beta synchrony in Parkinson's disease.. <i>Experimental Brain Research</i> , <b>2022</b> , 1	2.3	0
33	Magnetoencephalography detects phase-amplitude coupling in Parkinson's disease.. <i>Scientific Reports</i> , <b>2022</b> , 12, 1835	4.9	0
32	Cross-frequency brain network dynamics support pitch change detection.. <i>Journal of Neuroscience</i> , <b>2022</b> ,	6.6	0
31	Turning markers into targets ↳coping neural circuits for motor neurofeedback training in Parkinson's disease. 1-41		1
30	Dopaminergic modulation of local non-oscillatory activity and global-network properties in Parkinson's disease: an EEG study.		
29	Subthalamic Beta Burst Dynamics Differs for Parkinson's Disease Phenotypes. <i>IFMBE Proceedings</i> , <b>2022</b> , 2219-2224	0.2	
28	Deep brain stimulation for Parkinson's Disease: A Review and Future Outlook. <i>Biomedical Engineering Letters</i> , 1	3.6	
27	Data_Sheet_1.docx. <b>2018</b> ,		
26	Image_1.TIF. <b>2018</b> ,		
25	Image_2.TIF. <b>2018</b> ,		
24	Image_1.PDF. <b>2020</b> ,		
23	Table_1.PDF. <b>2020</b> ,		
22	Video_1.MP4. <b>2020</b> ,		
21	Dopaminergic Modulation of Local Non-oscillatory Activity and Global-Network Properties in Parkinson's Disease: An EEG Study.. <i>Frontiers in Aging Neuroscience</i> , <b>2022</b> , 14, 846017	5.3	0
20	Frequency Nesting Interactions in the Subthalamic Nucleus Correlate With the Step Phases for Parkinson's Disease.. <i>Frontiers in Physiology</i> , <b>2022</b> , 13, 890753	4.6	1
19	Cross-frequency phase-amplitude coupling in repetitive movements in patients with Parkinson's disease.. <i>Journal of Neurophysiology</i> , <b>2022</b> ,	3.2	
18	LFP analysis of brain injured anesthetized animals undergoing closed-loop intracortical stimulation. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , <b>2022</b> , 1-1	4.8	



17	Theta-gamma coupling as a cortical biomarker of brain-computer interface mediated motor recovery in chronic stroke. <i>Brain Communications</i> ,	4.5	0
16	Exploring phase-amplitude coupling from primary motor cortex-basal ganglia-thalamus network model. <i>Neural Networks</i> , <b>2022</b> ,	9.1	0
15	A comparison of methods to suppress electrocardiographic artifacts in local field potential recordings.		0
14	Spectral and spatial distribution of subthalamic beta peak activity in Parkinson's disease patients. <i>Experimental Neurology</i> , <b>2022</b> , 114150	5.7	1
13	Subthalamic low beta bursts differ in Parkinson's disease phenotypes. <i>Clinical Neurophysiology</i> , <b>2022</b> , 140, 45-58	4.3	0
12	A translational perspective on pathophysiological changes of oscillatory activity in dystonia and parkinsonism. <i>Experimental Neurology</i> , <b>2022</b> , 355, 114140	5.7	0
11	A Novel Framework in Quantifying Oscillatory Coupling to Gait Disturbance in Parkinson's Disease. <b>2022</b> ,		0
10	A Pursuit of the Degree of Nonlinearity for Oscillations under Motor Imagery. <b>2022</b> ,		0
9	Subthalamic high-beta oscillation informs the outcome of deep brain stimulation in patients with Parkinson's disease. 16,		0
8	Developments in the mechanistic understanding and clinical application of deep brain stimulation for Parkinson's disease. <b>2022</b> , 22, 789-803		1
7	A systematic review of local field potential physiometers in Parkinson's disease: from clinical correlations to adaptive deep brain stimulation algorithms.		1
6	Effects of Contralateral Deep Brain Stimulation and Levodopa on Subthalamic Nucleus Oscillatory Activity and Phase-Amplitude Coupling. <b>2022</b> ,		1
5	A comparison of methods to suppress electrocardiographic artifacts in local field potential recordings. <b>2022</b> ,		0
4	The possible mechanism of direct feedback projections from basal ganglia to cortex in beta oscillations of Parkinson's disease: A theoretical evidence in the competing resonance model. <b>2023</b> , 120, 107142		0
3	Subthalamic Nucleus Deep Brain Stimulation Restores Motor and Sensorimotor Cortical Neuronal Oscillatory Activity in the Free-Moving 6-Hydroxydopamine Lesion Rat Parkinson Model. <b>2023</b> ,		0
2	Profiling the low-beta characteristics of the subthalamic nucleus in early- and late-onset Parkinson's disease. 15,		0
1	Spectral Topography of the Subthalamic Nucleus to Inform Next-Generation Deep Brain Stimulation.		0