## CITATION REPORT List of articles citing

Validation of the Mass-Extraction-Window for Quantitative Methods Using Liquid Chromatography High Resolution Mass Spectrometry

DOI: 10.1021/acs.analchem.5b04689 Analytical Chemistry, 2016, 88, 3264-71.

Source: https://exaly.com/paper-pdf/65511201/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #  | Paper  | IF                 | Citations |
|----|--|--------------------|-----------|
| 33 | Inflammation Thread Runs across Medical Laboratory Specialities. <i>Mediators of Inflammation</i> , <b>2016</b> , 2016, 4121837  | 4.3                | 5         |
| 32 | HRMS using a Q-Exactive series mass spectrometer for regulated quantitative bioanalysis: how, when, and why to implement. <i>Bioanalysis</i> , <b>2016</b> , 8, 1709-21  | 2.1                | 19        |
| 31 | Unconjugated payload quantification and DAR characterization of antibody-drug conjugates using high-resolution MS. <i>Bioanalysis</i> , <b>2016</b> , 8, 1663-78   | 2.1                | 25        |
| 30 | Biomonitoring DNA Adducts of Cooked Meat Carcinogens in Human Prostate by Nano Liquid Chromatography-High Resolution Tandem Mass Spectrometry: Identification of 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine DNA Adduct. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 12508-1 | 7.8<br><b>2515</b> | 48        |
| 29 | Influence of Mass Resolving Power in Orbital Ion-Trap Mass Spectrometry-Based Metabolomics. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 11429-11435  | 7.8                | 16        |
| 28 | An efficient liquid chromatography-high resolution mass spectrometry approach for the optimization of the metabolic stability of therapeutic peptides. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 2685-2696  | 4.4                | 21        |
| 27 | Current Legislation on Pesticides. <b>2017</b> , 83-130  |                    | 5         |
| 26 | Data-Independent Mass Spectrometry Approach for Screening and Identification of DNA Adducts. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 11728-11736   | 7.8                | 29        |
| 25 | Quantification of steroid hormones in human serum by liquid chromatography-high resolution tandem mass spectrometry. <i>Journal of Chromatography A</i> , <b>2017</b> , 1526, 112-118  | 4.5                | 27        |
| 24 | Sensitive and selective quantification of free and total malondialdehyde in plasma using UHPLC-HRMS. <i>Journal of Lipid Research</i> , <b>2017</b> , 58, 1924-1931  | 6.3                | 15        |
| 23 | Database-driven screening of South African surface water and the targeted detection of pharmaceuticals using liquid chromatography - High resolution mass spectrometry. <i>Environmental Pollution</i> , <b>2017</b> , 230, 453-462  | 9.3                | 26        |
| 22 | HRMS for the quantification of xenobiotics in biological samples. <i>Bioanalysis</i> , <b>2017</b> , 9, 1939-1941  | 2.1                | 1         |
| 21 | Development and validation of an ultra performance liquid chromatography Q-Exactive Orbitrap mass spectrometry for the determination of fipronil and its metabolites in tea and chrysanthemum. <i>Food Chemistry</i> , <b>2018</b> , 246, 328-334                                    | 8.5                | 39        |
| 20 | Ultra-Performance Liquid Chromatography-High-Resolution Mass Spectrometry and Direct Infusion-High-Resolution Mass Spectrometry for Combined Exploratory and Targeted Metabolic Profiling of Human Urine. <i>Journal of Proteome Research</i> , <b>2018</b> , 17, 3492-3502          | 5.6                | 9         |
| 19 | Fully-automated systems and the need for global approaches should exhort clinical labs to reinvent routine MS analysis?. <i>Bioanalysis</i> , <b>2018</b> , 10, 1129-1141  | 2.1                | 3         |
| 18 | Fundamentals and Advances of Orbitrap Mass Spectrometry. <b>2019</b> , 1-40  |                    | 12        |
| 17 | High-throughput quantification of carboxymethyl lysine in serum and plasma using high-resolution accurate mass Orbitrap mass spectrometry. <i>Annals of Clinical Biochemistry</i> , <b>2019</b> , 56, 397-407  | 2.2                | 3         |

## CITATION REPORT

| 16 | High-Resolution Mass Spectrometry Quantification: Impact of Differences in Data Processing of Centroid and Continuum Data. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2019</b> , 30, 203-212  | 3.5 | 9  |
|----|--|-----|----|
| 15 | Selectivity enhancement using sequential mass isolation window acquisition with hybrid quadrupole time-of-flight mass spectrometry for pesticide residues. <i>Journal of Chromatography A</i> , <b>2019</b> , 1591, 99-109   | 4.5 | 5  |
| 14 | The use of UHPLC, IMS, and HRMS in multiresidue analytical methods: A critical review. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2020</b> , 1158, 122369  | 3.2 | 4  |
| 13 | High-resolution mass spectrometry for bioanalytical applications: Is this the new gold standard?. <i>Journal of Mass Spectrometry</i> , <b>2020</b> , 55, e4533  | 2.2 | 20 |
| 12 | Effects of post-harvest hypoxic stress on post-landing recovery of live scallops (Mizuhopecten yessoensis) revealed by untargeted metabolomics based on UPLC-Q-TOF-MS. <i>Food Control</i> , <b>2021</b> , 123, 107671   | 6.2 | O  |
| 11 | Rapid quantitative screening of cyanobacteria for production of anatoxins using direct analysis in real time high-resolution mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2021</b> , 35, e89   | 940 | 3  |
| 10 | 2020 White Paper on Recent Issues in Bioanalysis: BMV of Hybrid Assays, Acoustic MS, HRMS, Data Integrity, Endogenous Compounds, Microsampling and Microbiome ( - Recommendations on Industry/Regulators Consensus on BMV of Biotherapeutics by LCMS, Advanced Application in Hybrid Assays, Regulatory Challenges in Mass Spec, Innovation in Small Molecules, Peptides and | 2.1 | 11 |
| 9  | Eight key rules for successful data-dependent acquisition in mass spectrometry-based metabolomics. <i>Mass Spectrometry Reviews</i> , <b>2021</b> ,  | 11  | 8  |
| 8  | Ion mobility-high resolution mass spectrometry in doping control analysis. Part II: Comparison of acquisition modes with and without ion mobility. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1175, 338739  | 6.6 | 5  |
| 7  | Intact mAb LC-MS for drug concentration from pre-clinical studies: bioanalytical method performance and in-life samples. <i>Bioanalysis</i> , <b>2020</b> , 12, 1389-1403  | 2.1 | 3  |
| 6  | Foliar application uniconazole enhanced lodging resistance of high-quality indica rice (Oryza sativa L. ) by altering anatomical traits, cell structure and endogenous hormones. <i>Field Crops Research</i> , <b>2022</b> , 277, 108425   | 5.5 | 2  |
| 5  | A UHPLC-QTOF-MS/MS method with a superimposed multiple product ion strategy and esterase inhibitor improved sensitivity for the determination of xylocarpin H in rat plasma <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2022</b> , 216, 114803   | 3.5 | O  |
| 4  | Impact of different cooking methods on the chemical profile of orange-fleshed sweet potato (Ipomoea batatas L.). <b>2023</b> , 173, 114288   |     | 0  |
| 3  | Effects of steam explosion on phenolic compounds and dietary fiber of grape pomace. <b>2022</b> , 114350   |     | 1  |
| 2  | Impact of different cooking methods on the chemical profile of Orange-fleshed sweet potato (Ipomoea batatas L.). <b>2022</b> , 100542  |     | О  |
| 1  | Characterization of non-volatile and volatile flavor profiles of Coregonus peled meat cooked by different methods. <b>2023</b> , 17, 100584  |     | O  |