

CITATION REPORT

List of articles citing

Biochar-Facilitated Microbial Reduction of Hematite

DOI: 10.1021/acs.est.5b05517

Environmental Science & Technology, 2016, 50, 2389-95

Source: <https://exaly.com/paper-pdf/65561136/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
134	Improved bioreduction of nitrobenzene by black carbon/biochar derived from crop residues. <i>RSC Advances</i> , 2016 , 6, 84388-84396	3.7	18
133	Hardwiring microbes via direct interspecies electron transfer: mechanisms and applications. 2016 , 18, 968-80		109
132	Coupled dynamics of iron and iron-bound organic carbon in forest soils during anaerobic reduction. 2017 , 464, 118-126		43
131	Emerging investigator series: dual role of organic matter in the anaerobic degradation of triclosan. 2017 , 19, 499-506		4
130	Effect of Heavy Metal (Zn) on Redox Property of Hydrochar Produced from Lignin, Cellulose, and d-Xylose. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 3499-3508	8.3	20
129	Re-activation of aged-ZVI by iron-reducing bacterium <i>Shewanella putrefaciens</i> for enhanced reductive dechlorination of trichloroethylene. 2017 , 92, 2642-2649		19
128	Photogeneration of reactive oxygen species from biochar suspension for diethyl phthalate degradation. 2017 , 214, 34-45		149
127	Effects and mechanisms of biochar-microbe interactions in soil improvement and pollution remediation: A review. 2017 , 227, 98-115		381
126	Effects of humic acid concentration on the microbially-mediated reductive solubilization of Pu(IV) polymers. <i>Journal of Hazardous Materials</i> , 2017 , 339, 347-353	12.8	9
125	Yearlong semi-continuous operation of thermophilic two-stage anaerobic digesters amended with biochar for enhanced biomethane production. 2017 , 167, 863-874		70
124	Rapid electron transfer by the carbon matrix in natural pyrogenic carbon. 2017 , 8, 14873		223
123	Effects of biochar on dechlorination of hexachlorobenzene and the bacterial community in paddy soil. <i>Chemosphere</i> , 2017 , 186, 116-123	8.4	17
122	Surface Interactions between Gold Nanoparticles and Biochar. 2017 , 7, 5027		19
121	Redox-Active Oxygen-Containing Functional Groups in Activated Carbon Facilitate Microbial Reduction of Ferrihydrite. <i>Environmental Science & Technology</i> , 2017 , 51, 9709-9717	10.3	62
120	Black Carbon (Biochar) In Water/Soil Environments: Molecular Structure, Sorption, Stability, and Potential Risk. <i>Environmental Science & Technology</i> , 2017 , 51, 13517-13532	10.3	267
119	Probing the biotransformation of hematite nanoparticles and magnetite formation mediated by <i>Shewanella oneidensis</i> MR-1 at the molecular scale. <i>Environmental Science: Nano</i> , 2017 , 4, 2395-2404	7.1	16
118	Applications of biochar in redox-mediated reactions. 2017 , 246, 271-281		218

117	Dynamics of ferrihydrite-bound organic carbon during microbial Fe reduction. 2017 , 212, 221-233		63
116	Study on intrinsic reaction behavior and kinetics during reduction of iron ore pellets by utilization of biochar. 2018 , 158, 1-8		23
115	Raw hematite based Fe(III) bio-reduction process for humified landfill leachate treatment. <i>Journal of Hazardous Materials</i> , 2018 , 355, 10-16	12.8	5
114	Improving the stability and efficiency of anaerobic digestion of food waste using additives: A critical review. 2018 , 192, 316-326		120
113	Biochar addition for accelerating bioleaching of heavy metals from swine manure and reserving the nutrients. <i>Science of the Total Environment</i> , 2018 , 631-632, 1553-1559	10.2	23
112	Microbial reduction of Ferrihydrite in the presence of reduced Graphene oxide materials: Alteration of Fe(III) reduction rate, biomineralization product and settling behavior. 2018 , 476, 272-279		10
111	Biochar immobilizes soil-borne arsenic but not cationic metals in the presence of low-molecular-weight organic acids. <i>Science of the Total Environment</i> , 2018 , 630, 1188-1194	10.2	25
110	Biochar enhanced biological nitrobenzene reduction with a mixed culture in anaerobic systems: Short-term and long-term assessments. 2018 , 351, 912-921		34
109	Simultaneous Quantification of Electron Transfer by Carbon Matrices and Functional Groups in Pyrogenic Carbon. <i>Environmental Science & Technology</i> , 2018 , 52, 8538-8547	10.3	52
108	Typical Soil Redox Processes in Pentachlorophenol Polluted Soil Following Biochar Addition. <i>Frontiers in Microbiology</i> , 2018 , 9, 579	5.7	19
107	Fate of As(III) and As(V) during Microbial Reduction of Arsenic-Bearing Ferrihydrite Facilitated by Activated Carbon. 2018 , 2, 878-887		21
106	Impact of soil properties on the soil methane flux response to biochar addition: a meta-analysis. 2018 , 20, 1202-1209		9
105	Bioenergy production and metallic iron (Fe) conversion from <i>Botryococcus</i> sp. cultivated in domestic wastewater: Algal biorefinery concept. 2019 , 196, 1326-1334		11
104	The impact of biochar on soil carbon sequestration: Meta-analytical approach to evaluating environmental and economic advantages. 2019 , 250, 109466		40
103	Cultivation of microalgae <i>Chlorella</i> sp. in municipal sewage for biofuel production and utilization of biochar derived from residue for the conversion of hematite iron ore (Fe ₂ O ₃) to iron (Fe) □ Integrated algal biorefinery. 2019 , 189, 116128		23
102	Probing the Surface Reactivity of Pyrogenic Carbonaceous Material (PCM) through Synthesis of PCM-Like Conjugated Microporous Polymers. <i>Environmental Science & Technology</i> , 2019 , 53, 7673-7682	10.3	7
101	Interaction with low molecular weight organic acids affects the electron shuttling of biochar for Cr(VI) reduction. <i>Journal of Hazardous Materials</i> , 2019 , 378, 120705	12.8	55
100	Unveiling the mechanism of biochar-activated hydrogen peroxide on the degradation of ciprofloxacin. 2019 , 374, 520-530		66

99	Accelerating effects of humin on sulfide-mediated azo dye reduction. 2019 , 175, 102-109		5
98	Biogeochemical fate of ferrihydrite-model organic compound complexes during anaerobic microbial reduction. <i>Science of the Total Environment</i> , 2019 , 668, 216-223	10.2	4
97	Temporal changes in magnetic signal of burnt soils - A compelling three years pilot study. <i>Science of the Total Environment</i> , 2019 , 669, 729-738	10.2	11
96	Biochar mediates activation of aged nanoscale ZVI by <i>Shewanella putrefaciens</i> CN32 to enhance the degradation of Pentachlorophenol. 2019 , 368, 148-156		31
95	Cotransport of biochar and <i>Shewanella oneidensis</i> MR-1 in saturated porous media: Impacts of electrostatic interaction, extracellular electron transfer and microbial taxis. <i>Science of the Total Environment</i> , 2019 , 658, 95-104	10.2	12
94	Redox-Mediated Biochar-Contaminant Interactions in Soil. 2019 , 409-419		3
93	Influence of pyrolysis temperature on production of digested sludge biochar and its application for ammonium removal from municipal wastewater. 2019 , 209, 927-936		117
92	Aerobic respiration of mineral-bound organic carbon in a soil. <i>Science of the Total Environment</i> , 2019 , 651, 1253-1260	10.2	13
91	Biochar as both electron donor and electron shuttle for the reduction transformation of Cr(VI) during its sorption. 2019 , 244, 423-430		146
90	New methods for assessing electron storage capacity and redox reversibility of biochar. <i>Chemosphere</i> , 2019 , 215, 827-834	8.4	27
89	Formation and redox reactivity of ferrihydrite-organic carbon-calcium co-precipitates. 2019 , 244, 86-98		21
88	Roles of different humin and heavy-metal resistant bacteria from composting on heavy metal removal. 2020 , 296, 122375		63
87	Structures of nitroaromatic compounds induce <i>Shewanella oneidensis</i> MR-1 to adopt different electron transport pathways to reduce the contaminants. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121495	12.8	9
86	Aggregation-dependent electron transfer via redox-active biochar particles stimulate microbial ferrihydrite reduction. <i>Science of the Total Environment</i> , 2020 , 703, 135515	10.2	27
85	Biochar-based fertilizer: Supercharging root membrane potential and biomass yield of rice. <i>Science of the Total Environment</i> , 2020 , 713, 136431	10.2	43
84	Simultaneous reduction of Cr(VI) and oxidization of organic pollutants by rice husk derived biochar and the interactive influences of coexisting Cr(VI). <i>Science of the Total Environment</i> , 2020 , 706, 135763	10.2	26
83	Pyrolysis-temperature depended electron donating and mediating mechanisms of biochar for Cr(VI) reduction. <i>Journal of Hazardous Materials</i> , 2020 , 388, 121794	12.8	49
82	Sulfide-induced reduction of nitrobenzene mediated by different size fractions of rice straw-derived black carbon: A key role played by reactive polysulfide species. <i>Science of the Total Environment</i> , 2020 , 748, 141365	10.2	4

81	Reactivity of Pyrogenic Carbonaceous Matter (PCM) in mediating environmental reactions: Current knowledge and future trends. 2020 , 14, 1		6
80	Anaerobic Dehalogenation by Reduced Aqueous Biochars. <i>Environmental Science & Technology</i> , 2020 , 54, 15142-15150	10.3	5
79	Reusable magnetite nanoparticles-biochar composites for the efficient removal of chromate from water. 2020 , 10, 19007		14
78	Oxidation of soil organic carbon during an anoxic-oxic transition. 2020 , 377, 114584		8
77	Facet-dependent reductive dissolution of hematite nanoparticles by <i>Shewanella putrefaciens</i> CN-32. <i>Environmental Science: Nano</i> , 2020 , 7, 2522-2531	7.1	11
76	Enhancement of S(IV)-Cr(VI) reaction in p-nitrophenol degradation using rice husk biochar at neutral conditions. <i>Science of the Total Environment</i> , 2020 , 749, 142086	10.2	2
75	Enhanced Transformation of Cr(VI) by Heterocyclic-N within Nitrogen-Doped Biochar: Impact of Surface Modulatory Persistent Free Radicals (PFRs). <i>Environmental Science & Technology</i> , 2020 , 54, 8123-8132	10.3	43
74	Acceleration of goethite-catalyzed Fenton-like oxidation of ofloxacin by biochar. <i>Journal of Hazardous Materials</i> , 2020 , 397, 122783	12.8	27
73	Role of Pyrogenic Carbon in Parallel Microbial Reduction of Nitrobenzene in the Liquid and Sorbed Phases. <i>Environmental Science & Technology</i> , 2020 , 54, 8760-8769	10.3	10
72	Degradation of organic pollutants by ferrate/biochar: Enhanced formation of strong intermediate oxidative iron species. 2020 , 183, 116054		29
71	Response of soil microbial communities to additions of straw biochar, iron oxide, and iron oxide-modified straw biochar in an arsenic-contaminated soil. 2020 , 27, 23761-23768		9
70	Biochar as electron donor for reduction of N ₂ O by <i>Paracoccus denitrificans</i> . 2020 , 96,		3
69	Biochar stability and effect on the content, composition and turnover of soil organic carbon. 2020 , 364, 114184		62
68	Biochar enhanced the degradation of organic pollutants through a Fenton process using trace aqueous iron. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104677	6.8	7
67	Quinone-mediated dissimilatory iron reduction of hematite: Interfacial reactions on exposed {001} and {100} facets. 2021 , 583, 544-552		8
66	The reduction of nitrobenzene by extracellular electron transfer facilitated by Fe-bearing biochar derived from sewage sludge. <i>Journal of Hazardous Materials</i> , 2021 , 403, 123682	12.8	23
65	Role of redox-active biochar with distinctive electrochemical properties to promote methane production in anaerobic digestion of waste activated sludge. 2021 , 278, 123212		33
64	Effects of biochar addition on the abundance, speciation, availability, and leaching loss of soil phosphorus. <i>Science of the Total Environment</i> , 2021 , 758, 143657	10.2	15

63	The overlooked role of carbonaceous supports in enhancing arsenite oxidation and removal by nZVI: Surface area versus electrochemical property. 2021 , 406, 126851		31
62	Application of biochars in the remediation of chromium contamination: Fabrication, mechanisms, and interfering species. <i>Journal of Hazardous Materials</i> , 2021 , 407, 124376	12.8	35
61	Interaction between hexavalent chromium and biologically formed iron mineral-biochar composites: Kinetics, products and mechanisms. <i>Journal of Hazardous Materials</i> , 2021 , 405, 124246	12.8	12
60	Humins: No longer inactive natural organic matter. <i>Chemosphere</i> , 2021 , 269, 128697	8.4	6
59	Energy Taxation toward Redox-Active Surfaces Decreases the Transport of Electroactive Bacteria in Saturated Porous Media. <i>Environmental Science & Technology</i> , 2021 , 55, 5559-5568	10.3	5
58	Pyridinic- and Pyrrolic Nitrogen in Pyrogenic Carbon Improves Electron Shuttling during Microbial Fe(III) Reduction. 2021 , 5, 900-909		1
57	Rice Rhizospheric Effects on the Bioavailability of Toxic Trace Elements during Land Application of Biochar. <i>Environmental Science & Technology</i> , 2021 , 55, 7344-7354	10.3	1
56	Developing microbial communities containing a high abundance of exoelectrogenic microorganisms using activated carbon granules. <i>Science of the Total Environment</i> , 2021 , 768, 144361	10.2	4
55	Preparation of magnetic hydrochar derived from iron-rich <i>Phytolacca acinosa</i> Roxb. for Cd removal. <i>Science of the Total Environment</i> , 2021 , 769, 145159	10.2	7
54	Insoluble carbonaceous materials as electron shuttles enhance the anaerobic/anoxic bioremediation of redox pollutants: Recent advances. 2021 , 33, 71-71		3
53	Redox Properties of Pyrogenic Dissolved Organic Matter (pyDOM) from Biomass-Derived Chars. <i>Environmental Science & Technology</i> , 2021 ,	10.3	7
52	Suppressing peatland methane production by electron snorkeling through pyrogenic carbon in controlled laboratory incubations. 2021 , 12, 4119		4
51	Evolution of redox activity of biochar during interaction with soil minerals: Effect on the electron donating and mediating capacities for Cr(VI) reduction. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125483	12.8	27
50	Carbon nanotubes mediating nano-FeOOH reduction by <i>Shewanella putrefaciens</i> CN32 to enhance tetrabromobisphenol A removal. <i>Science of the Total Environment</i> , 2021 , 777, 146183	10.2	3
49	Abiotic reductive removal of organic contaminants catalyzed by carbon materials: A short review. 2021 , 93, 2374-2390		
48	Sulfite Activation by Glucose-Derived Carbon Catalysts for As(III) Oxidation: The Role of Ketonic Functional Groups and Conductivity. <i>Environmental Science & Technology</i> , 2021 , 55, 11961-11969	10.3	2
47	Exploring different mechanisms of biochars in removing hexavalent chromium: Sorption, reduction and electron shuttle. 2021 , 337, 125382		4
46	A critical review on the application of biochar in environmental pollution remediation: Role of persistent free radicals (PFRs). 2021 , 108, 201-216		18

45	Mitigation of acidogenic product inhibition and elevated mass transfer by biochar during anaerobic digestion of food waste. 2021 , 338, 125531		18
44	Effects and mechanisms of modified biochars on microbial iron reduction of <i>Geobacter sulfurreducens</i> . <i>Chemosphere</i> , 2021 , 283, 130983	8.4	3
43	Mechanisms for the dissolved biochar promoted iron dissolution and consequential chromium release. <i>Science of the Total Environment</i> , 2021 , 796, 148923	10.2	0
42	Electrochemical behaviors of biochar materials during pollutant removal in wastewater: A review. 2021 , 425, 130585		5
41	Enhanced microbial reduction of aqueous hexavalent chromium by <i>Shewanella oneidensis</i> MR-1 with biochar as electron shuttle.. 2022 , 113, 12-25		3
40	Activated carbon as an insoluble electron shuttle to enhance the anaerobic ammonium oxidation coupled with Fe(III) reduction process. 2022 , 204, 111972		5
39	A review and future directions on enhancing sustainability benefits across food-energy-water systems: the potential role of biochar-derived products. 2019 , 6, 379-416		8
38	Poorly conductive biochar boosting extracellular electron transfer for efficient volatile fatty acids oxidation via redox-mediated mechanism. <i>Science of the Total Environment</i> , 2021 , 151113	10.2	1
37	A coupled function of biochar as geobattery and geoconductor leads to stimulation of microbial Fe(III) reduction and methanogenesis in a paddy soil enrichment culture. 2021 , 163, 108446		3
36	Biotransformation of 5-hydroxymethylfurfural into 2,5-dihydroxymethylfuran by <i>Ganoderma sessile</i> and toxicological assessment of both compounds. 2020 , 10, 88		1
35	Suppressing peatland methane production by electron snorkeling through pyrogenic carbon.		
34	Overcoming biochar limitations to remediate pentachlorophenol in soil by modifying its electrochemical properties. <i>Journal of Hazardous Materials</i> , 2021 , 426, 127805	12.8	1
33	Effects of biochar/AQDS on As(III)-adsorbed ferrihydrite reduction and arsenic (As) and iron (Fe) transformation: Abiotic and biological conditions. <i>Chemosphere</i> , 2021 , 133126	8.4	0
32	Redox properties of nano-sized biochar derived from wheat straw biochar.. <i>RSC Advances</i> , 2022 , 12, 11039, 11046		
31	Nano Magnetite-Loaded Biochar Enhances Interspecies Electron Transfer and Viability of Functional Microorganisms in Anaerobic Digestion. <i>ACS Sustainable Chemistry and Engineering</i> , 2022 , 10, 2811-2821	8.3	1
30	High efficiency adsorption of uranium in solution with magnesium oxide embedded horse manure-derived biochar. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106897	6.8	0
29	Enhanced Microbial Ferrihydrite Reduction by Pyrogenic Carbon: Impact of Graphitic Structures.. <i>Environmental Science & Technology</i> , 2021 ,	10.3	1
28	Data_Sheet_1.DOC. 2018 ,		

27	Nano-biochar modulates the formation of iron plaque through facilitating iron-involved redox reactions on aquatic plant root surfaces. <i>Environmental Science: Nano</i> ,	7.1	0
26	Autotrophic Fe-Driven Biological Nitrogen Removal Technologies for Sustainable Wastewater Treatment.. <i>Frontiers in Microbiology</i> , 2022 , 13, 895409	5.7	0
25	Biochar decreases Cd mobility and rice (<i>Oryza sativa</i> L.) uptake by affecting soil iron and sulfur cycling.. <i>Science of the Total Environment</i> , 2022 , 155547	10.2	1
24	Iron reduction process and antimony behavior change in paddy soils under stationary flooding conditions. <i>Applied Geochemistry</i> , 2022 , 142, 105311	3.5	0
23	Combined remediation effects of biochar, zeolite and humus on Cd-contaminated weakly alkaline soils in wheat farmland.. <i>Chemosphere</i> , 2022 , 302, 134851	8.4	0
22	Novel Insights into the Impact of Nano-Biochar on Composition and Structural Transformation of Mineral/Nano-Biochar Heteroaggregates in the Presence of Root Exudates. <i>Environmental Science & Technology</i> ,	10.3	0
21	Enhanced Cr(VI) Bioreduction by Biochar: Insight into the Persistent Free Radicals Mediated Extracellular Electron Transfer. <i>SSRN Electronic Journal</i> ,	1	
20	Enhanced Phosphorus Recovery as Vivianite from Anaerobically Digested Sewage Sludge with Magnetic Biochar Addition. <i>Sustainability</i> , 2022 , 14, 8690	3.6	0
19	The effects of biochar and its applications in the microbial remediation of contaminated soil: A review. <i>Journal of Hazardous Materials</i> , 2022 , 438, 129557	12.8	3
18	Stability and interaction of biochar and iron [mineral nanoparticles: effect of pH, ionic strength, and dissolved organic matter. 2022 , 4,		0
17	Biochar facilitated bacterial reduction of Cr(VI) by <i>Shewanella Putrefaciens</i> CN32: Pathways and surface characteristics. 2022 , 113971		1
16	Biochar facilitates ferrihydrite reduction by <i>Shewanella oneidensis</i> MR-1 through stimulating the secretion of extracellular polymeric substances. 2022 , 848, 157560		1
15	Effect of humic acid on bioreduction of facet-dependent hematite by <i>Shewanella putrefaciens</i> CN-32. 2022 , 849, 157713		0
14	Biochar-mediated abiotic and biotic degradation of halogenated organic contaminants [A review. 2022 , 852, 158381		0
13	Enhanced Cr(VI) bioreduction by biochar: Insight into the persistent free radicals mediated extracellular electron transfer. 2023 , 442, 129927		0
12	Effects of biochar on anaerobic treatment systems: Some perspectives. 2022 , 128226		1
11	Biochar-Assisted Bioengineered Strategies for Metal Removal: Mechanisms, Key Considerations, and Perspectives for the Treatment of Solid and Liquid Matrixes. 2022 , 14, 17049		0
10	Biochar-derived dissolved black carbon accelerates ferrihydrite microbial transformation and subsequent imidacloprid degradation. 2023 , 446, 130685		0

- 9 Microbial reduction and alteration of Fe(III)-containing smectites in the presence of biochar-derived dissolved organic matter. **2023**, 152, 105661
- 8 Probing the fast transformation mechanism of Cr (VI) on carbon dots with structural defects and surface oxygen functional groups. **2023**, 330, 122571
- 7 Enhanced microbial reduction of Cr(VI) in soil with biochar acting as an electron shuttle: Crucial role of redox-active moieties. **2023**, 328, 138601
- 6 Effect and mechanism of biochar as a support on immobilization of different heavy metals by iron oxides in a multi-contaminated soil. **2023**, 11, 109895
- 5 Microbial reduction of Fe(III) in nontronite: Role of biochar as a redox mediator. **2023**, 345, 102-116
- 4 Developing a Novel Activated Carbon-Mineral Supplement to Reduce Methane Emissions from Ruminants.
- 3 Critical Review on the Mechanisms of Fe²⁺ Regeneration in the Electro-Fenton Process: Fundamentals and Boosting Strategies.
- 2 Biochar-derived dissolved organic matter (BDOM) and its influence on soil microbial community composition, function, and activity: A review. 1-23
- 1 Conductive black carbon promoted biotransformation of undissolved 2, 2'-dinitrobiphenyl by mediating electron transfer. **2023**, 163619