

CITATION REPORT

List of articles citing

2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Task Force on Thyroid Nodules and Differentiated Thyroid Cancer

DOI: 10.1089/thy.2015.0020
Thyroid, 2016, 26, 1-133.

Source: <https://exaly.com/paper-pdf/65773701/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2225	Evaluation of efficacy, safety, pain perception and health-related quality of life of percutaneous ethanol injection as first-line treatment in symptomatic thyroid cysts. 2015 , 15, 73		28
2224	Rapid thyroid nodule growth is not a marker for well-differentiated thyroid cancer. 2015 , 13, 338		7
2223	Thyroid nodules and thyroid autoimmunity in the context of environmental pollution. 2015 , 16, 319-40		41
2222	Endocrinology research-reflecting on the past decade and looking to the next. 2015 , 11, 672-80		2
2221	Thyroid Ultrasound Reporting Lexicon: White Paper of the ACR Thyroid Imaging, Reporting and Data System (TIRADS) Committee. 2015 , 12, 1272-9		248
2220	"Onion Skin-like Sign" in Thyroid Ultrasonography: A Characteristic Feature of Benign Thyroid Nodules. 2016 , 129, 1533-7		1
2219	2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. 2016 , 9, 59		54
2218	Evaluation of Diagnostic Efficiency of Ultrasound Features on Malignant Thyroid Nodules in Chinese Patients. 2016 , 129, 1784-8		7
2217	Pathological N1b Node Metastasis Itself Can Be Still a Valid Prognostic Factor in PTC after High Dose RAI Therapy. 2016 , 9, 159		1
2216	Incidental Detection of Struma Ovarii on the Whole Body Scan in a Differentiated Thyroid Cancer Patient. 2016 , 9, 180		
2215	Is the Absence of Suspicious Features on Ultrasound Sufficiently Reliable That No Biopsy Is Needed for an 18FFDG-Positive Thyroid Nodule Found Incidentally on PET-CT?. 2016 , 28, 65-67		
2214	Hyperthyroidism in Patients with Thyroid Cancer. 2016 , 95, 236-239		1
2213	HIGH PREVALENCE OF AGENT ORANGE EXPOSURE AMONG THYROID CANCER PATIENTS IN THE NATIONAL VA HEALTHCARE SYSTEM. 2016 , 22, 699-702		9
2212	SAME-DAY FINE-NEEDLE ASPIRATION CYTOLOGY DIAGNOSIS FOR THYROID NODULES ACHIEVES RAPID ANXIETY DECREASE AND HIGH DIAGNOSTIC ACCURACY. 2016 , 22, 561-6		9
2211	SHOULD FNA BE PERFORMED IN PATIENTS WITH A MULTINODULAR GOITER AND COMPRESSIVE SYMPTOMS?. 2016 , 22, 970-3		1
2210	UTILITY OF ULTRASOUND VERSUS GENE EXPRESSION CLASSIFIER IN THYROID NODULES WITH ATYPIA OF UNDETERMINED SIGNIFICANCE. 2016 , 22, 1199-1203		20
2209	Psychological and behavioral intervention improves the quality of life and mental health of patients suffering from differentiated thyroid cancer treated with postoperative radioactive iodine-131. 2016 , 12, 1055-60		11

2208	Minimally invasive thyroidectomy: a ten years experience. 2016 , 5, 295-9	10
2207	Supplementary Role of Ultrasonography and Intraoperative Frozen Section Analysis in Diagnosis of Follicular Variant of Papillary Thyroid Carcinomas. 2016 , 16, 57	
2206	Factors Influencing Central Neck Lymph Node Metastasis in Patients with Papillary Thyroid Microcarcinoma. 2016 , 16, 64	
2205	Can We Omit Prophylactic Central Lymph Node Dissection in Patients with Clinically LN Negative Papillary Thyroid Microcarcinoma?. 2016 , 16, 79	
2204	Ultrasonography Diagnosis of Thyroid Nodules and Cervical Metastatic Lymph Nodes. 2016 , 9, 1	
2203	DUSP4/MKP2 overexpression is associated with BRAF(V600E) mutation and aggressive behavior of papillary thyroid cancer. 2016 , 9, 2255-63	9
2202	Tumor size interpretation for predicting cervical lymph node metastasis using a differentiated thyroid cancer risk model. 2016 , 9, 5015-22	11
2201	Performance Evaluation of the Serum Thyroglobulin Assays With Immunochemiluminometric Assay and Immunoradiometric Assay for Differentiated Thyroid Cancer. 2016 , 36, 413-9	9
2200	Hirtle cell carcinoma: current perspectives. 2016 , 9, 6873-6884	40
2199	Repeated nondiagnostic result of thyroid fine-needle aspiration biopsy. 2016 , 20, 491-495	2
2198	Evidence-Based Workflows for Thyroid and Parathyroid Surgery. 2016 , 20, 16-035	2
2197	Transaxillary Endoscopic Thyroidectomy versus Conventional Open Thyroidectomy for Papillary Thyroid Cancer: 5-year Surgical Outcomes. 2016 , 16, 42	1
2196	Flexible mini gamma camera reconstructions of extended sources using step and shoot and list mode. 2016 , 43, 6418	2
2195	The Role of Prophylactic Central Neck Dissection in the Treatment of Differentiated Thyroid Cancer. 2016 , 7,	4
2194	Spotlight on lenvatinib in the treatment of thyroid cancer: patient selection and perspectives. 2016 , 10, 873-84	26
2193	Selective use of sorafenib in the treatment of thyroid cancer. 2016 , 10, 1119-31	47
2192	The Revised 2016 Korean Thyroid Association Guidelines for Thyroid Nodules and Cancers: Differences from the 2015 American Thyroid Association Guidelines. 2016 , 31, 373-378	62
2191	An online questionnaire survey on preferred timing for the diagnosis and management of thyroid carcinoma in general population in Korea. 2016 , 90, 297-302	2

2190	Risk Stratification in Differentiated Thyroid Cancer: An Ongoing Process. 2016 , 7,	21
2189	Non-invasive diagnosis of papillary thyroid microcarcinoma: a NMR-based metabolomics approach. 2016 , 7, 81768-81777	24
2188	mutation in prognostication of papillary thyroid cancer (PTC) recurrence. 2016 , 5, 495-505	40
2187	Thyroid Hormone Replacement in Patients Following Thyroidectomy for Thyroid Cancer. 2016 , 7,	12
2186	Safety of energy based devices for hemostasis in thyroid surgery. 2016 , 5, 490-494	23
2185	Radioguided sentinel lymph node biopsy in patients with papillary thyroid carcinoma. 2016 , 5, 591-602	11
2184	Rate of elimination of radioiodine-avid lymph node metastases of differentiated thyroid carcinoma by postsurgical radioiodine ablation. A bicentric study. 2016 , 55, 221-227	2
2183	Thyroid nodules with highly suspicious ultrasonographic features, but with benign cytology on two occasions: is malignancy still possible?. 2016 , 60, 402-4	3
2182	RISK FACTORS FOR NONREMISSION AND PROGRESSION-FREE SURVIVAL AFTER I-131 THERAPY IN PATIENTS WITH LUNG METASTASIS FROM DIFFERENTIATED THYROID CANCER: A SINGLE-INSTITUTE, RETROSPECTIVE ANALYSIS IN SOUTHERN CHINA. 2016 , 22, 1048-56	7
2181	Assessment of the Role of Different Imaging Modalities with Emphasis on Fdg Pet/Ct in the Management of Well Differentiated Thyroid Cancer (WDTC). 2016 , 5,	1
2180	Calcification of thyroid nodules increases shear-wave speed (SWS) measurement: using multiple calcification-specific SWS cutoff values outperforms a single uniform cutoff value in diagnosing malignant thyroid nodules. 2016 , 7, 66149-66159	3
2179	Radioactive Iodine Administration Is Associated with Persistent Related Symptoms in Patients with Differentiated Thyroid Cancer. 2016 , 2016, 2586512	10
2178	Regional Variation across Canadian Centers in Radioiodine Administration for Thyroid Remnant Ablation in Well-Differentiated Thyroid Cancer Diagnosed in 2000-2010. 2016 , 2016, 2867916	5
2177	Recombinant Human Thyroid Stimulating Hormone versus Thyroid Hormone Withdrawal for Radioactive Iodine Treatment of Differentiated Thyroid Cancer with Nodal Metastatic Disease. 2016 , 2016, 6496750	4
2176	The Effect of Levothyroxine Discontinuation Timing on Postoperative Hypothyroidism after Hemithyroidectomy for Papillary Thyroid Microcarcinoma. 2016 , 2016, 3240727	6
2175	Cardiac Effects of Thyrotropin Oversuppression with Levothyroxine in Young Women with Differentiated Thyroid Cancer. 2016 , 2016, 9846790	8
2174	Safety and Effectiveness of Total Thyroidectomy and Its Comparison with Subtotal Thyroidectomy and Other Thyroid Surgeries: A Systematic Review. 2016 , 2016, 7594615	16
2173	A Case Report of Dramatically Increased Thyroglobulin after Lymph Node Biopsy in Thyroid Carcinoma after Total Thyroidectomy and Radioiodine. 2016 , 2016, 6471081	

2172	Association between Tumor Size and Bilateral Involvement in Papillary Thyroid Carcinoma. 2016 , 2016, 8470252	1
2171	Managing thyroid disease in general practice. 2016 , 205, 179-84	36
2170	Extending the Impact of RAC1b Overexpression to Follicular Thyroid Carcinomas. 2016 , 2016, 1972367	10
2169	Clinical Studies of Nonpharmacological Methods to Minimize Salivary Gland Damage after Radioiodine Therapy of Differentiated Thyroid Carcinoma: Systematic Review. 2016 , 2016, 6795076	5
2168	Thyroid lobectomy with minimal incision approach. 2016 , 26, 283-288	
2167	Personalized Medicine Based on Theranostic Radioiodine Molecular Imaging for Differentiated Thyroid Cancer. 2016 , 2016, 1680464	42
2166	Pediatric papillary thyroid cancer: current management challenges. 2017 , 10, 165-175	27
2165	Risk prediction and clinical model building for lymph node metastasis in papillary thyroid microcarcinoma. 2016 , 9, 5307-16	30
2164	Preferential Use of Total Thyroidectomy without Prophylactic Central Lymph Node Dissection for Early-Stage Papillary Thyroid Cancer: Oncologic Outcomes in an Integrated Health Plan. 2016 , 20, 15-251	5
2163	Fine Needle Aspiration in the Investigation of Thyroid Nodules. 2016 , 113, 353-9	30
2162	A Multicenter Prospective Validation Study for the Korean Thyroid Imaging Reporting and Data System in Patients with Thyroid Nodules. 2016 , 17, 811-21	60
2161	Ultrasonography Diagnosis and Imaging-Based Management of Thyroid Nodules: Revised Korean Society of Thyroid Radiology Consensus Statement and Recommendations. 2016 , 17, 370-95	486
2160	Thyrotropin Stimulates Differentiation Not Proliferation of Normal Human Thyrocytes in Culture. 2016 , 7, 168	8
2159	Clinicopathological Features and Prognosis of Papillary Thyroid Microcarcinoma for Surgery and Relationships with the BRAFV600E Mutational Status and Expression of Angiogenic Factors. 2016 , 11, e0167414	11
2158	25-Hydroxyvitamin D and TSH as Risk Factors or Prognostic Markers in Thyroid Carcinoma. 2016 , 11, e0164550	19
2157	The Diagnostic Performance of Thyroid US in Each Category of the Bethesda System for Reporting Thyroid Cytopathology. 2016 , 11, e0155898	13
2156	RET/PTC Rearrangements Are Associated with Elevated Postoperative TSH Levels and Multifocal Lesions in Papillary Thyroid Cancer without Concomitant Thyroid Benign Disease. 2016 , 11, e0165596	9
2155	Should the Prevalence of Incidental Thyroid Cancer Determine the Extent of Surgery in Multinodular Goiter?. 2016 , 11, e0168654	15

2154	Circulating microRNA124-3p, microRNA9-3p and microRNA196b-5p may be potential signatures for differential diagnosis of thyroid nodules. 2016 , 7, 84165-84177	22
2153	Lenvatinib and other tyrosine kinase inhibitors for the treatment of radioiodine refractory, advanced, and progressive thyroid cancer. 2016 , 9, 6467-6477	29
2152	Comparison of Thyroglobulin Measurements Using Three Different Immunoassay Kits: A BRAMHS Tg-Plus RIA Kit, a BRAMHS hTg Sensitive Kryptor Kit, and a Beckman Coulter ACCESS Immunoassay Kit. 2016 , 31, 462-468	8
2151	RE: Papillary Thyroid Carcinoma Treated with Radiofrequency Ablation in a Patient with Hypertrophic Cardiomyopathy: A Case Report. 2016 , 17, 965	3
2150	Genetic Testing in Differentiated Thyroid Carcinoma: Indications and Clinical Implications. 2016 , 7,	8
2149	Papillary Thyroid Carcinoma Presented as a Hot Nodule with Hyperthyroidism. 2016 , 9, 47	1
2148	CLINICALLY UNDETECTABLE OCCULT THYROID PAPILLARY CARCINOMA PRESENTING WITH CERVICAL LYMPH NODE METASTASIS. 2016 , 12, 72-76	
2147	BEHAVIOUR OF EARLY THYROGLOBULIN AFTER TOTAL THYROIDECTOMY FOR DIFFERENTIATED THYROID CANCER. 2016 , 12, 370-374	
2146	Contemporary Management of Recurrent Nodal Disease in Differentiated Thyroid Carcinoma. 2016 , 7,	7
2145	In Patients With Low- to Intermediate-Risk Thyroid Cancer, a Preablative Thyrotropin Level of 30 μ /mL Is Not Adequate to Achieve Better Response to 131I Therapy. 2016 , 41, 454-8	12
2144	Can the follow-up of patients with papillary thyroid carcinoma of low and intermediate risk and excellent response to initial therapy be simplified using second-generation thyroglobulin assays?. 2016 , 85, 596-601	9
2143	Interaction of Age at Diagnosis with Transcriptional Profiling in Papillary Thyroid Cancer. 2016 , 40, 2922-2929	14
2142	The utility of cellient cell blocks in low-cellularity thyroid fine needle aspiration biopsies. 2016 , 44, 737-41	10
2141	Therapeutic options in papillary thyroid carcinoma: current guidelines and future perspectives. 2016 , 12, 2603-2613	11
2140	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): A changing paradigm in thyroid surgical pathology and implications for thyroid cytopathology. 2016 , 124, 616-20	91
2139	Malignancy rate associated with Bethesda category III (AUS/FLUS) with and without repeat fine needle aspiration biopsy. 2016 , 44, 394-8	14
2138	Follicular Variant of Papillary Thyroid Carcinoma: Hybrid or Mixture?. <i>Thyroid</i> , 2016 , 26, 872-4	6.2 14
2137	Falling Levels of Thyroglobulin Antibody After Treatment for DTC Predict No Structural Recurrence. 2016 , 28, 79-81	2

2136	Distinct Disease and Functional Characteristics of Thyroid Surgery-Related Vocal Fold Palsy. <i>Thyroid</i> , 2016 , 26, 943-50	6.2	6
2135	Impact of microscopic extra-nodal extension (ENE) on locoregional recurrence following curative surgery for papillary thyroid carcinoma. 2016 , 113, 526-31		5
2134	Afamin promotes glucose metabolism in papillary thyroid carcinoma. 2016 , 434, 108-15		15
2133	Targeted therapies in thyroid cancer: an extensive review of the literature. 2016 , 9, 1299-1313		20
2132	Predictors for papillary thyroid cancer persistence and recurrence: a retrospective analysis with a 10-year follow-up cohort study. 2016 , 85, 466-74		19
2131	Incidence of permanent hypocalcaemia after total thyroidectomy with or without central neck dissection for thyroid carcinoma: a nationwide claim study. 2016 , 85, 483-7		20
2130	What is the best treatment of incidental papillary thyroid microcarcinoma?. 2016 , 126, 2203-4		3
2129	Thyroid lobectomy is an effective option for unilateral benign nodular disease. 2016 , 85, 602-8		10
2128	Revision neural monitored surgery for recurrent thyroid cancer: Safety and thyroglobulin response. 2016 , 126, 1020-5		14
2127	Thyroid Cancer-Specific Quality of Life and Health-Related Quality of Life in Young Adult Thyroid Cancer Survivors. <i>Thyroid</i> , 2016 , 26, 923-32	6.2	50
2126	The Role of SPECT/CT Lymphoscintigraphy and Radioguided Sentinel Lymph Node Biopsy in Managing Papillary Thyroid Cancer. 2016 , 142, 834-41		18
2125	JOURNAL CLUB: Retrospective Evaluation of Ultrasound Features of Thyroid Nodules to Assess Malignancy Risk: A Step Toward TIRADS. 2016 , 207, 460-9		14
2124	Successful intraoperative electrophysiologic monitoring of the recurrent laryngeal nerve, a multidisciplinary approach: The Massachusetts Eye and Ear Infirmary monitoring collaborative protocol with experience in over 3000 cases. 2016 , 38, 1487-94		17
2123	Patients with high-risk differentiated thyroid cancer have a lower I-131 ablation success rate than low-risk ones in spite of a high ablation activity. 2016 , 85, 926-931		6
2122	Evaluation and management of thyroid nodules in children. 2016 , 28, 536-44		17
2121	Should Core Needle Biopsy be Used in the Evaluation of Thyroid Nodules?. 2016 , 27, 352-358		4
2120	Enfermedad nodular tiroidea. 2016 , 12, 713-721		
2119	Thyroid cytology: a review of current international reporting systems and emerging developments. 2016 , 27, 161-7		4

2118	Does Metformin Protect the Bone Marrow of Patients with Diabetes Treated with 131I for Thyroid Cancer?. 2016 , 28, 121-123	
2117	Advances and practical use of the molecular markers for thyroid cancer. 2016 , 4, 33948	2
2116	Clinicopathologic Factors and Thyroid Nodule Sonographic Features Can Predict Central Lymph Node Metastasis in Papillary Thyroid Microcarcinoma. 2016 , 28, 372-375	
2115	The Bethesda System for Reporting Thyroid Cytopathology II. 2016 , 60, 397-398	23
2114	????????????????2010??. 2016 , 119, 689-695	
2113	Medicolegal implications of surgical errors and complications in neck surgery: A review based on the Italian current legislation. 2016 , 11, 298-306	13
2112	DO ALL THYROID NODULES >4 CM NEED TO BE REMOVED? AN EVALUATION OF THYROID FINE-NEEDLE ASPIRATION BIOPSY IN LARGE THYROID NODULES. 2016 , 22, 791-8	14
2111	ACTIVE SURVEILLANCE FOR PAPILLARY THYROID MICROCARCINOMA: NEW CHALLENGES AND OPPORTUNITIES FOR THE HEALTH CARE SYSTEM. 2016 , 22, 602-11	41
2110	Radiofrequency Ablation Is a Treatment Option for Low-Risk Papillary Thyroid Microcarcinoma. 2016 , 28, 369-371	
2109	Usefulness of semiquantitative elastography in predicting malignancy in thyroid nodules. 2016 , 58, 366-372	1
2108	Lateral Lymph-Node Dissection for Papillary Thyroid Cancer Should Be Limited to Clinically Positive Compartments. 2016 , 28, 363-365	
2107	Practice patterns among thyroid cancer surgeons: implications of performing a prophylactic central neck dissection. 2016 , 45, 55	3
2106	Impact of combined FDG-PET/CT and MRI on the detection of local recurrence and nodal metastases in thyroid cancer. 2016 , 16, 37	17
2105	Usefulness of ultrasonography in the evaluation of thyroid nodules. 2016 , 58, 380-388	3
2104	The role of elastography in thyroid ultrasonography. 2016 , 23, 416-22	18
2103	A rose by any name surely does smell just as sweetly: The controversy over revised nomenclature for encapsulated follicular variant papillary carcinoma. 2016 , 4, 55-57	4
2102	Laser, radiofrequency, and ethanol ablation for the management of thyroid nodules. 2016 , 23, 400-6	32
2101	Long-term results of ablation with low radioiodine activity in patients with papillary thyroid carcinoma and predictive value of postoperative nonstimulated thyroglobulin. 2016 , 37, 1024-9	6

2100 Patologã tiroidea en atenciã primaria. **2016**, 23, 5-33

2099 WITHDRAWN: The function of carbon nanoparticles as tracer during thyroid reoperation. **2016**,

2098 Schilddrãe und Nebenschilddrãen: Worauf Sie bei Ihren Patienten achten sollten. **2016**, 17, 30-34

2097 A prospective cohort study to assess the role of FDG-PET in differentiating benign and malignant follicular neoplasms. **2016**, 12, 27-31 9

2096 Economic impact of and satisfaction with a high resolution thyroid nodule clinic at the endocrinology department. **2016**, 63, 414-420 4

2095 Chirurgische Therapie des verdãhtigen Schilddrãenknottens. **2016**, 39, 218-226 3

2094 La scintigrafia con 99mTecnecio-metossi-isobutil-isonitrile ùna metodica utile per caratterizzare il rischio di malignit^ nei noduli tiroidei a citologia indeterminata. **2016**, 17, 272-273

2093 Thyroid Nodules. **2016**, 374, 1294-5 17

2092 Does concomitant thyroidectomy increase risks of parathyroidectomy?. **2016**, 203, 34-9 8

2091 Thyroid cancer. **2016**, 388, 2783-2795 593

2090 Economic impact of and satisfaction with a high resolution thyroid nodule clinic at the endocrinology department. **2016**, 63, 414-20 10

2089 Ultrasonographic Differentiation Between Nodular Hyperplasia and Neoplastic Follicular-Patterned Lesions of the Thyroid Gland. **2016**, 42, 1816-24 7

2088 Management of Persistent or Recurrent Structural Neck Disease in Differentiated Thyroid Carcinoma: Point and Counterpoint. **2016**, 142, 789-91 3

2087 Institutional prevalence of malignancy of indeterminate thyroid cytology is necessary but insufficient to accurately interpret molecular marker tests. **2016**, 174, 621-9 34

2086 Update on follicular variant of papillary thyroid carcinoma with an emphasis on new terminology: noninvasive follicular thyroid neoplasm with papillary-like nuclear features. **2016**, 22, 171-178 10

2085 Management of thyroid cancer: United Kingdom National Multidisciplinary Guidelines. **2016**, 130, S150-S160 111

2084 New Recommendations for Extent of Thyroidectomy and Active Surveillance for the Treatment of Differentiated Thyroid Cancer. **2016**, 142, 625-6 7

2083 Changing the Cancer Diagnosis: The Case of Follicular Variant of Papillary Thyroid Cancer-Primum Non Nocere and NIFTP. *Thyroid*, **2016**, 26, 869-71 6.2 36

2082	Risk Stratification of Neck Lesions Detected Sonographically During the Follow-Up of Differentiated Thyroid Cancer. 2016 , 101, 3036-44		35
2081	124I PET Assessment of Response of Bone Metastases to Initial Radioiodine Treatment of Differentiated Thyroid Cancer. 2016 , 57, 1499-1504		42
2080	Safety of total thyroid ablation in patients with Graves' orbitopathy. 2016 , 39, 1199-201		
2079	Prognostic Significance of TERT Promoter Mutations in Papillary Thyroid Carcinomas in a BRAF(V600E) Mutation-Prevalent Population. <i>Thyroid</i> , 2016 , 26, 901-10	6.2	47
2078	Clinical utility of RAS mutations in thyroid cancer: a blurred picture now emerging clearer. 2016 , 14, 12		41
2077	Effects of Dosimetrically Guided I-131 Therapy on Hematopoiesis in Patients With Differentiated Thyroid Cancer. 2016 , 101, 1762-9		4
2076	Histologic outcome of thyroid nodules with repeated diagnosis of atypia in thyroid fine-needle aspiration biopsy. 2016 , 12, 801-5		1
2075	Evaluation of (124)I PET/CT and (124)I PET/MRI in the management of patients with differentiated thyroid cancer. 2016 , 43, 1006-10		13
2074	Intensity-modulated radiation therapy use for the localized treatment of thyroid cancer: Nationwide practice patterns and outcomes. 2016 , 53, 761-73		6
2073	Comments on the Italian Society of Endocrinology recommendations on post-surgical thyroid ablation in differentiated thyroid cancer. 2016 , 39, 485-6		1
2072	Value-based healthcare: implications for thyroid cancer. 2016 , 3, 115-129		1
2071	Informed consent for low-risk thyroid cancer. 2016 , 3, 131-142		6
2070	Is BRAF(V600E) Mutation Predictive of Recurrence in Papillary Thyroid Microcarcinoma?. 2016 , 28, 124-125		
2069	Diagnostic accuracy of ultrasound-guided fine needle aspiration biopsy for thyroid malignancy: systematic review and meta-analysis. 2016 , 53, 651-61		34
2068	Frequency of High-Risk Characteristics Requiring Total Thyroidectomy for 1-4 cm Well-Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 820-4	6.2	56
2067	New systemic therapies for locally advanced and metastatic thyroid cancer. 2016 , 3, 143-159		1
2066	Is lymph node involvement associated with mortality risk in younger patients with papillary thyroid cancer?. 2016 , 11, 233-234		
2065	MANAGEMENT OF ENDOCRINE DISEASE: Acromegaly and cancer: an old debate revisited. 2016 , 175, R147-56		47

2064	Ninety-four cases of encapsulated follicular variant of papillary thyroid carcinoma: A name change to Noninvasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features would help prevent overtreatment. 2016 , 29, 698-707		135
2063	[(68)Ga]DOTATATE PET/MRI and [(18)F]FDG PET/CT are complementary and superior to diffusion-weighted MR imaging for radioactive-iodine-refractory differentiated thyroid cancer. 2016 , 43, 1765-72		11
2062	Diagnostic, therapeutic and health-care management protocol in thyroid surgery: a position statement of the Italian Association of Endocrine Surgery Units (U.E.C. CLUB). 2016 , 39, 939-53		12
2061	Current Standards in Treatment of Radioiodine Refractory Thyroid Cancer. 2016 , 17, 30		17
2060	Long-Term Outcomes of Patients with Papillary Thyroid Cancer Undergoing Remnant Ablation with 30 milliCuries Radioiodine. <i>Thyroid</i> , 2016 , 26, 951-8	6.2	8
2059	Less is More: Comparing the 2015 and 2009 American Thyroid Association Guidelines for Thyroid Nodules and Cancer. <i>Thyroid</i> , 2016 , 26, 759-64	6.2	36
2058	The Rate and Clinical Significance of Incidental Thyroid Uptake as Detected by Gallium-68 DOTATATE Positron Emission Tomography/Computed Tomography. <i>Thyroid</i> , 2016 , 26, 831-5	6.2	17
2057	Radiofrequency ablation for benign thyroid nodules. 2016 , 39, 1003-13		23
2056	Analysis of Variations in the Use of Intraoperative Nerve Monitoring in Thyroid Surgery. 2016 , 142, 584-9		23
2055	Dynamic Risk Stratification in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine. 2016 , 101, 2692-700		134
2054	Noninferior response in BRAF(V600E) mutant nonmetastatic papillary thyroid carcinoma to radioiodine therapy. 2016 , 43, 1034-9		12
2053	Usefulness of 18 F-FDG PET/CT in thyroid carcinoma. 2016 , 35, 186-192		
2052	Oxidative stress and the subcellular localization of the telomerase reverse transcriptase (TERT) in papillary thyroid cancer. 2016 , 431, 54-61		16
2051	High Level of Agreement Between Pretherapeutic 124I PET and Intratherapeutic 131I Imaging in Detecting Iodine-Positive Thyroid Cancer Metastases. 2016 , 57, 1339-42		29
2050	Ethical Considerations When Counseling Patients With Thyroid Cancer About Surgery vs Observation. 2016 , 142, 406-7		9
2049	Recurrence in Patients with Classic Papillary Thyroid Carcinoma: Highlight on Power Doppler US. 2016 , 279, 653-4		1
2048	Serum Selenium Levels in Euthyroid Nodular Thyroid Diseases. 2016 , 174, 21-26		6
2047	Fibronectin-1 expression is increased in aggressive thyroid cancer and favors the migration and invasion of cancer cells. 2016 , 431, 123-32		80

2046	Application of molecular biology of differentiated thyroid cancer for clinical prognostication. 2016 , 23, R499-R515		21
2045	Utility of repeat cytological assessment of thyroid nodules initially classified as benign: clinical insights from multidisciplinary care in an Irish tertiary referral centre. 2016 , 16, 45		9
2044	Papillary thyroid microcarcinoma: time to shift from surgery to active surveillance?. 2016 , 4, 933-942		140
2043	Hypermetabolism on (18)F-Fluorodeoxyglucose Positron Emission Tomography Scan Does Not Influence the Interpretation of Thyroid Cytopathology, and Nodules with a SUVmax . <i>Thyroid</i> , 2016 , 26, 1300-7	6.2	3
2042	miRNA-106a directly targeting RARB associates with the expression of Na(+)/I(-) symporter in thyroid cancer by regulating MAPK signaling pathway. 2016 , 35, 101		30
2041	Prevalence of Differentiated Thyroid Cancer in Autopsy Studies Over Six Decades: A Meta-Analysis. 2016 , 34, 3672-3679		110
2040	Clinicopathologic Features of Fatal Non-Anaplastic Follicular Cell-Derived Thyroid Carcinomas. <i>Thyroid</i> , 2016 , 26, 1588-1597	6.2	34
2039	DICER1 syndrome and thyroid disease. 2016 , 11, 31-34		2
2038	Cervical Lymph Node Metastases After Thyroidectomy for Papillary Thyroid Carcinoma Usually Remain Stable for Years. <i>Thyroid</i> , 2016 , 26, 1706-1711	6.2	14
2037	Reply to a Letter to the Editor: can we really consider tumor size and surgical extent as predictive factors for recurrence in clinically early-stage papillary thyroid carcinoma patients?. 2016 , 212, 1031-1032		
2036	Protocolo de manejo clínico del nódulo tiroideo. 2016 , 12, 754-757		
2035	Active Surveillance of Neck Nodules with Indeterminate Ultrasound Characteristics Following Thyroidectomy for Differentiated Thyroid Cancer Is Safe. 2016 , 28, 293-295		
2034	Well-differentiated thyroid cancer: Thyroidectomy or lobectomy?. 2016 , 188, E517-E520		6
2033	Carcinoma papilar de tiroides localmente invasivo en tráquea. Tratamiento oncológico y posterior traqueoplastia alejada por dehiscencia de anastomosis traqueal. 2016 , 53, 73-76		
2032	Avaliação da implementação de uma consulta de cirurgia endócrina no litoral alentejano. 2016 , 11, 258-261		
2031	Usefulness of ultrasonography in the evaluation of thyroid nodules. 2016 , 58, 380-8		5
2030	Minimizing the Health Effects of the Nuclear Accident in Fukushima on Thyroids. 2016 , 5, 219-223		5
2029	Comprehensive management of recurrent thyroid cancer: An American Head and Neck Society consensus statement: AHNS consensus statement. 2016 , 38, 1862-1869		21

2028	Diagnostic and Prognostic Molecular Markers in Thyroid Cancer. 2016 , 281-292	1
2027	Genetic predisposition to endocrine tumors: Diagnosis, surveillance and challenges in care. 2016 , 43, 582-590	22
2026	ENDOCRINE TUMOURS: Advances in the molecular pathogenesis of thyroid cancer: lessons from the cancer genome. 2016 , 175, R203-17	33
2025	The role of lateral neck ultrasound in detecting single or multiple lymph nodes in papillary thyroid cancer. 2016 , 212, 1147-1153	17
2024	Comparison of Ultrasound, Pathologic and Prognostic Characteristics of the Follicular Variant of Papillary Thyroid Cancer According to Fine-Needle Aspiration Cytology. 2016 , 42, 2864-2872	2
2023	Remnant Ablation, Adjuvant Treatment and Treatment of Locoregional Metastases with 131I. 2016 , 395-409	
2022	Sunitinib for the treatment of thyroid cancer. 2016 , 25, 1345-1352	5
2021	Clinical, Sonographic, and Pathological Characteristics of RAS-Positive Versus BRAF-Positive Thyroid Carcinoma. 2016 , 101, 4938-4944	11
2020	Early detection of biochemically occult autonomous thyroid nodules. 2016 , 175, 615-622	2
2019	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. 2016 , 5, 245-251	1
2018	Both TIRADS and the ATA Guidelines Provide Effective Malignancy Risk Stratification for Thyroid Nodules. 2016 , 28, 238-240	1
2017	PDGFR β Regulates Follicular Cell Differentiation Driving Treatment Resistance and Disease Recurrence in Papillary Thyroid Cancer. 2016 , 12, 86-97	17
2016	Usefulness of semiquantitative elastography in predicting malignancy in thyroid nodules. 2016 , 58, 366-72	3
2015	Papillary carcinoma of hyoid. 2016 , 28, 241-245	1
2014	Application of the Bethesda Classification for Thyroid Fine-Needle Aspiration: Institutional Experience and Meta-analysis. 2016 , 140, 1121-31	46
2013	Hybrid PET/MR: Updated Clinical Use and Potential Applications. 2016 , 4, 1	
2012	Evaluation of Ovarian Reserve with AMH Level in Patients with Well-Differentiated Thyroid Cancer Receiving Radioactive Iodine Ablation Treatment. 2016 , 124, 593-596	18
2011	Analysis of predictability of F-18 fluorodeoxyglucose-PET/CT in the recurrence of papillary thyroid carcinoma. 2016 , 5, 2756-2762	6

2010	Ultrasound of the Neck Lymph Nodes. 2016 , 455-470		
2009	Thyroglobulin Antibodies and Their Measurement. 2016 , 443-447		0
2008	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features. 2016 , 23, 893-897		71
2007	The First Meeting of the WHO Guideline Development Group for the Revision of the WHO 1999 Guidelines for Iodine Thyroid Blocking. 2016 , 171, 47-56		4
2006	Levothyroxine Dosing Following Bariatric Surgery. 2016 , 26, 2538-42		20
2005	Risk factors for lymph node metastasis in papillary thyroid microcarcinoma: Older patients with fewer lymph node metastases. 2016 , 42, 1478-82		20
2004	Maternal bisphenol A alters fetal endocrine system: Thyroid adipokine dysfunction. 2016 , 95, 168-74		34
2003	Down-sizing the overzealous search for low-risk thyroid malignancy. 2016 , 52, 408-10		3
2002	Management of Invasive Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 1156-66	6.2	22
2001	The Ethical Implications of the Reclassification of Noninvasive Follicular Variant Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2016 , 26, 1167-72	6.2	11
2000	23 Lung Metastases Treated by Radiofrequency Ablation Over 10 Years in a Single Patient: Successful Oncological Outcome of a Metastatic Cancer Without Altered Respiratory Function. 2016 , 39, 1779-1784		5
1999	Synchronous Papillary Carcinoma of Thyroid and Lung. 2016 , 27, 268-70		1
1998	The role of FDG-PET in localization of recurrent lesions of differentiated thyroid cancer (DTC) in patients with asymptomatic hyperthyroglobulinemia in a real clinical practice. 2016 , 175, 379-85		7
1997	Thyroid nodules. 2016 , 188, 1259		1
1996	Molecular classification of thyroid lesions by combined testing for miRNA gene expression and somatic gene alterations. 2016 , 2, 93-103		39
1995	Recommendations for treatment of hypothyroidism with levothyroxine and levotriiodothyronine: a 2016 position statement of the Italian Society of Endocrinology and the Italian Thyroid Association. 2016 , 39, 1465-1474		27
1994	Two-miRNA classifiers differentiate mutation-negative follicular thyroid carcinomas and follicular thyroid adenomas in fine needle aspirations with high specificity. 2016 , 54, 440-447		24
1993	Single-Photon Emission Computed Tomography for Preclinical Assessment of Thyroid Radioiodide Uptake Following Various Combinations of Preparative Measures. <i>Thyroid</i> , 2016 , 26, 1614-1622	6.2	7

1992	Recombinant Human Thyrotropin Improves Endothelial Coronary Flow Reserve in Thyroidectomized Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 1528-1534	6.2	5
1991	Quality indicators for thyroid cancer surgery: current perspective. 2016 , 16, 919-28		3
1990	Serum thyroglobulin in the monitoring of differentiated thyroid cancer. 2016 , 245, S119-23		11
1989	The utility of thyroglobulin washout studies in predicting cervical lymph node metastases: One academic medical center's experience. 2016 , 44, 964-968		10
1988	Routine central lymph node dissection with total thyroidectomy for papillary thyroid cancer potentially minimizes level VI recurrence. 2016 , 160, 1049-1058		29
1987	Timing of Radioactive Iodine Administration Does Not Influence Outcomes in Patients with Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2016 , 26, 1623-1629	6.2	28
1986	Risk of Malignancy in Thyroid Nodules with Non-Diagnostic Fine-Needle Aspiration: A Retrospective Cohort Study. <i>Thyroid</i> , 2016 , 26, 1598-1604	6.2	19
1985	Molecular Testing of Thyroid Nodules: A Review of Current Available Tests for Fine-Needle Aspiration Specimens. 2016 , 140, 1338-1344		70
1984	Coming to terms with NIFTP: A provisional approach for cytologists. 2016 , 124, 767-772		52
1983	Frozen section analysis in the post-Bethesda era. 2016 , 205, 393-397		8
1982	Reclassification of Noninvasive Follicular Variant of Papillary Thyroid Carcinoma As a Benign Condition Will Reduce the Incidence of Malignancy in the Indeterminate FNA Categories. 2016 , 28, 167-170		2
1981	2016 American Thyroid Association Guidelines for Diagnosis and Management of Hyperthyroidism and Other Causes of Thyrotoxicosis. <i>Thyroid</i> , 2016 , 26, 1343-1421	6.2	1100
1980	Features and Outcome of Autonomous Thyroid Nodules in Children: 31 Consecutive Patients Seen at a Single Center. 2016 , 101, 3856-3862		20
1979	The changing landscape of papillary thyroid cancer: Epidemiology, management, and the implications for patients. 2016 , 122, 3754-3759		65
1978	The impact of family history on non-medullary thyroid cancer. 2016 , 42, 1455-63		20
1977	Physical exam in asymptomatic people drives the detection of thyroid nodules undergoing ultrasound guided fine needle aspiration biopsy. 2016 , 54, 433-439		9
1976	How Many Lymph Nodes Are Enough? Assessing the Adequacy of Lymph Node Yield for Papillary Thyroid Cancer. 2016 , 34, 3434-9		64
1975	Risk Factors of I-Induced Salivary Gland Damage in Thyroid Cancer Patients. 2016 , 101, 4085-4093		13

1974	Lobectomy is a more Cost-Effective Option than Total Thyroidectomy for 1 to 4 cm Papillary Thyroid Carcinoma that do not Possess Clinically Recognizable High-Risk Features. 2016 , 23, 3641-3652	28
1973	Current dilemmas in the diagnosis and management of follicular thyroid tumors. 2016 , 11, 379-385	
1972	Papillary thyroid microcarcinoma and active surveillance. 2016 , 4, 974	3
1971	Papillary thyroid microcarcinoma and active surveillance - Authors' reply. 2016 , 4, 976-977	2
1970	Role of prophylactic central compartment lymph node dissection in clinically N0 differentiated thyroid cancer patients: analysis of risk factors and review of modern trends. 2016 , 14, 149	35
1969	Young Investigator Challenge: Molecular testing in noninvasive follicular thyroid neoplasm with papillary-like nuclear features. 2016 , 124, 893-900	47
1968	Papillary thyroid microcarcinoma and active surveillance. 2016 , 4, 975-976	2
1967	Clinical outcomes of a cohort of patients with central nervous system metastases from thyroid cancer. 2016 , 5, 82-88	6
1966	Immunohistochemical Expression of Estrogen Receptor- α and Progesterone Receptor in Patients with Papillary Thyroid Cancer. 2016 , 5, 224-230	21
1965	Thyroid nodule update on diagnosis and management. 2016 , 2, 17	41
1964	Minimally invasive and remote-access thyroid surgery in the era of the 2015 American Thyroid Association guidelines. 2016 , 1, 175-179	26
1963	Quality of Life and Cost-Effectiveness of Radiofrequency Ablation versus Open Surgery for Benign Thyroid Nodules: a retrospective cohort study. 2016 , 6, 37838	32
1962	Insights and clinical questions about the active surveillance of low-risk papillary thyroid microcarcinomas [Review]. 2016 , 63, 323-8	30
1961	Liquid liothyronine to obtain target TSH in differentiated thyroid cancer patients. 2016 , 63, 563-7	4
1960	Tyrosine-kinase inhibitors to treat radioiodine-refracted, metastatic, or recurred and progressive differentiated thyroid carcinoma [Review]. 2016 , 63, 597-602	20
1959	Biologic and Clinical Perspectives on Thyroid Cancer. 2016 , 375, 1054-67	405
1958	New Concept of the Encapsulated Follicular Variant of Papillary Thyroid Carcinoma and Its Impact on the Bethesda System for Reporting Thyroid Cytopathology: A Single-Institute Experience. 2016 , 60, 198-204	55
1957	Diagnostic Performance of Shear Wave Elastography Parameters Alone and in Combination with Conventional B-Mode Ultrasound Parameters for the Characterization of Thyroid Nodules: A Prospective, Dual-Center Study. 2016 , 42, 2803-2811	26

1956	Development of prognostic signatures for intermediate-risk papillary thyroid cancer. 2016 , 16, 736		16
1955	WOMEN IN CANCER THEMATIC REVIEW: Thyroid-stimulating hormone in thyroid cancer: does it matter?. 2016 , 23, T109-T121		18
1954	Many Thyroid Cancers Detected by Afirma Gene-Expression Classifier Are Noninvasive Encapsulated Follicular Variant of Papillary Thyroid Carcinoma. 2016 , 28, 261-263		
1953	A nomogram predicting contralateral central neck lymph node metastasis for papillary thyroid carcinoma. 2016 , 114, 703-707		12
1952	2016 Update on Medical Overuse: A Systematic Review. 2016 , 176, 1687-1692		70
1951	Searching for the most effective thyrotropin (TSH) threshold to rule-out autonomously functioning thyroid nodules in iodine deficient regions. 2016 , 54, 757-761		24
1950	Current Concepts in the Molecular Genetics and Management of Thyroid Cancer: An Update for Radiologists. 2016 , 36, 1478-93		8
1949	Analytical Performance of a Gene Expression Classifier for Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2016 , 26, 1573-1580	6.2	11
1948	Efficacy and Safety of Ultrasound-Guided Radiofrequency Ablation for Treating Low-Risk Papillary Thyroid Microcarcinoma: A Prospective Study. <i>Thyroid</i> , 2016 , 26, 1581-1587	6.2	96
1947	Reply to "Thyroid Nodule Characterization Using Combined Fine-Needle Aspiration and (99m)Tc-Sestamibi Scintigraphy Strategy". 2016 , 207, W22		
1946	Incidence of Nonthyroidal Primary Malignancy and the Association with (131)I Treatment in Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 1110-6	6.2	13
1945	Efficiency versus effectiveness: impact of molecular testing on healthcare costs and clinical outcome of patients with indeterminate thyroid nodules. 2016 , 33, 79		1
1944	Outcome of the Diffuse Sclerosing Variant of Papillary Thyroid Cancer: A Meta-Analysis. <i>Thyroid</i> , 2016 , 26, 1285-92	6.2	24
1943	Therapeutic Strategies and Clinical Outcome in Papillary Thyroid Microcarcinoma: A Multicenter Observational Study. 2016 , 5, 180-186		7
1942	T1a Versus T1b Differentiated Thyroid Cancers: Do We Need to Make the Distinction?. <i>Thyroid</i> , 2016 , 26, 1046-52	6.2	17
1941	(99m)Tc-Methoxy-Isobutyl-Isonitrile Scintigraphy Is a Useful Tool for Assessing the Risk of Malignancy in Thyroid Nodules with Indeterminate Fine-Needle Cytology. <i>Thyroid</i> , 2016 , 26, 1101-9	6.2	30
1940	Efficacy of lenvatinib in treating thyroid cancer. 2016 , 17, 1683-91		7
1939	The changing incidence of thyroid cancer. 2016 , 12, 646-653		446

1938	Impact of Afirma gene expression classifier on cytopathology diagnosis and rate of thyroidectomy. 2016 , 124, 722-728		36
1937	Pediatric thyroid FNA biopsy: Outcomes and impact on management over 24 years at a tertiary care center. 2016 , 124, 801-810		25
1936	Radiation-Induced Differentiated Thyroid Cancer Is Associated with Improved Overall Survival but Not Thyroid Cancer-Specific Mortality or Disease-Free Survival. <i>Thyroid</i> , 2016 , 26, 1053-60	6.2	5
1935	Patients with Differentiated Thyroid Cancers 1 to 2 cm Are Treated Differently from Those With Tumors Smaller than 1 cm. 2016 , 28, 296-298		
1934	Protocolo del manejo de la disfunción tiroidea en el paciente anciano. 2016 , 12, 763-767		
1933	Delaying Radioactive Iodine Ablation for up to One Year Does Not Increase Recurrence for Patients with Differentiated Thyroid Cancer. 2016 , 28, 346-348		2
1932	A New Theranostic Paradigm for Advanced Thyroid Cancer. 2016 , 57, 1493-1494		8
1931	The role of repeat fine needle aspiration in the management of indeterminate thyroid nodules. 2016 , 45, 51		14
1930	Multiple-factor analysis of the first radioactive iodine therapy in post-operative patients with differentiated thyroid cancer for achieving a disease-free status. 2016 , 6, 34915		14
1929	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. 2016 , 60, 399-405		88
1928	Serum Thyroglobulin Doubling Time in Progressive Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 1712-1718	6.2	19
1927	Thyroid Remnant Radioiodine Ablation with Recombinant Human Thyrotropin. 2016 , 411-416		
1926	Management of the Central and Lateral Neck in Patients with Differentiated Thyroid Cancer. 2016 , 4, 1		
1925	MicroRNAs in the thyroid. 2016 , 30, 603-619		31
1924	Thyroid Cancer: Risk-Stratified Management and Individualized Therapy. 2016 , 22, 5012-5021		67
1923	Evolutionary features of thyroid cancer in patients with thyroidectomies from 2008 to 2013 in China. 2016 , 6, 28414		13
1922	Incidental and non-incidental thyroid microcarcinoma. 2016 , 12, 734-740		9
1921	Aberrant expression of tumor-associated carbohydrate antigen Globo H in thyroid carcinoma. 2016 , 114, 853-858		7

1920	Radioiodine Scintigraphy with SPECT/CT: An Important Diagnostic Tool for Staging and Risk Stratification. 2016 , 215-223	3
1919	The Thyroid Nodule: Evaluation, Risk of Malignancy, and Management. 2016 , 257-275	1
1918	Why Thyroid Surgeons Are Frustrated with Radiologists: Lessons Learned from Pre- and Postoperative US. 2016 , 36, 2141-2153	28
1917	Clinicopathologic Factors and Thyroid Nodule Sonographic Features for Predicting Central Lymph Node Metastasis in Papillary Thyroid Microcarcinoma: A Retrospective Study of 1204 Patients. 2016 , 35, 2475-2481	19
1916	Management of the Thyroid Nodule: A Comparison of Published International Guidelines. 2016 , 347-355	
1915	Papillary Microcarcinoma. 2016 , 371-376	
1914	????????????????????? ????2016, 119, 1496-1503	
1913	Association between screening and the thyroid cancer "epidemic" in South Korea: evidence from a nationwide study. 2016 , 355, i5745	103
1912	Use of imaging tests after primary treatment of thyroid cancer in the United States: population based retrospective cohort study evaluating death and recurrence. 2016 , 354, i3839	16
1911	and the "Crab and the butterfly". 2016 , 4, 58-60	3
1910	A journey from brain to muscle across the thyroid continent. 2016 , 17, 459-463	0
1909	The predictive value of sonographic images of follicular lesions - a comparison with nodules unequivocal in FNA - single centre prospective study. 2016 , 16, 69	2
1908	Application of whole-body FDG-PET for cancer screening in a cohort of hospital employees. 2016 , 95, e5131	5
1907	Efficacy of adjuvant therapy with 3.7 GBq radioactive iodine in intermediate-risk patients with 'higher risk features' and predictive value of postoperative nonstimulated thyroglobulin. 2016 , 37, 1148-53	3
1906	Influence of the first radioactive iodine ablation on peripheral complete blood count in patients with differentiated thyroid cancer. 2016 , 95, e4451	9
1905	Potential role of carbon nanoparticles in protection of parathyroid glands in patients with papillary thyroid cancer. 2016 , 95, e5002	12
1904	Enhanced identification and functional protective role of carbon nanoparticles on parathyroid in thyroid cancer surgery: A retrospective Chinese population study. 2016 , 95, e5148	13
1903	Time course of Graves' orbitopathy after total thyroidectomy and radioiodine therapy for thyroid cancer. 2016 , 95, e5474	5

1902	Reinforcing the Ability of ^{99m} TcO ₄ Scintigraphy for Identifying Differentiated Thyroid Cancer by TSH Stimulation. 2016 , 41, e412-3		1
1901	Differentiation between malignant and benign thyroid nodules and stratification of papillary thyroid cancer with aggressive histological features: Whole-lesion diffusion-weighted imaging histogram analysis. 2016 , 44, 1546-1555		36
1900	Improving the adoption of thyroid cancer clinical practice guidelines. 2016 , 126, 2640-2645		16
1899	Characteristics of contralateral carcinomas in patients with differentiated thyroid cancer larger than 1 cm. 2016 , 401, 365-73		13
1898	Prognosis of patients with benign thyroid nodules: a population-based study. 2016 , 54, 148-155		12
1897	The Value of HBME-1 and Claudin-1 Expression Profile in the Distinction of BRAF-Like and RAS-Like Phenotypes in Papillary Thyroid Carcinoma. 2016 , 27, 224-32		14
1896	Thyroid computed tomography imaging: pictorial review of variable pathologies. 2016 , 7, 601-17		20
1895	Operative management of locally advanced, differentiated thyroid cancer. 2016 , 160, 738-46		34
1894	Is Thyroglobulin Level by Liquid Chromatography Tandem-Mass Spectrometry Always Reliable for Follow-Up of DTC After Thyroidectomy: A Report on Two Patients. <i>Thyroid</i> , 2016 , 26, 1334-5	6.2	2
1893	Noninvasive Encapsulated Follicular Variant of Papillary Thyroid Cancer May Not Be a Cancer. 2016 , 28, 163-166		2
1892	Prognostic impact of incomplete surgical clearance of radioiodine sensitive local lymph node metastases diagnosed by post-operative (124)I-NaI-PET/CT in patients with papillary thyroid cancer. 2016 , 43, 1988-94		4
1891	Minimally invasive follicular thyroid carcinomas: prognostic factors. 2016 , 53, 505-11		18
1890	Papillary thyroid carcinoma: different clinical behavior among pT3 tumors. 2016 , 53, 754-60		6
1889	Thyroid Cancer in Pediatrics. 2016 , 45, 359-404		11
1888	Laryngeal Exam Indications and Techniques. 2016 , 17-29		2
1887	Malignancy is associated with microcalcification and higher AP/T ratio in ultrasonography, but not with Hashimoto's thyroiditis in histopathology in patients with thyroid nodules evaluated as Bethesda Category III (AUS/FLUS) in cytology. 2016 , 54, 156-168		15
1886	Evaluation of the highly sensitive Roche thyroglobulin II assay and establishment of a reference limit for thyroglobulin-negative patient samples. 2016 , 5, 6-13		8
1885	Unique obstacles to establishing thyroid cancer registries. 2016 , 3, 12-13		1

1884	Usefulness of Serum Calcitonin in Patients Without a Suspicious History of Medullary Thyroid Carcinoma and with Thyroid Nodules Without an Indication for Fine-Needle Aspiration or with Benign Cytology. 2016 , 48, 372-276		10
1883	Noninvasive Follicular Variant of Papillary Thyroid Carcinoma and the Afirma Gene-Expression Classifier. <i>Thyroid</i> , 2016 , 26, 911-5	6.2	58
1882	Intraoperative Frozen Section in "Suspicious for Papillary Thyroid Carcinoma" after Adoption of the Bethesda System. 2016 , 155, 779-786		8
1881	Correlation Between Histological Diagnosis and Mutational Panel Testing of Thyroid Nodules: A Two-Year Institutional Experience. <i>Thyroid</i> , 2016 , 26, 1068-76	6.2	31
1880	New American Thyroid Association Sonographic Patterns for Thyroid Nodules Perform Well in Medullary Thyroid Carcinoma: Institutional Experience, Systematic Review, and Meta-Analysis. <i>Thyroid</i> , 2016 , 26, 1093-100	6.2	31
1879	Aktuelle Aspekte der chirurgischen Therapie. 2016 , 46, 27-32		
1878	The safety of vandetanib for the treatment of thyroid cancer. 2016 , 15, 1107-13		12
1877	Does microscopically involved margin increase disease recurrence after curative surgery in papillary thyroid carcinoma?. 2016 , 113, 635-9		14
1876	Reappraisal of the indication for radioiodine thyroid ablation in differentiated thyroid cancer patients. 2016 , 39, 1087-94		19
1875	Low postoperative nonstimulated thyroglobulin as a criterion for the indication of low radioiodine activity in patients with papillary thyroid cancer of intermediate risk 'with higher risk features'. 2016 , 85, 453-8		11
1874	Utility and cost-effectiveness of molecular testing in thyroid nodules with indeterminate cytology. 2016 , 85, 624-31		35
1873	Critical Pitfalls in the use of BRAF Mutation as a Diagnostic Tool in Thyroid Nodules: a Case Report. 2016 , 27, 220-3		6
1872	Effect of Thyrotropin Suppression Therapy on Bone in Thyroid Cancer Patients. 2016 , 21, 165-71		20
1871	The Role of Core-Needle Biopsy as a First-Line Diagnostic Tool for Initially Detected Thyroid Nodules. <i>Thyroid</i> , 2016 , 26, 395-403	6.2	48
1870	Combined use of conventional smear and liquid-based preparation versus conventional smear for thyroid fine-needle aspiration. 2016 , 53, 157-65		15
1869	Serum thyrotropin level of 30 IU/mL is inadequate for preablative thyroglobulin to serve as a prognostic marker for differentiated thyroid cancer. 2016 , 53, 166-73		8
1868	Papillary thyroid carcinomas with biochemical incomplete or indeterminate responses to initial treatment: repeat stimulated thyroglobulin assay to identify disease-free patients. 2016 , 54, 467-475		20
1867	Thyroid Imaging Reporting and Data System Risk Stratification of Thyroid Nodules: Categorization Based on Solidity and Echogenicity. <i>Thyroid</i> , 2016 , 26, 562-72	6.2	109

1866	Indeterminate Single Thyroid Nodule: Synergistic Impact of Mutational Markers and Sonographic Features in Triaging Patients to Appropriate Surgery. <i>Thyroid</i> , 2016 , 26, 390-4	6.2	18
1865	Pregnancy: Maternal thyroid function in pregnancy - a tale of two tails. 2016 , 12, 10-1		5
1864	Utility of Diagnostic Molecular Markers for Evaluation of Indeterminate Thyroid Nodules. 2016 , 142, 421-2		7
1863	Prospective Study Confirms that Radioiodine Remnant Ablation Is Not Necessary in Low-Risk Differentiated Thyroid Cancer. 2016 , 5, 7-8		1
1862	A Genomic Alternative to Identify Medullary Thyroid Cancer Preoperatively in Thyroid Nodules with Indeterminate Cytology. <i>Thyroid</i> , 2016 , 26, 785-93	6.2	21
1861	Meta-analysis of radiofrequency ablation for treating the local recurrence of thyroid cancers. 2016 , 39, 909-16		15
1860	Thyroid Ultrasound-Guided Fine-Needle Aspiration: The Positive Influence of On-Site Adequacy Assessment and Number of Needle Passes on Diagnostic Cytology Rate. 2016 , 60, 39-45		31
1859	Time Course and Predictors of Structural Disease Progression in Pulmonary Metastases Arising from Follicular Cell-Derived Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 518-24	6.2	34
1858	Thyroid ultrasonography for personalized approach at thyroid nodules. 2016 , 52, 181-2		2
1857	Why the European Association of Nuclear Medicine has declined to endorse the 2015 American Thyroid Association management guidelines for adult patients with thyroid nodules and differentiated thyroid cancer. 2016 , 43, 1001-5		67
1856	The Impact of Metastatic Lymph Nodes on Risk Stratification in Differentiated Thyroid Cancer: Have We Reached a Higher Level of Understanding?. <i>Thyroid</i> , 2016 , 26, 481-8	6.2	21
1855	Prognostic Implications of Lymph Node Yield in Central and Lateral Neck Dissections for Well-Differentiated Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2016 , 26, 434-40	6.2	21
1854	Cost-Effectiveness of Diagnostic Lobectomy Versus Observation for Thyroid Nodules >4 cm. <i>Thyroid</i> , 2016 , 26, 271-9	6.2	8
1853	Prevalence and phenotypic correlations of EIF1AX mutations in thyroid nodules. 2016 , 23, 295-301		61
1852	Impact of a gene expression classifier on the long-term management of patients with cytologically indeterminate thyroid nodules. 2016 , 32, 1225-32		16
1851	The 5-tiered categorization system for reporting cytology is sufficient for management of patients with thyroid nodules compared to the 6-tiered Bethesda system. 2016 , 53, 489-96		7
1850	Evolving molecularly targeted therapies for advanced-stage thyroid cancers. 2016 , 13, 403-16		58
1849	Usefulness of 18F-FDG PET/CT in thyroid carcinoma. 2016 , 35, 186-92		1

1848	Robust Thyroid Gene Expression and Radioiodine Uptake Induced by Simultaneous Suppression of BRAF V600E and Histone Deacetylase in Thyroid Cancer Cells. 2016 , 101, 962-71		16
1847	Lymph node fine-needle aspiration washout thyroglobulin in papillary thyroid cancer: Diagnostic value and the effect of thyroglobulin antibodies. 2016 , 41, 281-289		8
1846	Nodal metastases in thyroid cancer: prognostic implications and management. 2016 , 12, 981-94		37
1845	Classic Architecture with Multicentricity and Local Recurrence, and Absence of TERT Promoter Mutations are Correlates of BRAF (V600E) Harboring Pediatric Papillary Thyroid Carcinomas. 2016 , 27, 153-61		27
1844	Does the T1 subdivision correlate with the risk of recurrence of papillary thyroid cancer?. 2016 , 401, 223-30		5
1843	A "new/old method" for TSH stimulation: could a third way to prepare DTC patients for (131)I remnant ablation possibly exist?. 2016 , 43, 221-223		3
1842	BRAF(V600E) Is Correlated with Recurrence of Papillary Thyroid Microcarcinoma: A Systematic Review, Multi-Institutional Primary Data Analysis, and Meta-Analysis. <i>Thyroid</i> , 2016 , 26, 248-55	6.2	59
1841	A Clinical Framework to Facilitate Risk Stratification When Considering an Active Surveillance Alternative to Immediate Biopsy and Surgery in Papillary Microcarcinoma. <i>Thyroid</i> , 2016 , 26, 144-9	6.2	185
1840	Optimal timing for a repeat fine-needle aspiration biopsy of thyroid nodule following an initial nondiagnostic fine-needle aspiration. 2017 , 213, 433-437		7
1839	The extent of surgery in thyroglossal cyst carcinoma. 2017 , 402, 799-804		18
1838	Fine-needle aspiration versus core needle biopsy for diagnosis of thyroid malignancy and neoplasm: a matched cohort study. 2017 , 27, 801-811		19
1837	Effects of nodule characteristics on sampling number and duration of thyroid fine-needle aspiration biopsy: size does not matter, but cystic degeneration ratio does. 2017 , 58, 286-291		10
1836	A comparison of low versus high radioiodine administered activity in patients with low-risk differentiated thyroid cancer. 2017 , 274, 655-660		4
1835	FDG Whole-Body PET/MRI in Oncology: a Systematic Review. 2017 , 51, 22-31		17
1834	Comparison of diagnostic yield of core-needle and fine-needle aspiration biopsies of thyroid lesions: Systematic review and meta-analysis. 2017 , 27, 431-436		28
1833	Value of fine-needle aspiration in evaluating large thyroid nodules. 2017 , 39, 32-36		4
1832	Is a second recombinant human thyrotropin stimulation test useful? The value of postsurgical undetectable stimulated thyroglobulin level at the time of remnant ablation on clinical outcome. 2017 , 86, 97-107		2
1831	Follicular variant of papillary thyroid carcinoma: comparison of ultrasound-guided core needle biopsy and ultrasound-guided fine needle aspiration in a multicentre study. 2017 , 86, 113-119		11

1830	Complications following US-guided core-needle biopsy for thyroid lesions: a retrospective study of 6,169 consecutive patients with 6,687 thyroid nodules. 2017 , 27, 1186-1194		34
1829	A Unique Case of Bilateral Hürthle Cell Adenoma in an Adolescent. 2017 , 87, 136-142		3
1828	Carcinogenic risk and Bisphenol A exposure: A focus on molecular aspects in endoderm derived glands. 2017 , 457, 20-34		21
1827	Serum thyroglobulin or thyroglobulin in fine-needle aspiration washout of metastatic lymph nodes: which one should we have confidence in for the surveillance of thyroid carcinoma?. 2017 , 6, 66-72		
1826	Can ratio of the biggest tumor diameter to total tumor diameter be a new parameter in the differential diagnosis of aggressive and favorable multifocal papillary thyroid microcarcinoma?. 2017 , 65, 1-7		3
1825	El patólogo intervencionista. Punción aspiración con aguja fina «ecoguiada» realizada por citopatólogo. Una realidad en España. 2017 , 50, 72-81		2
1824	Use of Lu-dotatate in the treatment of iodine refractory thyroid carcinomas. 2017 , 36, 116-119		2
1823	Thyroid cancer: Overdiagnosis of papillary carcinoma - who benefits?. 2017 , 13, 131-132		10
1822	Thyroid Nodule Size at Ultrasound as a Predictor of Malignancy and Final Pathologic Size. <i>Thyroid</i> , 2017 , 27, 641-650	6.2	61
1821	2017 Guidelines of the American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and the Postpartum. <i>Thyroid</i> , 2017 , 27, 315-389	6.2	1176
1820	Are large thyroid nodules classified as benign on fine needle aspiration more likely to harbor cancer?. 2017 , 213, 464-466		13
1819	Biochemical Markers Reflecting Thyroid Function in Athyreotic Patients on Levothyroxine Monotherapy. <i>Thyroid</i> , 2017 , 27, 484-490	6.2	46
1818	Predictive Factors for Active Surveillance of Subcentimeter Thyroid Nodules with Highly Suspicious US Features. 2017 , 24, 1540-1545		7
1817	Initial Evaluation and Workup of Thyroid Nodules in Adults. 2017 , 2, 73-86		
1816	Thyroid cancer in lingual thyroid and thyroglossal duct cyst. 2017 , 64, 40-43		4
1815	A Novel Gel Pad Laryngeal Ultrasound for Vocal Cord Evaluation. <i>Thyroid</i> , 2017 , 27, 553-557	6.2	7
1814	Should Age at Diagnosis Be Included as an Additional Variable in the Risk of Recurrence Classification System in Patients with Differentiated Thyroid Cancer. 2017 , 6, 160-166		6
1813	Somatic mutation profiling of hobnail variant of papillary thyroid carcinoma. 2017 , 24, 107-117		48

1812	The total number of tissue blocks per centimetre of tumor significantly correlated with the risk of distant metastasis in patients with minimally invasive follicular thyroid carcinoma. 2017 , 55, 496-502		9
1811	Accurate terminology and definitions are essential in clinical research. 2017 , 161, 475-476		
1810	Evaluation of a Two-Year Routine Application of Molecular Testing of Thyroid Fine-Needle Aspirations Using a Seven-Gene Panel in a Primary Referral Setting in Germany. <i>Thyroid</i> , 2017 , 27, 402-411	6.2	35
1809	The Impact of Pathologically Positive Lymph Nodes in the Clinically Negative Neck: An Analysis of 39,301 Patients with Papillary Thyroid Cancer. 2017 , 24, 1935-1942		3
1808	Comparison of fine needle aspiration and non-aspiration cytology for diagnosis of thyroid nodules: A prospective, randomized, and controlled trial. 2017 , 66, 67-81		6
1807	A variation in recurrence patterns of papillary thyroid cancer with disease progression: A long-term follow-up study. 2017 , 39, 767-771		4
1806	Outcome of Large Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>Thyroid</i> , 2017 , 27, 512-517	6.2	81
1805	Radioiodine for High Risk and Radioiodine Refractory Thyroid Cancer: Current Concepts in Management. 2017 , 29, 307-309		9
1804	Is Male Gender a Prognostic Factor for Papillary Thyroid Microcarcinoma?. 2017 , 24, 1958-1964		29
1803	High-sensitive basal serum thyroglobulin 6-12 months after thyroid ablation is strongly associated with early response to therapy and event-free survival in patients with low-to-intermediate risk differentiated thyroid carcinomas. 2017 , 176, 497-504		14
1802	Ultrasound risk stratification for malignancy using the 2015 American Thyroid Association Management Guidelines for Children with Thyroid Nodules and Differentiated Thyroid Cancer. 2017 , 47, 429-436		32
1801	Qualifiers of atypia in the cytologic diagnosis of thyroid nodules are associated with different Afirma gene expression classifier results and clinical outcomes. 2017 , 125, 313-322		47
1800	The utility of the Bethesda category and its association with BRAF mutation in the prediction of papillary thyroid cancer stage. 2017 , 402, 227-234		3
1799	Sonographic Evaluation of Intrathyroid Metastases. 2017 , 36, 69-76		6
1798	Pictorial Review of False-Positive Results on Radioiodine Scintigrams of Patients with Differentiated Thyroid Cancer. 2017 , 37, 298-315		15
1797	Effect of Thyroid Remnant Volume on the Risk of Hypothyroidism After Hemithyroidectomy: A Prospective Study. 2017 , 24, 1525-1532		25
1796	Systematic review of site distribution of bone metastases in differentiated thyroid cancer. 2017 , 39, 812-818		30
1795	Current Management of Low Risk Differentiated Thyroid Cancer and Papillary Microcarcinoma. 2017 , 29, 290-297		16

1794	A Computer-Aided Diagnosis System Using Artificial Intelligence for the Diagnosis and Characterization of Thyroid Nodules on Ultrasound: Initial Clinical Assessment. <i>Thyroid</i> , 2017 , 27, 546-552	6.2	100
1793	Indolent thyroid cancer: knowns and unknowns. 2017 , 2, 1		8
1792	Changes in thyroid cancer incidence, post-2009 American Thyroid Association guidelines. 2017 , 127, 2437-2441	21	
1791	Differentiated and Medullary Thyroid Cancer: Surgical Management of Cervical Lymph Nodes. 2017 , 29, 283-289		11
1790	A comparison of lobectomy and total thyroidectomy in patients with papillary thyroid microcarcinoma: a retrospective individual risk factor-matched cohort study. 2017 , 176, 371-378		57
1789	American Thyroid Association Guidelines on the Management of Thyroid Nodules and Differentiated Thyroid Cancer Task Force Review and Recommendation on the Proposed Renaming of Encapsulated Follicular Variant Papillary Thyroid Carcinoma Without Invasion to Noninvasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features. <i>Thyroid</i> , 2017 , 27, 181-188	6.2	204
1788	Applying Criteria of Active Surveillance to Low-Risk Papillary Thyroid Cancer Over a Decade: How Many Surgeries and Complications Can Be Avoided?. <i>Thyroid</i> , 2017 , 27, 518-523	6.2	30
1787	Improved Diagnostic Accuracy Using Arterial Phase CT for Lateral Cervical Lymph Node Metastasis from Papillary Thyroid Cancer. 2017 , 38, 782-788		23
1786	Clinicopathological relevance of antithyroglobulin antibodies in low-risk papillary thyroid cancer. 2017 , 42, 1130-1134		4
1785	False-positive cytopathology results for papillary thyroid carcinoma: A trap for thyroid surgeons. 2017 , 42, 1153-1160		20
1784	Is fine needle aspiration really not necessary in patients with thyroid nodules \leq 1 cm with highly suspicious features on ultrasonography and candidates for active surveillance?. 2017 , 45, 294-296		4
1783	Impacto del compromiso ganglionar en el pronóstico y la evolución del carcinoma papilar de tiroides. 2017 , 54, 51-63		0
1782	Clinicians' Views on Management and Terminology for Papillary Thyroid Microcarcinoma: A Qualitative Study. <i>Thyroid</i> , 2017 , 27, 661-671	6.2	44
1781	Segregation and expression analyses of hyaluronan-binding protein 2 (HABP2): insights from a large series of familial non-medullary thyroid cancers and literature review. 2017 , 86, 837-844		13
1780	A meta-analysis of prognostic roles of molecular markers in papillary thyroid carcinoma. 2017 , 6, R8-R17		45
1779	Most Thyroid Cancers Detected by Sonography Lack Intranodular Vascularity on Color Doppler Imaging: Review of the Literature and Sonographic-Pathologic Correlations for 698 Thyroid Neoplasms. 2017 , 36, 89-94		30
1778	Bethesda Category III, IV, and V Thyroid Nodules: Can Nodule Size Help Predict Malignancy?. 2017 , 225, 77-82		18
1777	Role of laminin 332 in lymph node metastasis of papillary thyroid carcinoma. 2017 , 44, 729-734		8

1776	Age Cutoff of 45 Years May Not Be Appropriate for Papillary Thyroid Cancer Staging. 2017 , 29, 52-54		
1775	The presence of cancerous nodules in lymph nodes is a novel indicator of distant metastasis and poor survival in patients with papillary thyroid carcinoma. 2017 , 143, 1035-1042		13
1774	Pediatric, Adolescent, and Young Adult Thyroid Carcinoma Harbors Frequent and Diverse Targetable Genomic Alterations, Including Kinase Fusions. 2017 , 22, 255-263		42
1773	Radioiodine treatment after surgery for differentiated thyroid cancer: a reasonable option. 2017 , 44, 918-925		13
1772	Endpoints for screening thyroid cancer in the Republic of Korea: thyroid specialists' perspectives. 2017 , 40, 689-690		
1771	Papillary thyroid microcarcinoma: the significance of high risk features. 2017 , 17, 142		20
1770	Understanding readmissions following operations of the thyroid and parathyroid glands. 2017 , 214, 501-508		6
1769	Timing of multikinase inhibitor initiation in differentiated thyroid cancer. 2017 , 24, 237-242		22
1768	The evolution of differentiated thyroid cancer. 2017 , 49, 229-237		13
1767	Experience of US Patients Who Self-identify as Having an Overdiagnosed Thyroid Cancer: A Qualitative Analysis. 2017 , 143, 663-669		18
1766	Three-dimensional versus two-dimensional endoscopic-assisted thyroidectomy via the anterior chest approach: a preliminary report. 2017 , 31, 4194-4200		6
1765	The Flip Side of NIFTP: an Increase in Rates of Unfavorable Histologic Parameters in the Remainder of Papillary Thyroid Carcinomas. 2017 , 28, 171-176		19
1764	Single-Session High-Intensity Focused Ultrasound Treatment in Large-Sized Benign Thyroid Nodules. <i>Thyroid</i> , 2017 , 27, 714-721	6.2	37
1763	Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. 2017 , 86, 845-851		38
1762	Thyroid Ultrasound-Guided Fine-Needle Aspiration Cytology Results: Observed Increase in Indeterminate Rate over the Past Decade. 2017 , 156, 611-615		19
1761	Relationship Among Pulmonary Hypertension, Autoimmunity, Thyroid Hormones and Dyspnea in Patients With Hyperthyroidism. 2017 , 353, 374-380		9
1760	Molecular correlates and rate of lymph node metastasis of non-invasive follicular thyroid neoplasm with papillary-like nuclear features and invasive follicular variant papillary thyroid carcinoma: the impact of rigid criteria to distinguish non-invasive follicular thyroid neoplasm with papillary-like nuclear features. 2017 , 30, 810-825		118
1759	Ultrasound of the Thyroid and Soft Tissues of the Neck. 2017 , 23-45		

1758	The Management of the Persistent and Recurrent Cervical Lymph Node Metastases. 2017 , 255-262	1
1757	The need of prophylactic central lymph node dissection is controversial in terms of postoperative thyroglobulin follow-up of patients with cN0 papillary thyroid cancer. 2017 , 402, 235-242	6
1756	Consensus statement for use and technical requirements of thyroid ultrasound in endocrinology units. 2017 , 64 Suppl 1, 23-30	7
1755	Thyroid nodule sizes influence the diagnostic performance of TIRADS and ultrasound patterns of 2015 ATA guidelines: a multicenter retrospective study. 2017 , 7, 43183	27
1754	Diagnostic Value of RAS Mutations in Indeterminate Thyroid Nodules. 2017 , 156, 472-479	17
1753	mRNA overexpression is associated with worse prognostic factors in papillary thyroid carcinoma. 2017 , 6, 172-178	9
1752	EQ-5D-5L and SF-6D Utility Measures in Symptomatic benign Thyroid Nodules: Acceptability and Psychometric Evaluation. 2017 , 10, 447-454	6
1751	Recurrence-associated genes in papillary thyroid cancer: An analysis of data from The Cancer Genome Atlas. 2017 , 161, 1642-1650	20
1750	Recurrence Rates in Patients with Intermediate-Risk Differentiated Thyroid Cancer Are Similar after Low-Dose and High-Dose Radioiodine Ablation in a Korean Series. 2017 , 29, 55-57	1
1749	Central compartment management in patients with papillary thyroid cancer presenting with metastatic disease to the lateral neck: Anatomic pathways of lymphatic spread. 2017 , 39, 853-859	23
1748	The role of ablative treatment in differentiated thyroid cancer management. 2017 , 12, 109-116	2
1747	Multicentre validation of a microRNA-based assay for diagnosing indeterminate thyroid nodules utilising fine needle aspirate smears. 2017 , 70, 500-507	75
1746	Utility of I-124 PET/CT in identifying radioiodine avid lesions in differentiated thyroid cancer: a systematic review and meta-analysis. 2017 , 86, 645-651	28
1745	Effects of Coexistent BRAF and TERT Promoter Mutations on Poor Clinical Outcomes in Papillary Thyroid Cancer: A Meta-Analysis. <i>Thyroid</i> , 2017 , 27, 651-660	6.2 76
1744	Minimal extrathyroidal extension does not affect survival of well-differentiated thyroid cancer. 2017 , 24, 221-226	25
1743	Management of Thyroid Nodules and Differentiated Thyroid Cancer. 2017 ,	3
1742	Monitoring metastatic lesions in TENIS, initiating multi-targeted tyrosine kinase inhibitors and follow-up: should the newer FDG PET-CT quantitative indices be the defining objective parameter in clinical trials?. 2017 , 44, 1092-1094	0
1741	Ultrasonography and cytology as predictors of noninvasive follicular thyroid (NIFTP) neoplasm with papillary-like nuclear features: importance of the differential diagnosis with the invasive encapsulated follicular variant of papillary thyroid cancer. 2017 , 87, 635-636	21

1740	Comparison of Empiric Versus Dosimetry-Guided Radioiodine Therapy: The Devil Is in the Details. 2017 , 58, 863	4
1739	Stimulated thyroglobulin values above 5.6 ng/ml before radioactive iodine ablation treatment following levothyroxine withdrawal is associated with a 2.38-fold risk of relapse in Tg-ab negative subjects with differentiated thyroid cancer. 2017 , 19, 1028-1034	5
1738	Update on the cytologic features of papillary thyroid carcinoma variants. 2017 , 45, 714-730	31
1737	Locally Advanced Differentiated Thyroid Cancer. 2017 , 395-417	
1736	The diagnostic performances of conventional strain elastography (SE), acoustic radiation force impulse (ARFI) imaging and point shear-wave speed (pSWS) measurement for non-calcified thyroid nodules. 2017 , 65, 259-273	13
1735	Sternal metastasis as first presentation of a well-differentiated papillary thyroid carcinoma. 2017 , 162, 1336-1337	6
1734	Risk factors for post-thyroidectomy haemorrhage: a meta-analysis. 2017 , 176, 591-602	45
1733	SPECT/CT in the Treatment of Differentiated Thyroid Cancer. 2017 , 51, 297-303	13
1732	Comparison of Empiric Versus Dosimetry-Guided Radioiodine Therapy: The Devil Is in the Details. 2017 , 58, 862	7
1731	How "suspicious" is that nodule? Review of "suspicious" Afirma gene expression classifier in high risk thyroid nodules. 2017 , 45, 308-311	17
1730	Thyroid cytology-nuclear versus architectural atypia within the "Atypia of undetermined significance/follicular lesion of undetermined significance" Bethesda category have significantly different rates of malignancy. 2017 , 125, 245-256	35
1729	Cytological, molecular, and clinical features of noninvasive follicular thyroid neoplasm with papillary-like nuclear features versus invasive forms of follicular variant of papillary thyroid carcinoma. 2017 , 125, 323-331	68
1728	Prognostic significance of diffuse sclerosing variant papillary thyroid carcinoma: a systematic review and meta-analysis. 2017 , 176, 433-441	28
1727	Relationship of the recurrent laryngeal nerve to the inferior thyroid artery: A comparison of findings from two systematic reviews. 2017 , 30, 318-321	11
1726	Less is more: reconsidering the need for regular use of diagnostic whole body radioiodine scintigraphy in the follow-up of differentiated thyroid cancer. 2017 , 44, 741-743	8
1725	Computer-aided diagnosis of malignant or benign thyroid nodes based on ultrasound images. 2017 , 274, 2891-2897	28
1724	Surgical Management of Low-Risk Papillary Thyroid Cancer. 2017 , 231-240	
1723	Delayed TSH recovery after dose adjustment during TSH-suppressive levothyroxine therapy of thyroid cancer. 2017 , 87, 286-291	3

1722	Molecular targeted therapies in adrenal, pituitary and parathyroid malignancies. 2017 , 24, R239-R259		11
1721	Surveillance Neck Sonography After Thyroidectomy for Papillary Thyroid Carcinoma: Pitfalls in the Diagnosis of Locally Recurrent and Metastatic Disease. 2017 , 36, 1511-1530		3
1720	The stratification of patient risk depending on the size and ratio of metastatic lymph nodes in papillary thyroid carcinoma. 2017 , 15, 74		9
1719	1.5-2 cm tumor size was not associated with distant metastasis and mortality in small thyroid cancer: A population-based study. 2017 , 7, 46298		6
1718	Chinese Data of Efficacy of Low- and High-Dose Iodine-131 for the Ablation of Thyroid Remnant. <i>Thyroid</i> , 2017 , 27, 832-837	6.2	11
1717	Does the Risk of Metabolic Syndrome Increase in Thyroid Cancer Survivors?. <i>Thyroid</i> , 2017 , 27, 936-943	6.2	3
1716	Prevalence and Significance of Thyroglobulin Antibodies in Pediatric Thyroid Cancer. 2017 , 102, 3146-3153		4
1715	Multiinstitutional Analysis of Thyroid Nodule Risk Stratification Using the American College of Radiology Thyroid Imaging Reporting and Data System. 2017 , 208, 1331-1341		92
1714	Surgical management of papillary thyroid carcinoma: an overview. 2017 , 69, 145-150		37
1713	Thyroid Cancer Overdiagnosis Is a Result of Screening Programs in South Korea. 2017 , 29, 8-10		3
1712	Importance of cytological subclassification of thyroid nodules with Bethesda category III cytology (AUS/FLUS) into architectural atypia only and nuclear atypia: A prospective study. 2017 , 45, 604-607		15
1711	Consensus statement for use and technical requirements of thyroid ultrasound in endocrinology units. 2017 , 64, 23-30		
1710	The role of molecular diagnostic testing in the management of thyroid nodules. 2017 , 17, 567-576		4
1709	The Bethesda System for Reporting Thyroid Cytopathology (BSRTC). 2017 , 59-92		2
1708	Extrathyroidal extension-what does it mean. 2017 , 68, 50-52		7
1707	Ultrasound is helpful to differentiate Bethesda class III thyroid nodules: A PRISMA-compliant systematic review and meta-analysis. 2017 , 96, e6564		22
1706	Higher preablative serum thyroid-stimulating hormone level predicts radioiodine ablation effectiveness in patients with differentiated thyroid carcinoma. 2017 , 38, 222-227		4
1705	Patients with Multifocal Macroscopic Papillary Thyroid Carcinoma Have a Low Risk of Recurrence at Early Follow-Up after Total Thyroidectomy and Radioactive Iodine Treatment. 2017 , 6, 31-39		4

1704	Role of prophylactic central neck dissection in clinically node-negative differentiated thyroid cancer: assessment of the risk of regional recurrence. 2017 , 69, 241-248	13
1703	Management of PET diagnosed thyroid incidentalomas in British Columbia Canada: Critical importance of the PET report. 2017 , 213, 950-957	3
1702	Survival of 86,690 patients with thyroid cancer: A population-based study in 29 European countries from EUROCARE-5. 2017 , 77, 140-152	41
1701	Single-Incision, Gasless, Endoscopic Trans-Axillary Total Thyroidectomy: A Feasible and Oncologic Safe Surgery in Patients with Papillary Thyroid Carcinoma. 2017 , 27, 1158-1164	20
1700	Sonographic differences between conventional and follicular variant papillary thyroid carcinoma. 2017 , 274, 2907-2913	5
1699	Transoral endoscopic thyroidectomy: preliminary experience in Italy. 2017 , 69, 225-234	76
1698	Risk of Thyroid Cancer Among Solid Organ Transplant Recipients. 2017 , 17, 2911-2921	13
1697	HSP90 inhibitor NVP-AUY922 induces cell apoptosis by disruption of the survivin in papillary thyroid carcinoma cells. 2017 , 487, 313-319	16
1696	Hobnail variant of papillary thyroid carcinoma: A case with an unusual presentation. 2017 , 45, 754-756	14
1695	Clinical impact of molecular techniques for the presurgical diagnosis of differentiated thyroid cancer diagnosis. 2017 , 12, 207-214	
1694	High-Intensity Focused Ultrasound for Treatment of Symptomatic Benign Thyroid Nodules: A Prospective Study. 2017 , 284, 897-906	47
1693	Prognostic value of preoperative anti-thyroglobulin antibody in differentiated thyroid cancer. 2017 , 87, 292-299	11
1692	È ancora indicazione alla terapia radioablativa con 131-I nel carcinoma tiroideo differenziato a basso rischio?. 2017 , 18, 51-53	
1691	Many Patients Who Become Hypothyroid After Lobectomy Will Recover Normal Thyroid Function Without Supplementation. 2017 , 29, 183-185	
1690	Striving for Clarity About the Best Approach to Thyroid Cancer Screening and Treatment: Is the Pendulum Swinging Too Far?. 2017 , 152, 721-722	5
1689	Novel concepts for initiating multitargeted kinase inhibitors in radioactive iodine refractory differentiated thyroid cancer. 2017 , 31, 295-305	32
1688	Response to Letter: "Postoperative Thyroglobulin and Neck Ultrasound in the Risk Restratification and Decision to Perform 131I Ablation". 2017 , 102, 1785-1786	1
1687	Factors associated with serum thyroglobulin in a Ukrainian cohort exposed to iodine-131 from the accident at the Chernobyl Nuclear Plant. 2017 , 156, 801-809	3

1686	Thyroid function after TSH suppression for thyroid cancer: When is optimal time to check?. 2017 , 87, 231-232		
1685	The USPSTF Recommendation on Thyroid Cancer Screening: Don't "Check Your Neck". 2017 , 143, 755-756		7
1684	Perioperative practices in thyroid surgery: An international survey. 2017 , 39, 1296-1305		13
1683	Partial thyroidectomy for papillary thyroid microcarcinoma: Is completion total thyroidectomy indicated?. 2017 , 41 Suppl 1, S34-S39		17
1682	Single-incision endoscopic thyroidectomy for papillary thyroid cancer: A pilot study. 2017 , 43, 1-6		5
1681	How Often Does a Thyroid Cancer Patient Need to Undergo Surveillance with Cervical Ultrasound?. 2017 , 29, 173-175		1
1680	124I PET/CT May Be Useful in Identifying Radioiodine-Avid Lesions in Differentiated Thyroid Cancer. 2017 , 29, 195-197		
1679	The Role of Core Needle Biopsy for Thyroid Nodules with Initially Indeterminate Results on Previous Fine-Needle Aspiration: A Systematic Review and Meta-Analysis. 2017 , 38, 1421-1426		16
1678	Treatment of Recurrent/Metastatic Thyroid Cancer with Radioactive Iodine. 2017 , 315-329		
1677	The relationship of 19 functional polymorphisms in iodothyronine deiodinase and psychological well-being in hypothyroid patients. 2017 , 57, 115-124		7
1676	Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. 2017 , 102, 1917-1925		110
1675	Effect of Thyroid-Related Symptoms on Long-Term Quality of Life in Patients with Differentiated Thyroid Carcinoma: A Population-Based Study in Sweden. <i>Thyroid</i> , 2017 , 27, 1034-1042	6.2	29
1674	Clinical Features of Early and Late Postoperative Hypothyroidism After Lobectomy. 2017 , 102, 1317-1324		38
1673	Lymph Node Mapping with Ultrasound Is Highly Useful in the Preoperative Workup of Patients with Thyroid Cancer. 2017 , 29, 16-18		
1672	Total thyroidectomy may be more reasonable as initial surgery in unilateral multifocal papillary thyroid microcarcinoma: a single-center experience. 2017 , 15, 62		14
1671	Letter to the Editor: "Postoperative Thyroglobulin and Neck Ultrasound in the Risk Restratification and Decision to Perform 131I Ablation". 2017 , 102, 1783-1784		1
1670	ANALYSIS OF POSTOPERATIVE ULTRASONOGRAPHY SURVEILLANCE AFTER HEMITHYROIDECTOMY IN PATIENTS WITH PAPILLARY THYROID MICROCARCINOMA: A MULTICENTER STUDY. 2017 , 23, 794-802		5
1669	Fine-Needle Aspiration Versus Frozen Section in the Evaluation of Malignant Thyroid Nodules in Patients With the Diagnosis of Suspicious for Malignancy or Malignancy by Fine-Needle Aspiration. 2017 , 141, 684-689		2

1668	Key Components of a Comprehensive Thyroid and Parathyroid Ultrasound Report. 2017 , 11-16		
1667	A Tale of Two Cancers: Traveling to Treat Pancreatic and Thyroid Cancer. 2017 , 225, 125-136.e6		16
1666	Elevated free triiodothyronine may lead to female sexual dysfunction in Chinese urban women: A hospital-based survey. 2017 , 7, 1216		4
1665	Selection of Atypia/Follicular Lesion of Unknown Significance Patients for Surgery Versus Active Surveillance, Without Using Genetic Testing: A Single Institute Experience, Prospective Analysis, and Recommendations. <i>Thyroid</i> , 2017 , 27, 928-935	6.2	7
1664	Updated American Joint Committee on Cancer/Tumor-Node-Metastasis Staging System for Differentiated and Anaplastic Thyroid Cancer (Eighth Edition): What Changed and Why?. <i>Thyroid</i> , 2017 , 27, 751-756	6.2	302
1663	TERT, BRAF, and NRAS in Primary Thyroid Cancer and Metastatic Disease. 2017 , 102, 1898-1907		77
1662	Population-Based Assessment of Complications Following Surgery for Thyroid Cancer. 2017 , 102, 2543-2551		46
1661	Cytology-Ultrasonography Risk-Stratification Scoring System Based on Fine-Needle Aspiration Cytology and the Korean-Thyroid Imaging Reporting and Data System. <i>Thyroid</i> , 2017 , 27, 953-959	6.2	32
1660	Thyroglobulin autoantibodies before radioiodine ablation predict differentiated thyroid cancer outcome. 2017 , 55, 1995-2001		10
1659	Thyroid cancer incidence among Asian immigrants to Ontario, Canada: A population-based cohort study. 2017 , 123, 3320-3325		9
1658	Surgical Intervention for Indeterminate Thyroid Nodules. 2017 , 147-162		
1657	External Beam Radiation for Locally Advanced and Metastatic Differentiated Thyroid Cancer. 2017 , 419-431		
1656	Les carcinomes papillaires de la thyroïde r�vis�s par examen TEP/TDM au 18 F-FDG: � propos de deux cas et revue de la litt�fature. 2017 , 41, 442-446		
1655	Radiofrequency ablation of benign thyroid nodules: depicting early sign of regrowth by calculating vital volume. 2017 , 33, 905-910		42
1654	Active Surveillance of Small, Low-Risk Papillary Thyroid Cancers Can Be a Safe Alternative to Surgery in Selected Patients. 2017 , 29, 97-99		1
1653	Immunohistochemical detection of the BRAF V600E mutation in papillary thyroid carcinoma. Evaluation against real-time polymerase chain reaction. 2017 , 64, 75-81		0
1652	Clinical outcomes of low-dose and high-dose postoperative radioiodine therapy in patients with intermediate-risk differentiated thyroid cancer. 2017 , 38, 228-233		17
1651	Indications and extent of central neck dissection for papillary thyroid cancer: An American Head and Neck Society Consensus Statement. 2017 , 39, 1269-1279		39

1650	Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. <i>Thyroid</i> , 2017 , 27, 773-777	6.2	22
1649	Patterns of Initial Recurrence in Completely Resected Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2017 , 27, 908-914	6.2	37
1648	Clinical outcomes after delayed thyroid surgery in patients with papillary thyroid microcarcinoma. 2017 , 177, 25-31		27
1647	Rationale for the Evaluation of Cervical Lymph Nodes in the Setting of Thyroid Cancer. 2017 , 197-206		
1646	Clinicopathological Significance and Prognosis of Medullary Thyroid Microcarcinoma: A Meta-analysis. 2017 , 41, 2551-2558		14
1645	Age-based disparities in the use of total thyroidectomy for papillary thyroid carcinoma. 2017 , 19, 1253-1259		2
1644	Thyroid Nodules Do Not Increase in Size During Pregnancy. 2017 , 29, 150-152		
1643	Evaluation of I scintigraphy and stimulated thyroglobulin levels in the follow up of patients with DTC: a retrospective analysis of 1420 patients. 2017 , 44, 744-756		12
1642	Thyroid imaging reporting and data system in assessment of cytological Bethesda Category III thyroid nodules. 2017 , 65, 163-173		8
1641	Radiofrequency ablation vs. microwave ablation for patients with benign thyroid nodules: a propensity score matching study. 2017 , 55, 485-495		46
1640	Diagnostic accuracy of Thyroid Imaging Reporting and Data System in the prediction of malignancy in nodules with atypia and follicular lesion of undetermined significance cytologies. 2017 , 86, 584-590		17
1639	The Effect of Prophylactic Central Neck Dissection on Locoregional Recurrence in Papillary Thyroid Cancer After Total Thyroidectomy: A Systematic Review and Meta-Analysis : pCND for the Locoregional Recurrence of Papillary Thyroid Cancer. 2017 , 24, 2189-2198		50
1638	Is it time to reconsider lobectomy in low-risk paediatric thyroid cancer?. 2017 , 86, 591-596		7
1637	Ultrasonographic prediction of highly aggressive telomerase reverse transcriptase (TERT) promoter-mutated papillary thyroid cancer. 2017 , 57, 234-240		8
1636	The "broken chair" in patients with differentiated thyroid cancer. 2017 , 57, 359-360		
1635	Surgical approach to level VI in papillary thyroid carcinoma: an overview. 2017 , 69, 205-209		11
1634	Delaying Surgery by More Than 1 Year for Selected Patients with Papillary Thyroid Microcarcinoma Does Not Compromise Outcomes. 2017 , 29, 241-243		
1633	Thyroid cancer in adolescents and young adults. 2017 , 13, 1253-1261		23

1632	Biochemical Testing in Thyroid Disorders. 2017 , 46, 631-648		16
1631	Second Primary Cancer in Patients with Differentiated Thyroid Cancer: Does Radioiodine Play a Role?. <i>Thyroid</i> , 2017 , 27, 1068-1076	6.2	26
1630	So erkennen und behandeln Sie die Hyperthyreose. 2017 , 14, 9-23		2
1629	Prognostic value of the eighth edition AJCC TNM classification for differentiated thyroid carcinoma. 2017 , 71, 81-86		61
1628	The follicular variant of papillary thyroid cancer and noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP). 2017 , 29, 20-24		10
1627	The value of 18F-DOPA PET/CT in patients with medullary thyroid carcinoma and increased calcitonin values. 2017 , 38, 636-641		11
1626	The outcome of I-131 ablation therapy for intermediate and high-risk differentiated thyroid cancer using a strict definition of successful ablation. 2017 , 35, 505-510		10
1625	Anti-thyroglobulin antibodies do not significantly increase the risk of finding iodine avid metastases on post-radioactive iodine ablation scan in low-risk thyroid cancer patients. 2017 , 40, 1015-1021		4
1624	Update on the role of ultrasound guided radiofrequency ablation for thyroid nodule treatment. 2017 , 41 Suppl 1, S82-S93		24
1623	High-intensity focused ablation (HIFU) of single benign thyroid nodule rarely alters underlying thyroid function. 2017 , 33, 875-881		9
1622	Follow-up of patients with thyroglobulin-antibodies: Rising Tg-Ab trend is a risk factor for recurrence of differentiated thyroid cancer. 2017 , 42, 302-310		8
1621	Surgical considerations for papillary thyroid microcarcinomas. 2017 , 116, 269-274		5
1620	US Elastography Using Carotid Artery Pulsation May Increase the Diagnostic Accuracy for Thyroid Nodules with US-Pathology Discordance. 2017 , 43, 1587-1595		7
1619	Elastography: Applications and Limitations of a New Technology. 2017 , 67-73		1
1618	A 10-Gene Classifier for Indeterminate Thyroid Nodules: Development and Multicenter Accuracy Study. <i>Thyroid</i> , 2017 , 27, 1058-1067	6.2	23
1617	Harmonization of Serum Thyroid-Stimulating Hormone Measurements Paves the Way for the Adoption of a More Uniform Reference Interval. 2017 , 63, 1248-1260		52
1616	Intraoperative Use of Ultrasound in Thyroid, Parathyroid, and Cervical Lymph Node Surgery. 2017 , 361-365		2
1615	Influence of presence/absence of thyroid gland on the cutoff value for thyroglobulin in lymph-node aspiration to detect metastatic papillary thyroid carcinoma. 2017 , 17, 296		10

1614	Ultrasound-guided fine needle aspiration versus core needle biopsy: comparison of post-biopsy hematoma rates and risk factors. 2017 , 57, 108-114		11
1613	Tall cell and diffuse sclerosing variants of papillary thyroid cancer: outcome and predicting value of risk stratification methods. 2017 , 40, 1235-1241		14
1612	Medullary thyroid carcinoma in a patient with Birt-Hogg-Dube syndrome. 2017 , 148, 528-529		
1611	Information for Clinicians: Approach to the Patient with Progressive Radioiodine-Refractory Thyroid Cancer-When to Use Systemic Therapy. <i>Thyroid</i> , 2017 , 27, 987-993	6.2	9
1610	Atypical Histiocytoid Cells in Metastatic Papillary Thyroid Carcinoma: An Underrecognized Cytologic Pattern. 2017 , 148, 58-63		2
1609	Controversies in the Management of Low-Risk Differentiated Thyroid Cancer. 2017 , 38, 351-378		42
1608	Thyroid Cancer Incidence and Mortality Are Increasing. 2017 , 29, 221-223		1
1607	Does Core Needle Biopsy Have A Role in the Evaluation of Thyroid Nodules with Indeterminate Cytology?. 2017 , 29, 232-234		1
1606	Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017 , 27, 1149-1155	6.2	61
1605	Effect of a Biopsy Center on Adequacy Rates of Thyroid Nodule Fine-Needle Aspiration. 2017 , 209, 358-362		2
1604	The genetic landscape of benign thyroid nodules revealed by whole exome and transcriptome sequencing. 2017 , 8, 15533		34
1603	Risk factors for lymph node metastasis (LNM) in patients with papillary thyroid microcarcinoma (PTMC): role of preoperative ultrasound. 2017 , 45, 1221-1230		13
1602	Dipeptidyl Peptidase IV as a Prognostic Marker and Therapeutic Target in Papillary Thyroid Carcinoma. 2017 , 102, 2930-2940		48
1601	Disease Progression in Papillary Thyroid Cancer with Biochemical Incomplete Response to Initial Therapy. 2017 , 24, 2611-2616		9
1600	Evaluation of the Afirma Gene Expression Classifier in Repeat Indeterminate Thyroid Nodules. 2017 , 141, 985-989		34
1599	Mucoepidermoid carcinoma post-radioactive iodine treatment of papillary thyroid carcinoma: unique presentation and putative etiologic association. 2017 , 68, 189-192		5
1598	HIFU and RFA Ablation for Thyroid and Parathyroid Disease. 2017 , 379-390		0
1597	Management of tyrosine kinase inhibitors (TKI) side effects in differentiated and medullary thyroid cancer patients. 2017 , 31, 349-361		45

1596 Chapter 4 Thyroid Malignancy: Staging and Restaging. **2017**, 38, 495-505

1595 ROLE OF MOLECULAR MARKERS IN THYROID NODULE MANAGEMENT: THEN AND NOW. **2017**, 23, 979-988 110

1594 Neck Sonography and Suppressed Thyroglobulin Have High Sensitivity for Identifying Recurrent/Persistent Disease in Patients With Low-risk Thyroid Cancer Treated With Total Thyroidectomy and Radioactive Iodine Ablation, Making Stimulated Thyroglobulin Unnecessary. **2017**, 36, 2299-2307 4

1593 The impact of noninvasive follicular thyroid neoplasm with papillary-like nuclear features on the performance of the Afirma gene expression classifier. **2017**, 125, 683-691 48

1592 Intérêt de la TEP/TDM au 18 FDG dans les sous-types histologiques agressifs de cancers thyroïdiens (oncocytaire et peu différenciés). **2017**, 41, 386-396

1591 Rationality in prophylactic central neck dissection in clinically node-negative (cN0) papillary thyroid carcinoma: Is there anything more to say? A decade experience in a single-center. **2017**, 41 Suppl 1, S40-S47 20

1590 Imagerie moléculaire et biomarqueurs des cancers thyroïdiens de souche vésiculaire: recommandations 2017 de SFMN/SFE/SFP/SFBC/AFCE/SFORL. **2017**, 41, S23-S33 1

1589 Vocal cord paresis following single-session high intensity focused ablation (HIFU) treatment of benign thyroid nodules: incidence and risk factors. **2017**, 33, 888-894 13

1588 Radiofrequency ablation of small follicular neoplasms: initial clinical outcomes. **2017**, 33, 931-937 11

1587 Evaluation of ultrasound reporting for thyroid cancer diagnosis and surveillance. **2017**, 39, 1756-1760 8

1586 Incidental positive lymph nodes in patients with papillary thyroid cancer is independently associated with recurrent disease. **2017**, 116, 275-280 11

1585 Radioactive iodine therapy, molecular imaging and serum biomarkers for differentiated thyroid cancer: 2017 guidelines of the French Societies of Nuclear Medicine, Endocrinology, Pathology, Biology, Endocrine Surgery and Head and Neck Surgery. **2017**, 78, 162-175 23

1584 Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. **2017**, 24, 2596-2602 14

1583 Metástasis a distancia en cáncer diferenciado de tiroides: diagnóstico y tratamiento. **2017**, 54, 92-100 1

1582 Letter to the Editor: What Is the Role of Serum Thyroglobulin Measurement in Patients With Differentiated Thyroid Cancer Treated Without Radioactive Iodine?. **2017**, 102, 2113-2114 4

1581 The Prognostic Value of Tumor Multifocality in Clinical Outcomes of Papillary Thyroid Cancer. **2017**, 102, 3241-3250 55

1580 Triage of the indeterminate thyroid aspirate: What are the options for the practicing cytopathologist?. **2017**, 125, 477-485 18

1579 Advances in small molecule therapy for treating metastatic thyroid cancer. **2017**, 18, 1049-1060 10

1578	Financial Implication of Radioactive Iodine Therapy for Early-Stage Papillary Thyroid Cancer. 2017 , 93, 122-126		3
1577	Utility of intraoperative frozen sections for thyroid nodules with prior fine needle aspiration cytology diagnosis. 2017 , 45, 789-794		9
1576	Importance of recombinant human thyrotropin as an adjuvant in the radioiodine treatment of thyroid cancer. 2017 , 12, 261-267		2
1575	TERT Promoter Mutations Were Not Found in Papillary Thyroid Microcarcinomas That Showed Disease Progression on Active Surveillance. <i>Thyroid</i> , 2017 , 27, 1206-1207	6.2	29
1574	Response to Letter: What Is the Role of Serum Thyroglobulin Measurement in Patients With Differentiated Thyroid Cancer Treated Without Radioactive Iodine?. 2017 , 102, 2115-2116		
1573	Extranodal extension of lymph node metastasis as a prognostic indicator of recurrence and survival in papillary thyroid carcinoma. 2017 , 116, 450-458		19
1572	Case report: fast reversal of severe osteoporosis after correction of excessive levothyroxine treatment and long-term follow-up. 2017 , 28, 2247-2250		3
1571	The clinical importance of the thyroid nodules during anti-tumor necrosis factor therapy in patients with axial spondyloarthritis. 2017 , 36, 1071-1076		2
1570	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features: Historical Context, Diagnosis, and Future Challenges. 2017 , 28, 128-138		25
1569	The Treatment of Advanced Thyroid Cancer in the Age of Novel Targeted Therapies. 2017 , 77, 733-745		12
1568	Programmed Death - Ligand 1 Expression Distinguishes Invasive Encapsulated Follicular Variant of Papillary Thyroid Carcinoma from Noninvasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features. 2017 , 18, 50-55		28
1567	ACR Thyroid Imaging, Reporting and Data System (TI-RADS): White Paper of the ACR TI-RADS Committee. 2017 , 14, 587-595		796
1566	Independent Risk Factors Predicting Central Lymph Node Metastasis in Papillary Thyroid Microcarcinoma. 2017 , 49, 201-207		18
1565	Heterogeneous Prognoses for pT3 Papillary Thyroid Carcinomas and Impact of Delayed Risk Stratification. <i>Thyroid</i> , 2017 , 27, 778-786	6.2	10
1564	The Procedure of Ultrasound-Guided Percutaneous Biopsy of Thyroid and Cervical Lymph Nodes: Technical Steps, Pitfalls, and Pearls. 2017 , 309-321		3
1563	Completeness of ultrasound reporting impacts time to biopsy for benign and malignant thyroid nodules. 2017 , 213, 931-935		7
1562	Radioiodine Ablation following Thyroidectomy for Differentiated Thyroid Cancer: Literature Review of Utility, Dose, and Toxicity. 2017 , 6, 187-196		33
1561	Tumor volume doubling time of pulmonary metastases predicts overall survival and can guide the initiation of multikinase inhibitor therapy in patients with metastatic, follicular cell-derived thyroid carcinoma. 2017 , 123, 2955-2964		53

1560	Synchronous papillary thyroid carcinoma and breast ductal carcinoma: A rare case report and literature review. 2017 , 96, e6114	2
1559	The impact of presence of Hashimoto's thyroiditis on diagnostic accuracy of ultrasound-guided fine-needle aspiration biopsy in subcentimeter thyroid nodules: A retrospective study from FUSCC. 2017 , 6, 1014-1022	14
1558	Staging for Papillary Thyroid Cancer. 2017 , 165-185	
1557	Thyroid cancer in lingual thyroid and thyroglossal duct cyst. 2017 , 64, 40-43	
1556	Immunohistochemical detection of the BRAF V600E mutation in papillary thyroid carcinoma. Evaluation against real-time polymerase chain reaction. 2017 , 64, 75-81	9
1555	Comments on «Incidental versus non-incidental thyroid carcinoma: Clinical presentation, surgical management and prognosis». 2017 , 64, 232-233	
1554	Ultrasonographic findings of thyroglossal duct papillary carcinoma: A case report. 2017 , 32, 54-57	4
1553	Medullary thyroid carcinoma in a patient with Birt-Hogg-Dube syndrome. 2017 , 148, 528-529	1
1552	Guía práctica para el manejo de efectos adversos por inhibidores multikinásas (sorafenib y vandetanib) en pacientes con cáncer de tiroides avanzado. 2017 , 54, 8-20	
1551	Diferencias y controversias entre el reporte de patología y la interpretación clínica en patología tiroidea. II PARTE: Aspectos patológicos y métodos diagnósticos con impacto terapéutico. 2017 , 21, 166-172	
1550	Use of ¹⁷⁷ Lu-dotatate in the treatment of iodine refractory thyroid carcinomas. 2017 , 36, 116-119	
1549	Correlation between Ultrasound Elastography and Histologic Characteristics of Papillary Thyroid Carcinoma. 2017 , 7, 45042	11
1548	Clinicopathological characteristics including BRAF V600E mutation status and PET/CT findings in papillary thyroid carcinoma. 2017 , 87, 73-79	12
1547	Ultrasound-Pathology Discordant Nodules on Core-Needle Biopsy: Malignancy Risk and Management Strategy. <i>Thyroid</i> , 2017 , 27, 707-713	6.2 7
1546	Systemic Therapy for Advanced Metastatic Thyroid Cancer. 2017 , 433-450	
1545	Recent Advances in Our Understanding of Well-Differentiated Thyroid Cancers. 2017 , 8, 255-257	1
1544	Extent of surgery did not affect recurrence during 7-years follow-up in papillary thyroid cancer sized 1-4 cm: Preliminary results. 2017 , 87, 80-86	20
1543	Advanced Thyroid and Parathyroid Ultrasound. 2017 ,	0

1542	Staged Surgery for Advanced Thyroid Cancers: Safety and Oncologic Outcomes of Neural Monitored Surgery. 2017 , 156, 816-821	12
1541	The Pediatric Thyroid Nodule and Papillary Thyroid Cancer Management. 2017 , 199-216	
1540	Follicular and Hürthle Cell Carcinoma. 2017 , 379-393	
1539	Thyroid and Parathyroid Ultrasound: Comprehensive and Problem-Focused Point-of-Care Utilization in Clinical Practice. 2017 , 3-10	
1538	Effects of sample storage and diluents in the reliability of thyroglobulin measurement in the washout of fine needle aspirates. 2017 , 56, 504-508	4
1537	Postoperative Thyroglobulin and Neck Ultrasound Are Useful for Risk Restratification and Decision to Perform 131I Ablation. 2017 , 29, 136-139	
1536	Adequacy criteria for thyroid FNA evaluated by ThinPrep slides only. 2017 , 125, 534-543	12
1535	Single-session high intensity focussed ablation (HIFU) versus open cervical hemithyroidectomy for benign thyroid nodule: analysis on early efficacy, safety and voice quality. 2017 , 33, 868-874	8
1534	Incidental Thyroid Nodules Detected on CT, MRI, or PET-CT Correlate Well with Subsequent Ultrasound Evaluation. 2017 , 29, 107-109	1
1533	F-FDG-PET SUV AS A PROGNOSTIC MARKER OF INCREASING SIZE IN THYROID CANCER TUMORS. 2017 , 23, 182-189	2
1532	DEATH RELATED TO PULMONARY METASTASIS IN PATIENTS WITH DIFFERENTIATED THYROID CANCER. 2017 , 23, 72-78	10
1531	Targeting the TSH receptor in thyroid cancer. 2017 , 24, R191-R202	26
1530	Trends in Thyroid Cancer Incidence and Mortality in the United States, 1974-2013. 2017 , 317, 1338-1348	896
1529	The Application of Sonographic Patterns to Risk Stratification of Thyroid Nodules. 2017 , 131-142	1
1528	Molecular profiling of thyroid nodule fine-needle aspiration cytology. 2017 , 13, 415-424	34
1527	A 2016 Italian Survey about Guidelines and Clinical Management of Thyroid Nodules. 2017 , 6, 75-81	13
1526	NONINVASIVE FOLLICULAR TUMOR WITH PAPILLARY-LIKE NUCLEAR FEATURES: NOT A TEMPEST IN A TEAPOT. 2017 , 23, 451-457	11
1525	Mapping the distribution of nodal metastases in papillary thyroid carcinoma: Where exactly are the nodes?. 2017 , 127, 1959-1964	16

1524	Real-time elastography in autonomously functioning thyroid nodules: relationship with TSH levels, scintigraphy, and ultrasound patterns. 2017 , 58, 488-494		12
1523	Incidence and Epidemiology. 2017 , 1-10		1
1522	Managing tyrosine kinase inhibitors side effects in thyroid cancer. 2017 , 12, 117-127		8
1521	Window Resection for Intraluminal Cricotracheal Invasion by Papillary Thyroid Carcinoma. 2017 , 41, 1812-1819		8
1520	Role of Postoperative Stimulated Thyroglobulin as Prognostic Factor for Differentiated Thyroid Cancer in Children and Adolescents. <i>Thyroid</i> , 2017 , 27, 787-792	6.2	16
1519	Postoperative ultrasonography surveillance in patients with follicular thyroid carcinoma: a multicenter study. 2017 , 122, 530-537		5
1518	Image-guided thermal ablation of benign thyroid nodules. 2017 , 20, 11-22		75
1517	Silencing of hTERT blocks growth and migration of anaplastic thyroid cancer cells. 2017 , 448, 34-40		24
1516	Reliability of thyroglobulin in serum compared with urinary iodine when assessing individual and population iodine nutrition status. 2017 , 117, 441-449		7
1515	Quality of Cancer Surveillance Clinical Practice Guidelines: Specificity and Consistency of Recommendations. 2017 , 177, 701-709		11
1514	Thyroglossal Duct Cyst Carcinomas in Pediatric Patients: Report of Two Cases with a Comprehensive Literature Review. 2017 , 11, 442-449		9
1513	Is the reproducibility of shear wave elastography of thyroid nodules high enough for clinical use? A methodological study. 2017 , 86, 606-613		14
1512	Long-Term Quality of Life in Adult Survivors of Pediatric Differentiated Thyroid Carcinoma. 2017 , 102, 1218-1226		16
1511	Dynamic Risk Estimates of Outcome in Chinese Patients with Well-Differentiated Thyroid Cancer After Total Thyroidectomy and Radioactive Iodine Remnant Ablation. <i>Thyroid</i> , 2017 , 27, 531-536	6.2	10
1510	Endpoints for screening thyroid cancer in the Republic of Korea: thyroid specialists' perspectives. 2017 , 40, 683-685		6
1509	Accuracy of international ultrasound risk stratification systems in thyroid lesions cytologically classified as indeterminate. 2017 , 45, 113-117		32
1508	Thyroid Stimulating Hormone Suppression in the Long-term Follow-up of Differentiated Thyroid Cancer. 2017 , 29, 325-328		12
1507	Complications after fine-needle aspiration cytology: a retrospective study of 7449 consecutive thyroid nodules. 2017 , 55, 266-269		31

1506	Prevalence of Contralateral Tumors in Patients with Follicular Variant of Papillary Thyroid Cancer. 2017 , 224, 1021-1027		9
1505	Long-Term Follow-Up for Differentiated Thyroid Carcinoma Patients: A Reconsideration. <i>Thyroid</i> , 2017 , 27, 475-476	6.2	2
1504	A novel thyroid cancer nodal map classification system to facilitate nodal localization and surgical management: The A to D map. 2017 , 127, 2429-2436		11
1503	PET imaging for thyroid cancers: Current status and future directions. 2017 , 78, 38-42		9
1502	Level I lymph node involvement in patients with N1b papillary thyroid carcinoma: a prospective study. 2017 , 274, 1951-1958		1
1501	Imaging Surveillance in Patients After a Benign Fine-Needle Aspiration Biopsy of the Thyroid: Associated Cost and Incidence of Subsequent Cancer. 2017 , 208, 358-361		4
1500	Lobectomy vs total thyroidectomy - Have we resolved the debate?. 2017 , 38, 141-142		3
1499	Comparison of ultrasound frequency in laryngeal ultrasound for vocal cord evaluation. 2017 , 161, 1108-1112		11
1498	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. 2017 , 44, 926-934		7
1497	How Much Should Thyroid Cancer Impact Plans for Pregnancy?. <i>Thyroid</i> , 2017 , 27, 312-314	6.2	4
1496	Thyroid nodules and cancer management guidelines: comparisons and controversies. 2017 , 24, R13-R26		51
1495	AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY DISEASE STATE COMMENTARY: MANAGING THYROID TUMORS DIAGNOSED AS NONINVASIVE FOLLICULAR THYROID NEOPLASM WITH PAPILLARY-LIKE NUCLEAR FEATURES. 2017 , 23, 1150-1157		28
1494	Risk factors of central lymph node metastasis of papillary thyroid carcinoma: A single-center retrospective analysis of 3273 cases. 2017 , 96, e8365		26
1493	Selective sentinel lymph node biopsy in papillary thyroid carcinoma in patients with no preoperative evidence of lymph node metastasis. 2017 , 64, 451-455		0
1492	Imaging and Screening of Thyroid Cancer. 2017 , 55, 1261-1271		9
1491	Comparison of treatment efficacy 1 and 2 years after thyroid remnant ablation with 1110 versus 5550 MBq of iodine-131 in patients with intermediate-risk differentiated thyroid cancer. 2017 , 38, 927-931		2
1490	Value of cytopathologist review of ultrasound examinations in non-diagnostic/unsatisfactory thyroid FNA. 2017 , 45, 1084-1087		8
1489	Reassessing risks and benefits of living kidney donors with a history of thyroid cancer. 2017 , 31, e13114		2

1488	Subclinical Hypothyroidism. 2017 , 377, 1404		18
1487	Clinical response to radioactive iodine therapy for prophylactic central neck dissection is not superior to total thyroidectomy alone in cN0 patients with papillary thyroid cancer. 2017 , 38, 1036-1040		3
1486	Molecular imaging of advanced thyroid cancer: iodinated radiotracers and beyond. 2017 , 34, 189		6
1485	The 2017 Bethesda System for Reporting Thyroid Cytopathology. <i>Thyroid</i> , 2017 , 27, 1341-1346	6.2	762
1484	Is Diagnostic Performance of Quantitative 2D-Shear Wave Elastography Optimal for Clinical Classification of Benign and Malignant Thyroid Nodules?: A Systematic Review and Meta-analysis. 2017 ,		11
1483	Increased incidence of thyroid cancer in Navarra (Spain). Evolution and clinical characteristics, 1986-2010. 2017 , 64, 303-309		1
1482	Thyroid cancer incidence: The discovery of the hidden iceberg. 2017 , 64, 285-287		
1481	Risk factors of hypoparathyroidism following total thyroidectomy with central lymph node dissection. 2017 , 96, e8162		22
1480	Cancers of the Endocrine System. 2017 , 499-530		1
1479	Shear Wave Elastography in Thyroid Nodules with Indeterminate Cytology: Results of a Prospective Bicentric Study. <i>Thyroid</i> , 2017 , 27, 1441-1449	6.2	37
1478	Propensity score-matched analysis of the endoscopic bilateral axillo-breast approach (BABA) versus conventional open thyroidectomy in patients with benign or intermediate fine-needle aspiration cytology results, a retrospective study. 2017 , 48, 9-15		8
1477	Evaluation of clinical significance and risk factors of incidental parathyroidectomy due to thyroidectomy: A single-center retrospective clinical study. 2017 , 96, e8175		11
1476	Tyrosine kinase inhibitors rechallenge in solid tumors: a review of literature and a case description with lenvatinib in thyroid cancer. 2017 , 17, 1093-1098		11
1475	¹⁸ F-NaF PET/CT in Bone and Joint Diseases. 2017 , 539-552		
1474	Risk Stratification of Thyroid Nodules on Ultrasonography: Current Status and Perspectives. <i>Thyroid</i> , 2017 , 27, 1463-1468	6.2	27
1473	Clinical Practice Guideline: Evaluation of the Neck Mass in Adults Executive Summary. 2017 , 157, 355-371		8
1472	Evaluation and management of skeletal disease in cancer care. 2017 , 120, 217-226		8
1471	Hobnail Variant of Papillary Thyroid Carcinoma: a Literature Review. 2017 , 28, 293-301		31

1470	The dipeptidyl peptidase-IV inhibitor gemigliptin alone or in combination with NVP-AUY922 has a cytotoxic activity in thyroid carcinoma cells. 2017 , 39, 1010428317722068		3
1469	Sonographic Evaluation of Pediatric Thyroid Nodules. 2017 , 37, 1731-1752		29
1468	Outcome prediction with the revised American joint committee on cancer staging system and American thyroid association guidelines for thyroid cancer. 2017 , 58, 495-502		27
1467	Risk of malignancy in thyroid nodules: predictive value of puncture feeling of grittiness in the process of fine-needle aspiration. 2017 , 7, 13109		4
1466	Are Evidence-Based Guidelines Reflected in Clinical Practice? An Analysis of Prospectively Collected Data of the Italian Thyroid Cancer Observatory. <i>Thyroid</i> , 2017 , 27, 1490-1497	6.2	36
1465	An upper cervical cord compression secondary to occult follicular thyroid carcinoma metastases successfully treated with multiple radioiodine therapies: A clinical case report. 2017 , 96, e8215		1
1464	Most Low-Risk Papillary Thyroid Cancers Remain Stable During Active Surveillance. 2017 , 29, 368-370		1
1463	Thyroid Cancer Tumor Board: To Surveil or Not to Surveil? That Is the Question. 2017 , 29, 398-400		
1462	Pathologic Reporting of Tall-Cell Variant of Papillary Thyroid Cancer: Have We Reached a Consensus?. <i>Thyroid</i> , 2017 , 27, 1498-1504	6.2	19
1461	Analyzing cost-effectiveness of neural-monitoring in recurrent laryngeal nerve recovery course in thyroid surgery. 2017 , 48, 180-188		12
1460	Ultrasound Has a Role in Predicting Tumor Invasiveness in Follicular Variant of Papillary Thyroid Carcinoma. 2017 , 29, 371-374		
1459	A 10-Gene Classifier Can Accurately Diagnose Malignant Versus Benign Cytologically Indeterminate Thyroid Nodules. 2017 , 29, 375-377		
1458	Papillary Thyroid Microcarcinoma Arising Within a Mature Ovarian Teratoma: Case Report and Review of the Literature. 2017 , 10, 1179551417712521		8
1457	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. 2017 , 5, 525-532		8
1456	Dr Google: The readability and accuracy of patient education websites for Graves' disease treatment. 2017 , 162, 1148-1154		9
1455	Prognostic role of FDG PET/CT in patients with differentiated thyroid cancer treated with 131-iodine empiric therapy. 2017 , 96, e8344		5
1454	Role of molecular markers to predict distant metastasis in papillary thyroid carcinoma: Promising value of TERT promoter mutations and insignificant role of BRAF mutations-a meta-analysis. 2017 , 39, 1010428317713913		23
1453	Identification of Thyroid-Associated Serum microRNA Profiles and Their Potential Use in Thyroid Cancer Follow-Up. 2017 , 1, 3-13		40

1452	Surgical treatment of locally advanced papillary thyroid carcinoma after response to lenvatinib: A case report. 2017 , 41, 89-92		12
1451	Differential Growth Rates of Benign vs. Malignant Thyroid Nodules. 2017 , 102, 4642-4647		28
1450	Problematic clinical trials in thyroid cancer: the issue of papillary carcinoma and observational approaches. 2017 , 4, 127-136		2
1449	Traitement par iode 131 des cancers thyroïdiens différenciés : recommandations 2017 des sociétés françaises SFMN/SFE/SFP/SFBC/AFCE/SFORL. 2017 , 41, S1-S22		2
1448	Temporal Changes in Thyroid Nodule Volume: Lack of Effect on Paranodular Thyroid Tissue Volume. <i>Thyroid</i> , 2017 , 27, 1378-1384	6.2	5
1447	Long-Term Outcomes of Lateral Neck Dissection in Patients with Recurrent or Persistent Well-Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017 , 27, 1291-1299	6.2	14
1446	Which patient with thyroid cancer deserves systemic therapy and when?. 2017 , 31, 291-294		11
1445	The central compartment - Center of controversy, confusion, and concern in management of differentiated thyroid cancer. 2017 , 43, 1981-1984		2
1444	Risk Factors for Lateral Neck Recurrence of N0/N1a Papillary Thyroid Cancer. 2017 , 24, 3609-3616		9
1443	Validation of dynamic risk stratification in pediatric differentiated thyroid cancer. 2017 , 58, 167-175		10
1442	Delayed risk stratification system in pT1aN0/Nx DTC patients treated without radioactive iodine. 2017 , 6, 522-527		3
1441	Dynamic risk stratification in the follow-up of thyroid cancer: what is still to be discovered in 2017?. 2017 , 24, R387-R402		23
1440	Low-Dose Radioactive Iodine Ablation Is Sufficient in Patients With Small Papillary Thyroid Cancer Having Minor Extrathyroidal Extension and Central Lymph Node Metastasis (T3 N1a). 2017 , 42, 842-846		8
1439	Cost-effectiveness of Gene Expression Classifier Testing of Indeterminate Thyroid Nodules Utilizing a Real Cohort Comparator. 2017 , 157, 596-601		9
1438	^{99m} Tc-pertechnetate-avid metastases from differentiated thyroid cancer are prone to benefit from ¹³¹ I therapy: A prospective observational study. 2017 , 96, e7631		5
1437	European Thyroid Association Guidelines for Ultrasound Malignancy Risk Stratification of Thyroid Nodules in Adults: The EU-TIRADS. 2017 , 6, 225-237		446
1436	Natural History and Tumor Volume Kinetics of Papillary Thyroid Cancers During Active Surveillance. 2017 , 143, 1015-1020		219
1435	Hashimoto's Thyroiditis is an Important Risk Factor of Papillary Thyroid Microcarcinoma in Younger Adults. 2017 , 49, 732-738		13

1434	Do Lower-Risk Thyroid Cancer Patients Who Live in Regions with More Aggressive Treatments Have Better Outcomes?. <i>Thyroid</i> , 2017 , 27, 1246-1257	6.2	7
1433	Dynamic Risk Stratification in Stage I Papillary Thyroid Cancer Patients Younger Than 45 Years of Age. <i>Thyroid</i> , 2017 , 27, 1400-1407	6.2	9
1432	Higher body weight and distant metastasis are associated with higher radiation exposure to the household environment from patients with thyroid cancer after radioactive iodine therapy. 2017 , 96, e7942		4
1431	Reevaluating the prognostic significance of male gender for papillary thyroid carcinoma and microcarcinoma: a SEER database analysis. 2017 , 7, 11412		31
1430	Malignancy risk stratification of thyroid nodules: comparisons of four ultrasound Thyroid Imaging Reporting and Data Systems in surgically resected nodules. 2017 , 7, 11560		20
1429	Large Retrospective Study Confirms the 2015 American Thyroid Association Guidelines for Classifying Small Thyroid Nodules on Ultrasound. 2017 , 29, 344-347		
1428	Retrospective cytological evaluation of indeterminate thyroid nodules according to the British Thyroid Association 2014 classification and comparison of clinical evaluation and outcomes. 2017 , 18, 555-566		10
1427	Survivin and XIAP - two potential biological targets in follicular thyroid carcinoma. 2017 , 7, 11383		9
1426	Thyroid autoimmune antibodies in patients with papillary thyroid carcinoma: a double-edged sword?. 2017 , 58, 176-183		17
1425	Thyroid cancer mortality is higher in Filipinos in the United States: An analysis using national mortality records from 2003 through 2012. 2017 , 123, 4860-4867		7
1424	Efficacy and safety of core-needle biopsy in initially detected thyroid nodules via propensity score analysis. 2017 , 7, 8242		17
1423	Clinical Practice Guideline: Evaluation of the Neck Mass in Adults. 2017 , 157, S1-S30		62
1422	Radionuclides in oncology clinical practice - review of the literature. 2017 , 46, 14475-14487		3
1421	Projecting Survival in Papillary Thyroid Cancer: A Comparison of the Seventh and Eighth Editions of the American Joint Commission on Cancer/Union for International Cancer Control Staging Systems in Two Contemporary National Patient Cohorts. <i>Thyroid</i> , 2017 , 27, 1408-1416	6.2	61
1420	A modified reporting approach for thyroid FNA in the NIFTP era: A 1-year institutional experience. 2017 , 125, 854-864		15
1419	The 2017 Bethesda System for Reporting Thyroid Cytopathology. 2017 , 6, 217-222		66
1418	A follow-up study on thyroid aspirates reported as atypia of undetermined significance/follicular lesion of undetermined significance and follicular neoplasm/suspicious for follicular neoplasm: A multicenter study from the Arabian Gulf region. 2017 , 45, 983-988		4
1417	Restratification of survival prognosis of N1b papillary thyroid cancer by lateral lymph node ratio and largest lymph node size. 2017 , 6, 2244-2251		10

1416	Changes in the clinicopathological characteristics and genetic alterations of follicular thyroid cancer. 2017 , 177, 465-473		16
1415	The impact of the non-invasive follicular thyroid neoplasm with papillary-like nuclear feature terminology in the routine diagnosis of thyroid tumours. 2017 , 28, 495-502		18
1414	Accuracy of preoperative MRI to assess lateral neck metastases in papillary thyroid carcinoma. 2017 , 274, 3977-3983		5
1413	Predictors of lymph nodes posterior to the right recurrent laryngeal nerve metastasis in patients with papillary thyroid carcinoma: A retrospective study. 2017 , 96, e7908		11
1412	Comunicare con la persona con cancro della tiroide in progressione. 2017 , 18, 224-230		1
1411	Anxiety and Fear of Recurrence Despite a Good Prognosis: An Interview Study with Differentiated Thyroid Cancer Patients. <i>Thyroid</i> , 2017 , 27, 1417-1423	6.2	29
1410	Clinical Parameter for Deciding the BRAFV600E Mutation Test in Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance Thyroid Nodules: US Features According to TIRADS. 2017 , 33, 284-288		7
1409	High-Intensity Focused Ultrasound Is Useful in the Treatment of Symptomatic Benign Thyroid Nodules. 2017 , 29, 229-231		
1408	Response to therapy of papillary thyroid cancer of known BRAF status. 2017 , 87, 815-824		13
1407	Papillary thyroid microcarcinoma: decision-making, extent of surgery, and outcomes. 2017 , 218, 237-245		11
1406	Preparation for radioactive iodine therapy is not a risk factor for the development of hyponatremia in thyroid cancer patients. 2017 , 96, e6004		3
1405	Lymph node metastasis characteristics of papillary thyroid carcinoma located in the isthmus: A single-center analysis. 2017 , 96, e7143		19
1404	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features. 2017 , 24, 377-380		1
1403	Effects of first radioiodine ablation on functions of salivary glands in patients with differentiated thyroid cancer. 2017 , 96, e7164		14
1402	The effect of routine radiological reporting of thyroid incidentalomas on rates of thyroid needle biopsy, thyroid surgery and detection of thyroid malignancy. 2017 , 87, 825-831		5
1401	Risk Stratification of Thyroid Nodules With Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance (AUS/FLUS) Cytology Using Ultrasonography Patterns Defined by the 2015 ATA Guidelines. 2017 , 126, 625-633		22
1400	Is radioiodine ablation necessary for patients with low-risk papillary thyroid carcinoma and tumor >4 cm?. 2017 , 43, 1802-1803		0
1399	Reply to: Radioiodine ablation necessary for patients with low-risk papillary thyroid carcinoma and tumor >4 cm?. 2017 , 43, 1804		

1398	Intra-capsular total thyroid enucleation versus total thyroidectomy in treatment of benign multinodular goiter. A prospective randomized controlled clinical trial. 2017 , 45, 29-34		0
1397	Anaplastic thyroid carcinoma: from clinicopathology to genetics and advanced therapies. 2017 , 13, 644-660		208
1396	Role of Ultrasound in Predicting Tumor Invasiveness in Follicular Variant of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2017 , 27, 1177-1184	6.2	26
1395	Thyrotropin Suppressive Therapy for Low-Risk Small Thyroid Cancer: A Propensity Score-Matched Cohort Study. <i>Thyroid</i> , 2017 , 27, 1164-1170	6.2	30
1394	Cost-effectiveness of intraoperative nerve monitoring in avoidance of bilateral recurrent laryngeal nerve injury in patients undergoing total thyroidectomy. 2017 , 104, 1523-1531		43
1393	Extrathyroidal Extension Predicts Decreased Survival in Thyroid Cancer Patients. 2017 , 29, 271-273		
1392	Analysis of radioiodine therapy and prognostic factors of differentiated thyroid cancer patients with pulmonary metastasis: An 8-year retrospective study. 2017 , 96, e6809		16
1391	Neues zur Endokrinologie. 2017 , 13, 342-354		
1390	Clinically significant cancer rates in incidentally discovered thyroid nodules by routine imaging. 2017 , 219, 341-346		8
1389	Comparison of thyroid fine needle aspiration biopsy results before and after implementation of Bethesda classification. 2017 , 28, 400-406		5
1388	Size of thyroid carcinoma by histotype and variants: A population-based study in a mildly iodine-deficient area. 2017 , 39, 2095-2103		
1387	Increased incidence of thyroid cancer in Navarra (Spain). Evolution and clinical characteristics, 1986-2010. 2017 , 64, 303-309		5
1386	Invited Commentary. 2017 , 224, 1027-1028		
1385	Fine-needle aspirates of thyroid microcarcinoma. 2017 , 6, 236-241		2
1384	PSMA expression by microvasculature of thyroid tumors - Potential implications for PSMA theranostics. 2017 , 7, 5202		38
1383	The thyroid cancer epidemic, 2017 perspective. 2017 , 24, 332-336		120
1382	The contemporary utility of intraoperative frozen sections in thyroid surgery. 2017 , 38, 614-617		9
1381	Comments on "Incidental versus non-incidentally discovered thyroid carcinoma: Clinical presentation, surgical management and prognosis" 2017 , 64, 232-233		

1380	Thyroid cancer incidence: The discovery of the hidden iceberg. 2017 , 64, 285-287		
1379	Selective sentinel lymph node biopsy in papillary thyroid carcinoma in patients with no preoperative evidence of lymph node metastasis. 2017 , 64, 451-455		2
1378	Riesgo dinñico en pacientes con cñcer diferenciado de tiroides no ablacionados. 2017 , 54, 69-75		0
1377	Comparison of Consecutive Results from Fine Needle Aspiration and Core Needle Biopsy in Thyroid Nodules. 2017 , 28, 332-338		10
1376	No Effect of Levothyroxine and Levothyroxine-Induced Subclinical Thyrotoxicosis on the Pharmacokinetics of Sorafenib in Healthy Male Subjects. <i>Thyroid</i> , 2017 , 27, 1118-1127	6.2	2
1375	Defining Papillary Carcinoma of the Thyroid: A Short Review and Analysis. 2017 , 148, 100-107		2
1374	Treatment and surveillance of advanced, metastatic iodine-resistant differentiated thyroid cancer. 2017 , 29, 151-158		14
1373	The author's reply "Ultrasonography and cytology as predictors of noninvasive follicular thyroid (NIFTP) neoplasm with papillary-like nuclear features: importance of the differential diagnosis with the invasive encapsulated follicular variant of papillary thyroid cancer". 2017 , 87, 637		1
1372	Thyroid Cancer: Ultrasound Imaging and Fine-Needle Aspiration Biopsy. 2017 , 46, 691-711		17
1371	Thyroglobulin Antibody Screen Prior to Mass Spectrometry Provides Measurable Cost Savings and Optimal Laboratory Utilization. 2017 , 147, 309-314		4
1370	Differentiating malignant from benign thyroid nodules with indeterminate cytology by Tc-MIBI scan: a new quantitative method for improving diagnostic accuracy. 2017 , 7, 6147		15
1369	Values of ultrasound features and MMP-9 of papillary thyroid carcinoma in predicting cervical lymph node metastases. 2017 , 7, 6670		11
1368	Cytologically indeterminate thyroid nodules: increased diagnostic performance with combination of US TI-RADS and a new scoring system. 2017 , 7, 6906		16
1367	The role of external beam radiation therapy in well-differentiated thyroid cancer. 2017 , 17, 905-910		7
1366	Recombinant human TSH stimulated thyroglobulin levels at remnant ablation predict structural incomplete response to treatment in patients with differentiated thyroid cancer. 2017 , 96, e7512		5
1365	FDG-PET/CT in the Postoperative Period: Utility, Expected Findings, Complications, and Pitfalls. 2017 , 47, 579-594		16
1364	Impact of Noninvasive Follicular Thyroid Neoplasm With Papillary-Like Features on Adequacy Criteria and Risk of Malignancy of Thyroid Fine-Needle Aspiration. 2017 , 148, 259-263		3
1363	Adequate sampling of multiple thyroid nodules by fine-needle aspiration. 2017 , 125, 848-853		3

1362	A rare case report of very low thyroglobulin and a negative whole-body scan in a patient with a solid variant of papillary thyroid carcinoma with distant metastases. 2017 , 96, e6086		4
1361	Cytopathology of Follicular Cell Nodules. 2017 , 24, 45-55		8
1360	Recent advances in nuclear medicine in endocrine oncology. 2017 , 29, 1-6		4
1359	Re: Incidental Gallbladder Cancer Visualized From Posttreatment 131I Whole-Body Scan. 2017 , 42, 241		
1358	Detection of Malignancy Among Suspicious Thyroid Nodules . <i>Thyroid</i> , 2017 , 27, 1307-1315	6.2	20
1357	Disease Severity at Presentation in Patients with Disease-Related Mortality from Differentiated Thyroid Cancer: Implications for the 2015 ATA Guidelines. <i>Thyroid</i> , 2017 , 27, 1171-1176	6.2	4
1356	Birth rates after radioactive iodine treatment for differentiated thyroid cancer. 2017 , 141, 2291-2295		17
1355	F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography May Exclude Malignancy in Sonographically Suspicious and Scintigraphically Hypofunctional Thyroid Nodules and Reduce Unnecessary Thyroid Surgeries. <i>Thyroid</i> , 2017 , 27, 1300-1306	6.2	4
1354	Comparison of Core-Needle Biopsy and Fine-Needle Aspiration for Evaluating Thyroid Incidentalomas Detected by F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography: A Propensity Score Analysis. <i>Thyroid</i> , 2017 , 27, 1258-1266	6.2	3
1353	Amifostine does not protect thyroid cancer cells in DNA damaging models. 2017 , 6, 469-478		3
1352	Risk prediction in children and adults less than 45 years old with papillary thyroid cancer. 2017 , 12, 355-365		1
1351	Cancer Risk Stratification of Indeterminate Thyroid Nodules: A Cytological Approach. <i>Thyroid</i> , 2017 , 27, 1277-1284	6.2	25
1350	The percentage of serum thyroglobulin rise in the first-week did not predict the eventual success of high-intensity focussed ablation (HIFU) for benign thyroid nodules. 2017 , 33, 882-887		4
1349	NONOPERATIVE MANAGEMENT OF DIFFERENTIATED THYROID CANCER IN CALIFORNIA: A POPULATION-LEVEL ANALYSIS OF 29,978 PATIENTS. 2017 , 23, 1262-1269		7
1348	Validation of the modified 4-tiered categorization system through comparison with the 5-tiered categorization system of the 2015 American Thyroid Association guidelines for classifying small thyroid nodules on ultrasound. 2017 , 39, 2208-2215		4
1347	Evaluation of in vitro and in vivo activity of a multityrosine kinase inhibitor, AL3810, against human thyroid cancer. 2017 , 38, 1533-1542		4
1346	Dual control of pituitary thyroid stimulating hormone secretion by thyroxine and triiodothyronine in athyreotic patients. 2017 , 8, 83-95		6
1345	Hybrid Positron Emission Tomography in Endocrinology. 2017 , 237-287		

1344	Ethanol and thermal ablation for malignant thyroid tumours. 2017 , 33, 938-945	14
1343	For Papillary Thyroid Cancer Discovered During Pregnancy, Delayed Thyroid Surgery with Active Surveillance Is Appropriate. 2017 , 29, 264-266	
1342	Patients with Non-invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features are Unlikely to have Malignant Preoperative Cytology. 2017 , 24, 3300-3305	18
1341	Evaluating the effectiveness of prophylactic central neck dissection with total thyroidectomy for cN0 papillary thyroid carcinoma: An updated meta-analysis. 2017 , 43, 1989-2000	33
1340	Screening of pharmacogenetic variants associated with drug sensitivity in patients with papillary thyroid carcinoma using next generation sequencing. 2017 , 1-5	0
1339	The Molecular Landscape of Noninvasive Follicular Thyroid Neoplasm With Papillary-like Nuclear Features (NIFTP): A Literature Review. 2017 , 24, 252-258	23
1338	Preoperative predictors of lateral neck lymph node metastasis in papillary thyroid microcarcinoma. 2017 , 96, e6240	15
1337	Can Imaging with FDG-PET Help Exclude Malignancy in Cytologically Indeterminate Thyroid Nodules?. 2017 , 29, 267-270	1
1336	Aggressive differentiated thyroid cancer with multiple metastases and NRAS and TERT promoter mutations: A case report. 2017 , 14, 2186-2190	1
1335	In situ preservation of the inferior parathyroid gland during central neck dissection for papillary thyroid carcinoma. 2017 , 104, 1514-1522	10
1334	The current and evolving role of FDG-PET/CT in personalized iodine-131 therapy of differentiated thyroid cancer. 2017 , 5, 533-544	2
1333	Evidence-based management of incidental focal uptake of fluorodeoxyglucose on PET-CT. 2018 , 91, 20170774	13
1332	Acute paraparesis as presentation of an occult follicular thyroid carcinoma: A case report. 2017 , 41, 498-501	1
1331	Image-guided thermal ablation of benign thyroid nodules. 2017 , 20, 347-349	10
1330	Punctate Echogenic Foci on Thyroid Ultrasound Do Not Necessarily Represent Calcifications on Histopathology. 2017 , 29, 415-418	1
1329	Multifocality Is Not an Independent Risk Factor for Recurrence of Papillary Thyroid Cancer. 2017 , 29, 437-439	2
1328	Nondiagnostic cytological results on ultrasound-guided fine needle aspiration: Does the thyroid nodule depth matter?. 2017 , 67, 115-124	6
1327	Adjuvant External Beam Radiotherapy in Locally Advanced Differentiated Thyroid Cancer. 2017 , 143, 1244-1251	23

1326	Proof-of-concept Raman spectroscopy study aimed to differentiate thyroid follicular patterned lesions. 2017 , 7, 14970		12
1325	PANCREAS METASTASES FROM PAPILLARY THYROID CARCINOMA: A REVIEW OF THE LITERATURE. 2017 , 23, 1425-1429		15
1324	Validation of American Thyroid Association Ultrasound Risk Assessment of Thyroid Nodules Selected for Ultrasound Fine-Needle Aspiration. 2017 , 29, 411-414		
1323	Insight into Differentiated Thyroid Cancer Gross Pathological Specimen Shrinkage and Its Influence on TNM Staging. 2017 , 6, 315-320		1
1322	Higher expression level of tyrosine kinase-like orphan receptor 2 and Wnt member 5a in papillary thyroid carcinoma is associated with poor prognosis. 2017 , 14, 5966-5972		2
1321	Diastolic Dysfunction is Common in Survivors of Pediatric Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017 , 27, 1481-1489	6.2	6
1320	FNA diagnosis of poorly differentiated thyroid carcinoma. A review of the recent literature. 2017 , 28, 467-474		13
1319	Validation of Three Scoring Risk-Stratification Models for Thyroid Nodules. <i>Thyroid</i> , 2017 , 27, 1550-1557	6.2	25
1318	Noduli tiroidei benigni: terapia con L-tiroxina s'ò no?. 2017 , 18, 240-241		1
1317	Individualizing Surgery in Papillary Thyroid Carcinoma Based on a Detailed Sonographic Assessment of Extrathyroidal Extension. <i>Thyroid</i> , 2017 , 27, 1544-1549	6.2	23
1316	Screening for Recurrence and Secondary Cancers. 2017 , 101, 1167-1180		6
1315	The incidence and management of non-head and neck incidentalomas for the head and neck surgeon. 2017 , 74, 98-104		1
1314	Tumor-Volume Doubling Time of Pulmonary Metastases in Follicular-Cell Derived Thyroid Carcinoma May Allow More Appropriate Selection of Patients for Multikinase Inhibitor Therapy. 2017 , 29, 378-381		1
1313	Thyroid FNA cytology in Asian practice-Active surveillance for indeterminate thyroid nodules reduces overtreatment of thyroid carcinomas. 2017 , 28, 455-466		47
1312	Molecular testing of BRAF, RAS and TERT on thyroid FNAs with indeterminate cytology improves diagnostic accuracy. 2017 , 28, 482-487		36
1311	Intensity of 18F-FDG Uptake in Metastatic Differentiated Thyroid Cancer Fails to Predict Growth in Individual Metastatic Lesions. 2017 , 29, 140-142		
1310	An update on the status of nerve monitoring for thyroid/parathyroid surgery. 2017 , 29, 14-19		9
1309	Latero-cervical lymph node metastases (N1b) represent an additional risk factor for papillary thyroid cancer outcome. 2017 , 40, 1355-1363		23

1308	Prognostic factors for recurrence of locally advanced differentiated thyroid cancer. 2017 , 116, 877-883	13
1307	Onkologie und Versorgung in Fach- und Publikumsmedien. 2017 , 23, 63-67	
1306	Long-term outcome of thyroid lobectomy for unilateral multifocal papillary carcinoma. 2017 , 96, e7461	17
1305	Underestimated risk of cancer in solitary thyroid nodules ≤ 1 cm reported as benign. 2017 , 402, 1089-1094	3
1304	Transoral thyroidectomy and parathyroidectomy - A North American series of robotic and endoscopic transoral approaches to the central neck. 2017 , 71, 75-80	100
1303	European Thyroid Association Guidelines regarding Thyroid Nodule Molecular Fine-Needle Aspiration Cytology Diagnostics. 2017 , 6, 115-129	72
1302	Hashimoto's thyroiditis predicts outcome in intrathyroidal papillary thyroid cancer. 2017 , 24, 485-493	21
1301	Total tumour diameter is superior to unifocal diameter as a predictor of papillary thyroid microcarcinoma prognosis. 2017 , 7, 1846	16
1300	Long-Term Outcomes of Patients with Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP) ≤ 1 cm Treated Without Radioactive Iodine. 2017 , 28, 367-368	17
1299	LONG-TERM OUTCOMES AND PROGNOSTIC FACTORS IN PATIENTS WITH DIFFERENTIATED THYROID CANCER AND DISTANT METASTASES. 2017 , 23, 1193-1200	37
1298	Encapsulated follicular variant of papillary thyroid cancer: are these tumors really benign?. 2017 , 216, 138-142	8
1297	Analytical and clinical performance of thyroglobulin autoantibody assays in thyroid cancer follow-up. 2017 , 55, 1987-1994	6
1296	I-131 biokinetics of remnant normal thyroid tissue and residual thyroid cancer in patients with differentiated thyroid cancer: comparison between recombinant human TSH administration and thyroid hormone withdrawal. 2017 , 31, 582-589	11
1295	Pediatric Thyroid Cancer. 2017 , 64, 171-190	16
1294	Risk of Thyroid Nodules in Residents of Belarus Exposed to Chernobyl Fallout as Children and Adolescents. 2017 , 102, 2207-2217	31
1293	Long-term outcomes of central neck dissection for cN0 papillary thyroid carcinoma. 2017 , 38, 576-581	10
1292	Early stimulated thyroglobulin for response prediction after recombinant human thyrotropin-aided radioiodine therapy. 2017 , 31, 616-622	8
1291	. 2017 , 159, 18	

1290 Il follow-up del carcinoma differenziato della tiroide secondo le linee guida ATA 2016. **2017**, 18, 48-50

1289	Diagnostic Performance of F-FDG PET/CT in Papillary Thyroid Carcinoma with Negative I-WBS at first Postablation, Negative Tg and Progressively Increased TgAb Level. 2017 , 7, 2849		10
1288	Validation of American Thyroid Association Ultrasound Risk Assessment of Thyroid Nodules Selected for Ultrasound Fine-Needle Aspiration. <i>Thyroid</i> , 2017 , 27, 1077-1082	6.2	48
1287	Results of Screening in Familial Non-Medullary Thyroid Cancer. <i>Thyroid</i> , 2017 , 27, 1017-1024	6.2	30
1286	High intensity focused ultrasound (HIFU) ablation of benign thyroid nodules - a systematic review. 2017 , 5, 11		37
1285	False-Positive Uptake of Radioiodine in Renal Hamartoma in a Patient With Differentiated Thyroid Cancer. 2017 , 42, 709-710		2
1284	Performance of claims-based algorithms for identifying incident thyroid cancer in commercial health plan enrollees receiving antidiabetic drug therapies. 2017 , 17, 330		8
1283	The correlations between DNA methylation and polymorphisms in the promoter region of the human telomerase reverse transcriptase (hTERT) gene with postoperative recurrence in patients with thyroid carcinoma (TC). 2017 , 15, 114		6
1282	Thyroid incidentalomas on 18FDG-PET/CT: a metabolico-pathological correlation. 2017 , 46, 22		12
1281	Patterns of regional recurrence in papillary thyroid cancer patients with lateral neck metastases undergoing neck dissection. 2017 , 46, 43		5
1280	Malignancy rate of focal thyroid incidentaloma detected by FDG PET-CT: results of a prospective cohort study. 2017 , 6, 413-421		8
1279	Ultrasound-based differentiation of malignant and benign thyroid Nodules: An extreme learning machine approach. 2017 , 147, 37-49		137
1278	Selected Controversies of Radioiodine Imaging and Therapy in Differentiated Thyroid Cancer. 2017 , 46, 783-793		12
1277	RAS-positive thyroid nodules. 2017 , 24, 372-376		11
1276	Prognostic implication of BRAF and TERT promoter mutation combination in papillary thyroid carcinoma-A meta-analysis. 2017 , 87, 411-417		64
1275	McGill Thyroid Nodule Score in Differentiating Benign and Malignant Pediatric Thyroid Nodules: A Pilot Study. 2017 , 157, 589-595		8
1274	Cancer Registries: Can We Improve the Quality of Thyroid Cancer Data?. 2017 , 24, 1202-1207		5
1273	Performance of CT in the Preoperative Diagnosis of Cervical Lymph Node Metastasis in Patients with Papillary Thyroid Cancer: A Systematic Review and Meta-Analysis. 2017 , 38, 154-161		53

1272	Can thyroid surgery be decided based on ultrasonographic findings, irrespective of cytopathological findings? Five-year retrospective study in a district general hospital. 2017 , 72, 170-174		4
1271	Heavy metals in the volcanic environment and thyroid cancer. 2017 , 457, 73-80		78
1270	The intensity of 18FDG uptake does not predict tumor growth in patients with metastatic differentiated thyroid cancer. 2017 , 44, 638-646		12
1269	Ultrasonography scoring systems can rule out malignancy in cytologically indeterminate thyroid nodules. 2017 , 57, 256-261		69
1268	Diagnosis and Management of Small Thyroid Nodules: A Comparative Study with Six Guidelines for Thyroid Nodules. 2017 , 283, 560-569		43
1267	Measurement of thyroglobulin, calcitonin, and PTH in FNA washout fluids. 2017 , 55, 914-925		24
1266	Low- and high-dose radioiodine therapy for low-/intermediate-risk differentiated thyroid cancer: a preliminary clinical trial. 2017 , 31, 71-83		10
1265	Thyroid nodules: Guide to assessment, treatment and follow-up. 2017 , 96, 1-9		26
1264	Measurement and Variation in Estimation of Quality of Life Effects of Patients Undergoing Treatment for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2017 , 27, 197-206	6.2	26
1263	Risk of malignancy in 1502 solid thyroid nodules >1 cm using the new ultrasonographic classification of the American Thyroid Association. 2017 , 56, 442-445		13
1262	Response to Therapy Status Is an Excellent Predictor of Pregnancy-Associated Structural Disease Progression in Patients Previously Treated for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017 , 27, 396-401 ^{6.2}	6.2	17
1261	Optimal cut-off age in the TNM Staging system of differentiated thyroid cancer: is 55 years better than 45 years?. 2017 , 86, 438-443		28
1260	Stabilization of circulating thyroglobulin mRNA transcripts in patients treated for differentiated thyroid carcinoma. 2017 , 54, 558-566		2
1259	Causes of referral to the first endocrine visit of patients with thyroid carcinoma in a mildly iodine-deficient area. 2017 , 57, 247-255		2
1258	A six-genotype genetic prognostic model for papillary thyroid cancer. 2017 , 24, 41-52		47
1257	Relationship between circulating anti-thyroglobulin antibodies (TgAb) and tumor metabolism in patients with differentiated thyroid cancer (DTC): prognostic implications. 2017 , 40, 417-424		11
1256	Cost-effectiveness of active surveillance versus hemithyroidectomy for micropapillary thyroid cancer. 2017 , 161, 116-126		38
1255	Editorial: Complex decision making in thyroid cancer: Costs and consequences-is less more?. 2017 , 161, 134-136		6

1254	Thyroid Atypia/Follicular Lesion of Undetermined Significance: Attitudes towards the Diagnosis of Bethesda System III Nodules. 2017 , 61, 21-26		8
1253	Effects of thyroid hormone withdrawal on metabolic and cardiovascular parameters during radioactive iodine therapy in differentiated thyroid cancer. 2017 , 45, 38-50		11
1252	Nomogram for predicting central node metastasis in papillary thyroid carcinoma. 2017 , 115, 266-272		25
1251	Thyroglobulin Measurement in Fine-Needle Aspiration Improves the Diagnosis of Cervical Lymph Node Metastases in Papillary Thyroid Carcinoma. 2017 , 24, 739-744		17
1250	Comparison of Empiric Versus Whole-Body/-Blood Clearance Dosimetry-Based Approach to Radioactive Iodine Treatment in Patients with Metastases from Differentiated Thyroid Cancer. 2017 , 58, 717-722		55
1249	Predicting Factors for Bilaterality in Papillary Thyroid Carcinoma with Tumor Size . <i>Thyroid</i> , 2017 , 27, 207-214	6.2	6
1248	Practical Performance of the 2015 American Thyroid Association Guidelines for Predicting Tumor Recurrence in Patients with Papillary Thyroid Cancer in South Korea. <i>Thyroid</i> , 2017 , 27, 174-181	6.2	19
1247	Significance of Size of Persistent/Recurrent Central Nodal Disease on Surgical Morbidity and Response to Therapy in Reoperative Neck Dissection for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2017 , 27, 67-73	6.2	6
1246	Re: "Long-Term Outcomes of Patients with Papillary Thyroid Cancer Undergoing Remnant Ablation with 30 Millicurie Radioiodine" by Mujammami et al. (Thyroid 2016;26:951-958): Patient Cohort Definition Makes No Sense. <i>Thyroid</i> , 2017 , 27, 591	6.2	1
1245	Thyroglobulin antibodies may serve as predictive marker for papillary thyroid carcinoma in indeterminate cytology: Acceptable or not?. 2017 , 213, 1189-1190		
1244	RAS Mutations, and RET/PTC and PAX8/PPAR-gamma Chromosomal Rearrangements Are Also Prevalent in Benign Thyroid Lesions: Implications Thereof and A Systematic Review. <i>Thyroid</i> , 2017 , 27, 39-48	6.2	27
1243	Preoperative differentiation between noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP) and non-NIFTP. 2017 , 86, 444-450		61
1242	Examining the Role of Preoperative Positron Emission Tomography/Computerized Tomography in Combination with Ultrasonography in Discriminating Benign from Malignant Cytologically Indeterminate Thyroid Nodules. <i>Thyroid</i> , 2017 , 27, 95-102	6.2	16
1241	Estimation of Second Primary Cancer Risk After Treatment with Radioactive Iodine for Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017 , 27, 261-270	6.2	7
1240	Extent of Extrathyroidal Extension as a Significant Predictor of Nodal Metastasis and Extranodal Extension in Patients with Papillary Thyroid Carcinoma. 2017 , 24, 460-468		38
1239	Papillary Thyroid Carcinoma Cervical Lymph Node Metastasis with Cystic Change Differentiated from Congenital Cystic Lesions with the Assistance of Immunohistochemistry: A Case Study. 2017 , 11, 301-305		2
1238	Lessons Learned After 1000 Cases of Transcutaneous Laryngeal Ultrasound (TLUSG) with Laryngoscopic Validation: Is There a Role of TLUSG in Patients Indicated for Laryngoscopic Examination Before Thyroidectomy?. <i>Thyroid</i> , 2017 , 27, 88-94	6.2	15
1237	Propensity score-matched analysis of robotic versus endoscopic bilateral axillo-breast approach (BABA) thyroidectomy in papillary thyroid carcinoma. 2017 , 402, 243-250		12

1236	Leveraging the immune system to treat advanced thyroid cancers. 2017 , 5, 469-481	39
1235	Ultrasonographic Evaluation of Cervical Lymph Nodes in Thyroid Cancer. 2017 , 156, 263-271	13
1234	Radioiodine Therapy. 2017 , 47, 126-134	19
1233	Prognostic Significance of the Proportion of Tall Cell Components in Papillary Thyroid Carcinoma. 2017 , 41, 742-747	16
1232	Distinguishing synchronous from metachronous manifestation of distant metastases: a prognostic feature in differentiated thyroid carcinoma. 2017 , 44, 190-195	6
1231	The true cost of thyroid surgery determined by a micro-costing approach. 2017 , 55, 519-529	10
1230	The significance of unrecognized histological high-risk features on response to therapy in papillary thyroid carcinoma measuring 1-4 cm: implications for completion thyroidectomy following lobectomy. 2017 , 86, 236-242	27
1229	TERT Promoter Mutation Predicts Radioiodine-Refractory Character in Distant Metastatic Differentiated Thyroid Cancer. 2017 , 58, 258-265	52
1228	Acknowledging gray areas: 2015 vs. 2009 American Thyroid Association differentiated thyroid cancer guidelines on ablating putatively low-intermediate-risk patients. 2017 , 44, 185-189	16
1227	Prediction of radioactive iodine remnant ablation failure in patients with differentiated thyroid cancer: A cohort study of 740 patients. 2017 , 39, 109-115	4
1226	Occult lymph node metastasis and risk of regional recurrence in papillary thyroid cancer after bilateral prophylactic central neck dissection: A multi-institutional study. 2017 , 161, 465-471	38
1225	WFUMB Guidelines and Recommendations on the Clinical Use of Ultrasound Elastography: Part 4. Thyroid. 2017 , 43, 4-26	138
1224	Mortality Risk Stratification by Combining BRAF V600E and TERT Promoter Mutations in Papillary Thyroid Cancer: Genetic Duet of BRAF and TERT Promoter Mutations in Thyroid Cancer Mortality. 2017 , 3, 202-208	137
1223	How Many Contralateral Carcinomas in Patients with Unilateral Papillary Thyroid Microcarcinoma are Preoperatively Misdiagnosed as Benign?. 2017 , 41, 129-135	20
1222	Radiofrequency ablation of low-risk small papillary thyroidcarcinoma: preliminary results for patients ineligible for surgery. 2017 , 33, 212-219	66
1221	Additional value of a high sensitive thyroglobulin assay in the follow-up of patients with differentiated thyroid carcinoma. 2017 , 86, 419-424	7
1220	Extrathyroidal Extension Is Associated with Compromised Survival in Patients with Thyroid Cancer. <i>Thyroid</i> , 2017 , 27, 626-631	6.2 69
1219	Thyroglobulin levels measured at the time of remnant ablation to predict response to treatment in differentiated thyroid cancer after thyroid hormone withdrawal or recombinant human TSH. 2017 , 55, 200-208	10

1218	Radionuclide Therapies in Molecular Imaging and Precision Medicine. 2017 , 12, 93-103	3
1217	Total thyroidectomy versus thyroid lobectomy for papillary thyroid cancer: Comparative analysis after propensity score matching: A multicenter study. 2017 , 38, 143-148	43
1216	2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: What is new and what has changed?. 2017 , 123, 372-381	271
1215	Correlation of BRAF mutation and SUV levels in thyroid cancer patients incidentally detected in F-fluorodeoxyglucose positron emission tomography. 2017 , 55, 215-222	2
1214	Thyroglossal Duct Cyst Carcinomas: A Clinicopathologic Series of 22 Cases with Staging Recommendations. 2017 , 11, 175-185	19
1213	Differentiated thyroid carcinoma: Incremental diagnostic value of I SPECT/CT over planar whole body scan after radioiodine therapy. 2017 , 56, 551-559	20
1212	Prospective validation of the ultrasound based TIRADS (Thyroid Imaging Reporting And Data System) classification: results in surgically resected thyroid nodules. 2017 , 27, 2619-2628	68
1211	The Extent of Surgery for Papillary Thyroid Microcarcinoma: The Controversy Continues. 2017 , 41, 136-137	1
1210	Adjuvant post-operative I-131 therapy in differentiated thyroid carcinoma: are the 2015 ATA guidelines an exact science or a dark art?. 2017 , 44, 183-184	9
1209	[Improvement in the quality of patient management after the implementation of a multidisciplinary committee on endocrine tumors: An analysis of 5-year experience]. 2017 , 32, 187-189	
1208	Core-needle biopsy versus repeat fine-needle aspiration for thyroid nodules initially read as atypia/follicular lesion of undetermined significance. 2017 , 39, 361-369	28
1207	Optimal stimulation during monitored thyroid surgery: EMG response characteristics in a porcine model. 2017 , 127, 998-1005	23
1206	Surgical safety and oncological completeness of robotic thyroidectomy for thyroid carcinoma larger than 2 cm. 2017 , 31, 1235-1240	30
1205	A phase II trial of valproic acid in patients with advanced, radioiodine-resistant thyroid cancers of follicular cell origin. 2017 , 86, 128-133	41
1204	Intraoperative electrophysiologic monitoring of the recurrent laryngeal nerve during thyroid and parathyroid surgery: Experience with 1,381 nerves at risk. 2017 , 127, 280-286	58
1203	Is postablation whole-body I scintigraphy still necessary in intermediate-risk papillary thyroid cancer patients with pre-ablation stimulated thyroglobulin . 2017 , 86, 134-140	14
1202	Mutational analysis of metastatic lymph nodes from papillary thyroid carcinoma in adult and pediatric patients. 2017 , 161, 176-187	3
1201	Electrophysiological identification of nonrecurrent laryngeal nerves. 2017 , 127, 2189-2193	8

1200	Clinicopathological features of thyroid cancer in the elderly compared to younger counterparts: single-center experience. 2017 , 40, 471-479		4
1199	Preoperative detection of RAS mutation may guide extent of thyroidectomy. 2017 , 161, 168-175		39
1198	Application of the new American Thyroid Association guidelines leads to a substantial rate of completion total thyroidectomy to enable adjuvant radioactive iodine. 2017 , 161, 127-133		40
1197	Upregulation of SLC2 (GLUT) family genes is related to poor survival outcomes in papillary thyroid carcinoma: Analysis of data from The Cancer Genome Atlas. 2017 , 161, 188-194		29
1196	Dynamic Risk Stratification for Predicting Recurrence in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine Remnant Ablation Therapy. <i>Thyroid</i> , 2017 , 27, 524-530	6.2	54
1195	Chronic lymphocytic thyroiditis does not influence the risk of recurrence in patients with papillary thyroid carcinoma and excellent response to initial therapy. 2017 , 55, 954-958		9
1194	Current status and diagnostic values of the Bethesda system for reporting thyroid cytopathology in a papillary thyroid carcinoma-prevalent area. 2017 , 39, 269-274		17
1193	Complications of acromegaly: thyroid and colon. 2017 , 20, 70-75		32
1192	Proposal for a novel management of indeterminate thyroid nodules on the basis of cytopathological subclasses. 2017 , 57, 98-107		10
1191	Accounting for tissue heterogeneity in infrared spectroscopic imaging for accurate diagnosis of thyroid carcinoma subtypes. 2017 , 91, 77-82		6
1190	The incidence and risk factors for central lymph node metastasis in cN0 papillary thyroid microcarcinoma: a meta-analysis. 2017 , 274, 1327-1338		49
1189	A novel robotic surgical technique for thyroid surgery: bilateral axillary approach (BAA). 2017 , 31, 667-672		7
1188	Shear-Wave Elastography in Thyroid Nodules Fails to Discriminate Between Benign and Malignant Tumors. 2017 , 29, 457-460		1
1187	Clinical characteristics and disease outcome of patients with non-medullary thyroid cancer and brain metastases. 2018 , 15, 672-676		3
1186	FDG-Avid Thyroid Incidentalomas on PET/CT Ordered for Other Malignancies Have No Prognostic Significance in a Large Retrospective Cohort. 2017 , 29, 461-464		2
1185	Ectopic papillary thyroid carcinoma within a thyroglossal duct cyst: A case report. 2017 , 96, e8921		6
1184	[F]FDG-PET/CT texture analysis in thyroid incidentalomas: preliminary results. 2017 , 1, 3		18
1183	Simulation of expected childhood and adolescent thyroid cancer cases in Japan using a cancer-progression model based on the National Cancer Registry: Application to the first-round thyroid examination of the Fukushima Health Management Survey. 2017 , 96, e8631		16

1182	Second Radioactive Iodine Treatment Alone Is of Little Benefit in Treating Patients with Locoregional Persistent Differentiated Thyroid Carcinoma Who Previously Have Been Treated with Total Thyroidectomy and Ablative Radioactive Iodine. 2017 , 29, 468-471	
1181	Lymphovascular Invasion Is a Predictor of Prognosis for Patients with Well-Differentiated Papillary Thyroid Carcinoma. 2017 , 29, 478-481	
1180	Rate of Nodule Growth on Surveillance Ultrasound Predicts Risk of Malignancy. 2017 , 29, 465-467	
1179	Quantification of Thyroid Cancer and Multinodular Goiter Risk in the DICER1 Syndrome: A Family-Based Cohort Study. 2017 , 102, 1614-1622	87
1178	Refining Dynamic Risk Stratification and Prognostic Groups for Differentiated Thyroid Cancer With TERT Promoter Mutations. 2017 , 102, 1757-1764	28
1177	Structured Reporting: The Value Concept for Radiologists. 2017 , 99-107	
1176	Concurrent Intrathyroidal Thyroid Cancer and Thyroid Cancer in Struma Ovarii: A Case Report and Literature Review. 2017 , 1, 396-400	8
1175	Preliminary study of confounding factors of elastography and the application of fine-needle aspiration in thyroid nodules with indeterminate elastography. 2017 , 7, 18005	2
1174	Thyroid Cancer Treated with Tyrosine Kinase Inhibitor at Osaka University. 2017 , 120, 1231-1238	
1173	A case of metastatic follicular thyroid carcinoma complicated with Graves' disease after total thyroidectomy. 2017 , 64, 1143-1147	2
1172	Contrast-enhanced ultrasonography features of papillary thyroid carcinoma for predicting cervical lymph node metastasis. 2017 , 14, 4321-4327	13
1171	Post-translational Regulation of Radioactive Iodine Therapy Response in Papillary Thyroid Carcinoma. 2017 , 109,	13
1170	Successful pregnancy without disease progression of radioiodine refractory papillary thyroid carcinoma: a case report. 2017 , 17, 735	1
1169	Thyroid Cancers: Considerations, Classifications, and Managements. 2017 ,	2
1168	The Clinical Significance of the BRAF Mutation in Patients with Papillary Thyroid Cancer. 2017 , 17, 175	3
1167	Radioiodine Therapy of Malignant Thyroid Diseases. 2017 ,	0
1166	Disparities in the Care of Differentiated Thyroid Cancer in the United States: Exploring the National Cancer Database. 2017 , 83, 739-746	6
1165	Racial and Insurer-Based Disparities of Care Exist Among Thyroid Cancer Patients in the United States. 2017 , 29, 351-353	

1164	Photoacoustic/ultrasound dual imaging of human thyroid cancers: an initial clinical study. 2017 , 8, 3449-3457	64
1163	MiR-324-5p assists ultrasonography in predicting lymph node metastasis of unifocal papillary thyroid microcarcinoma without extracapsular spread. 2017 , 8, 83802-83816	5
1162	Fibronectin 1 promotes migration and invasion of papillary thyroid cancer and predicts papillary thyroid cancer lymph node metastasis. 2017 , 10, 1743-1755	21
1161	Intraoperative measurement of thyroglobulin in lymph node aspirates for the detection of metastatic papillary thyroid carcinoma. 2017 , 10, 4435-4441	0
1160	Radioactive iodine-refractory differentiated thyroid cancer: an uncommon but challenging situation. 2017 , 61, 81-89	40
1159	Thyroglobulin levels before radioactive iodine therapy and dynamic risk stratification after 1 year in patients with differentiated thyroid cancer. 2017 , 61, 590-599	10
1158	Galectin-3 Performance in Histologic a Cytologic Assessment of Thyroid Nodules: A Systematic Review and Meta-Analysis. 2017 , 18,	19
1157	Current Advances in Thyroid Cancer Management. Are We Ready for the Epidemic Rise of Diagnoses?. 2017 , 18,	26
1156	The Molecular Effect of Diagnostic Absorbed Doses from I on Papillary Thyroid Cancer Cells In Vitro. 2017 , 22,	3
1155	Recent Advances in Core Needle Biopsy for Thyroid Nodules. 2017 , 32, 407-412	22
1154	Core Needle Biopsy of the Thyroid: 2016 Consensus Statement and Recommendations from Korean Society of Thyroid Radiology. 2017 , 18, 217-237	95
1153	Shear Wave Elastography Combining with Conventional Grey Scale Ultrasound Improves the Diagnostic Accuracy in Differentiating Benign and Malignant Thyroid Nodules. 2017 , 7, 1103	2
1152	Molecular Signature of Indeterminate Thyroid Lesions: Current Methods to Improve Fine Needle Aspiration Cytology (FNAC) Diagnosis. 2017 , 18,	12
1151	Diagnostic Limitation of Fine-Needle Aspiration (FNA) on Indeterminate Thyroid Nodules Can Be Partially Overcome by Preoperative Molecular Analysis: Assessment of RET/PTC1 Rearrangement in BRAF and RAS Wild-Type Routine Air-Dried FNA Specimens. 2017 , 18,	7
1150	Differentiated Thyroid Cancer-Treatment: State of the Art. 2017 , 18,	68
1149	Redifferentiation of Radioiodine Refractory Differentiated Thyroid Cancer for Reapplication of I-131 Therapy. 2017 , 8, 260	31
1148	Frequency and Significance of Promoter, and Mutations in Cytologically Indeterminate Thyroid Nodules: A Monocentric Case Series at a Tertiary-Level Endocrinology Unit. 2017 , 8, 273	23
1147	Updates on the Management of Advanced, Metastatic, and Radioiodine Refractory Differentiated Thyroid Cancer. 2017 , 8, 312	29

1146	Insulin Resistance: Any Role in the Changing Epidemiology of Thyroid Cancer?. 2017 , 8, 314	30
1145	The Role of Central Neck Lymph Node Dissection in the Management of Papillary Thyroid Cancer. 2017 , 7, 122	21
1144	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features: An Evidence-Based Nomenclature Change. 2017 , 2017, 1057252	9
1143	Effects of sorafenib and an adenylyl cyclase activator on in vitro growth of well-differentiated thyroid cancer cells. 2017 , 64, 1115-1123	2
1142	Mediastinal Lymph Node Metastases in Thyroid Cancer: Characteristics, Predictive Factors, and Prognosis. 2017 , 2017, 1868165	6
1141	Noninvasive Encapsulated Follicular Variant of Papillary Thyroid Cancer: Clinical Lessons from a Community-Based Endocrine Surgical Practice. 2017 , 2017, 4689465	8
1140	Thyroid Imaging Reporting and Data System Score Combined with the New Italian Classification for Thyroid Cytology Improves the Clinical Management of Indeterminate Nodules. 2017 , 2017, 9692304	32
1139	The thyroid gland in postmenopausal women: physiology and diseases. 2017 , 16, 33-37	19
1138	Therapeutic Outcomes of Patients with Multifocal Papillary Thyroid Microcarcinomas and Larger Tumors. 2017 , 2017, 4208178	14
1137	MicroRNAs as Biomarkers in Thyroid Carcinoma. 2017 , 2017, 6496570	52
1136	A Recurrent Episode of Dermatomyositis Associated with Papillary Thyroid Cancer. 2017 , 2017, 7985953	
1135	Ultrasound Risk Categories for Thyroid Nodules and Cytology Results: A Single Institution's Experience after the Adoption of the 2016 Update of Medical Guidelines by the American Association of Clinical Endocrinologists and Associazione Medici Endocrinologi. 2017 , 2017, 8135415	3
1134	Thyroid Cancer in Saudi Arabia: A Histopathological and Outcome Study. 2017 , 2017, 8423147	20
1133	Unusual Case of Superior Vena Cava Syndrome Caused by Intravascular Thyroid Metastasis. 2017 , 2017, 8675239	
1132	Increased Chromosomal and Oxidative DNA Damage in Patients with Multinodular Goiter and Their Association with Cancer. 2017 , 2017, 2907281	9
1131	Simultaneous Papillary Carcinoma in Thyroglossal Duct Cyst and Thyroid. 2017 , 2017, 8541078	4
1130	Indications and Morbidity of Reoperative Thyroid Surgeries in a Military Hospital of Senegal. 2017 , 2017, 4045617	0
1129	MicroRNA-based molecular classification of papillary thyroid carcinoma. 2017 , 50, 1767-1777	55

1128	Review of Factors Related to the Thyroid Cancer Epidemic. 2017 , 2017, 5308635	44
1127	TSH Variability of Patients Affected by Differentiated Thyroid Cancer Treated with Levothyroxine Liquid Solution or Tablet Form. 2017 , 2017, 7053959	13
1126	Fine Needle Aspiration of Thyroid Nodules Using the Bethesda System for Reporting Thyroid Cytopathology: An Institutional Experience in a Rural Setting. 2017 , 2017, 9601735	15
1125	Effect of fibrin vs cellulose based haemostatic agents with traditional haemostatic procedures in thyroid surgery. 2017 , 33, 1360-1365	2
1124	Ultrasonographic imaging of papillary thyroid carcinoma variants. 2017 , 36, 103-110	15
1123	Likelihood of malignancy in thyroid nodules according to a proposed Thyroid Imaging Reporting and Data System (TI-RADS) classification merging suspicious and benign ultrasound features. 2017 , 61, 211-221	16
1122	The Art and Science of Thyroid Surgery in the Age of Genomics: 100 years after Theodor Kocher. 2017 , 26, 1-9	2
1121	Low versus high radioiodine activity for ablation of the thyroid remnant after thyroidectomy in Han Chinese with low-risk differentiated thyroid cancer. 2017 , 10, 4051-4057	5
1120	Routine calcitonin measurement in nodular thyroid disease management: is it worthwhile?. 2017 , 92, 173-178	7
1119	Radioactive Iodine Therapy of Differentiated Thyroid Carcinoma: Redesigning the Paradigm. 2017 , 26, 74-79	8
1118	Predictive factors and prognosis for recurrent laryngeal nerve invasion in papillary thyroid carcinoma. 2017 , 10, 4485-4491	6
1117	Active Surveillance of Papillary Thyroid Microcarcinoma: A Mini-Review from Korea. 2017 , 32, 399-406	29
1116	The impact of post-radioiodine therapy SPECT/CT on early risk stratification in differentiated thyroid cancer; a bi-institutional study. 2017 , 8, 79825-79834	8
1115	Serial stimulated thyroglobulin measurements are more specific for detecting distant metastatic differentiated thyroid cancer before radioiodine therapy. 2017 , 29, 213-222	4
1114	Overdiagnosis and overtreatment of thyroid cancer: A population-based temporal trend study. 2017 , 12, e0179387	80
1113	Large (≥3cm) thyroid nodules with benign cytology: Can Thyroid Imaging Reporting and Data System (TIRADS) help predict false-negative cytology?. 2017 , 12, e0186242	12
1112	Serum TSH levels as a predictor of malignancy in thyroid nodules: A prospective study. 2017 , 12, e0188123	24
1111	The Incidental Thyroid Lesion in Parathyroid Disease Management. 2017 , 1, 2473974X17701084	0

1110	Papillary thyroid carcinoma with desmoid-type fibromatosis: A clinical, pathological, and immunohistochemical study of 14 cases. 2017 , 64, 1017-1023	15
1109	Bleeding of Papillary Thyroid Recurrent Carcinoma in the Parapharyngeal and Nasopharyngeal Spaces Is Markedly Improved After Treatment with Lenvatinib. 2017 , 29, 35-37	
1108	Ultrasound texture analysis: Association with lymph node metastasis of papillary thyroid microcarcinoma. 2017 , 12, e0176103	14
1107	The thyroid cancer policy model: A mathematical simulation model of papillary thyroid carcinoma in The U.S. population. 2017 , 12, e0177068	4
1106	A cyclin-dependent kinase inhibitor, dinaciclib in preclinical treatment models of thyroid cancer. 2017 , 12, e0172315	25
1105	All-trans retinoic acid suppresses malignant characteristics of CD133-positive thyroid cancer stem cells and induces apoptosis. 2017 , 12, e0182835	12
1104	Effectiveness of Reduced Radioiodine Activity for Thyroid Remnant Ablation after Total Thyroidectomy in Patients with Low to Intermediate Risk Differentiated Thyroid Carcinoma. 2017 , 56, 211-218	1
1103	Preoperative diagnostics in differentiated thyroid carcinoma. 2017 , 56, 201-210	8
1102	Superb microvascular imaging (SMI) compared with conventional ultrasound for evaluating thyroid nodules. 2017 , 17, 65	41
1101	Special role of JUN in papillary thyroid carcinoma based on bioinformatics analysis. 2017 , 15, 119	4
1100	Influence of tumor extent on central lymph node metastasis in solitary papillary thyroid microcarcinomas: a retrospective study of 1092 patients. 2017 , 15, 133	7
1099	Impact of surgical resection extension on outcome for primary well-differentiated thyroid cancer-a retrospective analysis. 2017 , 15, 190	3
1098	False-negative BRAF V600E mutation results on fine-needle aspiration cytology of papillary thyroid carcinoma. 2017 , 15, 202	8
1097	High CEA levels in a case of resected colorectal cancer: delayed diagnosis of metachronous medullary thyroid cancer. 2017 , 15, 230	4
1096	Collaborations across disciplines: MU thyroid nodule electronic database (MU-TNED), a multidisciplinary informatics approach. 2017 ,	
1095	Optimal use of lenvatinib in the treatment of advanced thyroid cancer. 2017 , 2, 7	18
1094	External beam radiotherapy in thyroid carcinoma: clinical review and recommendations of the AIRO "Radioterapia Metabolica" Group. 2017 , 103, 114-123	5
1093	Radioactive Iodine Ablation Decrease Recurrences in Papillary Thyroid Microcarcinoma with Lateral Lymph Node Metastasis in Chinese Patients. 2017 , 41, 3139-3146	10

1092	Skip metastasis in papillary thyroid carcinoma is difficult to predict in clinical practice. 2017 , 17, 702	22
1091	Pathological findings in 377 patients with differentiated thyroid cancer in a single centre. 2017 , 89, 79-86	
1090	Concerns in patients undergoing neck dissection surgery. 2017 , 2, 203-205	
1089	Aging-Related Disease Risks among Young Thyroid Cancer Survivors. 2017 , 26, 1695-1704	18
1088	Preoperative diagnostic algorithm of primary thyroid lymphoma using ultrasound, aspiration cytology, and flow cytometry. 2017 , 64, 859-865	24
1087	[Taste dysfunction (dysgeusia) and radioiodine therapy of thyroid cancer - be aware of side effects by antidepressants and sedatives. Vorscheidung durch Antidepressiva und Sedativa beachten]. 2017 , 56, 125-131	2
1086	Diagnostic Accuracy of PET/MR for Evaluating Central Lymph Node Status in Patients with Papillary Thyroid Carcinoma. 2017 , 17, 122	1
1085	Surgical Treatment Guidelines for Patients with Differentiated Thyroid Cancer: The Korean Association of Thyroid and Endocrine Surgeons (KATES) Guidelines Taskforce. 2017 , 17, 1	4
1084	SHOULD MULTIFOCAL PAPILLARY THYROID CARCINOMAS CLASSIFIED AS T1A WITH A TUMOR DIAMETER SUM OF 1 TO 2 CENTIMETERS BE RECLASSIFIED AS T1B?. 2017 , 23, 526-535	4
1083	GAUGING THE EXTENT OF THYROIDECTOMY FOR INDETERMINATE THYROID NODULES: AN ONCOLOGIC PERSPECTIVE. 2017 , 23, 442-450	14
1082	Usefulness of Stereotactic Radiotherapy Using CyberKnife for Recurrent Lymph Node Metastasis of Differentiated Thyroid Cancer. 2017 , 2017, 7956726	2
1081	Complications Following Radiofrequency Ablation of Benign Thyroid Nodules: A Systematic Review. 2017 , 130, 1361-1370	40
1080	Somatic Genomics of Childhood Thyroid Cancer. 2017 , 121-132	2
1079	Management of Papillary Thyroid Carcinoma in Japan. 2017 , 185-193	2
1078	Clinical utility of 18F-FDG PET/CT in the follow-up of a large cohort of patients with high-risk differentiated thyroid carcinoma. 2017 , 61, 416-425	2
1077	Recombinant human TSH versus thyroid hormone withdrawal in adjuvant therapy with radioactive iodine of patients with papillary thyroid carcinoma and clinically apparent lymph node metastases not limited to the central compartment (cN1b). 2017 , 61, 167-172	1
1076	Detection of Polyethylene Glycol Thyrotropin (TSH) Precipitable Percentage (Macro-TSH) in Patients with a History of Thyroid Cancer. 2017 , 32, 460-465	2
1075	Metastatic lymph node characteristics as predictors of recurrence/persistence in the neck and distant metastases in differentiated thyroid cancer. 2017 , 61, 584-589	13

1074	Bone Mineral Density in Thyroid Cancer Patients: Data from the Korea National Health and Nutrition Examination Survey. 2017 , 17, 153	
1073	Predictive Factors for Central Neck Lymph Node Metastasis in Patients with Papillary Thyroid Microcarcinoma without Suspicious Metastasis by Preoperative Ultrasonography. 2017 , 17, 114	1
1072	RE: Management of Low-Risk Papillary Thyroid Microcarcinoma. 2017 , 18, 408-409	1
1071	Risk factors associated with high thyroglobulin level following radioactive iodine ablation, measured 12 months after treatment for papillary thyroid carcinoma. 2017 , 92, 1-8	
1070	2016 Chinese expert consensus and guidelines for the diagnosis and treatment of papillary thyroid microcarcinoma. 2017 , 14, 203-211	49
1069	Deaths related to differentiated thyroid cancer: a rare but real event. 2017 , 61, 222-227	11
1068	Activation of the ROCK1/MMP-9 pathway is associated with the invasion and poor prognosis in papillary thyroid carcinoma. 2017 , 51, 1209-1218	30
1067	Overwhelming rapid metabolic and structural response to apatinib in radioiodine refractory differentiated thyroid cancer. 2017 , 8, 42252-42261	36
1066	A novel integrative risk index of papillary thyroid cancer progression combining genomic alterations and clinical factors. 2017 , 8, 16690-16703	12
1065	Quality measurement on shear wave speed imaging: diagnostic value in differentiation of thyroid malignancy and the associated factors. 2017 , 8, 4848-4959	3
1064	Thyroid malignancy risk in different clinical thyroid diseases. 2017 , 47, 1509-1519	4
1063	Quality of life in thyroid cancer patients: a literature review. 2017 , 90, 147-153	14
1062	Comparative analysis of diagnostic performance, feasibility and cost of different test-methods for thyroid nodules with indeterminate cytology. 2017 , 8, 49421-49442	32
1061	Staging of Differentiated Thyroid Cancer from a Single Institution: Comparison of the 7th and 8th Editions of AJCC/UICC Staging. 2017 , 17, 80	4
1060	Thyroid Cytology in India: Contemporary Review and Meta-analysis. 2017 , 51, 533-547	8
1059	Clinical Value of Blood Neutrophil to Lymphocyte Ratio in Patients with Papillary Thyroid Carcinoma with Neck Lymph Node Metastasis. 2017 , 10, 89	
1058	TSH-Suppressive Therapy: A Thorny Issue. 2017 , 4, 000547	
1057	Reappraisal of "cyst fluid only" on thyroid fine-needle aspiration cytology. 2017 , 64, 759-765	15

1056	Bilateral Papillary Thyroid Cancer Increases the Risk of Lymph Node Metastasis Compared with Unilateral Multifocal Papillary Thyroid Cancer. 2017 , 17, 63	1
1055	Volumetric high-resolution computed tomography in evaluating pulmonary metastases from differentiated thyroid carcinoma: considerations for evolving the optimal diagnostic pathway. 2017 , 38, 881-882	
1054	LOWER RATES OF RESIDUAL/RECURRENT DISEASE IN PATIENTS WITH INCIDENTALLY DISCOVERED THYROID CARCINOMA. 2017 , 23, 163-169	5
1053	REFERRAL OF OLDER THYROID CANCER PATIENTS TO A HIGH-VOLUME SURGEON: RESULTS OF A MULTIDISCIPLINARY PHYSICIAN SURVEY. 2017 , 23, 808-815	3
1052	Central neck dissection via the transoral approach. 2017 , 2,	30
1051	Preoperative information for thyroid surgery. 2017 , 6, 482-487	1
1050	Locally advanced asymptomatic papillary thyroid cancer presenting with retropharyngeal lymph node metastasis symptoms. 2017 , 6, 733-737	7
1049	Thyroid nodules coexisting with either cystic or solid breast nodules: a new clue for this association between nodules coming from ultrasonography. 2017 , 6, 630-637	4
1048	Morbidity of central neck dissection for papillary thyroid cancer. 2017 , 6, 492-500	17
1047	The effect of long-term thyroid-stimulating hormone suppressive therapy on the gonadal steroid hormones of patients with thyroid carcinoma after surgery. 2017 , 6, 443-452	0
1046	Incidental Thyroid Nodule Noted on Intra-arterial Hepatic MAA Scan Before 90Y-SIRT. 2017 , 42, 641-642	
1045	The utility of thyroid ultrasonography in the management of thyroid nodules. 2017 , 60, 134-139	11
1044	Ultrasound Shear Wave Elastography May Help Reduce Frequency of Fine-Needle Biopsy in Low-Risk Thyroid Nodules. 2018 , 30, 80-84	
1043	Could short thyroid hormone withdrawal be an effective strategy for radioiodine remnant ablation in differentiated thyroid cancer patients?. 2018 , 45, 1218-1223	4
1042	US Fine-Needle Aspiration Biopsy for Thyroid Malignancy: Diagnostic Performance of Seven Society Guidelines Applied to 2000 Thyroid Nodules. 2018 , 287, 893-900	99
1041	Surgical management of the recurrent laryngeal nerve in thyroidectomy: American Head and Neck Society Consensus Statement. 2018 , 40, 663-675	36
1040	Thyroid Dysfunction. 2018 , 153-166	
1039	Small papillary thyroid carcinoma with minimal extrathyroidal extension should be managed as ATA low-risk tumor. 2018 , 41, 1029-1035	17

1038	Revised Value of Contrast-Enhanced Ultrasound for Solid Hypo-Echoic Thyroid Nodules Graded with the Thyroid Imaging Reporting and Data System. 2018 , 44, 930-940	11
1037	Immune landscape of papillary thyroid cancer and immunotherapeutic implications. 2018 , 25, 523-531	43
1036	The Diagnosis and Management of Thyroid Nodules: A Review. 2018 , 319, 914-924	234
1035	A clinical framework to facilitate selection of patients with differentiated thyroid cancer for active surveillance or less aggressive initial surgical management. 2018 , 13, 77-85	34
1034	Tumour growth rate of follicular thyroid carcinoma is not different from that of follicular adenoma. 2018 , 88, 936-942	9
1033	High Prevalence of Radiological Vertebral Fractures in Women on Thyroid-Stimulating Hormone-Suppressive Therapy for Thyroid Carcinoma. 2018 , 103, 956-964	28
1032	Predictive quantitative sonographic features on classification of hot and cold thyroid nodules. 2018 , 101, 170-177	5
1031	Pilocarpine effect on dose rate of salivary gland in differentiated thyroid carcinoma patients treated with radioiodine. 2018 , 39, 430-434	5
1030	Oncogenic mutations in KEAP1 disturbing inhibitory Nrf2-Keap1 interaction: Activation of antioxidative pathway in papillary thyroid carcinoma. 2018 , 40, 1271-1278	10
1029	[Thyroid carcinoma on struma ovarii: Diagnosis and treatment]. 2018 , 105, 281-289	2
1028	A Single Radioactive Iodine Treatment Has a Deleterious Effect on Ovarian Reserve in Women with Thyroid Cancer: Results of a Prospective Pilot Study. <i>Thyroid</i> , 2018 , 28, 522-527	6.2 27
1027	The role of two tumor foci for predicting central lymph node metastasis in papillary thyroid carcinoma: A meta-analysis. 2018 , 52, 166-170	7
1026	Shear wave elastography in the diagnostics of parathyroid adenomas-new application of the method. 2018 , 60, 240-245	9
1025	Evaluation of adequacy of levo-thyroxine dosage in patients with differentiated thyroid carcinoma: correlation between morning and afternoon TSH determination. 2018 , 41, 1193-1197	1
1024	Is the ratio superior to the number of metastatic lymph nodes in addressing the response in patients with papillary thyroid cancer?. 2018 , 97, e9664	1
1023	A new standardized data collection system for interdisciplinary thyroid cancer management: Thyroid COBRA. 2018 , 53, 73-78	20
1022	Continuous vagal monitoring value in prevention of vocal cord paralysis following thyroid surgery. 2018 , 128, 2429-2432	28
1021	Impact of Minimal Extra-Thyroid Extension in Differentiated Thyroid Cancer: Systematic Review and Meta-analysis. 2018 ,	36

1020	Development and validation of an individualized diagnostic signature in thyroid cancer. 2018 , 7, 1135-1140	15
1019	Re: Low-Dose Radioactive Iodine Ablation Is Sufficient in Patients With Small Papillary Thyroid Cancer Having Minor Extrathyroidal Extension and Central Lymph Node Metastasis (T3 N1a). 2018 , 43, 631-632	
1018	Glucose uptake evaluated by 18F-fluorodeoxyglucose positron emission tomography in noninvasive follicular thyroid neoplasm with papillary-like nuclear features. 2018 , 46, 456-457	1
1017	Metastasiertes Schilddrüsenkarzinom. 2018 , 13, 62-72	
1016	Ultrasonographic features and clinicopathologic characteristics of macrofollicular variant papillary thyroid carcinoma. 2018 , 97, e8105	3
1015	Radiofrequency ablation for treatment of locally recurrent thyroid cancer presenting as a metastatic lymph node with dense macrocalcification: A case report and literature review. 2018 , 97, e0003	4
1014	Reduction in Thyroid Nodule Biopsies and Improved Accuracy with American College of Radiology Thyroid Imaging Reporting and Data System. 2018 , 287, 185-193	91
1013	ENHANCED BETA-CATENIN EXPRESSION IS ASSOCIATED WITH RECURRENCE OF PAPILLARY THYROID CARCINOMA. 2018 , 24, 411-418	4
1012	Papillary Thyroid Carcinoma Recurrence: Low Yield of Neck Ultrasound With an Undetectable Serum Thyroglobulin Level. 2018 , 37, 2325-2331	6
1011	Evaluation of a dedicated ultrasound fine needle aspiration service for thyroid nodules. 2018 , 5, 3-11	
1010	Incidental Diagnosis of Parathyroid Lesions by Preoperative Use of Next-Generation Molecular Testing. 2018 , 42, 2840-2845	1
1009	Improved Quality of Thyroid Ultrasound Reports After Implementation of the ACR Thyroid Imaging Reporting and Data System Nodule Lexicon and Risk Stratification System. 2018 , 15, 743-748	24
1008	Refining the eighth edition AJCC TNM classification and prognostic groups for papillary thyroid cancer with lateral nodal metastasis. 2018 , 78, 80-86	16
1007	IS MEASUREMENT OF CIRCULATING TUMOR DNA OF DIAGNOSTIC USE IN PATIENTS WITH THYROID NODULES?. 2018 , 24, 453-459	16
1006	Positive Surgical Margins in Favorable-Stage Differentiated Thyroid Cancer. 2018 , 41, 1168-1171	4
1005	Asymptomatic intrathyroidal pyriform sinus fistula mimicking thyroid cancer: A case report and literature review. 2018 , 97, e0488	5
1004	Dynamic risk stratification system in post-lobectomy low-risk and intermediate-risk papillary thyroid carcinoma patients. 2018 , 89, 100-109	22
1003	Criteria for diagnosis and postoperative control of acromegaly, and screening and management of its comorbidities: Expert consensus. 2018 , 65, 297-305	5

1002	Image-guided chemical and thermal ablations for thyroid disease: Review of efficacy and complications. 2018 , 40, 2103-2115	20
1001	[Point of Care Ultrasound in Primary Care. Is it a high resolution tool?]. 2018 , 50, 500-508	3
1000	Impact of Patient Age and Histological Type on Radioactive Iodine Avidity of Recurrent Lesions of Differentiated Thyroid Carcinoma. 2018 , 43, 482-485	7
999	Frequencies and malignancy rates of 6-tiered Bethesda categories of thyroid nodules according to ultrasound assessment and nodule size. 2018 , 40, 1947-1954	3
998	Radioiodine Therapy of Thyroid Cancer. 2018 , 59-68	1
997	Medullary thyroid carcinoma: Application of Thyroid Imaging Reporting and Data System (TI-RADS) Classification. 2018 , 61, 285-292	14
996	mRECIST criteria to assess recurrent thyroid carcinoma treatment response after radiofrequency ablation: a prospective study. 2018 , 41, 1389-1399	12
995	Morphology combined with ancillary techniques: An algorithm approach for thyroid nodules. 2018 , 29, 418-427	8
994	A protocol for a Canadian prospective observational study of decision-making on active surveillance or surgery for low-risk papillary thyroid cancer. 2018 , 8, e020298	25
993	The effects of the Union for International Cancer Control/American Joint Committee on Cancer Tumour, Node, Metastasis system version 8 on staging of differentiated thyroid cancer: a comparison to version 7. 2018 , 88, 950-956	9
992	Suppressive effects of neonatal bisphenol A on the neuroendocrine system. 2018 , 34, 397-407	22
991	Surgical options for thyroid cancer and post-surgical management. 2018 , 13, 137-148	12
990	Prognostic significance of gross extrathyroidal extension invading only strap muscles in differentiated thyroid carcinoma. 2018 , 105, 1155-1162	24
989	Low or Undetectable Basal Thyroglobulin Levels Obviate the Need for Neck Ultrasound in Differentiated Thyroid Cancer Patients After Total Thyroidectomy and I Ablation. <i>Thyroid</i> , 2018 , 28, 722-728	6.2 18
988	Investigation of thyroid nodules: A practical algorithm and review of guidelines. 2018 , 40, 1861-1873	4
987	Quantitative Analysis of the Benefits and Risk of Thyroid Nodule Evaluation in Patients ≥70 Years Old. <i>Thyroid</i> , 2018 , 28, 465-471	6.2 19
986	Ultrasound and the Evaluation of Pediatric Thyroid Malignancy: Current Recommendations for Diagnosis and Follow-up. 2018 , 37, 2311-2324	6
985	A Clinical Decision Support System Using Ultrasound Textures and Radiologic Features to Distinguish Metastasis From Tumor-Free Cervical Lymph Nodes in Patients With Papillary Thyroid Carcinoma. 2018 , 37, 2527-2535	8

984	Reliable sonographic features for nodal thyroglobulin to diagnose recurrent lymph node metastasis from papillary thyroid carcinoma. 2018 , 43, 1065-1072		4
983	Impact of oncogene panel results on surgical management of cytologically indeterminate thyroid nodules. 2018 , 40, 1812-1823		11
982	Predictive Value of Malignancy of Thyroid Nodule Ultrasound Classification Systems: A Prospective Study. 2018 , 103, 1359-1368		52
981	Differences between ATA, AACE/ACE/AME and ACR TI-RADS ultrasound classifications performance in identifying cytological high-risk thyroid nodules. 2018 , 178, 595-603		71
980	Comparison of the Diagnostic Efficacy of Ultrasound-Guided Core Needle Biopsy With 18- Versus 20-Gauge Needles for Thyroid Nodules. 2018 , 37, 2565-2574		3
979	Molecular markers in well-differentiated thyroid cancer. 2018 , 275, 1375-1384		22
978	Prognostic Implication of N1b Classification in the Eighth Edition of the Tumor-Node-Metastasis Staging System of Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018 , 28, 496-503	6.2	18
977	Diagnostic Utility of Molecular and Imaging Biomarkers in Cytological Indeterminate Thyroid Nodules. 2018 , 39, 154-191		28
976	Utility of the BRAF p.V600E immunoperoxidase stain in FNA direct smears and cell block preparations from patients with thyroid carcinoma. 2018 , 126, 406-413		20
975	A Single-Center Retrospective Validation Study of the American College of Radiology Thyroid Imaging Reporting and Data System. 2018 , 34, 77-83		26
974	Characteristics of Follicular Variant Papillary Thyroid Carcinoma in a Pediatric Cohort. 2018 , 103, 1639-1648		15
973	LncRNA SNHG12 promotes the proliferation and metastasis of papillary thyroid carcinoma cells through regulating wnt/ β -catenin signaling pathway. 2018 , 22, 217-226		51
972	PERCUTANEOUS ETHANOL INJECTION FOR BENIGN CYSTIC AND MIXED THYROID NODULES. 2018 , 24, 548-555		4
971	Comparison of Performance Characteristics of American College of Radiology TI-RADS, Korean Society of Thyroid Radiology TIRADS, and American Thyroid Association Guidelines. 2018 , 210, 1148-1154		109
970	Molecular testing for indeterminate thyroid nodules: Performance of the Afirma gene expression classifier and ThyroSeq panel. 2018 , 126, 471-480		36
969	Efficacy of a clinical pathway for patients with thyroid cancer. 2018 , 40, 1909-1916		8
968	Thyroid Neoplasia. 2018 , 439-476		1
967	Punctate Echogenic Foci with Comet-Tail Artifacts May Be Associated with Malignancy When Occurring in Solid Portions of a Thyroid Nodule. 2018 , 30, 171-174		

966	Kallikreins Stepwise Scoring Reveals Three Subtypes of Papillary Thyroid Cancer with Prognostic Implications. <i>Thyroid</i> , 2018 , 28, 601-612	6.2	10
965	Ultrasound-guided percutaneous microwave ablation versus surgery for papillary thyroid microcarcinoma. 2018 , 34, 653-659		52
964	Extent of Initial Surgery May Impact Overall Survival, Even for Low-Risk Papillary Thyroid Cancers. 2018 , 30, 162-164		
963	Re: "High Thyroid Cancer Mortality Rate in Japan: A Result of Nonaggressive Treatment Strategy, or Just an Aging Population?" By Magner (Thyroid 2018;28:818-819). <i>Thyroid</i> , 2018 , 28, 820-822	6.2	1
962	Procalcitonin measurement to screen medullary thyroid carcinoma: A prospective evaluation in a series of 2705 patients with thyroid nodules. 2018 , 48, e12934		22
961	Sonographic features of papillary thyroid microcarcinoma predicting high-volume central neck lymph node metastasis. 2018 , 27, 172-176		29
960	Re: "A Follow-Up Strategy for Patients with Excellent Response to Initial Therapy for Differentiated Thyroid Carcinoma" by Jeon et al. (Thyroid 2018;28:187-192). <i>Thyroid</i> , 2018 , 28, 547-548	6.2	
959	Controversial Issues in Thyroid Cancer Management. 2018 , 59, 1187-1194		32
958	Radioactive Iodine Therapy for Differentiated Thyroid Cancer: Lessons from Confronting Controversial Literature on Risks for Secondary Malignancy. 2018 , 59, 723-725		12
957	Clinical Validation of a Predictive Model for the Presence of Cervical Lymph Node Metastasis in Papillary Thyroid Cancer. 2018 , 39, 756-761		2
956	J-Shaped Association Between Postoperative Levothyroxine Dosage and Fracture Risk in Thyroid Cancer Patients: A Retrospective Cohort Study. 2018 , 33, 1037-1043		14
955	Risk of recurrence in a homogeneously managed pT3-differentiated thyroid carcinoma population. 2018 , 403, 325-332		5
954	Histologic Outcome of Indeterminate Thyroid Nodules Classified at Low or High Risk. 2018 , 29, 75-79		6
953	Effect of Thyroglobulin Autoantibodies on the Metabolic Clearance of Serum Thyroglobulin. <i>Thyroid</i> , 2018 , 28, 288-294	6.2	10
952	Diagnostic Performance of Margin Features in Thyroid Nodules in Prediction of Malignancy. 2018 , 210, 860-865		2
951	Utilization of direct smears of thyroid fine-needle aspirates for ancillary molecular testing: A comparison of two proprietary testing platforms. 2018 , 46, 320-325		11
950	Thyroid lobectomy is not sufficient for T2 papillary thyroid cancers. 2018 , 163, 1134-1143		32
949	Thyroid Cancer. 2018 , 519-531		2

948	Does the number of parathyroid glands autotransplanted affect the incidence of hypoparathyroidism and recovery of parathyroid function?. 2018 ,		12
947	Clinicopathologic and Prognostic Significance of Programmed Cell Death Ligand 1 Expression in Patients with Non-Medullary Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2018 , 28, 349-361	6.2	26
946	Surgeon volume and prognosis of patients with advanced papillary thyroid cancer and lateral nodal metastasis. 2018 , 105, 270-278		17
945	Radioiodine Sialadenitis. 2018 , 87-92		
944	Molecular Testing of Nodules with a Suspicious or Malignant Cytologic Diagnosis in the Setting of Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP). 2018 , 29, 68-74		17
943	Treatment options of subclinical hyperthyroidism and cardiovascular risk. 2018 , 2, 38-45		1
942	Predictive factors of outcome in poorly differentiated thyroid carcinomas. 2018 , 92, 40-47		25
941	Optimization of the risk-benefit ratio of differentiated thyroid cancer treatment. 2018 , 44, 276-285		4
940	Evolution in the management of thyroid cancer: an observational study in two referral centres in Belgium. 2018 , 73, 287-291		1
939	A Nomogram Based on the Characteristics of Metastatic Lymph Nodes to Predict Papillary Thyroid Carcinoma Recurrence. <i>Thyroid</i> , 2018 , 28, 301-310	6.2	24
938	Synchronous papillary thyroid cancer and non-Hodgkin lymphoma: Case report. 2018 , 97, e9831		5
937	Suppressed thyroglobulin performs better than stimulated thyroglobulin in defining an excellent response in patients with differentiated thyroid cancer. 2018 , 39, 247-251		4
936	Second Radioiodine Treatment: Limited Benefit for Differentiated Thyroid Cancer With Locoregional Persistent Disease. 2018 , 103, 469-476		10
935	Current ATA Thyroid Cancer Guidelines Are Poor Predictors of the Extent of Thyroidectomy. 2018 , 30, 56-58		2
934	Simultaneous detection of single-nucleotide variant, deletion/insertion, and fusion in lung and thyroid carcinoma using cytology specimen and an RNA-based next-generation sequencing assay. 2018 , 126, 158-169		15
933	Procalcitonin: Are We Ready for Clinical Use?. 2018 , 151-157		
932	Thyroglobulin and Thyroglobulin Antibodies. 2018 , 65-91		
931	Circulating Molecular Biomarkers in Thyroid Cancer. 2018 , 93-105		

930	Calcitonin and Carcinoembryonic Antigen for the Diagnosis and Management of Medullary Thyroid Carcinoma. 2018 , 133-150			1
929	DNA microarray-based resonance light scattering assay for multiplexed detection of DNA mutation in papillary thyroid cancer. 2018 , 143, 914-919			1
928	Aggressive Variants of Thyroid Carcinoma. 2018 , 161-173			
927	Excellent Prognosis of Central Lymph Node Recurrence-Free Survival for cN0M0 Papillary Thyroid Carcinoma Patients Who Underwent Routine Prophylactic Central Node Dissection. 2018 , 42, 2462-2468			7
926	The incidental thyroid nodule. 2018 , 68, 97-105			27
925	Effect of Tumor Size on Risk of Metastatic Disease and Survival for Thyroid Cancer: Implications for Biopsy Guidelines. <i>Thyroid</i> , 2018 , 28, 295-300	6.2		40
924	A Case Report of Syndromic Multinodular Goitre in Adolescence: Exploring the Phenotype Overlap between Cowden and DICER1 Syndromes. 2018 , 7, 44-50			1
923	Treatment of refractory thyroid cancer. 2018 , 25, R209-R223			40
922	Circulating BRAF Levels Correlate with Treatment in Patients with Thyroid Carcinoma. <i>Thyroid</i> , 2018 , 28, 328-339	6.2		15
921	Clinico-social factors to choose radioactive iodine dose in differentiated thyroid cancer patients: an Asian survey. 2018 , 39, 283-289			6
920	Clinical Value of Tc-3PRGD2 SPECT/CT in Differentiated Thyroid Carcinoma with Negative I Whole-Body Scan and Elevated Thyroglobulin Level. 2018 , 8, 473			11
919	Thyroid-Related Research in Japan A Spotlight on Recent Important Contributions. <i>Thyroid</i> , 2018 , 28, 1-3	6.2		6
918	A six-gene panel to label follicular adenoma, low- and high-risk follicular thyroid carcinoma. 2018 , 7, 124-132			11
917	Anti-Müllerian hormone in pre-menopausal females after ablative radioiodine treatment for differentiated thyroid cancer. 2018 , 60, 516-523			15
916	Delayed initial radioiodine therapy related to incomplete response in low- to intermediate-risk differentiated thyroid cancer. 2018 , 88, 601-606			13
915	Application of Immunocytochemistry on Cell Block Sections for the Investigation of Thyroid Lesions. 2018 , 62, 137-144			7
914	Update on Molecular Testing for Cytologically Indeterminate Thyroid Nodules. 2018 , 142, 446-457			48
913	Analytical performance of the ThyroSeq v3 genomic classifier for cancer diagnosis in thyroid nodules. 2018 , 124, 1682-1690			180

912	Randomized clinical trial of intraoperative parathyroid gland angiography with indocyanine green fluorescence predicting parathyroid function after thyroid surgery. 2018 , 105, 350-357	77
911	High Serum TSH Level Is Associated With Progression of Papillary Thyroid Microcarcinoma During Active Surveillance. 2018 , 103, 446-451	64
910	Effect of Age on Response to Therapy and Mortality in Patients With Thyroid Cancer at High Risk of Recurrence. 2018 , 103, 689-697	33
909	Natural History of Contralateral Nodules After Lobectomy in Patients With Papillary Thyroid Carcinoma. 2018 , 103, 407-414	11
908	Prevalence of adverse pathological features in 1 to 4 cm low-risk differentiated thyroid carcinoma. 2018 , 40, 1214-1218	11
907	Long-term efficacy of ultrasound-guided low power microwave ablation for the treatment of primary papillary thyroid microcarcinoma: a 3-year follow-up study. 2018 , 144, 771-779	46
906	Central echogenic areas in thyroid nodules: Diagnostic performance in prediction of papillary cancer. 2018 , 101, 45-49	2
905	Cost Effectiveness of Routine Laryngoscopy in the Surgical Treatment of Differentiated Thyroid Cancer. 2018 , 25, 949-956	11
904	Surgical Perspectives in Head and Neck Cancer. 2018 , 174, 103-122	
903	Effect of Implementing Community of Practice Modified Thyroid Imaging Reporting and Data System on Reporting Adherence and Number of Thyroid Biopsies. 2018 , 25, 915-924	3
902	A Consensus Has Not Been Reached for Pathology Reporting of Tall-Cell Variant of Papillary Thyroid Carcinoma. 2018 , 30, 25-29	
901	Tertiary Care Experience of Sorafenib in the Treatment of Progressive Radioiodine-Refractory Differentiated Thyroid Carcinoma: A Korean Multicenter Study. <i>Thyroid</i> , 2018 , 28, 340-348	6.2 32
900	Shear wave elastography and Afirma gene expression classifier in thyroid nodules with indeterminate cytology: a comparison study. 2018 , 59, 573-584	11
899	Thyroid cancer: Balancing benefit and risk in TSH management of DTC. 2018 , 14, 136-137	2
898	Ultrasound Identifies Broken Drainage Tube Postthyroidectomy. 2018 , 34, 94-98	1
897	Novel therapies against aggressive differentiated thyroid carcinomas. 2018 , 5, IJE05	4
896	Nodules ≤ 1 cm with Highly Suspicious Ultrasound Features and Papillary Microcarcinoma of the Thyroid: Is Fine-Needle Aspiration Cytology Necessary before Deciding on Active Surveillance?. 2018 , 7, 162	0
895	Novel method to save the parathyroid gland during thyroidectomy: Subcapsular saline injection. 2018 , 40, 801-807	4

894	Differentiated Thyroid Cancer: Diagnosis, Therapy, and Follow-Up. 2018 , 51-64	
893	Selenium Supplementation May Help Protect Salivary Glands After Iodine-131 Therapy for Differentiated Thyroid Cancer. 2018 , 30, 21-24	
892	[Functional diagnostics in endocrinology]. 2018 , 59, 38-47	3
891	Thyroid FNA diagnostics in a real-life setting: Experiences of the implementation of the Bethesda system in Finland. 2018 , 29, 189-195	8
890	Tyrosine kinase inhibitors in iodine-refractory differentiated thyroid cancer: experience in clinical practice. 2018 , 59, 395-401	17
889	Laboratory management curriculum for cytopathology subspecialty training. 2018 , 7, 61-78	5
888	Molecular testing for thyroid nodules: Review and current state. 2018 , 124, 888-898	40
887	Philosophy on Neck Dissection in Thyroid Cancer-Current Controversies and Consensus. 2018 , 9, 2-5	
886	Downregulation of long noncoding RNA H19 contributes to the proliferation and migration of papillary thyroid carcinoma. 2018 , 646, 98-105	36
885	Circulating epithelial cells as potential biomarkers for detection of recurrence in patients of papillary thyroid carcinoma with positive serum anti-thyroglobulin antibody. 2018 , 477, 74-80	5
884	Histogram analysis of greyscale sonograms to differentiate between the subtypes of follicular variant of papillary thyroid cancer. 2018 , 73, 591.e1-591.e7	13
883	Preoperative cytologic interpretation of noninvasive follicular thyroid neoplasm with papillary-like nuclear features: a 1-year multi-institutional experience. 2018 , 7, 79-85	10
882	Removal of thyroid remnant for cancer in the previously operated central neck. 2018 , 29, 19-23	
881	Clinical outcomes and prognostic factors of radioiodine ablation therapy for lymph node metastases from papillary thyroid carcinoma. 2018 , 39, 22-27	6
880	Computer-aided system for diagnosing thyroid nodules on ultrasound: A comparison with radiologist-based clinical assessments. 2018 , 40, 778-783	32
879	Thyroid cancer invading the upper aerodigestive tract. 2018 , 29, 35-41	
878	American Thyroid Association ultrasound system for the initial assessment of thyroid nodules: Use in stratifying the risk of malignancy of indeterminate lesions. 2018 , 40, 722-727	20
877	High suspicion US pattern on the ATA guidelines, not cytologic diagnosis, may be a predicting marker of lymph node metastasis in patients with classical papillary thyroid carcinoma. 2018 , 216, 562-566	5

876	Squamous differentiation in papillary thyroid carcinoma: a rare feature of aggressive disease. 2018 , 223, 39-45		5
875	Genetic testing for indeterminate thyroid cytology: review and meta-analysis. 2018 , 25, R163-R177		50
874	Video-Assisted Thyroidectomy for Papillary Thyroid Carcinoma: Oncologic Outcome in Patients with Follow-Up ≥10 Years. 2018 , 42, 402-408		3
873	Reassessment of Differentiated Thyroid Cancer Patients Using the Eighth TNM/AJCC Classification System: A Comparative Study. <i>Thyroid</i> , 2018 , 28, 201-209	6.2	42
872	Core needle biopsy of thyroid nodules: outcomes and safety from a large single-center single-operator study. 2018 , 59, 924-931		5
871	Survival in patients with medullary thyroid cancer after less than the recommended initial operation. 2018 , 117, 1211-1216		8
870	Lateral lymph node metastasis in papillary thyroid carcinoma: A systematic review and meta-analysis for prevalence, risk factors, and location. 2018 , 50, 94-103		49
869	Three-Dimensional Shear Wave Elastography for Differentiating Benign From Malignant Thyroid Nodules. 2018 , 37, 1777-1788		16
868	Optimizing treatment for children and adolescents with papillary thyroid carcinoma in post-Chernobyl exposed region: The roles of lymph node dissections in the central and lateral neck compartments. 2018 , 44, 733-743		5
867	LncRNA GAS8-AS1 inhibits cell proliferation through ATG5-mediated autophagy in papillary thyroid cancer. 2018 , 59, 555-564		40
866	Radiofrequency ablation of primary thyroid carcinoma: efficacy according to the types of thyroid carcinoma. 2018 , 34, 611-616		36
865	Validation of the 2015 American Thyroid Association Management Guidelines for Thyroid Nodules With Benign Cytologic Findings in the Era of the Bethesda System. 2018 , 210, 629-634		4
864	Evaluation of pain during high-intensity focused ultrasound ablation of benign thyroid nodules. 2018 , 28, 2620-2627		14
863	Clinical Impact of Detectable Antithyroglobulin Antibodies Below the Reference Limit (Borderline) in Patients with Papillary Thyroid Carcinoma with Undetectable Serum Thyroglobulin and Normal Neck Ultrasonography After Ablation: A Prospective Study. <i>Thyroid</i> , 2018 , 28, 229-235	6.2	11
862	Comparison of the diagnostic performances of ultrasonography, CT and fine needle aspiration cytology for the prediction of lymph node metastasis in patients with lymph node dissection of papillary thyroid carcinoma: A retrospective cohort study. 2018 , 51, 145-150		17
861	Anti-cancer Effects of HNHA and Lenvatinib by the Suppression of EMT-Mediated Drug Resistance in Cancer Stem Cells. 2018 , 20, 197-206		25
860	Novel biomarker may contribute to predicting papillary thyroid cancer outcomes. 2018 , 4, FSO249		6
859	The compensatory enlargement of the remaining thyroid lobe following hemithyroidectomy is small and without impact on symptom relief. 2018 , 275, 161-167		4

858	The presence of papillary features in thyroid nodules diagnosed as atypia of undetermined significance or follicular lesion of undetermined significance increases cancer risk and should influence treatment. 2018 , 215, 819-823	2
857	Towards high-efficiency sorptive capture of radionuclides in solution and gas. 2018 , 94, 1-67	59
856	Economic Impact of Frozen Section for Thyroid Nodules with "Suspicious for Malignancy" Cytology. 2018 , 158, 257-264	6
855	[Surgery of papillary thyroid microcarcinoma]. 2018 , 89, 415-421	0
854	Sonographic measurement of thyroid nodule changes after microwave ablation: relationship between multiple parameters. 2018 , 34, 660-668	9
853	NIS expression in thyroid tumors, relation with prognosis clinicopathological and molecular features. 2018 , 7, 78-90	35
852	Significance of hyperechoic marks observed during high-intensity focused ultrasound (HIFU) ablation of benign thyroid nodules. 2018 , 28, 2675-2681	9
851	Molecular imaging of platelet-derived growth factor receptor-alpha (PDGFR α) in papillary thyroid cancer using immuno-PET. 2018 , 58, 51-58	8
850	Impact of the Reclassification of "Noninvasive Encapsulated Follicular Variant of Papillary Thyroid Carcinoma" to "Noninvasive Follicular Thyroid Neoplasm With Papillary-Like Nuclear Features" on the Bethesda System for Reporting Thyroid Cytopathology: A Large Academic Institution's Experience. 2017 , 149, 50-54	30
849	Use of the Kwak Thyroid Image Reporting and Data System (K-TIRADS) in differential diagnosis of thyroid nodules: systematic review and meta-analysis. 2018 , 28, 2380-2388	26
848	Expanding the Options for Patient-Guided Decision Making in Papillary Thyroid Cancer. 2018 , 319, 76-77	
847	Thyroid Cancer: Is It All in the Genes?. 2018 , 110, 327-328	1
846	BRAF V600E Mutation-Assisted Risk Stratification of Solitary Intrathyroidal Papillary Thyroid Cancer for Precision Treatment. 2018 , 110, 362-370	42
845	Pulmonary metastasectomy for thyroid cancer as salvage therapy for radioactive iodine-refractory metastases. 2018 , 53, 625-630	12
844	Revision central neck dissection. 2018 , 29, 24-29	1
843	Thyroid Nodules in Pediatric Patients: Sonographic Characteristics and Likelihood of Cancer. 2018 , 288, 591-599	25
842	Determining patient selection tool and response predictor for outpatient 30 mCi radioiodine ablation dose in non-metastatic differentiated thyroid carcinoma: a Japanese perspective. 2018 , 65, 345-357	4
841	The timing of parathyroid hormone measurement defines the cut-off values to accurately predict postoperative hypocalcemia: a prospective study. 2018 , 61, 224-231	13

840	Using a nomogram based on preoperative serum fibrinogen levels to predict recurrence of papillary thyroid carcinoma. 2018 , 18, 390		9
839	A predictive model of thyroid malignancy using clinical, biochemical and sonographic parameters for patients in a multi-center setting. 2018 , 18, 17		10
838	Ruolo della 18FDG PET nel follow-up del carcinoma differenziato della tiroide (CDT) in presenza di valori di Tireoglobulina (Tg) indosabili, AAT elevati e TBS post-131-I negativo: esperienza clinica in una paziente. 2018 , 19, 105-106		
837	Patients' experiences of diagnosis and management of papillary thyroid microcarcinoma: a qualitative study. 2018 , 18, 242		32
836	Racial disparities of differentiated thyroid carcinoma: clinical behavior, treatments, and long-term outcomes. 2018 , 16, 45		14
835	Single metastasis of myxoid liposarcoma from the thigh to thyroid gland: a case report. 2018 , 16, 71		5
834	Factors Associated with Dose Determination of Radioactive Iodine Therapy for Differentiated Thyroid Cancer. 2018 , 52, 247-253		5
833	During Active Surveillance of Papillary Thyroid Microcarcinomas Higher Serum TSH Is Associated with Nodule Growth. 2018 , 30, 156-158		
832	American Thyroid Association Guidelines and Statements: Past, Present, and Future. <i>Thyroid</i> , 2018 , 28, 692-706	6.2	20
831	Reply: Active Surveillance in Micropapillary Carcinoma. 2018 , 163, 1325-1329		
830	Microscopic positive margins in papillary thyroid cancer do not impact disease recurrence. 2018 , 88, 1193-1197		
829	A novel nonsense EIF1AX mutation identified in a thyroid nodule histologically diagnosed as oncocytic carcinoma. 2018 , 62, 492-495		7
828	Risk factors of central lymph node metastasis in papillary thyroid carcinoma: A retrospective cohort study. 2018 , 54, 129-132		11
827	Thyroid FNA biopsies comprised of abundant, mature squamous cells can be reported as benign: A cytologic study of 18 patients with clinical correlation. 2018 , 126, 336-341		1
826	Measurement properties of ThyPRO short-form (ThyPRO-39) for use in Chinese patients with benign thyroid diseases. 2018 , 27, 2177-2187		4
825	Bethesda Classification and Cytohistological Correlation of Thyroid Nodules in a Brazilian Thyroid Disease Center. 2018 , 7, 133-138		7
824	TIRADS score is of limited clinical value for risk stratification of indeterminate cytological results. 2018 , 179, 13-20		35
823	The Bethesda System for Reporting Thyroid Cytopathology Explained for Practitioners: Frequently Asked Questions. <i>Thyroid</i> , 2018 , 28, 556-565	6.2	11

822	Efficiency of the Bethesda System for Thyroid Cytopathology. 2018 , 96, 363-368	2
821	Subclinical thyrotoxicosis and bone. 2018 , 3, 25-30	1
820	Evaluation and Management of Adult Neck Masses. 2018 , 3, 271-284	
819	Outcomes of Radiofrequency Ablation Therapy for Large Benign Thyroid Nodules: A Mayo Clinic Case Series. 2018 , 93, 1018-1025	36
818	Subclassification of Bethesda Atypical and Follicular Neoplasm Categories According to Nuclear and Architectural Atypia Improves Discrimination of Thyroid Malignancy Risk. <i>Thyroid</i> , 2018 , 28, 511-521 ^{6.2}	21
817	Thyroid nodules and cancer in children and adolescents affected by Hashimoto's thyroiditis. 2018 , 91, 20180014	9
816	Reasons Associated with Total Thyroidectomy as Initial Surgical Management of an Indeterminate Thyroid Nodule. 2018 , 25, 1410-1417	8
815	Cancer risk and clinicopathological characteristics of thyroid nodules harboring thyroid-stimulating hormone receptor gene mutations. 2018 , 46, 369-377	14
814	Intensity modulated radiotherapy in locally advanced thyroid cancer: Outcomes of a sequential phase I dose-escalation study. 2018 , 127, 43-48	3
813	Radioiodine refractory differentiated thyroid cancer. 2018 , 125, 111-120	39
812	Microwave ablation compared to thyroidectomy to treat benign thyroid nodules. 2018 , 34, 644-652	33
811	Novel targeted therapies and immunotherapy for advanced thyroid cancers. 2018 , 17, 51	99
810	Interstitial fibrosis in papillary thyroid microcarcinoma and its association with biological behavior. 2018 , 15, 4937-4943	3
809	Thyroidectomy Practice After Implementation of the 2015 American Thyroid Association Guidelines on Surgical Options for Patients With Well-Differentiated Thyroid Carcinoma. 2018 , 144, 427-432	19
808	Complications following ultrasound-guided core needle biopsy of thyroid nodules: a systematic review and meta-analysis. 2018 , 28, 3848-3860	17
807	BRAF V600E mutation in papillary thyroid cancer and its effect on postoperative radioiodine (I) therapy: Should we modify our therapeutic strategy?. 2018 , 96, 276-282	4
806	Thyroid Disease Around the World. 2018 , 51, 631-642	27
805	Thyroid Imaging Reporting and Data System (TI-RADS): A User's Guide. 2018 , 287, 29-36	80

804	Diagnostic performance of PET in thyroid cancer with elevated anti-Tg Ab. 2018 , 25, 643-652	12
803	Sequential high intensity focused ultrasound (HIFU) ablation in the treatment of benign multinodular goitre: an observational retrospective study. 2018 , 28, 3237-3244	11
802	Whole-Exome Sequencing Identifies Two Discrete Druggable Signaling Pathways in Follicular Thyroid Cancer. 2018 , 226, 950-959.e5	16
801	LIMD2 Is Overexpressed in BRAF V600E-Positive Papillary Thyroid Carcinomas and Matched Lymph Node Metastases. 2018 , 29, 222-230	6
800	Differentiation of Benign and Malignant Thyroid Nodules by Using Comb-push Ultrasound Shear Elastography: A Preliminary Two-plane View Study. 2018 , 25, 1388-1397	17
799	The predictive value for excellent response to initial therapy in differentiated thyroid cancer: preablation-stimulated thyroglobulin better than the TNM stage. 2018 , 39, 405-410	7
798	Predictivity of clinical, laboratory and imaging findings in diagnostic definition of palpable thyroid nodules. A multicenter prospective study. 2018 , 61, 43-50	3
797	Hybrid Vision-Fusion system for whole-body scintigraphy. 2018 , 96, 69-78	1
796	Most Recurrences of Thyroid Cancer Represent Persistent Rather Than Recurrent Disease. 2018 , 30, 108-111	3
795	Preoperative Ultrasonography Guides the Extent of Thyroidectomy for Papillary Thyroid Cancer. 2018 , 30, 119-121	
794	Highly Sensitive Thyroglobulin Assays Are Reliable Indicators of Persistent Disease in Thyroid Cancer Patients with Thyroglobulin Antibody. 2018 , 30, 122-125	
793	Tumor Size and Nodal Stage Predict Recurrence and Timing of Ultrasonography in Papillary Thyroid Carcinoma Patients. 2018 , 30, 126-128	
792	Liquid L-thyroxine versus tablet L-thyroxine in patients on L- thyroxine replacement or suppressive therapy: a meta-analysis. 2018 , 61, 28-35	17
791	Is Partial or Total Thyroidectomy Associated with Risk of Long-Term Osteoporosis: A Nationwide Population-Based Study. 2018 , 42, 2864-2871	8
790	Combined BRAF analysis and Tc-MIBI scintigraphy can be a useful diagnostic tool in differentiated thyroid cancer patients with incomplete bio-chemical response to first radioiodine therapy (RAIT): a pilot investigation. 2018 , 41, 1283-1288	3
789	iTRAQ analysis of urinary proteins: Potential use of gelsolin and osteopontin to distinguish benign thyroid goiter from papillary thyroid carcinoma. 2018 , 53, 127-131	4
788	Lymph node location is a risk factor for papillary thyroid cancer-related death. 2018 , 41, 1349-1353	6
787	Surgeon-Performed Ultrasound Is Important in the Preoperative Nodal Assessment of Patients with Potential Thyroid Malignancy. 2018 , 30, 77-79	

786	Risk factors associated with malignancy and with triage to surgery in thyroid nodules classified as Bethesda category IV (FN/SFN). 2018 , 46, 489-494		8
785	Comparison of incidental versus palpable thyroid nodules presenting for fine-needle aspiration biopsy. 2018 , 40, 1508-1514		4
784	Laryngeal nerve morbidity in 1.273 central node dissections for thyroid cancer. 2018 , 27, A21-A25		12
783	Decreasing Use of Radioactive Iodine for Low-Risk Thyroid Cancer in California, 1999 to 2015. 2018 , 103, 1095-1101		17
782	Radiation dose rates of differentiated thyroid cancer patients after I therapy. 2018 , 57, 169-177		0
781	Expression of serine peptidase inhibitor Kunitz type 1 in differentiated thyroid cancer. 2018 , 149, 635-644		11
780	Long-term voice quality outcomes after total thyroidectomy: a prospective multicenter study. 2018 , 163, 796-800		16
779	Long term outcomes of simple clinical risk stratification in management of differentiated thyroid cancer. 2018 , 16, 283-291		5
778	Predicting I-avidity of metastases from differentiated thyroid cancer using F-FDG PET/CT in postoperative patients with elevated thyroglobulin. 2018 , 8, 4352		13
777	Trends in the Implementation of Active Surveillance for Low-Risk Papillary Thyroid Microcarcinomas at Kuma Hospital: Gradual Increase and Heterogeneity in the Acceptance of This New Management Option. <i>Thyroid</i> , 2018 , 28, 488-495	6.2	48
776	Lenvatinib - A multikinase inhibitor for radioiodine-refractory differentiated thyroid cancer. 2018 , 24, 28-32		17
775	Selective use of radioactive iodine (RAI) in thyroid cancer: No longer "one size fits all". 2018 , 44, 348-356		21
774	Treatment decision making in early-stage papillary thyroid cancer. 2018 , 27, 61-68		28
773	Surgical management of primary thyroid tumours. 2018 , 44, 321-326		8
772	Status of internal quality control for thyroid hormones immunoassays from 2011 to 2016 in China. 2018 , 32,		5
771	Authors' reply to the Letter to Editor "Thyroglobulin antibodies may serve as predictive marker for papillary thyroid carcinoma in indeterminate cytology: Acceptable or not?". 2018 , 216, 178-179		
770	The Role of Ultrasonography in the Assessment of Vocal Cord Functions After Thyroidectomy. 2018 , 31, 24-28		2
769	Expression of YAP1 in aggressive thyroid cancer. 2018 , 59, 209-212		11

768	Low-risk papillary microcarcinoma of the thyroid: A review of active surveillance trials. 2018 , 44, 307-315	152
767	Ethical issues in non-intervention trials for thyroid cancer. 2018 , 44, 316-320	1
766	Thyroid cancer surgery guidelines in an era of de-escalation. 2018 , 44, 297-306	25
765	Analysis of postoperative ultrasonography surveillance after total thyroidectomy in patients with papillary thyroid carcinoma: a multicenter study. 2018 , 59, 196-203	7
764	Non-diagnostic thyroid nodules after application of the Bethesda system: a study evaluating the interval for repeat aspiration for non-diagnostic results. 2018 , 59, 305-312	6
763	Insights into the Management of Papillary Microcarcinoma of the Thyroid. <i>Thyroid</i> , 2018 , 28, 23-31	6.2 98
762	Diagnostic Performance of SRU and ATA Thyroid Nodule Classification Algorithms as Tested With a 1 Million Virtual Thyroid Nodule Model. 2018 , 47, 10-13	2
761	Systematic differences between ultrasound and pathological evaluation of thyroid nodules: a method comparison study. 2018 , 88, 464-467	1
760	Influence of chronic lymphocytic thyroiditis on the risk of persistent and recurrent disease in patients with papillary thyroid carcinoma and elevated antithyroglobulin antibodies after initial therapy. 2018 , 84, 448-452	3
759	Does mutational analysis influence the management of differentiated thyroid cancers?. 2018 , 128, 1-2	2
758	Evolution of the histologic classification of thyroid neoplasms and its impact on clinical management. 2018 , 44, 338-347	17
757	Association of tumor size and focality with recurrence/persistence in papillary thyroid cancer patients treated with total thyroidectomy along with radioactive-iodine ablation and TSH suppression. 2018 , 70, 121-127	5
756	A New Scoring System to Predict Recurrent Disease in Grade 1 and 2 Nonfunctional Pancreatic Neuroendocrine Tumors. 2018 , 267, 1148-1154	81
755	Next-Generation Sequencing Identifies Gene Mutations That Are Predictive of Malignancy in Residual Needle Rinses Collected From Fine-Needle Aspirations of Thyroid Nodules. 2018 , 142, 178-183	15
754	Outpatient thyroidectomy is safe in the elderly and super-elderly. 2018 , 128, 290-294	17
753	Management of the lateral neck in well differentiated thyroid cancer. 2018 , 44, 332-337	6
752	Experience of the Implementation of Rapid On-Site Evaluation in Ultrasound-Guided Fine-Needle Aspiration Biopsy of Thyroid Nodules. 2018 , 47, 220-224	7
751	Extent of Thyroidectomy in Differentiated Thyroid Cancers-Review of Evidence. 2018 , 9, 90-96	4

750	Intraobserver and Interobserver Variability in Ultrasound Measurements of Thyroid Nodules. 2018 , 37, 173-178		24
749	Comparison of 30 mCi and 50 mCi I-131 doses for ablation of thyroid remnant in papillary thyroid cancer patients. 2018 , 43, 11-14		0
748	Impact of major different variants of papillary thyroid microcarcinoma on the clinicopathological characteristics: the study of 1041 cases. 2018 , 23, 59-65		9
747	Transoral endoscopic thyroidectomy vestibular approach (TOETVA): indications, techniques and results. 2018 , 32, 456-465		130
746	Post-treatment surveillance of thyroid cancer. 2018 , 44, 357-366		9
745	The epigenetic landscape of differentiated thyroid cancer. 2018 , 469, 3-10		20
744	Clinical predictors of lymph node metastasis and survival rate in papillary thyroid microcarcinoma: analysis of 3607 patients at a single institution. 2018 , 221, 128-134		30
743	Differentiated thyroid cancer: millions spent with no tangible gain?. 2018 , 25, 51-57		10
742	Lenvatinib for the Treatment of Radioiodine-Refractory Thyroid Cancer in Real-Life Practice. <i>Thyroid</i> , 2018 , 28, 72-78	6.2	62
741	An update on noninvasive follicular thyroid neoplasm with papillary-like nuclear features. 2018 , 30, 1-7		6
740	Utility of adult-based ultrasound malignancy risk stratifications in pediatric thyroid nodules. 2018 , 48, 74-84		39
739	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features: a review for pathologists. 2018 , 31, 39-55		76
738	PET/MR Imaging in Head and Neck Cancer: Current Applications and Future Directions. 2018 , 26, 167-178		16
737	Iodinated Contrast Agents Perturb Iodide Uptake by the Thyroid Independently of Free Iodide. 2018 , 59, 121-126		10
736	Less is More: The Impact of Multidisciplinary Thyroid Conference on the Treatment of Well-Differentiated Thyroid Carcinoma. 2018 , 42, 343-349		9
735	Reduced insulin sensitivity in differentiated thyroid cancer patients with suppressed TSH. 2018 , 43, 73-79		1
734	Thyroid Nodules With Nondiagnostic Cytologic Results: Follow-Up Management Using Ultrasound Patterns Based on the 2015 American Thyroid Association Guidelines. 2018 , 210, 412-417		6
733	Prognostic value of change in anti-thyroglobulin antibodies after thyroidectomy in patients with papillary thyroid carcinoma. 2018 , 20, 740-744		11

732	Clinical guidance for radioiodine refractory differentiated thyroid cancer. 2018 , 88, 529-537	17
731	An academic community hospital experience using commercially available molecular testing in the management of indeterminate thyroid nodules. 2018 , 7, 92-98	5
730	Risk factors stratifying malignancy of nodules in contralateral thyroid lobe in patients with pre-operative ultrasound indicated unilateral papillary thyroid carcinoma: A retrospective analysis from single centre. 2018 , 88, 279-284	11
729	Genomic Hallmarks of Thyroid Neoplasia. 2018 , 13, 141-162	33
728	Papillary carcinoma arising from the pyramidal lobe of the thyroid gland â€”Two case reports. 2018 , 7, 1-4	
727	Therapeutic lateral neck dissection in well-differentiated thyroid cancer: Analysis on factors predicting distribution of positive nodes and prognosis. 2018 , 40, 242-250	13
726	Prognostic indicators of outcomes in patients with lung metastases from differentiated thyroid carcinoma during long-term follow-up. 2018 , 88, 318-326	11
725	Ultrasound Features of Thyroid Metastatic Tumors from the Digestive System: A Report of 2 Case. 2022 , 6, 217	0
724	Using 18F-FDG-PET/CT Metrics to Predict Survival in Ra-Dio-Iodine Refractory Thyroid Cancers. 2022 , 12, 2381	0
723	The FDG Pattern of Autonomously Functioning Thyroid Nodules Correlates With Thyroid-Stimulating Hormone and Histopathology. Publish Ahead of Print,	0
722	Preoperative voice analysis and survival outcomes in papillary thyroid cancer with recurrent laryngeal nerve invasion. 13,	0
721	Surgical management of T1/T2 node-negative papillary thyroid cancer with tall cell histology: Is lobectomy enough?. 2022 ,	1
720	Patient-Reported Outcomes in Patients with Low-Risk Papillary Thyroid Carcinoma: Cross-Sectional Study to Compare Active Surveillance and Immediate Surgery.	0
719	Washout DNA copy number analysis by low-coverage whole genome sequencing for assessment of thyroid FNAs. 13,	0
718	Radioactive Iodine-Refractory Pulmonary Metastases of Papillary Thyroid Cancer in Child, Adolescent, and Young Adult.	2
717	Warthin-Like Papillary Thyroid Microcarcinoma With Coincidental Ipsilateral Warthin Tumor of the Parotid Gland Detected on 131I-SPECT/US and 18F-PET/US Fusion Imaging. Publish Ahead of Print,	0
716	An artificial intelligence ultrasound systemâ€™s ability to distinguish benign from malignant follicular-patterned lesions. 13,	1
715	Feasibility of transoral robotic selective neck dissection with or without a postauricular incision for papillary thyroid carcinoma: A pilot study. 9,	0

- 714 DICER1 Mutations Occur in More Than One-Third of Follicular-Patterned Pediatric Papillary Thyroid Carcinomas and Correlate with a Low-Risk Disease and Female Gender Predilection. ○
- 713 Scintigraphy in Thyroid Nodular Pathology. **2022**, 103, 108-116 ○
- 712 Recent Changes in the Incidence of Thyroid Cancer in Korea between 2005 and 2018: Analysis of Korean National Data. **2022**, 37, 791-799 ○
- 711 Application and prospect of trabecular bone score in differentiated thyroid cancer patients receiving thyrotropin suppression therapy. 13, ○
- 710 Diagnostic Accuracy of Fine-Needle Biopsy in the Detection of Thyroid Malignancy. 2
- 709 Changes in thyroid nodule cytology rates after institutional implementation of the Thyroid Imaging Reporting and Data System. **2022**, ○
- 708 Analysis of factors influencing the clinical outcome after surgery and 131I therapy in patients with moderate-risk thyroid papillary carcinoma. 13, ○
- 707 Interobserver variability in ultrasound assessment of thyroid nodules. **2022**, 101, e31106 ○
- 706 2022 ETA Guidelines for the management of pediatric thyroid nodules and differentiated thyroid carcinoma. **2022**, 3
- 705 Introduction to the consensus. **2022**, ○
- 704 Preliminary report of active surveillance as a conservative strategy for Bethesda IV thyroid nodules. ○
- 703 The Asymptomatic Patient and Thyroid Nodule Surgery. **2022**, 34, 446-449 ○
- 702 Radiofrequency Ablation: Low-Risk Alternative Therapy for Benign Thyroid Nodules. **2022**, 34, 443-445 ○
- 701 Prediction of Cervical Lymph Nodes Metastasis in Papillary Thyroid Carcinoma (PTC) Using Nodal Staging Score (NSS). **2022**, 2022, 1-7 ○
- 700 Cryoablation Salvage for Thyroid Cancer Local Recurrences Inseparable from the Trachea and Neurovascular Structures: Retrospective Single-Arm Cohort. **2022**, ○
- 699 Thyroid incidentalomas. **2022**, 68, 465-474 ○
- 698 The Prospective Implementation of the 2015 ATA Guidelines and Modified ATA Recurrence Risk Stratification System for Treatment of Differentiated Thyroid Cancer in a Canadian Tertiary Care Referral Setting. ○
- 697 Investigation of the Clinical Utility of Adhesion Molecules in the Management of Thyroid Nodules. ○

- 696 Radiologist versus Non-Radiologist Detection of Lymph Node Metastasis in Papillary Thyroid Carcinoma by Ultrasound: A Meta-Analysis. **2022**, 10, 2575 ○
- 695 Biological behavior of familial papillary thyroid microcarcinoma: Spanish multicenter study. ○
- 694 The expression of stromal biomarkers in small papillary thyroid carcinomas. **2022**, 20, ○
- 693 Risk factors for thyroid cancer. **2022**, 26, 129-144 ○
- 692 Section 3: Recommendations in thyroid cytology: from technique to interpretation. **2022**, ○
- 691 The clinical significance of the American College of Radiology (ACR) Thyroid Imaging Reporting and Data System (TI-RADS) category 5 thyroid nodules: Not as risky as we think?. **2022**, ○
- 690 Cell-Free DNA Analysis within the Challenges of Thyroid Cancer Management. **2022**, 14, 5370 ○
- 689 Adherens Junction Integrity Is a Critical Determinant of Sodium Iodide Symporter Residency at the Plasma Membrane of Thyroid Cells. **2022**, 14, 5362 ○
- 688 Treatment Aggressiveness for Differentiated Thyroid Cancers Varies Widely and Is Influenced by Physician's Attitude and Local Practice Environment. **2022**, 34, 450-452 ○
- 687 MEG3 Expression Indicates Lymph Node Metastasis and Presence of Cancer-Associated Fibroblasts in Papillary Thyroid Cancer. **2022**, 11, 3181 ○
- 686 Association of comprehensive thyroid cancer molecular profiling with tumor phenotype and cancer-specific outcomes. **2022**, ○
- 685 Risk factors and prediction models of lymph node metastasis in papillary thyroid carcinoma based on clinical and imaging characteristics. 1-7 ○
- 684 A Matched-Pair Analysis of Nuclear Morphologic Features Between Core Needle Biopsy and Surgical Specimen in Thyroid Tumors Using a Deep Learning Model. 1
- 683 Risk assessment of cytologically indeterminate thyroid nodules with integrated molecular testing and repeat biopsy: a surgical decision-oriented tool. ○
- 682 Distinct molecular subtypes of papillary thyroid carcinoma and gene signature with diagnostic capability. ○
- 681 LINC01089 blocks malignant progression of thyroid cancer by binding miR-27b-3p to enhance the FBLN5 protein level. **2022**, 13, ○
- 680 Ultrasound super-resolution imaging for the differential diagnosis of thyroid nodules: A pilot study. 12, 1
- 679 Comportamiento clínico de la variante oncofética del cáncer papilar de tiroides: comparación de su evolución frente al cáncer papilar, variantes clásica y de células altas. **2022**, ○

- 678 Thyroid Lobectomy for Low-Risk 1â€ CM Papillary Thyroid Cancer is not Associated with Increased Recurrence Rates in the Dutch Population with a Restricted Diagnostic Work-Up.
- 677 Section 10 Thyroid nodules and pregnancy. **2022,**
- 676 Copy number variations: A novel molecular marker for papillary thyroid cancer. **2022, 8, e11107**
- 675 Active surveillance for low-risk differentiated thyroid cancer.. **2022,**
- 674 The Significance of RAS-Like Mutations and MicroRNA Profiling in Predicting Malignancy in Thyroid Biopsy Specimens.
- 673 Thyroid surgery during the COVID-19 pandemic: difficulties â€how to improve. **2022,**
- 672 Machine learning-based dynamic prediction of lateral lymph node metastasis in patients with papillary thyroid cancer. 13,
- 671 Only a Minority of Differentiated Thyroid Cancer Patients Attain TSH in Their Risk-Specified Goal Range. **2022, 34, 460-462**
- 670 Breast cancer risk among thyroid cancer survivors and the role of I-131 treatment.
- 669 Accuracy of Fine-Needle Aspiration for Cytologic Categorization of Thyroid Nodulesâ€Incremental Progress vs Quantum Improvement.
- 668 Section 7 Surgical treatment. **2022,**
- 667 Diagnostic performance of six ultrasound-based risk stratification systems in thyroid follicular neoplasm: A retrospective multi-center study. 12,
- 666 Neoplasms of the Thyroid. 1-15
- 665 TRKYEâ€DE YAPILAN TRODEKTOMIEMLERNE İKİ KESTİSEL BR DEERLENDİRME.
- 664 Section 5: What is the role of functional imaging and isotopic treatment?. **2022,**
- 663 Section 2: Initial work-up for thyroid nodules. **2022,**
- 662 A comparative analysis of eight machine learning models for the prediction of lateral lymph node metastasis in patients with papillary thyroid carcinoma. 13,
- 661 Over than three-year follow-up results of thermal ablation for papillary thyroid carcinoma: A systematic review and meta-analysis. 13,

660	Section 6: Follow-up: How and how long?. 2022,	0
659	Delayed (>3 Months) Postoperative Radioactive Iodine Ablation Does Not Impact Clinical Response or Survival in Differentiated Thyroid Cancers. 2022, 34, 456-459	0
658	TSH Level as a Risk Factor for Thyroid Malignancy in Euthyroid Nodules.	0
657	The spoke wheel color Doppler blood flow signal is a specific sign of papillary thyroid carcinoma. 13,	0
656	Single-Port Transaxillary Robotic Modified Radical Neck Dissection (STAR-RND): Initial Experiences.	0
655	Coexisting Papillary and Anaplastic Thyroid Cancer: Elucidating the Spectrum of Aggressive Behavior.	1
654	Short-term hypothyroidism transiently impaired endothelial function in differentiated thyroid cancer patients.	0
653	Validity of the American College of Radiology Thyroid Imaging Reporting and Data System in Children.	1
652	Management of Progressive Radioiodine-Refractory Thyroid Carcinoma: Current Perspective. Volume 14, 3047-3062	1
651	Comprehensive analysis of lncRNA-mediated ceRNA regulatory networks and key genes associated with papillary thyroid cancer coexistent with Hashimoto's thyroiditis. 2022, 22,	0
650	The national rate of malignancy among Bethesda III, IV, and V thyroid nodules is higher than expected: A NSQIP analysis. 2022,	1
649	Thyroid cytology: The reality before and after the introduction of ultrasound classification systems for thyroid nodules. 2022,	0
648	Guidelines on the Use of Systemic Therapy in Patients with Advanced Thyroid Cancer. 2022,	0
647	Clinical value of FNA puncture feeling in the diagnosis of non-diagnostic and indeterminate thyroid nodules. 13,	0
646	Long-term predictive value of highly sensitive thyroglobulin measurement.	0
645	Disparities in Treatment for Differentiated Thyroid Cancer.	0
644	Ultrasound performance using the EU-TIRADS score in the diagnosis of thyroid cancer in Congolese hospitals. 2022, 12,	0
643	Histogram-based analysis of diffusion-weighted imaging for predicting aggressiveness in papillary thyroid carcinoma. 2022, 22,	0

- 642 Clinical and ultrasonic risk factors for high-volume central lymph node metastasis in cN0 papillary thyroid microcarcinoma: A retrospective study and meta-analysis. 0
- 641 Delays in Surgery for Differentiated Thyroid Carcinomas: How Long is Reasonable, and What Questions Remain?. 0
- 640 Strain Versus 2D Shear-Wave Elastography ParametersâWhich Score Better in Predicting Thyroid Cancer?. **2022**, 12, 11147 0
- 639 Endoscopic lateral neck dissection via the breast and transoral approaches for papillary thyroid carcinoma: A preliminary report. 9, 0
- 638 Effect of the m6ARNA gene on the prognosis of thyroid cancer, immune infiltration, and promising immunotherapy. 13, 0
- 637 The outcomes and prognostic factors of patients who underwent reoperation for persistent/recurrent papillary thyroid carcinoma. **2022**, 22, 0
- 636 SRPX2 Promotes Tumor Proliferation and Migration via the FAK Pathway in Papillary Thyroid Carcinoma. **2022**, 2022, 1-7 0
- 635 American Thyroid Association Guidelines and National Trends in Management of Papillary Thyroid Carcinoma. 0
- 634 HYPOCALCEMIA DURING LENVATINIB TREATMENT FOR ADVANCED THYROID CANCER: CLINICAL FEATURES AND MANAGEMENT IN A REAL-LIFE SETTING. 0
- 633 Incidentalomas in the head & neck. 1
- 632 Positive BRAFV600E mutation of primary tumor influences radioiodine avidity but not prognosis of papillary thyroid cancer with lung metastases. 13, 0
- 631 Extent of Surgery for Follicular Thyroid Carcinoma. 0
- 630 Current Controversies in Low-Risk Differentiated Thyroid Cancer: Reducing Overtreatment in an Era of Overdiagnosis. 1
- 629 Outcome of patients with differentiated thyroid cancer treated with empirical radioiodine therapy on the basis of Thyroglobulin Elevation Negative Iodine Scintigraphy (TENIS) syndrome without structural disease: a retrospective cohort study. 0
- 628 Fluctuations in thyroid hormone levels during initial treatment for differentiated thyroid carcinoma are associated with changes in hemostasis: a prospective cohort study. 0
- 627 Advances in Endocrine Surgery. **2022**, 1
- 626 A Super-resolution Guided Network for Improving Automated Thyroid Nodule Segmentation. **2022**, 227, 107186 0
- 625 Real-world application of ATA Guidelines in over 600 aspirated thyroid nodules: is it time to change the size cut-offs for FNA?. **2022**, 11, 0

- 624 The Patient Experience of Thyroid Cancer. **2022**, 51, 761-780 ○
- 623 Exposure to Bisphenol A increases malignancy risk of thyroid nodules in overweight/obese patients. **2023**, 316, 120478 ○
- 622 Overdiagnosis and overtreatment of papillary thyroid carcinoma: A multidisciplinary review. **2022**, 0 ○
- 621 Prevalence and Clinical Significance of Preoperative Thyroglobulin Antibodies in Differentiated Thyroid Cancer Patients. **2022**, 12, 238-250 ○
- 620 Acromegaly and Cancer. **2022**, 115-148 ○
- 619 Papillary Thyroid Cancer Metastases to the Parathyroid Gland. **2022**, 15, 2632010X2211345 ○
- 618 Thyroid cancer in women of reproductive age: Key issues for the clinical team. **2022**, 18, 174550572211363 ○
- 617 The Molecular Basis for Radioiodine Therapy. ○
- 616 Position paper from the Endocrine Task Force of the European Organization for Research and Treatment of Cancer (EORTC) on the management and shared decision making in patients with low-risk micro papillary thyroid carcinoma. **2022**, ○
- 615 Biopsy strategies for intermediate and high suspicion thyroid nodules with macrocalcifications. 1-20 ○
- 614 Estimating the risk of completion total thyroidectomy using real-world data to guide initial surgical decision-making for patients with clinical low-risk papillary thyroid carcinoma. **2022**, 1, ○
- 613 Methodologic Limitations of Studies Evaluating Molecular Diagnostic Tests for Cytologically Indeterminate Thyroid Nodules. **2022**, 34, 487-491 ○
- 612 La modalit  di preparazione a radioiodio non influenza la sopravvivenza nel carcinoma tiroideo metastatico. ○
- 611 Impact of Lymph Node Dissection on Postoperative Complications of Total Thyroidectomy in Patients with Thyroid Carcinoma. **2022**, 14, 5462 1
- 610 High Suspicion Sub-Centimeter Thyroid Nodules: Cost-Effectiveness of Active Surveillance versus Fine Needle Aspiration. **2022**, ○
- 609 Papillary Thyroid Carcinoma with Extensive Cervical Lymph Node Metastasis and Initial Retropharyngeal Lymph Node Metastasis: A Case Report and Literature Review. 014556132211382 ○
- 608 Body composition changes following total thyroidectomy: A one-year follow-up study. **2022**, ○
- 607 Comparative Study of Initial Post-Therapeutic ¹³¹I SPECT/CT and Reoperation for the Detection of Residual Lymph Node Metastasis in Patients with Papillary Thyroid Cancer. **2022**, ○

- 606 Real-time thyroid nodule care. **2022**, ○
- 605 Papilläres Schilddrüsenkarzinom. **2023**, 121-136 ○
- 604 Long-term clinical outcomes and prognostic factors for patients with papillary thyroid carcinoma with other organ invasions after adjuvant radioactive iodine. ○
- 603 A retrospective study of factors affecting contralateral central neck lymph node metastasis in unilateral papillary thyroid carcinoma. **2022**, ○
- 602 Synchronous Sternal Metastasectomy and Total Thyroidectomy for Differentiated Thyroid Cancer: A Rare Case Report. **2022**, ○
- 601 Active Surveillance of Properly Selected Low-Risk Papillary Thyroid Cancer Is Safe and Demonstrates One of Six Tumor Kinetic Patterns. **2022**, 34, 500-503 ○
- 600 Post-transcriptional micro-RNAs in diagnostics and personalization of treatment in patients with thyroid tumors: literary review. **2022**, 39, 80-92 ○
- 599 Aspects Considered in Differentiated Thyroid Cancer for Radioiodine Therapy. ○
- 598 Reducing Operation Costs of Thyroid Nodules Using Machine Learning Algorithms with Thyroid Nodules Scoring Systems. **2022**, 12, 11559 ○
- 597 Predictive Value and Dynamic Risk Stratification of High Sensitive Basal or Stimulated Thyroglobulin Assay in a Long-term Thyroid Carcinoma Cohort. ○
- 596 Extrathyroidal Extension in Risk Stratification for Papillary Thyroid Carcinoma: Should It Be in the Intermediate-Risk or High-Risk Group? A Single-Center Retrospective Study. Volume 14, 3181-3190 ○
- 595 High Diagnostic Accuracy of Epigenetic Imprinting Biomarkers in Thyroid Nodules. ○
- 594 Multimodale Therapiekonzepte bei fernmetastasierten differenzierten Schilddrüsenkarzinomen. **2023**, 217-226 ○
- 593 Pediatric thyroid cancer: Recent developments. **2022**, 101715 1
- 592 Besondere Aspekte der Schilddrüsenchirurgie bei Kindern. **2023**, 253-258 ○
- 591 Sleep quality of patients with papillary thyroid carcinoma: a prospective longitudinal study with 5-year follow-up. **2022**, 12, ○
- 590 Size Doesn't Matter! Is Active Surveillance Feasible for Low-Risk Thyroid Cancers up to 20 mm?. **2022**, 34, 496-499 ○
- 589 Validation of the French version of the THYCA-QoL questionnaire for the health-related quality of life in thyroid cancer patients.. ○

588	Risk factors of central cervical lymph node metastasis in thyroid micropapillary carcinoma.	0
587	Evolution of thyroid cancer biomarkers: from laboratory test to patientsâ clinical management. 2022,	1
586	Multikinase Inhibitors (MKIs) in the Treatment of Radioactive IodineâRefractory (RAIR) Differentiated Thyroid Cancer. 2022, 34, 507-509	0
585	Approach to the Patient with a Suppressed TSH.	0
584	Persistent Thyroid Carcinoma and Pregnancy: Outcomes in an Italian Series and Review of the Literature. 2022, 14, 5515	0
583	Follikuläres Schilddrüsenkarzinom. 2023, 137-153	0
582	Ultrasound-Based Nomogram for predicting the Risk of Central Lymph Node Metastasis in Papillary Thyroid Microcarcinoma.	0
581	Risk factors in thyroid cancer: is the obesity pandemic an important factor?. 1-4	0
580	Perspective: The Molecular Landscape of Radioactive Iodine Refractory Differentiated Thyroid Cancer and Poorly Differentiated Thyroid Cancer.	0
579	Construction of a novel cuproptosis-related gene signature for predicting prognosis and estimating tumor immune microenvironment status in papillary thyroid carcinoma. 2022, 22,	0
578	Anaplastisches und schlecht differenziertes Schilddrüsenkarzinom. 2023, 189-207	0
577	The influence of stimulated thyroglobulin and lymphocyte subsets before radioiodine therapy on the therapeutic response in patients with intermediate- and high-risk papillary thyroid carcinoma.	0
576	Diagnostic value and cost-effectiveness of FNA-CT vs. FNAC for medullary thyroid carcinoma.	0
575	Clinical Value of Ultrasonography and Serum Markers in Preoperative N Staging of Thyroid Cancer. 2022, 11, 3621	0
574	The impact of thyroid imaging reporting and data system on the management of Bethesda III thyroid nodules. 2022,	0
573	Deep learning for the diagnosis of suspicious thyroid nodules based on multimodal ultrasound images. 12,	0
572	An Indeterminate for Malignancy FNA Report Does Not Increase the Surgical Risk of Incidental Thyroid Carcinoma. 2022, 14, 5427	1
571	Thyroid Cancer Persistence in Patients with Unreliable Thyroglobulin Measurement: Circulating microRNA as Candidate Alternative Biomarkers. 2022, 14, 5620	0

- 570 Mapping global epidemiology of thyroid nodules among general population: A systematic review and meta-analysis. **2022**, 12, ○
- 569 Radiofrequency Ablation Provides Equivalent Oncologic Outcomes as Compared with Surgical Lobectomy in Small Papillary Thyroid Cancers. **2022**, 34, 492-495 ○
- 568 Risk staging with prophylactic unilateral central neck dissection in low-risk papillary thyroid carcinoma. **2022**, ○
- 567 Single inferior parathyroid autotransplantation during total thyroidectomy with bilateral central lymph node dissection for papillary thyroid carcinoma: a retrospective cohort study. ○
- 566 CACA guidelines for holistic integrative management of thyroid cancer. **2022**, 1, ○
- 565 The accuracy of CT imaging in differential diagnosis of accidental thyroid nodules based on histopathology findings. **2022**, 15, 100477 ○
- 564 Alpha-particle Therapy of Endocrine Tumors: Current State and Future Directions. **2022**, ○
- 563 Serum TSH level as a simple efficient tool to assess the risk of thyroid malignancy in euthyroid patients with indeterminate cytology - A cohort study. **2022**, 26, 446 ○
- 562 High RPMB predicts poor disease-free survival of male N1 papillary thyroid cancer after adjuvant radioiodine therapy. **2022**, e11783 ○
- 561 A Thyroid EIF1AX Story: How Clinical, Cytologic, and Molecular Surveillance Led to Appropriate Management. **2022**, ○
- 560 Analysis and Comparison of the Malignant Thyroid Nodules Not Recommended for Biopsy in ACR TIRADS and AI TIRADS With a Large Sample of Surgical Series. ○
- 559 Completion thyroidectomy for intermediate risk factors after thyroid lobectomy. **2022**, 106240 ○
- 558 Papillary thyroid carcinoma presenting at entopic and ectopic sites: A diagnostic conundrum. **2022**, 19, 161 ○
- 557 Hypothyroidism. **2022**, 409-414 ○
- 556 Papillary Carcinoma. **2022**, 597-606 ○
- 555 Stemness potency and structural characteristics of thyroid cancer cell lines. **2023**, 241, 154262 ○
- 554 Examining National Guideline Changes Association With Hemithyroidectomy Rates by Surgeon Volume. **2023**, 283, 858-866 ○
- 553 Vascularity depicted by contrast-enhanced ultrasound predicts recurrence of papillary thyroid cancer. **2023**, 159, 110667 ○

- 552 Higher Complication Rates for Total versus Partial Thyroidectomy in the Pediatric Population. **2023**, 283, 449-458 ○
- 551 Getting Your Foot in the Door: Access to Surgical Care for Thyroid Disease. **2023**, 283, 344-350 ○
- 550 Thyroid Cancer Diagnostic System using Magnetic Resonance Imaging. **2022**, ○
- 549 Total or partial thyroidectomy for low-risk differentiated thyroid cancer: that is the question!. **2022**, 42, 487-489 ○
- 548 Artificial Intelligence for Evaluation of Thyroid Nodules: A Primer. ○
- 547 A Systematic Review of Economic Evaluation of Thyroid Cancer. **2022**, 15, 74-104 ○
- 546 SONOGRAPHIC FEATURES OF THYROID NODULES AND ESTIMATED RISK OF MALIGNANCY: A COMMENT. **2022**, 43-44 ○
- 545 Comparison of Lobectomy vs Total Thyroidectomy for Intermediate-Risk Papillary Thyroid Carcinoma With Lymph Node Metastasis. 1
- 544 Impact of Age on Prognosis in Papillary Thyroid Carcinoma: How Should Age be Incorporated into the Treatment Strategy?. ○
- 543 Radioiodine adjuvant therapy in differentiated thyroid cancer: An update and reconsideration. 13, ○
- 542 Systemic Therapy in Thyroid Cancer. ○
- 541 Clinical usefulness of thyroid ultrasonography in patients with primary hypothyroidism. **2022**, 69, 686-693 ○
- 540 Effect of Afatinib for Lung Cancer on Papillary Thyroid Carcinoma. **2022**, 15, 131-134 ○
- 539 Task force Guideline of Brazilian Society of Otology - hearing loss in children âPart I - Evaluation. **2022**, ○
- 538 MMP1 acts as a potential regulator of tumor progression and dedifferentiation in papillary thyroid cancer. 12, ○
- 537 Recombinant human thyrotropin versus thyroid hormone withdrawal preparation for radioiodine ablation in differentiated thyroid cancer: Experience in a South Taiwanese medical center. ○
- 536 Deescalating Follow-up After Hemithyroidectomy for Patients With Low-risk Papillary Thyroid Microcarcinoma. ○
- 535 Histone acetylation modifications: A potential targets for the diagnosis and treatment of papillary thyroid cancer. 12, ○

- 534 Diagnosis of Metastatic Lymph Nodes in Patients with Papillary Thyroid Cancer. ○
- 533 Serum glycomic profile as a predictive biomarker of recurrence in patients with differentiated thyroid cancer. ○
- 532 Disease-Specific Survival Trends for Patients Presenting with Differentiated Thyroid Cancer and Distant Metastases in the United States, 1992â2018. 1
- 531 A cross-sectional assessment of knowledge, awareness of risk factors, and perceptions of thyroid disease (TD) among adults living in Saudi Arabia âA community based study. 10, 1
- 530 Diagnosis and Treatment of Acute Pleural Effusion following Radioiodine Remnant Ablation Post Lobectomy for Thyroid Cancer. **2022**, 12, 2982 ○
- 529 A radiomics nomogram for the ultrasound-based evaluation of central cervical lymph node metastasis in papillary thyroid carcinoma. 13, 1
- 528 Oligometastatic disease from differentiated thyroid cancer: best treatment schemes. **2023**, 35, 15-21 ○
- 527 The Effects of Radioiodine Therapy on the Recovery of Parathyroid Function in Patients with Protracted Hypoparathyroidism after Total Thyroidectomy for Papillary Thyroid Carcinoma. 1-9 ○
- 526 Ultrasound-Guided Conventional Versus Trans-isthmic Fine Needle Aspiration: Comparison of Post-biopsy Hematoma Rates and PatientsâPain. **2022**, ○
- 525 Oxidative Stress Correlates with More Aggressive Features in Thyroid Cancer. **2022**, 14, 5857 ○
- 524 LASSO-based machine learning models for the prediction of central lymph node metastasis in clinically negative patients with papillary thyroid carcinoma. 13, ○
- 523 Thyroglobulin antibodies: Trend over time and clinical impact in differentiated thyroid carcinoma with and without radioiodine ablation. **2022**, 69, 702-708 ○
- 522 Task force Guideline of Brazilian Society of Otology âhearing loss in children âPart II âTreatment. **2022**, ○
- 521 External Beam Radiotherapy in Differentiated Thyroid Cancer. ○
- 520 Metastatic Thyroid Carcinoma to the Kidneys Presenting Initially as Bilateral Renal Masses: A Rare Case Report and Literature Review. 106689692211388 ○
- 519 When and why patients drop out from benign thyroid nodules follow-up: a single centre experience. ○
- 518 A quantitative assessment of the number of disease foci in papillary thyroid cancer. **2022**, ○
- 517 The effect of thymectomy during central neck dissection in papillary thyroid carcinoma: a case-controlled study. ○

- 516 Is Lobectomy as Effective as Total Thyroidectomy in Treating Patients With Intermediate-Risk Papillary Thyroid Carcinoma With Lateral Lymph Node Metastasis? ○
- 515 The prognostic value of post thyroidectomy Tc-99m pertechnetate thyroid scan in patients with differentiated thyroid cancer. **2023**, 44, 38-43 ○
- 514 Is a strict restricted-iodine diet necessary for preparation of radioactive iodine therapy?. **2023**, 44, 44-48 ○
- 513 Prognostic value of the preoperative and early trends in postoperative serum thyroglobulin antibody levels among patients with papillary thyroid carcinoma and concomitant Hashimoto's thyroiditis. ○
- 512 Risk factors of cervical lymph node metastasis in multifocal papillary thyroid cancer. 12, ○
- 511 Development and validation of the clinical report form for nodular thyroid pathologies. **2022**, ○
- 510 Expression of miR-31-5p affects growth, migration and invasiveness of papillary thyroid cancer cells. ○
- 509 Value of CEUS combined with feeding artery ablation in the microwave ablation of large solid benign thyroid nodules. ○
- 508 Bibliometric analysis of scientific publications of surgical procedures for papillary thyroid cancer. ○
- 507 Diagnostic Performance of Different TI-RADS in the Evaluation of Thyroid Nodules in Comparison to and in Combination with a Computer-aided Diagnostic System. ○
- 506 Real-life utility of five-gene panel test in preoperative thyroid fine-needle aspiration biopsy: a large cohort of 740 patients study. ○
- 505 A model based on clinical data and multi-modal ultrasound for predicting cervical lymph node metastasis in patients with thyroid papillary carcinoma. 13, ○
- 504 The Significance of Unsampled Microscopic Thyroid Carcinomas in Multinodular Goiter. ○
- 503 Challenges in Encapsulated Follicular-Patterned Tumors: How Much Is Enough? Evaluation of Nuclear Atypia, Architecture, and Invasion. **2022**, ○
- 502 Comparison of endoscopic thyroidectomy by complete areola approach and conventional open surgery in the treatment of differentiated thyroid carcinoma: A retrospective study and meta-analysis. 9, ○
- 501 Fracture risk and assessment in adults with cancer. ○
- 500 Neoadjuvant Multikinase Inhibitor Therapy in Locally Advanced Unresectable Differentiated Thyroid Carcinoma: a Case Report. ○
- 499 An innovative synthetic support for immunocytochemical assessment of cytologically indeterminate (Bethesda III) thyroid nodules. 13, ○

- 498 Clinical evaluation of malignancy diagnosis of rare thyroid carcinomas by an artificial intelligent automatic diagnosis system. ○
- 497 The value of second opinions on thyroid nodule management provided via direct-to-consumer telemedicine service. **2022**, 103732 ○
- 496 Risk stratification of lateral neck recurrence for patients with pN1a papillary thyroid cancer. **2022**, 22, ○
- 495 Risk Factors Associated With Recurrence and Death in Patients With Tall Cell Papillary Thyroid Cancer. ○
- 494 Second Primary Malignancies in Patients with Differentiated Thyroid Cancer after Radionuclide Therapy: A Retrospective Single-Centre Study. **2023**, 30, 37-44 ○
- 493 Proteomic analysis of radioiodine-refractory differentiated thyroid cancer identifies CHI3L1 upregulation in association with dysfunction of the sodium-iodine symporter. **2022**, 25, ○
- 492 Post-radiotherapy cribriform-morular thyroid carcinoma. ○
- 491 Microbubble contrast agent SonoVue: An efficient medium for the preoperative lymphatic mapping of thyroid carcinoma. 10, ○
- 490 Effect of Postoperative Radiotherapy for Patients with Differentiated Thyroid Cancer. ○
- 489 Hemithyroidectomy in Papillary Thyroid Cancers: A Prospective, Single Institutional Surgical Audit and Contemplating on the Clinical Implications of 2015 American Thyroid Association Guidelines. ○
- 488 Clinical Efficacy of Intraoperative Ultrasound for Prophylactic Lymphadenectomy of the Lateral Cervical Neck in Stage CN0 Papillary Thyroid Cancer: A Prospective Study. **2023**, 36, ○
- 487 Response to Surgery Assessments for Sparing Radioiodine Remnant Ablation in Intermediate-risk Papillary Thyroid Cancer. ○
- 486 Surgical Outcomes of Thyroid Nodules Positive for Gene Expression Alterations Using ThyroSeq V3 Genomic Classifier. **2023**, 15, 49 ○
- 485 A Comprehensive Review of the Progress and Evaluation of the Thyroid Ultrasound Examination Program, the Fukushima Health Management Survey. **2022**, 32, S23-S35 3
- 484 Prognostic Indicators of EIF1AX-Mutated Thyroid Tumor Malignancy and Cancer Aggressiveness. **2022**, 14, 6097 ○
- 483 Editorial: Improving voice outcomes after thyroid surgery and ultrasound-guided ablation procedures. 9, ○
- 482 Long-term treatments results for papillary thyroid carcinoma at a single general hospital. ○
- 481 A Time Trend Analysis of 5,000 Robotic Thyroidectomies via Bilateral Axillo-Breast Approach. ○

- 480 Evaluation of Adrenal Reserve in Patients with Differentiated Thyroid Cancer Receiving Thyroid Hormone Suppression Therapy- case-control Comparative Study. 1-7 ○
- 479 The relationship of the clinicopathological characteristics and treatment results of post-Chornobyl papillary thyroid microcarcinomas with the latency period and radiation exposure. 13, ○
- 478 Application of deep learning as an ancillary diagnostic tool for thyroid FNA cytology. ○
- 477 Real-World Performance of the Afirma Genomic Sequencing Classifier (GSC)â Meta-analysis. 1
- 476 Patient feedback receiving care using a shared decision making tool for thyroid nodule evaluationân observational study. ○
- 475 Lymph node thyroglobulin in the diagnosis of metastases of thyroid carcinoma with the thyroid in situ: A prospective intraoperative study. **2022**, ○
- 474 To err is human; acute appendicitis a mistaken clinical identity for metastatic follicular thyroid carcinoma, a case report. **2022**, 101, 107792 ○
- 473 Risk of malignancy in cytologically indeterminate thyroid nodules harboring thyroid stimulating hormone receptor mutations. 13, ○
- 472 Molecular Landscape of Pediatric Thyroid Cancer: A Review. **2022**, 12, 3136 1
- 471 Prevalence and clinical significance in our setting of incidental uptake in the thyroid gland found on 18F-fluorodeoxyglucose positron emission tomography-computed tomography (PET-CT). **2022**, ○
- 470 Role of Matrix Metalloproteinases and Their Inhibitors in Locally Invasive Papillary Thyroid Cancer. **2022**, 10, 3178 ○
- 469 Computer-Assisted Fine-Needle Aspiration Cytology of Thyroid Using Two-Stage Refined Convolutional Neural Network. **2022**, 11, 4089 ○
- 468 Optimal method for detecting cervical lymph node metastasis from papillary thyroid cancer. ○
- 467 To Freeze or Not to Freeze? Recommendations for Intraoperative Examination and Gross Prosection of Thyroid Glands. **2022**, ○
- 466 Comparison of thyroid fine needle aspiration cytology results before and during the COVID-19 pandemic: the impact of the pandemic. **2022**, 47, 1471-1476 ○
- 465 Association of body mass index with clinicopathological features of papillary thyroid carcinoma: a retrospective study. **2022**, ○
- 464 Clinical outcomes of combined cervical and transthoracic surgical approaches in patients with advanced thyroid cancer. ○
- 463 Rigorous radiofrequency ablation can completely treat low-risk small papillary thyroid carcinoma without affecting subsequent surgical management. ○

- 462 Urinary Exosomal Tissue TIMP and Angiopoietin-1 Are Preoperative Novel Biomarkers of Well-Differentiated Thyroid Cancer. **2023**, 11, 24 ○
- 461 Is a four-week hormone suspension necessary for thyroid remnant ablation in low and intermediate risk patients? A pilot study with quality-of-life assessment. **2022**, 10, 1-16 ○
- 460 Expression of transcription, growth factors, steroid hormone receptors, LC3B in papillary thyroid cancer tissue, association with prognosis and risk of recurrence. **2022**, 9, 41-49 ○
- 459 A machine learning-based approach to predicting the malignant and metastasis of thyroid cancer. 12, ○
- 458 Ethanol ablation of recurrent symptomatic thyroid cystic nodules in the Czech Republic. **2022**, 68, E04-E07 ○
- 457 Risk of thyroid cancer in a lung cancer screening population of the national lung screening trial according to the presence of incidental thyroid nodules detected on low-dose chest CT. ○
- 456 Risk factors and prediction model of level II lymph node metastasis in papillary thyroid carcinoma. 12, ○
- 455 High Thyroglobulin Antibody Following Intravenous Immunoglobulin Therapy in Athyreotic Differentiated Thyroid Cancer Patients. **2022**, ○
- 454 CCL22 and CCL26 are potential biomarkers for predicting distant metastasis in thyroid carcinoma. **2022**, 50, 030006052211395 ○
- 453 Putting GLP-1 RAs and Thyroid Cancer in Context: Additional Evidence and Remaining Doubts. ○
- 452 No Longer Well-Differentiated. **2022**, ○
- 451 Risk factors for skip metastasis in patients with papillary thyroid microcarcinoma. ○
- 450 Advancements in Thyroidectomy: A Mini Review. **2022**, 3, 789-800 ○
- 449 LncRNA HOTAIR impairs the prognosis of papillary thyroid cancer via regulating cellular malignancy and epigenetically suppressing DLX1. **2022**, 22, ○
- 448 Is radioiodine ablation with 30 mCi ¹³¹I necessary in low-risk thyroid cancer patients? Results from a long-term follow-up prospective study.. ○
- 447 Evaluation of the role of prophylactic bilateral central neck lymph node dissection in patients with papillary thyroid carcinoma: a case controlled study. ○
- 446 Follow, consider, and catch: second primary tumors in acromegaly patients. ○
- 445 Efficacy, safety, and controversy of ultrasound-guided radiofrequency ablation in the treatment of T1N0M0 papillary thyroid carcinoma. 12, ○

444	Role of 131I in low-risk differentiated thyroid cancer. 2022,	0
443	Papel del 131I en el c�ncer diferenciado de tiroides de bajo riesgo. 2022,	0
442	The role of artificial intelligence in the differential thyroid nodules ultrasound diagnostics. 2022, 18, 32-38	0
441	Diagnostic Performance of ACR and Kwak TI-RADS for Benign and Malignant Thyroid Nodules: An Update Systematic Review and Meta-Analysis. 2022, 14, 5961	0
440	Evolution of suppressing TSH therapy at diagnosis and in the long-term follow-up in a cohort of differentiated thyroid cancer. 2022, 69, 844-851	0
439	The Difficult Parathyroid: Advice to Find Elusive Gland(s) and Avoid or Navigate Reoperation. 2022, 101262	0
438	Pathological multifocality is not a prognosis factor of papillary thyroid carcinoma: a single-center, retrospective study. 2022, 20,	0
437	Can Thyrotropin, Tri-iodothyronine, and Thyroxine Hormones be Predictors of Cancer in Thyroid Lesions?. 2022,	0
436	Incorporation of a machine learning pathological diagnosis algorithm into the thyroid ultrasound imaging data improves the diagnosis risk of malignant thyroid nodules. 12,	0
435	Association of BRAFV600E Mutation with the Aggressive Behavior of Papillary Thyroid Microcarcinoma: A Meta-Analysis of 33 Studies. 2022, 23, 15626	1
434	[18F]FAPI-42 PET/CT in differentiated thyroid cancer: diagnostic performance, uptake values, and comparison with 2-[18F]FDG PET/CT.	1
433	Resistance to thyroid hormone beta coexisting with papillary thyroid carcinoma��two case reports of a thyroid hormone receptor beta gene mutation and a literature review. 13,	0
432	Cost-effectiveness analysis of molecular testing for cytologically indeterminate thyroid nodules. 2022, 51,	0
431	In reaction to: Thuillier P, Benisvy D, Ansquer C, Corvilain B, Mirallie E, Taieb D, et al. Section 5: What is the role of functional imaging and isotopic treatment? Ann Endocrinol (Paris) 2022. https://doi.org/10.1016/j.ando.2022.10.008 . 2022,	0
430	Preclinical Models of Follicular Cell-Derived Thyroid Cancer: An Overview from Cancer Cell Lines to Mouse Models. 2022, 37, 830-838	0
429	Psychological adjustment to initial treatment for low-risk thyroid cancer: Preliminary study.	0
428	The effectiveness of the method for determining the level of thyroglobulin in needle washouts of fine-needle aspiration biopsy in the differential diagnosis of metastases of highly differentiated thyroid cancer in the lymph nodes of the neck. 2022, 12, 10-16	0
427	Adverse Cardiovascular Outcomes in Differentiated Thyroid Cancer Patients: Still a Controversial Issue?. 2022, 34, 548-551	0

- 426 Evaluating Disease Specific Survival Prediction of Risk Stratification and TNM Systems in Differentiated Thyroid Cancer. ○
- 425 Thyroid function disorders and secondary cancer following haematopoietic stem cell transplantation in pediatrics: State of the art and practical recommendations for a risk-based follow-up. 13, ○
- 424 Aggressive subtypes of papillary thyroid carcinoma smaller than 1 cm. ○
- 423 Molecular Analysis of Thyroid Nodule Aspirates Improves the Prediction of Medullary Thyroid Cancer. **2022**, 34, 545-547 ○
- 422 Evaluation of voice function after BABA robotic thyroid lobectomy: A comparative analysis with endoscopic thyroid lobectomy. **2022**, 101, e32321 ○
- 421 Novel Development of NanoparticlesâA Promising Direction for Precise Tumor Management. **2023**, 15, 24 1
- 420 Evaluation of integrin $\alpha 5 \beta 1$ -targeted imaging for predicting disease progression in patients with high-risk differentiated thyroid cancer (using ^{99m}Tc -3PRGD2). **2022**, 22, ○
- 419 Coexisting Molecular Alterations Increase the Risk of Malignancy in Thyroid Nodules with Copy Number Alterations. **2022**, 14, 6149 1
- 418 Coexistent papillary thyroid carcinoma in a patient with graves' disease. **2023**, 0 ○
- 417 Combined fine-needle aspiration with core needle biopsy for assessing thyroid nodules: a more valuable diagnostic method?. ○
- 416 Head and neck imaging. **2023**, 69-88 ○
- 415 Validation of dynamic risk stratification and impact of BRAF in risk assessment of thyroid cancer, a nation-wide multicenter study. 13, ○
- 414 Diagnostic Performance of Various Ultrasound Risk Stratification Systems for Benign and Malignant Thyroid Nodules: A Meta-Analysis. **2023**, 15, 424 ○
- 413 Trends in Thyroid Nodules and Malignancy: A Two-Year Retrospective Study in a Tertiary Care Centre. ○
- 412 Adverse events unlikely after fine-needle aspiration biopsies of thyroid nodules in patients on low-dose aspirin: a prospective controlled systematic single center analysis. ○
- 411 Identifying and Predicting diverse patterns of Benign Nodule Growth. ○
- 410 Is surgery necessary in benign thyroid lesions?. **2022**, 17, 799 ○
- 409 Guidelines for the Surgical Management of Locally Invasive Differentiated Thyroid Cancer: Korean Society of Head and Neck Surgery. ○

408	Similar Outcomes in Low-Risk Papillary Thyroid Carcinomas that Require Conversion Surgery Following Active Surveillance Versus Immediate Surgery. 2023 , 35, 21-23	0
407	Optimal thyrotropin level for low-risk papillary thyroid carcinoma after ultrasound-guided radiofrequency ablation. 2023 , 40,	0
406	The efficacy of adjuvant radioactive iodine after reoperation in patients with persistent or recurrent differentiated thyroid cancer: a systematic review. 2024 , 408,	0
405	Selection Criteria for Completion Thyroidectomy in Follicular Thyroid Carcinoma Using Primary Tumor Size and TERT Promoter Mutational Status.	0
404	Treatment and Outcome of Patients with Graves' Disease and Metastatic Differentiated Thyroid Cancer.	0
403	Consumption of health resources in older people with differentiated thyroid carcinoma: a multicenter analysis.	0
402	Letter to the Editor from Yang et al.: âPrevalence of Postoperatively Detected High-risk Features in 2- to 4-cm Papillary Thyroid Cancersâ	0
401	Construction of prediction models for determining the risk of lateral lymph node metastasis in patients with thyroid papillary carcinoma based on gender stratification.	0
400	Value of deep learning models based on ultrasonic dynamic videos for distinguishing thyroid nodules. 12,	0
399	Standardized Imaging and Reporting for Thyroid Ultrasound: Korean Society of Thyroid Radiology Consensus Statement and Recommendation. 2023 , 24, 22	1
398	Bilateral multifocality is an independent predictor of patientsâoutcome in Middle Eastern papillary thyroid carcinoma. 13,	0
397	Benign thyroid nodules respond to a single administration of 0.3mg recombinant human thyrotropin with highly variable volume increase. 13,	0
396	ASO Author Reflections: Active Surveillance may be Possible in Patients with T1b Papillary Thyroid Carcinoma Over 55 Years of Age Without High-Risk Features on Preoperative Examinations.	0
395	Recurrence Risk Evaluation in Patients with Papillary Thyroid Carcinoma: Multicenter Machine Learning Evaluation of Lymph Node Variables. 2023 , 15, 550	0
394	Propensity score matching analysis of adjuvant external-beam radiotherapy for the treatment of papillary thyroid carcinoma with other organ invasions.	0
393	MRI-Based Texture Analysis for Preoperative Prediction of BRAF V600E Mutation in Papillary Thyroid Carcinoma. Volume 16, 1-10	0
392	Thyroid Cancer Risk Communication in Patients with Thyroid Nodules.	0
391	Evaluation of the Performance of ACR TI-RADS Also Considering Those Nodules with No Indication of FNAC: A Single-Center Experience. 2023 , 12, 398	0

- 390 Quality Of Life In Thyroid Cancer. **2023**, 101732 ○
- 389 External beam radiotherapy for thyroid cancer: Patients, complications, and survival. **2023**, ○
- 388 Response to De Koster and al.Thuillier P, Benisvy D, Ansquer C, Corvilain B, Mirallie E, Taieb D, et al.: What is the role of functional imaging and isotopic treatment? Ann Endocrinol (Paris) 2022. <https://doi.org/10.1016/j.ando.2022.10.008>. **2023**, ○
- 387 Clinicopathological Profile of Medullary Thyroid Carcinoma—Could We Predict Aggressive Behavior?. **2023**, 11, 116 ○
- 386 Effect of Having Concurrent Mutations on the Degree of Aggressiveness in Patients with Thyroid Cancer Positive for TERT Promoter Mutations. **2023**, 15, 413 ○
- 385 Schilddrüsenerkrankungen in der Schwangerschaft. **2023**, 148, 17-26 ○
- 384 Ultrasound-based Nomogram for Predicting the Pathological Nodal Negativity of Unilateral Clinical N1a Papillary Thyroid Carcinoma in Adolescents and Young Adults. **2023**, ○
- 383 The effect of thyroid hormone withdrawal performed to evaluate the success of I-131 ablation on quality of life and psychological symptoms in female patients with low-risk differentiated thyroid cancer. **2023**, 6, 66-72 ○
- 382 Comprehensive analysis of the effect of Hashimoto's thyroiditis on the diagnostic efficacy of preoperative ultrasonography on cervical lymph node lesions in papillary thyroid cancer. 13, ○
- 381 Computed tomography findings of thyroid hemiagenesis: differentiation from hemithyroidectomy. **2023**, 23, ○
- 380 Assessment for bone health in patients with differentiated thyroid carcinoma after postoperative TSH suppression therapy: A new Fracture Risk Assessment Algorithm. ○
- 379 Incidental Findings and Low-Value Care. ○
- 378 Clinical value of artificial intelligence in thyroid ultrasound: a prospective study from the real world. ○
- 377 Added value of quantitative parameters derived from dual-layer spectral detector computed tomography for diagnosing metastatic cervical lymph nodes in patients with papillary thyroid cancer. ○
- 376 Patients undergoing endocrine consultation and first diagnosis of nodular disease: Indications of thyroid ultrasound and completeness of ultrasound reports. ○
- 375 The effectiveness and safety of prophylactic central neck dissection in clinically node-negative papillary thyroid carcinoma patients: A meta-analysis. 13, ○
- 374 Other markers of medullary thyroid cancer, not only calcitonin. **2023**, 188, ○
- 373 A comparative analysis of treatment efficacy in intermediate-risk thyroid cancer. ○

- 372 Follow-up After Low-Risk Papillary Microcarcinoma: De-escalation Is Appropriate Except in Cases with Vascular Invasion. **2023**, 35, 24-26 ○
- 371 Pros and cons of an aggressive initial treatment with surgery and radioiodine treatment in minimally invasive follicular thyroid carcinoma. **2023**, 16, ○
- 370 Models of ultrasonic radiomics and clinical characters for lymph node metastasis assessment in thyroid cancer: a retrospective study. 11, e14546 ○
- 369 Genetic and clinical profiles of 160 papillary thyroid cancers with lateral neck lymph node metastasis. 12, 1
- 368 Risk prediction for central lymph node metastasis in isolated isthmic papillary thyroid carcinoma by nomogram: A retrospective study from 2010 to 2021. 13, ○
- 367 Synoptic operative reporting in cancer surgery: A scoping review. **2023**, ○
- 366 Active surveillance is an excellent management technique for identifying patients with progressive low-risk papillary thyroid microcarcinoma requiring surgical treatment. **2023**, ○
- 365 AI-BRAF V600E : A deep convolutional neural network for BRAF V600E mutation status prediction of thyroid nodules using ultrasound images. 20220057 ○
- 364 The Correlation between Proliferative Immunohistochemical Markers and Papillary Thyroid Carcinoma Aggressiveness. **2023**, 59, 110 ○
- 363 Conventional ultrasonography and elastosonography in diagnosis of malignant thyroid nodules: A systematic review and meta-analysis. 13, ○
- 362 A deep learning method using SPECT images to diagnose remaining thyroid tissue post-thyroidectomy. **2022**, ○
- 361 Foreign-Body Reaction Resulting in Thyroiditis—A Complication of Fine-Needle Aspiration Biopsy of the Thyroid. **2022**, 1, ○
- 360 A Clinically Useful and Biologically Informative Genomic Classifier for Papillary Thyroid Cancer. ○
- 359 The Diagnostic Performance of Ultrasonography in the Evaluation of Extrathyroidal Extension in Papillary Thyroid Carcinoma: A Systematic Review and Meta-Analysis. **2023**, 24, 371 ○
- 358 Setting the Tone—Pre-treatment Understanding Is Associated With Treatment-Related Expectations Among Thyroid Cancer Survivors. ○
- 357 Prognostic Significance of BRAF V600E Mutation and CPSF2 Protein Expression in Papillary Thyroid Cancer. **2023**, 11, 53 ○
- 356 What has changed in the last 20 years in the postoperative specimen findings of the papillary thyroid cancer cases? A retrospective analysis. **2022**, 38, 345-352 ○
- 355 Dynamic Risk Stratification for Predicting Long-term Outcomes in Pediatric Differentiated Thyroid Cancers. ○

- 354 A Novel Pyroptosis-Related Gene Signature for Prediction of Disease-Free Survival in Papillary Thyroid Carcinoma. **2023**, 13, 85 ○
- 353 Carotid intramural haematoma after ultrasound-guided fine-needle aspiration biopsy. **2022**, ○
- 352 Difficulty in Follow-Up of Papillary Thyroid Cancer Co-Existent with Hypopituitarism: Case Report and Review of the Literature. **2022**, 6, 410-416 ○
- 351 Age-Dependent Clinicopathological Characteristics of Patients with T1b Papillary Thyroid Carcinoma: Implications for the Possibility of Active Surveillance. ○
- 350 Analysis of Unmet Information Needs Among Patients With Thyroid Cancer. ○
- 349 Comparison of Mean Platelet Volume, Platelet Distribution Width, Neutrophil/Lymphocyte Ratio, Platelet/Lymphocyte Ratio and Lymphocyte/Monocyte Ratio in Patients with Differentiated Thyroid Cancer According to TSH Levels. **2022**, 6, 302-310 ○
- 348 The Evaluation of Malignancy Rates of Nondiagnostic Cases in Thyroid Fine-Needle Aspirations. **2022**, 1019-1027 ○
- 347 Is it Possible to Diagnose "Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features" Preoperatively? ○
- 346 Effect of therapeutic radioiodine activity on ablation response in differentiated thyroid cancer patients with cut-off serum thyroglobulin levels after 2 weeks of thyroid hormone withdrawal: a retrospective study. **2022**, 19, 95-102 ○
- 345 Thermal ablation for cervical lymph node metastasis from papillary thyroid carcinoma: A meta-analysis. **2022**, 101, e32193 ○
- 344 Clinical and histopathological features of follicular thyroid cancer in Chile. **2023**, ○
- 343 Radioiodine (131I) treatment decision-making for low- and intermediate-risk differentiated thyroid cancer. **2023**, ○
- 342 Imaging for patients with endocrine hypertension. **2023**, 309-330 ○
- 341 Aggressive Subtypes of Papillary Microcarcinoma. ○
- 340 Diagnosis of cervical lymph node metastasis with thyroid carcinoma by deep learning application to CT images. 13, ○
- 339 A review of texture-centric diagnostic models for thyroid cancer using convolutional neural networks and visualized texture patterns. **2023**, 265-295 ○
- 338 Body composition changes following total thyroidectomy: A one-year follow-up study. **2023**, 70, 14-20 ○
- 337 Thyroid cytology: The reality before and after the introduction of ultrasound classification systems for thyroid nodules. **2023**, 70, 39-47 ○

- 336 MAPK Pathway Inhibitors in Thyroid Cancer: Preclinical and Clinical Data. **2023**, 15, 710 ○
- 335 Response to Toshihide Tsuda, Yumiko Miyano and Eiji Yamamoto [1]. **2023**, 22, ○
- 334 Risk Reassessment of Differentiated Thyroid Cancer in Ahvaz, Iran: A Cross-sectional Retrospective Study. **2023**, 21, ○
- 333 Active Surveillance of Differentiated Thyroid Cancer Metastatic Cervical Lymph Nodes: A Retrospective Single-Center Cohort Study. ○
- 332 Ultrasound imaging in thyroid nodule diagnosis, therapy, and follow-up: Current status and future trends. ○
- 331 Noninvasive follicular thyroid neoplasm with papillary like nuclear feature (NIFTP): clinical, pathological and molecular update 5 years after the nomenclature revision. ○
- 330 CCND2 and miR-206 as potential biomarkers in the clinical diagnosis of thyroid carcinoma by fine-needle aspiration cytology. **2023**, 21, ○
- 329 Profile of MicroRNAs Associated with Death Due to Disease Progression in Metastatic Papillary Thyroid Carcinoma Patients. **2023**, 15, 869 ○
- 328 Antineoplastic Activity of Pazopanib in Anaplastic Thyroid Cancer in Primary Culture. **2023**, 24, 2398 ○
- 327 High-Grade Non-Anaplastic Thyroid Carcinomas of Follicular Cell Origin: A Review of Poorly Differentiated and High-Grade Differentiated Carcinomas. ○
- 326 Novel assessment of epigenetic imprinting biomarkers for the diagnosis of thyroid nodules. ○
- 325 A LASSO-based model to predict central lymph node metastasis in preoperative patients with cN0 papillary thyroid cancer. 13, ○
- 324 Thyroid findings in pediatric and adult patients with PTEN hamartoma tumor syndrome: A retrospective analysis, and literature review. ○
- 323 Clinical Application of the 2021 Korean Thyroid Imaging Reporting and Data System (K-TIRADS). **2023**, 84, 92 ○
- 322 Radiomics Analysis of Gray-Scale Ultrasonographic Images of Papillary Thyroid Carcinoma > 1 cm: Potential Biomarker for the Prediction of Lymph Node Metastasis. **2023**, 84, 185 ○
- 321 Follicular Thyroid Adenoma and Follicular Thyroid Carcinoma—A Common or Distinct Background? Loss of Heterozygosity in Comprehensive Microarray Study. **2023**, 15, 638 ○
- 320 The Use of Artificial Intelligence in the Diagnosis and Classification of Thyroid Nodules: An Update. **2023**, 15, 708 ○
- 319 Long-term outcomes of Ultrasound-guided Thermal Ablation for the Treatment of Solitary Low-risk Papillary Thyroid Microcarcinoma: A Multicenter Retrospective Study. Publish Ahead of Print, ○

- 318 TERT accelerates BRAF mutant-induced thyroid cancer dedifferentiation and progression by regulating ribosome biogenesis. ○
- 317 Value of CEUS features in diagnosing thyroid nodules with halo sign on B-mode ultrasound. **2023**, 23, ○
- 316 Preoperative stratification of cytologically indeterminate thyroid nodules by [18F]FDG-PET: can Orpheus bring back Eurydice?. ○
- 315 Robotic bilateral axillo-breast versus endoscopic bilateral areola thyroidectomy outcomes of 757 patients. 13, ○
- 314 Exploring the research landscape of the past, present, and future of thyroid nodules. 9, ○
- 313 Nomogram based on spectral CT quantitative parameters and typical radiological features for distinguishing benign from malignant thyroid micro-nodules. **2023**, 23, ○
- 312 Editorial: Differential diagnoses of thyroid neoplasms: Molecular and histological features and the impact on follow-up. 13, ○
- 311 Comparison of surgical strategies in the treatment of low-risk differentiated thyroid cancer. **2023**, 23, ○
- 310 Thyroid cancer in pregnancy: diagnosis, management, and treatment. ○
- 309 Prognostication of papillary thyroid microcarcinoma based on preoperative ultrasound. 14, ○
- 308 Correlation between the Thyroid Image and Reporting Data System (TIRADS) and the Bethesda System for Reporting the Thyroid Cytopathology in Patients with Thyroid Nodules. ○
- 307 Letter to the Editor From Zandee and Links: "Metastatic Differentiated Thyroid Cancer Survival Is Unaffected by Mode of Preparation for 131I Administration" **2023**, 7, 1
- 306 Predictive factors and risk analysis of recurrent laryngeal nerve invasion in papillary thyroid carcinoma ≤1 cm. **2023**, ○
- 305 Comparing the efficacy of thyroglobulin and thyroglobulin/ thyroxine-stimulating hormone ratio models in predicting a successful response to radioactive iodine therapy. **2023**, 23, ○
- 304 Thyroglobulin expression, Ki-67 index, and lymph node ratio in the prognostic assessment of papillary thyroid cancer. **2023**, 13, ○
- 303 Nomogram incorporating preoperative clinical and ultrasound indicators to predict aggressiveness of solitary papillary thyroid carcinoma. 13, ○
- 302 Prognostic value of 12-month response to therapy in pediatric patients with differentiated thyroid cancer. ○
- 301 Thyroid nodules: Global, economic, and personal burdens. 14, ○

- 300 Review: Improving quality of life in patients with differentiated thyroid cancer. 13,
- 299 Clinical Significance of the Lymph Node Ratio of the Second Operation to Predict Re-Recurrence in Thyroid Carcinoma. **2023**, 15, 624
- 298 Is There a Role for Molecular Testing for Low-Risk Differentiated Thyroid Cancer? A Cost-Effectiveness Analysis. **2023**, 15, 786
- 297 Annotation-Free Deep Learning-Based Prediction of Thyroid Molecular Cancer Biomarker BRAF (V600E) from Cytological Slides. **2023**, 24, 2521
- 296 High Incidence of Thyroid Cancer in Southern Tuscany (Grosseto Province, Italy): Potential Role of Environmental Heavy Metal Pollution. **2023**, 11, 298
- 295 Nomogram for predicting central lymph node metastasis in T1-T2 papillary thyroid cancer with no lateral lymph node metastasis. 14,
- 294 Fusing enhanced Transformer and large kernel CNN for malignant thyroid nodule segmentation. **2023**, 83, 104636
- 293 Letter to editor: Transoral endoscopic thyroidectomy with or without central neck dissection. **2023**, 44, 103795
- 292 Tyrosinkinaseinhibitoren bei Patienten mit radiojodrefraktärem differenziertem Schilddrüsenkarzinom.
- 291 Diseases of Thyroid. **2023**, 1025-1040
- 290 Calcification and Echogenic Foci of Thyroid Nodules. **2023**, 165-176
- 289 Misdiagnosis of Thyroid Nodule Calcification. **2023**, 1-21
- 288 Predicting Malignancy in Sonographic Features of Thyroid Nodules Using Convolutional Neural Networks ResNet50 Model. **2023**, 7, 16
- 287 Lobo-isthmectomy in the management of differentiated thyroid cancer. **2023**, 16,
- 286 Lymph Node Posterior to the Right Recurrent Laryngeal Nerve Metastasis in Right Lobe T1a Papillary Thyroid Carcinoma: A Retrospective Cohort Study. **2023**, 30, 107327482211498
- 285 Hashimoto thyroiditis interfered with BRAF V600E mutation in papillary thyroid cancer.
- 284 Clinical outcome and influencing factors for postoperative papillary thyroid cancer with unexplained elevated Tg prior 131I therapy.
- 283 Active Surveillance for Low-risk Papillary Thyroid Carcinoma—Reply.

- 282 Endoscopic hemithyroidectomy plus prophylactic central neck dissection via breast approach versus gasless transaxillary approach in treating low-risk papillary thyroid cancer: a retrospective series. **2023**, 75, 707-715 ○
- 281 Should encountering atypia of undetermined significance / follicular lesion of undetermined significance after thyroid biopsy lead to the operation?. 1-9 ○
- 280 Vascular Invasion in Follicular Thyroid Cancer –How Much is Too Much?. **2023**, 35, 120-122 ○
- 279 Migration of Risk Classification Between the JAES Versus ATA guidelines for Papillary Thyroid Carcinoma. ○
- 278 Retrospective comparison of individual risk factors hemithyroidectomy and thyroidectomy in patients with papillary carcinoma of the thyroid gland in combination with autoimmune thyroiditis. **2023**, 12, 71-80 ○
- 277 The Natural History of Benign Thyroid Nodule: Early Follow-up Can Predict its Future Growth Pattern. **2023**, 35, 99-101 ○
- 276 Clinical, cytological and ultrasonographic features of incidental thyroid cancer in a hospital-based study in vietnam. ○
- 275 Lenvatinib for the treatment of radioiodine-refractory differentiated thyroid cancer: treatment optimization for maximum clinical benefit. **2023**, 12, 81-90 ○
- 274 Development and validation of nomograms for predicting survival in differentiated thyroid cancer patients with or without radioiodine therapy. 13, ○
- 273 Patterns of Fine Needle Aspiration Cytology Diagnosed Thyroid Nodules Among Clinically Suspected Patients in Northeast Ethiopia. Volume 15, 27-36 ○
- 272 Diagnostic value of superb microvascular imaging and color doppler for thyroid nodules: A meta-analysis. 13, ○
- 271 Helicobacter pylori infection increases the risk of thyroid nodules in adults of Northwest China. 13, ○
- 270 The safety, benefits and future development of overnight and outpatient thyroidectomy. 14, ○
- 269 Towards in vivo characterization of thyroid nodules suspicious for malignancy using multispectral optoacoustic tomography. ○
- 268 Clinical outcomes of ultrasound-guided radiofrequency ablation for solitary T1N0M0 papillary thyroid carcinoma: A retrospective study with more than 5 years of follow-up. ○
- 267 Perfluorobutane-enhanced US Helps Differentiate Benign Lymph Nodes from Papillary Thyroid Cancer Metastases. ○
- 266 Lymphatic Contrast-enhanced US to Improve the Diagnosis of Cervical Lymph Node Metastasis from Thyroid Cancer. ○
- 265 B cells and tertiary lymphoid structures are associated with survival in papillary thyroid cancer. ○

- 264 Prelaryngeal and/or pretracheal lymph node metastasis could help to identify papillary thyroid carcinoma with intermediate risk from unilateral lobe cT1-2N0 papillary thyroid carcinoma. 14,
- 263 Outcomes of the Tall-Cell Variant of Papillary Thyroid Carcinoma in Patients with Different Ages: A 17-Year Mono-Institutional Experience. **2023**, 15, 2152
- 262 The Optimal Age Threshold for Stratifying the Risks of Disease Progression in Patients with Highly Suspicious Sub-centimeter Thyroid Nodules.
- 261 Clinical significance and diagnostic value of QPCT, SCEL and TNFRSF12A in papillary thyroid cancer. **2023**, 245, 154431
- 260 Radioiodine therapy in advanced differentiated thyroid cancer: Resistance and overcoming strategy. **2023**, 68, 100939
- 259 Role of machine learning in differentiating benign from malignant indeterminate thyroid nodules: A literature review. **2023**, 7, 100089
- 258 Oxidative stress mediates the associations between phthalate exposures and thyroid cancer/benign nodule risk. **2023**, 326, 121462
- 257 Thyroid Cytopathology Cancer Diagnosis from Smartphone Images Using Machine Learning. **2023**, 36, 100129
- 256 Score system for cytological evaluation of fine-needle aspiration specimens to predict the diagnosis of papillary thyroid carcinomas. **2023**, 64, 152129
- 255 NT5E DNA methylation in papillary thyroid cancer: Novel opportunities for precision oncology. **2023**, 570, 111915
- 254 Who needs a fine-needle biopsy? A comparison of ATA and ACR TI-RADS guidelines in a single centre retrospective study.
- 253 Endocrine Glands. **2022**, 51-66
- 252 Thyroid Dysfunction. **2022**, 179-193
- 251 Evaluation of the new Abbott Alinity assay for the measurement of thyroglobulin antibodies in patients with differentiated thyroid carcinoma. **2023**, 60, 136-141
- 250 Nuclear Imaging in Patients with Differentiated Thyroid Cancer and Negative Radioactive Iodine Scan. **2022**, 25, 394-407
- 249 Letter to editor: Commentary - Transoral endoscopic thyroidectomy with or without central neck dissection. **2023**, 44, 103796
- 248 The TNAPP web-based algorithm improves thyroid nodule management in clinical practice: A retrospective validation study. 13,
- 247 Increased workload without clinical benefit: Results following implementation of the ACR-TIRADS system for thyroid nodules.

- 246 Recent Advances in Ultrasound and Photoacoustic Analysis for Thyroid Cancer Diagnosis. **2023**, 2, ○
- 245 Cancer-associated fibroblasts in papillary thyroid carcinoma. ○
- 244 Radioactive Iodine Therapy Decreases the Recurrence of Intermediate-Risk PTC With Low Thyroglobulin Levels. 1
- 243 Clinical value of molecular markers as diagnostic and prognostic tools to guide treatment of thyroid cancer. ○
- 242 Ultrasound imaging classification based on modified KNN model for clinical benign and malign thyroid nodules. **2023**, ○
- 241 The use of modified TI-RADS using contrast-enhanced ultrasound features for classification purposes in the differential diagnosis of benign and malignant thyroid nodules: A prospective and multi-center study. 14, ○
- 240 Management of Recurrent Well-Differentiated Thyroid Carcinoma in the Neck: A Comprehensive Review. **2023**, 15, 923 ○
- 239 A high-sensitivity cfDNA capture enables to detect the BRAF V600E mutation in papillary thyroid carcinoma. **2023**, 40, 429-435 ○
- 238 Incidental Node Metastasis as an Independent Factor of Worse Disease-Free Survival in Patients with Papillary Thyroid Carcinoma. **2023**, 15, 943 ○
- 237 Potential Role of PSMA-Targeted PET in Thyroid Malignant Disease: A Systematic Review. **2023**, 13, 564 ○
- 236 Risk assessment of cytologically indeterminate thyroid nodules with integrated molecular testing and repeat biopsy: a surgical decision-oriented tool. **2023**, 21, ○
- 235 A Multitask Approach for Automated Detection and Segmentation of Thyroid Nodules in Ultrasound Images. ○
- 234 The Value of Ki-67 Labeling Index in Central Lymph Node Metastasis and Survival of Papillary Thyroid Carcinoma: Evidence From the Clinical and Molecular Analyses. **2023**, 30, 107327482311557 ○
- 233 Combined fine-needle aspiration and selective intraoperative frozen section to optimize prediction of malignant thyroid nodules: A retrospective cohort study of more than 3000 patients. 14, ○
- 232 Racial and Ethnic Disparities in Appropriate Thyroid Cancer Treatment, Before and After the Release of the 2015 American Thyroid Association Guidelines. **2023**, 30, 2928-2937 ○
- 231 Latest evidence of microwave ablation for papillary thyroid microcarcinoma compared with surgery: A systematic review and meta-analysis. 13, ○
- 230 Clinical significance of papillary thyroid carcinoma with solid/trabecular growth. ○
- 229 Outcomes of Surgical Treatment for Graves's Disease: A Single-Center Experience of 216 Cases. **2023**, 12, 1308 ○

- 228 Radioiodine therapy in differentiated thyroid cancer. There is (still) a great chaos under heaven: is the situation excellent?
- 227 Nomogram for preoperative prediction of high-volume lymph node metastasis in the classical variant of papillary thyroid carcinoma. 10,
- 226 Preliminary Study of Microwave Ablation for Multifocal Papillary Thyroid Microcarcinoma in Nonoperative Candidates. **2023**,
- 225 The feasibility of decreasing the thresholds for biopsy in Kwak and C TIRADSs. 13,
- 224 Diagnostic Performance of Six Ultrasound Risk Stratification Systems for Thyroid Nodules: A Systematic Review and Network Meta-Analysis. 1-13
- 223 A Case Challenge: Differentiating Thyroid Nodules for Malignancy and Management. **2023**, 19, 104543
- 222 Clinicopathologic and Prognostic Features of Pediatric Follicular Cell-Derived Thyroid Carcinomas: A Retrospective Study of 222 Patients. **2023**, 35, 50-53
- 221 Postoperative Radioactive Iodine Ablation Has an Unclear Survival Benefit in Thyroid Hürthle-Cell Carcinomas. **2023**, 35, 67-70
- 220 Thermal Ablation Therapies: A Reasonable Alternative for Patients with Lymph Node Metastases of Recurrent Papillary Thyroid Cancer. **2023**, 35, 64-66
- 219 STRA6 regulates tumor immune microenvironment and is a prognostic marker in BRAF-mutant papillary thyroid carcinoma. 14,
- 218 ASO Author Reflections: Achieving Equity in Thyroid Cancer Treatment—More Work Ahead. **2023**, 30, 2938-2939
- 217 Development and validation of a nomogram to predict cancer-specific survival in middle-aged patients with papillary thyroid cancer: A SEER database study. **2023**, 9, e13665
- 216 The risk of central nodal metastasis based on prognostic factors of the differentiated thyroid carcinoma: a systematic review and meta-analysis study.
- 215 A user-friendly nomogram for predicting radioiodine refractory differentiated thyroid cancer. 14,
- 214 Ultrasound-Guided Radiofrequency and Microwave Ablation for the Management of Patients With Benign Thyroid Nodules. **2023**, 39, 61-68
- 213 Quality indicators for thyroid cancer care: What should surgeons know?. **2023**,
- 212 Significance of miRNAs on the thyroid cancer progression and resistance to treatment with special attention to the role of cross-talk between signaling pathways. **2023**, 243, 154371
- 211 Letter to Editor: How Effective is the Use of Molecular Testing in Preoperative Decision Making for Management of Indeterminant Thyroid Nodules?.

- 210 Does the likelihood of malignancy in thyroid nodules with RAS mutations increase in direct proportion with the allele frequency percentage?. **2023**, 52, ○
- 209 Diagnostic performance of artificial intelligence-based computer-aided diagnosis system in longitudinal and transverse ultrasonic views for differentiating thyroid nodules. 14, ○
- 208 Analysis of the value and safety of thyroid-stimulating hormone in the clinical efficacy of patients with thyroid cancer. 11, 1058-1067 ○
- 207 Infertility and Pregnancy Rates in Female Thyroid Cancer Survivors: A Retrospective Cohort Study Using Health Care Administrative Data from Israel. **2023**, 33, 456-463 ○
- 206 Application of machine learning methods to guide patient management by predicting the risk of malignancy of Bethesda III-V thyroid nodules. **2023**, 188, 249-257 ○
- 205 Diagnostic efficiency of existing guidelines and the AI-SONIC artificial intelligence for ultrasound-based risk assessment of thyroid nodules. 14, 1 ○
- 204 Differentiation of Benign and Malignant Thyroid Nodules with ANFIS by Using Genetic Algorithm and Proposing a Novel CAD-Based Risk Stratification System of Thyroid Nodules. **2023**, 13, 740 ○
- 203 Risk factors for the lateral cervical lymph node metastasis of papillary thyroid carcinoma: A clinical study. **2023**, 18, ○
- 202 Treatment duration of wrist-ankle acupuncture for relieving post-thyroidectomy pain: A randomized controlled trial. **2023**, 21, 168-175 ○
- 201 Risk stratification of cytologically indeterminate thyroid nodules with nondiagnostic or benign cytology on repeat FNA: Implications for molecular testing and surveillance. ○
- 200 Papillary Thyroid Microcarcinoma: Insights from a Cohort of 257 Thyroidectomized Patients. **2023**, 55, 161-168 ○
- 199 Neck Surgery for Non-Well Differentiated Thyroid Malignancies: Variations in Strategy According to Histopathology. **2023**, 15, 1255 ○
- 198 A Data-Driven Approach to Refine Predictions of Differentiated Thyroid Cancer Outcomes: A Prospective Multicenter Study. ○
- 197 A Comparison of Outcomes in Medullary Thyroid Carcinoma Patients With and Without a Preoperative Diagnosis: A Multicenter Retrospective Cohort Study. ○
- 196 The Preferred Route for the Diagnosis and Management of Thyroid Carcinoma Among the General Population in Saudi Arabia. **2023**, ○
- 195 Expanding the Spectrum of BRAF Non-V600E Mutations in Thyroid Nodules: Evidence-Based Data from a Tertiary Referral Centre. **2023**, 24, 4057 ○
- 194 Asociaci3n histopatol3gica de hallazgos ultrasonogr3ficos en n3dulos tiroideos, basados en la recomendaci3n del sistema TI-RADS-ACR. **2023**, 21, 6-11 ○
- 193 Accuracy of Ultrasound Scans as Compared to Fine Needle Aspiration Cytology in the Diagnosis of Thyroid Nodules. **2023**, ○

- 192 Comparison of Various Ultrasound-Based Malignant Risk Stratification Systems on an Occasion for Assessing Thyroid Nodules in Hashimoto's Thyroiditis. Volume 16, 599-608
- 191 Cervical lymph node metastasis prediction of postoperative papillary thyroid carcinoma before 131I therapy based on clinical and ultrasound characteristics. 14,
- 190 La modalit  di preparazione a radioiodio non influenza la sopravvivenza nel carcinoma tiroideo metastatico. **2023**, 24, 99-100
- 189 Temporal Evolution and Prognostic Role of Indeterminate Response Sub-Groups in Patients with Differentiated Thyroid Cancer after Initial Therapy with Radioiodine. **2023**, 15, 1270
- 188 Diagnostic value of cell-free DNA in thyroid cancer: A systematic review and meta-analysis. **2023**, 102, e32928
- 187 A Reappraisal of Suspicious Sonographic Features of Thyroid Nodules: Shape Is Not an Independent Predictor of Malignancy.
- 186 Progress in Clinical Application of Thyroid Imaging Report and Data System. **2023**, 13, 2569-2574
- 185 Predictive value and dynamic risk stratification of high sensitive basal or stimulated thyroglobulin assay in a long-term thyroid carcinoma cohort.
- 184 Retrospective evaluation of fine-needle aspiration cytology for a thyroid tumor that was histopathologically diagnosed as follicular carcinoma, oncocytic variant. **2023**, 62, 32-37
- 183 Modification and application of "zero-line" incision design in total endoscopic gasless unilateral axillary approach thyroidectomy: A preliminary report. 10,
- 182 Subcategorization of intermediate suspicion thyroid nodules based on suspicious ultrasonographic findings. **2023**, 42, 307-313
- 181 Molecular diagnostics in the evaluation of thyroid nodules: Current use and prospective opportunities. 14,
- 180 Clinical Experience of Cytologically Indeterminate Thyroid Nodules Designated as Negative on Molecular Testing Using ThyroSeq V3: A Retrospective Cohort Study.
- 179 Blood Profiles in the Prediction of Radioiodine Refractory Papillary Thyroid Cancer: A Case-Control Study. Volume 16, 535-546
- 178 Preoperative ultrasound identification and localization of the inferior parathyroid glands in thyroid surgery. 14,
- 177 The role of intraoperative neuromonitoring in preventing lesions of the spinal accessory nerve during functional neck dissection.
- 176 Comparison of the endoscopic thyroidectomy via areola approach and open thyroidectomy: A propensity score matched cohort study of 302 patients in the treatment of papillary thyroid non-microcarcinoma. 13,
- 175 Comparative analysis of pre-operative ultrasound and histopathology in small papillary thyroid carcinoma in the era of active surveillance. **2023**, 93, 902-906

- 174 Malignancy Risk of Thyroid Nodules That Are Not Classifiable by the American Thyroid Association Ultrasound Risk Stratification System: A Systematic Review and Meta-Analysis. ○
- 173 Cell-free DNA methylation biomarker for the diagnosis of papillary thyroid carcinoma. **2023**, 90, 104497 ○
- 172 PET/CT May Assist in Avoiding Pointless Thyroidectomy in Indeterminate Thyroid Nodules: A Narrative Review. **2023**, 15, 1547 ○
- 171 Nomograms for Prediction of High-Volume Lymph Node Metastasis in Papillary Thyroid Carcinoma Patients. **2023**, 168, 1054-1066 ○
- 170 Results of Swallowing Assessment in the Immediate Postoperative Period in Patients Following Surgery for Thyroid Malignancies. ○
- 169 A rare case of synchronous follicular thyroid carcinoma arising within a mature cystic ovarian teratoma and stage IV differentiated thyroid cancer in iodine-deficient area in Viet Nam. **2023**, 15, 2036361323⁹1619 ○
- 168 Thyroglossal Duct Cyst Carcinoma: Lessons from a 20-Case Series. ○
- 167 De novo familial adenomatous polyposis associated thyroid cancer with a c.2929delG frameshift deletion mutation in APC: a case report and literature review. **2023**, 21, ○
- 166 Association between thyroid cancer and cardiovascular disease: A meta-analysis. 10, ○
- 165 Characteristics of PTEN Mutation in Thyroid Tumours: A Retrospective Chart Review. **2023**, 15, 1575 ○
- 164 Image-guided Thermal Ablation as a Promising Approach to Both Nontoxic and Toxic Autonomously Functioning Thyroid Nodules. **2023**, ○
- 163 Persistent or recurrent disease in thyroid cancer survivors who have elevated serum anti-thyroglobulin antibodies. **2023**, ○
- 162 Clinical-Radiomics Nomogram Based on Contrast-Enhanced Ultrasound for Preoperative Prediction of Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma. **2023**, 15, 1613 ○
- 161 Diagnostic tests for medullary thyroid carcinoma: an umbrella review. ○
- 160 Microwave Ablation for Papillary Thyroid Microcarcinoma with and without US-detected Capsule Invasion: A Multicenter Prospective Cohort Study. ○
- 159 The progress of radiomics in thyroid nodules. 13, ○
- 158 Consensus statement on the management of incidentally discovered FDG avid thyroid nodules in patients being investigated for other cancers. ○
- 157 Deep convolutional neural networks using an active learning strategy for cervical cancer screening and diagnosis. 3, ○

- 156 Patient Experiences With Thyroid Nodules: A Qualitative Interview Survey. **2023**, 7, ○
- 155 Clinical pathway of metabolic therapy with 131I in differentiated thyroid cancer. **2023**, ○
- 154 Measurements of elemental iodine in soy sauces in Taiwan using a modified microplate method. 14, ○
- 153 Central and lateral neck involvement in papillary thyroid carcinoma patients with or without thyroid capsular invasion: A multi-center analysis. 14, ○
- 152 Cancer related safety with SGLT2-i and GLP1-RAs: Should we worry?. **2023**, 198, 110624 ○
- 151 Lymph Node Metastases in Papillary Thyroid Carcinoma can be Predicted by a Convolutional Neural Network: a Multi-Institution Study. 000348942311584 ○
- 150 Radionuclide Therapies and Correlative Imaging. **2023**, 838-870 ○
- 149 Integrated metabolic and genetic analysis reveals distinct features of primary differentiated thyroid cancer and its metastatic potential in humans. ○
- 148 Perineural Invasion in Papillary Thyroid Cancer: A Rare Indicator of Aggressive Disease. ○
- 147 Correlative Imaging in Endocrine Diseases. **2023**, 485-511 ○
- 146 Neutrophil-to-lymphocyte ratio as an independent factor for worse prognosis in radioiodine refractory thyroid cancer patients. ○
- 145 Recapitulating thyroid cancer histotypes through engineering embryonic stem cells. **2023**, 14, ○
- 144 Disease Experience of Patients With Differentiated Thyroid Cancer at Different Phases Based on Timing It Right Framework. Publish Ahead of Print, ○
- 143 Conservative management of low-risk papillary thyroid carcinoma: a review of the active surveillance experience. **2023**, 16, ○
- 142 Different genetic landscapes of papillary thyroid carcinoma and paired benign nodules revealed by integrated multi-omics analysis. ○
- 141 Cervical exenteration and its variants for locally advanced thyroid cancer: when, why, and how?. **2023**, 31, 65-72 ○
- 140 The Economic Cost of Thyroid Cancer in France and the Corresponding Share Associated With Treatment of Overdiagnosed Cases. **2023**, ○
- 139 Vascularity of Thyroid Nodules. **2023**, 177-186 ○

- 138 Thyroid Nodule Composition. **2023**, 123-132 ○
- 137 Pregnancy and the prognosis of patients previously treated for differentiated thyroid cancer: a systematic review and meta-analysis. ○
- 136 Insights on the Association between Thyroid Diseases and Colorectal Cancer. **2023**, 12, 2234 ○
- 135 ESTIMATION of the ABILity of prophylactic central compartment neck dissection to modify outcomes in low-risk differentiated thyroid cancer: A Prospective Randomized Trial. ○
- 134 Ultrasound Scoring Systems, Clinical Risk Calculators, and Emerging Tools. **2023**, 25-52 ○
- 133 Thyroid Fine Needle Aspiration and Biopsy Techniques for Lesions in the Neck. **2023**, 53-68 ○
- 132 Lobectomy or Total Thyroidectomy—Where Is the Pendulum now for Differentiated Thyroid Cancer?. **2023**, 32, 373-381 ○
- 131 Echogenicity of the Thyroid. **2023**, 133-149 ○
- 130 A Nod to the Nodes. **2023**, 32, 383-398 ○
- 129 Overview of the Bethesda System for Reporting Thyroid Cytopathology. **2023**, 69-85 ○
- 128 Total Thyroidectomy Versus Thyroid Lobectomy in Patients with T1/T2 Tall-Cell Papillary Thyroid Carcinoma. **2023**, 35, 114-116 ○
- 127 Research Progress of Papillary Thyroid Carcinoma with Lymph Node Metastasis by Proteomics. **2023**, 13, 3562-3567 ○
- 126 Application of the American Thyroid Association Risk Assessment in Patients with Differentiated Thyroid Carcinoma in a German Population. **2023**, 11, 911 ○
- 125 Radioactive Iodine—Refractory Lung Metastases Are More Common in Pediatric Patients Younger than 15 Years of Age than in Those 15 to 20 Years Old. **2023**, 35, 102-104 ○
- 124 Postoperative RAI Ablation in Intermediate-Risk Papillary Thyroid Carcinoma: A Consideration of Statistically Versus Clinically Adverse Outcomes. **2023**, 35, 117-119 ○
- 123 Re—Do Surgery Is Not Always Necessary: Active Surveillance of Cervical Lymph Node Metastases in Patients with Differentiated Thyroid Cancer. **2023**, 35, 105-109 ○
- 122 Outcome of differentiated thyroid cancer patients with indeterminate response to initial treatment. ○
- 121 Zinc in microscopic calcifications isolated from thyroid fine needle aspiration may serve as a biomarker of thyroid nodule malignancy: A promising proof-of-concept. **2023**, 161, 275-284 ○

- 120 False-positive radioiodine uptake after radioiodine treatment in differentiated thyroid cancer. ○
- 119 A prospective follow-up of thyroid volume and thyroiditis features on ultrasonography among survivors of predominantly mild to moderate COVID-19. 11, e15034 ○
- 118 The role of miR-139-5p in radioiodine-resistant thyroid cancer. ○
- 117 The association of pregnancy with disease progression in patients previously treated for differentiated thyroid cancer: A propensity score-matched retrospective cohort study. ○
- 116 Risk Factors for Lymph Node Metastasis in Papillary Thyroid Carcinoma: A Retrospective Study. ○
- 115 Incorporation size of lymph node metastasis focus and pre-ablation stimulated Tg could more effectively predict clinical outcomes in differentiated thyroid cancer patients without distant metastases. 14, ○
- 114 An Analysis of Thyroid Fine Needle Aspiration Biopsy Results According to the Bethesda System for Reporting Thyroid Cytopathology: A Cross-Sectional Retrospective Study. 2023, 13, 221-224 ○
- 113 Managing the burden of incidental FDG-avid thyroid nodules: New consensus statement. ○
- 112 Log odds of negative lymph nodes/T stage ratio (LONT): A new prognostic tool for differentiated thyroid cancer without metastases in patients aged 55 and older. 14, ○
- 111 Quantitative Biomarkers Derived from a Novel Contrast-Free Ultrasound High-Definition Microvessel Imaging for Distinguishing Thyroid Nodules. 2023, 15, 1888 ○
- 110 THE SIGNIFICANCE OF THE COMBINED USE OF THE TI-RADS SYSTEM, ELASTOGRAPHY AND FINE NEEDLE ASPIRATION BIOPSY IN THE DIAGNOSIS AND TREATMENT TACTICS IN THYROID NODULES. 2023, 19, 42 ○
- 109 Challenges of Shared Decision-making by Clinicians and Patients With Low-risk Differentiated Thyroid Cancer. ○
- 108 Single inferior parathyroid autotransplantation during total thyroidectomy with bilateral central lymph node dissection for papillary thyroid carcinoma: a retrospective cohort study. 2023, 21, ○
- 107 Is Unicentric Familial Papillary Thyroid Microcarcinoma Different from Multicentric?. ○
- 106 The evaluation of locoregional tumoral involvement in the cooccurrence of hashimoto thyroiditis with papillary thyroid cancer: a case controlled study. 2023, 23, ○
- 105 Transglutaminase 2 Expression is Associated with Increased Risk of Lymph Node Metastasis and Recurrence in Papillary Thyroid Cancer. ○
- 104 A Comprehensive Study on the Diagnosis and Management of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. ○
- 103 Papillary Thyroid Carcinomas with Tall Cell Features: An Intermediate Entity between Classic and Tall Cell Subtypes. ○

- 102 Radioactive iodine therapy of juvenile differentiated thyroid carcinoma. **2019**, 7, 91-94 ○
- 101 Surgical completeness and safety of minimally invasive thyroidectomy in patients with thyroid cancer: A network meta-analysis. **2023**, ○
- 100 The 5th edition of WHO classification of tumors of endocrine organs: changes in the diagnosis of follicular-derived thyroid carcinoma. ○
- 99 Extremely aggressive course in a poorly differentiated thyroid carcinoma presenting a double mutation of the TERT promoter. **2023**, ○
- 98 Serum thyroglobulin testing after thyroid lobectomy in patients with 1â cm papillary thyroid carcinoma. ○
- 97 Investigation of the clinical utility of adhesion molecules in the management of thyroid nodules. **2023**, 13, ○
- 96 The diagnostic efficacy and inappropriate biopsy rate of ACR TI-RADS and ATA guidelines for thyroid nodules in children and adolescents. 14, ○
- 95 Inflammatory biomarkers predict outcomes of patients with radioactive iodine refractory thyroid cancer treated with sorafenib. ○
- 94 Golgi-apparatus genes related signature for predicting the progression-free interval of patients with papillary thyroid carcinoma. **2023**, 16, ○
- 93 Explore the diagnostic performance of 2020 Chinese Thyroid Imaging Reporting and Data Systems by comparing with the 2017 ACR-TIRADS guidelines: a single-center study. ○
- 92 Thyroid FNA cytology: The Eastern versus Western perspectives. ○
- 91 Impact of microscopic extrathyroidal extension on differentiated thyroid cancer post-surgical risk of recurrence: a retrospective analysis. ○
- 90 Multifokal Papiller Tiroid Karsinomlu Hastalarda Total Tiroidektominin Sonularve Patolojik Őellikleri. ○
- 89 Molecular Testing Predicts Incomplete Response to Initial Therapy in Differentiated Thyroid Carcinoma without Lateral Neck or Distant Metastasis at Presentation: Retrospective Cohort Study. ○
- 88 P53 expression in cytology samples may represent a marker of early-stage cancer. ○
- 87 The learning curve for gasless transaxillary posterior endoscopic thyroidectomy for thyroid cancer: a cumulative sum analysis. ○
- 86 The Evaluation and Management of Visceral Complications in Radiation Fibrosis Syndrome Part 1. ○
- 85 Does the Association of Hashimoto's Thyroiditis with Differentiated Thyroid Cancer Really Have a Protective Role?. ○

- 84 The Risk of Expanding Risk Stratification in Thyroid Cancer.
- 83 Applying prednisone after radioactive iodine is helpful to reduce gastrointestinal reactions for papillary thyroid carcinoma patients.
- 82 Is radioiodine ablation with 1.1 GBq (30 mCi) ¹³¹I necessary in low-risk thyroid cancer patients? Results from a long-term follow-up prospective study.
- 81 Predicting Malignancy of Thyroid Micronodules: Radiomics Analysis Based on Two Types of Ultrasound Elastography Images. **2023**,
- 80 The Complex Cyto-Molecular Landscape of Thyroid Nodules in Pediatrics. **2023**, 15, 2039
- 79 İbemi Belirsiz Foliklcr Lezyonda Malignitenin Prediktif Faktcleri. 15-18
- 78 Papillary Thyroid Microcarcinoma Manifesting as Axillary Lymph Node Metastasis: A Case Report. **2023**, 23, 7
- 77 Diagnostic Performance of Afirma and Interpace Diagnostics Genetic Testing in Indeterminate Thyroid Nodules: A Single Center Study. **2023**, 15, 2098
- 76 Thirty synchronous medullary and papillary thyroid carcinomas. 14,
- 75 Ultrasound-Based Risk Stratification System for the Assessment of Partially Cystic Thyroid Nodules. **2023**,
- 74 Prediction of Malignant Thyroid Nodules Using ¹⁸F-FDG PET/CT-Based Radiomics Features in Thyroid Incidentalomas. Publish Ahead of Print,
- 73 Construction and validation of nomograms to reduce completion thyroidectomy by predicting lymph node metastasis in low-risk papillary thyroid carcinoma. **2023**,
- 72 ModelingBraf-induced thyroid cancer development and drug screening using pluripotent stem cell-derived organoids.
- 71 Levothyroxine suppressive therapy in differentiated thyroid cancer treatment. **2023**, 69, 128-131
- 70 Thyroid cancer. **2023**,
- 69 Contrast-enhanced US with Perfluorobutane to Diagnose Small Lateral Cervical Lymph Node Metastases of Papillary Thyroid Carcinoma.
- 68 Vai trcua cat lop vi tnh trong bh gi kh lan v^ di cb hach vng o benh nhc ung thuyen gi. **2023**,
- 67 Is There a Place for Lymphatic Contrast-enhanced US in Thyroid Cancer?.

- 66 Is lobectomy sufficient for multifocal papillary thyroid microcarcinoma?. **2023**, 44, 103881 ○
- 65 An oxidative stress-related lncRNA prognostic risk model for thyroid cancer. ○
- 64 Cribriform morular thyroid carcinoma: a recently reclassified entity. ○
- 63 A Neck-Thyroid Phantom with Small Sizes of Thyroid Remnants for Postsurgical I-123 and I-131 SPECT/CT Imaging. **2023**, 13, 961 ○
- 62 Prevalence and clinical significance in our setting of incidental uptake in the thyroid gland found on 18F-fluorodeoxyglucose positron emission tomography-computed tomography (PET-CT). **2023**, 70, 171-178 ○
- 61 Vã clênica de terapia metabôlica con 131I en cãncer diferenciado de tiroides. **2023**, ○
- 60 Potential of combination therapy with lenvatinib and radiation for thyroid cancer. **2022**, 73, 1-5 ○
- 59 Reliable neck sonography of nodal thyroglobulin to diagnose recurrent/persistent disease from papillary thyroid carcinoma. ○
- 58 lncRNA GLTC targets LDHA for succinylation and enzymatic activity to promote progression and radioiodine resistance in papillary thyroid cancer. ○
- 57 Colorectal cancer metastases in thyroid: case report and literature review. **2023**, 16, ○
- 56 Risk of Second Primary Malignancy Associated with Cumulative Doses of Radioactive Iodine in Patients with Differentiated Thyroid Cancer. **2023**, 35, 154-156 ○
- 55 Laboratory Thyroid Tests: A Historical Perspective. **2023**, 33, 407-419 ○
- 54 A Healthy Lifestyle May Decrease Genetic Predisposition to Thyroid Cancer. **2023**, 35, 151-153 ○
- 53 Incidence and Clinical Relevance of Incidental Papillary Carcinoma in Thyroidectomy for Multinodular Goiters. **2023**, 12, 2770 ○
- 52 Preoperative Risk Stratification of Follicular-patterned Thyroid Lesions on Core Needle Biopsy by Histologic Subtyping and RAS Variant-specific Immunohistochemistry. ○
- 51 Immunocytochemistry Profile of Benign Thyroid Nodules Not Responding to Thermal Ablation: A Retrospective Study. **2023**, 2023, 1-7 ○
- 50 The diagnostic value of a new ultrasonographic method for the measurement of a taller-than-wide shape of benign and malignant thyroid nodules. ○
- 49 Comparison of microwave alone and combined with ethanol ablation for different types of benign cystic solid thyroid nodules. ○

- 48 Incidental head and neck findings on 18 F -fluorodeoxyglucose positron emission tomography-computed tomography: Diagnostic outcomes and cost analysis. ○
- 47 A nomogram for predicting lateral lymph node metastasis in cN0 unifocal papillary thyroid microcarcinoma. ○
- 46 Lenvatinib as a Promising Treatment Option for Unresectable Hilar Cell Carcinoma: A Case Report. **2023**, ○
- 45 Parathyroid adenoma mimicking Bethesda class III follicular thyroidal lesion: A case report. **2023**, 100612 ○
- 44 Preoperative strain ultrasound elastography can predict occult central cervical lymph node metastasis in papillary thyroid cancer: a single-center retrospective study. 13, ○
- 43 Thyroglobulin Value Predict Iodine-123 Imaging Result in Differentiated Thyroid Cancer Patients. **2023**, 15, 2242 ○
- 42 Ultrasound screening for thyroid nodules and cancer in individuals with family history of thyroid cancer: a micro-costing approach. ○
- 41 Effect of Hashimoto's Thyroiditis on Efficacy of ¹³¹I Ablation Therapy in Intermediate- and High-Risk of Thyroid Papillary Carcinoma. **2023**, 11, 103-113 ○
- 40 Value of clinical features combined with multimodal ultrasound in predicting lymph node metastasis in cervical central area of papillary thyroid carcinoma. ○
- 39 Central node dissection in papillary thyroid carcinoma in the era of near-infrared fluorescence. 14, ○
- 38 Clinical and ultrasound characteristics distinguishing benign and malignant thyroid nodules in Johannesburg, South Africa. **2023**, 28, 62-68 ○
- 37 Standardized Stepwise Technique for Thyroidectomy: Patient Outcomes from a Single Center in Uzbekistan. **2023**, 14, 37-41 ○
- 36 PD-L1 and MCL-1 markers and the relationship with prognostic characteristics of differentiated thyroid carcinoma. **2023**, 570, 111931 ○
- 35 Update on Calcitonin Screening for Medullary Thyroid Carcinoma and the Results of a Retrospective Analysis of 12,984 Patients with Thyroid Nodules. **2023**, 15, 2333 ○
- 34 Effects of Patient and Tumor Characteristics on Central Lymph Node Metastasis in Papillary Thyroid Cancer: A Guide for Selective Node Dissection. **2022**, 25, 730-736 ○
- 33 Robotic transaxillary thyroidectomy: time to expand indications?. ○
- 32 Clinical Characteristics, Diagnostic Approach and Outcome of Thyroid Incidental Findings vs. Clinically Overt Thyroid Nodules: An Observational Single-Centre Study. **2023**, 15, 2350 ○
- 31 Cribriform adenocarcinoma of the minor salivary glands: a case report. **2023**, 17, ○

30	Utility of non-contrast Dual Energy Computed Tomography in diagnosis of differentiated thyroid cancer â€”two case study. 2023 , 23,	o
29	Thyroid cancer polygenic risk score combined with deep learning analysis of ultrasound images improves the classification of thyroid nodules as benign or malignant.	o
28	Enlargement of a metastatic lymph node from differentiated thyroid cancer after COVID-19 vaccination.	o
27	Utility of video-assisted method for identifying and preserving the external branch of the superior laryngeal nerve during thyroidectomy. 10,	o
26	Hashimotoâ€™s Thyroiditis: A Protective Factor against Recurrence in BRAF-Wild Type Differentiated Thyroid Carcinoma. 2023 , 15, 2371	o
25	Level II in lateral neck dissection for papillary thyroid carcinoma: A retrospective cohort study. 2023 ,	o
24	Active surveillance in differentiated thyroid cancer: a strategy applicable to all treatment categories response. 14,	o
23	Low-iodine diet before radioactive iodine therapy - to prescribe or not to prescribe. 2023 , 18, 29-35	o
22	Multi-Omics and Management of Follicular Carcinoma of the Thyroid. 2023 , 11, 1217	o
21	Frequency and Type of Thyroid Carcinoma in Patients With Multinodular Goiter. 2023 ,	o
20	Stimulated Thyroglobulin and Pre-ablation Antithyroglobulin Antibody Product Can Predict the Response to Radioiodine Therapy in TgAb-positive Differentiated Thyroid Cancer Pa-tients: A Retrospective Study.	o
19	Radio-iodine refractory thyroid cancer patients: a tailored follow-up based on clinicopathological features.	o
18	Computer-Assisted Levothyroxine Dose Selection for the Treatment of Postoperative Hypothyroidism.	o
17	Landscape of gene mutation in Chinese thyroid cancer patients: Construction and validation of lymph node metastasis prediction model based on clinical features and gene mutation marker.	o
16	The Role of Ultrasonography in Evaluating the Function of the Vocal Cords, Post-Thyroidectomy. 875647932310641	
15	Clinical application value of nomogram model based on clinical and ultrasound features in predicting thyroid C-TI-RADS classification optimization.	o
14	Diagnostic significance of MRI versus CT using identical PET data in patients with recurrent differentiated thyroid cancer: A PET/MRI study. 2023 , 102, e33533	o
13	Risk factors for recurrent disease in small papillary thyroid cancers â€” Swedish register-based study. 2023 , 408,	o

- 12 Thyroid dysfunction in peri- and postmenopausal women—cumulative risks. ○
- 11 Place de la laryngoscopie et du neuromonitoring en chirurgie thyroïdienne. Recommandations de lâAFCE (Association francophone de chirurgie endocrinienne) avec la SFE (Société française d'endocrinologie) et la SFMN (Société française de médecine nucléaire). **2023**, ○
- 10 The Value of Multimodal Ultrasound in Predicting Lymph Node Metastasis in the Central Neck Region of Thyroid Papillary Carcinoma. **2023**, 13, 6585-6593 ○
- 9 Consumption of health resources in older people with differentiated thyroid carcinoma: a multicenter analysis. ○
- 8 Kidney cancer with thyroid metastasis combined with thyroid carcinoma, a case report. **2023**, 23, ○
- 7 Evaluation and Management of Bone Health in Patients with Thyroid Diseases: A Position Statement of the Korean Thyroid Association. **2023**, 38, 175-189 ○
- 6 Increased prevalence of nodular thyroid disease in patients with Klinefelter syndrome. ○
- 5 Robotic system for magnetic resonance imaging-guided focused ultrasound treatment of thyroid nodules. ○
- 4 Female Papillary Thyroid Cancer Survivors Are at Increased Risk of Adenomyosis and Endometrial Hyperplasia. **2023**, ○
- 3 Artificial intelligence-based prediction of cervical lymph node metastasis in papillary thyroid cancer with CT. ○
- 2 Analisi dei valori di TSH come fattori di rischio per malignit  di noduli tiroidei in pazienti eutiroidei. **2023**, 43, 183-188 ○
- 1 Thermal ablation of papillary thyroid microcarcinoma: what radiologists should know. ○