Molecular cloning and characterization of three novel sigenes from Hevea brasiliensis

Physiological and Molecular Plant Pathology 97, 79-95 DOI: 10.1016/j.pmpp.2016.12.007

Citation Report

#	Article	IF	CITATIONS
1	Comparative analysis of the root transcriptomes of cultivated and wild rice varieties in response to Magnaporthe oryzae infection revealed both common and species-specific pathogen responses. Rice, 2018, 11, 26.	1.7	29
2	Molecular Cloning and Structure–Function Analysis of a Trypsin Inhibitor from Tartary Buckwheat and Its Application in Combating Phytopathogenic Fungi. Agronomy, 2018, 8, 46.	1.3	1
3	Salicylic Acid Induces Resistance in Rubber Tree against Phytophthora palmivora. International Journal of Molecular Sciences, 2018, 19, 1883.	1.8	37
4	Novel Cell Death-Inducing Elicitors from <i>Phytophthora palmivora</i> Promote Infection on <i>Hevea brasiliensis</i> . Phytopathology, 2019, 109, 1769-1778.	1.1	7
5	Aaprb1, a subtilsin-like protease, required for autophagy and virulence of the tangerine pathotype of Alternaria alternata. Microbiological Research, 2020, 240, 126537.	2.5	15
6	The plant defense and pathogen counterdefense mediated by Hevea brasiliensis serine protease HbSPA and Phytophthora palmivora extracellular protease inhibitor PpEPI10. PLoS ONE, 2017, 12, e0175795.	1.1	22
7	Construction of yeast two-hybrid cDNA library induced by <italic>Ralstonia solanacearum</italic> and interaction protein screening for AhRRS5 in peanut. Acta Agronomica Sinica(China), 2021, 47, 2134-2146.	0.1	0
8	Identification and Functional Prediction of CircRNAs in Leaves of F1 Hybrid Poplars with Different Growth Potential and Their Parents. International Journal of Molecular Sciences, 2023, 24, 2284.	1.8	2