CITATION REPORT List of articles citing



DOI: 10.1016/j.jacl.2017.01.012 Journal of Clinical Lipidology, 2017, 11, 406-412.

Source: https://exaly.com/paper-pdf/66154024/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 17 | Scavenger Receptor LOX1 Genotype Predicts Coronary Artery Disease in Patients With Familial Hypercholesterolemia. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1312-1318 | 3.8 | 14 |
| 16 | Cardiovascular disease in familial hypercholesterolemia: Validation and refinement of the Montreal-FH-SCORE. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1161-1167.e3 | 4.9 | 31 |
| 15 | Familial hypercholesterolemia: experience from the French-Canadian population. <i>Current Opinion in Lipidology</i> , 2018 , 29, 59-64 | 4.4 | 17 |
| 14 | ABO blood group is a cardiovascular risk factor in patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 383-389.e1 | 4.9 | 15 |
| 13 | Predicting cardiovascular disease in familial hypercholesterolemia. <i>Current Opinion in Lipidology</i> , 2018 , 29, 299-306 | 4.4 | 21 |
| 12 | PHACTR1 genotype predicts coronary artery disease in patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 966-971 | 4.9 | 3 |
| 11 | The complex molecular genetics of familial hypercholesterolaemia. <i>Nature Reviews Cardiology</i> , 2019 , 16, 9-20 | 14.8 | 112 |
| 10 | Methylation of the CDKN2A Gene Increases the Risk of Brain Arteriovenous Malformations. <i>Journal of Molecular Neuroscience</i> , 2019 , 69, 316-323 | 3.3 | 6 |
| 9 | Biosensor platforms for detection of cardiovascular disease risk biomarkers. 2019 , 397-431 | | 1 |
| 8 | LPA genotype is associated with premature cardiovascular disease in familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 627-633.e1 | 4.9 | 12 |
| 7 | SLC22A3 is associated with lipoprotein (a) concentration and cardiovascular disease in familial hypercholesterolemia. <i>Clinical Biochemistry</i> , 2019 , 66, 44-48 | 3.5 | 8 |
| 6 | A genetic risk score predicts coronary artery disease in familial hypercholesterolaemia: enhancing the precision of risk assessment. <i>Clinical Genetics</i> , 2020 , 97, 257-263 | 4 | 3 |
| 5 | The ZPR1 genotype predicts myocardial infarction in patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2020 , 14, 660-666 | 4.9 | 2 |
| 4 | Familial hypercholesterolaemia: evolving knowledge for designing adaptive models of care. <i>Nature Reviews Cardiology</i> , 2020 , 17, 360-377 | 14.8 | 41 |
| 3 | Why patients with familial hypercholesterolemia are at high cardiovascular risk? Beyond LDL-C levels. <i>Trends in Cardiovascular Medicine</i> , 2021 , 31, 205-215 | 6.9 | 20 |
| 2 | ANKS1A genotype predicts cardiovascular events in patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2021 , 15, 602-607 | 4.9 | 0 |
| 1 | The Genetics of Coronary Heart Disease. <i>Cardiac and Vascular Biology</i> , 2019 , 141-168 | 0.2 | |