

Transient cell-specific EXO70A1 activity in the CASP do

Nature Plants

3, 17058

DOI: [10.1038/nplants.2017.58](https://doi.org/10.1038/nplants.2017.58)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Plant Vasculature: Selective Membrane-to-Microtubule Tethering Patterns the Xylem Cell Wall. <i>Current Biology</i> , 2017, 27, R842-R844.   | 1.8 | 5         |
| 2  | Precision targeting by phosphoinositides: how Pls direct endomembrane trafficking in plants. <i>Current Opinion in Plant Biology</i> , 2017, 40, 22-33.  | 3.5 | 98        |
| 3  | Apoplastic Barriers: Their Structure and Function from a Historical Perspective. <i>Plant Cell Monographs</i> , 2018, , 155-183.   | 0.4 | 9         |
| 4  | Exocyst Subunit EXO70H4 Has a Specific Role in Callose Synthase Secretion and Silica Accumulation. <i>Plant Physiology</i> , 2018, 176, 2040-2051.   | 2.3 | 79        |
| 5  | Outer, inner and planar polarity in the Arabidopsis root. <i>Current Opinion in Plant Biology</i> , 2018, 41, 46-53.   | 3.5 | 36        |
| 6  | A protocol for combining fluorescent proteins with histological stains for diverse cell wall components. <i>Plant Journal</i> , 2018, 93, 399-412.   | 2.8 | 324       |
| 7  | Divide and Rule: Plant Plasma Membrane Organization. <i>Trends in Plant Science</i> , 2018, 23, 899-917.   | 4.3 | 83        |
| 8  | CLERK is a novel receptor kinase required for sensing of root-active CLE peptides in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2018, 145, .  | 1.2 | 61        |
| 9  | Cell polarity: compassing cell division and differentiation in plants. <i>Current Opinion in Plant Biology</i> , 2018, 45, 127-135.  | 3.5 | 20        |
| 10 | A broadly conserved NERD genetically interacts with the exocyst to affect root growth and cell expansion. <i>Journal of Experimental Botany</i> , 2018, 69, 3625-3637.   | 2.4 | 10        |
| 11 | Knock-Down of Arabidopsis PLC5 Reduces Primary Root Growth and Secondary Root Formation While Overexpression Improves Drought Tolerance and Causes Stunted Root Hair Growth. <i>Plant and Cell Physiology</i> , 2018, 59, 2004-2019. | 1.5 | 41        |
| 12 | Polarized transport across root epithelia. <i>Current Opinion in Plant Biology</i> , 2019, 52, 23-29.  | 3.5 | 18        |
| 13 | Formation of aperture sites on the pollen surface as a model for development of distinct cellular domains. <i>Plant Science</i> , 2019, 288, 110222.   | 1.7 | 11        |
| 14 | Three subfamilies of exocyst EXO70 family subunits in land plants: early divergence and ongoing functional specialization. <i>Journal of Experimental Botany</i> , 2020, 71, 49-62.  | 2.4 | 28        |
| 15 | Dissecting the plant exocyst. <i>Current Opinion in Plant Biology</i> , 2019, 52, 69-76.   | 3.5 | 35        |
| 16 | Sieve Plate Pores in the Phloem and the Unknowns of Their Formation. <i>Plants</i> , 2019, 8, 25.  | 1.6 | 25        |
| 17 | Surveillance of cell wall diffusion barrier integrity modulates water and solute transport in plants. <i>Scientific Reports</i> , 2019, 9, 4227.   | 1.6 | 60        |
| 18 | Identification and Characterization of the EXO70 Gene Family in Polyploid Wheat and Related Species. <i>International Journal of Molecular Sciences</i> , 2019, 20, 60.  | 1.8 | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Plant lipids: Key players of plasma membrane organization and function. <i>Progress in Lipid Research</i> , 2019, 73, 1-27.  | 5.3 | 167       |
| 20 | The Casparian strip— one ring to bring cell biology to lignification?. <i>Current Opinion in Biotechnology</i> , 2019, 56, 121-129.  | 3.3 | 62        |
| 21 | Accumulation of phosphoinositides in distinct regions of the periarbuscular membrane. <i>New Phytologist</i> , 2019, 221, 2213-2227.   | 3.5 | 24        |
| 22 | Cell polarity: Regulators and mechanisms in plants. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 132-147.   | 4.1 | 26        |
| 23 | EXO70D isoforms mediate selective autophagic degradation of type-A ARR proteins to regulate cytokinin sensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 27034-27043.    | 3.3 | 39        |
| 24 | Uclacyanin Proteins Are Required for Lignified Nanodomain Formation within Casparian Strips. <i>Current Biology</i> , 2020, 30, 4103-4111.e6.  | 1.8 | 38        |
| 25 | Synergy among Exocyst and SNARE Interactions Identifies a Functional Hierarchy in Secretion during Vegetative Growth. <i>Plant Cell</i> , 2020, 32, 2951-2963.   | 3.1 | 19        |
| 26 | High-order mutants reveal an essential requirement for peroxidases but not laccases in Casparian strip lignification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 29166-29177. | 3.3 | 57        |
| 27 | Signaling phospholipids in plant development: small couriers determining cell fate. <i>Current Opinion in Plant Biology</i> , 2020, 57, 61-71.   | 3.5 | 12        |
| 28 | Are cuproproteins part of the multi-protein framework for making the Casparian strip?. <i>Plant Signaling and Behavior</i> , 2020, 15, 1798605.  | 1.2 | 3         |
| 29 | Exocyst mutants suppress pollen tube growth and cell wall structural defects of <i>hydroxyproline O</i> arabinosyltransferase mutants. <i>Plant Journal</i> , 2020, 103, 1399-1419.  | 2.8 | 26        |
| 30 | Transcriptome analysis of different rice cultivars provides novel insights into the rice response to bacterial leaf streak infection. <i>Functional and Integrative Genomics</i> , 2020, 20, 681-693.                                  | 1.4 | 7         |
| 31 | The <i>Arabidopsis</i> exocyst subunits EXO70B1 and EXO70B2 regulate FLS2 homeostasis at the plasma membrane. <i>New Phytologist</i> , 2020, 227, 529-544.   | 3.5 | 59        |
| 32 | <sc>SCHENGEN</sc> receptor module drives localized <sc>ROS</sc> production and lignification in plant roots. <i>EMBO Journal</i> , 2020, 39, e103894.  | 3.5 | 82        |
| 33 | A Novel Signaling Pathway Required for Arabidopsis Endodermal Root Organization Shapes the Rhizosphere Microbiome. <i>Plant and Cell Physiology</i> , 2021, 62, 248-261.   | 1.5 | 17        |
| 35 | The resistance associated protein RIN4 promotes the extracellular transport of AtEXO70E2. <i>Biochemical and Biophysical Research Communications</i> , 2021, 555, 40-45.   | 1.0 | 4         |
| 36 | The Exocyst Complex Subunit EXO70E1-V From <i>Haynaldia villosa</i> Interacts With Wheat Powdery Mildew Resistance Gene CMPC1-V. <i>Frontiers in Plant Science</i> , 2021, 12, 652337.   | 1.7 | 3         |
| 37 | Functional Specialization within the EXO70 Gene Family in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7595.  | 1.8 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 38 | Pole position: How plant cells polarize along the axes. <i>Plant Cell</i> , 2022, 34, 174-192.  | 3.1 | 32        |
| 39 | The hidden half comes into the spotlight: Peeking inside the black box of root developmental phases. <i>Plant Communications</i> , 2022, 3, 100246.   | 3.6 | 4         |
| 40 | Plasma membrane phospholipid signature recruits the plant exocyst complex via the EXO70A1 subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .                                    | 3.3 | 40        |
| 41 | CASPARIAN STRIP INTEGRITY FACTOR (CIF) family peptides - regulator of plant extracellular barriers. <i>Peptides</i> , 2021, 143, 170599.  | 1.2 | 5         |
| 42 | Exocyst subunit Exo70B2 is linked to immune signaling and autophagy. <i>Plant Cell</i> , 2021, 33, 404-419.   | 3.1 | 31        |
| 43 | Plasma membrane nano-organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics in tobacco pollen tubes. <i>Plant Cell</i> , 2021, 33, 642-670.  | 3.1 | 32        |
| 48 | Functions of Anionic Lipids in Plants. <i>Annual Review of Plant Biology</i> , 2020, 71, 71-102.  | 8.6 | 111       |
| 49 | Identification and Comprehensive Structural and Functional Analyses of the EXO70 Gene Family in Cotton. <i>Genes</i> , 2021, 12, 1594.  | 1.0 | 3         |
| 55 | Analysis of exocyst function in endodermis reveals its widespread contribution and specificity of action. <i>Plant Physiology</i> , 2022, 189, 557-566.   | 2.3 | 11        |
| 56 | CASP microdomain formation requires cross cell wall stabilization of domains and non-cell autonomous action of LOTR1. <i>ELife</i> , 2022, 11, .  | 2.8 | 12        |
| 57 | The conserved oligomeric Golgi (COG) complex, a window into plant-pathogen interactions. <i>Journal of Plant Interactions</i> , 2022, 17, 344-360.  | 1.0 | 1         |
| 58 | Diversification of <scp>SEC15a</scp> and <scp>SEC15b</scp> isoforms of an exocyst subunit in seed plants is manifested in their specific roles in Arabidopsis sporophyte and male gametophyte. <i>Plant Journal</i> , 2022, 110, 1382-1396. | 2.8 | 3         |
| 59 | Exocyst function and specificity during Casparian strip formationâ€™ insights via a gene-edited endodermis. <i>Plant Physiology</i> , 2022, , .   | 2.3 | 0         |
| 60 | Extracellular vesiculo-tubular structures associated with suberin deposition in plant cell walls. <i>Nature Communications</i> , 2022, 13, 1489.  | 5.8 | 17        |
| 61 | Modes of secretion of plant lipophilic metabolites via ABCG transporter-dependent transport and vesicle-mediated trafficking. <i>Current Opinion in Plant Biology</i> , 2022, 66, 102184.   | 3.5 | 21        |
| 62 | A dirigent family protein confers variation of Casparian strip thickness and salt tolerance in maize. <i>Nature Communications</i> , 2022, 13, 2222.  | 5.8 | 55        |
| 63 | Three OsMYB36 members redundantly regulate Casparian strip formation at the root endodermis. <i>Plant Cell</i> , 2022, 34, 2948-2968.   | 3.1 | 18        |
| 64 | Regulators regulated: Different layers of control for plasma membrane phosphoinositides in plants. <i>Current Opinion in Plant Biology</i> , 2022, 67, 102218.  | 3.5 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 65 | Development and diversity of lignin patterns. <i>Plant Physiology</i> , 2022, 190, 31-43.   | 2.3 | 9         |
| 66 | Cell-wall microdomain remodeling controls crucial developmental processes. <i>Trends in Plant Science</i> , 2022, 27, 1033-1048.  | 4.3 | 14        |
| 67 | Exocyst functions in plants: secretion and autophagy. <i>FEBS Letters</i> , 2022, 596, 2324-2334.   | 1.3 | 12        |
| 70 | Anther development in <i>Arabidopsis thaliana</i> involves symplastic isolation and apoplastic gating of the tapetum-middle layer interface. <i>Development (Cambridge)</i> , 2022, 149, .  | 1.2 | 4         |
| 71 | A blast fungus zinc-finger fold effector binds to a hydrophobic pocket in host Exo70 proteins to modulate immune recognition in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 3.3 | 13        |
| 72 | Localization and circulation: vesicle trafficking in regulating plant nutrient homeostasis. <i>Plant Journal</i> , 2022, 112, 1350-1363.  | 2.8 | 1         |
| 73 | Rice OsCASP1 orchestrates Casparian strip formation and suberin deposition in small lateral roots to maintain nutrient homeostasis. <i>Frontiers in Plant Science</i> , 0, 13, .  | 1.7 | 2         |
| 75 | Should I stay or should I go: the functional importance and regulation of lipid diffusion in biological membranes. <i>Journal of Experimental Botany</i> , 2023, 74, 2479-2488.   | 2.4 | 1         |
| 76 | Rab GTPases, tethers, and SNAREs work together to regulate <i>Arabidopsis</i> cell plate formation. <i>Frontiers in Plant Science</i> , 0, 14, .  | 1.7 | 4         |
| 77 | Seeing clearly " Plant anatomy through Katherine Esau's microscopy lens. <i>Journal of Microscopy</i> , 2023, 291, 92-104.  | 0.8 | 2         |
| 78 | Directed growth and fusion of membrane-wall microdomains requires CASP-mediated inhibition and displacement of secretory foci. <i>Nature Communications</i> , 2023, 14, .   | 5.8 | 7         |