# CITATION REPORT List of articles citing

Monolithic integration of hybrid perovskite single crystals with heterogenous substrate for highly sensitive X-ray imaging

DOI: 10.1038/nphoton.2017.43 Nature Photonics, 2017, 11, 315-321.

Source: https://exaly.com/paper-pdf/66223290/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
480	Millimeter-Scale Unipolar Transport in High Sensitivity OrganicInorganic Semiconductor Xray Detectors.		
479	Suppressed Ion Migration in Low-Dimensional Perovskites. <b>2017</b> , 2, 1571-1572		287
478	Cs2AgBiBr6 single-crystal X-ray detectors with a low detection limit. <i>Nature Photonics</i> , <b>2017</b> , 11, 726-73	<b>2</b> 33.9	622
477	Printable organometallic perovskite enables large-area, low-dose X-ray imaging. <b>2017</b> , 550, 87-91		503
476	Precise Facet Engineering of Perovskite Single Crystals by Ligand-Mediated Strategy. <b>2017</b> , 17, 5945-59	52	31
475	Observation of strain-induced phonon mode splitting in the tetragonal hybrid halide perovskite. <b>2017</b> , 56, 110307		1
474	Single-Crystal Thin Films of Cesium Lead Bromide Perovskite Epitaxially Grown on Metal Oxide Perovskite (SrTiO). <b>2017</b> , 139, 13525-13532		147
473	Metal/Ion Interactions Induced p-i-n Junction in Methylammonium Lead Triiodide Perovskite Single Crystals. <b>2017</b> , 139, 17285-17288		25
472	Dopant compensation in alloyed CHNHPbBrCl perovskite single crystals for gamma-ray spectroscopy. <b>2017</b> , 16, 826-833		343
471	Organic/Inorganic Metal Halide Perovskite Optoelectronic Devices beyond Solar Cells. <b>2018</b> , 5, 1700780	)	100
470	Single-crystal-like optoelectronic-properties of MAPbI3 perovskite polycrystalline thin films. <b>2018</b> , 6, 4822-4828		33
469	OrganicIhorganic hybrid perovskite quantum dots for light-emitting diodes. 2018, 6, 4831-4841		49
468	Recent Advances in Halide Perovskite Photodetectors Based on Different Dimensional Materials. <b>2018</b> , 6, 1701302		79
467	Low-dimensional halide perovskites: review and issues. <b>2018</b> , 6, 2189-2209		113
466	Research progress on organicIhorganic halide perovskite materials and solar cells. <b>2018</b> , 51, 093001		46
465	Environmental Surface Stability of the MAPbBr3 Single Crystal. 2018, 122, 3513-3522		39
464	Halide Perovskites for Applications beyond Photovoltaics. <b>2018</b> , 2, 1700310		63

# (2018-2018)

463	High-Performance Single-Crystalline Perovskite Thin-Film Photodetector. <b>2018</b> , 30, 1704333	166
462	Fabrication of single phase 2D homologous perovskite microplates by mechanical exfoliation. <b>2018</b> , 5, 021001	50
461	Recent Progress in Single-Crystalline Perovskite Research Including Crystal Preparation, Property Evaluation, and Applications. <b>2018</b> , 5, 1700471	158
460	Excess charge-carrier induced instability of hybrid perovskites. <b>2018</b> , 9, 4981	95
459	Recent Progress on Photomultiplication Type Organic Photodetectors. <b>2018</b> , 13, 1800204	81
458	Preparation and characterization of free-standing Bil3 single-crystal flakes for X-ray detection application. <b>2018</b> , 29, 20003-20009	7
457	Large electrostrictive response in lead halide perovskites. <b>2018</b> , 17, 1020-1026	89
456	Bandgap Engineering of Single-Crystalline Perovskite Arrays for High-Performance Photodetectors. <b>2018</b> , 28, 1804349	42
455	Exploring Anisotropy on Oriented Wafers of MAPbBr3 Crystals Grown by Controlled Antisolvent Diffusion. <b>2018</b> , 18, 6652-6660	33
454	Suppressed Decomposition of Perovskite Film on ZnO Via a Self-Assembly Monolayer of Methoxysilane. <b>2018</b> , 2, 1800240	13
453	Research Update: Recombination and open-circuit voltage in lead-halide perovskites. <b>2018</b> , 6, 100702	44
452	Photophysical Pathways in Highly Sensitive Cs AgBiBr Double-Perovskite Single-Crystal X-Ray Detectors. <b>2018</b> , 30, e1804450	117
451	PIN Diodes Array Made of Perovskite Single Crystal for X-Ray Imaging. <b>2018</b> , 12, 1800380	42
450	Seeded Space-Limited Crystallization of CH3NH3PbI3 Single-Crystal Plates for Perovskite Solar Cells. <b>2018</b> , 4, 1700655	28
449	Formation and characterization of preferred oriented perovskite thin films on single-crystalline substrates. <b>2018</b> , 5, 066403	3
448	Highly Efficient Blue-Emitting Bi-Doped Cs2SnCl6 Perovskite Variant: Photoluminescence Induced by Impurity Doping. <b>2018</b> , 28, 1801131	239
447	Defect-engineered epitaxial VO in strain engineering of heterogeneous soft crystals. 2018, 4, eaar3679	33
446	Photon Upconversion through a Cascade Process of Two-Photon Absorption in CsPbBr3 and Triplet In Inc. 14425-14433	8

445	Self-Adhesive Macroporous Carbon Electrodes for Efficient and Stable Perovskite Solar Cells. <b>2018</b> , 28, 1802985	98
444	Initiation and future prospects of colloidal metal halide double-perovskite nanocrystals: Cs2AgBiX6 (X = Cl, Br, I). <b>2018</b> , 6, 21666-21675	58
443	Dramatically Enhanced Photoluminescence from Femtosecond Laser Induced Micro-/Nanostructures on MAPbBr3 Single Crystal Surface. <b>2018</b> , 6, 1800411	8
442	Ultrafast Ionizing Radiation Detection by pfi Junctions Made with Single Crystals of Solution-Processed Perovskite. <b>2018</b> , 4, 1800237	20
441	Lead-free halide double perovskite-polymer composites for flexible X-ray imaging. <b>2018</b> , 6, 11961-11967	61
440	Two-Step Growth of 2D Organic-Inorganic Perovskite Microplates and Arrays for Functional Optoelectronics. <b>2018</b> , 9, 4532-4538	22
439	High sensitivity organic inorganic hybrid X-ray detectors with direct transduction and broadband response. <b>2018</b> , 9, 2926	102
438	X-ray scintillation in lead-free double perovskite crystals. <b>2018</b> , 61, 1581-1586	42
437	Perovskite Single-Crystal Microarrays for Efficient Photovoltaic Devices. 2018, 30, 4590-4596	21
436	All-inorganic perovskite nanocrystal scintillators. <b>2018</b> , 561, 88-93	773
436	All-inorganic perovskite nanocrystal scintillators. 2018, 561, 88-93  Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single Crystal Using Particles. 2018, 122, 14355-14361	773 39
	Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single	
435	Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single Crystal Using Particles. <b>2018</b> , 122, 14355-14361  Zero-dimensional Cs4EuX6 (X = Br, I) all-inorganic perovskite single crystals for gamma-ray	39
435	Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single Crystal Using Particles. 2018, 122, 14355-14361  Zero-dimensional Cs4EuX6 (X = Br, I) all-inorganic perovskite single crystals for gamma-ray spectroscopy. 2018, 6, 6647-6655  Ferroelectric and Piezoelectric Effects on the Optical Process in Advanced Materials and Devices.	39 40
435 434 433	Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single Crystal Using Particles. 2018, 122, 14355-14361  Zero-dimensional Cs4EuX6 (X = Br, I) all-inorganic perovskite single crystals for gamma-ray spectroscopy. 2018, 6, 6647-6655  Ferroelectric and Piezoelectric Effects on the Optical Process in Advanced Materials and Devices. 2018, 30, e1707007  Transition from Positive to Negative Photoconductance in Doped Hybrid Perovskite	39 40 107
435 434 433 432	Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single Crystal Using Particles. 2018, 122, 14355-14361  Zero-dimensional Cs4EuX6 (X = Br, I) all-inorganic perovskite single crystals for gamma-ray spectroscopy. 2018, 6, 6647-6655  Ferroelectric and Piezoelectric Effects on the Optical Process in Advanced Materials and Devices. 2018, 30, e1707007  Transition from Positive to Negative Photoconductance in Doped Hybrid Perovskite Semiconductors. 2019, 7, 1900865  Moisture proof hole transport layers based on CISe quantum dots for highly stable and large active	39 40 107 27
435 434 433 432 431	Charge Transport Behavior in Solution-Grown Methylammonium Lead Tribromide Perovskite Single Crystal Using Particles. 2018, 122, 14355-14361  Zero-dimensional Cs4EuX6 (X = Br, I) all-inorganic perovskite single crystals for gamma-ray spectroscopy. 2018, 6, 6647-6655  Ferroelectric and Piezoelectric Effects on the Optical Process in Advanced Materials and Devices. 2018, 30, e1707007  Transition from Positive to Negative Photoconductance in Doped Hybrid Perovskite Semiconductors. 2019, 7, 1900865  Moisture proof hole transport layers based on CISe quantum dots for highly stable and large active area perovskite solar cells. 2019, 496, 143610  Visual clarity methylammonium lead trichloride perovskite single crystals for X and gamma rays	39 40 107 27 11

427	A Lead-Free Hybrid Iodide with Quantitative Response to X-ray Radiation. 2019, 31, 5927-5932	40
426	A-site Cation Engineering for Highly Efficient MAPbI Single-Crystal X-ray Detector. <b>2019</b> , 58, 17834-17842	97
425	Monolithic integration of deep ultraviolet LED with a multiplicative photoelectric converter. <b>2019</b> , 66, 104181	11
424	Solvent-free and large area compatible deposition of methylammonium lead bromide perovskite by close space sublimation and its application in PIN diodes. <b>2019</b> , 692, 137585	3
423	A perspective on the bright future of metal halide perovskites for X-ray detection. <b>2019</b> , 115, 190501	30
422	A-site Cation Engineering for Highly Efficient MAPbI3 Single-Crystal X-ray Detector. <b>2019</b> , 131, 17998-18006	10
421	Hot-Pressed CsPbBr Quasi-Monocrystalline Film for Sensitive Direct X-ray Detection. <b>2019</b> , 31, e1904405	121
420	Filterless Polarization-Sensitive 2D Perovskite Narrowband Photodetectors. <b>2019</b> , 7, 1900988	51
419	Effect of Underground Coal Mining on the Regional Soil Organic Carbon Pool in Farmland in a Mining Subsidence Area. <b>2019</b> , 11, 4961	13
418	Defect Engineering of Grain Boundaries in Lead-Free Halide Double Perovskites for Better Optoelectronic Performance. <b>2019</b> , 29, 1805870	23
417	Nanocrystalline bismuth oxyiodides thick films for X-ray detector. <b>2019</b> , 104, 104686	9
416	The Way to Pursue Truly High-Performance Perovskite Solar Cells. <b>2019</b> , 9,	2
415	Monocrystalline perovskite wafers/thin films for photovoltaic and transistor applications. <b>2019</b> , 7, 24661-2469	<b>90</b> 8
414	All-inorganic lead halide perovskites: a promising choice for photovoltaics and detectors. <b>2019</b> , 7, 12415-1244	<b>·0</b> 48
413	Enhanced thermal stability of electron transport layer-free perovskite solar cells via interface strain releasing. <b>2019</b> , 439, 227091	16
412	Electrical properties of x-ray detector based on bismuth tri-iodide single crystal with electrode configuration considering. <b>2019</b> , 6, 055902	5
411	Enhanced X-ray Sensitivity of MAPbBr Detector by Tailoring the Interface-States Density. <b>2019</b> , 11, 7522-7528	8 60
410	Fast Growth of Thin MAPbI3 Crystal Wafers on Aqueous Solution Surface for Efficient Lateral-Structure Perovskite Solar Cells. <b>2019</b> , 29, 1807707	38

409	Lithium-ion batteries: outlook on present, future, and hybridized technologies. <b>2019</b> , 7, 2942-2964	579
408	Recent progress on highly sensitive perovskite photodetectors. <b>2019</b> , 7, 1741-1791	237
407	Millimeter-Scale Unipolar Transport in High Sensitivity Organic-Inorganic Semiconductor X-ray Detectors. <b>2019</b> , 13, 6973-6981	17
406	Highly sensitive X-ray detector made of layered perovskite-like (NH4)3Bi2I9 single crystal with anisotropic response. <i>Nature Photonics</i> , <b>2019</b> , 13, 602-608	) 217
405	Lead-free low-dimensional tin halide perovskites with functional organic spacers: breaking the charge-transport bottleneck. <b>2019</b> , 7, 16742-16747	17
404	Detection of X-Rays by Solution-Processed Cesium-Containing Mixed Triple Cation Perovskite Thin Films. <b>2019</b> , 29, 1902346	46
403	Controlled Cooling for Synthesis of Cs2AgBiBr6 Single Crystals and Its Application for X-Ray Detection. <b>2019</b> , 7, 1900491	72
402	Scintillation Properties of Perovskite Single Crystals. <b>2019</b> , 123, 17449-17453	20
401	Differential Space-Limited Crystallization of Mixed-Cation Lead Iodide Single-Crystal Micro-Plates Enhances the Performance of Perovskite Solar Cells. <b>2019</b> , 3, 1900130	7
400	Flexible, Printable Soft-X-Ray Detectors Based on All-Inorganic Perovskite Quantum Dots. <b>2019</b> , 31, e19016	644 141
400 399	Flexible, Printable Soft-X-Ray Detectors Based on All-Inorganic Perovskite Quantum Dots. <b>2019</b> , 31, e19016  Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities in Photovoltaic Perovskites. <b>2019</b> , 10, 3661-3669	33
	Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities	<u> </u>
399	Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities in Photovoltaic Perovskites. <b>2019</b> , 10, 3661-3669  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between	33
399 398	Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities in Photovoltaic Perovskites. <b>2019</b> , 10, 3661-3669  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between Conductance and Temperature. <b>2019</b> , 131, 9575-9578  Self-Powered X-Ray Detector Based on All-Inorganic Perovskite Thick Film with High Sensitivity	33 5
399 398 397	Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities in Photovoltaic Perovskites. 2019, 10, 3661-3669  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between Conductance and Temperature. 2019, 131, 9575-9578  Self-Powered X-Ray Detector Based on All-Inorganic Perovskite Thick Film with High Sensitivity Under Low Dose Rate. 2019, 13, 1900094  Progress in air-processed perovskite solar cells: from crystallization to photovoltaic performance.	<ul><li>33</li><li>5</li><li>34</li></ul>
399 398 397 396	Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities in Photovoltaic Perovskites. 2019, 10, 3661-3669  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between Conductance and Temperature. 2019, 131, 9575-9578  Self-Powered X-Ray Detector Based on All-Inorganic Perovskite Thick Film with High Sensitivity Under Low Dose Rate. 2019, 13, 1900094  Progress in air-processed perovskite solar cells: from crystallization to photovoltaic performance. 2019, 6, 1611-1624  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between	33 5 34 61
399 398 397 396 395	Utilization of Temperature-Sweeping Capacitive Techniques to Evaluate Band Gap Defect Densities in Photovoltaic Perovskites. 2019, 10, 3661-3669  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between Conductance and Temperature. 2019, 131, 9575-9578  Self-Powered X-Ray Detector Based on All-Inorganic Perovskite Thick Film with High Sensitivity Under Low Dose Rate. 2019, 13, 1900094  Progress in air-processed perovskite solar cells: from crystallization to photovoltaic performance. 2019, 6, 1611-1624  A Smart Photochromic Semiconductor: Breaking the Intrinsic Positive Relation Between Conductance and Temperature. 2019, 58, 9475-9478	33 5 34 61 33

# (2019-2019)

391	Controllable Cs FAPbI Single-Crystal Morphology via Rationally Regulating the Diffusion and Collision of Micelles toward High-Performance Photon Detectors. <b>2019</b> , 11, 13812-13821	27
390	Halide lead perovskites for ionizing radiation detection. <b>2019</b> , 10, 1066	317
389	In Situ Regulating the OrderDisorder Phase Transition in Cs2AgBiBr6 Single Crystal toward the Application in an X-Ray Detector. <b>2019</b> , 29, 1900234	81
388	X-Ray Detector Based on All-Inorganic Lead-Free Cs2AgBiBr6 Perovskite Single Crystal. <b>2019</b> , 66, 2224-2229	38
387	Oriented Growth of Ultrathin Single Crystals of 2D Ruddlesden-Popper Hybrid Lead Iodide Perovskites for High-Performance Photodetectors. <b>2019</b> , 11, 15905-15912	35
386	Morphology, optical and photoelectric properties of CH3NH3PbBr3 single crystal. <b>2019</b> , 571, 307-311	5
385	Tin(IV)-Tolerant Vapor-Phase Growth and Photophysical Properties of Aligned Cesium Tin Halide Perovskite (CsSnX3; $X = Br$ , I) Nanowires. <b>2019</b> , 4, 1045-1052	51
384	Low-temperature photoluminescence spectroscopy of CH3NH3PbBrxCl3-x perovskite single crystals. <b>2019</b> , 792, 185-190	11
383	High-Performance Surface Barrier X-ray Detector Based on Methylammonium Lead Tribromide Single Crystals. <b>2019</b> , 11, 9679-9684	51
382	Recent Advances in Halide Perovskite Single-Crystal Thin Films: Fabrication Methods and Optoelectronic Applications. <b>2019</b> , 3, 1800294	62
381	Metal Halide Perovskite Nanosheet for X-ray High-Resolution Scintillation Imaging Screens. <b>2019</b> , 13, 2520-2525	218
380	Self-Powered X-Ray Photodetector Based on Ultrathin PbI2 Single Crystal. <b>2019</b> , 40, 578-581	10
379	Inorganic, Organic, and Perovskite Halides with Nanotechnology for High[light Yield X- and Fay Scintillators. <b>2019</b> , 9, 88	79
378	Halide Perovskite Photovoltaics: Background, Status, and Future Prospects. <b>2019</b> , 119, 3036-3103	1189
377	Kelvin probe force microscopy for perovskite solar cells. <b>2019</b> , 62, 776-789	52
376	Hybrid perovskites for device applications. <b>2019</b> , 211-256	8
375	Doping of Bismuth Ions into Lead Bromide Perovskites for Decreasing Dark Current of X-ray Detectors. <b>2019</b> ,	
374	Flexible, active-matrix flat-panel image sensor for low dose X-ray detection enabled by integration of perovskite photodiode and oxide thin film transistor. <b>2019</b> ,	5

373	Bulk Organic-Inorganic Methylammonium Lead Halide Perovskite Single Crystals for Indirect Gamma Ray Detection. <b>2019</b> , 11, 47485-47490	22
372	Flexible X-ray Detectors Based on Amorphous Ga2O3 Thin Films. <b>2019</b> , 6, 351-359	69
371	Zero-Dimensional Cs2TeI6 Perovskite: Solution-Processed Thick Films with High X-ray Sensitivity. <b>2019</b> , 6, 196-203	43
370	Two dimensional metal halide perovskites: Promising candidates for light-emitting diodes. <b>2019</b> , 37, 97-110	39
369	Chemical Formation and Multiple Applications of Organic-Inorganic Hybrid Perovskite Materials. <b>2019</b> , 141, 1406-1414	35
368	High-Quality Cuboid CH3NH3PbI3 Single Crystals for High Performance X-Ray and Photon Detectors. <b>2019</b> , 29, 1806984	76
367	Two-Dimensional Hybrid Halide Perovskites: Principles and Promises. <b>2019</b> , 141, 1171-1190	608
366	Dynamical Transformation of Two-Dimensional Perovskites with Alternating Cations in the Interlayer Space for High-Performance Photovoltaics. <b>2019</b> , 141, 2684-2694	135
365	An overview on enhancing the stability of lead halide perovskite quantum dots and their applications in phosphor-converted LEDs. <b>2019</b> , 48, 310-350	545
364	Balance lead in solution-processed CH3NH3PbBrxCl(3៧) single crystals for high performance X-ray detection. <b>2019</b> , 236, 26-29	19
363	Recent Advances in Lead Halide Perovskites for Radiation Detectors. <b>2020</b> , 4, 1900210	29
362	Advanced Wearable Microfluidic Sensors for Healthcare Monitoring. <b>2020</b> , 16, e1903822	53
361	Metal Halide Perovskites for Solar-to-Chemical Fuel Conversion. <b>2020</b> , 10, 1902433	75
360	High-sensitivity X-ray detectors based on solution-grown caesium lead bromide single crystals. <b>2020</b> , 8, 1248-1256	58
359	2D Hybrid Perovskite Ferroelectric Enables Highly Sensitive X-Ray Detection with Low Driving Voltage. <b>2020</b> , 30, 1905529	57
358	Fabrication of CH3NH3PbBr3-Based Perovskite Single-Crystal Arrays by Spin-Coating Method Using Hydrophobic Patterned Substrate. <b>2020</b> , 217, 1900511	3
357	Rubidium Doping to Enhance Carrier Transport in CsPbBr Single Crystals for High-Performance X-Ray Detection. <b>2020</b> , 12, 989-996	47
356	Roadmap on halide perovskite and related devices. <b>2020</b> , 31, 152001	15

355	Synthesis and optical applications of low dimensional metal-halide perovskites. <b>2020</b> , 31, 152002	20
354	Hybrid Multipixel Array X-Ray Detectors for Real-Time Direct Detection of Hard X-Rays. <b>2020</b> , 67, 2238-2245	3
353	Epitaxial and quasiepitaxial growth of halide perovskites: New routes to high end optoelectronics. <b>2020</b> , 8, 100904	7
352	Identifying Carrier Behavior in Ultrathin Indirect-Bandgap CsPbX Nanocrystal Films for Use in UV/Visible-Blind High-Energy Detectors. <b>2020</b> , 16, e2004513	11
351	High-Stable X-ray Imaging from All-Inorganic Perovskite Nanocrystals under a High Dose Radiation. <b>2020</b> , 11, 9203-9209	18
350	Miscellaneous and Perspicacious: Hybrid Halide Perovskite Materials Based Photodetectors and Sensors. <b>2020</b> , 8, 2001095	23
349	2D Perovskite Single Crystals with Suppressed Ion Migration for High-Performance Planar-Type Photodetectors. <b>2020</b> , 16, e2003145	30
348	Role of DMSO concentration in the crystallization process of MAPbBr3 perovskite single crystal films. <b>2020</b> , 550, 125880	3
347	Curing the fundamental issue of impurity phases in two-step solution-processed CsPbBr3 perovskite films. <b>2020</b> , 65, 726-737	19
346	Mixed-Cation MAxCs1⊠PbBr3 Perovskite Single Crystals with Composition Management for High-Sensitivity X-Ray Detection. <b>2020</b> , 14, 2000226	9
345	Halide perovskites: A dark horse for direct X-ray imaging. <b>2020</b> , 2, e12064	23
344	Single Crystal CdSe X-ray Detectors with Ultra-High Sensitivity and Low Detection Limit. <b>2020</b> , 12, 56126-5613	343
343	Designing Ultraflexible Perovskite X-Ray Detectors through Interface Engineering. 2020, 7, 2002586	20
342	Energy Harvesting and Pd(II) Sorption Based on Organic-Inorganic Hybrid Perovskites. 2020,	13
341	A Photoconductive X-ray Detector with a High Figure of Merit Based on an Open-Framework Chalcogenide Semiconductor. <b>2020</b> , 132, 18764-18769	
340	A Photoconductive X-ray Detector with a High Figure of Merit Based on an Open-Framework Chalcogenide Semiconductor. <b>2020</b> , 59, 18605-18610	9
339	Shape Control of Metal Halide Perovskite Single Crystals: From Bulk to Nanoscale. <b>2020</b> , 32, 7602-7617	30
338	An insight into the charge carriers transport properties and electric field distribution of CH3NH3PbBr3 thick single crystals. <b>2020</b> , 117, 041904	10

337	MetalBemiconductorMetal Thin-Film X-Ray Detector Based on Halide Perovskites. 2020, 217, 2000296	1
336	Submillimeter-Scale Zero-Dimensional Cs4PbBr6 Perovskite Rods: Fabrication, Optical Properties, and Applications. <b>2020</b> , 2, 2408-2417	6
335	Single-crystal perovskite detectors: development and perspectives. <b>2020</b> , 8, 11664-11674	13
334	Perovskite MAPb(Br1¶l)3 single crystals: Solution growth and electrical properties. 2020, 549, 125869	2
333	Metal Halide Perovskites for High-Energy Radiation Detection. <b>2020</b> , 7, 2002098	55
332	Perovskites for printed flexible electronics. <b>2020</b> , 892, 012011	
331	Sensitive and Stable 2D Perovskite Single-Crystal X-ray Detectors Enabled by a Supramolecular Anchor. <b>2020</b> , 32, e2003790	72
330	Epitaxial Metal Halide Perovskites by Inkjet-Printing on Various Substrates. <b>2020</b> , 30, 2004612	10
329	Perovskite Photodetectors Based on p-i-n Junction With Epitaxial Electron-Blocking Layers. <b>2020</b> , 8, 811	5
328	One-step vapour phase growth of two-dimensional formamidinium-based perovskite and its hot carrier dynamics. <b>2020</b> , 22, 21512-21519	2
327	Highly efficient eco-friendly X-ray scintillators based on an organic manganese halide. <b>2020</b> , 11, 4329	112
326	Role of the Metal-Semiconductor Interface in Halide Perovskite Devices for Radiation Photon Counting. <b>2020</b> , 12, 45533-45540	11
325	Effects of ITO Substrate Hydrophobicity on Crystallization and Properties of MAPbBr Single-Crystal Thin Films. <b>2020</b> , 5, 23111-23117	6
324	Hybridisation of perovskite nanocrystals with organic molecules for highly efficient liquid scintillators. <b>2020</b> , 9, 156	38
323	Halide Perovskite Single Crystals: Optoelectronic Applications and Strategical Approaches. <b>2020</b> , 13, 4250	10
322	Perovskite-filled membranes for flexible and large-area direct-conversion X-ray detector arrays.  Nature Photonics, <b>2020</b> , 14, 612-617	94
321	Anisotropic Performance of High-Quality MAPbBr Single-Crystal Wafers. <b>2020</b> , 12, 51616-51627	8
320	Direct Three-Dimensional Imaging of an X-ray Nanofocus Using a Single 60 nm Diameter Nanowire Device. <b>2020</b> , 20, 8326-8331	6

### (2020-2020)

319	Subnanosecond X(PRay Sensor Based on CH3NH3PbCl3 Perovskite Single Crystals. <b>2020</b> , 32, 635-638	4
318	Unveiling the Structural Descriptor of A3B2X9 Perovskite Derivatives toward X-Ray Detectors with Low Detection Limit and High Stability. <b>2020</b> , 30, 1910648	67
317	Efficient, fast and reabsorption-free perovskite nanocrystal-based sensitized plastic scintillators. <b>2020</b> , 15, 462-468	112
316	Heat-resistant Pb(ii)-based X-ray scintillating metal-organic frameworks for sensitive dosage detection via an aggregation-induced luminescent chromophore. <b>2020</b> , 49, 7309-7314	12
315	High-Quality MAPbBr Cuboid Film with Promising Optoelectronic Properties Prepared by a Hot Methylamine Precursor Approach. <b>2020</b> , 12, 24498-24504	8
314	Nucleation-controlled growth of superior lead-free perovskite CsBiI single-crystals for high-performance X-ray detection. <b>2020</b> , 11, 2304	139
313	Inch-Size 0D-Structured Lead-Free Perovskite Single Crystals for Highly Sensitive Stable X-Ray Imaging. <b>2020</b> , 3, 180-196	90
312	Strong performance enhancement in lead-halide perovskite solar cells through rapid, atmospheric deposition of n-type buffer layer oxides. <b>2020</b> , 75, 104946	15
311	Rapid Vapor-Phase Deposition of High-Mobility p-Type Buffer Layers on Perovskite Photovoltaics for Efficient Semitransparent Devices. <b>2020</b> , 5, 2456-2465	22
310	Perovskite semiconductors for direct X-ray detection and imaging. <b>2020</b> , 41, 051204	30
309	High-Performance Photodetectors With X-Ray Responsivity Based on Interface Modified Perovskite Film. <b>2020</b> , 41, 1044-1047	10
308	X-ray detection based on crushed perovskite crystal/polymer composites. <b>2020</b> , 312, 112132	9
307	Perovskite Materials for Resistive Random Access Memories. 2020,	О
306	Backside Illuminated 3-D Photosensitive Thin-Film Transistor on a Scintillating Glass Substrate for Indirect-Conversion X-Ray Detection. <b>2020</b> , 41, 1209-1212	2
305	Encapsulated X-Ray Detector Enabled by All-Inorganic Lead-Free Perovskite Film With High Sensitivity and Low Detection Limit. <b>2020</b> , 67, 3191-3198	15
304	Flexible Inkjet-Printed Triple Cation Perovskite X-ray Detectors. <b>2020</b> , 12, 15774-15784	46
303	Ultrasensitive and stable X-ray detection using zero-dimensional lead-free perovskites. <b>2020</b> , 49, 299-306	75
302	Large and Dense Organic-Inorganic Hybrid Perovskite CHNHPbI Wafer Fabricated by One-Step Reactive Direct Wafer Production with High X-ray Sensitivity. <b>2020</b> , 12, 16592-16600	50

Exploring Bi3+ distribution characteristics of MAPbxBi1-xBr3 thin films by space-limited method. 301 2020, 537, 125604 Room-temperature liquid diffused separation induced crystallization for high-quality perovskite 300 63 single crystals. 2020, 11, 1194 Secondary Phase Particles in Cesium Lead Bromide Perovskite Crystals: An Insight into the 299 7 Formation of Matrix-Controlled Inclusion. 2020, 11, 5625-5631 Impacts of the Hole Transport Layer Deposition Process on Buried Interfaces in Perovskite Solar 298 6 Cells. 2020, 1, 100103 Low-dose real-time X-ray imaging with nontoxic double perovskite scintillators. 2020, 9, 112 297 127 Hybrid Halide Perovskites. 2020, 15-78 296 Direct Growth of Pyramid-Textured Perovskite Single Crystals: A New Strategy for Enhanced 7 295 Optoelectronic Performance. 2020, 30, 2002742 Robust Fabrication of Hybrid Lead-Free Perovskite Pellets for Stable X-ray Detectors with Low 294 74 Detection Limit. 2020, 32, e2001981 Large Lead-Free Perovskite Single Crystal for High-Performance Coplanar X-Ray Imaging 36 293 Applications. 2020, 8, 2000814 Effect of reabsorption and photon recycling on photoluminescence spectra and transients in 292 9 lead-halide perovskite crystals. 2020, 3, 025003 Sensitive and Fast Direct Conversion X-Ray Detectors Based on Single-Crystalline HgI2 8 291 Photoconductor and ZnO Nanowire Vacuum Diode. 2020, 5, 1901108 Solution Growth and Performance Study of Cs2AgBiBr6 Single Crystal. 2020, 55, 1900222 290 14 Optimization of the Growth Conditions for High Quality CH3NH3PbBr3 Hybrid Perovskite Single 289 14 Crystals. **2020**, 20, 1665-1672 Fabrication of CsPbBr3 Thick Films by Using a Mist Deposition Method for Highly Sensitive X-ray 288 15 Detection. 2020, 5, 395-401 Sensitive Direct Converting X-Ray Detectors Utilizing Crystalline CsPbBr3 Perovskite Films 287 48 Fabricated via Scalable Melt Processing. 2020, 7, 1901575 286 Fast Liquid Phase Epitaxial Growth for Perovskite Single Crystals\*. 2020, 37, 018101 6 Purely organic 4HCB single crystals exhibiting high hole mobility for direct detection of 285 11 ultralow-dose X-radiation. 2020, 8, 5217-5226 First-Principles Study on the Structure, Electronic, and Optical Properties of Cs2AgBiBr6-xClx 284 12 Mixed-Halide Double Perovskites. 2020, 124, 5371-5377

# (2021-2020)

283	Ultrafast Photodetector by Integrating Perovskite Directly on Silicon Wafer. <b>2020</b> , 14, 2860-2868	52
282	The working principle of hybrid perovskite gamma-ray photon counter. <b>2020</b> , 37, 27-34	13
281	All-Perovskite Integrated X-Ray Detector with Ultrahigh Sensitivity. <b>2020</b> , 8, 2000273	33
280	Thermoplastic Membranes Incorporating Semiconductive Metal©rganic Frameworks: An Advance on Flexible X-ray Detectors. <b>2020</b> , 132, 11954-11958	8
279	Thermoplastic Membranes Incorporating Semiconductive Metal-Organic Frameworks: An Advance on Flexible X-ray Detectors. <b>2020</b> , 59, 11856-11860	22
278	A solution-processed zero-dimensional all-inorganic perovskite scintillator for high resolution gamma-ray spectroscopy detection. <b>2020</b> , 12, 9727-9732	26
277	A sensitive and robust thin-film x-ray detector using 2D layered perovskite diodes. <b>2020</b> , 6, eaay0815	81
276	Development of Halide Perovskite Single Crystal for Radiation Detection Applications. <b>2020</b> , 8, 268	15
275	Solution-Processed MAPbBr3 and CsPbBr3 Single-Crystal Detectors with Improved X-Ray Sensitivity via Interfacial Engineering. <b>2020</b> , 217, 2000104	10
274	Efficient and Reabsorption-Free Radioluminescence in CsCul Nanocrystals with Self-Trapped Excitons. <b>2020</b> , 7, 2000195	127
<sup>274</sup>		127 34
	Excitons. <b>2020</b> , 7, 2000195  Facile Strategy for Facet Competition Management to Improve the Performance of Perovskite	<u> </u>
	Excitons. 2020, 7, 2000195  Facile Strategy for Facet Competition Management to Improve the Performance of Perovskite Single-Crystal X-ray Detectors. 2020, 11, 3529-3535	34
273 272	Facile Strategy for Facet Competition Management to Improve the Performance of Perovskite Single-Crystal X-ray Detectors. 2020, 11, 3529-3535  Superior photovoltaics/optoelectronics of two-dimensional halide perovskites. 2021, 57, 69-82  Charge Transport Properties of Methylammonium Lead Trihalide Hybrid Perovskite Bulk Single	34
273 272 271	Facile Strategy for Facet Competition Management to Improve the Performance of Perovskite Single-Crystal X-ray Detectors. 2020, 11, 3529-3535  Superior photovoltaics/optoelectronics of two-dimensional halide perovskites. 2021, 57, 69-82  Charge Transport Properties of Methylammonium Lead Trihalide Hybrid Perovskite Bulk Single Crystals. 2021, 15, 2000410	34 9 1
273 272 271 270	Excitons. 2020, 7, 2000195  Facile Strategy for Facet Competition Management to Improve the Performance of Perovskite Single-Crystal X-ray Detectors. 2020, 11, 3529-3535  Superior photovoltaics/optoelectronics of two-dimensional halide perovskites. 2021, 57, 69-82  Charge Transport Properties of Methylammonium Lead Trihalide Hybrid Perovskite Bulk Single Crystals. 2021, 15, 2000410  Space-confined growth of metal halide perovskite crystal films. 2021, 14, 1609-1624	34 9 1
273 272 271 270 269	Excitons. 2020, 7, 2000195  Facile Strategy for Facet Competition Management to Improve the Performance of Perovskite Single-Crystal X-ray Detectors. 2020, 11, 3529-3535  Superior photovoltaics/optoelectronics of two-dimensional halide perovskites. 2021, 57, 69-82  Charge Transport Properties of Methylammonium Lead Trihalide Hybrid Perovskite Bulk Single Crystals. 2021, 15, 2000410  Space-confined growth of metal halide perovskite crystal films. 2021, 14, 1609-1624  Ultra-Low Dark Current OrganicIhorganic Hybrid X-Ray Detectors. 2021, 31, 2008482  Metal Halide Scintillators with Fast and Self-Absorption-Free Defect-Bound Excitonic	34 9 1 9

265	Pixellated Perovskite Photodiode on IGZO Thin Film Transistor Backplane for Low Dose Indirect X-Ray Detection. <b>2021</b> , 9, 96-101	3
264	Improved Radiation Sensing with Methylammonium Lead Tribromide Perovskite Semiconductors. <b>2021</b> , 986, 164710	2
263	Solution-Grown Organic and Perovskite X-Ray Detectors: A New Paradigm for the Direct Detection of Ionizing Radiation. <b>2021</b> , 6, 2000475	33
262	Halide perovskites scintillators: unique promise and current limitations. <b>2021</b> , 9, 11588-11604	13
261	Metal Halide Perovskites for X-Ray Detection and Imaging. <b>2021</b> , 4, 144-163	71
260	Design and fabrication of lutetium aluminum silicate glass and nanostructured glass for radiation detection. <b>2021</b> , 104, 2030-2038	2
259	Pressure-Induced Perovskite-to-non-Perovskite Phase Transition in CsPbBr3. <b>2021</b> , 104, e2000222	3
258	X-ray stability and degradation mechanism of lead halide perovskites and lead halides. <b>2021</b> , 23, 12479-12489	13
257	Unconventional Image-Sensing and Light-Emitting Devices for Extended Reality. <b>2021</b> , 31, 2009281	8
256	Recent advances in radiation detection technologies enabled by metal-halide perovskites.	5
255	Metal Halide Perovskites for X-ray Imaging Scintillators and Detectors. <b>2021</b> , 6, 739-768	127
254	A lead-free I-based hybrid double perovskite (I-C4H8NH3)4AgBil8 for X-ray detection.	9
253	Triple-Cation and Mixed-Halide Perovskite Single Crystal for High-Performance X-ray Imaging. <b>2021</b> , 33, e2006010	64
252	How to apply metal halide perovskites to photocatalysis: challenges and development. <b>2021</b> , 13, 10281-10304	14
251	Ultrathin lead-free double perovskite cesium silver bismuth bromide nanosheets. <b>2021</b> , 14, 4079	8
250	Halide perovskites for high-performance X-ray detector. <b>2021</b> ,	45
249	Recent Advances and Opportunities of Lead-Free Perovskite Nanocrystal for Optoelectronic Application. <b>2021</b> , 2021, 1-38	12
248	Ultrasensitive 3D Aerosol-Jet-Printed Perovskite X-ray Photodetector. <b>2021</b> , 15, 4077-4084	17

247	Inch-sized high-quality perovskite single crystals by suppressing phase segregation for light-powered integrated circuits. <b>2021</b> , 7,	26
246	Zero-Dimensional Lead-Free FABil Single Crystals for High-Performance X-ray Detection. <b>2021</b> , 12, 1778-1785	21
245	High-resolution X-ray luminescence extension imaging. <b>2021</b> , 590, 410-415	113
244	Factors influencing the nucleation and crystal growth of solution-processed organic lead halide perovskites: a review. <b>2021</b> , 54, 163001	10
243	Recent Advances in Perovskite Photodetectors for Image Sensing. <b>2021</b> , 17, e2005606	34
242	Solution-Processed Lead-Free Perovskite Nanocrystal Scintillators for High-Resolution X-Ray CT Imaging. <b>2021</b> , 9, 2002144	23
241	Rational design of high-quality 2D/3D perovskite heterostructure crystals for record-performance polarization-sensitive photodetection. <b>2021</b> , 8, nwab044	7
240	Room-Temperature Diffusion-Induced Extraction for Perovskite Nanocrystals with High Luminescence and Stability <b>2021</b> , 5, e2001292	0
239	Exotic optoelectronic behaviors in CH3NH3PbCl3 perovskite single crystals: Co-existence of free and bound excitons with structural phase transitions. <b>2021</b> , 118, 143301	2
238	Lead-halide Cs4PbBr6 single crystals for high-sensitivity radiation detection. <b>2021</b> , 13,	13
237	Illumination-Induced Changes in Methylammonium Lead Bromine Perovskites. An In Situ2H NMR Study. <b>2021</b> , 125, 9908-9915	2
236	High-Temperature Stable FAPbBr Single Crystals for Sensitive X-ray and Visible Light Detection toward Space. <b>2021</b> , 21, 3947-3955	26
235	Manipulation of perovskite film by bias-induced reversible lattice deformation toward tunable photoelectric performances.	
234	Cerium Doping Double Perovskite Scintillator for Sensitive X-ray Detection and Imaging. <b>2021</b> , 27, 9071-9076	11
233	Current status of perovskite in X-ray detection for medical imaging technology. <b>2021</b> , 1913, 012055	1
232	Opportunities and challenges of inorganic perovskites in high-performance photodetectors. <b>2021</b> , 54, 293002	7
231	Ultra-flexible and highly sensitive scintillation screen based on perovskite quantum dots for non-flat objects X-ray imaging. <b>2021</b> , 18, 100390	10
230	Flexible and Filter-Free Color-Imaging Sensors with Multicomponent Perovskites Deposited Using Enhanced Vapor Technology. <b>2021</b> , 17, e2007543	5

229	Columnar Grain Growth of Lead-Free Double Perovskite Using Mist Deposition Method for Sensitive X-ray Detectors. <b>2021</b> , 21, 4030-4037	5
228	Advances in Lead-Free Perovskite Single Crystals: Fundamentals and Applications. <b>2021</b> , 3, 1025-1080	24
227	State of the Art and Prospects for Halide Perovskite Nanocrystals. <b>2021</b> , 15, 10775-10981	222
226	Highly Resolved and Robust Dynamic X-Ray Imaging Using Perovskite Glass-Ceramic Scintillator with Reduced Light Scattering. <b>2021</b> , 8, e2003728	39
225	Solid-State Neutron Detection Based on Methylammonium Lead Bromide Perovskite Single Crystals. <b>2021</b> , 13, 28049-28056	3
224	Incorporating Guanidinium as Perovskitizer-Cation of Two-Dimensional Metal Halide for Crystal-Array Photodetectors. <b>2021</b> , 16, 1925-1929	2
223	Perovskite crystals redissolution strategy for affordable, reproducible, efficient and stable perovskite photovoltaics. <b>2021</b> , 50, 199-199	14
222	Solvent Free Laminated Fabrication of Lead Halide Perovskites for Sensitive and Stable X-ray Detection. <b>2021</b> , 12, 6961-6966	9
221	Low-noise X-ray PIN Photodiodes made of perovskite single crystals by Solution-processed dopant incorporated epitaxial growth. <b>2021</b> , 89, 106311	2
220	Great Amplification of Circular Polarization Sensitivity via Heterostructure Engineering of a Chiral Two-Dimensional Hybrid Perovskite Crystal with a Three-Dimensional MAPbI Crystal. <b>2021</b> , 7, 1261-1268	9
219	Fast-response X-ray detector based on nanocrystalline Ga2O3 thin film prepared at room temperature. <b>2021</b> , 554, 149619	4
218	Halide-modulated self-assembly of metal-free perovskite single crystals for bio-friendly X-ray detection. <b>2021</b> , 4, 2490-2507	12
217	Understanding Thermal and A-Thermal Trapping Processes in Lead Halide Perovskites Towards Effective Radiation Detection Schemes. <b>2021</b> , 31, 2104879	7
216	Ultrathin and Ultrasensitive Direct X-ray Detector Based on Heterojunction Phototransistors. <b>2021</b> , 33, e2101717	15
215	2D Perovskite Single Crystals for Photodetectors: From Macro- to Microscale. <b>2021</b> , 15, 2100183	2
214	Highly sensitive X-ray detector based on a EGaO:Fe single crystal. <b>2021</b> , 29, 23292-23299	8
213	Inorganic Perovskite CsPbBr3 Gamma-Ray Detector. <b>2022</b> , 33-54	0
212	Lead-free perovskites: growth, properties, and applications. 1	1

211	Photon Recycling in Semiconductor Thin Films and Devices. <b>2021</b> , 8, e2004076	5
210	The Impact of Detection Volume on Hybrid Halide Perovskite-Based Radiation Detectors. <b>2022</b> , 55-79	
209	Self-Powered CsPbBr Perovskite Nanonet Photodetector with a Hollow Vertical Structure. <b>2021</b> , 12, 7519-7525	7
208	Hybrid halide perovskite neutron detectors. <b>2021</b> , 11, 17159	2
207	Metal Halide Perovskites for High-Energy Radiation Detection. <b>2022</b> , 119-144	1
206	Radiation Detection Technologies Enabled by Halide Perovskite Single Crystals. <b>2022</b> , 97-118	
205	Reproducible X-ray Imaging with a Perovskite Nanocrystal Scintillator Embedded in a Transparent Amorphous Network Structure. <b>2021</b> , 33, e2102529	47
204	Supersaturation-Controlled Growth of Monolithically Integrated Lead-Free Halide Perovskite Single-Crystalline Thin Film for High-Sensitivity Photodetectors. <b>2021</b> , 33, e2103010	32
203	X-Ray imager of 26-µm resolution achieved by perovskite assembly. 1	10
202	Sequential Growth of 2D/3D Double-Layer Perovskite Films with Superior X-Ray Detection Performance. <b>2021</b> , 8, e2102730	18
201	Determination of X-ray detection limit and applications in perovskite X-ray detectors. <b>2021</b> , 12, 5258	20
200	Three-Dimensional CA-LBM Numerical Model and Experimental Verification of Cs2AgBiBr6 Perovskite Single Crystals Grown by Solution Method. <b>2021</b> , 11, 1101	1
199	Highly Efficient NaGdF:Ce/Tb Nanoscintillator with Reduced Afterglow and Light Scattering for High-Resolution X-ray Imaging. <b>2021</b> , 13, 44596-44603	8
198	Lead-free bright yellow emissive Rb2AgCl3 scintillators with nanosecond radioluminescence. <b>2021</b> , 241, 118500	1
197	Ligands Anchoring Stabilizes Metal Halide Perovskite Nanocrystals. 2101012	1
196	Perovskite detectors for x-ray imaging and gamma spectroscopy: overview and current state-of-the-art. <b>2021</b> ,	1
195	Heterogeneous Integration of Chiral Lead-Chloride Perovskite Crystals with Si Wafer for Boosted Circularly Polarized Light Detection in Solar-Blind Ultraviolet Region. <b>2021</b> , 17, e2102884	11
194	A Perovskite-Based Photodetector with Enhanced Light Absorption, Heat Dissipation, and Humidity Stability. <b>2021</b> , 2, 2100123	O

193	Heterojunction structures for reduced noise in large-area and sensitive perovskite x-ray detectors. <b>2021</b> , 7, eabg6716	19
192	High-Performance X-Ray Detector Based on Liquid Diffused Separation Induced Cs3Bi2I9 Single Crystal. 2101351	7
191	Cesium-lead-bromide perovskites with balanced stoichiometry enabled by sodium-bromide doping for all-vacuum deposited silicon-based light-emitting diodes. <b>2021</b> , 9, 2016-2023	6
190	Recent progress of zero-dimensional luminescent metal halides. <b>2021</b> , 50, 2626-2662	127
189	Metal Halide Perovskite Arrays: From Construction to Optoelectronic Applications. <b>2021</b> , 31, 2005230	19
188	Perovskite Single Crystals: Synthesis, Optoelectronic Properties, and Application. <b>2021</b> , 31, 2008684	28
187	Sb2Se3 film with grain size over 10 µm toward X-ray detection. <b>2021</b> , 14, 341	4
186	Roadmap on organicIhorganic hybrid perovskite semiconductors and devices. <b>2021</b> , 9, 109202	28
185	High-sensitivity X-ray imaging of a lead halide perovskite single-crystal scintillator. <b>2020</b> , 45, 355	11
184	Lead-free metal-halide double perovskites: from optoelectronic properties to applications. <b>2021</b> , 10, 2181-2219	9
183	Lead-free halide perovskite photodetectors spanning from near-infrared to X-ray range: a review. <b>2021</b> , 10, 2221-2247	13
182	Atomistic Surface Passivation of CHNHPbI Perovskite Single Crystals for Highly Sensitive Coplanar-Structure X-Ray Detectors. <b>2020</b> , 2020, 5958243	26
181	Grain and stoichiometry engineering for ultra-sensitive perovskite X-ray detectors.	5
180	Transparent Medium Embedded with CdS Quantum Dots for X-Ray Imaging. 2101607	2
179	Elimination of Interfacial-Electrochemical-Reaction-Induced Polarization in Perovskite Single Crystals for Ultrasensitive and Stable X-Ray Detector Arrays. <b>2021</b> , e2103078	15
178	Ultra-Stable and Robust Response to X-Rays in 2D Layered Perovskite Micro-Crystalline Films Directly Deposited on Flexible Substrate. 2101145	5
177	It is an All-Rounder! On the Development of Metal Halide Perovskite-Based Fluorescent Sensors and Radiation Detectors. <b>2021</b> , 9, 2101276	9
176	Embedding Cs3Cu2I5 Scintillators into Anodic Aluminum Oxide Matrix for High-Resolution X-Ray Imaging. <b>2021</b> , 9, 2101194	9

175	Highly Emissive and Stable Five-Coordinated Manganese(II) Complex for X-Ray Imaging. <b>2021</b> , 15, 2100309	9
174	Ambient-environment processed perovskite solar cells: A review. <b>2021</b> , 21, 100557	1
173	Oxide perovskite Ba2AgIO6 wafers for X-ray detection. 1	2
172	Soft X-ray Detectors Based on SnS Nanosheets for the Water Window Region. 2105038	3
171	Antisolvent-assisted Crystallization of Centimeter-sized Lead-free Bismuth Bromide Hybrid Perovskite Single Crystals with X-ray Sensitive Merits. <b>2021</b> , 16, 4137	2
170	Lead-Free Perovskite Single Crystals: A Brief Review. <b>2021</b> , 11, 1329	1
169	Sensitivity Analysis of a Cs2 AgBiBr6 X-ray Image Detector. <b>2020</b> ,	
168	Enhancing the stability of perovskite quantum dots CsPbX3 (X=Cl, Br, I) by encapsulation in porous Y2O3 nanoparticles for WLED applications. <b>2022</b> , 146, 111592	3
167	Perovskite Quantum Dots Based Light-Emitting Diodes. <b>2020</b> , 107-138	
166	Perovskite Materials in Biomedical Applications. <b>2020</b> , 95-116	Ο
165	A Review of Printable, Flexible and Tissue Equivalent Materials for Ionizing Radiation Detection.	2
164	Template directed perovskite X-ray detectors towards low ionic migration and low interpixel cross talking. <b>2021</b> , 2, 108-108	1
163	Vacancy-Ordered Double Perovskite Rb2ZrCl6\Brx: Facile Synthesis and Insight into Efficient Intrinsic Self-Trapped Emission. 2101661	11
162	Quasi-2D Perovskite Thick Film for X-Ray Detection with Low Detection Limit. 2109458	11
161	PbI-TiO Bulk Heterojunctions with Long-Range Ordering for X-ray Detectors. <b>2021</b> , 12, 11176-11181	2
160	Self-Powered FA0.55MA0.45PbI3 Single-Crystal Perovskite X-Ray Detectors with High Sensitivity. 2109149	19
159	Molecular Weight Tuning of Organic Semiconductors for Curved Organic-Inorganic Hybrid X-Ray Detectors. <b>2021</b> , e2101746	4
158	Perspective on perovskite materials as X-ray detectors. 1	1

157	Epitaxial Growth of Centimeter-Sized Lead-Free (BA)CsAgBiBr/CsAgBiBr Heterocrystals for Self-Driven X-ray Detection. <b>2021</b> ,	12
156	Metal Halide Perovskites for Sensitive X -ray Detectors. <b>2022</b> , 411-432	
155	Reveal the Humidity Effect on the Phase Pure CsPbBr Single Crystals Formation at Room Temperature and Its Application for Ultrahigh Sensitive X-Ray Detector. <b>2021</b> , e2103482	15
154	X-Ray-Induced Modification of the Photophysical Properties of MAPbBr Single Crystals. <b>2021</b> ,	4
153	The hybrid halide perovskite: Synthesis strategies, fabrications, and modern applications. 2021,	2
152	Ion-Accumulation-Induced Charge Tunneling for High Gain Factor in PIN-Structured Perovskite CH3NH3PbI3 X-Ray Detector. 2100908	6
151	Durable Flexible Polymer-Encapsulated CsPbI Thin Film for High Sensitivity X-ray Detection. 2021,	6
150	Compact and Large-Area Perovskite Films Achieved via Soft-Pressing and Multi-Functional Polymerizable Binder for Flat-Panel X-Ray Imager. 2110729	17
149	Inch-Sized Thin Metal Halide Perovskite Single-Crystal Wafers for Sensitive X-Ray Detection <b>2021</b> , 9, 823868	2
148	Bandgap engineering of lead-free ternary halide perovskites for photovoltaics and beyond: Recent progress and future prospects. <b>2022</b> , 92, 106710	O
147	Controllable in-situ-oxidization of 3D-networked Ti3C2T -TiO2 photodetectors for large-area flexible optical imaging. <b>2022</b> , 93, 106889	3
146	Progress of Lead-Free Halide Perovskite X-ray Detectors. <b>2020</b> ,	
145	Pressure-assisted cooling to grow ultra-stable Cs 3 Cu 2 l 5 and CsCu 2 l 3 single crystals for solid-state lighting and visible light communication.	5
144	Lattice relaxation effect in RbxMA(1½)PbBr3 single crystal to enhance optoelectronic performance of perovskite photodetectors. <b>2022</b> , 33, 3438	O
143	Metal oxide semiconductor thin-film transistor backplanes for displays and imaging. <b>2021</b> , 46, 1063-1070	3
142	Direct conversion X-ray detectors with 70 pA cm2 dark currents coated from an alcohol-based perovskite ink. <b>2022</b> , 10, 1228-1235	3
141	Top-Seed Solution-Based Growth of Perovskite Cs3Bi2I9 Single Crystal for High Performance X-ray Detection.	3
140	Ce 3+ -Doped Yttrium Aluminum Garnet Transparent Ceramics for High-Resolution X-Ray Imaging. 2102056	7

139	Further Advancement of Perovskite Single Crystals <b>2022</b> , 274-290	1
138	Emerging Lead-Halide Perovskite Semiconductor for Solid-State Detectors. <b>2022</b> , 35-58	O
137	Emerging New-Generation Detecting and Sensing of Metal Halide Perovskites. 2101204	1
136	Green solvent blade-coated MA3Bi2I9 for direct-conversion X-ray detectors.	7
135	Two-Dimensional BA2PbBr4 based Wafer for X-Rays Imaging Application.	4
134	Applications of halide perovskites in X-ray detection and imaging. <b>2022</b> , 24, 2201-2212	2
133	Controllably metastable growth of perovskite single crystals for highly sensitive X-ray detection.	1
132	Modeling analysis of the growth of a cubic crystal in a finite space <b>2022</b> ,	
131	Indirect and time-lapse X-ray detection with Ba2LuNbO6:Bi3+ double perovskite phosphors.	О
130	Terbium-doped LiYbF4 nanomaterial-based scintillator responding to X-rays with high-resolution imaging applications. <b>2022</b> , 24, 2551-2557	2
129	Recent Progress in Halide Perovskite Radiation Detectors for Gamma-Ray Spectroscopy. <b>2022</b> , 7, 1066-1085	9
128	Understanding the PEDOT:PSS, PTAA and P3CT-X Hole-Transport-Layer-Based Inverted Perovskite Solar Cells <b>2022</b> , 14,	2
127	Improved Low-Temperature Solution-Growth of CsPbBr 3-n Cl n Single Crystals for X-Ray Detection.	5
126	Sensitivity and Detection Limit of Spectroscopic-Grade Perovskite CsPbBr 3 Crystal for Hard X-Ray Detection. 2112925	7
125	Hybrid Halide Perovskite-Based Near-Infrared Photodetectors and Imaging Arrays. 2102656	5
124	In Situ Growth Mechanism for High-Quality Hybrid Perovskite Single-Crystal Thin Films with High Area to Thickness Ratio: Looking for the Sweet Spot <b>2022</b> , e2104788	2
123	Seed crystal induced cold sintering toward metal halide transparent ceramic scintillators 2022, e2110420	15
122	Chemical Potential Diagram-Guided Rational Tuning of Electrical Properties: A Case Study of CsPbBr for X-ray Detection <b>2022</b> , e2110252	8

121	Searching for High-Quality Halide Perovskite Single Crystals toward X-ray Detection 2022, 2851-2861		3
120	First-principles calculations of the structural, electronic and optical properties of Cs2AgxNa1-xInBr6 double perovskites. <b>2022</b> , 559, 111520		1
119	First-Principles Calculation Design for 2D Perovskite to Suppress Ion Migration for High-Performance X-ray Detection. 2110392		8
118	Recent Development in X-Ray Imaging Technology: Future and Challenges <b>2021</b> , 2021, 9892152		7
117	Detecting ionizing radiation using halide perovskite semiconductors processed through solution and alternative methods. <i>Nature Photonics</i> , <b>2022</b> , 16, 14-26	33.9	22
116	All-Vacuum-Deposited Perovskite X-ray Detector with a Record-High Self-Powered Sensitivity of 1.2 C Gy cm <b>2022</b> ,		2
115	Recent Advances in Lead-free Double Perovskites for X-ray and Photodetection 2022,		1
114	Data_Sheet_1.PDF. <b>2020</b> ,		
113	Ultrathin, Transparent, and High Density Perovskite Scintillator Film for High Resolution X-Ray Microscopic Imaging <b>2022</b> , e2200831		8
112	Advances in Photoelectric Detection Units for Imaging Based on Perovskite Materials. 2100713		1
111	A-Site Diamine Cation Anchoring Enables Efficient Charge Transfer and Suppressed Ion Migration in Bi-based Hybrid Perovskite Single Crystals.		0
110	Perovskite: Scintillators, direct detectors, and X-ray imagers. <b>2022</b> ,		15
109	In Situ Solution-Grown Halide Perovskite Single Crystals with Epitaxial Heterojunction Structures for Efficient Photodetection.		2
108	A-Site Diamine Cation Anchoring Enables Efficient Charge Transfer and Suppressed Ion Migration in Bi-based Hybrid Perovskite Single Crystals <b>2022</b> ,		5
107	Organic-Inorganic Hybrid Cuprous Halide Scintillators for Flexible X-ray Imaging 2022,		3
106	All-Inorganic Perovskite Single Crystals for Optoelectronic Detection. <b>2022</b> , 12, 792		O
105	Wafer-Scale Photolithography-Pixeled Pb-Free Perovskite X-ray Detectors.		3
104	Self-Assembly of 2D Hybrid Double Perovskites on 3D Cs2AgBiBr6 Crystals towards Ultrasensitive Detection of Weak Polarized Light.		

103	Self-Assembly of 2D Hybrid Double Perovskites on 3D Cs2AgBiBr6 Crystals towards Ultrasensitive Detection of Weak Polarized Light.	0
102	Perovskite Single-crystal Optoelectronic Devices. <b>2022</b> , 207-262	
101	Photoconductive Materials. 2022, 399-491	
100	Scalable Fabrication of Metal Halide Perovskites for Direct X-ray Flat-Panel Detectors: A Perspective.	6
99	Key progresses of MOE key laboratory of macromolecular synthesis and functionalization in 2021. <b>2022</b> ,	7
98	Metal-Free PAZE-NH4X3[H2O Perovskite for Flexible Transparent X-ray Detection and Imaging.	7
97	Interlayer-Assisted Growth of Si-Based All-Inorganic Perovskite Films via Chemical Vapor Deposition for Sensitive and Stable X-ray Detection. <b>2022</b> , 13, 5441-5450	2
96	Metal-Free PAZE-NH4X3[H2O Perovskite for Flexible Transparent X-ray Detection and Imaging.	
95	Thick-junction perovskite X-ray detectors: processing and optoelectronic considerations. <b>2022</b> , 14, 9636-9647	2
94	Perovskite materials: from single crystals to radiation detection.	
93	Solution-Processed Perovskite/Metal-Oxide Hybrid X-Ray Detector and Array with Decoupled Electronic and Ionic Transport Pathways. 2200500	2
92	Halide Perovskites for X-ray Detection: The Future of Diagnostic Imaging. <b>2022</b> , 33, 11-24	
91	Unprecedented Wavelength Dependence of an Antimony Chalcohalide Photovoltaic Device. 2201577	O
90	Perovskite semiconductors for ionizing radiation detection.	1
89	Promoting Single Channel Photon Emission in Copper(I) Halide Clusters for X-Ray Detection. 2200865	5
88	Synergistic strain engineering of perovskite single crystals for highly stable and sensitive X-ray detectors with low-bias imaging and monitoring. <i>Nature Photonics</i> ,	19
87	Lanthanide-Doped MAPbI3 Single Crystals: Fabrication, Optical and Electrical Properties, and Multi-mode Photodetection. <b>2022</b> , 34, 7412-7423	1
86	Two-Dimensional Perovskite Single Crystals for High-Performance X-ray Imaging and Exploring MeV X-ray Detection.	

85	Direct Detection of Near-Infrared Circularly Polarized Light via Precisely Designed Chiral Perovskite Heterostructures. <b>2022</b> , 14, 36781-36788	O
84	New flexible CsPbBr3-based scintillator for X-ray tomography. <b>2022</b> , 33,	1
83	On-Substrate Grown MAPbBr3 Single Crystal Diodes for Large-Area and Low-Dark-Current X-Ray Detection. <b>2022</b> , 69, 5035-5040	0
82	Stability strategies of perovskite quantum dots and their extended applications in extreme environment: A review. <b>2022</b> , 156, 111987	2
81	Perovskite Dimensional Evolution Through Cations Engineering to Tailor the Detection Limit in Hard X-ray Response. 2203884	O
80	Altering heating area assisted space confined method for growth of large scale and high quality MAPbBr3 single crystal thin films.	2
79	Ultraviolet-to-Infrared Broadband Photodetector and Imaging Application based on Perovskite Single Crystal.	O
78	Simulation of the Charge Collection in a Nonuniform Electric Field for MAPbI3 Semiconductor Nuclear Detector With Schottky Contact. <b>2022</b> , 69, 1990-1998	O
77	Feasibility study of perovskite film dosimeter for radiotherapy quality assurance. <b>2022</b> , 17, P09038	0
76	Ultralow-Power and Miniaturized X-ray Sensor Using the Single-Walled Carbon Nanotube Micro Network-Based Geiger Counter Design.	O
75	Low-Temperature Melt Processing Monolithic Integration of Organic Manganese (II) Bromide Wafers with Pixelated Substrate for High Sensitivity X-Ray Imaging. 2208199	O
74	Mechanical polishing with chemical passivation of perovskite single crystal for high-performance X-ray detector.	O
73	X-rays Based Bioimaging Techniques and Scintillating Materials. <b>2022</b> , 1-25	0
72	Application of perovskites in bioimaging: the state-of-the-art and future developments. <b>2022</b> , 22, 867-880	Ο
71	CMOS-Compatible Optoelectronic Imagers. <b>2022</b> , 12, 1609	0
70	High-Quality 0D Cs 4 PbBr 6 -Based Dense Wafer for High-Sensitivity X-Ray Detection and High-Resolution Imaging in Harsh Environment. 2202157	2
69	Charge Carrier Recombination Dynamics in MAPb(Br1 [Jly)3 Single Crystals. <b>2022</b> , 12, 1425	2
68	Dark current modeling of thick perovskite X-ray detectors. <b>2022</b> , 15,	O

67	Liquid-Phase Epitaxial Growth of Large-Area MAPbBr3ECln/CsPbBr3 Perovskite Single-Crystal Heterojunction for Enhancing Sensitivity and Stability of X-ray Detector.	2
66	Wafer-scale Fabrication of CMOS-compatible Trapping-mode Infrared Imagers with Colloidal Quantum Dots.	O
65	Improved Crystallization Quality of FAPbBr3 Single Crystals by a Seeded Solution Method.	O
64	Ultrasensitive Perovskite Photodetector for Filter-Free Color Single-Pixel Imaging. 2201847	1
63	Strain-Manipulated Photovoltaic and Photoelectric Effects of the MAPbBr3 Single Crystal.	O
62	Vertically Oriented Porous PET as Template to Integrated Metal Halide for High-Performance Large-Area and Ultra-Flexible X-Ray Detector. 2205095	2
61	Vapor-Deposited Amino Coupling of Hybrid Perovskite Single Crystals and Silicon Wafers toward Highly Efficient Multiwavelength Photodetection.	1
60	Polydopamine-assisted pixeled lead-free perovskite photosensors array. <b>2022</b> , 168067	O
59	PbI 2 -DMSO Assisted In Situ Growth of Perovskite Wafers for Sensitive Direct X-Ray Detection. 2204512	1
58	Near-Infrared Polarization-Sensitive Photodetection via Interfacial Symmetry Engineering of Si/MAPbI3 Heterostructural Single Crystal.	O
57	One-dimensional lead-free perovskite single crystals with high X-ray response grown by liquid phase diffusion. <b>2022</b> , 11, 134-140	O
56	Dopant-compensated Cs2AgBiBr6⊠Clx single crystals for photo-imaging and X-ray detection. <b>2022</b> , 10, 18366-18374	O
55	Characterization of solution grown 3D polycrystalline methylammonium lead tribromide for x-ray detection. <b>2022</b> , 132, 204503	O
54	Spatially nanoconfined N-type polymer semiconductors for stretchable ultrasensitive X-ray detection. <b>2022</b> , 13,	O
53	Extreme Fray radiation hardness and high scintillation yield in perovskite nanocrystals. 2022, 16, 860-868	7
52	Bulk Heterostructure BA2PbI4/MAPbI3 Perovskites for Suppressed Ion Migration To Achieve Sensitive X-ray Detection Performance. <b>2022</b> , 14, 54867-54875	O
51	Color-Tunable and Stable Copper Iodide Cluster Scintillators for Efficient X-Ray Imaging. 2205526	1
50	In Situ Polymer-Imprinted Architecture of Textured Perovskite Single-Crystal Sheets for Ultraweak-Light Photodetection. 2201876	2

49	Recent Progress and Challenges of Bismuth-Based Halide Perovskites for Emerging Optoelectronic Applications. 2202153	2
48	Perovskite single crystals: Dimensional control, optoelectronic properties, and applications. 2022,	O
47	Controllable Growth of High Quality MAPbX3 Perovskite Single Crystals for X-ray Detection.	О
46	Go beyond the limit: Rationally designed mixed-dimensional perovskite/semiconductor heterostructures and their applications. <b>2022</b> , 100363	O
45	Composition Engineering of Perovskite Single Crystals for High-Performance Optoelectronics. 2210335	O
44	Halide Perovskite: A Promising Candidate for Next-Generation X-Ray Detectors. 2205536	1
43	Charge Carrier Recombination Dynamics in MAPb(BrxCl1☑)3 Single Crystals. <b>2023</b> , 14, 245-252	O
42	X-ray Detectors Based on Halide Perovskite Materials. <b>2023</b> , 13, 211	O
41	Perovskite-like Silver Halide Single-Crystal Microbelt Enables Ultrasensitive Flexible X-ray Detectors.	O
40	Tuning Surface Oxidation States of Nickel Oxide for Efficient Inverted Perovskite Solar Cells.	O
39	Utilizing Angle-Dependent Photovoltage Effect in a CH 3 NH 3 PbCl 3 /Si Heterojunction toward High-Performance Polarized Light Detection in Ultraviolet Region. 2202383	O
38	Wide-Bandgap Rare-Earth Iodate Single Crystals for Superior X-Ray Detection and Imaging. 2206833	O
37	First-principles calculations to investigate structural, electronic and optical properties of ternary copper halides AlCumXn (A'='K, Rb, Cs; X'='Cl, Br, I). <b>2023</b> , 571, 111915	O
36	Low dark current and high stability X-ray detector based on FAPbI3/Ga2O3 heterojunction. <b>2023</b> , 941, 168989	O
35	Contribucili de la radiologii digital al mejoramiento de la calidad en el servicio de imagenologii. <b>2022</b> , 20, 25-47	O
34	Enhanced low-dose x-ray sensing nature of nanocrystalline CaWO4 sensor. <b>2023</b> , 352, 114200	O
33	Large-Area X-Ray Scintillator Screen Based on Cesium Hafnium Chloride Microcrystals Films with High Sensitivity and Stability. 2200848	0
32	Recent Development of Halide Perovskite Materials and Devices for Ionizing Radiation Detection. <b>2023</b> , 123, 1207-1261	O

### (2023-2023)

31	Designing LiTaO3:Ln3+,Eu3+ (Ln´=´Tb or Pr) perovskite dosimeter with excellent charge carrier storage capacity and stability for anti-counterfeiting and flexible X-ray imaging. <b>2023</b> , 461, 141685	О
30	Construction of CsPbBr3-CdS solid solution for visible light photocatalytic CO2 reduction. <b>2023</b> , 34,	0
29	Realizing nearly-zero dark current and ultrahigh signal-to-noise ratio perovskite X-ray detector and image array by dark-current-shunting strategy. <b>2023</b> , 14,	0
28	Manipulation of Shallow-Trap States in Halide Double Perovskite Enables Real-time Radiation Dosimetry.	o
27	Origami-inspired perovskite X-ray detector by printing and folding. <b>2023</b> , 7,	0
26	Detector-Grade Perovskite Single Crystal Wafers via Stress-Free Gel-Confined Solution Growth Targeting High-Resolution Ionizing Radiation Detection.	0
25	Wafer-Scale Fabrication of CMOS-Compatible Trapping-Mode Infrared Imagers with Colloidal Quantum Dots. <b>2023</b> , 10, 673-682	1
24	Interlayer-Spacing Engineering of Lead-Free Perovskite Single Crystal for High-Performance X-Ray Imaging. 2211977	0
23	Stable Organic Antimony Halides with Near-Unity Photoluminescence Quantum Yield for X-Ray Imaging. 2201007	0
22	A perspective on the device physics of lead halide perovskite semiconducting detector for gamma and x-ray sensing. <b>2023</b> , 122, 080501	O
21	Recent Progress on Wavelength-Selective Perovskite Photodetectors for Image Sensing. 2023, 7,	0
20	CsPbBr3-DMSO merged perovskite micro-bricks for efficient X-ray detection.	O
19	Printable Perovskite Diodes for Broad-Spectrum Multienergy X-Ray Detection.	0
18	Flexible Self-Powered Vertical Photodetectors Based on the [001]-Oriented CsPbBr3 Film. <b>2023</b> , 127, 4846-4852	0
17	Effect of Pd(ii) uptake on high-temperature phase transitions in a hybrid organicihorganic perovskite semiconductor. <b>2023</b> , 52, 3815-3820	0
16	A Review on Lead-Free Perovskites for X-Ray Detection and Imaging. 2200232	0
15	MAPb(Br1⊠Clx)3 Hybrid Perovskite Materials for Direct X-ray Detection. <b>2023</b> , 5, 1866-1878	0
14	Reconfigurable Pb-Free Perovskite Array for X-Ray In-Sensor Computing. <b>2023</b> , 70, 2147-2152	О

13	Solvent engineering of MAPbI3 perovskite thick film for a direct X-ray detector. 2023, 15, 6664-6672	0
12	Solution-grown Bil/Bil3 van der Waals heterostructures for sensitive X-ray detection. 2023, 14,	O
11	Phenyl-Terminated Coupling Interface Enabled Highly Efficient and Stable Multiwavelength Perovskite Single Crystal/Silicon Integrated Photodetector. <b>2023</b> , 15, 17377-17385	О
10	Recent Progress on Synthesis, Intrinsic Properties and Optoelectronic Applications of Perovskite Single Crystals. 2214339	O
9	Advances in the Synthesis of Halide Perovskite Single Crystals for Optoelectronic Applications. <b>2023</b> , 35, 2683-2712	O
8	Highly Luminescent Nonclassical Binuclear Manganese(II) Complex Scintillators for Efficient X-ray Imaging. <b>2023</b> , 62, 5729-5736	O
7	Additive-Induced Synergies of Ion Migration Inhibition and Defect Passivation toward Sensitive Perovskite X-ray Detectors. <b>2023</b> , 14, 3313-3319	O
6	Detector-grade perovskite single-crystal wafers via stress-free gel-confined solution growth targeting high-resolution ionizing radiation detection. <b>2023</b> , 12,	O
5	In situ growth of perovskite single-crystal thin films with low trap density. 2023, 4, 101363	O
4	Perovskite band engineering for high-performance X-ray detection. 11,	O
3	Advanced pyroelectric materials for energy harvesting and sensing applications. 2023,	О
2	Influence of applied bias on direct conversion X-ray sensing capability of nanocrystalline Ca9Ag(PO4)6(OH)2. <b>2023</b> , 162, 107517	O
1	Hot-pressed CH3NH3PbI3 polycrystalline wafers for near-infrared bioimaging and medical X-ray imaging.	O