

Burgess Shale fossils illustrate the origin of the mandible

Nature

545, 89-92

DOI: [10.1038/nature22080](https://doi.org/10.1038/nature22080)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Palaeontology: The Cause of Jaws and Claws. <i>Current Biology</i> , 2017, 27, R807-R810. | 3.9 | 6 |
| 2 | The Evolution of Arthropod Body Plans: Integrating Phylogeny, Fossils, and Development—An Introduction to the Symposium. <i>Integrative and Comparative Biology</i> , 2017, 57, 450-454. | 2.0 | 4 |
| 3 | Inferring Arthropod Phylogeny: Fossils and their Interaction with Other Data Sources. <i>Integrative and Comparative Biology</i> , 2017, 57, 467-476. | 2.0 | 9 |
| 4 | Exoskeletal transformations in Eriophyoidea: new pseudotagmic taxon <i>Pseudotagmus africanus</i> n. g. & n. sp. from South Africa and remarks on pseudotagmosis in eriophyoid mites. <i>Systematic and Applied Acarology</i> , 2017, 22, 2093. | 0.5 | 3 |
| 5 | Geochemistry Articles – May 2017. <i>Organic Geochemistry</i> , 2017, 110, e1-e27. | 1.8 | 0 |
| 6 | Mandibulate convergence in an armoured Cambrian stem chelicerate. <i>BMC Evolutionary Biology</i> , 2017, 17, 261. | 3.2 | 38 |
| 7 | A New Burgess Shale Polychaete and the Origin of the Annelid Head Revisited. <i>Current Biology</i> , 2018, 28, 319-326.e1. | 3.9 | 18 |
| 8 | Early Cambrian fuxianhuiids from China reveal origin of the gnathobasic protopodite in euarthropods. <i>Nature Communications</i> , 2018, 9, 470. | 12.8 | 37 |
| 9 | The gnathobasic spine microstructure of recent and Silurian chelicerates and the Cambrian arthropodan <i>Sidneyia</i> : Functional and evolutionary implications. <i>Arthropod Structure and Development</i> , 2018, 47, 12-24. | 1.4 | 50 |
| 10 | A redescription of <i>Liangwangshania biloba</i> Chen, 2005, from the Chengjiang biota (Cambrian, China), with a discussion of possible sexual dimorphism in fuxianhuiid arthropods. <i>Arthropod Structure and Development</i> , 2018, 47, 552-561. | 1.4 | 5 |
| 11 | Cladistical Analysis of the Jovian and Saturnian Satellite Systems. <i>Astrophysical Journal</i> , 2018, 859, 97. | 4.5 | 11 |
| 12 | <i>Waptia fieldensis</i> Walcott, a mandibulate arthropod from the middle Cambrian Burgess Shale. <i>Royal Society Open Science</i> , 2018, 5, 172206. | 2.4 | 51 |
| 13 | The Divergent Evolution of Arthropod Brains. , 0, , 31-70. | | 4 |
| 14 | A possible case of inverted lifestyle in a new bivalved arthropod from the Burgess Shale. <i>Royal Society Open Science</i> , 2019, 6, 191350. | 2.4 | 8 |
| 15 | A middle Cambrian arthropod with chelicerae and proto-book gills. <i>Nature</i> , 2019, 573, 586-589. | 27.8 | 39 |
| 16 | Developing an integrated understanding of the evolution of arthropod segmentation using fossils and evo-devo. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191881. | 2.6 | 22 |
| 17 | THE LIMITS OF BURGESS SHALE-TYPE PRESERVATION: ASSESSING THE EVIDENCE FOR PRESERVATION OF THE BLOOD PROTEIN HEMOCYANIN IN THE BURGESS SHALE. <i>Palaios</i> , 2019, 34, 291-299. | 1.3 | 6 |
| 18 | The Phylogeny and Evolutionary History of Arthropods. <i>Current Biology</i> , 2019, 29, R592-R602. | 3.9 | 155 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Trilobite compound eyes with crystalline cones and rhabdoms show mandibulate affinities. <i>Nature Communications</i> , 2019, 10, 2503. | 12.8 | 15 |
| 20 | Reviewing the bases for a nomenclatural uniformization of the highest taxonomic levels in arthropods. <i>Geological Magazine</i> , 2019, 156, 1463-1468. | 1.5 | 11 |
| 21 | Burgess Shale fossils shed light on the agnostid problem. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20182314. | 2.6 | 16 |
| 22 | Muscles and muscle scars in fossil malacostracan crustaceans. <i>Earth-Science Reviews</i> , 2019, 194, 306-326. | 9.1 | 9 |
| 23 | Three-Dimensionally Preserved Appendages in an Early Cambrian Stem-Group Pancrustacean. <i>Current Biology</i> , 2019, 29, 171-177.e1. | 3.9 | 46 |
| 24 | The trouble with trilobites: classification, phylogeny and the cryptogenesis problem. <i>Geological Magazine</i> , 2020, 157, 35-46. | 1.5 | 17 |
| 26 | Fossils from South China redefine the ancestral euarthropod body plan. <i>BMC Evolutionary Biology</i> , 2020, 20, 4. | 3.2 | 27 |
| 27 | Macroevolutionary patterns of body plan canalization in euarthropods. <i>Paleobiology</i> , 2020, 46, 569-593. | 2.0 | 14 |
| 28 | Arthropod Origins: Integrating Paleontological and Molecular Evidence. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2020, 51, 1-25. | 8.3 | 30 |
| 29 | Evolutionary trade-off in reproduction of Cambrian arthropods. <i>Science Advances</i> , 2020, 6, eaaz3376. | 10.3 | 16 |
| 30 | The Collinsâ€™ monster, a spinous suspensionâ€™feeding lobopodian from the Cambrian Burgess Shale of British Columbia. <i>Palaeontology</i> , 2020, 63, 979-994. | 2.2 | 11 |
| 31 | The Burgess Shale paleocommunity with new insights from Marble Canyon, British Columbia. <i>Paleobiology</i> , 2020, 46, 58-81. | 2.0 | 47 |
| 32 | Aquatic stem group myriapods close a gap between molecular divergence dates and the terrestrial fossil record. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8966-8972. | 7.1 | 27 |
| 33 | A new early Cambrian bivalved euarthropod from Yunnan, China and general interspecific morphological and size variations in Cambrian hymenocarines. <i>Palaeoworld</i> , 2021, 30, 387-397. | 1.1 | 3 |
| 34 | Fuxianhuiids are mandibulates and share affinities with total-group Myriapoda. <i>Journal of the Geological Society</i> , 2021, 178, . | 2.1 | 15 |
| 35 | A new species of the Cambrian bivalved euarthropod <i>Pectocaris</i> with axially differentiated enditic armatures. <i>Papers in Palaeontology</i> , 2021, 7, 1781. | 1.5 | 7 |
| 36 | Stranger than a scorpion: a reassessment of <i>Parioscorpio venator</i> , a problematic arthropod from the Llandoveryan Waukesha Lagerstätte. <i>Palaeontology</i> , 2021, 64, 429-474. | 2.2 | 14 |
| 37 | The origin and evolution of the euarthropod labrum. <i>Arthropod Structure and Development</i> , 2021, 62, 101048. | 1.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 38 | Exceptional multifunctionality in the feeding apparatus of a mid-Cambrian radiodont. <i>Paleobiology</i> , 0, , 1-21. | 2.0 | 16 |
| 39 | A Burgess Shale mandibulate arthropod with a pygidium: a case of convergent evolution. <i>Papers in Palaeontology</i> , 2021, 7, 1877. | 1.5 | 9 |
| 40 | Through a glass darkly, but with more understanding of arthropod origin. <i>France Biotechnologies</i> , 0, , . | 0.0 | 0 |
| 41 | An early Cambrian euarthropod with radiodont-like raptorial appendages. <i>Nature</i> , 2020, 588, 101-105. | 27.8 | 37 |
| 42 | Brachiopod-dominated communities and depositional environment of the Guanshan Konservat-Lagerstätte, eastern Yunnan, China. <i>Journal of the Geological Society</i> , 2021, 178, . | 2.1 | 10 |
| 43 | The Deep-Water Crustacean and Pycnogonid Fauna of the Americas in a Global Context. , 2020, , 1-24. | | 2 |
| 44 | The soft-bodied biota of the Cambrian Series 2 Parker Quarry Lagerstätte of northwestern Vermont, USA. <i>Journal of Paleontology</i> , 2022, 96, 770-790. | 0.8 | 7 |
| 45 | A new marrellomorph arthropod from southern Ontario: a rare case of soft-tissue preservation on a Late Ordovician open marine shelf. <i>Journal of Paleontology</i> , 2022, 96, 859-874. | 0.8 | 4 |
| 46 | Ediacaran survivors in the Cambrian: suspicions, denials and a smoking gun. <i>Geological Magazine</i> , 2022, 159, 1210-1219. | 1.5 | 6 |
| 47 | The origin and early evolution of arthropods. <i>Biological Reviews</i> , 2022, 97, 1786-1809. | 10.4 | 13 |
| 48 | Extreme multisegmentation in a giant bivalved arthropod from the Cambrian Burgess Shale. <i>IScience</i> , 2022, , 104675. | 4.1 | 3 |
| 49 | A three-eyed radiodont with fossilized neuroanatomy informs the origin of the arthropod head and segmentation. <i>Current Biology</i> , 2022, 32, 3302-3316.e2. | 3.9 | 18 |
| 50 | Functional importance of the mandibular skeleto-muscular system in the bivalved arthropod <i>Heterocypris incongruens</i> (Crustacea, Ostracoda, Cyprididae). <i>Die Naturwissenschaften</i> , 2022, 109, . | 1.6 | 0 |
| 51 | A new species of early Cambrian arthropod reconstructed from exceptionally preserved mandibles and associated small carbonaceous fossils (SCFs). <i>Papers in Palaeontology</i> , 2022, 8, . | 1.5 | 4 |
| 52 | <i>Innovatiocaris</i> , a complete radiodont from the early Cambrian Chengjiang Lagerstätte and its implications for the phylogeny of Radiodonta. <i>Journal of the Geological Society</i> , 2023, 180, . | 2.1 | 4 |
| 53 | Description of <i>Acheronauta</i> gen. nov., a possible mandibulate from the Silurian Waukesha Lagerstätte, Wisconsin, USA. <i>Journal of Systematic Palaeontology</i> , 2022, 20, 1-24. | 1.5 | 4 |
| 54 | New fossil assemblages from the Early Ordovician Fezouata Biota. <i>Scientific Reports</i> , 2022, 12, . | 3.3 | 14 |
| 55 | The problematic Cambrian arthropod <i>Tuzoia</i> and the origin of mandibulates revisited. <i>Royal Society Open Science</i> , 2022, 9, . | 2.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Interpreting fossilized nervous tissues. <i>BioEssays</i> , 2023, 45, . | 2.5 | 3 |
| 57 | Three-dimensional morphology of the biramous appendages in <i>Isoxys</i> from the early Cambrian of South China, and its implications for early euarthropod evolution. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2023, 290, . | 2.6 | 2 |
| 58 | New soft-bodied panarthropods from diverse Spence Shale (Cambrian; Miaolingian; Wuliuan) depositional environments. <i>Journal of Paleontology</i> , 2023, 97, 1025-1048. | 0.8 | 1 |
| 59 | A possibly deep branching arthropod from the lower Cambrian Sirius Passet Lagerstätte (North Greenland). <i>Papers in Palaeontology</i> , 2023, 9, . | 1.5 | 1 |
| 60 | A quantitative assessment of ontogeny and molting in a Cambrian radiodont and the evolution of arthropod development. <i>Paleobiology</i> , 2024, 50, 54-69. | 2.0 | 3 |
| 61 | Early developmental stages of a Lower Ordovician marrellid from Morocco suggest simple ontogenetic niche differentiation in early euarthropods. <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 2.2 | 1 |
| 62 | A network analysis of early arthropod evolution and the potential of the primitive. <i>Scientific Reports</i> , 2024, 14, . | 3.3 | 0 |
| 63 | The Main Line of the Evolution of Articulata—From Polychaetes to Insects. <i>Paleontological Journal</i> , 2023, 57, 1286-1297. | 0.5 | 0 |