

Mapping daily evapotranspiration based on spatiotemporal satellite images over irrigated agricultural areas in the Heihe River Basin

Agricultural and Forest Meteorology

244-245, 82-97

DOI: [10.1016/j.agrformet.2017.05.023](https://doi.org/10.1016/j.agrformet.2017.05.023)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Comparison of Two Satellite-Based Evapotranspiration Models of the Nagqu River Basin of the Tibetan Plateau. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 3961-3975.	3.3	22
2	Spatial resolution enhancement of satellite image data using fusion approach. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018, 118, 012047.	0.3	2
3	Modeling the Distributions of Brightness Temperatures of a Cropland Study Area Using a Model that Combines Fast Radiosity and Energy Budget Methods. <i>Remote Sensing</i> , 2018, 10, 736.	4.0	4
4	Continuous Daily Evapotranspiration Estimation at the Field-Scale over Heterogeneous Agricultural Areas by Fusing ASTER and MODIS Data. <i>Remote Sensing</i> , 2018, 10, 1694.	4.0	12
5	The Heihe Integrated Observatory Network: A Basin-Scale Land Surface Processes Observatory in China. <i>Vadose Zone Journal</i> , 2018, 17, 1-21.	2.2	258
6	Monitoring and validating spatially and temporally continuous daily evaporation and transpiration at river basin scale. <i>Remote Sensing of Environment</i> , 2018, 219, 72-88.	11.0	82
7	Mapping daily leaf area index at 30 m resolution over a meadow steppe area by fusing Landsat, Sentinel-2A and MODIS data. <i>International Journal of Remote Sensing</i> , 2018, 39, 9025-9053.	2.9	12
8	Improvement of Makkink model for reference evapotranspiration estimation using temperature data in Northwest China. <i>Journal of Hydrology</i> , 2018, 566, 264-273.	5.4	32
9	Spatiotemporal Fusion of Multisource Remote Sensing Data: Literature Survey, Taxonomy, Principles, Applications, and Future Directions. <i>Remote Sensing</i> , 2018, 10, 527.	4.0	293
10	Estimation of daily evapotranspiration and irrigation water efficiency at a Landsat-like scale for an arid irrigation area using multi-source remote sensing data. <i>Remote Sensing of Environment</i> , 2018, 216, 715-734.	11.0	120
11	Exploring evapotranspiration dynamics over Sub-Sahara Africa (2000-2014). <i>Environmental Monitoring and Assessment</i> , 2018, 190, 400.	2.7	27
12	Spatially Disaggregating Satellite Land Surface Temperature With a Nonlinear Model Across Agricultural Areas. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 3232-3251.	3.0	10
13	An Optimized Water Distribution Model of Irrigation District Based on the Genetic Backtracking Search Algorithm. <i>IEEE Access</i> , 2019, 7, 145692-145704.	4.2	5
14	Combining generalized complementary relationship models with the Bayesian Model Averaging method to estimate actual evapotranspiration over China. <i>Agricultural and Forest Meteorology</i> , 2019, 279, 107759.	4.8	13
15	Satellite-based analysis of regional evapotranspiration trends in a semi-arid area. <i>International Journal of Remote Sensing</i> , 2019, 40, 3267-3288.	2.9	7
16	Simultaneous measurement of multiple soil properties through proximal sensor data fusion: A case study. <i>Geoderma</i> , 2019, 341, 111-128.	5.1	73
17	Mapping daily evapotranspiration over a large irrigation district from MODIS data using a novel hybrid dual-source coupling model. <i>Agricultural and Forest Meteorology</i> , 2019, 276-277, 107612.	4.8	9
18	A Modeling Framework for Deriving Daily Time Series of Evapotranspiration Maps Using a Surface Energy Balance Model. <i>Remote Sensing</i> , 2019, 11, 508.	4.0	6

#	ARTICLE	IF	CITATIONS
19	A three-source satellite algorithm for retrieving all-sky evapotranspiration rate using combined optical and microwave vegetation index at twenty AsiaFlux sites. <i>Remote Sensing of Environment</i> , 2019, 235, 111463.	11.0	27
20	Mapping regional turbulent heat fluxes via variational assimilation of land surface temperature data from polar orbiting satellites. <i>Remote Sensing of Environment</i> , 2019, 221, 444-461.	11.0	59
21	Evaluating Soil Resistance Formulations in Thermal-Based Two-Source Energy Balance (TSEB) Model: Implications for Heterogeneous Semiarid and Arid Regions. <i>Water Resources Research</i> , 2019, 55, 1059-1078.	4.2	29
22	Application of Cadastre Maps, Agricultural Database and MODIS Satellite Images for Monitoring Cultivated Areas. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2019, 43, 179-192.	1.9	3
23	A survey on intelligent agents and multi-agents for irrigation scheduling. <i>Computers and Electronics in Agriculture</i> , 2020, 176, 105474.	7.7	31
24	Assessing the Spatial Pattern of Irrigation Demand under Climate Change in Arid Area. <i>ISPRS International Journal of Geo-Information</i> , 2020, 9, 506.	2.9	5
25	A Data Fusion Modeling Framework for Retrieval of Land Surface Temperature from Landsat-8 and MODIS Data. <i>Sensors</i> , 2020, 20, 4337.	3.8	5
26	HISTIF: A New Spatiotemporal Image Fusion Method for High-Resolution Monitoring of Crops at the Subfield Level. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 4607-4626.	4.9	19
27	Evapotranspiration Partitioning at Field Scales Using TSEB and Multi-Satellite Data Fusion in The Middle Reaches of Heihe River Basin, Northwest China. <i>Remote Sensing</i> , 2020, 12, 3223.	4.0	7
28	Estimating surface heat and water vapor fluxes by combining two-source energy balance model and back-propagation neural network. <i>Science of the Total Environment</i> , 2020, 729, 138724.	8.0	16
29	BESS-STAIR: a framework to estimate daily, 30m, and all-weather crop evapotranspiration using multi-source satellite data for the US Corn Belt. <i>Hydrology and Earth System Sciences</i> , 2020, 24, 1251-1273.	4.9	22
30	Wind Speed-Independent Two-Source Energy Balance Model Based on a Theoretical Trapezoidal Relationship between Land Surface Temperature and Fractional Vegetation Cover for Evapotranspiration Estimation. <i>Advances in Meteorology</i> , 2020, 2020, 1-22.	1.6	3
31	Seasonal Adaptation of the Thermal-Based Two-Source Energy Balance Model for Estimating Evapotranspiration in a Semiarid Tree-Grass Ecosystem. <i>Remote Sensing</i> , 2020, 12, 904.	4.0	20
32	Developing a Gap-Filling Algorithm Using DNN for the Ts-VI Triangle Model to Obtain Temporally Continuous Daily Actual Evapotranspiration in an Arid Area of China. <i>Remote Sensing</i> , 2020, 12, 1121.	4.0	14
33	Sensitivity of six typical spatiotemporal fusion methods to different influential factors: A comparative study for a normalized difference vegetation index time series reconstruction. <i>Remote Sensing of Environment</i> , 2021, 252, 112130.	11.0	76
34	Phenology-based classification of crop species and rotation types using fused MODIS and Landsat data: The comparison of a random-forest-based model and a decision-rule-based model. <i>Soil and Tillage Research</i> , 2021, 206, 104838.	5.6	38
35	Current and near-term advances in Earth observation for ecological applications. <i>Ecological Processes</i> , 2021, 10, 1.	3.9	113
36	Quantifying spatio-temporal variations of evapotranspiration over a heterogeneous terrain in the Arid regions of Northwestern China.. <i>International Journal of Remote Sensing</i> , 2021, 42, 3231-3254.	2.9	3

#	ARTICLE	IF	CITATIONS
37	A Hybrid Deep Learning-Based Spatiotemporal Fusion Method for Combining Satellite Images with Different Resolutions. <i>Remote Sensing</i> , 2021, 13, 645.	4.0	31
38	Improving the Evapotranspiration Estimation under Cloudy Condition by Extending the Ts-VI Triangle Model. <i>Remote Sensing</i> , 2021, 13, 1516.	4.0	3
39	Estimation of Evapotranspiration in Sparse Vegetation Areas by Applying an Optimized Two-Source Model. <i>Remote Sensing</i> , 2021, 13, 1344.	4.0	3
40	Challenges and opportunities in precision irrigation decision-support systems for center pivots. <i>Environmental Research Letters</i> , 2021, 16, 053003.	5.2	31
41	Evaluating the SSEBop and RSPMPT Models for Irrigated Fields Daily Evapotranspiration Mapping with MODIS and CMADS Data. <i>Agriculture (Switzerland)</i> , 2021, 11, 424.	3.1	3
42	The effect of pixel heterogeneity for remote sensing based retrievals of evapotranspiration in a semi-arid tree-grass ecosystem. <i>Remote Sensing of Environment</i> , 2021, 260, 112440.	11.0	27
43	Long time series of daily evapotranspiration in China based on the SEBAL model and multisource images and validation. <i>Earth System Science Data</i> , 2021, 13, 3995-4017.	9.9	28
44	A decadal (2008â€“2017) daily evapotranspiration data set of 1Âkm spatial resolution and spatial completeness across the North China Plain using TSEB and data fusion. <i>Remote Sensing of Environment</i> , 2021, 262, 112519.	11.0	39
45	Spatially Continuous and High-Resolution Land Surface Temperature Product Generation: A review of reconstruction and spatiotemporal fusion techniques. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2021, 9, 112-137.	9.6	61
46	Evaluating the role of remote sensing-based energy balance models in improving site-specific irrigation management for young walnut orchards. <i>Agricultural Water Management</i> , 2021, 256, 107132.	5.6	3
47	A physical-based two-source evapotranspiration model with Moninâ€“Obukhov similarity theory. <i>GIScience and Remote Sensing</i> , 2021, 58, 88-119.	5.9	9
48	Performance assessment of ESTARFM with different similar-pixel identification schemes. <i>Journal of Applied Remote Sensing</i> , 2018, 12, 1.	1.3	6
49	Spatiotemporal variation of actual evapotranspiration and its response to changes of major meteorological factors over China using multi-source data. <i>Journal of Water and Climate Change</i> , 2021, 12, 325-338.	2.9	11
50	Mapping groundwater abstractions from irrigated agriculture: big data, inverse modeling, and a satelliteâ€“model fusion approach. <i>Hydrology and Earth System Sciences</i> , 2020, 24, 5251-5277.	4.9	19
51	Estimating Regional Evapotranspiration Using a Satellite-Based Wind Speed Avoiding Priestleyâ€“Taylor Approach. <i>Water (Switzerland)</i> , 2021, 13, 3144.	2.7	1
52	SEBAL Model to Estimate Biophysics and Energy Flux Variable : Availability of Evapotranspiration Distribution Using Remote Sensing in Lore Lindu National Park. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 950, 012022.	0.3	1
53	Deep Learning-Based Spatiotemporal Data Fusion Using a Patch-to-Pixel Mapping Strategy and Model Comparisons. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-18.	6.3	9
54	Operational daily evapotranspiration mapping at field scale based on SSEBop model and spatiotemporal fusion of multi-source remote sensing data. <i>PLoS ONE</i> , 2022, 17, e0264133.	2.5	2

#	ARTICLE	IF	CITATIONS
55	Evaluation of Landsat 8-like Land Surface Temperature by Fusing Landsat 8 and MODIS Land Surface Temperature Product. <i>Processes</i> , 2021, 9, 2262.	2.8	11
56	Estimation of Landsat-like daily evapotranspiration for crop water consumption monitoring using TSEB model and data fusion. <i>PLoS ONE</i> , 2022, 17, e0267811.	2.5	1
57	Effect of aggregation and disaggregation of land surface temperature imagery on evapotranspiration estimation. <i>Remote Sensing Applications: Society and Environment</i> , 2022, 27, 100805.	1.5	0
58	Estimation of evapotranspiration using all-weather land surface temperature and variational trends with warming temperatures for the River Source Region in Southwest China. <i>Journal of Hydrology</i> , 2022, 613, 128346.	5.4	4
59	Application of Spatially Distributed Calibrated Hydrological Model in Evapotranspiration Simulation of Three Gorges Reservoir Area of China: A Case Study in the Madu River Basin. <i>Chinese Geographical Science</i> , 2022, 32, 1083-1098.	3.0	1
60	Regime Shifts in the Hexi Oases over the Past Three Decades: The Case of the Linze Oasis in the Middle Reaches of the Heihe River. <i>Sustainability</i> , 2022, 14, 16309.	3.2	0
61	Assessment of water demands for irrigation using energy balance and satellite data fusion models in cloud computing: A study in the Brazilian semiarid region. <i>Agricultural Water Management</i> , 2023, 281, 108260.	5.6	2
62	Evapotranspiration of Winter Wheat in the Semi-Arid Southeastern Loess Plateau Based on Multi-Source Satellite Data. <i>Remote Sensing</i> , 2023, 15, 2095.	4.0	1
63	Estimating the Actual Evapotranspiration Using Remote Sensing and SEBAL Model in an Arid Environment of Northwest China. <i>Water (Switzerland)</i> , 2023, 15, 1555.	2.7	1
64	Spatial enhanced spatiotemporal reflectance fusion model for heterogeneous regions with land cover change. <i>Geocarto International</i> , 2023, 38, .	3.5	0
65	The effect of pixel heterogeneity on surface heat and water vapor flux estimated by the remote sensing-based model coupled with deep learning. <i>Journal of Hydrology</i> , 2023, 625, 130036.	5.4	1
66	Evaluating the performance of the TSEB model for sorghum evapotranspiration estimation using time series UAV imagery. <i>Irrigation Science</i> , 0, , .	2.8	1
67	Simple yet efficient downscaling of land surface temperatures by suitably integrating kernel- and fusion-based methods. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2023, 205, 317-333.	11.1	1
68	Automated actual evapotranspiration estimation: Hybrid model of a novel attention based U-Net and metaheuristic optimization algorithms. <i>Atmospheric Research</i> , 2024, 297, 107107.	4.1	0
69	Evaluating the ability of deep learning on actual daily evapotranspiration estimation over the heterogeneous surfaces. <i>Agricultural Water Management</i> , 2024, 291, 108627.	5.6	0