

CITATION REPORT

List of articles citing

Cost-effectiveness analysis of single-use negative pressure wound therapy dressings (sNPWT) to reduce surgical site complications (SSC) in routine primary hip and knee replacements

DOI: 10.1111/wrr.12530

Wound Repair and Regeneration, 2017, 25, 474-482.

Source: <https://exaly.com/paper-pdf/66630681/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
43	Meta-Analysis of Comparative Trials Evaluating a Prophylactic Single-Use Negative Pressure Wound Therapy System for the Prevention of Surgical Site Complications. <i>Surgical Infections</i> , 2017 , 18, 810-819	2	73
42	Using negative pressure wound therapy to prevent surgical site infection. <i>Journal of Wound Care</i> , 2018 , 27, S5-S13	2.2	5
41	The Use of Closed Incision Negative-Pressure Wound Therapy in Orthopaedic Surgery. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , 2018 , 26, 295-302	4.5	29
40	A risk-stratification algorithm to reduce superficial surgical site complications in primary hip and knee arthroplasty. <i>Arthroplasty Today</i> , 2018 , 4, 493-498	2	6
39	Cost-effectiveness analysis of single use negative pressure wound therapy dressings (sNPWT) compared to standard of care in reducing surgical site complications (SSC) in patients undergoing coronary artery bypass grafting surgery. <i>Journal of Cardiothoracic Surgery</i> , 2018 , 13, 103	1.6	13
38	Incisional Negative Pressure Wound Therapy for Surgical Site Infection Prophylaxis in the Post-Antibiotic Era. <i>Surgical Infections</i> , 2018 , 19, 821-830	2	2
37	Advanced therapies in wound management: cell and tissue based therapies, physical and bio-physical therapies smart and IT based technologies. <i>Journal of Wound Care</i> , 2018 , 27, S1-S137	2.2	33
36	Negative pressure wound therapy for surgical site infections: a systematic review and meta-analysis of randomized controlled trials. <i>Clinical Microbiology and Infection</i> , 2019 , 25, 1328-1338	9.5	17
35	Comparison of the Efficacy Between Closed Incisional Negative-Pressure Wound Therapy and Conventional Wound Management After Total Hip and Knee Arthroplasties: A Systematic Review and Meta-Analysis. <i>Journal of Arthroplasty</i> , 2019 , 34, 2804-2814	4.4	15
34	Cost-effectiveness of negative-pressure wound therapy in adults with severe open fractures of the lower limb: evidence from the WOLLF randomized controlled trial. <i>Bone and Joint Journal</i> , 2019 , 101-B, 1392-1401	5.6	12
33	Barbed suture and glue in skin closure during lower limb arthroplasty: reduced delayed discharge due to wound exudate. <i>Journal of Wound Care</i> , 2019 , 28, 784-789	2.2	4
32	Management of Closed Incisions Using Negative-Pressure Wound Therapy in Orthopedic Surgery. <i>Plastic and Reconstructive Surgery</i> , 2019 , 143, 21S-26S	2.7	10
31	Cost-effectiveness of incisional negative pressure wound therapy compared with standard care after caesarean section in obese women: a trial-based economic evaluation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 619-627	3.7	29
30	The Efficacy of Prophylactic Negative Pressure Wound Therapy for Closed Incisions in Breast Surgery: A Systematic Review and Meta-Analysis. <i>World Journal of Surgery</i> , 2020 , 44, 1526-1537	3.3	9
29	The use of negative-pressure wound therapy after total knee arthroplasty is effective for reducing complications and the need for reintervention. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 490	2.8	4
28	Cost-Effectiveness of Arthroplasty Management in Hip and Knee Osteoarthritis: a Quality Review of the Literature. <i>Current Treatment Options in Rheumatology</i> , 2020 , 6, 160-190	1.3	1
27	Are high-risk patient and revision arthroplasty effective indications for closed-incisional negative-pressure wound therapy after total hip or knee arthroplasty? A systematic review and meta-analysis. <i>International Wound Journal</i> , 2020 , 17, 1310-1322	2.6	4

26	Enhanced recovery following hip and knee arthroplasty: a systematic review of cost-effectiveness evidence. <i>BMJ Open</i> , 2020 , 10, e032204	3	7
25	Negative pressure wound therapy for surgical wounds healing by primary closure. <i>The Cochrane Library</i> , 2020 , 6, CD009261	5.2	19
24	The impact of negative pressure wound therapy for closed surgical incisions on surgical site infection: A systematic review and meta-analysis. <i>Surgery</i> , 2020 , 167, 1001-1009	3.6	25
23	Negative pressure wound therapy for surgical wounds healing by primary closure. <i>The Cochrane Library</i> , 2020 , 5, CD009261	5.2	15
22	Negative Pressure Wound Therapy Reduces Wound Breakdown and Implant Loss in Prepectoral Breast Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020 , 8, e2667	1.2	6
21	Improving Postoperative Outcomes in Lower Extremity Amputees Utilizing a Quality Improvement Approach. <i>Orthopaedic Nursing</i> , 2021 , 40, 144-156	0.9	
20	Single-use negative pressure wound therapy reduces costs in closed surgical incisions: UK and US economic evaluation. <i>Journal of Wound Care</i> , 2021 , 30, S23-S31	2.2	1
19	Effectiveness of Different Wound Dressings in the Reduction of Blisters and Periprosthetic Joint Infection After Total Joint Arthroplasty: A Systematic Review and Network Meta-Analysis. <i>Journal of Arthroplasty</i> , 2021 , 36, 2612-2629	4.4	1
18	Comparison of Surgical Site Complications With Negative Pressure Wound Therapy vs Silver Impregnated Dressing in High-Risk Total Knee Arthroplasty Patients: A Matched Cohort Study. <i>Journal of Arthroplasty</i> , 2021 , 36, 3437-3442	4.4	4
17	The Cost-Effectiveness of Closed Incisional Negative Pressure Wound Therapy for Infection Prevention after Revision Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2021 ,	2.4	2
16	Negative pressure wound therapy for surgical wounds healing by primary closure. <i>The Cochrane Library</i> , 2019 , 3, CD009261	5.2	35
15	A single-use negative-pressure wound therapy device can reduce mastectomy skin flap necrosis in direct-to-implant breast reconstruction. <i>Archives of Aesthetic Plastic Surgery</i> , 2020 , 26, 12-19	0.4	1
14	Clinical and Health-Care Cost Analysis of Negative Pressure Dressing in Primary and Revision Total Knee Arthroplasty: A Systematic Review and Meta-Analysis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , Publish Ahead of Print, 541-548	5.6	2
13	Cellular benefits of single-use negative pressure wound therapy demonstrated in a novel ex vivo human skin wound model. <i>Wound Repair and Regeneration</i> , 2021 , 29, 298-305	3.6	1
12	Is the Use of BIMA in CABG Sub-Optimal? A Review of the Current Clinical and Economic Evidence Including Innovative Approaches to the Management of Mediastinitis. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2020 , 26, 229-239	1.8	0
11	The application of close incisional negative pressure wound therapy in revision arthroplasty among asian patients: a comparative study.. <i>Arthroplasty</i> , 2021 , 3, 38	0.7	
10	Prevention of postoperative surgical wound complications in ankle and distal tibia fractures: results of Incisional Negative Pressure Wound Therapy. <i>Acta Biomedica</i> , 2020 , 91, e2020006	3.2	
9	Adsorbent Dressings From Sodium Carboxymethyl Cellulose With Silver Ions in Primary Knee Arthroplasty: A Randomized Trial. <i>Travmatologija i Ortopediya Rossii</i> , 2022 , 28, 28-38	0.3	

8	Postoperative Fluid Collections in Total Joint Arthroplasty: A Narrative Review.. <i>Orthopedic Research and Reviews</i> , 2022 , 14, 43-57	2.1	
7	Randomized Controlled Trial of Incisional Negative Pressure following High-Risk Direct Anterior Total Hip Arthroplasty Investigation performed in the Department of Orthopedic Surgery, Columbia University Irving Medical Center, New York, NY.. <i>Journal of Arthroplasty</i> , 2022 ,	4.4	○
6	Negative pressure wound therapy for surgical wounds healing by primary closure.. <i>Cochrane Database of Systematic Reviews</i> , 2022 , 4, CD009261		3
5	Negative Pressure Wound Therapy (NPWT) Yields Lower Wound Complication and Surgical Site Infection Rates Compared to Standard Surgical Dressings (SSDs) after Resection of a Malignancy: A Systematic Review and Meta-Analysis <i>Plastic and Reconstructive Surgery</i> , Publish Ahead of Print,	2.7	1
4	Negative pressure wound therapy reduces the incidence of postoperative wound dehiscence and surgical site infections after total knee arthroplasty in patients with obesity. <i>Medicine (United States)</i> , 2022 , 101, e29641	1.8	
3	Evolution of Negative Pressure Wound Therapy in Orthopaedic Trauma. 2022 , 36, S1-S5		
2	The Usefulness of Closed Incision Negative Pressure Wound Therapy After Spinal Fusion: A Systematic Review and Meta-Analysis. 2022 ,		○
1	Prophylactic negative pressure wound therapy following colorectal perforation: defining the risk factors for delayed wound healing.		○