Polycyclic aromatic hydrocarbons and their derivatives

Science of the Total Environment 595, 494-504 DOI: 10.1016/j.scitotenv.2017.03.256

Citation Report

#	Article	IF	CITATIONS
1	Aerosol contributions at an urban background site in Eastern Mediterranean – Potential source regions of PAHs in PM10 mass. Science of the Total Environment, 2017, 598, 563-571.	8.0	32
2	Atmospheric deposition of polycyclic aromatic compounds and associated sources in an urban and a rural area of Chongqing, China. Chemosphere, 2017, 187, 78-87.	8.2	27
3	Profiling quinones in ambient air samples collected from the Athabasca region (Canada). Chemosphere, 2017, 189, 55-66.	8.2	20
4	Study on the Influencing Factors of the Distribution Characteristics of Polycyclic Aromatic Hydrocarbons in Condensable Particulate Matter. Energy & Fuels, 2017, 31, 13233-13238.	5.1	35
5	Chemical profiling of PM10 from urban road dust. Science of the Total Environment, 2018, 634, 41-51.	8.0	104
6	Comparison of atmospheric polycyclic aromatic hydrocarbon levels in three urban areas in Lebanon. Atmospheric Environment, 2018, 179, 260-267.	4.1	22
7	Total carbon and benzo(a)pyrene in particulate matter over a Polish urban site – A combined effect of major anthropogenic sources and air mass transport. Atmospheric Pollution Research, 2018, 9, 764-773.	3.8	4
8	Polycyclic aromatic hydrocarbon derivatives in airborne particulate matter: sources, analysis and toxicity. Environmental Chemistry Letters, 2018, 16, 439-475.	16.2	141
9	Organic compounds in particulate and gaseous phase collected in the neighbourhood of an industrial complex in SA£o Paulo (Brazil). Air Quality, Atmosphere and Health, 2018, 11, 271-283.	3.3	25
10	Characteristics of polycyclic aromatic hydrocarbons in PM2.5 emitted from different cooking activities in China. Environmental Science and Pollution Research, 2018, 25, 4750-4760.	5.3	45
11	Atmospheric PAHs, NPAHs, and OPAHs at an urban, mountainous, and marine sites in Northern China: Molecular composition, sources, and ageing. Atmospheric Environment, 2018, 173, 256-264.	4.1	64
12	Quantitative assessment of human health risks induced by vehicle exhaust polycyclic aromatic hydrocarbons at Zhengzhou via multimedia fugacity models with cancer risk assessment. Science of the Total Environment, 2018, 618, 430-438.	8.0	31
13	Occurrence of carbazoles in dust and air samples from different locations in Germany. Science of the Total Environment, 2018, 610-611, 412-418.	8.0	55
14	Exposure to polycyclic aromatic hydrocarbons in women living in the Chinese cities of BaoDing and Dalian revealed by hair analysis. Environment International, 2018, 121, 1341-1354.	10.0	51
15	Environmental behaviors of PAHs in Ordovician limestone water of Fengfeng coal mining area in China. Environmental Monitoring and Assessment, 2018, 190, 701.	2.7	8
16	Polycyclic aromatic hydrocarbons in soil of the backfilled region in the Wuda coal fire area, Inner Mongolia, China. Ecotoxicology and Environmental Safety, 2018, 165, 434-439.	6.0	17
17	Organic molecular tracers in atmospheric PM1 at urban intensive traffic and background sites in two high-insolation European cities. Atmospheric Environment, 2018, 188, 71-81.	4.1	14
18	Characterization of PM2.5-bound nitrated and oxygenated polycyclic aromatic hydrocarbons in ambient air of Langfang during periods with and without traffic restriction. Atmospheric Research, 2018, 213, 302-308.	4.1	25

#	Article	IF	CITATIONS
19	Characterization and carcinogenic risk assessment of polycyclic aromatic and nitro-polycyclic aromatic hydrocarbons in exhaust emission from gasoline passenger cars using on-road measurements in Beijing, China. Science of the Total Environment, 2018, 645, 347-355.	8.0	50
20	Aromatic formulas in ambient PM2.5 samples from Hong Kong determined using FT-ICR ultrahigh-resolution mass spectrometry. Analytical and Bioanalytical Chemistry, 2018, 410, 6289-6304.	3.7	21
21	An overview of research and development themes in the measurement and occurrences of polyaromatic hydrocarbons in dusts and particulates. Journal of Hazardous Materials, 2018, 360, 373-390.	12.4	23
22	Source-specific lung cancer risk assessment of ambient PM2.5-bound polycyclic aromatic hydrocarbons (PAHs) in central Tehran. Environment International, 2018, 120, 321-332.	10.0	128
23	Winter air pollution by and inhalation exposure to nitrated and oxygenated PAHs in rural Shanxi, north China. Atmospheric Environment, 2018, 187, 210-217.	4.1	28
24	Diurnal concentrations, sources, and cancer risk assessments of PM2.5-bound PAHs, NPAHs, and OPAHs in urban, marine and mountain environments. Chemosphere, 2018, 209, 147-155.	8.2	40
25	Seasonal variation, sources and health risk assessment of polycyclic aromatic hydrocarbons in different particle fractions of PM2.5 in Beijing, China. Atmospheric Pollution Research, 2019, 10, 105-114.	3.8	34
26	Air quality at two stations (Gdynia and Rumia) located in the region of Gulf of Gdansk during periods of intensive smog in Poland. Air Quality, Atmosphere and Health, 2019, 12, 879-890.	3.3	17
27	Method development for simultaneous analyses of polycyclic aromatic hydrocarbons and their nitro-, oxy-, hydroxy- derivatives in sediments. Talanta, 2019, 205, 120128.	5.5	23
28	Variability of polycyclic aromatic hydrocarbons and their oxidative derivatives in wintertime Beijing, China. Atmospheric Chemistry and Physics, 2019, 19, 8741-8758.	4.9	40
29	Polycyclic aromatic hydrocarbons in atmospheric PM2.5 and PM10 in the semi-arid city of Xi'an, Northwest China: Seasonal variations, sources, health risks, and relationships with meteorological factors. Atmospheric Research, 2019, 229, 60-73.	4.1	31
30	Sources, deposition flux and carcinogenic potential of PM2.5-bound polycyclic aromatic hydrocarbons in the coastal zone of the Baltic Sea (Gdynia, Poland). Air Quality, Atmosphere and Health, 2019, 12, 1291-1301.	3.3	9
31	Characterization of a multianalyte GC-MS/MS procedure for detecting and quantifying polycyclic aromatic hydrocarbons (PAHs) and PAH derivatives from air particulate matter for an improved risk assessment. Environmental Pollution, 2019, 255, 112967.	7.5	48
32	Modelling the absorption properties of polycyclic aromatic hydrocarbons and derivatives over three European cities by TD-DFT calculations. Science of the Total Environment, 2019, 695, 133881.	8.0	10
33	Cytoprotective Effects of Mangiferin and Z-Ligustilide in PAH-Exposed Human Airway Epithelium in Vitro. Nutrients, 2019, 11, 218.	4.1	10
34	PM2.5-associated nitro-PAH exposure promotes tumor cell metastasis through Hippo-YAP mediated transcriptional regulation. Science of the Total Environment, 2019, 678, 611-617.	8.0	13
35	Oxidative stress, mutagenic effects, and cell death induced by retene. Chemosphere, 2019, 231, 518-527.	8.2	17
36	Seasonal variations of NPAHs and OPAHs in PM2.5 at heavily polluted urban and suburban sites in North China: Concentrations, molecular compositions, cancer risk assessments and sources. Ecotoxicology and Environmental Safety. 2019. 178. 58-65.	6.0	46

#	Article	IF	CITATIONS
37	Existence, removal and transformation of parent and nitrated polycyclic aromatic hydrocarbons in two biological wastewater treatment processes. Chemosphere, 2019, 224, 527-537.	8.2	30
38	Mutagenicity of indoor air pollutants adsorbed on spider webs. Ecotoxicology and Environmental Safety, 2019, 171, 549-557.	6.0	15
39	Biomonitoring of children exposure to urban pollution and environmental tobacco smoke with hair analysis – A pilot study on children living in Paris and Yeu Island, France. Science of the Total Environment, 2019, 665, 864-872.	8.0	32
40	Inhalation bioaccessibility of PAHs in PM2.5: Implications for risk assessment and toxicity prediction. Science of the Total Environment, 2019, 650, 56-64.	8.0	58
41	Variation tendency of pollution characterization, sources, and health risks of PM2.5-bound polycyclic aromatic hydrocarbons in an emerging megacity in China: Based on three-year data. Atmospheric Research, 2019, 217, 81-92.	4.1	38
42	Beyond the obvious: Environmental health implications of polar polycyclic aromatic hydrocarbons. Environment International, 2019, 123, 543-557.	10.0	245
43	A one-year record of particle-bound polycyclic aromatic hydrocarbons at an urban background site in Lisbon Metropolitan Area, Portugal. Science of the Total Environment, 2019, 658, 34-41.	8.0	8
44	Characterization and quantification of PM2.5 emissions and PAHs concentration in PM2.5 from the exhausts of diesel vehicles with various accumulated mileages. Science of the Total Environment, 2019, 660, 188-198.	8.0	38
45	Occurrence of the potent mutagens 2- nitrobenzanthrone and 3-nitrobenzanthrone in fine airborne particles. Scientific Reports, 2019, 9, 1.	3.3	17,835
46	Different distribution of polycyclic aromatic hydrocarbons (PAHs) between Sphagnum and Ledum peat from an ombrotrophic bog in Northeast China. Journal of Soils and Sediments, 2019, 19, 1735-1744.	3.0	12
47	Concentration, sources and human health risk of heavy metals and polycyclic aromatic hydrocarbons bound PM2.5 ambient air, Tehran, Iran. Environmental Geochemistry and Health, 2019, 41, 1473-1487.	3.4	44
48	Analysis of polycyclic aromatic hydrocarbons (PAHs) and their polar derivatives in soils of an industrial heritage city of Australia. Science of the Total Environment, 2020, 699, 134303.	8.0	46
49	A combined microextraction procedure for isolation of polycyclic aromatic hydrocarbons in ambient fine air particulate matter with determination by gas chromatography-tandem mass spectrometry. Journal of Chromatography A, 2020, 1612, 460646.	3.7	15
50	Concentration levels and carcinogenic and mutagenic risks of PM2.5-bound polycyclic aromatic hydrocarbons in an urban–industrial area in South Africa. Environmental Geochemistry and Health, 2020, 42, 2163-2178.	3.4	20
51	Qualitative and quantitative determination of polycyclic aromatic hydrocarbons in fine particulate matter. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2020, 55, 498-509.	1.7	3
52	Speciation and source apportionment of polycyclic aromatic compounds (PACs) in sediments of the largest salt water lake of Australia. Chemosphere, 2020, 246, 125779.	8.2	31
53	Isomer-selective biodegradation of high-molecular-weight azaarenes in PAH-contaminated environmental samples. Science of the Total Environment, 2020, 707, 135503.	8.0	6
54	Polycyclic Aromatic Hydrocarbons (PAHs) in Road Dust Collected from Myanmar, Japan, Taiwan, and Vietnam. Archives of Environmental Contamination and Toxicology, 2020, 78, 34-45.	4.1	20

CITATION REPORT

#	Article	IF	CITATIONS
55	Field study of PAHs with their derivatives emitted from e-waste dismantling processes and their comprehensive human exposure implications. Environment International, 2020, 144, 106059.	10.0	34
56	The effects of functional groups on the sorption of naphthalene on microplastics. Chemosphere, 2020, 261, 127592.	8.2	48
57	Characterization, Pollution Sources, and Health Risk of Ionic and Elemental Constituents in PM2.5 of Wuhan, Central China. Atmosphere, 2020, 11, 760.	2.3	11
58	Quantitative biomonitoring of polycyclic aromatic compounds (PACs) using the Sydney rock oyster (Saccostrea glomerata). Science of the Total Environment, 2020, 742, 140497.	8.0	3
59	Non-linear relationships between seasonal exposure to polycyclic aromatic hydrocarbons and urinary 8-hydroxy-2′-deoxyguanosine levels among Chinese young students. Chemosphere, 2020, 251, 126352.	8.2	12
60	Size-distribution-based assessment of human inhalation and dermal exposure to airborne parent, oxygenated and chlorinated PAHs during a regional heavy haze episode. Environmental Pollution, 2020, 263, 114661.	7.5	14
61	Multi-scale complexities of solid acid catalysts in the catalytic fast pyrolysis of biomass for bio-oil production – A review. Progress in Energy and Combustion Science, 2020, 80, 100852.	31.2	137
62	Chemical identity and cardiovascular toxicity of hydrophobic organic components in PM2.5. Ecotoxicology and Environmental Safety, 2020, 201, 110827.	6.0	39
63	Aerosol-associated non-polar organic compounds (NPOCs) at Jammu, India, in the North-Western Himalayan Region: seasonal variations in sources and processes. Environmental Science and Pollution Research, 2020, 27, 18875-18892.	5.3	8
64	Inhibited Nitric Oxide Production of Human Endothelial Nitric Oxide Synthase by Nitrated and Oxygenated Polycyclic Aromatic Hydrocarbons. Environmental Science & Technology, 2020, 54, 2922-2930.	10.0	39
65	Environmental Levels, Sources, and Cancer Risk Assessment of PAHs Associated with PM2.5 and TSP in Monterrey Metropolitan Area. Archives of Environmental Contamination and Toxicology, 2020, 78, 377-391.	4.1	10
66	Emission characteristics and temporal variation of PAHs and their derivatives from an ocean-going cargo vessel. Chemosphere, 2020, 249, 126194.	8.2	22
67	Phase distribution of polycyclic aromatic hydrocarbons and their oxygenated and nitrated derivatives in the ambient air of a Brazilian urban areaâ~†. Chemosphere, 2020, 250, 126223.	8.2	18
68	Distribution, seasonal trends, and lung cancer risk of atmospheric polycyclic aromatic hydrocarbons in North China: A three-year case study in Dalian city. Ecotoxicology and Environmental Safety, 2020, 196, 110526.	6.0	25
69	Influence of the Combination System of Wet Flue Gas Desulfurization and a Wet Electrostatic Precipitator on the Distribution of Polycyclic Aromatic Hydrocarbons in Flue Gas from a Coal-Fired Industrial Plant. Energy & Fuels, 2020, 34, 5707-5714.	5.1	15
71	Products of incomplete combustion from biomass reburning. Fuel, 2020, 274, 117805.	6.4	16
72	PM2.5-bound polycyclic aromatic hydrocarbons (PAHs) and nitrated-PAHs (NPAHs) emitted by gasoline vehicles: Characterization and health risk assessment. Science of the Total Environment, 2020, 727, 138631.	8.0	49
73	Concentrations, distribution and risk of polycyclic aromatic hydrocarbons in sediments from seven major river basins in China over the past 20 years. Journal of Environmental Management, 2021, 280,	7.8	16

CITATION REPORT

#	Article	IF	CITATIONS
74	Three years of atmospheric concentrations of nitrated and oxygenated polycyclic aromatic hydrocarbons and oxygen heterocycles at a central European background site. Chemosphere, 2021, 269, 128738.	8.2	23
75	Nontarget Screening of Polycyclic Aromatic Compounds in Atmospheric Particulate Matter Using Ultrahigh Resolution Mass Spectrometry and Comprehensive Two-Dimensional Gas Chromatography. Environmental Science & Technology, 2021, 55, 109-119.	10.0	28
76	Environmental analysis of polar and non-polar Polycyclic Aromatic Compounds in airborne particulate matter, settled dust and soot: Part I: Sampling and sample preparation. TrAC - Trends in Analytical Chemistry, 2021, 134, 116099.	11.4	8
77	Environmental analysis of polar and non-polar Polycyclic Aromatic Compounds in airborne particulate matter, settled dust and soot: Part II: Instrumental analysis and occurrence. TrAC - Trends in Analytical Chemistry, 2021, 134, 116146.	11.4	10
78	Nitrated and parent PAHs in the surface water of Lake Taihu, China: Occurrence, distribution, source, and human health risk assessment. Journal of Environmental Sciences, 2021, 102, 159-169.	6.1	36
79	Do economic development and population agglomeration inevitably aggravate haze pollution in China? New evidence from spatial econometric analysis. Environmental Science and Pollution Research, 2021, 28, 5063-5079.	5.3	39
80	Non-target and suspect characterisation of organic contaminants in ambient air – Part 1: Combining a novel sample clean-up method with comprehensive two-dimensional gas chromatography. Atmospheric Chemistry and Physics, 2021, 21, 1697-1716.	4.9	15
81	Backward modeling of urinary test reliability for assessing PAH health risks: An approximation solution for naphthalene. Environmental Pollution, 2021, 273, 116522.	7.5	7
82	Fine Particulate Matter Bound Polycyclic Aromatic Hydrocarbons and Carbonaceous Species in Delhi's Atmosphere: Seasonal Variation, Sources, and Health Risk Assessment. Aerosol Science and Engineering, 2021, 5, 193-213.	1.9	4
83	Photochemical Degradation of Organic Matter in the Atmosphere. Advanced Sustainable Systems, 2021, 5, 2100027.	5.3	18
84	Fate and Occurrence of Polycyclic Aromatic Hydrocarbons and Their Derivatives in Water and Sediment from Songhua River, Northeast China. Water (Switzerland), 2021, 13, 1196.	2.7	8
85	Occurrence, Removal, and Mass Balance of Polycyclic Aromatic Hydrocarbons and Their Derivatives in Wastewater Treatment Plants in Northeast China. Toxics, 2021, 9, 76.	3.7	3
86	Air pollution increases human health risks of PM2.5-bound PAHs and nitro-PAHs in the Yangtze River Delta, China. Science of the Total Environment, 2021, 770, 145402.	8.0	38
87	Seasonal variations, gas-PM2.5 partitioning and long-distance input of PM2.5-bound and gas-phase polycyclic aromatic hydrocarbons in Shanghai, China. Atmospheric Environment, 2021, 252, 118335.	4.1	13
89	Fingerprinting and emission rates of particulate organic compounds from typical restaurants in Portugal. Science of the Total Environment, 2021, 778, 146090.	8.0	17
90	Emission of organic components and distribution characteristics of PAHs in condensable particulate matter from coal-fired power and industrial plants. Journal of the Energy Institute, 2021, 97, 109-116.	5.3	18
91	Spatiotemporal variations and source identification of atmospheric nitrated and oxygenated polycyclic aromatic hydrocarbons in the coastal cities of the Bohai and Yellow Seas in northern China. Chemosphere, 2021, 279, 130565.	8.2	13
92	Occurrence and toxicity of polycyclic aromatic hydrocarbons derivatives in environmental matrices. Science of the Total Environment, 2021, 788, 147738.	8.0	74

CITATION REPORT

#	Article	IF	CITATIONS
93	Polycyclic aromatic compounds (PAHs, oxygenated PAHs, nitrated PAHs, and azaarenes) in air from four climate zones of China: Occurrence, gas/particle partitioning, and health risks. Science of the Total Environment, 2021, 786, 147234.	8.0	20
94	Extreme Molecular Complexity Resulting in a Continuum of Carbonaceous Species in Biomass Burning Tar Balls from Wildfire Smoke. ACS Earth and Space Chemistry, 2021, 5, 2729-2739.	2.7	14
95	Concentration and atmospheric transport of PM2.5-bound polycyclic aromatic hydrocarbons at Mount Tai, China. Science of the Total Environment, 2021, 786, 147513.	8.0	16
96	A review on analysis methods, source identification, and cancer risk evaluation of atmospheric polycyclic aromatic hydrocarbons. Science of the Total Environment, 2021, 789, 147741.	8.0	83
97	Effects of meteorological conditions and topography on the bioaccumulation of PAHs and metal elements by native lichen (Xanthoria parietina). Journal of Environmental Sciences, 2021, 109, 193-205.	6.1	10
98	NPAHs and OPAHs in the atmosphere of two central European cities: Seasonality, urban-to-background gradients, cancer risks and gas-to-particle partitioning. Science of the Total Environment, 2021, 793, 148528.	8.0	19
99	Fine particle-bound PAHs derivatives at mountain background site (Mount Tai) of the North China: Concentration, source diagnosis and health risk assessment. Journal of Environmental Sciences, 2021, 109, 77-87.	6.1	4
100	Molecular characterization of organic aerosols in Taiyuan, China: Seasonal variation and source identification. Science of the Total Environment, 2021, 800, 149419.	8.0	12
101	Morphological properties, chemical composition, cancer risks and toxicological potential of airborne particles from traffic and urban background sites. Atmospheric Research, 2021, 264, 105837.	4.1	12
102	Condensable and filterable particulate matter emission of coal fired boilers and characteristics of PM2.5-bound polycyclic aromatic hydrocarbons in the vicinity. Fuel, 2022, 308, 121833.	6.4	6
103	Review on the Analytical Methods and Ambient Concentrations of Organic Nitrogenous Compounds in the Atmosphere. Journal of Korean Society for Atmospheric Environment, 2018, 34, 120-143.	1.1	0
104	Direct large-volume injection analysis of polycyclic aromatic hydrocarbons in water. Universitas Scientiarum, 2018, 23, 171-189.	0.4	1
105	Toxicity and endocrine-disrupting potential of PM2.5: Association with particulate polycyclic aromatic hydrocarbons, phthalate esters, and heavy metals. Environmental Pollution, 2022, 292, 118349.	7.5	15
106	Cytotoxicity and toxicoproteomic analyses of human lung epithelial cells exposed to extracts of atmospheric particulate matters on PTFE filters using acetone and water. Ecotoxicology and Environmental Safety, 2020, 191, 110223.	6.0	6
107	Industrial Source Contributions and Health Risk Assessment of Fine Particle-Bound Polycyclic Aromatic Hydrocarbons (PAHs) during Spring and Late Summer in the Baoshan Area, Shanghai. Processes, 2021, 9, 2016.	2.8	7
108	Seasonality, atmospheric transport and inhalation risk assessment of polycyclic aromatic hydrocarbons in PM2.5 and PM10 from industrial belts of Odisha, India. Environmental Geochemistry and Health, 2022, 44, 3991-4005.	3.4	5
109	Poor regulation implications in a low and middle income country based on PAH source apportionment and cancer risk assessment. Environmental Sciences: Processes and Impacts, 2021, 23, 1986-1996.	3.5	1
110	The antioxidant defense responses of Hordeum vulgare L. to polycyclic aromatic hydrocarbons and their derivatives in biochar-amended soil. Environmental Pollution, 2022, 294, 118664.	7.5	8

#	Article	IF	CITATIONS
111	Semi-volatile organic compounds in fine particulate matter on a tropical island in the South China Sea. Journal of Hazardous Materials, 2022, 426, 128071.	12.4	11
112	Influence of COVID-19 lockdown on the variation of organic aerosols: Insight into its molecular composition and oxidative potential. Environmental Research, 2022, 206, 112597.	7.5	10
113	Primary and secondary organic winter aerosols in Mediterranean cities under different mixing layer conditions (Barcelona and Granada). Environmental Science and Pollution Research, 2022, 29, 36255-36272.	5.3	10
114	Spatial and temporal variation, source identification, and toxicity evaluation of brominated/chlorinated/nitrated/oxygenated-PAHs at a heavily industrialized area in eastern China. Science of the Total Environment, 2022, 822, 153542.	8.0	15
115	Investigation of PAHs, nitrated PAHs and oxygenated PAHs in PM10 urban aerosols. A comprehensive data analysis. Chemosphere, 2022, 294, 133745.	8.2	30
116	Annual exposure to polycyclic aromatic hydrocarbons in urban environments linked to wintertime wood-burning episodes. Atmospheric Chemistry and Physics, 2021, 21, 17865-17883.	4.9	29
117	Pollution Level, Partition and Spatial Distribution of Benzo(a)pyrene in Urban Soils, Road Dust and Their PM10 Fraction of Health-Resorts (Alushta, Yalta) and Industrial (Sebastopol) Cities of Crimea. Water (Switzerland), 2022, 14, 561.	2.7	13
118	Source identification and risk assessment of polycyclic aromatic hydrocarbons (PAHs) in air and dust samples of Lahore City. Scientific Reports, 2022, 12, 2459.	3.3	14
119	The use of pseudoâ€MRM for a sensitive and selective detection and quantification of polycyclic aromatic compounds by tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2022, 36, e9307.	1.5	4
120	PM _{2.5} â€Bound Polycyclic Aromatic Hydrocarbons (PAHs), Nitrated PAHs (NPAHs) and Oxygenated PAHs (OPAHs) in Typical Trafficâ€Related Receptor Environments. Journal of Geophysical Research D: Atmospheres, 2022, 127, .	3.3	4
121	Polycyclic aromatic hydrocarbons and their oxygenated derivatives in urban aerosol: levels, chemical profiles, and contribution to PM2.5 oxidative potential. Environmental Science and Pollution Research, 2022, 29, 54391-54406.	5.3	12
122	PM-Bound Polycyclic Aromatic Hydrocarbons and Nitro-Polycyclic Aromatic Hydrocarbons in the Ambient Air of Vladivostok: Seasonal Variation, Sources, Health Risk Assessment and Long-Term Variability. International Journal of Environmental Research and Public Health, 2022, 19, 2878.	2.6	9
123	Size-dependent in vitro inhalation bioaccessibility of PAHs and O/N PAHs - Implications to inhalation risk assessment. Environmental Pollution, 2022, 301, 119045.	7.5	16
124	Insights into the day-night sources and optical properties of coastal organic aerosols in southern China. Science of the Total Environment, 2022, 830, 154663.	8.0	3
125	Atmospheric levels, distribution, sources, correlation with meteorological parameters and other pollutants and health risk of PAHs bound in PM _{2.5} and PM ₁₀ in Burgas, Bulgaria – a case study. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2022, 57, 306-317.	1.7	4
126	Legacy and emerging organic contaminants in the polar regions. Science of the Total Environment, 2022, 835, 155376.	8.0	31
127	Mitigating Atmospheric Polycyclic Aromatic Hydrocarbons and Associated Health Benefits Around Bohai Sea, China from 2014 to 2019. SSRN Electronic Journal, 0, , .	0.4	0
128	A comparative study of the sorption of O-PAHs and PAHs onto soils to understand their transport in soils and groundwater. Journal of Environmental Sciences, 2023, 124, 61-75.	6.1	10

#	Article	IF	CITATIONS
129	Determination of particulate polycyclic aromatic hydrocarbons in ambient air by gas chromatography-mass spectrometry after molecularly imprinted polymer extraction. Journal of Environmental Sciences, 2023, 124, 644-654.	6.1	6
130	PM2.5 chemical composition and health risks by inhalation near a chemical complex. Journal of Environmental Sciences, 2023, 124, 860-874.	6.1	22
131	PAHs in the surface water and sediments of the middle and lower reaches of the Han River, China: Occurrence, source, and probabilistic risk assessment. Chemical Engineering Research and Design, 2022, 164, 208-218.	5.6	15
132	Polycyclic aromatic hydrocarbons (PAHs) and their alkylated, nitrated and oxygenated derivatives in the atmosphere over the Mediterranean and Middle East seas. Atmospheric Chemistry and Physics, 2022, 22, 8739-8766.	4.9	16
133	Determination of anhydride in atmospheric fine particles by optimized solvent extraction. Atmospheric Environment, 2022, 285, 119249.	4.1	2
134	Meteorological dependence, source identification, and carcinogenic risk assessment of PM2.5-bound Polycyclic Aromatic Hydrocarbons (PAHs) in high-traffic roadside, urban background, and remote suburban area. Journal of Environmental Health Science & Engineering, 2022, 20, 813-826.	3.0	3
135	Advanced oxidation processes for the removal of mono and polycyclic aromatic hydrocarbons – A review. Science of the Total Environment, 2023, 857, 159043.	8.0	40
136	Contribution of wood burning to exposures of PAHs and oxy-PAHs in Eastern Sweden. Atmospheric Chemistry and Physics, 2022, 22, 11359-11379.	4.9	6
137	Atmospheric Deposition of Polycyclic Aromatic Hydrocarbons (PAHs) in the Coastal Urban Environment of Poland: Sources and Transport Patterns. International Journal of Environmental Research and Public Health, 2022, 19, 14183.	2.6	1
138	Modeling the nocturnal/diurnal and seasonal real world absorption spectra of polycyclic aromatic hydrocarbons and their derivatives in two Chinese polluted cities. Journal of Environmental Chemical Engineering, 2022, 10, 108912.	6.7	0
139	Contamination characteristics and risk assessment of polycyclic aromatic compounds in soil from industrial park of Wuda District, Inner Mongolia, China. International Journal of Environmental Analytical Chemistry, 0, , 1-16.	3.3	1
140	Polycyclic aromatic hydrocarbons in coarse particles (PM10) over the coastal urban region in Poland: Distribution, source analysis and human health risk implications. Chemosphere, 2023, 311, 137130.	8.2	4
141	Recent Research Progress on Nitropolycyclic Aromatic Hydrocarbons in Outdoor and Indoor Environments. Applied Sciences (Switzerland), 2022, 12, 11259.	2.5	3
142	Nitrated-, oxygenated- and parent polycyclic aromatic hydrocarbons in organic film on ferries in huangpu river (Shanghai) and source indications of ship-stack emission. Atmospheric Environment, 2023, 294, 119485.	4.1	0
143	Atmospheric PM2.5 induce autophagy and autophagic flux blockage in HUVEC cells via ROS/TXNIP signaling: Important role of metal components. Journal of Hazardous Materials, 2023, 445, 130623.	12.4	6
144	Revisiting the Absorption Spectra of Polycyclic Aromatic Hydrocarbons over Porto (Portugal) by TD-DFT Calculations. Sustainable Chemistry, 2022, 3, 511-519.	4.7	0
145	Physicochemical characteristics of polycyclic aromatic hydrocarbons in condensable particulate matter from coal-fired power plants: A laboratory simulation. Environmental Pollution, 2023, 318, 120944.	7.5	3
146	Important But Overlooked Potential Risks of Substituted Polycyclic Aromatic Hydrocarbon: Looking Below the Tip of the Iceberg. Reviews of Environmental Contamination and Toxicology, 2022, 260, .	1.3	1

#	Article	IF	CITATIONS
148	PM-bound polycyclic aromatic compounds (PACs) in two large-scale petrochemical bases in South China: Spatial variations, sources, and risk assessment. Environmental Science and Pollution Research, 2023, 30, 60994-61004.	5.3	0
149	Effects of particle-bound polycyclic aromatic hydrocarbons and plasticisers from different traffic sources on the human alveolar epithelial cell line A549. Atmospheric Environment, 2023, 303, 119736.	4.1	3
150	A review of biowaste remediation and valorization for environmental sustainability: Artificial intelligence approach. Environmental Pollution, 2023, 324, 121363.	7.5	13
151	Characterization of Polycyclic Aromatic Hydrocarbons (PAHs) associated with fine aerosols in ambient atmosphere of high-altitude urban environment in Sikkim Himalaya. Science of the Total Environment, 2023, 870, 161987.	8.0	7
152	PAHs and Black Carbon in Urban Air Particulate Matter in Bulgaria. Lecture Notes in Networks and Systems, 2023, , 260-271.	0.7	0
153	Co-occurrence of polycyclic aromatic hydrocarbons and their oxygenated derivatives in indoor dust from various microenvironments in Guangzhou, China: levels, sources, and potential human health risk. Environmental Science and Pollution Research, 2023, 30, 57006-57016.	5.3	1
154	Investigation of PM2.5-bound Polycyclic aromatic hydrocarbons (PAHs) and their derivatives (nitrated-PAHs and oxygenated-PAHs) in the roadside environment at the eastern coastal region of China: characterization, source identification, and toxicity evaluation. Air Quality, Atmosphere and Health, 0, , .	3.3	0
155	The Ability of Airborne Microalgae and Cyanobacteria to Survive and Transfer the Carcinogenic Benzo(a)pyrene in Coastal Regions. Cells, 2023, 12, 1073.	4.1	2
156	A yearlong monitoring campaign of polycyclic aromatic compounds and other air pollutants at three sites in Sweden: Source identification, in vitro toxicity and human health risk assessment. Chemosphere, 2023, 332, 138862.	8.2	4
157	Distribution, sources, and health risk of polycyclic aromatic hydrocarbons and their derivatives in the watershed: the case of Yitong River, China. Environmental Science and Pollution Research, 2023, 30, 68536-68547.	5.3	2
158	Evaluation of the cancer risk from PAHs by inhalation: Are current methods fit for purpose?. Environment International, 2023, 177, 107991.	10.0	4
159	A novel encapsulation of 16 polycyclic aromatic hydrocarbons in petroleum sludge with palm oil fuel ash binder; an optimization study and sensitivity analysis using machine learning application. Chemosphere, 2023, 334, 139037.	8.2	1
160	Seasonality of Polyaromatic Hydrocarbons (PAHs) and Their Derivatives in PM2.5 from Ljubljana, Combustion Aerosol Source Apportionment, and Cytotoxicity of Selected Nitrated Polyaromatic Hydrocarbons (NPAHs). Toxics, 2023, 11, 518.	3.7	2
162	Reduced commuter exposure to PM2.5 and PAHs in response to improved emission standards in bus rapid transit systems in Mexico. Environmental Pollution, 2023, 335, 122236.	7.5	0
163	Assessment of atmospheric pollution by oxygenated and nitrated derivatives of polycyclic aromatic hydrocarbons in two regions of the Czech Republic. Atmospheric Environment, 2023, 310, 119981.	4.1	2
164	Development of an Online Instrument for Continuous Gaseous PAH Quantification: Laboratory Evaluation and Comparison with The Offline Reference UHPLC-Fluorescence Method. Chemosensors, 2023, 11, 496.	3.6	0
165	Multivariate optimization of a green procedure for determination of emerging polycyclic aromatic nitrogen heterocycles in PM2.5 from sites with different characteristics. Analytical and Bioanalytical Chemistry, 2023, 415, 6177-6189.	3.7	1
166	Characteristics and health risk assessment of indoor and outdoor PM2.5 in a rural village, in Northeast of China: impact of coal and biomass burning. Environmental Geochemistry and Health, 0, , .	3.4	0

#	Article	IF	CITATIONS
167	High levels of polycyclic aromatic compounds in outdoor and indoor PM10 of an urban residential environment during a winter pollution event in Strasbourg, France. Air Quality, Atmosphere and Health, 0, , .	3.3	0
170	Residential Wood Combustion in Germany: A Twin-Site Study of Local Village Contributions to Particulate Pollutants and Their Potential Health Effects. ACS Environmental Au, 2024, 4, 12-30.	7.0	1
171	The occurrence, sources, and health risks of substituted polycyclic aromatic hydrocarbons (SPAHs) cannot be ignored. Environment International, 2024, 183, 108390.	10.0	0
172	Historic distribution of Polycyclic Aromatic Compounds (PAC) in a Skagerrak fjord, Swedish west coast as reflected in a high-resolution sediment record and compared to the Environmental Quality Standards (EQS). Marine Pollution Bulletin, 2024, 199, 116014.	5.0	0
173	Variations of the atmospheric polycyclic aromatic hydrocarbon concentrations, sources, and health risk and the direct medical costs of lung cancer around the Bohai Sea against a background of pollution prevention and control in China. Atmospheric Chemistry and Physics, 2024, 24, 1509-1523.	4.9	0
174	Origins and health risk assessment of PAHs/APAHs/NPAHs/OPAHs in PM2.5 at a background site in North China Plain: Implications for crude oil emissions. Atmospheric Pollution Research, 2024, 15, 102081.	3.8	0
175	Aerosol Pollution of the Moscow Megacity by Polyaromatic Hydrocarbons: Seasonal Variability and Toxicological Risks. Herald of the Russian Academy of Sciences, 2023, 93, 316-329.	0.6	0