

Rocky Mountain spotted fever in Mexico: past, present,

Lancet Infectious Diseases, The
17, e189-e196

DOI: [10.1016/s1473-3099\(17\)30173-1](https://doi.org/10.1016/s1473-3099(17)30173-1)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Evaluation of changes to the <i>Rickettsia rickettsii</i> transcriptome during mammalian infection. PLoS ONE, 2017, 12, e0182290. | 1.1 | 7 |
| 2 | Fatal Rocky Mountain Spotted Fever along the United States–Mexico Border, 2013–2016. Emerging Infectious Diseases, 2017, 23, 1621-1626. | 2.0 | 30 |
| 3 | Descriptions of two new cases of Rocky Mountain spotted fever in Panama, and coincident infection with <i>Rickettsia rickettsii</i> in <i>Rhipicephalus sanguineus</i> s.l. in an urban locality of Panama City, Panama. Epidemiology and Infection, 2018, 146, 875-878. | 1.0 | 24 |
| 4 | Medical knowledge related to Rocky Mountain spotted fever in Sonora, Mexico. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2018, 112, 109-114. | 0.7 | 5 |
| 5 | <i>Vital Signs</i> : Trends in Reported Vectorborne Disease Cases – United States and Territories, 2004–2016. Morbidity and Mortality Weekly Report, 2018, 67, 496-501. | 9.0 | 569 |
| 6 | Virulence of Entomopathogenic Fungi in Nonfed Larvae and Engorged Females of <i>Rhipicephalus sanguineus</i> <i>Sensu Lato</i> and Its Effect on Reproductive Potential. Southwestern Entomologist, 2018, 43, 883-890. | 0.1 | 0 |
| 7 | Serologic assessment for exposure to spotted fever group rickettsiae in dogs in the Arizona–Sonora border region. Zoonoses and Public Health, 2018, 65, 984-992. | 0.9 | 8 |
| 8 | Molecular Confirmation of Rocky Mountain Spotted Fever Epidemic Agent in Mexicali, Mexico. Emerging Infectious Diseases, 2018, 24, 1723-1725. | 2.0 | 20 |
| 9 | Ticks infesting dogs in rural communities of Yucatan, Mexico and molecular diagnosis of rickettsial infection. Transboundary and Emerging Diseases, 2019, 66, 102-110. | 1.3 | 14 |
| 10 | Seroprevalence of spotted fever group rickettsiae in canines along the United States–Mexico border. Zoonoses and Public Health, 2019, 66, 918-926. | 0.9 | 16 |
| 11 | Exposure of dogs to <i>Rickettsia</i> spp. in Costa Rica: Risk factors for PCR-positive ectoparasites and seropositivity. Parasite Epidemiology and Control, 2019, 7, e00118. | 0.6 | 3 |
| 12 | Modeling Potential Habitat for <i>Amblyomma</i> Tick Species in California. Insects, 2019, 10, 201. | 1.0 | 30 |
| 13 | The Rickettsioses. Infectious Disease Clinics of North America, 2019, 33, 213-229. | 1.9 | 124 |
| 14 | Ticks (Ixodida). , 2019, , 603-672. | | 41 |
| 15 | Fatal <i>Rickettsia rickettsii</i> infection in a child, Northwestern Colombia, 2017. Ticks and Tick-borne Diseases, 2019, 10, 995-996. | 1.1 | 13 |
| 16 | Long term neurologic sequelae in a Mexican rocky mountain spotted fever case. Brazilian Journal of Infectious Diseases, 2019, 23, 121-123. | 0.3 | 8 |
| 17 | Molecular detection of <i>Rickettsia rickettsii</i> in ticks associated with the bobcat (<i>Lynx rufus</i>) in northeast Mexico. Ticks and Tick-borne Diseases, 2019, 10, 1105-1108. | 1.1 | 3 |
| 18 | Molecular evidence of <i>Borrelia burgdorferi sensu stricto</i> and <i>Rickettsia massiliae</i> in ticks collected from a domestic-wild carnivore interface in Chihuahua, Mexico. Ticks and Tick-borne Diseases, 2019, 10, 1118-1123. | 1.1 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Detection of <i>Rickettsia</i> spp. in <i>Rhipicephalus sanguineus</i> (sensu lato) collected from free-roaming dogs in Coahuila state, northern Mexico. <i>Parasites and Vectors</i> , 2019, 12, 130. | 1.0 | 21 |
| 20 | <i>Rickettsia parkeri</i> and <i>Candidatus Rickettsia andeanae</i> in Tick of the <i>Amblyomma maculatum</i> Group, Mexico. <i>Emerging Infectious Diseases</i> , 2019, 25, 836-838. | 2.0 | 19 |
| 21 | Reduced Susceptibility to Neuraminidase Inhibitors in Influenza B Isolate, Canada. <i>Emerging Infectious Diseases</i> , 2019, 25, 838-840. | 2.0 | 7 |
| 22 | A review on the occurrence of companion vector-borne diseases in pet animals in Latin America. <i>Parasites and Vectors</i> , 2019, 12, 145. | 1.0 | 80 |
| 23 | Genetic structure analysis of <i>Amblyomma mixtum</i> populations in Veracruz State, Mexico. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 86-92. | 1.1 | 21 |
| 24 | <i>Rickettsia rickettsii</i> Whole-Cell Antigens Offer Protection against Rocky Mountain Spotted Fever in the Canine Host. <i>Infection and Immunity</i> , 2019, 87, . | 1.0 | 27 |
| 25 | Community-based prevention of epidemic Rocky Mountain spotted fever among minority populations in Sonora, Mexico, using a One Health approach. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 293-300. | 0.7 | 15 |
| 26 | Spotted fever group rickettsiae canine serosurveillance near the US-Mexico border in California. <i>Zoonoses and Public Health</i> , 2020, 67, 148-155. | 0.9 | 13 |
| 27 | Housing Conditions Linked to Tick (Ixodida: Ixodidae) Infestation in Rural Areas of Colombia: A Potential Risk for Rickettsial Transmission. <i>Journal of Medical Entomology</i> , 2020, 58, 439-449. | 0.9 | 6 |
| 28 | Personal and household factors involved in recent <i>Rickettsia</i> exposure in a rural population from Yucatán, Mexico. <i>Zoonoses and Public Health</i> , 2020, 67, 506-515. | 0.9 | 5 |
| 29 | Records of ticks (Acari: Ixodidae) on humans and distribution of spotted-fever cases and its tick vectors in Paraná State, southern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101510. | 1.1 | 12 |
| 31 | The genus <i>Rickettsia</i> in Mexico: Current knowledge and perspectives. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101633. | 1.1 | 21 |
| 32 | <i>Rickettsiosis</i> in Pregnant Women. , 2021, , 425-440. | | 0 |
| 33 | Epidemiology and Clinical Features of Rocky Mountain Spotted Fever from Enhanced Surveillance, Sonora, Mexico: 2015-2018. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 104, 190-197. | 0.6 | 23 |
| 34 | Isolate-Dependent Differences in Clinical, Pathological, and Transcriptional Profiles following In Vitro and In Vivo Infections with <i>Rickettsia rickettsii</i> . <i>Infection and Immunity</i> , 2021, 89, . | 1.0 | 6 |
| 35 | Likely Geographic Distributional Shifts among Medically Important Tick Species and Tick-Associated Diseases under Climate Change in North America: A Review. <i>Insects</i> , 2021, 12, 225. | 1.0 | 51 |
| 36 | Diversity of rickettsiae in domestic, synanthropic, and sylvatic mammals and their ectoparasites in a spotted fever epidemic region at the western US-Mexico border. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 609-622. | 1.3 | 16 |
| 37 | Vaccine approaches applied to controlling dog ticks. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101631. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Serological and Molecular Evidence of Patients Infected with <i>Anaplasma phagocytophilum</i> in Mexico. <i>Diseases (Basel, Switzerland)</i> , 2021, 9, 37. | 1.0 | 2 |
| 39 | Rocky Mountain Spotted Fever in a Large Metropolitan Center, Mexico's United States Border, 2009-2019. <i>Emerging Infectious Diseases</i> , 2021, 27, . | 2.0 | 17 |
| 40 | Effect of Temperature on Host Preference in Two Lineages of the Brown Dog Tick, <i>Rhipicephalus sanguineus</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 104, 2305-2311. | 0.6 | 11 |
| 41 | Molecular detection and characterization of <i>Anaplasma platys</i> and <i>Ehrlichia canis</i> in dogs from the Caribbean. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101727. | 1.1 | 13 |
| 42 | Diversity of <i>Rickettsia</i> in ticks collected from wild animals in Panama. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101723. | 1.1 | 11 |
| 43 | Clinical Manifestations in a Fatal Case of Probable <i>Rickettsia</i> and <i>Leptospira</i> Coinfection in Yucatan, Mexico. <i>Pathogens</i> , 2021, 10, 914. | 1.2 | 3 |
| 44 | Epidemiology of Rickettsial Infection in the Municipality of Uramita, Colombia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 1013-1023. | 0.6 | 3 |
| 45 | Canine and Feline Parasitology: Analogies, Differences, and Relevance for Human Health. <i>Clinical Microbiology Reviews</i> , 2021, 34, e0026620. | 5.7 | 31 |
| 46 | Efficacy of collars with allomones on dogs to control <i>Rhipicephalus sanguineus sensu lato</i> infestations under field conditions. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101769. | 1.1 | 2 |
| 47 | Knowledge, Attitudes, and Practices Related to Rocky Mountain Spotted Fever in Hermosillo, Mexico. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 104, 184-189. | 0.6 | 3 |
| 48 | The neglected challenge: Vaccination against rickettsiae. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008704. | 1.3 | 12 |
| 49 | An exploratory analysis of demography and movement patterns of dogs: New insights in the ecology of endemic Rocky Mountain-Spotted Fever in Mexicali, Mexico. <i>PLoS ONE</i> , 2020, 15, e0233567. | 1.1 | 12 |
| 50 | Unbiased Assessment of Abundance of <i>Rhipicephalus sanguineus sensu lato</i> Ticks, Canine Exposure to Spotted Fever Group <i>Rickettsia</i> , and Risk Factors in Mexicali, Mexico. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 22-32. | 0.6 | 29 |
| 51 | A Cluster of Cases of Rocky Mountain Spotted Fever in an Area Of Colombia Not Known to be Endemic for This Disease. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 336-342. | 0.6 | 13 |
| 52 | Susceptibility of <i>Rickettsia rickettsii</i> to Tigecycline in a Cell Culture Assay and Animal Model for Rocky Mountain Spotted Fever. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 1091-1095. | 0.6 | 11 |
| 53 | Caracterización del primer caso de infección humana por <i>Ehrlichia canis</i> en Panamá. <i>Revista Médica De Panama</i> , 2019, 38, . | 0.0 | 3 |
| 54 | Importancia de las proteínas OmpA y OmpB en el desarrollo de vacunas contra la rickettsiosis. <i>Revista Biomedica</i> , 2019, 30, . | 0.0 | 0 |
| 55 | Additive Efficiency of Fipronil + Methoprene Compared to Fipronil Alone against <i>Rhipicephalus sanguineus</i> Ticks in Naturally Infested Dogs. <i>Pharmacology & Pharmacy</i> , 2020, 11, 174-187. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Annual Infestation Pattern of <i>Rhipicephalus sanguineus sensu lato</i> on Naturally Infested Dogs in a Tropical Sub-Humid Region of Mexico. <i>Southwestern Entomologist</i> , 2020, 45, 351. | 0.1 | 3 |
| 57 | Detection of tick-borne rickettsial pathogens in naturally infected dogs and dog-associated ticks in Medellin, Colombia. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020, 29, e005320. | 0.2 | 10 |
| 59 | Moonlighting in Rickettsiales: Expanding Virulence Landscape. <i>Tropical Medicine and Infectious Disease</i> , 2022, 7, 32. | 0.9 | 13 |
| 60 | Regulator of Actin-Based Motility (RoAM) Downregulates Actin Tail Formation by <i>Rickettsia rickettsii</i> and Is Negatively Selected in Mammalian Cell Culture. <i>MBio</i> , 2022, 13, e0035322. | 1.8 | 11 |
| 61 | Spotted Fever: An Undercover Cause of Hemophagocytic Lymphohistiocytosis in the Immediate Postpartum. <i>Case Reports in Infectious Diseases</i> , 2022, 2022, 1-3. | 0.2 | 3 |
| 62 | Modeling of Control Efforts against <i>Rhipicephalus sanguineus</i> , the Vector of Rocky Mountain Spotted Fever in Sonora Mexico. <i>Insects</i> , 2022, 13, 263. | 1.0 | 4 |
| 63 | Survey of Brazilian spotted fever in dogs and ticks in Itu, SÃ£o Paulo state, Brazil. <i>International Journal of Acarology</i> , 2022, 48, 15-19. | 0.3 | 0 |
| 64 | Spotted Fever Group <i>Rickettsia</i> Trigger Species-Specific Alterations in Macrophage Proteome Signatures with Different Impacts in Host Innate Inflammatory Responses. <i>Microbiology Spectrum</i> , 2021, 9, e0081421. | 1.2 | 4 |
| 65 | The Retropepsin-Type Protease APRc as a Novel Ig-Binding Protein and Moonlighting Immune Evasion Factor of <i>Rickettsia</i> . <i>MBio</i> , 2021, 12, e0305921. | 1.8 | 3 |
| 66 | The Impact of Deforestation, Urbanization, and Changing Land Use Patterns on the Ecology of Mosquito and Tick-Borne Diseases in Central America. <i>Insects</i> , 2022, 13, 20. | 1.0 | 25 |
| 67 | Diagnostic Value of IgA Antibody Measurement in Tick-Borne Spotted Fever (Astrakhan Rickettsial) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 | 1.2 | 1 |
| 68 | Molecular identification of zoonotic <i>Rickettsia</i> species closely related to <i>R. typhi</i> , <i>R. felis</i> , & <i>R. rickettsii</i> in bats from Mexico. <i>Indian Journal of Medical Research</i> , 2021, 154, 536. | 0.4 | 2 |
| 69 | Socio-ecological determinants of rickettsial seroprevalence in a rural community of YucatÃ¡n, Mexico. <i>Infection, Genetics and Evolution</i> , 2022, , 105291. | 1.0 | 0 |
| 70 | Brown Dog Tick (<i>Rhipicephalus sanguineus Sensu Lato</i>) Infection with Endosymbiont and Human Pathogenic <i>Rickettsia</i> spp., in Northeastern MÃ©xico. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6249. | 1.2 | 9 |
| 72 | Knowledge, Attitudes, and Practices on Rocky Mountain Spotted Fever among Physicians in a Highly Endemic Regionâ€™ Mexicali, Mexico. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 107, 773-779. | 0.6 | 2 |
| 73 | A Vaccine for Canine Rocky Mountain Spotted Fever: An Unmet One Health Need. <i>Vaccines</i> , 2022, 10, 1626. | 2.1 | 1 |
| 74 | A forty-year review of Rocky Mountain spotted fever cases in California shows clinical and epidemiologic changes. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010738. | 1.3 | 7 |
| 75 | Antibody Prevalence and Risk Factors Associated with <i>Rickettsia</i> spp. in a Pediatric Cohort: SFGP Remains Underdiagnosed and Underreported in El Salvador. <i>Pathogens</i> , 2022, 11, 1241. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 76 | Epidemiological Study of the Occurrence of Typhus Group Rickettsia Natural Infection in Domiciliated Dogs from a Rural Community in South-Eastern Mexico. <i>Animals</i> , 2022, 12, 2885. | 1.0 | 4 |
| 77 | The Arginine Kinase from the Tick <i>Rhipicephalus sanguineus</i> Is an Efficient Biocatalyst. <i>Catalysts</i> , 2022, 12, 1178. | 1.6 | 0 |
| 78 | Emerging Spotted Fever Rickettsioses in the United States. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2022, 52, 1305-1317. | 0.5 | 1 |
| 79 | Geographic Distribution and Seasonality of Brown Dog Tick Lineages in the United States. <i>Journal of Medical Entomology</i> , 2023, 60, 102-111. | 0.9 | 6 |
| 80 | Immune Monitoring of Paediatric Patients Infected with <i>Rickettsia rickettsii</i> , <i>Ehrlichia canis</i> and Coinfected. <i>Pathogens</i> , 2022, 11, 1351. | 1.2 | 1 |
| 81 | <i>Rickettsia rickettsii</i> (Rocky Mountain Spotted Fever). , 2023, , 971-975.e2. | | 0 |
| 82 | Clinical manifestations of <i>Rickettsia rickettsii</i> in a familial outbreak in Panama. <i>Travel Medicine and Infectious Disease</i> , 2023, 52, 102542. | 1.5 | 3 |
| 83 | First report of multiple <i>Rickettsia</i> sp., <i>Anaplasma</i> sp., and <i>Ehrlichia</i> sp. in the San Miguel Department of El Salvador from zoonotic tick vectors. <i>Acta Tropica</i> , 2023, 242, 106909. | 0.9 | 0 |
| 84 | The inoculation eschar of <i>Rickettsia parkeri</i> rickettsiosis in Brazil: Importance and cautions. <i>Ticks and Tick-borne Diseases</i> , 2023, 14, 102127. | 1.1 | 4 |
| 85 | Predicting the Impact of Climate Change on the Distribution of <i>Rhipicephalus sanguineus</i> in the Americas. <i>Sustainability</i> , 2023, 15, 4557. | 1.6 | 4 |