Conventional versus 3â€D Echocardiography to Predict Fibrillation Ablation

Journal of Cardiovascular Electrophysiology 28, 651-658

DOI: 10.1111/jce.13202

Citation Report

#	Article	IF	CITATIONS
1	Left atrial shape predicts recurrence after atrial fibrillation catheter ablation. Journal of Cardiovascular Electrophysiology, 2018, 29, 966-972.	0.8	30
2	Contrast and Volume Rate Enhancement of 3-D Ultrasound Imaging Using Aperiodic Plane Wave Angles: A Simulation Study. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2019, 66, 1731-1748.	1.7	5
3	Combined assessment of left atrial volume parameters for predicting recurrence of atrial fibrillation following pulmonary vein isolation in patients with paroxysmal atrial fibrillation. Echocardiography, 2019, 36, 862-869.	0.3	4
4	Left atrial dimension and cardiovascular outcomes in patients with and without atrial fibrillation: a systematic review and meta-analysis. Heart, 2019, 105, 1884-1891.	1.2	40
5	Atrial appendages' mechanics assessed by 3D transoesophageal echocardiography as predictors of atrial fibrillation recurrence after pulmonary vein isolation. IJC Heart and Vasculature, 2020, 31, 100642.	0.6	1
6	Change in Atrial Fibrillation Burden over Time in Patients with Nonpermanent Atrial Fibrillation. Cardiology Research and Practice, 2020, 2020, 1-7.	0.5	3
7	Multi-Modality Imaging for the Identification of Arrhythmogenic Substrates Prior to Electrophysiology Studies. Frontiers in Cardiovascular Medicine, 2021, 8, 640087.	1.1	2
8	Impact of right atrial structural remodeling on recurrence after ablation for atrial fibrillation. Journal of Arrhythmia, 2021, 37, 597-606.	0.5	8
9	Different Determinants of the Recurrence of Atrial Fibrillation and Adverse Clinical Events in the Mid-Term Period After Atrial Fibrillation Ablation. Circulation Journal, 2022, 86, 233-242.	0.7	16
10	Mechanics of atrial appendages and superior vena cava area assessed by transesophageal echocardiography in prediction of atrial fibrillation recurrence after pulmonary vein isolation. Cardiologia Croatica, 2018, 13, 347-347.	0.0	O
11	Additional value of left atrium remodeling assessed by three-dimensional echocardiography for the prediction of atrial fibrillation recurrence after cryoballoon ablation. International Journal of Cardiovascular Imaging, 2022, 38, 1103-1111.	0.7	2