

CITATION REPORT

List of articles citing

Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients

DOI: 10.1080/17453674.2016.1269051

**Monthly Notices of the Royal Astronomical Society:
Letters, 2017, 88, 152-157.**

Source: <https://exaly.com/paper-pdf/66724197/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
26	No association between preoperative physical activity level and time to return to work in patients after total hip or knee arthroplasty: A prospective cohort study. <i>PLoS ONE</i> , 2019 , 14, e0221932	3.7	5
25	Activity Impairment and Work Productivity Loss After Total Knee Arthroplasty: A Prospective Study. <i>Journal of Arthroplasty</i> , 2019 , 34, 2637-2645	4.4	6
24	Are patient-related pre-operative factors influencing return to work after total knee arthroplasty. <i>Knee</i> , 2019 , 26, 853-860	2.6	7
23	Return to work after primary total hip arthroplasty: a nationwide cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 209-213	4.3	14
22	Three Out of Ten Working Patients Expect No Clinical Improvement of Their Ability to Perform Work-Related Knee-Demanding Activities After Total Knee Arthroplasty: A Multicenter Study. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 585-594	3.6	5
21	Managing Employees Undergoing Total Hip and Knee Replacement: Experiences of Workplace Representatives. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 451-461	3.6	6
20	Effect of Osteoarthritis on Work Participation and Loss of Working Life-years. <i>Journal of Rheumatology</i> , 2020 , 47, 597-604	4.1	4
19	Patients return to work sooner after unicompartmental knee arthroplasty than after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2905-2916	5.5	14
18	Reprise d'activité professionnelle et sportive après prothèse totale de hanche. <i>Revue Du Rhumatisme Monographies</i> , 2020 , 87, 69-74	0	
17	The value of the Skåne Health-care Register: Prospectively collected individual-level data for population-based studies. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 56-63	3	10
16	Non-surgical treatment before hip and knee arthroplasty remains underutilized with low satisfaction regarding performance of work, sports, and leisure activities. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020 , 91, 717-723	4.3	2
15	Integrated care programmes for sport and work participation, performance of physical activities and quality of life among orthopaedic surgery patients: a systematic review with meta-analysis. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000664	3.4	2
14	Return to Work after Primary Total Knee Arthroplasty under the Age of 65 Years: A Systematic Review. <i>Journal of Knee Surgery</i> , 2021 ,	2.4	1
13	Trajectory of excess healthcare consultations, medication use, and work disability in newly diagnosed knee osteoarthritis: a matched longitudinal register-based study. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 357-364	6.2	6
12	Short-stem total hip arthroplasty is not associated with an earlier return to work compared to a straight-stem design. <i>Scientific Reports</i> , 2021 , 11, 4968	4.9	1
11	Sickness absence and return to work among employees with knee osteoarthritis with and without total knee arthroplasty: a prospective register linkage study among Finnish public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 600-608	4.3	0
10	Two-year recovery courses of physical and mental impairments, activity limitations, and participation restrictions after total knee arthroplasty among working-age patients. <i>Disability and Rehabilitation</i> , 2020 , 1-10	2.4	5

9 Return to Work Following Knee Arthroplasty. **2022**, 201-215

8 Physiotherapists' experiences of osteoarthritis guidelines in primary health care - an interview study.. *BMC Family Practice*, **2021**, 22, 259 2.6 ○

7 Sick leave and disability pension in a cohort of TMD-patients - The Swedish National Registry Studies for Surgically Treated TMD (SWEREG-TMD).. *BMC Public Health*, **2022**, 22, 916 4.1 ○

6 Enablement and empowerment among patients participating in a supported osteoarthritis self-management programme in a prospective observational study. *BMC Musculoskeletal Disorders*, **2022**, 23, 2.8

5 Does Consulting an Occupational Medicine Specialist Decrease Time to Return to Work Among Total Knee Arthroplasty Patients? A 12-Month Prospective Multicenter Cohort Study. ○

4 Prevalence of and factors associated with long-term sick leave in working-age adults with osteoarthritis: a retrospective cohort study conducted in Germany. ○

3 Return to work following primary total hip arthroplasty: a systematic review and meta-analysis. **2023**, 18, ○

2 (Cost-)effectiveness of a Personalized Multidisciplinary eHealth Intervention for Knee Arthroplasty Patients to Enhance Return to Activities of Daily life, Work and Sports [Rationale and Protocol of the Multicentre ACTIVE Randomized Controlled Trial. ○

1 (Cost-)effectiveness of a personalized multidisciplinary eHealth intervention for knee arthroplasty patients to enhance return to activities of daily life, work and sports [Rationale and protocol of the multicentre ACTIVE randomized controlled trial. **2023**, 24, ○