The role of the Baekdudaegan (Korean Peninsula) as a m
species: A priority for conservation

Biological Conservation

206, 236-248

DOI: 10.1016/j.biocon.2016.11.040

Citation Report

#	Article	IF	Citations
1	Potential effects of climate change on geographic distribution of the Tertiary relict tree species Davidia involucrata in China. Scientific Reports, 2017, 7, 43822.	1.6	64
2	Genetic diversity in the endangered terrestrial orchid Cypripedium japonicum in East Asia: Insights into population history and implications for conservation. Scientific Reports, 2018, 8, 6467.	1.6	27
3	Effect of historical factors on genetic variation in three terrestrial Cephalanthera species (Orchidaceae) with different breeding system on the Korean Peninsula. Nordic Journal of Botany, 2018, 36, e01862.	0.2	2
4	Fine-scale genetic structure in populations of the spring ephemeral herb Megaleranthis saniculifolia (Ranunculaceae). Flora: Morphology, Distribution, Functional Ecology of Plants, 2018, 240, 16-24.	0.6	3
5	Phylogeography of Eomecon chionantha in subtropical China: the dual roles of the Nanling Mountains as a glacial refugium and a dispersal corridor. BMC Evolutionary Biology, 2018, 18, 20.	3.2	39
6	Population genetic dynamics of Himalayan-Hengduan tree peonies, Paeonia subsect. Delavayanae. Molecular Phylogenetics and Evolution, 2018, 125, 62-77.	1.2	25
7	Patterns of Genetic Diversity in Rare and Common Orchids Focusing on the Korean Peninsula: Implications for Conservation. Botanical Review, The, 2018, 84, 1-25.	1.7	12
8	The Korean Baekdudaegan Mountains: A Glacial Refugium and a Biodiversity Hotspot That Needs to Be Conserved. Frontiers in Genetics, 2018, 9, 489.	1.1	25
9	Genetic diversity of the extremely rare Habenaria dentata and the rare Habenaria linearifolia (Orchidaceae) in South Korea: implications for population history and conservation. Plant Ecology and Evolution, 2018, 151, 48-60.	0.3	3
10	Formation of disjunct plant distributions in Northeast Asia: a case study of Betula davurica using a species distribution model. Plant Ecology, 2018, 219, 1105-1115.	0.7	8
11	Comparison of genetic variation between northern and southern populations of Lilium cernuum (Liliaceae): Implications for Pleistocene refugia. PLoS ONE, 2018, 13, e0190520.	1.1	14
12	Genetic diversity of two mitochondrial DNA genes inSpirometra erinaceieuropaei(Cestoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 57, 764-777.	0.6	13
13	Population genetic structures of two ecologically distinct speciesBetula platyphyllaandB.Âermaniiinferred based on nuclear and chloroplast DNA markers. Ecology and Evolution, 2019, 9, 11406-11419.	0.8	1
14	Centaureasubsect.Phalolepisin Southern Italy: ongoing speciation or species overestimation? Genetic evidence based on SSRs analyses. Systematics and Biodiversity, 2019, 17, 93-109.	0.5	9
15	Genetic data improve the assessment of the conservation status based only on herbarium records of a Neotropical tree. Scientific Reports, 2019, 9, 5693.	1.6	19
16	Analyzing local opposition to biosphere reserve creation through semantic network analysis: The case of Baekdu mountain range, Korea. Land Use Policy, 2019, 82, 61-69.	2.5	12
17	Redefining floristic zones in the Korean Peninsula using highâ€resolution georeferenced specimen data and selfâ€organizing maps. Ecology and Evolution, 2020, 10, 11549-11564.	0.8	6
18	A Disjunctive Marginal Edge of Evergreen Broad-Leaved Oak (Quercus gilva) in East Asia: The High Genetic Distinctiveness and Unusual Diversity of Jeju Island Populations and Insight into a Massive, Independent Postglacial Colonization. Genes, 2020, 11, 1114.	1.0	13

#	Article	IF	Citations
19	Demographic history and genetic differentiation of an endemic and endangered Ulmus lamellosa (Ulmus). BMC Plant Biology, 2020, 20, 526.	1.6	7
20	Effects of climate change on the potential distribution of the threatened relict Dipentodon sinicus of subtropical forests in East Asia: Recommendations for management and conservation. Global Ecology and Conservation, 2020, 23, e01192.	1.0	4
21	Rearâ€edge, lowâ€diversity, and haplotypic uniformity in coldâ€adapted Bupleurum euphorbioides interglacial refugia populations. Ecology and Evolution, 2020, 10, 10449-10462.	0.8	5
22	Phylogeography and the population genetic structure of flowering cherry Cerasus serrulata (Rosaceae) in subtropical and temperate China. Ecology and Evolution, 2020, 10, 11262-11276.	0.8	6
23	Public perspectives on reducing the environmental impact of onshore wind farms: a discrete choice experiment in South Korea. Environmental Science and Pollution Research, 2020, 27, 25582-25599.	2.7	11
24	Incorporating differences between genetic diversity of trees and herbaceous plants in conservation strategies. Conservation Biology, 2020, 34, 1142-1151.	2.4	31
25	Subspecies divergence and pronounced phylogenetic incongruence in the East-Asia-endemic shrubMagnolia sieboldii. Annals of Botany, 2021, 127, 75-90.	1.4	7
26	Insights into the genetic diversity and population structure of Rhododendron brachycarpum (Ericaceae) in East Asia as characterized by SSR markers. Plant Systematics and Evolution, 2021, 307, 1.	0.3	0
27	The Asian plethodontid salamander preserves historical genetic imprints of recent northern expansion. Scientific Reports, 2021, 11, 9193.	1.6	6
28	Phylogenetic relationship, biogeography, and conservation genetics of endangered Fraxinus chiisanensis (Oleaceae), endemic to South Korea. Plant Diversity, 2022, 44, 170-180.	1.8	2
29	The species rangeâ€size patterns for vascular plants of Seorak Mountain (Korea): Relationship between group of life forms and phytogeography affinity along the elevational gradient. Ecology and Evolution, 2021, 11, 12872-12881.	0.8	1
30	Diversity, distribution and molecular species delimitation in frogs and toads from the Eastern Palaearctic. Zoological Journal of the Linnean Society, 2022, 195, 695-760.	1.0	20
31	Lack of allozyme variation in the two carnivorous, terrestrial herbs Utricularia bifida and Utricularia caerulea (Lentibulariaceae) co-occurring on wetlands in South Korea: Inference of population history. Korean Journal of Plant Taxonomy, 2017, 47, 297-303.	0.3	1
32	Evaluation of forest carbon uptake in South Korea using the national flux tower network, remote sensing, and data-driven technology. Agricultural and Forest Meteorology, 2021, 311, 108653.	1.9	14
33	Bajos niveles de variaciÃ³n isoenzimÃ¡tica en las poblaciones sureÃ±as del arbusto endÃ©mico de Corea Sophora koreensis (Fabaceae): implicaciones para su conservaciÃ³n. Collectanea Botanica, 0, 36, 006.	0.2	0
34	The genetically healthy terrestrial orchid <i>Liparis krameri</i> on southern Korean Peninsula. Korean Journal of Plant Taxonomy, 2019, 49, 324-333.	0.3	0
35	Flora of the vascular plants of the Baekdudaegan conservation area: Deok-chi to Yuk-sim-nyeong. Korean Journal of Plant Taxonomy, 2020, 50, 56-79.	0.3	4
36	Using bioacoustic tools to clarify species delimitation within the Blakiston's Fish Owl (Bubo) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	1

#	Article	IF	Citations
37	Wuling Mountains Function as a Corridor for Woody Plant Species Exchange Between Northern and Southern Central China. Frontiers in Ecology and Evolution, 2022, 10, .	1.1	0
38	Phylogeography of the endangered orchids Cypripedium japonicum and Cypripedium formosanum in East Asia: Deep divergence at infraâ€•and interspecific levels. Taxon, 2022, 71, 733-757.	0.4	4
39	Modeling of cold-temperate tree Pinus koraiensis (Pinaceae) distribution in the Asia-Pacific region: Climate change impact. Forest Ecosystems, 2022, 9, 100015.	1.3	6
41	Some cryptic Korean karst creatures: revalidation of the pseudoscorpion genus Spelaeochthonius (Pseudoscorpiones: Pseudotyrannochthoniidae) and description of two new species from Korea. Journal of Arachnology, 2022, 50, .	0.3	5
42	Effects of elevation and slope on the alpha and beta diversity of ground-dwelling beetles in Mt. Jirisan National Park, South Korea. Journal of Asia-Pacific Entomology, 2022, 25, 101993.	0.4	0
43	Molecular investigation on diversity of the land snail genus Aegista (Gastropoda, Camaenidae) in South Korea. Biodiversity Data Journal, 0, 11, .	0.4	0