

Behavioural activation for depression in older people: s

British Journal of Psychiatry

211, 274-279

DOI: 10.1192/bjp.bp.117.205021

Citation Report

#	ARTICLE	IF	CITATIONS
1	IDEA intervention to prevent depressive symptoms and promote well-being in early-stage dementia: protocol for a randomised controlled feasibility study. <i>BMJ Open</i> , 2018, 8, e021074.	1.9	2
2	The Lancet Commission on global mental health and sustainable development. <i>Lancet</i> , The, 2018, 392, 1553-1598.	13.7	1,534
3	The Effectiveness of the Positive Mood and Active Life Program on Reducing Depressive Symptoms in Long-term Care Facilities. <i>Gerontologist</i> , The, 2020, 60, 193-204.	3.9	11
5	Behavioral Activation for Promoting Well-Being in Mild Dementia: Feasibility and Outcomes of a Pilot Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 563-574.	2.6	12
6	Longitudinal Associations of Falls and Depressive Symptoms in Older Adults. <i>Gerontologist</i> , The, 2019, 59, 1141-1151.	3.9	32
7	Promoting resilience, reducing depression in older adults. <i>International Psychogeriatrics</i> , 2019, 31, 169-171.	1.0	4
8	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032421.	1.9	4
9	Problem-Solving Therapy for Older Adults at Risk for Depression: A Qualitative Analysis of the Depression in Later Life Trial. <i>American Journal of Psychotherapy</i> , 2019, 72, 88-94.	1.2	2
10	Cultural engagement and incident depression in older adults: evidence from the English Longitudinal Study of Ageing. <i>British Journal of Psychiatry</i> , 2019, 214, 225-229.	2.8	59
11	Non-pharmacological interventions for depression/anxiety in older adults with physical comorbidities affecting functioning: systematic review and meta-analysis. <i>International Psychogeriatrics</i> , 2019, 31, 1121-1136.	1.0	23
12	Effect of a Lay Counselor Intervention on Prevention of Major Depression in Older Adults Living in Low- and Middle-Income Countries. <i>JAMA Psychiatry</i> , 2019, 76, 13.	11.0	71
13	Internet-delivered cognitive behavioral therapies for late-life depressive symptoms: a systematic review and meta-analysis. <i>Aging and Mental Health</i> , 2020, 24, 1196-1206.	2.8	45
14	Depression and activity-limiting fall worry among older adults: longitudinal reciprocal relationships. <i>International Psychogeriatrics</i> , 2020, 32, 495-504.	1.0	16
15	The psychological impact of a nurse-led proactive self-care program on independent, non-frail community-dwelling older adults: A randomized controlled trial. <i>International Journal of Nursing Studies</i> , 2020, 110, 103724.	5.6	11
16	Volunteer-led behavioural activation to reduce depression in residential care: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 95.	1.2	4
17	Behavioural activation therapy for depression in adults with non-communicable diseases. <i>The Cochrane Library</i> , 2020, 2020, CD013461.	2.8	11
18	Conscientiousness, Activity Engagement, and Momentary Affect in Oldest-Old Adulthood. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021, 76, 1049-1059.	3.9	5
19	Feasibility of behavioral activation group therapy in reducing depressive symptoms and improving quality of life in patients with depression: the BRAVE pilot trial. <i>Pilot and Feasibility Studies</i> , 2020, 6, 61.	1.2	5

#	ARTICLE	IF	CITATIONS
20	Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 107-116.	1.5	12
21	Behavioural Activation for Depression in Informal Caregivers: A Systematic Review and Meta-Analysis of Randomised Controlled Clinical Trials. <i>Journal of Affective Disorders</i> , 2020, 274, 1173-1183.	4.1	38
22	Psychotherapy for Depression Across Different Age Groups: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020, 77, 694.	11.0	164
23	Mind, Mood, Mobility: Supporting Independence Among Rural Older Adults at Risk for Functional Decline. <i>American Journal of Health Promotion</i> , 2021, 35, 295-298.	1.7	0
24	Preventing depression among older people living in rural areas: A randomised controlled trial of behavioural activation in collaborative care. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 530-539.	2.7	12
25	Preliminary Outcomes of an Older Peer and Clinician co-Facilitated Pain Rehabilitation Intervention among Adults Aged 50 Years and Older with Comorbid Chronic Pain and Mental Health Conditions. <i>Psychiatric Quarterly</i> , 2021, 92, 561-571.	2.1	5
26	Development of a Psychological Intervention to Promote Meaningful Activity in People Living With Mild Dementia: An Intervention Mapping Approach. <i>Gerontologist</i> , The, 2022, 62, 629-641.	3.9	4
27	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 725-734.	2.8	7
28	Self-reported quality of life in people with dementia attending a day-care programme in Norway: A 24-month quasi-experimental study. <i>Health and Social Care in the Community</i> , 2021, , .	1.6	0
30	Can We Prevent Depression in At-Risk Older Adults Using Self-Help? The UK SHARD Trial of Behavioral Activation. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 197-207.	1.2	10
31	To Activate or Not to Activate: An Integral Question for Self-Guided Behavioral Activation Interventions for Older Adults with Sub-Clinical Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021, , .	1.2	1
33	Effect of a Telecare Case Management Program for Older Adults Who Are Homebound During the COVID-19 Pandemic. <i>JAMA Network Open</i> , 2021, 4, e2123453.	5.9	29
34	Frailty and depression predict instrumental activities of daily living in older adults: A population-based longitudinal study using the CARE75+ cohort. <i>PLoS ONE</i> , 2020, 15, e0243972.	2.5	21
35	Depressive symptom complexes of community-dwelling older adults: a latent network model. <i>Molecular Psychiatry</i> , 2022, 27, 1075-1082.	7.9	9
36	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	8.4	31
37	<p>Effectiveness of Behavioral Activation in Treating Thai Older Adults with Subthreshold Depression Residing in the Community</p>. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 2363-2374.	2.9	6
38	Psychological management of mental health concerns related to COVID-19: A review of guidelines and recommendations. <i>Industrial Psychiatry</i> , 2020, 29, 12.	0.8	2
39	Telephone-based behavioral activation with mental imagery for depression: A pilot randomized clinical trial in isolated older adults during the Covid-19 pandemic. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	9

#	ARTICLE	IF	CITATIONS
40	CBT-I for older adults. , 2022, , 347-366.		3
41	Can Cognitive Control and Attentional Biases Explain More of the Variance in Depressive Symptoms Than Behavioral Processes? A Path Analysis Approach. Frontiers in Psychology, 2022, 13, 809387.	2.1	2
42	Clinical effectiveness of music interventions for dementia and depression in elderly care (MIDDEL): Australian cohort of an international pragmatic cluster-randomised controlled trial. The Lancet Healthy Longevity, 2022, 3, e153-e165.	4.6	30
43	The Convergence Model of Brain Reward Circuitry: Implications for Relief of Treatment-Resistant Depression by Deep-Brain Stimulation of the Medial Forebrain Bundle. Frontiers in Behavioral Neuroscience, 2022, 16, 851067.	2.0	4
44	Guidelines for diagnosis and treatment of depression in older adults: A report from the Japanese Society of mood disorders. Psychiatry and Clinical Neurosciences, 2022, 76, 222-234.	1.8	25
45	Effect of behavioral activation on time and frequency domain heart rate variability in older adults with subthreshold depression: a cluster randomized controlled trial in Thailand. BMC Psychiatry, 2022, 22, 319.	2.6	3
46	Effects of internet-delivered behavioral activation on individuals with depressive symptoms: A systematic review and meta-analysis. Journal of Psychiatric Research, 2022, 152, 104-118.	3.1	12
47	Elucidating the Cognitive Mechanisms Underpinning Behavioural Activation. International Journal of Psychological Research, 2022, 15, 126-132.	0.6	3
49	Rural health workers' perspectives and experience with an online educational program in behavioural activation: A thematic analysis. Health and Social Care in the Community, 0, , .	1.6	1
50	Functioning of the EROS-R Scale in a Clinical Sample of Psychiatric Patients: New Psychometric Evidence from the Classical Test Theory and the Item Response Theory. International Journal of Environmental Research and Public Health, 2022, 19, 10062.	2.6	1
51	Advances in the Psychological Management of Older Adult Mental Health. Advances in Psychiatry and Behavioral Health, 2022, 2, 193-210.	0.7	1
52	Telephone-Based Behavioral Activation with Mental Imagery for Depression in Older Adults in Isolation During the covid-19 Pandemic: Long-term Results from a Pilot Trial. Clinical Gerontologist, 0, , 1-7.	2.2	3
53	Mental health care for older adults: recent advances and new directions in clinical practice and research. World Psychiatry, 2022, 21, 336-363.	10.4	49
54	Can we mitigate the psychological impacts of social isolation using behavioural activation? Long-term results of the UK BASIL urgent public health COVID-19 pilot randomised controlled trial and living systematic review. Evidence-Based Mental Health, 2022, 25, e49-e57.	4.5	6
55	Embedding the silver thread in all-age psychological services: training and supervising younger therapists to deliver CBT for anxiety or depression to older people with multi-morbidity. The Cognitive Behaviour Therapist, 2022, 15, .	1.0	0
56	A behavioural activation intervention to increase engagement with life and wellbeing in older adults: Study protocol for a randomised controlled trial. BMC Psychology, 2022, 10, .	2.1	0
58	Behavioral Activation: Values-Aligned Activity Engagement as a Transdiagnostic Intervention for Common Geriatric Conditions. Gerontologist, The, 0, , .	3.9	1
59	Individual behavioral activation in the treatment of depression: A meta analysis. Psychotherapy Research, 2023, 33, 886-897.	1.8	4

#	ARTICLE	IF	CITATIONS
61	Association between changes in depressive symptoms and falls: The China health and retirement longitudinal study (CHARLS). Journal of Affective Disorders, 2023, 341, 393-400.	4.1	1
62	A multi- and mixed-method adaptation study of a patient-centered perioperative mental health intervention bundle. BMC Health Services Research, 2023, 23, .	2.2	0
63	Effectiveness of behavioral activation and mindfulness in increasing reward sensitivity and reducing depressive symptoms - A randomized controlled trial. Behaviour Research and Therapy, 2024, 173, 104455.	3.1	0
65	Behavioural activation to mitigate the psychological impacts of COVID-19 restrictions on older people in England and Wales (BASIL+): a pragmatic randomised controlled trial. The Lancet Healthy Longevity, 2024, 5, e97-e107.	4.6	1
66	Efecto del Tratamiento Grupal Breve de Activaci3n Conductual para Depresi3n (BATD-G) en personas privadas de la libertad. Acta Colombiana De Psicología, 2024, 27, 117-138.	0.4	0
67	CBT for Tinnitus. , 2024, , 545-561.		0