

# CITATION REPORT

List of articles citing

Rapid antigen tests for dengue virus serotypes and Zika virus in patient serum

DOI: 10.1126/scitranslmed.aan1589  
Science Translational Medicine, 2017, 9, .

**Source:** <https://exaly.com/paper-pdf/66887538/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
133	An electrochemical peptide sensor for detection of dengue fever biomarker NS1. <b>2018</b> , 1026, 109-116		35
132	Development of Immunochromatographic Assays for the Selective Detection of Zika Virus or Dengue Virus Serotypes in Serum. <b>2018</b> , 64, 991-993		7
131	Field-deployable viral diagnostics using CRISPR-Cas13. <b>2018</b> , 360, 444-448		597
130	Nanoplasmonic Sensing from the Human Vision Perspective. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 4916-4924	7.8	29
129	Recent advances in nanoparticle-based lateral flow immunoassay as a point-of-care diagnostic tool for infectious agents and diseases. <b>2018</b> , 143, 1970-1996		151
128	Rapid Microbial Antigen Tests. <b>2018</b> , 99-125		1
127	From Point-of-Care Testing to eHealth Diagnostic Devices (eDiagnostics). <b>2018</b> , 4, 1600-1616		89
126	Selection and Characterization of Anti-Dengue NS1 Single Domain Antibodies. <b>2018</b> , 8, 18086		12
125	Zika Virus Liquid Biopsy: A Dendritic Ru(bpy) <sub>3</sub> -Polymer-Amplified ECL Diagnosis Strategy Using a Drop of Blood. <b>2018</b> , 4, 1403-1411		13
124	Valve-Enabled Sample Preparation and RNA Amplification in a Coffee Mug for Zika Virus Detection. <b>2018</b> , 130, 17457-17460		2
123	Human antibodies targeting Zika virus NS1 provide protection against disease in a mouse model. <b>2018</b> , 9, 4560		61
122	Valve-Enabled Sample Preparation and RNA Amplification in a Coffee Mug for Zika Virus Detection. <b>2018</b> , 57, 17211-17214		24
121	Tapered lateral flow immunoassay based point-of-care diagnostic device for ultrasensitive colorimetric detection of dengue NS1. <b>2018</b> , 12, 034104		30
120	The Good, the Bad, and the Shocking: The Multiple Roles of Dengue Virus Nonstructural Protein 1 in Protection and Pathogenesis. <b>2018</b> , 5, 227-253		71
119	Advances in Diagnosis, Surveillance, and Monitoring of Zika Virus: An Update. <b>2017</b> , 8, 2677		45
118	Clinical Features and Laboratory Findings of Travelers Returning to South Australia with Dengue Virus Infection. <b>2018</b> , 3,		6
117	Visual and modular detection of pathogen nucleic acids with enzyme-DNA molecular complexes. <b>2018</b> , 9, 3238		35

116	A Comparison of Optical, Electrochemical, Magnetic, and Colorimetric Point-of-Care Biosensors for Infectious Disease Diagnosis. <b>2018</b> , 4, 1162-1178		91
115	Evaluation of novel rapid detection kits for dengue virus NS1 antigen in Dhaka, Bangladesh, in 2017. <b>2019</b> , 16, 102		7
114	Novel differential linear B-cell epitopes to identify Zika and dengue virus infections in patients. <b>2019</b> , 8, e1066		13
113	Diagnostic Performance of Dengue Virus Envelope Domain III in Acute Dengue Infection. <b>2019</b> , 20,		5
112	Evaluation of serological test of Zika in an endemic area of flavivirus in the Colombian Caribbean. <b>2019</b> , 18, 29		7
111	Enhanced catalytic and SERS performance of shape/size controlled anisotropic gold nanostructures. <b>2019</b> , 43, 3835-3847		17
110	Designing Paper-Based Immunoassays for Biomedical Applications. <i>Sensors</i> , <b>2019</b> , 19,	3.8	56
109	Seasonal dengue surge: Providers' perceptions about the impact of dengue on patient volume, staffing and use of point of care testing in Indian emergency departments. <b>2019</b> , 12, 794-798		0
108	Serologic Tools and Strategies to Support Intervention Trials to Combat Zika Virus Infection and Disease. <b>2019</b> , 4,		9
107	Early diagnosis of Zika infection using a ZnO nanostructures-based rapid electrochemical biosensor. <b>2019</b> , 203, 153-160		35
106	Differential human antibody repertoires following Zika infection and the implications for serodiagnostics and disease outcome. <b>2019</b> , 10, 1943		28
105	Rapid Diagnostic Platform for Colorimetric Differential Detection of Dengue and Chikungunya Viral Infections. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 5415-5423	7.8	19
104	Detecting Vertical Zika Transmission: Emerging Diagnostic Approaches for an Emerged Flavivirus. <b>2019</b> , 5, 1055-1069		5
103	Detection of chikungunya virus-specific IgM on laser-cut paper-based device using pseudo-particles as capture antigen. <b>2019</b> , 91, 899-910		5
102	The inability of a dengue NS1 ELISA to detect Zika infections. <b>2019</b> , 9, 18596		4
101	Smartphone-based fluorescent lateral flow immunoassay platform for highly sensitive point-of-care detection of Zika virus nonstructural protein 1. <b>2019</b> , 1055, 140-147		82
100	Going Viral 2019: Zika, Chikungunya, and Dengue. <b>2019</b> , 37, 95-105		23
99	Zika virus diagnosis: challenges and solutions. <b>2019</b> , 25, 142-146		19

98	Dengue Virus IgM Serotyping by ELISA with Recombinant Mutant Envelope Proteins. <b>2019</b> , 25, 1111-1115		7
97	Undifferentiated Tropical Viral Fevers in Latin America. <b>2020</b> , 219-240		
96	The Era of Digital Health: A Review of Portable and Wearable Affinity Biosensors. <b>2020</b> , 30, 1906713		97
95	Smartphones for rapid kits. <b>2020</b> , 89-102		1
94	Strategies for developing sensitive and specific nanoparticle-based lateral flow assays as point-of-care diagnostic device. <b>2020</b> , 30, 100831		65
93	Antibodies targeting epitopes on the cell-surface form of NS1 protect against Zika virus infection during pregnancy. <b>2020</b> , 11, 5278		16
92	Profiling of flaviviral NS2B-NS3 protease specificity provides a structural basis for the development of selective chemical tools that differentiate Dengue from Zika and West Nile viruses. <b>2020</b> , 175, 104731		7
91	Current vector research challenges in the greater Mekong subregion for dengue, Malaria, and Other Vector-Borne Diseases: A report from a multisectoral workshop March 2019. <i>PLoS Neglected Tropical Diseases</i> , <b>2020</b> , 14, e0008302	4.8	2
90	High Seroprevalence of Antibodies against Arboviruses among Pregnant Women in Rural Caribbean Colombia in the Context of the Zika Virus Epidemic. <b>2020</b> , 9,		3
89	Aetiology and prognostic risk factors of mortality in patients with pneumonia receiving glucocorticoids alone or glucocorticoids and other immunosuppressants: a retrospective cohort study. <b>2020</b> , 10, e037419		4
88	Fatal Outcome of Ilheus Virus in the Cerebrospinal Fluid of a Patient Diagnosed with Encephalitis. <i>Viruses</i> , <b>2020</b> , 12,	6.2	5
87	Development and Validation of a Rapid Lateral Flow E1/E2-Antigen Test and ELISA in Patients Infected with Emerging Asian Strain of Chikungunya Virus in the Americas. <i>Viruses</i> , <b>2020</b> , 12,	6.2	3
86	Label-Free Electrochemical Biosensors for the Determination of : Dengue, Zika, and Japanese Encephalitis. <i>Sensors</i> , <b>2020</b> , 20,	3.8	12
85	COVID-19 Pandemic: from Molecular Biology, Pathogenesis, Detection, and Treatment to Global Societal Impact. <b>2020</b> , 6, 1-16		21
84	Highly Sensitive Detection of Zika Virus Nonstructural Protein 1 in Serum Samples by a Two-Site Nanobody ELISA. <b>2020</b> , 10,		4
83	Trends and Innovations in Biosensors for COVID-19 Mass Testing. <b>2020</b> , 21, 2880-2889		74
82	Repurposing Old Antibodies for New Diseases by Exploiting Cross-Reactivity and Multicolored Nanoparticles. <b>2020</b> , 14, 6626-6635		7
81	A chronicle of SARS-CoV-2: Part-I - Epidemiology, diagnosis, prognosis, transmission and treatment. <b>2020</b> , 734, 139278		58

80	Massively multiplexed nucleic acid detection with Cas13. <b>2020</b> , 582, 277-282		217
79	CRISPR-based platform for carbapenemases and emerging viruses detection using Cas12a (Cpf1) effector nuclease. <b>2020</b> , 9, 1140-1148		12
78	Point-of-Care Devices to Detect Zika and Other Emerging Viruses. <b>2020</b> , 22, 371-386		10
77	Dengue NS1 detection in pediatric serum using microfluidic paper-based analytical devices. <b>2020</b> , 412, 2915-2925		12
76	Diagnosing COVID-19: The Disease and Tools for Detection. <b>2020</b> , 14, 3822-3835		915
75	Functional comparison of paper-based immunoassays based on antibodies and engineered binding proteins. <b>2020</b> , 145, 2515-2519		4
74	Serotype-specific detection of dengue viruses in a nonstructural protein 1-based enzyme-linked immunosorbent assay validated with a multi-national cohort. <i>PLoS Neglected Tropical Diseases</i> , <b>2020</b> , 14, e0008203	4.8	8
73	Flavivirus Infection Associated with Cerebrovascular Events. <i>Viruses</i> , <b>2020</b> , 12,	6.2	3
72	The Limitation of Rapid Tests for DENV2 Infection in Host with Unique Immune Status: Low NS1 Antigenemia and Deficient Antibody Responses. <b>2020</b> , 35, 478-480		0
71	Development of a Flow-Free Automated Colorimetric Detection Assay Integrated with Smartphone for Zika NS1. <b>2020</b> , 10,		20
70	Dengue Surveillance System in Brazil: A Qualitative Study in the Federal District. <b>2020</b> , 17,		3
69	Optimization and scale-up production of Zika virus NS1 in Escherichia coli: application of Response Surface Methodology. <b>2019</b> , 10, 1		31
68	How should diagnostic kits development adapt quickly in COVID 19-like pandemic models? Pros and cons of sensory platforms used in COVID-19 sensing. <b>2021</b> , 222, 121534		19
67	Current progress on COVID-19 related to biosensing technologies: New opportunity for detection and monitoring of viruses. <b>2021</b> , 160, 105606		19
66	Diagnostic approaches for the rapid detection of Zika virus: A review. <b>2021</b> , 101, 156-168		9
65	Commercially available rapid diagnostic tests for the detection of high priority pathogens: status and challenges. <b>2021</b> , 146, 3750-3776		3
64	A comprehensive review on current COVID-19 detection methods: From lab care to point of care diagnosis. <b>2021</b> , 2, 100119		17
63	Plasmon Sensors, Its Structure and Functions. <b>2021</b> ,		

62	High performance dengue virus antigen-based serotyping-NS1-ELISA (plus): A simple alternative approach to identify dengue virus serotypes in acute dengue specimens. <i>PLoS Neglected Tropical Diseases</i> , <b>2021</b> , 15, e0009065	4.8	2
61	Recent progresses and remaining challenges for the detection of Zika virus. <b>2021</b> , 41, 2039-2108		7
60	Ultrasensitive and Highly Specific Lateral Flow Assays for Point-of-Care Diagnosis. <b>2021</b> , 15, 3593-3611		73
59	SARS-CoV-2: sewage surveillance as an early warning system and challenges in developing countries. <b>2021</b> , 28, 22221-22240		16
58	Development and characterization of mouse monoclonal antibodies targeting to distinct epitopes of Zika virus envelope protein for specific detection of Zika virus. <b>2021</b> , 105, 4663-4673		3
57	Engineered NS1 for Sensitive, Specific Zika Virus Diagnosis from Patient Serology. <b>2021</b> , 27, 1427-1437		5
56	ASSURED-compliant point-of-care diagnostics for the detection of human viral infections. e2263		2
55	High-affinity five/six-letter DNA aptamers with superior specificity enabling the detection of dengue NS1 protein variants beyond the serotype identification. <b>2021</b> , 49, 11407-11424		9
54	Global health security as it pertains to Zika, Ebola, and COVID-19. <b>2021</b> , 34, 401-408		1
53	Evaluation of ELISA-Based Multiplex Peptides for the Detection of Human Serum Antibodies Induced by Zika Virus Infection across Various Countries. <i>Viruses</i> , <b>2021</b> , 13,	6.2	0
52	Development of a novel NS1 competitive enzyme-linked immunosorbent assay for the early detection of Zika virus infection. <b>2021</b> , 16, e0256220		0
51	Validation of an At-Home Direct Antigen Rapid Test for COVID-19. <b>2021</b> , 4, e2126931		9
50	Challenges towards serologic diagnostics of emerging arboviruses. <b>2021</b> , 27, 1221-1229		4
49	Levels of Circulating NS1 Impact West Nile Virus Spread to the Brain. <b>2021</b> , 95, e0084421		3
48	Electrochemical sensing of trypanosome- and flavivirus-related neglected tropical diseases. <b>2021</b> , 100838		1
47	Competitive ELISA for a serologic test to detect dengue serotype-specific anti-NS1 IgGs using high-affinity UB-DNA aptamers. <b>2021</b> , 11, 18000		2
46	Zika Virus Non-Structural Protein 1 Antigen-Capture Immunoassay. <i>Viruses</i> , <b>2021</b> , 13,	6.2	0
45	Diagnosis of COVID-19, vitality of emerging technologies and preventive measures. <b>2021</b> , 423, 130189		16

44	An enhanced method for nucleic acid detection with CRISPR-Cas12a using phosphorothioate modified primers and optimized gold-nanoparticle strip. <b>2021</b> , 6, 4580-4590		9
43	Quantum dot-based fluoroassays for Zika. <b>2021</b> , 283-292		
42	Fluid Transport Mechanisms in Paper-Based Microfluidic Devices. <b>2019</b> , 7-28		2
41	Microfluidic-based approaches for COVID-19 diagnosis. <b>2020</b> , 14, 061504		7
40	MINERVA: A facile strategy for SARS-CoV-2 whole genome deep sequencing of clinical samples.		2
39	Investigation of subsequent and co-infections associated with SARS-CoV-2 (COVID-19) in hospitalized patients.		11
38	Validating and modeling the impact of high-frequency rapid antigen screening on COVID-19 spread and outcomes.		9
37	Zika virus serological diagnosis: commercial tests and monoclonal antibodies as tools. <b>2020</b> , 26, e20200019		3
36	Switch-on the LAMP to spot Zika. <b>2017</b> , 5, 500		1
35	An Insight into Nanomedicinal Approaches to Combat Viral Zoonoses. <b>2020</b> , 20, 915-962		1
34	Impact of Dengue Rapid Diagnostic Tests on the Prescription of Antibiotics and Anti-Inflammatory Drugs by Physicians in an Endemic Area in Colombia. <b>2019</b> , 101, 696-704		2
33	Human Monoclonal Antibodies against NS1 Protein Protect against Lethal West Nile Virus Infection. <i>MBio</i> , <b>2021</b> , 12, e0244021	7.8	2
32	Letter to the editor: False-positive results with rapid diagnostic tests (RDT) for dengue. <i>Eurosurveillance</i> , <b>2019</b> , 24,	19.8	0
31	Repurposing Old Antibodies for New Diseases by Exploiting Cross Reactivity and Multicolored Nanoparticles.		
30	Zika Virus Infection, Basic and Clinical Aspects: A Review Article. <i>Iranian Journal of Public Health</i> , <b>2019</b> , 48, 20-31	0.7	25
29	Development of a Dengue Virus Serotype-Specific Non-Structural Protein 1 Capture Immunochromatography Method. <i>Sensors</i> , <b>2021</b> , 21,	3.8	0
28	Rocio Virus: An Updated View on an Elusive Flavivirus. <i>Viruses</i> , <b>2021</b> , 13,	6.2	4
27	Avoiding the self-nucleation interference: a pH-regulated gold growth strategy to enable ultrasensitive immunochromatographic diagnostics.. <i>Theranostics</i> , <b>2022</b> , 12, 2801-2810	12.1	1

26 Application of CRISPR-Based Technology in Medical Research and Disease Treatment. **2022**, 141-197

25 Technologies for Frugal and Sensitive Point-of-Care Immunoassays.. *Annual Review of Analytical Chemistry*, **2022**, 12.5 1

24 Monoclonal antibody pairs against SARS-CoV-2 for rapid antigen test development.. *PLoS Neglected Tropical Diseases*, **2022**, 16, e0010311 4.8 2

23 Development of Novel Dengue NS1 Multiplex Lateral Flow Immunoassay to Differentiate Serotypes in Serum of Acute Phase Patients and Infected Mosquitoes.. *Frontiers in Immunology*, **2022**, 13, 852452 8.4 3

22 Smartphone multiplex microcapillary diagnostics using Cygnus: Development and evaluation of rapid serotype-specific NS1 detection with dengue patient samples.. *PLoS Neglected Tropical Diseases*, **2022**, 16, e0010266 4.8 0

21 COVID-19 Diagnosis: A Review of Rapid Antigen, RT-PCR and Artificial Intelligence Methods.. *Bioengineering*, **2022**, 9, 53 4

20 Gravity-Driven Microfluidic Siphons: Fluidic Characterization and Application to Quantitative Immunoassays. *ACS Sensors*, **2021**, 9.2 3

19 Molecular and genomic investigation of an urban outbreak of dengue virus serotype 2 in Angola, 2017-2019.. *PLoS Neglected Tropical Diseases*, **2022**, 16, e0010255 4.8 1

18 Testing and diagnosis of SARS-CoV-2 infection. **2022**, 49-79

17 Paper-Based Cytometer for the Detection and Enumeration of White Blood Cells According to Their Immunophenotype. *Analytical Chemistry*, 7.8

16 Cross-Protective Antibodies Against Common Endemic Respiratory Viruses.

15 Combination of the Focus-Forming Assay and Digital Automated Imaging Analysis for the Detection of Dengue and Zika Viral Loads in Cultures and Acute Disease. *Journal of Tropical Medicine*, **2022**, 2022, 1-11 2.4 1

14 Electrochemical detection of Zika and Dengue infections using a single chip. **2022**, 216, 114630 0

13 Diagnosis of pathogen infection via a multiple-wavelength colorimetric sensor platform with loop-mediated isothermal amplification. **2022**, 370, 132449 1

12 Developing a robust method integrating with selective membrane-based preconcentration and signal amplification for field virus detection. **2022**, 1229, 340360 0

11 Multiplexed rapid antigen tests developed using multicolored nanoparticles and cross-reactive antibody pairs: Implications for pandemic preparedness. **2022**, 47, 101669 1

10 Dengue and Zika virus differential infection of human megakaryoblast MEG-01 reveals unique cellular markers. **2022**, 577, 16-23 0

9 Biophysical and biochemical insights in the design of immunoassays. **2023**, 1867, 130266 1



- 8 Dengue virus infection [a review of pathogenesis, vaccines, diagnosis and therapy]. **2023**, 324, 199018
- 7 Recent Development in Detection Systems for Human Viral Pathogens from Clinical Samples with Special Reference to Biosensors. **2023**, 1-25
- 6 A paradigm of ZIKA virus infection. **2023**, 177-187
- 5 Electrochemical magneto-immunoassay for detection of zika virus antibody in human serum. **2023**, 256, 124277
- 4 Rapid Antigen Tests during the COVID-19 Era in Korea and Their Implementation as a Detection Tool for Other Infectious Diseases. **2023**, 10, 322
- 3 Antibody Immunity to Zika Virus among Young Children in a Flavivirus-Endemic Area in Nicaragua. **2023**, 15, 796
- 2 Identification of Zika Virus NS1-Derived Peptides with Potential Applications in Serological Tests. **2023**, 15, 654
- 1 The Coordinating Research on Emerging Arboviral Threats Encompassing the Neotropics (CREATE-NEO). **2023**, 3,